

Standards Manager Web Standards List
ADS-Aerospace, Defence, Security & Space

Id	Number	Title	Year	Organization	Page
1	AS65010	Bolt, 100 ^o Countersunk, Spiral Drive, UNJF Threads (Various Materials & Finishes) - Edition 3; Formerly ADS AS65010	2018	ADS	
2	AS65010-AR	Bolt, 100 ^o Countersunk, Spiral Drive, UNJF Threads (Various Materials & Finishes) - Edition 3; AMENDMENT RECORD No. AS65010-AR for Drawing Standard No. AS65010; Formerly ADS AS65010-AR	2018	ADS	
3	AS20760-766	RING, RETAINING Metric Series Corrosion Resisting Steel, Uncoated - Edition 3; Formerly ADS AS20760-766	2018	ADS	
4	AS20760-766-AR	RING, RETAINING Metric Series Corrosion Resisting Steel, Uncoated - Edition 3; AMENDMENT RECORD No. AS20760-AR for Drawing Standard No. AS20760-766; Formerly ADS AS20760-766-AR	2018	ADS	
5	AS26070-074	Retainer, Nut & Bolt, With Rivet Holes (Heat & Corrosion Resisting Steel) - Edition 5; Formerly ADS AS26070-074	2018	ADS	
6	TS95-AR	GUIDANCE FOR SELECTION OF METALLIC MATERIAL SPECIFICATIONS & STANDARDS USED FOR NEW DESIGNS - Edition 9; AMENDMENT RECORD No. TS95-AR for Technical Specification No. TS95; Formerly ADS TS95-AR	2018	ADS	
7	AS26070-074-AR	Retainer, Nut & Bolt, With Rivet Holes (Heat & Corrosion Resisting Steel) - Edition 5; AMENDMENT RECORD No. AS26070-AR for Drawing Standard No. AS26070-074; Formerly ADS AS26070-AR	2018	ADS	
8	AS65000	BOLT, SHEAR, 100 ^o COUNTERSUNK REDUCED HEAD, SPIRAL DRIVE, UNJF THREADS - Issue 4	2018	ADS	
9	TS95	GUIDANCE FOR SELECTION OF METALLIC MATERIAL SPECIFICATIONS & STANDARDS USED FOR NEW DESIGNS - Edition 9; Formerly ADS TS95	2018	ADS	
10	AS65000-AR	BOLT, SHEAR, 100 ^o COUNTERSUNK REDUCED HEAD, SPIRAL DRIVE, UNJF THREADS - Edition 4; AMENDMENT RECORD No. AS65000-AR for Drawing Standard No. AS65000	2018	ADS	
11	TS145	MANUFACTURING SPECIFICATION FOR BOLTS (UNIFIED THREADS) HEAT RESISTING ALLOY STEEL FV535, CLASSIFICATION Rm @ 1000 MPa (145,000 lbf/in ²) @ TA / +550 ^o C - Issue 5	2017	ADS	
12	AS60300-399	BOLT, DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, .3125-24 UNJF-3A - Issue 2; Formerly ADS AS60300-399	2017	ADS	
13	AS60200-299-AR	AMENDMENT RECORD No. AS60200-AR for Drawing Standard No. AS60200-299 - Issue 2	2017	ADS	
14	AS70003a_053	AEROSPACE STANDARD No. AS70003a_053 RING, TUBE, WELDING (METRIC & INCH TUBE SERIES) HEAT RESISTING ALLOY NiCr22Mo9Nb (INCONEL 625) - Revision 1; Formerly AS70003a_053	2017	ADS	
15	AS60200-299	BOLT, DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, .250-28 UNJF-3A HEAT RESISTING ALLOY STEEL FV535, UNPLATED, CLASSIFICATION Rm @ 1000 MPa (145,000 lbf/in ²) @ TA / +550 ^o C - Issue 2	2017	ADS	
16	AS60100-199-AR	AMENDMENT RECORD No. AS60100-AR for Drawing Standard No. AS60100-199 - Edition 3	2017	ADS	
17	AS60600-AR	Amendment Record for Drawing Standard No. AS60600 - Issue 2	2017	ADS	
18	TS145-AR	MANUFACTURING SPECIFICATION FOR BOLTS (UNIFIED THREADS) HEAT RESISTING ALLOY STEEL FV535, CLASSIFICATION Rm @ 1000 MPa (145,000 lbf/in ²) @ TA / +550 ^o C - Issue 5; AMENDMENT RECORD No. TS145-AR for Technical Specification No. TS145	2017	ADS	
19	AS44725-AR	AMENDMENT RECORD No. AS44725-AR for Drawing Standard No. AS44725 - Issue 2	2017	ADS	
20	AS60100-199	BOLT, DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, .190-32 UNJF-3A - Issue 3; Formerly ADS AS60100-199	2017	ADS	
21	AS44725	WIRE, SAFETY LOCKING Classification : High Temp +600 ^o C CR Steel & Very High Temp +960 ^o C Nickel Alloy - Edition 2; Formerly ADS AS44725	2017	ADS	
22	AS27465-AR	AMENDMENT RECORD No. AS27465-AR for Drawing Standard No. AS27465-499 - Issue 5	2017	ADS	
23	AS60500-AR	AMENDMENT RECORD No. AS60500-AR for Drawing Standard No. AS60500 - Issue 2	2017	ADS	

24	AS27465-499	UNION, TUBE, DOUBLE-ENDED, UNIFIED THREADS CORROSION RESISTANT STEEL, UNPLATED - Edition 5; Formerly ADS AS27465-499	2017	ADS	
25	AS43021-AR	AMENDMENT RECORD No. AS43021-AR for Drawing Standard No. AS43021 - Edition 3	2017	ADS	
26	AS12980-AR	AMENDMENT RECORD No. AS12980-AR for Drawing Standard No. AS12980-984 - Edition 6	2017	ADS	
27	TS220	SBAC Technical Specification for Self Locking Union Nuts (Unified Threads) manufactured from INCO718 Material. 1270 Mpa (185,000 lbf/sq.in) minimum Tensile Strength at Room Temperature - Issue 2; Formerly ADS TS220	2017	ADS	
28	AS43021	NUT, UNION-FEMALE, METRIC PIPE SERIES (Alloy Steel, Cadmium Plated) - Edition 3	2017	ADS	
29	TS202-AR	QUALIFICATION TEST REQUIREMENTS & PROCEDURES FOR AEROSPACE INDUSTRY STANDARD PARTS - Edition 13; AMENDMENT RECORD No. TS202-AR for Technical Spec No. TS202; Formerly ADS TS202	2017	ADS	
30	AS60400-499-AR	BOLT, DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, .375-24 UNJF-3A - Issue 2; AMENDMENT RECORD No. AS60400-AR for Drawing Standard No. AS60400-499; Formerly ADS AS60400-499	2017	ADS	
31	AS60400-499	BOLT, DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, .375-24 UNJF-3A - Issue 2; Formerly ADS AS60400-499	2017	ADS	
32	TS220-AR	SAE INDUSTRY TECHNOLOGIES CONSORTIA AEROSPACE STANDARDS AND PART QUALIFICATION PROGRAM - Issue 2	2017	ADS	
33	TS202	QUALIFICATION TEST REQUIREMENTS & PROCEDURES FOR AEROSPACE INDUSTRY STANDARD PARTS - Edition 13; Formerly ADS TS202	2017	ADS	
34	AS12980-984	RETAINER, NUT & BOLT, WITH RIVET HOLES (HEAT & CORROSION RESISTING STEEL) - Edition 6; Formerly ADS AS12980-984	2017	ADS	
35	AS60300-399-AR	Bolt, Machine, Double Hexagon Extended Washer Head, P.D. Shank, FV535, 0.3125 - 24 UNJF-3A. BS4084 - Edition 2; AMENDMENT RECORD No. AS60300-AR for Drawing Standard No. AS60300-399; Formerly ADS AS60300-399	2017	ADS	
36	TS200	QUALIFIED MANUFACTURERS FOR SAE ITC AEROSPACE INDUSTRY STANDARD PARTS (AS, AGS AND ESC SERIES) - Issue 44	2017	ADS	
37	TS201-AR	Amendment Record for Technical Specification No. TS201 - Issue 6; Formerly ADS TS201-AR	2017	ADS	
38	TS200-AR	QUALIFIED MANUFACTURERS FOR SAE ITC AEROSPACE INDUSTRY STANDARD PARTS (AS, AGS AND ESC SERIES) - Issue 44: AMENDMENT RECORD No. TS200-AR for Technical Specification No. TS200	2017	ADS	
39	TS201	METHOD CHANGE APPROVAL FOR QUALIFIED PARTS LISTED IN TS200 - Issue 6; Formerly ADS TS201	2017	ADS	
40	TS251-AR	MANUFACTURING, INSPECTION & QUALIFICATION REQUIREMENTS FOR RIVET, BLIND, SELF-PLUGGING, FLUSH-BREAK, MECHANICALLY LOCKED STEM, ALUMINIUM ALLOY (2014A MATERIAL) AS64400 & AS64403 AS64400L & AS64403L - Issue 2; AMENDMENT RECORD No. TS251-AR for	2016	ADS	
41	AS27850-899-AR	NUT, SELF-LOCKING, SHANK, FLANGE RESTRAINED, HEAT & CR STEEL A286, SILVER COATED ALL OVER, CLASSIFICATION Rm Greater-Than or Equal to 1100 MPa (160,000 lbf/in ²) @ TA / +650°C - Issue 10; AMENDMENT RECORD No. AS27850-AR for Drawing Standard No. AS278	2016	ADS	
42	TS250	MANUFACTURING, INSPECTION & QUALIFICATION REQUIREMENTS FOR RIVET, BLIND, SELF-PLUGGING, FLUSH-BREAK, MECHANICALLY LOCKED STEM, CORROSION RESISTING STEEL, PLAIN & CADMIUM PLATED AS64401, AS64402, AS64404 & AS64405 AS64401L, AS64402L, AS64404L &	2016	ADS	
43	TS250-AR	MANUFACTURING, INSPECTION & QUALIFICATION REQUIREMENTS FOR RIVET, BLIND, SELF-PLUGGING, FLUSH-BREAK, MECHANICALLY LOCKED STEM, CORROSION RESISTING STEEL, PLAIN & CADMIUM PLATED AS64401, AS64402, AS64404 & AS64405 AS64401L, AS64402L, AS64404L &	2016	ADS	
44	AS70000-1	Bolt, External MORTORQ Super Extended Washer Head, PD Shank, .164-32 UNJC to .500-20 UNJF-3A, Heat Resisting Nickel Alloy (INCONEL 718), Unplated, Classification Rm $\hat{=}$ 1275 MPa (185,000 lbf/in ²) @ TA / +650°C - To Purchase Call 1-800-854-7179 USA/Canad	2016	ADS	
45	AS27850-899	NUT, SELF-LOCKING, SHANK, FLANGE RESTRAINED, HEAT & CR STEEL A286, SILVER COATED ALL OVER, CLASSIFICATION Rm Greater-Than or Equal to 1100 MPa (160,000 lbf/in ²) @ TA / +650°C - Issue 10	2016	ADS	
46	AS44750-753	NUT, SELF-LOCKING, SHANK, FLANGE RESTRAINED, HEAT & CR STEEL A286, SILVER COATED ALL OVER, CLASSIFICATION Rm $\hat{=}$ 1100 MPa (160,000 lbf/in ²) @ TA / +650°C - Edition 8; Formerly ADS AS44750-753	2016	ADS	
47	AS44750-AR	AMENDMENT RECORD No. AS44750-AR for Drawing Standard No. AS44750-753 - Edition 8	2016	ADS	

48	AS54700-799	BOLT, CLOSE TOLERANCE, DOUBLE HEXAGON EXTENDED WASHER HEAD, .3125-24 UNJF-3A MOD HEAT RESISTING ALLOY INCONEL 718, UNPLATED, CLASSIFICATION Rm \hat{a} 1275 MPa (185,000 lbf/in ²) @ TA /+650°C - Issue 5; Formerly ADS AS54700-799	2016	ADS	
49	AS54700-799-AR	AMENDMENT RECORD No. AS54700-799-AR for Drawing Standard No. AS54700-799 - Issue 5	2016	ADS	
50	AS55000-099	BOLT, CLOSE TOLERANCE, DOUBLE HEXAGON EXTENDED WASHER HEAD, .500-20 UNJF-3A MOD - Issue 5; Formerly ADS AS55000-099	2016	ADS	
51	AS55000-099-AR	AMENDMENT RECORD for Drawing Standard No. AS55000-099 - Edition 5	2016	ADS	
52	AS62360	ELBOW ASSEMBLY 90°, NIPPLE END, FEMALE NUT UNION, CORROSION RESISTING STEEL - Issue 2; Formerly ADS AS62360	2016	ADS	
53	TS251	MANUFACTURING, INSPECTION & QUALIFICATION REQUIREMENTS FOR RIVET, BLIND, SELF-PLUGGING, FLUSH-BREAK, MECHANICALLY LOCKED STEM, ALUMINIUM ALLOY (2014A MATERIAL) AS64400 & AS64403 AS64400L & AS64403L - Issue 2; Formerly ADS TS251	2016	ADS	
54	AS900-1142	B.S. Chains and Fittings Assembly Code - Issue 5; Formerly ADS AS900-1142	2015	ADS	
55	AS6255	Bolt 5/16" Dia. (Unified). Control Column - Issue 2; Formerly ADS AS6255	2015	ADS	
56	AS6253	Adjustable Stop, Control Column - Issue 2; Formerly ADS AS6253	2015	ADS	
57	AS65200-235	CLAMP, LOOP, CUSHIONED, HIGH TEMPERATURE -60°C TO +550°C (FOR 5mm & .190 inch FASTENERS) - Issue 1; Formerly ADS AS65200-235	2015	ADS	
58	TS147-AR	SILICONE ELASTOMER, GLASSFIBRE FABRIC REINFORCED CUSHION (FOR USE IN LOOP STYLE CLAMP ASSEMBLIES) - Issue 8; AMENDMENT RECORD No. TS147-AR For TECHNICAL SPECIFICATION NO. TS147; Formerly ADS TS147-AR	2015	ADS	
59	AS6252	Bolt 3/8" Dia. Control Column - Issue 2; Formerly ADS AS6252	2015	ADS	
60	TS147	SILICONE ELASTOMER, GLASSFIBRE FABRIC REINFORCED CUSHION (FOR USE IN LOOP STYLE CLAMP ASSEMBLIES) - Issue 8; Formerly ADS TS147	2015	ADS	
61	AS6251	Front Ball Race Spigot, Control Column - Issue 1; Formerly ADS AS6251	2015	ADS	
62	TS260-AR	METALLIC MATERIALS LIST OF ALTERNATIVE MATERIAL SPECIFICATIONS & STANDARDS ONLY AUTHORISED FOR USE ON ADS STANDARD PARTS - Edition 5; AMENDMENT RECORD No. TS260-AR for Drawing Standard No. TS260; Formerly ADS TS260-AR	2014	ADS	
63	AS23000-099	BOLT, CLOSE TOLERANCE, DOUBLE HEXAGON EXTENDED WASHER HEAD, HR650, .250-28 UNJF-3A MOD - Edition 5; Formerly ADS AS23000-099	2014	ADS	
64	TS96	ADS RECOMMENDATIONS FOR SIMILAR METALLIC MATERIAL SPECIFICATIONS & STANDARDS - Edition 5; Formerly ADS TS96	2014	ADS	
65	AS48400-499-AR	BOLT, DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, INCONEL 718, .190-32 UNJF-3A - Edition 5; AMENDMENT RECORD No. AS48400-AR for Drawing Standard No. AS48400-499; Formerly ADS AS48400-499-AR	2014	ADS	
66	AS48400-499	BOLT, DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, INCONEL 718, .190-32 UNJF-3A - Edition 5; Formerly ADS AS48400-499	2014	ADS	
67	TS120-AR	AGS2000 SERIES STIFFNUTS (INCLUDING CLINCH NUTS) BA & BSF THREADS FOR AIRCRAFT - Edition 6; AMENDMENT RECORD No. TS120-AR for Technical Specification No. TS120; Formerly ADS TS120-AR	2014	ADS	
68	TS260	METALLIC MATERIALS LIST OF ALTERNATIVE MATERIAL STANDARDS ONLY AUTHORISED FOR USE ON SBAC STANDARD PARTS - Edition 5; Formerly ADS TS260	2014	ADS	
69	AS23000-099-AR	BOLT, CLOSE TOLERANCE, DOUBLE HEXAGON EXTENDED WASHER HEAD, HR650, .250-28 UNJF-3A MOD - Edition 5; AMENDMENT RECORD No. AS23000-AR for Drawing Standard No. AS23000-099; Formerly ADS AS23000-099-AR	2014	ADS	
70	TS120	AGS2000 SERIES STIFFNUTS (INCLUDING CLINCH NUTS) BA & BSF THREADS FOR AIRCRAFT - Edition 6; Formerly ADS TS120	2014	ADS	
71	AS6706	SADDLE, PLAIN - Edition 3; Formerly ADS AS6706	2013	ADS	

72	RS610-AR	IDENTIFICATION MARKING OF PARTS & ASSEMBLIES - Edition 8; Formerly ADS RS610-AR	2013	ADS	
73	AS32000-AR	Plate Washer, Plain - Edition 3; AMENDMENT RECORD No. AS32000-AR for Drawing Standard No. AS32000-004; Formerly ADS AS32000-AR	2013	ADS	
74	AS63280-AR	Nut, Union, Self Locking, Metric Thread - Edition 4; AMENDMENT RECORD No. AS63280-AR for Drawing Standard No. AS63280-289; Formerly ADS AS63280-AR	2013	ADS	
75	RS678	FASTENERS, ROLLED THREADS, CHAMFERS, LEAD THREADS & RUNOUTS - Edition 6; Formerly ADS RS678	2013	ADS	
76	AS32000-004	Plate Washer, Plain - Edition 3; Formerly ADS AS32000-004	2013	ADS	
77	AS63280-289	NUT, UNION, SELF-LOCKING, METRIC THREAD - Edition 4; Formerly ADS AS63280-289	2013	ADS	
78	RS678-AR	FASTENERS, ROLLED THREADS, CHAMFERS, LEAD THREADS & RUNOUTS - Edition 6; AMENDMENT RECORD No. RS678-AR for Reference Sheet No. RS678; Formerly ADS RS678-AR	2013	ADS	
79	AS41900	Clamp, Loop, Bonding, Metric - Edition 3; Formerly ADS AS41900	2013	ADS	
80	AS65300	BOLT, 100° COUNTERSUNK HEAD, SPIRAL DRIVE, MJ THREAD, SPLIT PIN HOLE OPTION, TITANIUM ALLOY (1100 MPa, 315°C) - Edition 1; Formerly ADS AS65300	2013	ADS	
81	RS610	IDENTIFICATION MARKING OF PARTS & ASSEMBLIES - Edition 8; Formerly ADS RS610	2013	ADS	
82	AS6707	SADDLE, THREADED - Edition 3; Formerly ADS AS6707	2013	ADS	
83	AS12810-AR	CLIP, SPRING, TENSION, INNER - Edition 4; AMENDMENT RECORD No. AS12810-AR for Drawing Standard No. AS12810-839; Formerly ADS AS12810-AR	2012	ADS	
84	AS43013-AR	RING, SEALING, TOROIDAL (O-RING INCH SERIES) FOR GENERAL AEROSPACE USE - Edition 5; AMENDMENT RECORD No. AS43013-AR for Drawing Standard No. AS43013; Formerly ADS AS43013-AR	2012	ADS	
85	AS12810-839	CLIP, SPRING, TENSION, INNER - Edition 4; Formerly ADS AS12810-839	2012	ADS	
86	AS44445-AR	RETAINING CORD ASSEMBLY (NOMEX) - Edition 10; AMENDMENT RECORD No. AS44445-AR for Drawing Standard No. AS44445; Formerly ADS AS44445-AR	2012	ADS	
87	AS43003	RING, SEALING, TOROIDAL (O-RING INCH SERIES) FOR USE WITH TAPPED PORT BOSSES TO SAE AS5202 - Edition 4; Formerly ADS AS43003	2012	ADS	
88	AS26080-AR	PLATE, WASHER, PLAIN - Edition 6; AMENDMENT RECORD No. AS26080-AR for Drawing Standard No. AS26080-084; Formerly ADS AS26080-AR	2012	ADS	
89	AS12840-869	CLIP, SPRING, TENSION, OUTER - Edition 4; Formerly ADS AS12840-869	2012	ADS	
90	AS41100-AR	NUT, CLIP, SELF-LOCKING, FLOATING, ASSEMBLY OF - Edition 7; AMENDMENT RECORD No. AS41100-AR for Drawing Standard No. AS41100-109; Formerly ADS AS41100-AR	2012	ADS	
91	AS43013	RING, SEALING, TOROIDAL (O-RING INCH SERIES) FOR GENERAL AEROSPACE USE - Edition 5; Formerly ADS AS43013	2012	ADS	
92	AS41100-109	NUT, CLIP, SELF-LOCKING, FLOATING, ASSEMBLY OF - Edition 7; Formerly ADS AS41100-109	2012	ADS	
93	AS12840-AR	CLIP, SPRING, TENSION, OUTER - Edition 4; AMENDMENT RECORD No. AS12840-AR for Drawing Standard No. AS12840-869; Formerly ADS AS12840-AR	2012	ADS	
94	AS44691-694	WASHER, TAB, DOUBLE KEY (FOR UNIFIED HEXAGONS) - Issue 3; Formerly ADS AS44691-694	2012	ADS	
95	AS44691-694-AR	WASHER, TAB, DOUBLE KEY (FOR UNIFIED HEXAGONS) - Issue 3; AMENDMENT RECORD No. AS44691-AR for Drawing Standard No. AS44691-694; Formerly ADS AS44691-694-AR	2012	ADS	
96	AS26080-084	PLATE, WASHER, PLAIN - Edition 6; Formerly ADS AS26080-084	2012	ADS	
97	AS44445	RETAINING CORD ASSEMBLY (NOMEX) - Edition 10; Formerly ADS AS44445	2012	ADS	
98	AS43003-AR	RING, SEALING, TOROIDAL (O-RING INCH SERIES) FOR USE WITH TAPPED PORT BOSSES TO SAE AS5202 - Edition 4; AMENDMENT RECORD No. AS43003-AR for Drawing Standard No. AS43003; Formerly ADS AS43003-AR	2012	ADS	
99	AS63476-AR	NUT, SELF-LOCKING, SHANK, FLANGE RESTRAINED (CR STEEL, SILVER COATED THREAD ONLY) - Edition 4; AMENDMENT RECORD No. AS63476-AR for Drawing Standard No. AS63476-479; Formerly ADS AS63476-AR	2011	ADS	
100	ESC76-AR	BACKSHELL ASSEMBLY, 90°, RFI / EMI CONE GROUNDING, 100% ANTI-DECOUPLING - Edition 5; AMENDMENT RECORD No. ESC76-AR for Drawing Standard No.ESC76; Formerly ADS SC76-AR	2011	ADS	

101	AS63420-423	NUT, SELF-LOCKING, SHANK, FLANGE RESTRAINED (WASPALLOY, SILVER COATED THREAD ONLY) - Issue 5; Formerly ADS AS63420-423	2011	ADS	
102	ESC76	BACKSHELL ASSEMBLY, 90°, RFI / EMI CONE GROUNDING, 100% ANTI-DECOUPLING - Edition 5; Formerly ADS SC76	2011	ADS	
103	AS63476-479	NUT, SELF-LOCKING, SHANK, FLANGE RESTRAINED (CR STEEL, SILVER COATED THREAD ONLY) - Edition 4; Formerly ADS AS63476-479	2011	ADS	
104	AS63420-423-AR	NUT, SELF-LOCKING, SHANK, FLANGE RESTRAINED (WASPALLOY, SILVER COATED THREAD ONLY) - Issue 5; AMENDMENT RECORD No. AS63420-AR for Drawing Standard No. AS63420-423; Formerly ADS AS63420-423-AR	2011	ADS	
105	AS46771-AR	Lead Electrical (for Primary Bonding Purposes) - Edition 2; AMENDMENT RECORD No. AS46771-AR for Drawing Standard No. AS46771; Formerly ADS AS46771-AR	2010	ADS	
106	AS46771	LEAD, ELECTRICAL (FOR PRIMARY BONDING PURPOSES) - Edition 2; Formerly ADS AS46771	2010	ADS	
107	AS46772	LEAD, ELECTRICAL (FOR STATIC BONDING PURPOSES) UNSUITABLE FOR LIGHTNING STRIKE PURPOSES - Edition 4; Formerly ADS AS46772	2010	ADS	
108	AS46772-AR	Lead Electrical (for Static Bonding Purposes) Unsuitable for Lightning Strike Purposes - Edition 4; AMENDMENT RECORD No. AS46772-AR for Drawing Standard No. AS46772; Formerly ADS AS46772-AR	2010	ADS	
109	AGS2088	PIPE IDENTIFICATION BAND FOR USE IN HOT ZONES (1" WIDE) - Issue 5; Formerly ADS AGS2088	2009	ADS	
110	AS65110	NUT, SELF LOCKING, SHANK, FLANGE RESTRAINED 0.1900-32UNJF 3B BS.A346 (ISO3161). BASED ON AS63476 WITH 1g, 2g, 3g AND 6g OF ADDITIONAL MASS - Edition 2; Formerly ADS AS65110	2009	ADS	
111	AGS2092	PIPE IDENTIFICATION BAND FOR USE IN HOT ZONES (1" WIDE) - Edition 5; Formerly ADS AGS2092	2009	ADS	
112	AGS2090	PIPE IDENTIFICATION BAND FOR USE IN HOT ZONES (1.0" WIDE) - Edition 5; Formerly ADS AGS2090	2009	ADS	
113	AS65113	NUT, SELF LOCKING, SHANK, FLANGE RESTRAINED 0.3750-24UNJF 3B BS.A346 (ISO3161). BASED ON AS63479 WITH 3g, 5g AND 15g OF ADDITIONAL MASS - Edition 2; Formerly ADS AS65113	2009	ADS	
114	RS681	DIRECTIONS FOR APPLICATION OF P.T.F.E. IMPREGNATED MARKER TAPE - Edition 2; Formerly ADS RS681	2009	ADS	
115	AGS3442	PIPE WARNING SYMBOL BANDS FOR USE IN HOT ZONES (1" WIDE) - Edition 3; Formerly ADS AGS3442	2009	ADS	
116	AGS3441	PIPE IDENTIFICATION BAND FOR USE IN HOT ZONES (1" WIDE) - Edition 3; Formerly ADS AGS3441	2009	ADS	
117	TS66	DRAUGHTING & PART NUMBERING PROCEDURES FOR A D S DRAWINGS - Edition 6; Formerly ADS TS66	2009	ADS	
118	AS65112	NUT, SELF LOCKING, SHANK, FLANGE RESTRAINED 0.3125-24UNJF 3B BS.A346 (ISO3161). BASED ON AS63478 WITH 2g, 5g AND 14g OF ADDITIONAL MASS - Edition 2; Formerly ADS AS65112	2009	ADS	
119	AS65111	NUT, SELF LOCKING, SHANK, FLANGE RESTRAINED 0.2500-28UNJF 3B BS.A346 (ISO3161). BASED ON AS63477 WITH 2g, 5g, 12g AND 18g OF ADDITIONAL MASS - Edition 2; Formerly ADS AS65111	2009	ADS	
120	AGS2094	FLOW DIRECTION INDICATOR BANDS FOR USE IN HOT ZONES (1" WIDE) - Edition 5; Formerly ADS AGS2094	2009	ADS	
121	TS22	MANUFACTURING SPECIFICATION FOR BOLTS 1100 MPa (159,000 lbf/sq.in) ULTIMATE TENSILE STRENGTH MINIMUM AT ROOM TEMPERATURE - Edition 10; Formerly ADS TS22	2008	ADS	
122	AS1876-1879	HINGES, ALUMINIUM ALLOY, SINGLE FLANGE PLATES - Edition 12; Formerly ADS AS1876-1879	2008	ADS	
123	AGS3923	RIVET, BLIND, 100° CSK HEAD, SELF-PLUGGING, INTERFERENCE LOCK CORROSION RESISTING STEEL, CADMIUM COATED (CHERRY AEROSPACE) - Edition 4; Formerly ADS AGS3923	2008	ADS	
124	AGS3922	RIVET, BLIND, SNAP HEAD, SELF-PLUGGING, INTERFERENCE LOCK CORROSION RESISTING STEEL, CADMIUM COATED (CHERRY AEROSPACE) - Edition 4; Formerly ADS AGS3922	2008	ADS	
125	AGS3921	RIVET, BLIND, 100° CSK HEAD, SELF-PLUGGING, INTERFERENCE LOCK CORROSION RESISTING STEEL (CHERRY AEROSPACE) - Edition 3; Formerly ADS AGS3921	2008	ADS	
126	RS750	Cancellation of the AGS4719/20 and AS46788/89/90/91 (MBC) Rivets - Edition 2; Formerly ADS RS750	2008	ADS	
127	AGS3920	RIVET, BLIND, SNAP HEAD, SELF-PLUGGING, INTERFERENCE LOCK CORROSION RESISTING STEEL (CHERRY AEROSPACE) - Edition 3; Formerly ADS AGS3920	2008	ADS	
128	AS46725-727	NUT, SELF-LOCKING, ANCHOR, DOUBLE-LUG, FLOATING, CRES, SILVER PLATED, 1100 MPa MINIMUM TENSILE STRENGTH, MAXIMUM RATED TEMPERATURE 650 Degree C - Edition 8; Sheet 3 is Cancelled; Formerly ADS AS46725-727	2008	ADS	

129	TS170	WOVEN GLASSFIBRE CUSHION SLEEVING AND RESPECTIVE LOOP STYLE CLAMP ASSEMBLIES FOR USE AT TEMPERATURES UP TO 550°C. - Edition 5; Formerly ADS TS170	2007	ADS	
130	AS56200-299	BOLT, TEE HEAD, P.D. SHANK, INCONEL 718 0.5000 20 UNJF 3A ISO3161 - Edition 3; Formerly ADS AS56200-299	2007	ADS	
131	AS54600-699	BOLT, CLOSE TOLERANCE - DOUBLE HEXAGON, EXTENDED WASHER HEAD, INCONEL 718, 0.2500 28UNJF 3A.MOD ISO3161 - Edition 4; Formerly ADS AS54600-699	2007	ADS	
132	AS63470-475	NUT, SELF LOCKING, BI-HEXAGON, WASPALOY - Edition 5; Formerly ADS AS63470-475	2007	ADS	
133	AS49300-399	Bolt, Tee Head, PD Shank, INCONEL 718, 0.3125 - 24UNJF - 3A ISO3161 - Edition 5; Formerly ADS AS49300-399	2007	ADS	
134	AS48500-599	BOLT, MACHINE, DOUBLE HEXAGON EXTENDED WASHER HEAD, P.D. SHANK, INCONEL 718, .250 28UNJF 3A - Edition 5; Formerly ADS AS48500-599	2007	ADS	
135	AS43600-699	Bolt, Machine, Double Hexagon Extended Washer Head, Drilled, BS HR650, Silver Coated, 10(.190)-32 UNJF-3A.BS4084 - Edition 6; Formerly ADS AS43600-699	2007	ADS	
136	AS50200-299	Bolt, Hexagon Head, P.D. Shank, INCONEL 718, 0.1900 - 32UNJF - 3A ISO3161 - Edition 4; Formerly ADS AS50200-299	2007	ADS	
137	AS56300-399	BOLT, HEXAGON HEAD, P.D. SHANK, INCONEL 718, 0.4375 20UNJF 3A, ISO3161 - Edition 3; Formerly ADS AS56300-399	2007	ADS	
138	AS49400-499	Bolt, Tee Head, PD Shank, INCONEL 718, 0.3750 - 24UNJF - 3A ISO3161 - Edition 5; Formerly ADS AS49400-499	2007	ADS	
139	AS54900-999	BOLT, CLOSE TOLERANCE - DOUBLE HEXAGON, EXTENDED WASHER HEAD, INCONEL 718, 0.4375 20UNJF 3A MOD ISO3161 - Edition 4; Formerly ADS AS54900-999	2007	ADS	
140	AS58300-399	BOLT, TEE HEAD, CLOSE TOLERANCE SHANK, INCONEL 718 0.1900 32UNJF 3A.MOD. ISO3161 - Edition 3; Formerly ADS AS58300-399	2007	ADS	
141	AS50400-499	BOLT, HEXAGON HEAD, P.D. SHANK, INCONEL 718, 0.3125 24UNJF 3A, ISO3161 - Edition 4; Formerly ADS AS50400-499	2007	ADS	
142	AS50300-399	BOLT, HEXAGON HEAD, P.D. SHANK, INCONEL 718, 0.2500 28UNJF 3A, ISO3161 - Edition 4; Formerly ADS AS50300-399	2007	ADS	
143	TS24	MANUFACTURING SPECIFICATION FOR BOLTS 1275 MPa (185,000 lbf/in2) TENSILE AT ROOM TEMPERATURE 1000 MPa (145,000 lbf/in2) TENSILE AT 650 Degree C - Edition 6; Formerly ADS TS24	2007	ADS	
144	AS56400-499	BOLT, HEXAGON HEAD, P.D. SHANK, INCONEL 718, 0.5000 20UNJF 3A, ISO3161 - Edition 3; Formerly ADS AS56400-499	2007	ADS	
145	AS54800-899	BOLT, CLOSE TOLERANCE - DOUBLE HEXAGON, EXTENDED WASHER HEAD, INCONEL 718, 0.3750 24UNJF 3A MOD ISO3161 - Edition 4; Formerly ADS AS54800-899	2007	ADS	
146	AS54500-599	BOLT, CLOSE TOLERANCE - DOUBLE HEXAGON, EXTENDED WASHER HEAD, INCONEL 718, 0.1900 32UNJF 3A.MOD ISO3161 - Edition 4; Formerly ADS AS54500-599	2007	ADS	
147	AS49200-299	Bolt, Tee Head, PD Shank, INCONEL 718, 0.2500 - 28UNJF - 3A ISO3161 - Edition 5; Formerly ADS AS49200-299	2007	ADS	
148	AS58800-899	BOLT, TEE HEAD, CLOSE TOLERANCE SHANK, INCONEL 718 0.5000 20UNJF 3A.MOD. ISO3161 - Edition 3; Formerly ADS AS58800-899	2007	ADS	
149	AS56100-199	BOLT, TEE HEAD, P.D. SHANK, INCONEL 718 0.4375 20 UNJF 3A ISO3161 - Edition 3; Formerly ADS AS56100-199	2007	ADS	
150	AS58700-799	BOLT, TEE HEAD, CLOSE TOLERANCE SHANK, INCONEL 718 0.4375 20UNJF 3A.MOD. ISO3161 - Edition 3; Formerly ADS AS58700-799	2007	ADS	
151	AS49100-199	Bolt, Tee Head, PD Shank, INCONEL 718, 0.1900 - 32UNJF - 3A ISO3161 - Edition 5; Formerly ADS AS49100-199	2007	ADS	
152	AS53761-54360	BOLT, HEXAGON, SELF RETAINING, IMPEDANCE TYPE, INCONEL 718, INCH SERIES - Edition 4; Formerly ADS AS53761-54360	2007	ADS	
153	AS58500-599	BOLT, TEE HEAD, CLOSE TOLERANCE SHANK, INCONEL 718 0.3125 24UNJF 3A.MOD. ISO3161 - Edition 3; Formerly ADS AS58500-599	2007	ADS	
154	AS55900-999	BOLT, MACHINE, DOUBLE HEXAGON, EXTENDED WASHER HEAD, P.D. SHANK, INCONEL 718, 0.4375 20UNJF 3A.ISO3161 - Edition 3; Formerly ADS AS55900-999	2007	ADS	

155	AS50500-599	BOLT, HEXAGON HEAD, P.D. SHANK, INCONEL 718, 0.3750 24UNJF 3A, ISO3161 - Edition 4; Formerly ADS AS50500-599	2007	ADS	
156	AS58600-699	BOLT, TEE HEAD, CLOSE TOLERANCE SHANK, INCONEL 718 0.3750 24UNJF 3A.MOD. ISO3161 - Edition 3; Formerly ADS AS58600-699	2007	ADS	
157	AS56000-099	BOLT, MACHINE, DOUBLE HEXAGON, EXTENDED WASHER HEAD, P.D. SHANK, INCONEL 718, 0.5000 20UNJF 3A.ISO3161 - Edition 3; Formerly ADS AS56000-099	2007	ADS	
158	AS48700-799	Bolt, Machine, Double Hexagon Extended Washer Head, P.D. Shank, INCONEL 718, 0.3450 - 24UNJF - 3A.ISO3161 - Edition 4; Formerly ADS AS48700-799	2007	ADS	
159	AS52000-599	BOLT, HEXAGON, SELF RETAINING, IMPEDANCE TYPE, INCONEL 718, METRIC SERIES - Edition 4; Formerly ADS AS52000-599	2007	ADS	
160	AS48600-699	Bolt, Machine, Double Hexagon Extended Washer Head, P.D. Shank, INCONEL 718, 0.3125 - 24UNJF - 3A.ISO3161 - Edition 4; Formerly ADS AS48600-699	2007	ADS	
161	AS58400-499	BOLT, TEE HEAD, CLOSE TOLERANCE SHANK, INCONEL 718 0.2500 28UNJF 3A.MOD. ISO3161 - Edition 3; Formerly ADS AS58400-499	2007	ADS	
162	AS64403	RIVET, BLIND, SELF PLUGGING, FLUSH BREAK, MECHANICALLY LOCKED SPINDLE, UNIVERSAL HEAD, ALUMINIUM ALLOY - Edition 1; Formerly ADS AS64403	2006	ADS	
163	AS63540-589	NUT, SELF LOCKING, SHANK, FLANGE RESTRAINED, WASPALOY - Edition 4; Formerly ADS AS63540-589	2006	ADS	
164	AS64402	RIVET, BLIND, SELF PLUGGING, FLUSH BREAK, MECHANICALLY LOCKED STEM, 100 ^o COUNTERSUNK HEAD, CORROSION RESISTING STEEL, UNPLATED - Edition 1; Formerly ADS AS64402	2006	ADS	
165	AS64400	RIVET, BLIND, SELF PLUGGING, FLUSH BREAK, MECHANICALLY LOCKED SPINDLE, 100 ^o COUNTERSUNK HEAD, ALUMINIUM ALLOY - Edition 1; Formerly ADS AS64400	2006	ADS	
166	AS64401	RIVET, BLIND, SELF PLUGGING, FLUSH BREAK, MECHANICALLY LOCKED STEM, 100 ^o COUNTERSUNK HEAD, CORROSION RESISTING STEEL, CADMIUM PLATED - Edition 1; Formerly ADS AS64401	2006	ADS	
167	TS104	Manufacturing Specification for Gaskets (Metallic Seals) - Issue 5; Formerly ADS TS104	2006	ADS	
168	AS64404	RIVET, BLIND, SELF PLUGGING, FLUSH BREAK, MECHANICALLY LOCKED STEM, UNIVERSAL HEAD, CORROSION-RESISTING STEEL, CADMIUM PLATED - Edition 1; Formerly ADS AS64404	2006	ADS	
169	AS64405	RIVET, BLIND, SELF PLUGGING, FLUSH BREAK, MECHANICALLY LOCKED STEM, UNIVERSAL HEAD, CORROSION-RESISTING STEEL, UNPLATED - Edition 1; Formerly ADS AS64405	2006	ADS	
170	TS128	"ALL-METAL" SELF-LOCKING NUTS (UNJ THREADS) 1100 MPa (160,000 lbf/sq.in) MINIMUM TENSILE STRENGTH AT ROOM TEMPERATURE - Edition 6; Formerly ADS TS128	2006	ADS	
171	RS749	Tube Couplings - Unified Threads, Self-Locking Nuts - Edition 1; Formerly ADS RS749	2005	ADS	
172	AS64350-362	Nut, Union, Self Locking, Tube and Hose Coupling - Edition 1; Formerly ADS AS64350-362	2005	ADS	
173	AS64381-391	Nut Assembly, Pipe Closure, Self-Locking Union Nuts - Edition 1; Formerly ADS AS64381-391	2005	ADS	
174	TS221	SBAC Specification for Manufacture, Performance & Testing of Quick Release Pins (Ball Type) Imperial - Edition 2; Formerly ADS TS221	2005	ADS	
175	AGS2097	Bonding, Flexible - General - Edition 5; Formerly ADS AGS2097	2005	ADS	
176	TS86	Procurement Test Requirements for Pin, Shear, Headed, Close Tolerance, Metric - Edition 3; Formerly ADS TS86	2004	ADS	
177	AS42910-915	Nut, Self-Locking - Bi-Hexagon Waspaloy (Source Control Drawing) - Edition 4; Formerly ADS AS42910-915	2004	ADS	
178	TS8	Performance Specification for All Metal Self-Locking Nuts (UNJ Threads) 1100MPa (160,000 lbf/in ²) Minimum Tensile Strength at Room Temperature - Edition 10; Formerly ADS TS8	2004	ADS	
179	AS64366-374	Nut, Self Locking, Spline Drive - BSHR650 (AMS5737 or AMS5732) - Edition 1; Formerly ADS AS64366-374	2004	ADS	
180	TS109	Manufacturing Specification for Studs, Bolts and Screws in BS HR650, EN2398, EN2399 & EN3639 Material, 900 Mpa (130,000 lbf/in ²) Tensile at Room Temperature, (for which forging is optional & qualification not a requirement) - Edition 5; Formerly	2004	ADS	
181	TS134	Technical Specfication for self retaining Impedance Type Bolts - Metric Tensile Strength: 1275 Mpa at ambient temperature, 1065 Mpa at 425 ^o C - Edition 4; Formerly ADS TS134	2004	ADS	

182	TS153	Performance Specification of Insert Salvage, Imperial, Thinwall Screw Locking, Inconel 718, silver coated - Edition 2; Formerly ADS TS153	2004	ADS	
183	TS21	Manufacturing Specification for Bolts, 900 MPa (130,000 lbf/sq.in) Tensile at Room Temperature - Edition 11; Formerly ADS TS21	2004	ADS	
184	TS41	Manufacturing Specification for Inserts, Screw Thread, Unified, Screw Locking, Helical Coil, BS HR503 (Nimonic 90), Silver coated - Edition 6; Formerly ADS TS41	2004	ADS	
185	TS149	Technical Specification for All Metal Self-Locking Nuts (UNJ Threads), 1550 Mpa (225,000 lbf/sq.in) minimum tensile strength at ambient temperature - Edition 2; Formerly ADS TS149	2004	ADS	
186	TS106	Manufacturing and Inspection Requirements for British Metric Swaged Pipe Coupling (AS43020 and AS43090 series) - Edition 2; Formerly ADS TS106	2004	ADS	
187	AS63237	Safety Cable - Diameter 0,89mm - Edition 4; Formerly ADS AS63237	2004	ADS	
188	TS3	Performance Specification for All Metal Self-Locking Nuts (Unified Threads) strength 125,000 lbf/in ² min.tensile (56 tonf/in ²) 450°C.max. - Edition 5; Formerly ADS TS3	2004	ADS	
189	TS65	Recommendations on the Adhesive Bonding of Rubbers to other Substrates - Edition 2; Formerly ADS TS65	2004	ADS	
190	AS46782	Clamp, Loop, Corrosion Resistant Steel Fluorosilicone Rubber Cushion (Imperial Dimensions) - Edition 2; Formerly ADS AS46782	2004	ADS	
191	AS64364	Quick Release Push Type Pip Pin with Handle (Imperial) - Edition 1; Formerly ADS AS64364	2004	ADS	
192	AS36700-799	Screw, Machine, Hexagon Head, Washer Face, .164-32 UNJC-3Aa BS 4084 - Edition 6; Formerly ADS AS36700-799	2004	ADS	
193	TS85	Technical Specification for Lubricating Nipples, Hydraulic, Surface-Check type, Metric - Edition 2; Formerly ADS TS85	2004	ADS	
194	TS108	Manufacturing Specification for Studs, Bolts and Screws in BS S159 Material, 1100 Mpa (159,000 lbf/in ²) Tensile at Room Temp. (for which forging is optional & qualification not a requirement) - Edition 5; Formerly ADS TS108	2004	ADS	
195	AS63238-239	Safety Cable Ferrule - Edition 4; Formerly ADS AS63238-239	2004	ADS	
196	TS129	Performance Specification for All Metal Self-Locking Shaft Nuts (Unified Threads). Non-Corrosion Resistant Steel, rated temperature 350°C. - Edition 3; Formerly ADS TS129	2004	ADS	
197	TS152	Technical Specification for Installation and Removal of Inserts Inch Threaded, Thinwall, Short and Long Series - Edition 2; Formerly ADS TS152	2004	ADS	
198	TS40	Performance Specification for Inserts, Screw Thread, Unified, Screw Locking, Helical Coil, Corrosion Resistant Steel, DTD734, Cadmium coated - Edition 6; Formerly ADS TS40	2004	ADS	
199	AS64365	Quick Release Pull Type Pip Pin 3/16 in Diameter - Edition 1; Formerly ADS AS64365	2004	ADS	
200	TS76	Standard Method of Hydraulic Fluid Sampling. - Edition 2; Formerly ADS TS76	2004	ADS	
201	AS63530-535	Nut, Self-Locking, Shank, Flange Restrained - Edition 2; Formerly ADS AS63530-535	2004	ADS	
202	TS48	Technical Specification for the Performance of Sockets & Ring Spanners - Edition 4; Formerly ADS TS48	2004	ADS	
203	TS137	Technical Specification for Self Retaining Impedance Type Bolts - Imperial Tensile strength: 1275 Mpa (185,000 lbf/sq.in) at ambient temperature, 1065 Mpa (154,000 lbf/sq.in) at 425°C - Edition 4; Formerly ADS TS137	2004	ADS	
204	TS111	Manufacturing and Performance Specification for Rings, Retaining Friction Locking - Edition 3; Formerly ADS TS111	2004	ADS	
205	TS93	British Metric Swage Pipe Coupling: Swaging Process Specification For AS43022 & 43160 (Nipples) and AS43024 & 43161 Unions (without Jointing Compound) - Edition 2; Formerly ADS TS93	2004	ADS	
206	AS64375-378	Nut, Reduced Hexagon, Self Locking, Deep Counterbored, Inch Series for uses up to 425°C - for use with Impedance Type Bolts - Edition 1; Formerly ADS AS64375-378	2004	ADS	
207	AS63750-761	Nut, Union, Tube and Hose Coupling - Edition 2; Formerly ADS AS63750-761	2004	ADS	
208	TS46	Assembly of Union Nuts, Thrust Wires and Union Ferrules - Edition 3; Formerly ADS TS46	2004	ADS	
209	TS74	Code of Practice for Control of Contamination during Production - Edition 8; Formerly ADS TS74	2004	ADS	
210	TS110	British Metric Swaged Pipe Coupling : Swaging Process Specification for AS43022 & 43160 (Nipples) and AS43024 & 43161 (Unions) (incorporating use of a Jointing Compound) - Edition 2; Formerly ADS TS110	2004	ADS	
211	TS135	Technical Specification for All Metal Self-Locking Nuts (MJ Threads) reduced Hexagon - deep counterbored tensile strength:- 1100 Mpa at ambient temperature - Edition 2; Formerly ADS TS135	2004	ADS	

212	TS156	Performance Specification of Insert Salvage Metric, Thinwall Screw Locking, Inconel 718, silver coated - Edition 2; Formerly ADS TS156	2004	ADS	
213	TS77	Recommended Technical Requirements for a General Purpose Grade of Fluorocarbon Rubber - Edition 3; Formerly ADS TS77	2004	ADS	
214	AS63536-539	Nut, Self-Locking Plate - Edition 2; Formerly ADS AS63536-539	2004	ADS	
215	TS49	Elastomeric Toroidal Sealing Rings (O rings) Manufacturing & Inspection Standards for Aerospace Applications - Edition 2; Formerly ADS TS49	2004	ADS	
216	TS112	Manual of Recommended Lofting Procedures - Edition 3; Formerly ADS TS112	2004	ADS	
217	TS138	Manufacturing Specification for Inserts, Imperial, Thinwall, Screw Locking, (Inconel 718), Silver coated - Edition 6; Formerly ADS TS138	2004	ADS	
218	AGS3805-807	Caps - Protection, and Sealing, for Inhibited Units, Unified Threads - Edition 2; Formerly ADS AGS3805-807	2004	ADS	
219	AS3172	Circlip - Edition 2; Formerly ADS AS3172	2004	ADS	
220	AS64379-380	Nut, Self-Locking, Extended Washer, Double Hexagon - for use with Impedance Type Bolts - Edition 1; Formerly ADS AS64379-380	2004	ADS	
221	AGS3802-804	Plugs - Protection, and Sealing, for Inhibited Units, Unified Threads - Edition 4; Formerly ADS AGS3802-804	2004	ADS	
222	TS2	Performance Specification for All Metal Self-Locking Nuts (Unified Threads) strength 125,000 lbf/sq.in min.tensile (56 tonf/sq.in) 250°C.max. - Edition 5; Formerly ADS TS2	2004	ADS	
223	TS57	Recommended Practice for the Identification of Plastics (by Labeling) - Edition 3; Formerly ADS TS57	2004	ADS	
224	TS17	Performance Specification for Inserts, Screw Thread, Metric, Screw-Locking Helical Coil, AMS 7246 (Inconel X750), Silver Coated - Edition 2; Formerly ADS TS17	2004	ADS	
225	AS63480-529	Nut, Self-Locking, Shank, Flange Restrained - Edition 2; Formerly ADS AS63480-529	2004	ADS	
226	TS83	Performance Specification for Insert, Threaded, Metric, Solid Wall, Self-Locking, Alloy Steel, Cadmium plated - Edition 2; Formerly ADS TS83	2004	ADS	
227	AS36500-599	Screw, Machine, Hexagon Head, Washer Face, .112-40 UNJC-3Aa BS 408 - Edition 6; Formerly ADS AS36500-599	2004	ADS	
228	TS102	Procurement Document - Shackles, Wire Rope, ISO Diameters - Edition 2; Formerly ADS TS102	2004	ADS	
229	TS117	Manufacturing & Inspection Requirements for Rivet, Blind, Self-Plugging, Flush Break, Mechanically Locked Spindle. Aluminium Alloy (2014 Material) - Edition 4; Formerly ADS TS117	2004	ADS	
230	TS173	Guidance for Record Retention - Edition 2; Formerly ADS TS173	2004	ADS	
231	TS26	Technical Specification for All Metal Self-Locking Nuts (UNJ Threads) 1210 MPa (175,000 lbf/sq. in) Minimum Tensile Strength at Ambient Temp. - Edition 3; Formerly ADS TS26	2004	ADS	
232	TS54	Performance Specification & Assessment Procedure for Elastomeric Toroidal Sealing Rings (Fluorocarbon). - Edition 5; Formerly ADS TS54	2004	ADS	
233	TS81	Performance Specification for Insert, Screw Thread, Metric, Screw Locking, Helical Coil, Corrosion Resistant Steel DTD734, Cadmium plated - Edition 3; Formerly ADS TS81	2004	ADS	
234	AS2806-2808	Seamless Distance Tubes - Edition 6; Formerly ADS AS2806-2808	2004	ADS	
235	TS55	Installation Specification for Inserts, Screw Thread, Unified Screw Locking, Helical Coil, BS HR503 - Edition 4; Formerly ADS TS55	2004	ADS	
236	TS103	Recommendations for Design Considerations for Aircraft Hydraulic Systems - Edition 2; Formerly ADS TS103	2004	ADS	
237	TS118	SBAC Packaging Code - Edition 2; Formerly ADS TS118	2004	ADS	
238	TS146	Technical Specification for the Performance of Insert - Metric, Thinwall, Screw Locking, EN2404 (Inconel 718), Silver coated - Edition 2; Formerly ADS TS146	2004	ADS	
239	TS175	Specification for Manufacture, Performance & Testing of Quick Release pins (Ball Type), Metric - Edition 2; Formerly ADS TS175	2004	ADS	
240	TS27	Manufacturing Specification for Studs, Bolts & Screws in BS HR601 (Nimonic) Material. 1000 MPa (145,000 lbf/in ²) Tensile at Room Temp. (for which Forging is optional & Qualification not a requirement) - Edition 4; Formerly ADS TS27	2004	ADS	

241	AS20620-639	Nut, Self-Locking, Extended Washer, Double Hexagon - Edition 9; Sheet 3 is Cancelled; Formerly ADS AS20620-639	2004	ADS	
242	RS697	The Wire Locking of Threaded Items - Edition 6; Formerly ADS RS697	2004	ADS	
243	TS114	SBAC Guide to Packaging Specifications - Edition 2; Formerly ADS TS114	2004	ADS	
244	TS141	Tool Definition for Insert, Screw Thread, Unified, Screw Locking, Helical coil, BS HR503 - Edition 4; Formerly ADS TS141	2004	ADS	
245	TS4	Performance Specification for All Metal Self-Locking Nuts (Unified Threads) strength 160,000 lbf/in ² min.tensile (71 tonf/in ²) 250 ^o C.max. - Edition 5; Formerly ADS TS4	2004	ADS	
246	AS63460-469	Nut, Self-Locking, Extended Washer, Double Hexagon-Deep Counterbored - Edition 2; Formerly ADS AS63460-469	2004	ADS	
247	TS167	Technical Specification for the Performance of AMS5689 Safety Cables and Ferrules - Edition 2; Formerly ADS TS167	2004	ADS	
248	TS23	Manufacturing Specification for Bolts, 1000 MPa (145,000 lbf/sq.in) Tensile at Room Temperature - Edition 9; Formerly ADS TS23	2004	ADS	
249	TS78	Recommended Technical Requirements for a General Purpose Grade of Silicone Rubber - Edition 3; Formerly ADS TS78	2004	ADS	
250	TS97	Recommended Design Guide on Rubber Materials for Aerospace Applications - Edition 2; Formerly ADS TS97	2004	ADS	
251	AS27820-829	Nut, S/Locking Extended Washer, Double Hexagon-Deep Counterbored - Edition 6; Sheet 3 is Cancelled; Formerly ADS AS27820-829	2004	ADS	
252	TS143	Financial Influence of Computer Aided Engineering - Edition 2; Formerly ADS TS143	2004	ADS	
253	TS115	SBAC Specification for the Manufacture, Testing & Procurement of: Quick Release Pins (Ball Type), Metric - Edition 2; Formerly ADS TS115	2004	ADS	
254	AS63297	Safety Cable - Diameter 0,89mm, Reduced End Fitting - Edition 2; Formerly ADS AS63297	2004	ADS	
255	TS79	Recommended Technical Requirements for a General Purpose Grade of Ethylene Propylene Rubber. - Edition 3; Formerly ADS TS79	2004	ADS	
256	TS50	Manufacturing & Inspection Requirements for Alloy Steel â Jo-Bolt Fasteners - Edition 6; Formerly ADS TS50	2004	ADS	
257	TS80	Recommendations for the Control of Flammability Testing of Non-Metallic Materials and Textiles for Aeronautical Purposes - Edition 2; Formerly ADS TS80	2004	ADS	
258	TS116	Code of Practice for Microcopying - Edition 2; Formerly ADS TS116	2004	ADS	
259	AS63298-299	Safety Cable Ferrule - Extended - Edition 2; Formerly ADS AS63298-299	2004	ADS	
260	TS144	CAE Systems Training - Edition 2; Formerly ADS TS144	2004	ADS	
261	TS172	Performance Specification for Nut, Union, Metric Threaded, Self-Locking A286 Dry Film lubricated - Edition 4; Formerly ADS TS172	2004	ADS	
262	TS25	Manufacturing Specification for Bolts, 1210 MPa (175,000 lbf/sq.in) Tensile at Room Temperature - Edition 8; Formerly ADS TS25	2004	ADS	
263	TS53	Manufacturing Specification for Rivet, Blind, Self-Plugging, Interference Lock, (Avedel), Corrosion-Resisting Steel - Edition 3; Formerly ADS TS53	2004	ADS	
264	TS9	Performance Specification for All Metal Self-Locking Shaft Nuts Unified Threads). Non Corrosion Resistant Steel, rated temperature 235 ^o C. - Edition 4; Formerly ADS TS9	2004	ADS	
265	TS100	British Metric Swaged Pipe Coupling (AS 43020 & AS 43090 Series) Type Approval Test Requirements - Edition 2; Formerly ADS TS100	2004	ADS	
266	AS44708-714	Nut, Self Locking, Shank, Flange Restrained - Edition 4; Formerly ADS AS44708-714	2004	ADS	
267	AS64363	Quick Release Pip Pin Push Pull (Imperial) - Edition 1; Formerly ADS AS64363	2004	ADS	
268	AS36600-699	Screw, Machine, Hexagon Head, Washer Face, .138-32 UNJC-3Aa BS 4084 - Edition 6; Formerly ADS AS36600-699	2004	ADS	
269	AS62300-349	Nut, Self Locking, Shank, Flange Restrained, Waspaloy - Edition 2; Formerly ADS AS62300-349	2004	ADS	
270	TS96-AR	ADS RECOMMENDATIONS FOR SIMILAR METALLIC MATERIAL SPECIFICATIONS & STANDARDS - Edition 5; AMENDMENT RECORD No. TS96-AR for Technical Specification No. TS96; Formerly ADS TS96-AR	2004	ADS	
271	TS105	Recommended Standards for Surface Finish (with special reference to machine produced surfaces) - Edition 2; Formerly ADS TS105	2004	ADS	

272	AS63236	Safety Cable - Diameter 0,58mm - Edition 3; Formerly ADS AS63236	2004	ADS	
273	TS121	Manufacturing Specification for Studs, Bolts and Screws in DTD5639, EN2959 & EN3220 Material. 1210 Mpa (175,000 lbf/sq.in) Tensile at room temperature (for which forging is optional & qualification not a requirement) - Edition 4; Formerly ADS TS12	2004	ADS	
274	TS148	Manufacturing Specification for Studs, Bolts and Screws in DTD5638, EN2952, EN2961 & EN3219 material, 1275 Mpa (185,000 lbf/sq.in) tensile at room temperature, (for which forging is optional and qualification not a requirement) - Edition 4; Formerly A	2004	ADS	
275	TS64	Standard Method for Microscopic Evaluation of Hydraulic Fluid Samples for Particle Contamination. - Edition 2; Formerly ADS TS64	2004	ADS	
276	TS84	Installation Specification for Insert, Threaded, Metric, Solid Wall, Self-Locking, Alloy Steel, Cadmium plated - Edition 2; Formerly ADS TS84	2004	ADS	
277	AS52790-99	Insert - Inch, Thinwall - Long, Screw Locking (INCO 718) - Edition 4; Formerly ADS AS52790-99	2003	ADS	
278	AS4934	Wire Thread Inserts (BA, BSF & BSW) Cadmium Plated - Edition 5; sheet 2 is cancelled; Formerly ADS AS4934	2003	ADS	
279	AS64000-099	Bolt, Capture, Reduced Shank - Edition 1; Formerly ADS AS64000-099	2003	ADS	
280	AS4921	Wire Thread Inserts (BA, BSF & BSW) Cadmium Plated - Edition 5; sheet 2 is cancelled; Formerly ADS AS4921	2003	ADS	
281	AS54471	NUT, SELF LOCKING, SHANK, FLANGE RESTRAINED, 0.2500-28UNJF-3B ISO3161. BASED ON AS44751 WITH 2g, 5g, 12g AND 18g OF ADDITIONAL MASS. - Edition 3; Formerly ADS AS54471	2003	ADS	
282	AS64100-199	Bolt, Capture, Reduced Shank - Edition 1; Formerly ADS AS64100-199	2003	ADS	
283	AS52760-769	Insert - Inch, Thinwall - Short, Screw Locking (INCO 718) - Edition 5; Formerly ADS AS52760-769	2003	ADS	
284	AS63900-999	Bolt, Captive, Reduced Shank - Edition 1; Formerly ADS AS63900-999	2003	ADS	
285	AS4601	Wire Thread Inserts (BA, BSF & BSW) Unplated - Edition 6; sheet 2 is cancelled; Formerly ADS AS4601	2003	ADS	
286	AS63850-63864	Sealing Ring - Edition 2; Formerly ADS AS63850-63864	2003	ADS	
287	AS4700	Wire Thread Inserts (BA, BSF& BSW) Unplated - Edition 5; Sheet 2 is Cancelled; Formerly ADS AS4700	2003	ADS	
288	AGS2047	Rivets, Chobert, Aluminium Alloy, Pins. Sealing - Edition 9; Formerly ADS AGS2047	2003	ADS	
289	AGS3600-699	Insert, Screw Thread, Unified, Screw Locking, Helical Coil, Corrosion Resistant Steel DTD734, Cadmium plated - Edition 4; Formerly ADS AGS3600-699	2002	ADS	
290	AS42749-799	Gasket - Edition 9; Formerly ADS AS42749-799	2002	ADS	
291	AS42700-748	Gasket - Edition 8; Formerly ADS AS42700-748	2002	ADS	
292	AS63765	Clamp, Balance Weight - Edition 1; Formerly ADS AS63765	2001	ADS	
293	AS63764	Clamp, Balance Weight for Large Diameter Applications - Edition 1; Formerly ADS AS63764	2001	ADS	
294	AS63763	Balance Weights, Clamped-on Type, for Large Diameter Applications - Edition 1; Formerly ADS AS63763	2001	ADS	
295	RS616	B.S.W. Thread Insert - Wire Section - Edition 1; Formerly ADS RS616	2001	ADS	
296	AS63762	Balance Weights, Clamped-on Type - Edition 1; Formerly ADS AS63762	2001	ADS	
297	AS8671	Capping (Cable Duct), 1.28" Wide, Fire Resistant - Edition 4; Formerly ADS AS8671	2001	ADS	
298	ESC77	Backshell, Assembly, 45° RFI / EMI Grounding, 100% anti-decoupling - Edition 4; Formerly ADS SC77	2000	ADS	
299	AS2558	Seal - Press Button - Edition 3; Formerly ADS AS2558	2000	ADS	
300	AS6276	Cap Spring - Issue 3; Formerly ADS AS6276	2000	ADS	
301	AS6274	Valve Cap - Issue 4; Formerly ADS AS6274	2000	ADS	
302	ESC75	Backshell, Assembly, Straight, RFI / EMI Cone Grounding, 100% Anti-Decoupling - Edition 3; Formerly ADS SC75	2000	ADS	
303	AGS519	Protective Rubber Caps for Heat Exchange Equipment - Edition 4; Formerly ADS AGS519	2000	ADS	
304	AS63401	Ring, Split, Steel - Edition 2; Formerly ADS AS63401	2000	ADS	
305	AS63700-63749	Clamp, Loop Style (Heel Lock) Cushion Reinforced (Electrical Harness) (for 5,00 mm and 0.1900 inch Fasteners) - Issue 1; Formerly ADS AS63700-63749	2000	ADS	

306	AS63402	Pin, Quick Release, â Tâ Handle, Single Acting, Alloy Steel - Edition 2; Formerly ADS AS63402	2000	ADS	
307	AS63403	Pin, Quick-Release, â Lâ Handle, Single Acting, Alloy Steel - Edition 2; Formerly ADS AS63403	2000	ADS	
308	AS6272	Valve - Issue 4; Formerly ADS AS6272	2000	ADS	
309	AGS2081	Pipe Clip for 3/16â DIA. Fixing, Rubber covered with Earthing Tongue - Edition 11; Formerly ADS AGS2081	2000	ADS	
310	AS8591	Pipe Couplings (Steel), Cone Union Adaptor/Unified Attachment End 3/16 Inch to 1/2 Inch, for use with "O" Ring Gaskets in American (and 10050) or equivalent AGS3018 Tapped Bosses - Edition 4; Formerly ADS AS8591	2000	ADS	
311	AS6271	Valve Body - Issue 3; Formerly ADS AS6271	2000	ADS	
312	AGS2105	â Pipâ Pins, Push-Pull - Edition 6; Formerly ADS AGS2105	2000	ADS	
313	AS8592	Pipe Couplings (Steel), Union Adaptor/Unified Attachment End 3/16 Inch to 1/2 Inch & 5/8 Inch to 1, for use with "O" Ring Gaskets in American (and 10050) or equivalent AGS3018 Tapped Bosses - Edition 4; Formerly ADS AS8592	2000	ADS	
314	AS63600-659	Spacer, Welding (Metric) - Edition 1; Formerly ADS AS63600-659	1999	ADS	
315	AS28600-699	Bolt, Close Tolerance - Large Dee Head, BS.HR650 .500-20 UNJF-3A.MOD.BS4084 - Edition 5; Formerly ADS AS28600-699	1999	ADS	
316	AS63660-679	Ring, Welding (Metric) - Edition 1; Formerly ADS AS63660-679	1999	ADS	
317	RS732	Manufacturers Identification Monogram for Aerospace Fasteners (RS732 Sheets 1 - 26 : This document is frozen at the current issue - for symbols for Qualified Manufacturer see TS200) - Edition 20; Sheet 2 Thru 26 are Cancelled; Formerly ADS RS732	1999	ADS	
318	AS41910-912	Seals, for use with Cap & Plugs Protection, Metric - Edition 3; Formerly ADS AS41910-912	1999	ADS	
319	AS63450-459	Nut, Self-Locking, Extended Washer, Double Hexagon - Edition 1; Formerly ADS AS63450-459	1999	ADS	
320	AS62700-742	Clamp, LoopStyle (Grounding Strip) Cushion Reinforced (Electrical Harness) - Edition 6; Formerly ADS AS62700-742	1998	ADS	
321	AGS2083	Pipe Clip for 1 â DIA. Fixing, Rubber covered with Earthing Tongue - Edition 9; Formerly ADS AGS2083	1998	ADS	
322	AGS2080	Pipe Clip, Rubber covered for 3/16â DIA. Fixing - Edition 9; Formerly ADS AGS2080	1998	ADS	
323	AGS2082	Pipe Clip, Rubber covered for 1 â DIA. Fixing - Edition 8; Formerly ADS AGS2082	1998	ADS	
324	AS63412	Assembly - M18 Adaptor & Drain Valve (1/4 BSP) - Edition 1; Formerly ADS AS63412	1997	ADS	
325	AS63411	Assembly - M16 Adaptor & Drain Valve (1/4 BSP) - Edition 1; Formerly ADS AS63411	1997	ADS	
326	AS43024	Union, Swaged (Carbon Steel) - Edition 3; Formerly ADS AS43024	1997	ADS	
327	AS63410	Drain Valve (1/4 BSP) - Edition 1; Formerly ADS AS63410	1997	ADS	
328	AS43161	Union Swaged (Cres) - Edition 5; Formerly ADS AS43161	1997	ADS	
329	TS301	SBAC Manufacturing Specification TS 301 for ESC Series Electrical Contacts - Edition 4; Formerly ADS TS301	1997	ADS	
330	AS42405-419	Stud Stepped, (.3125 24 UNJF-3AMOD to .250 28 UNJF-3A BS4084) - Edition 3; Formerly ADS AS42405-419	1997	ADS	
331	AS42426-439	Stud Stepped, (.375 24 UNJF-3AMOD to .3125 24UNJF-3A BS4084) - Edition 3; Formerly ADS AS42426-439	1997	ADS	
332	AS41092	Cable Assembly, Retaining - Edition 9; Formerly ADS AS41092	1996	ADS	
333	AS43800-899	Bolt, Machine, Double Hexagon Extended Washer Head, Drilled, BS HR650 Silver Coated, .3125-24 UNJF-3A.BS4084 - Edition 4; Formerly ADS AS43800-899	1996	ADS	
334	AS43700-799	Bolt, Machine, Double Hexagon Extended Washer Head, Drilled, BS HR650, Silver Coated, .250-28 UNJF-3A.BS4084 - Edition 1; Formerly ADS AS43700-799	1996	ADS	
335	AS51000-099	Screw, 100 ^o Countersunk Head, Torq-Set, ACR Recess, .250-28 UNJF-3A. BS 4084 - Edition 5; Formerly ADS AS51000-099	1996	ADS	
336	AGS2111	Pipe Coupling (Aluminium Alloy) 1 â B.S.P.F. Outer Sleeve - Edition 6; Formerly ADS AGS2111	1996	ADS	
337	AS62160-169	Insert Salvage-Inch Thinwall - Long Screw Locking (INCO 718) - Edition 2; Formerly ADS AS62160-169	1996	ADS	
338	AS50900-999	Screw, 100 ^o Countersunk Head, Torq-Set, ACR Recess, .190-32 UNJF-3A. BS 4084 - Edition 5; Formerly ADS AS50900-999	1996	ADS	
339	AS62150-159	Insert Salvage-Metric, Thinwall - Long Screw Locking (INCO 718) - Edition 2; Formerly ADS AS62150-159	1996	ADS	
340	AS47896-917	Adaptor, Straight, Pipe - Edition 3; Formerly ADS AS47896-917	1996	ADS	

341	AS43900-999	Bolt, Machine, Double Hexagon Extended Washer Head, Drilled, BS HR650 Silver Coated, .375-24 UNJF-3A.BS4084 - Edition 4; Formerly ADS AS43900-999	1996	ADS	
342	AS50700-799	Screw, 100 ^l ° Countersunk Head, Torq-Set, ACR Recess, .138-32 UNJC-3A. BS 4084 - Edition 5; Formerly ADS AS50700-799	1996	ADS	
343	AS50600-699	Screw, 100 ^l ° Countersunk Head, Torq-Set, ACR Recess, .112-40 UNJC-3A. BS 4084 - Edition 5; Formerly ADS AS50600-699	1996	ADS	
344	AS62130-139	Insert Salvage-Metric, Thinwall - Short Screw Locking (INCO 718) - Edition 2; Formerly ADS AS62130-139	1996	ADS	
345	AS15760-761	Bushing (for use with Ferrule Welding Pipe Fitting) - Edition 4; Formerly ADS AS15760-761	1996	ADS	
346	AS62140-149	Insert Salvage-Inch, Thinwall - Short Screw Locking (INCO 718) - Edition 2; Formerly ADS AS62140-149	1996	ADS	
347	AS50800-899	Screw, 100 ^l ° Countersunk Head, Torq-Set, ACR Recess, .164-32 UNJC-3A. BS 4084 - Edition 5; Formerly ADS AS50800-899	1996	ADS	
348	AGS232	Assembly of Eyelets - Edition 12; Formerly ADS AGS232	1995	ADS	
349	AS28300-399	Bolt, Close Tolerance - Large Dee Head, BS.HR650 .3125-24 UNJF-3A.MOD.BS4084 - Edition 4; Formerly ADS AS28300-399	1995	ADS	
350	AS63300-399	Assembly of Clamp, Loop Style (Metric) Box Cushion - Edition 3; Formerly ADS AS63300-399	1995	ADS	
351	AS62250-284	Clamp, Loop Style (Snap Lock) Cushion Reinforced (Electrical Harness) (For 6,00mm & 0.2500 Inch Fasteners) - Edition 5; Formerly ADS AS62250-284	1995	ADS	
352	AS28400-499	Bolt, Close Tolerance - Large Dee Head, BS.HR650 .375-24 UNJF-3A.MOD.BS4084 - Edition 4; Formerly ADS AS28400-499	1995	ADS	
353	AS28500-599	Bolt, Close Tolerance - Large Dee Head, BS.HR650 .4375-20 UNJF-3A.MOD.BS4084 - Edition 4; Formerly ADS AS28500-599	1995	ADS	
354	AS62403-440	Assembly of Clamp, Loop Style, Box Cushion Edition 6 09/01/1995 - Formerly ADS AS62403-440	1995	ADS	
355	AS1880-1881	Hinges (Aluminium Alloy Double Flange Plates) - Edition 14; Formerly ADS AS1880-1881	1995	ADS	
356	AS62500-534	Clamp, Loop Style, Cushion Reinforced (Electrical Harness) (For use with 5mm or 0.190 Bolts) - Edition 5; Formerly ADS AS62500-534	1995	ADS	
357	AS28200-299	Bolt, Close Tolerance - Large Dee Head, BS.HR650 .250-28 UNJF-3A.MOD.BS4084 - Edition 4; Formerly ADS AS28200-299	1995	ADS	
358	AS54381-390	Nut, Self Locking, Extended Washer, Double Hexagon - for use with Impedance Type Bolts - Edition 1; Formerly ADS AS54381-390	1995	ADS	
359	AS62600-634	Clamp, Loop Style, Cushion Reinforced (Electrical Harness) (For use with 6mm or 0.250 Bolts) - Edition 5; Formerly ADS AS62600-634	1995	ADS	
360	AS54361-370	Nut, Reduced Hexagon, Self-Locking, Deep Counterbored, Inch Series for uses up to 425 ^l C - for use with Impedance Type Bolts - Edition 4; Formerly ADS AS54361-370	1995	ADS	
361	AS62200-234	Clamp, Loop Style (Snap Lock) Cushion Reinforced (Electrical Harness) (for 5,00mm & 0.1900 Inch Fasteners) - Edition 5; Formerly ADS AS62200-234	1995	ADS	
362	AS28100-199	Bolt, Close Tolerance - Large Dee Head, BS.HR650 .190-32 UNJF-3A.MOD.BS4084 - Edition 4; Formerly ADS AS28100-199	1995	ADS	
363	AS62800-842	Clamp, Loop Style (Grounding Strip) Cushion Reinforced (Electrical Harness) (For use with 6mm or .250 Bolts) - Edition 5; Formerly ADS AS62800-842	1995	ADS	
364	AS46761	Clamp, Loop, Aluminium Alloy, Fluorosilicone Rubber Cushion - Edition 4; Formerly ADS AS46761	1994	ADS	
365	AS2585	Union Nut - Casting - Edition 6; Formerly ADS AS2585	1994	ADS	
366	AS63400	Pipe Couplings, Cone Caps 3/16" to 1/2" - Edition 1; Formerly ADS AS63400	1994	ADS	
367	AS32100-199	Bolt, Close Tolerance - Dee Head, .190-32 UNJF-3A MOD.BS 4084 - Edition 4; Formerly ADS AS32100-199	1994	ADS	
368	AS46760	Clamp, Loop, C.R. Steel, Fluorosilicone Rubber Cushion - Edition 4; Formerly ADS AS46760	1994	ADS	
369	AS105	Pulley Ballbearing 4.0 DIA. - Edition 8; Formerly ADS AS105	1994	ADS	
370	AS106	Pulley Ballbearing 5.0 DIA. - Edition 8; Formerly ADS AS106	1994	ADS	

371	AS32500-599	Bolt, Close Tolerance - Dee Head, .4375-20 UNJF-3A MOD.BS 4084 - Edition 4; Formerly ADS AS32500-599	1994	ADS	
372	AS32200-299	Bolt, Close Tolerance - Dee Head, .250-28 UNJF-3A MOD.BS 4084 - Edition 4; Formerly ADS AS32200-299	1994	ADS	
373	AS104	Pulley Ballbearing 3.0 DIA. - Edition 8; Formerly ADS AS104	1994	ADS	
374	AS63200-235	Clamp, Loop Style (Snap Lock) Cushion High Temperature up to 550°C (For 5,00mm to 0.1900 inch Fasteners) - Edition 2; Formerly ADS AS63200-235	1994	ADS	
375	AS27300-349	Nut, Self-Locking, Shaft - Edition 6; Sheet 3, 4 are Cancelled; Formerly ADS AS27300-349	1994	ADS	
376	ESC61	Connector Accessory: Outlet Nut - Edition 2; Formerly ADS SC61	1994	ADS	
377	AS32400-499	Bolt, Close Tolerance - Dee Head, .375-24 UNJF-3A MOD.BS 4084 - Edition 4; Formerly ADS AS32400-499	1994	ADS	
378	ESC62	Connector Accessory: Outlet - Edition 2; Formerly ADS SC62	1994	ADS	
379	AS111	Pulley Ballbearing 1.15 DIA. - Edition 12; Formerly ADS AS111	1994	ADS	
380	AS103	Pulley Ballbearing 2.0 DIA. - Edition 7; Formerly ADS AS103	1994	ADS	
381	AS32600-699	Bolt, Close Tolerance - Dee Head, .5000-20 UNJF-3A MOD.BS 4084 - Edition 4; Formerly ADS AS32600-699	1994	ADS	
382	AS32300-399	Bolt, Close Tolerance - Dee Head, .3125-24 UNJF-3A MOD.BS 4084 - Edition 4; Formerly ADS AS32300-399	1994	ADS	
383	AS62373	Bulkhead Adaptor-Forged Blank (Cres) Swaged Pipe Coupling - Edition 1; Formerly ADS AS62373	1993	ADS	
384	AS48116-119	Bolt, Machine, Double Hexagon Extended Washer Head, P.D. Shank, .250-28 UNJF-3A. BS 4084 - Edition 2; Formerly ADS AS48116-119	1993	ADS	
385	AS41915	Caps - Short, Protection, Metric Thread - Edition 3; Formerly ADS AS41915	1993	ADS	
386	AS62359	Tee-Increased End (Cres) - Edition 1; Formerly ADS AS62359	1993	ADS	
387	AS62371	Cross-Forged Blank (Cres) Swaged Pipe Coupling - Edition 1; Formerly ADS AS62371	1993	ADS	
388	AS62361	Elbow 90° Nipple End Female Nut Union (Cres) - Edition 1; Formerly ADS AS62361	1993	ADS	
389	AS62372	Cross-Forged Blank (Cres) Swaged Pipe Coupling - Edition 1; Formerly ADS AS62372	1993	ADS	
390	AS43160	Nipple Swaged (Cres) - Edition 4; Formerly ADS AS43160	1993	ADS	
391	AS31100-199	Bolt, Close Tolerance - Double Hexagon Extended Washer Head. BS HR650, .500-20 UNJF-3A.MOD.BS4084 - Edition 3; Formerly ADS AS31100-199	1993	ADS	
392	AS62356	Tee-Reduced Branch (Cres) - Edition 1; Formerly ADS AS62356	1993	ADS	
393	AS62368	Elbow - 90° Bulkhead (Cres) - Edition 1; Formerly ADS AS62368	1993	ADS	
394	AS48320-399	Bolt, Machine, Double Hexagon Extended Washer Head, P.D. Shank, .375-24 UNJF-3A. BS 4084 - Edition 2; Formerly ADS AS48320-399	1993	ADS	
395	AS15700-711	Nut, Union - Tube and Hose Coupling - Edition 8; Formerly ADS AS15700-711	1993	ADS	
396	AS41914	Caps - Short, Protection, Metric Thread - Edition 3; Formerly ADS AS41914	1993	ADS	
397	AS62358	Tee-Reduced End (Cres) - Edition 1; Formerly ADS AS62358	1993	ADS	
398	AS62370	Tee-Forged Blank (Cres) Swaged Pipe Coupling - Edition 1; Formerly ADS AS62370	1993	ADS	
399	ESC63	Connector Accessory: Clip - Edition 1; Formerly ADS SC63	1993	ADS	
400	AS43020	Swaged Coupling-Typical Joints (Steel) - Edition 3; Formerly ADS AS43020	1993	ADS	
401	AS41913	Plugs, Protection, Metric Threads - Edition 3; Formerly ADS AS41913	1993	ADS	
402	AS62357	Tee-Increased Branch (Cres) - Edition 1; Formerly ADS AS62357	1993	ADS	
403	AS62369	Elbow - Forged Blank (Cres) Swaged Pipe Coupling - Edition 1; Formerly ADS AS62369	1993	ADS	
404	AS2902-2903	1/4" Ball End - Edition 3; Formerly ADS AS2902-2903	1993	ADS	
405	AS49800-899	Bolt, Hexagon Head, PD Shank, .190-32 UNJF-3A. BS 4084 - Edition 2; Formerly ADS AS49800-899	1993	ADS	
406	AS62362	Nut Union-Thrust Wire - Female (Cres) - Edition 1; Formerly ADS AS62362	1993	ADS	
407	AS62350	Nut Union (Cres) - Edition 1; Formerly ADS AS62350	1993	ADS	
408	AS23200-299	Bolt, Close Tolerance - Double Hexagon Extended Washer Head, BS HR 650, .375-24 UNJF-3A-BS.4084 - Edition 4; Formerly ADS AS23200-299	1993	ADS	

409	AS62374	Bulkhead Elbow Forged Blank (Cres) Swaged Pipe Coupling - Formerly ADS AS62374	1993	ADS	
410	AS49900-999	Bolt, Hexagon Head, PD Shank, .250-28 UNJF-3A. BS 4084 - Edition 2; Formerly ADS AS49900-999	1993	ADS	
411	AS62364	Tee-Nipple Branch Female Nut Union (Cres) - Edition 1; Formerly ADS AS62364	1993	ADS	
412	AS62352	Nipple-Blanking Short (Cres) - Edition 1; Formerly ADS AS62352	1993	ADS	
413	AS48218-299	Bolt, Machine, Double Hexagon Extended Washer Head, P.D. Shank, .3125-24 UNJF-3A. BS 4084 - Edition 2; Formerly ADS AS48218-299	1993	ADS	
414	AS2904-2905	1/4" Ball End - Edition 3; Formerly ADS AS2904-2905	1993	ADS	
415	AS62351	Nut Union - Male (Cres) - Edition 1; Formerly ADS AS62351	1993	ADS	
416	AS62363	Tee Assembly - Nipple Branch Female Nut Union (Cres) - Edition 1; Formerly ADS AS62363	1993	ADS	
417	AS62365	Tee Assy-Nipple End Female Nut Union (Cres) - Edition 1; Formerly ADS AS62365	1993	ADS	
418	AS62353	Union - Hexagon - Bulkhead (Cres) - Edition 1; Formerly ADS AS62353	1993	ADS	
419	AS31000-099	Bolt, Close Tolerance - Double Hexagon Extended Washer Head. BS HR650, .4375-20 UNJF-3A.MOD.BS4084 - Edition 3; Formerly ADS AS31000-099	1993	ADS	
420	AS50000-099	Bolt, Hexagon Head, PD Shank, .3125-24 UNJF-3A. BS 4084 - Edition 2; Formerly ADS AS50000-099	1993	ADS	
421	AS23100-199	Bolt, Close Tolerance - Double Hexagon Extended Washer Head, BS HR 650, .3125-24 UNJF-3A-BS.4084 - Edition 4; Formerly ADS AS23100-199	1993	ADS	
422	AS48014-099	Bolt, Machine, Double Hexagon Extended Washer Head, P.D. Shank, .190-32 UNJF-3A BS4084 - Edition 2; Formerly ADS AS48014-099	1993	ADS	
423	AS4525	Support Clips, Rubber covered with Earthing Tongue - Edition 9; Formerly ADS AS4525	1993	ADS	
424	ESC53	Bush (Cable Support), Connector Accessory - Edition 4; Formerly ADS SC53	1993	ADS	
425	AS22900-999	Bolt, Close Tolerance - Double Hexagon Extended Washer Head, BS HR 650, .190-32 UNJF-3A-BS.4084 - Edition 4; Formerly ADS AS22900-999	1993	ADS	
426	AS62355	Tee-Equal (Cres) - Edition 1; Formerly ADS AS62355	1993	ADS	
427	AS62367	Cross-Equal Branches (Cres) - Edition 1; Formerly ADS AS62367	1993	ADS	
428	AS50100-199	Bolt, Hexagon Head, PD Shank, .375-24 UNJF-3A. BS 4084 - Edition 2; Formerly ADS AS50100-199	1993	ADS	
429	AS62354	Union-Bulkhead Triangular Flange (Cres) - Edition 1; Formerly ADS AS62354	1993	ADS	
430	AS62366	Tee-Nipple End Female Nut Union (Cres) - Edition 1; Formerly ADS AS62366	1993	ADS	
431	AS2519	Inner Handle - Edition 6; Formerly ADS AS2519	1992	ADS	
432	AS52710-719	Ferrule, Welding, Pipe Fitting (Steel) - Edition 2; Formerly ADS AS52710-719	1992	ADS	
433	AS41901	Clamp, Loop, Bonding, Metric - Edition 3; Formerly ADS AS41901	1992	ADS	
434	AS2444-2445	Assembly of Quick-Release Pin (Ringed) - Edition 13; Formerly ADS AS2444-2445	1992	ADS	
435	AGS3049	Pipe Couplings, Bleeder Screw, 1" U.N.F. - Edition 6; Formerly ADS AGS3049	1992	ADS	
436	AS2439-2443	Assembly of Quick-Release Pin - Edition 6; Formerly ADS AS2439-2443	1992	ADS	
437	AS21600-699	Bolt, Machine, Double Hexagon Extended Washer Head, .3125-24 UNJF-3A-BS.4084 - Edition 4; Formerly ADS AS21600-699	1992	ADS	
438	AS27650-699	Adaptor, Elbow, Pipe (for Inch Pipes) - Edition 7; Formerly ADS AS27650-699	1992	ADS	
439	AS6688	Pipe Coupling, Outer Sleeve, 7/16 Inch U.N.F. - Edition 7; Formerly ADS AS6688	1992	ADS	
440	AGS2066	Avdel Self Sealing 100° Countersunk Rivets (Aluminium Alloy) - Edition 7; Formerly ADS AGS2066	1992	ADS	
441	AS21500-599	Bolt, Machine, Double Hexagon Extended Washer Head, .250-28 UNJF-3A-BS.4084 - Edition 4; Formerly ADS AS21500-599	1992	ADS	
442	AS2434-2438	Quick-Release Pins (Ringed) - Edition 10; Formerly ADS AS2434-2438	1992	ADS	
443	AS55201	Nut, Self Locking, Shank, Flange Restrained, 0.2500-28 UNJF-3B BS4084. Based on AS27857 with 2g, 4g, and 6g of additional mass. - Edition 1; Formerly ADS AS55201	1992	ADS	

444	AS55200	Nut, Self Locking, Shank, Flange Restrained, 0.1900-32 UNJF-3B BS4084. Based on AS27852 with 1g, 2g, and 3g of additional mass. - Edition 1; Formerly ADS AS55200	1992	ADS	
445	AS21700-799	Bolt, Machine, Double Hexagon Extended Washer Head, .375-24 UNJF-3A-BS.4084 - Edition 4; Formerly ADS AS21700-799	1992	ADS	
446	AS52720-729	Adaptor, Straight, Tube (Steel) - Edition 1; Formerly ADS AS52720-729	1992	ADS	
447	AS21400-499	Bolt, Machine, Double Hexagon Extended Washer Head, .190-32 UNJF-3A-BS.4084 - Edition 4; Formerly ADS AS21400-499	1992	ADS	
448	AS55202	Nut, Self Locking, Shank, Flange Restrained, 0.3125-24 UNJF-3B BS4084. Based on AS27870 with 2g, 5g, and 8g of additional mass. - Edition 1; Formerly ADS AS55202	1992	ADS	
449	AGS1174	Pipe Couplings, Bleeder Screw, 1" B.S.F. - Edition 11; Formerly ADS AGS1174	1992	ADS	
450	TS39	Manufacturing and Inspection Requirements for Rivet, Blind, Self-Plugging, Flush Break, Mechanically Locked Stem, Aluminium Alloys AS46784 to AS46787 - Issue 2; Formerly ADS TS39	1992	ADS	
451	AS55203	Nut, Self Locking, Shank, Flange Restrained, 0.3750-24 UNJF-3B BS4084. Based on AS27883 with 3g, 6g, and 10g of additional mass. - Formerly ADS AS55203	1992	ADS	
452	AGS2065	Avdel Self Sealing Snap Head Rivets (Aluminium Alloy) - Edition 7; Formerly ADS AGS2065	1992	ADS	
453	AS55480-489	2 Bolt Flanged Adaptor, Straight Housing, without Integral Filler, for Metric Tube, a__Oâ__ Ring Groove & Fasteners - Edition 2; Formerly ADS AS55480-489	1991	ADS	
454	ESC72	Backshell, Assembly, Straight, RFI / EMI Cone Grounding, anti-decoupling (MS 3155 Connector Interface MOD) - Edition 1; Formerly ADS SC72	1991	ADS	
455	ESC66	Backshell, Assembly, 90°_ RFI / EMI Cone Grounding, anti-decoupling. (MS 3155 Connector Interface MOD) - Edition 3; Formerly ADS SC66	1991	ADS	
456	AS62900-999	Bolt, Machine, Double Hexagon, Extended Washer Head P.D. Shank, Waspaloy, 0.1900-32 UNJF-3A. BS4084 - Edition 1; Formerly ADS AS62900-999	1991	ADS	
457	AS63100-149	Adaptor, Elbow, Pipe (for Metric Pipes) - Edition 1; Formerly ADS AS63100-149	1991	ADS	
458	ESC65	Backshell, Assembly, Straight, RFI/EMI Cone Grounding, anti-decoupling (MS 3155 Connector Interface MOD) - Edition 3; Formerly ADS SC65	1991	ADS	
459	AS62120-129	Ring Wrench - Double Hexagon - Double Ended - Modified Offset - Edition 2; Formerly ADS AS62120-129	1991	ADS	
460	AGS3411	Bush for use with 5/16" Pipe Union Nut - Edition 3; Formerly ADS AGS3411	1991	ADS	
461	ESC67	Backshell, Assembly, 45°_ RFI / EMI Cone Grounding, anti-decoupling. (MS 3155 Connector Interface MOD) - Edition 3; Formerly ADS SC67	1991	ADS	
462	AS40600-649	Socket, Socket Wrench, Double Hexagon, Flank Drive - Edition 3; Sheet 3 is Cancelled; Formerly ADS AS40600-649	1991	ADS	
463	AS63050-099	Adaptor, Elbow, Pipe (For Inch Pipes) - Edition 1; Formerly ADS AS63050-099	1991	ADS	
464	AS54470	Nut, Self Locking, Shank, Flange Restrained, 0.1900-32 UNJF- 3B BS4084, based on AS44750 with 1g, 2g, 3g, & 6g of additional mass - Edition 1; Formerly ADS AS54470	1991	ADS	
465	AS57100-199	Bolt, Close Tolerance - Double Hexagon Extended Washer Head, Waspaloy, 0.1900-32 UNJF - 3A MOD BS4084 - Edition 1; Formerly ADS AS57100-199	1991	ADS	
466	AS44409-412	Washer, Spring Tension, Metric - Edition 2; Formerly ADS AS44409-412	1991	ADS	
467	ESC74	Backshell, Assembly, 45°_ RFI / EMI Cone Grounding, anti-decoupling. (MS 3155 Connector Interface MOD) - Edition 1; Formerly ADS SC74	1991	ADS	
468	ESC30	High Temperature Electrical Contacts (generally to MIL-C-39029) - Edition 2; Formerly ADS ESC30	1991	ADS	
469	AS25361	Ring, Sealing, Toroidal, 80° I.R.H.D. Pipe Fitting, Butadiene Ethylene - Edition 3; Formerly ADS AS25361	1991	ADS	
470	ESC73	Backshell, Assembly, 90°_ RFI / EMI Cone Grounding, anti-decoupling. (MS 3155 Connector Interface MOD) - Edition 1; Formerly ADS SC73	1991	ADS	
471	AS25371	Ring, Sealing, Toroidal, 80° I.R.H.D. Butadiene Ethylene - Edition 3; Formerly ADS AS25371	1991	ADS	
472	AS42951	Ring, Retaining (Friction Locking) - Edition 6; Formerly ADS AS42951	1991	ADS	
473	AS63150-199	Adaptor, Elbow, Pipe (For Metric Pipes) - Edition 1; Formerly ADS AS63150-199	1991	ADS	

474	AS63000-049	Adaptor, Elbow, Pipe (for Inch Pipes) - Edition 1; Best Copy Available; Formerly ADS AS63000-049	1991	ADS	
475	RS746	Tapped Hole & Counterbore Details for Thinwall Inch Threaded Inserts - Long and Short Series - Edition 1; Formerly ADS RS746	1991	ADS	
476	AS52700-709	Nut, Union, Friction Locked (Steel) - Edition 1; Formerly ADS AS52700-709	1991	ADS	
477	RS748	Hole Sizes for Self Retaining â Impedance Typeâ Bolts. Metric Series - Edition 1; Formerly ADS RS748	1990	ADS	
478	AGS4670	Sealed, Bonded - with P.T.F.E. Locating Ring - Edition 2; Formerly ADS AGS4670	1990	ADS	
479	TS375	Locking Wire Hole Strength - Edition 1; Formerly ADS TS375	1990	ADS	
480	RS747	Hole Sizes for Self Retaining â Impedance Typeâ Bolts. Inch Series - Edition 1; Formerly ADS RS747	1990	ADS	
481	AS52600-699	Nut, Reduced Hexagon, S/Locking, Deep Counterbored, Metric Series - Edition 1; Formerly ADS AS52600-699	1990	ADS	
482	TS373	Residual Magnetism - Edition 1; Formerly ADS TS373	1990	ADS	
483	RS745	Ring Spanner - Wrench - Configuration and Ring Envelope - Edition 1; Formerly ADS RS745	1990	ADS	
484	AS61990-999	2 Bolt Flanged Adaptor - Straight Housing - With Integral Filler - For Metric Tube "O" Ring Groove & Fasteners - Edition 2; Formerly ADS AS61990-999	1990	ADS	
485	AS47841-848	Adaptor, Elbow, Pipe - Edition 3; Formerly ADS AS47841-848	1990	ADS	
486	AS61980-989	2 Bolt Flanged Adaptor - 90° Elbow with Integral Filler - for Metric Tube "O" Ring Groove & Fasteners - Edition 1; Formerly ADS AS61980-989	1990	ADS	
487	ESC10	High Temperature Electrical Connectors (generally to MIL-C-83723 Series III K) - Edition 3; Formerly ADS ESC10	1990	ADS	
488	AS61970-979	2 Bolt Flanged Adaptor - Straight Spigot - With Integral Filler - for Metric Tube "O" Ring Groove & Fasteners - Edition 1; Formerly ADS AS61970-979	1990	ADS	
489	RS742	Shaft Dimensions and Data for Nut, Plan, Round - Edition 2; Formerly ADS RS742	1990	ADS	
490	TS377	Test for Silicone Elastomer - High temperature endurance and fluid resistance - Edition 1; Formerly ADS TS377	1990	ADS	
491	TS376	Cable Clamp Effectiveness - Edition 1; Formerly ADS TS376	1990	ADS	
492	AGS4671	Ring, Locating P.T.F.E. - Edition 2; Formerly ADS AGS4671	1990	ADS	
493	TS372	Mechanical Strength of Rear Accessories - Edition 1; Formerly ADS TS372	1990	ADS	
494	TS360	TEST FOR ELECTRICAL CONNECTORS RANDOM VIBRATION - Edition 2; Formerly ADS TS360	1990	ADS	
495	AS55470-479	2 Bolt Flanged Adaptor, 90° Elbow, without Integral Filler, for Metric Tube, â __Oâ __ Ring Groove & Fasteners - Edition 1; Formerly ADS AS55470-479	1990	ADS	
496	AS54473	Nut, Self Locking, Shank, Flange Restrained, 0.3750-24 UNJF- 3B BS4084, based on AS44753 with 3g, 5g, & 15g of additional mass - Edition 2; Formerly ADS AS54473	1990	ADS	
497	AS55460-469	2 Bolt Flanged Adaptor, Straight Spigot, without Integral Filler, for Metric Tube, â __Oâ __ Ring Groove & Fasteners - Edition 1; Formerly ADS AS55460-469	1990	ADS	
498	AS54472	Nut, Self Locking, Shank, Flange Restrained, 0.3125-24 UNJF- 3B BS4084, based on AS44752 with 2g, 5g, & 14g of additional mass - Edition 2; Formerly ADS AS54472	1990	ADS	
499	AS56500-599	Bolt, Hexagon Head, P.D. Shank, Waspaloy, 0.1900-32UNJF-3A BS4084 - Edition 2; Formerly ADS AS56500-599	1990	ADS	
500	TS374	Test for Accessory Thread Strength - Edition 1; Formerly ADS TS374	1990	ADS	
501	AS57600-699	Bolt, Close Tolerance - Double Hexagon Extended Washer Head, Waspaloy, 0.5000-20 UNJF - 3A MOD BS4084 - Edition 1; Formerly ADS AS57600-699	1989	ADS	
502	AS26500-599	Bolt, Close Tolerance-Dee Head, BS S159, .4375-20 UNJF-3A.MOD.BS4084 - Edition 4; Formerly ADS AS26500-599	1989	ADS	
503	AS60800-899	Bolt, Tee Head, Close Tol Shank FV535 0.2500-28 UNJF-3A.MOD.BS4084 - Edition 1; Formerly ADS AS60800-899	1989	ADS	
504	AS59900-999	Bolt, Tee Head, P.D. Shank, FV535, 0.4375 - 20 UNJF - 3A BS4084 - Edition 1; Formerly ADS AS59900-999	1989	ADS	
505	AS47791-810	Adaptor, Straight, Pipe - Edition 2; Formerly ADS AS47791-810	1989	ADS	
506	AS57500-599	Bolt, Close Tolerance - Double Hexagon Extended Washer Head, Waspaloy, 0.4375-20 UNJF - 3A MOD BS4084 - Edition 1; Formerly ADS AS57500-599	1989	ADS	

507	AS43300-399	Bolt, Machine, Double Hexagon Extended Washer Head, Drilled, BS S159 Silver Coated, .250 - 28UNJF-3A.BS4084 - Edition 3; Formerly ADS AS43300-399	1989	ADS	
508	AS31400-499	Bolt, Externally Relieved Body - Double Hexagon Extended Washer Head. BS S159, .4375-20 UNJF-3A.MOD.BS4084 - Edition 3; Formerly ADS AS31400-499	1989	ADS	
509	AGS1139	Pipe Couplings Jointing Washers (Copper) - Edition 10; Formerly ADS AGS1139	1989	ADS	
510	AS57300-399	Bolt, Close Tolerance - Double Hexagon Extended Washer Head, Waspaloy, 0.3125-24 UNJF - 3A MOD BS4084 - Edition 1; Formerly ADS AS57300-399	1989	ADS	
511	AS49600-699	Bolt, Tee Head, PD Shank, Waspaloy, 0.3125-24 UNJF-3A BS4084 - Edition 3; Formerly ADS AS49600-699	1989	ADS	
512	AS26200-299	Bolt, Close Tolerance - Dee Head, BS S159, .250-28 UNJF-3A.MOD.BS4084 - Edition 4; Formerly ADS AS26200-299	1989	ADS	
513	AS44701	Clamp, Balance Weight - Edition 2; Formerly ADS AS44701	1989	ADS	
514	AS43200-299	Bolt, Machine, Double Hexagon Extended Washer Head, Drilled, BS S159 Silver Coated, 10 (.190)-32 UNJF-3A BS4084 - Edition 3; Formerly ADS AS43200-299	1989	ADS	
515	AS22500-599	Bolt, Close Tolerance - Double Hexagon Extended Washer Head, BS S.159, .250-28 UNJF-3A-MOD.BS.4084 - Edition 4; Formerly ADS AS22500-599	1989	ADS	
516	AS47741-762	Adaptor, Straight, Pipe - Edition 2; Formerly ADS AS47741-762	1989	ADS	
517	AS61700-799	Bolt, Close Tolerance - Double Hexagon, Extended Washer Head, FV535, 0.4375-24 UNJF-3A MOD BS4084 - Edition 1; Formerly ADS AS61700-799	1989	ADS	
518	AS23900-999	Bolt, Externally Relieved Body - Double Hexagon Extended Washer Head, BS S.159, .190-32 UNJF-3A-BS.4084 - Edition 4; Formerly ADS AS23900-999	1989	ADS	
519	AS59600-699	Bolt, Tee Head, P.D. Shank, FV535, 0.2500 - 28 UNJF - 3A BS4084 - Edition 1; Formerly ADS AS59600-699	1989	ADS	
520	AS44413-417	Elastomeric Blind Grommets (Various) - Edition 4; Formerly ADS AS44413-417	1989	ADS	
521	AS47946-966	Adaptor, Straight, Pipe - Edition 2; Formerly ADS AS47946-966	1989	ADS	
522	AS57200-299	Bolt, Close Tolerance - Double Hexagon Extended Washer Head, Waspaloy, 0.2500-28 UNJF - 3A MOD BS4084 - Edition 1; Formerly ADS AS57200-299	1989	ADS	
523	AS2916	Plate, Serial Record - Edition 3; Formerly ADS AS2916	1989	ADS	
524	AS57400-499	Bolt, Close Tolerance - Double Hexagon Extended Washer Head, Waspaloy, 0.3750-24 UNJF - 3A MOD BS4084 - Edition 1; Formerly ADS AS57400-499	1989	ADS	
525	AS26300-399	Bolt, Close Tolerance-Dee Head, BS S159, .3125-24 UNJF-3A.MOD.BS4084 - Edition 4; Formerly ADS AS26300-399	1989	ADS	
526	AGS2059	Rivets, Tucker, Monel, â Popâ Domed Head (Unplated) - Edition 5; Formerly ADS AGS2059	1989	ADS	
527	AS47766-787	Adaptor, Straight, Pipe - Edition 2; Formerly ADS AS47766-787	1989	ADS	
528	AS61800-899	Bolt, Close Tolerance - Double Hexagon, Extended Washer Head, FV535, 0.5000-20 UNJF-3A MOD BS4084 - Edition 1; Formerly ADS AS61800-899	1989	ADS	
529	AS60700-799	Bolt, Tee Head, Close Tol Shank FV535 0.1900-32 UNJF-3A.MOD.BS4084 - Edition 1; Formerly ADS AS60700-799	1989	ADS	
530	AS59700-799	Bolt, Tee Head, P.D. Shank, FV535, 0.3125 - 24 UNJF - 3A BS4084 - Edition 1; Formerly ADS AS59700-799	1989	ADS	
531	AS49700-799	Bolt, Tee Head, PD Shank, Waspaloy, 0.3750-24 UNJF-3A BS4084 - Edition 3; Formerly ADS AS49700-799	1989	ADS	
532	AS26400-499	Bolt, Close Tolerance-Dee Head, BS S159, .375-24 UNJF-3A.MOD.BS4084 - Edition 4; Formerly ADS AS26400-499	1989	ADS	
533	AS59800-899	Bolt, Tee Head, P.D. Shank, FV535, 0.3750 - 24 UNJF - 3A BS4084 - Edition 1; Formerly ADS AS59800-899	1989	ADS	
534	AS21100-199	Bolt, Machine, Double Hexagon Extended Washer Head, BS.S159, .3125-24 UNJF-3A-BS.4084 - Edition 4; Formerly ADS AS21100-199	1989	ADS	
535	AS22700-799	Bolt, Close Tolerance - Double Hexagon Extended Washer Head, BS S.159, .375-24 UNJF-3A-MOD.BS.4084 - Edition 4; Formerly ADS AS22700-799	1989	ADS	
536	AS54461-464	Balance Weights, Washer Type, to suit Metric Fasteners - Edition 1; Formerly ADS AS54461-464	1989	ADS	
537	AS58200-299	Bolt, Tee Head, Close Tol Shank, Waspaloy, 0.5000-20 UNJF - 3A.MOD. BS.4084 - Edition 1; Formerly ADS AS58200-299	1989	ADS	

538	AGS4718	Rivet, Tucker â__Popâ__, Aluminium Alloy, Countersunk Head - Edition 4; Sheet 3, 4 are Cancelled; Formerly ADS AGS4718	1989	ADS	
539	AS49500-599	Bolt, Tee Head, PD Shank, Waspaloy, 0.2500-28 UNJF-3A BS4084 - Edition 3; Formerly ADS AS49500-599	1989	ADS	
540	AS20900-999	Bolt, Machine, Double Hexagon Extended Washer Head, BS.S159, .190-32 UNJF-3A-BS.4084 - Edition 4; Formerly ADS AS20900-999	1989	ADS	
541	AS44695	Balance Weights, Clamped-on Type, for large Diameter Applications - Edition 1; Formerly ADS AS44695	1989	ADS	
542	AS24200-299	Bolt, Externally Relieved Body - Double Hexagon Extended Washer Head, S159, .375-24 UNJF-3A-BS.4084 - Edition 4; Formerly ADS AS24200-299	1989	ADS	
543	AS61400-499	Bolt, Close Tolerance - Double Hexagon, Extended Washer Head, FV535, 0.2500-28 UNJF-3A MOD BS4084 - Edition 1; Formerly ADS AS61400-499	1989	ADS	
544	AS59300-399	Bolt, Hexagon Head, P.D. Shank, FV535, 0.4375-20 UNJF-3A BS4084 - Edition 1; Formerly ADS AS59300-399	1989	ADS	
545	AS57000-099	Bolt, Hexagon Head, P.D. Shank, Waspaloy, 0.5000-20 UNJF-3A.BS4084 - Edition 1; Formerly ADS AS57000-099	1989	ADS	
546	AGS2071	Rivets, Tucker, 100 ^o Monel â Popâ Countersunk Head (Unplated) - Edition 4; Formerly ADS AGS2071	1989	ADS	
547	AS31500-599	Bolt, Externally Relieved Body - Double Hexagon Extended Washer Head. BS S159, .500-20 UNJF-3A.MOD.BS4084 - Edition 3; Formerly ADS AS31500-599	1989	ADS	
548	AS44696	Clamps, Balance Weight, for large Diameter Applications - Edition 1; Formerly ADS AS44696	1989	ADS	
549	AS59500-599	Bolt, Tee Head, P.D. Shank, FV535, 0.1900-32 UNJF-3A BS4084 - Edition 1; Formerly ADS AS59500-599	1989	ADS	
550	AS61600-699	Bolt, Close Tolerance - Double Hexagon, Extended Washer Head, FV535, 0.3750-24 UNJF-3A MOD BS4084 - Edition 1; Formerly ADS AS61600-699	1989	ADS	
551	AS26100-199	Bolt, Close Tolerance - Dee Head, BS S159, .190-32 UNJF-3A.MOD.BS4084 - Edition 4; Formerly ADS AS26100-199	1989	ADS	
552	AS20800-899	Bolt, Machine, Double Hexagon Extended Washer Head, BS.S159, .164-36 UNJF-3A-BS.4084 - Edition 4; Formerly ADS AS20800-899	1989	ADS	
553	AS47921-940	Adaptor, Straight, Pipe - Edition 2; Formerly ADS AS47921-940	1989	ADS	
554	AS59400-499	Bolt, Hexagon Head, P.D. Shank, FV535, 0.5000-20 UNJF-3A. BS4084 - Edition 1; Formerly ADS AS59400-499	1989	ADS	
555	AS61500-599	Bolt, Close Tolerance - Double Hexagon, Extended Washer Head, FV535, 0.3125-24 UNJF-3A MOD BS4084 - Edition 1; Formerly ADS AS61500-599	1989	ADS	
556	AS57800-899	Bolt, Tee Head, Close Tol Shank, Waspaloy, 0.2500-28 UNJF-3A. MOD. BS.4084 - Edition 1; Formerly ADS AS57800-899	1989	ADS	
557	AS55500-599	Bolt, Machine, Double Hexagon Extended Washer Head, P.D. Shank, Waspaloy 0.4375-20 UNJF-3A.BS4084 - Edition 1; Formerly ADS AS55500-599	1989	ADS	
558	AS26600-699	Bolt, Close Tolerance-Dee Head, BS S159, .500-20 UNJF-3A.MOD.BS4084 - Edition 4; Formerly ADS AS26600-699	1989	ADS	
559	AS52800-849	Ring, Welding (Metric and Inch) - Edition 1; Formerly ADS AS52800-849	1989	ADS	
560	AS47816-836	Adaptor, Straight, Pipe - Edition 2; Formerly ADS AS47816-836	1989	ADS	
561	AS43400-499	Bolt, Machine, Double Hexagon Extended Washer Head, Drilled, BS S159 Silver Coated, .3125-24 UNJF-3A.BS4084 - Edition 3; Formerly ADS AS43400-499	1989	ADS	
562	AS24100-199	Bolt, Externally Relieved Body - Double Hexagon Extended Washer Head, S159, .3125-24 UNJF-3A-BS.4084 - Edition 4; Formerly ADS AS24100-199	1989	ADS	
563	AS60900-999	Bolt, Tee Head, Close Tol Shank FV535 0.3125-24 UNJF-3A.MOD.BS4084 - Edition 1; Formerly ADS AS60900-999	1989	ADS	
564	AS60000-099	Bolt, Tee Head, P.D. Shank, FV535, 0.5000 - 20 UNJF - 3A BS4084 - Edition 1; Formerly ADS AS60000-099	1989	ADS	
565	AS30300-399	Bolt, Machine - Double Hexagon Extended Washer Head, BS S159, .500-20 UNJF-3A.BS4084 - Edition 3; Formerly ADS AS30300-399	1989	ADS	
566	AGS3700-799	Insert, Screw Thread, Unified, Screw Locking, Helical Coil, H.R. Alloy BS HR503. Source control Drawing - Edition 4; Formerly ADS AGS3700-799	1989	ADS	
567	AS30800-899	Bolt, Close Tolerance - Double Hexagon Extended Washer Head. BS S159, .4375-29 UNJF-3A.MOD.BS4084 - Edition 3; Formerly ADS AS30800-899	1989	ADS	
568	AS61000-099	Bolt, Tee Head, Close Tol Shank, FV535, 0.3750-24UNJF-3A.MOD.BS4084 - Edition 1; Formerly ADS AS61000-099	1989	ADS	

569	AS58900-999	Bolt, Hexagon Head, P.D. Shank, FV535, 0.1900-32 UNJF-3A. BS4084 - Edition 1; Formerly ADS AS58900-999	1989	ADS	
570	AS56600-699	Bolt, Hexagon Head, P.D. Shank, Waspaloy, 0.2500-28UNJF-3A BS4084 - Edition 1; Formerly ADS AS56600-699	1989	ADS	
571	AS52850-990	Spacer, Welding (Metric and Inch) - Edition 1; Formerly ADS AS52850-990	1989	ADS	
572	AS30900-999	Bolt, Close Tolerance - Double Hexagon Extended Washer Head. BS S159, .500-20 UNJF-3A.MOD.BS4084 - Edition 3; Formerly ADS AS30900-999	1989	ADS	
573	AS59000-099	Bolt, Hexagon Head, P.D. Shank, FV535, 0.2500-28 UNJF-3A. BS4084 - Edition 1; Formerly ADS AS59000-099	1989	ADS	
574	AS61100-199	Bolt, Tee Head, Close Tol Shank FV535 0.4375-20 UNJF-3A.MOD.BS4084 - Edition 1; Formerly ADS AS61100-199	1989	ADS	
575	AS43500-599	Bolt, Machine, Double Hexagon Extended Washer Head, Drilled, BS S159 Silver Coated, .375-24 UNJF-3A.BS4084 - Edition 3; Formerly ADS AS43500-599	1989	ADS	
576	AS21000-099	Bolt, Machine, Double Hexagon Extended Washer Head, BS.S159, .250-28 UNJF-3A-BS.4084 - Edition 4; Formerly ADS AS21000-099	1989	ADS	
577	AGS2050	Rivets, Tucker, Monel, â Popâ Domed Head - Edition 6; Formerly ADS AGS2050	1989	ADS	
578	AS55700-799	Bolt, Tee Head, P.D. Shank, Waspaloy, 0.4375-20 UNJF-3A.BS4084. - Edition 1; Formerly ADS AS55700-799	1989	ADS	
579	AS48900-999	Bolt, Machine, Double Hexagon Extended Washer Head, P.D. Shank, Waspaloy, 0.3125-24 UNJF-3A. BS 4084 - Edition 2; Formerly ADS AS48900-999	1989	ADS	
580	AS47861-868	Adaptor, Elbow, Pipe - Edition 2; Formerly ADS AS47861-868	1989	ADS	
581	AS56800-899	Bolt, Hexagon head. P.D. Shank, Waspaloy, 0.3750-24UNJF-3A. BS4084 - Edition 1; Formerly ADS AS56800-899	1989	ADS	
582	AS58000-099	Bolt, Tee Head, Close Tol Shank, Waspaloy 0.3750-24 UNJF - 3A. MOD. BS.4084 - Edition 1; Formerly ADS AS58000-099	1989	ADS	
583	AS47851-858	Adaptor, Elbow, Pipe - Edition 2; Formerly ADS AS47851-858	1989	ADS	
584	AS57900-999	Bolt, Tee Head, Close Tolerance Shank, Waspaloy, 0.3125-24 UNJF - 3A. MOD. BS4084 - Edition 1; Formerly ADS AS57900-999	1989	ADS	
585	AS49000-099	Bolt, Machine, Double Hexagon Extended Washer Head, P.D. Shank, Waspaloy, 0.3750-24 UNJF-3A. BS 4084 - Edition 2; Formerly ADS AS49000-099	1989	ADS	
586	AS55600-699	Bolt, Machine, Double Hexagon Extended Washer Head, P.D. Shank, Waspaloy 0.5000-20 UNJF-3A.BS4084 - Edition 1; Formerly ADS AS55600-699	1989	ADS	
587	AS56700-799	Bolt, Hexagon Head, P.D. Shank, Waspaloy, 0.3125-24 UNJF-3A. BS4084 - Edition 1; Formerly ADS AS56700-799	1989	ADS	
588	AS22400-499	Bolt, Close Tolerance - Double Hexagon Extended Washer Head, BS S.159, .190-32 UNJF-3A-MOD.BS.4084 - Edition 4; Formerly ADS AS22400-499	1989	ADS	
589	AS21200-299	Bolt, Machine, Double Hexagon Extended Washer Head, BS.S159, .375-24 UNJF-3A-BS.4084 - Edition 4; Formerly ADS AS21200-299	1989	ADS	
590	AS59100-199	Bolt, Hexagon Head, P.D. Shank, FV535, 0.3125-24 UNJF-3A. BS4084 - Edition 1; Formerly ADS AS59100-199	1989	ADS	
591	AS24000-099	Bolt, Externally Relieved Body - Double Hexagon Extended Washer Head, BS S.159, 250-28 UNJF-3A-BS.4084 - Edition 4; Formerly ADS AS24000-099	1989	ADS	
592	AS30200-299	Bolt, Machine - Double Hexagon Extended Washer Head, BS S159, .4375-20 UNJF-3A.BS4084 - Edition 3; Formerly ADS AS30200-299	1989	ADS	
593	AS44680	Balance Weights, Clamped-on Type - Edition 2; Formerly ADS AS44680	1989	ADS	
594	AS22600-699	Bolt, Close Tolerance - Double Hexagon Extended Washer Head, BS S.159, .3125-24 UNJF-3A-MOD.BS.4084 - Edition 4; Formerly ADS AS22600-699	1989	ADS	
595	AS48800-899	Bolt, Machine, Double Hexagon Extended Washer Head, P.D. Shank, Waspaloy, 0.2500-28 UNJF-3A. BS 4084 - Edition 2; Formerly ADS AS48800-899	1989	ADS	
596	AGS4717	Rivet, Tucker â Popâ Aluminium Alloy Domed Head - Edition 3; Sheet 3, 4 are Cancelled; Formerly ADS AGS4717	1989	ADS	
597	AGS2052	Mandrels for Tucker Open Aluminium and Monel Domed and Countersunk Head Rivets - Edition 9; Formerly ADS AGS2052	1989	ADS	
598	AGS3027	Body for Drain Cock - Edition 4; Formerly ADS AGS3027	1989	ADS	
599	AS59200-299	Bolt, Hexagon Head, P.D. Shank, FV535, 0.3750-24 UNJF-3A BS4084 - Edition 1; Formerly ADS AS59200-299	1989	ADS	

600	AS61300-399	Bolt, Close Tolerance - Double Hexagon, Extended Washer Head, FV535, 0.1900-32 UNJF-3A MOD BS4084 - Edition 1; Formerly ADS AS61300-399	1989	ADS	
601	AS47871-892	Adaptor, Straight, Pipe - Edition 2; Formerly ADS AS47871-892	1989	ADS	
602	AS58100-199	Bolt, Tee Head, Close Tol Shank, Waspaloy, 0.4375-20 UNJF - 3A MOD. BS.4084 - Edition 1; Formerly ADS AS58100-199	1989	ADS	
603	AGS2070	Rivets, Tucker, 100° Monel â Popâ Countersunk Head (Plated) - Edition 4; Formerly ADS AGS2070	1989	ADS	
604	AS55800-899	Bolt, Tee Head, P.D. Shank, Waspaloy, 0.5000-20 UNJF-3A.BS4084 - Edition 1; Formerly ADS AS55800-899	1989	ADS	
605	AS56900-999	BOLT, HEXAGON HEAD, P.D. SHANK, WASPALOY, 0.4375-20 UNJF-3A.BS4084 - Edition 1; Formerly ADS AS56900-999	1989	ADS	
606	AS61200-299	Bolt, Tee Head, Close Tol Shank FV535 0.5000-20 UNJF-3A.MOD.BS.4084 - Edition 1; Formerly ADS AS61200-299	1989	ADS	
607	AS2992	Screw - â Phillips Mushroom Head - Edition 4; Formerly ADS AS2992	1988	ADS	
608	AS42420-425	Stud Stepped, (.375 24UNJF-3AMOD BS4084 to .3125 24UNJF-3A BS4084), BS S159 - Edition 2; Formerly ADS AS42420-425	1988	ADS	
609	AS46700-709	â Pâ Section Rubber Seal (General Purpose) - Edition 2; Formerly ADS AS46700-709	1988	ADS	
610	AS26900-999	Bolt, Close Tolerance-Dee Head, BS HR601, .3125-24 UNJF-3A.MOD.BS4084 - Edition 3; Formerly ADS AS26900-999	1988	ADS	
611	AS23600-699	Bolt, Close Tolerance - Double Hexagon Extended Washer Head, BS HR 601, .3125-24 UNJF-3A-BS.4084 - Edition 3; Formerly ADS AS23600-699	1988	ADS	
612	AS30700-799	Bolt, Machine - Double Hexagon Extended Washer Head, HR601, .500-20 UNJF-3A.BS4084 - Edition 2; Formerly ADS AS30700-799	1988	ADS	
613	AS43034	Union-Bulkhead, Sealed Flange (Steel) - Edition 2; Formerly ADS AS43034	1988	ADS	
614	AS27000-099	Bolt, Close Tolerance-Dee Head, BS HR601, .375-24 UNJF-3A.MOD.BS4084 - Edition 3; Formerly ADS AS27000-099	1988	ADS	
615	AS27750-799	Adaptor, Elbow, Pipe (for Metric Pipes) - Edition 4; Formerly ADS AS27750-799	1988	ADS	
616	AS30400-499	Bolt, Machine - Double Hexagon Extended Washer Head, HR650, .4375-20 UNJF-3A.BS4084 - Edition 2; Formerly ADS AS30400-499	1988	ADS	
617	AS22100-199	Bolt, Machine, Double Hexagon Extended Washer Head, BS HR 601, .3125-24 UNJF-3A-BS.4084 - Edition 3; Formerly ADS AS22100-199	1988	ADS	
618	AS44520-523	Balance Weights, Washer Type - Edition 3; Formerly ADS AS44520-523	1988	ADS	
619	AS31900-999	Bolt, Externally Relieved Body - Double Hexagon Extended Washer Head, BS HR601, .500-20 UNJF-3A.BS4084 - Edition 2; Formerly ADS AS31900-999	1988	ADS	
620	RS685	Pipe Couplings, Unified Threads, Thrust Wire Nuts - Assembly & Tube Couplings - Unified Threads Editi - Edition 3; Formerly ADS RS685	1988	ADS	
621	AS23500-599	Bolt, Close Tolerance - Double Hexagon Extended Washer Head, BS HR 601, .250-28 UNJF-3A-BS.4084 - Edition 3; Formerly ADS AS23500-599	1988	ADS	
622	AS26800-899	Bolt, Close Tolerance-Dee Head, BS HR601, .250-28 UNJF-3A.MOD.BS4084 - Edition 3; Formerly ADS AS26800-899	1988	ADS	
623	AS27700-749	Adaptor, Elbow, Pipe (for Metric Pipes) - Edition 4; Formerly ADS AS27700-749	1988	ADS	
624	AS31200-299	Bolt, Close Tolerance - Double Hexagon Extended Washer Head. BS HR601, .4375-20 UNJF-3A.MOD.BS4084 - Edition 2; Formerly ADS AS31200-299	1988	ADS	
625	AS22200-299	Bolt, Machine, Double Hexagon Extended Washer Head, BS HR 601, .375-24 UNJF-3A-BS.4084 - Edition 3; Formerly ADS AS22200-299	1988	ADS	
626	AS42400-404	Stud Stepped, (.3125 24UNJF-3AMOD BS4084 to .2500 28UNJF-3A BS4084), BS S159 - Edition 2; Formerly ADS AS42400-404	1988	ADS	
627	AS26700-799	Bolt, Close Tolerance-Dee Head, BS HR601, .190-32 UNJF-3A.MOD.BS4084 - Edition 3; Formerly ADS AS26700-799	1988	ADS	
628	AS2569	Seating Ring - Edition 4; Formerly ADS AS2569	1988	ADS	
629	AS23400-499	Bolt, Close Tolerance - Double Hexagon Extended Washer Head, BS HR 601, 10(.190)-32 UNJF-3A-BS.4084 - Edition 3; Formerly ADS AS23400-499; Best Copy Available	1988	ADS	
630	AS3118	Valve - Casting - Edition 4; Formerly ADS AS3118	1988	ADS	

631	AS15800-823	Adaptor, Union, Pipe, for use with 3/16" to 1" O/DIA. 22 SWG (.028) and 20 SWG (.036) T.55 Tubes - Edition 6; Formerly ADS AS15800-823; Best Copy Available	1988	ADS	
632	AS21900-999	Bolt, Machine, Double Hexagon Extended Washer Head, BS HR 601, .375-24 UNJF-3A-BS.4084 - Edition 3; Formerly ADS AS21900-999	1988	ADS	
633	AS43104	Union - Bulkhead, Sealed Flange (Aluminium Alloy) - Edition 2; Formerly ADS AS43104	1988	ADS	
634	AS47991-998	Adaptor, Elbow, Pipe - Edition 2; Formerly ADS AS47991-998	1988	ADS	
635	AS31300-399	Bolt, Close Tolerance - Double Hexagon Extended Washer Head. BS HR601, .500-20 UNJF-3A.MOD.BS4084 - Edition 2; Formerly ADS AS31300-399	1988	ADS	
636	AS25000-099	Bolt, Externally Relieved Body - Double Hexagon Extended Washer Head, BS HR601, .250-28 UNJF-3A-BS.4084 - Edition 3; Formerly ADS AS25000-099	1988	ADS	
637	AS46769	Nut, Self-Locking, Miniature, Double Lug Floating Anchor, Cres. Steel, (125,000lbf/in ²) 235°C - Edition 2; Formerly ADS AS46769	1988	ADS	
638	AS31800-899	Bolt, Externally Relieved Body - Double Hexagon Extended Washer Head, BS HR601, .4375-29 UNJF-3A.BS4084 - Edition 2; Formerly ADS AS31800-899	1988	ADS	
639	AS43105	Washer Plate (Aluminium Alloy) - Edition 2; Formerly ADS AS43105	1988	ADS	
640	AS27550-599	Adaptor, Straight, Pipe (for Metric Pipes) - Edition 4; Formerly ADS AS27550-599	1988	ADS	
641	AS30600-699	Bolt, Machine - Double Hexagon Extended Washer Head, HR601, .4375-20 UNJF-3A.BS4084 - Edition 2; Formerly ADS AS30600-699	1988	ADS	
642	RS623	Accessory Drives & Mounting Pads (Taper Flanges - Involute Splines) - Edition 3; Formerly ADS RS623	1988	ADS	
643	AS27200-299	Bolt, Close Tolerance-Dee Head, BS HR601, .500-20 UNJF-3A.MOD.BS4084 - Edition 3; Formerly ADS AS27200-299	1988	ADS	
644	AS12870-889	Bushing. Plastics - Edition 4; Formerly ADS AS12870-889	1988	ADS	
645	AS46792	Nut & Bolt Assembly (for Chains) - Edition 1; Formerly ADS AS46792	1988	ADS	
646	AS43098	Washer Plate (Aluminium Alloy) - Edition 2; Formerly ADS AS43098	1988	ADS	
647	AS168	Nut and Bolt Assembly (for Chains) - Edition 4; Formerly ADS AS168	1988	ADS	
648	AS25200-299	Bolt, Externally Relieved Body - Double Hexagon Extended Washer Head, BS HR601, .375-24 UNJF-3A-BS.4084 - Edition 3; Formerly ADS AS25200-299	1988	ADS	
649	AS27100-199	Bolt, Close Tolerance-Dee Head, BS HR601, .4375-20 UNJF-3A.MOD.BS4084 - Edition 3; Formerly ADS AS27100-199	1988	ADS	
650	AS42440-458	Nut, Self-Locking, Shaft - Edition 2; Formerly ADS AS42440-458	1988	ADS	
651	AS46720-722	Nut, Self-Locking, Plate (Source Control Drawing) - Edition 2; Sheet 3 is Cancelled; Formerly ADS AS46720-722	1988	ADS	
652	AS44702	Bolt, Machine - Hexagon Head, .190-32 (Balance Weight) - Edition 2; Formerly ADS AS44702	1988	ADS	
653	AS2579	Valve Casting - Edition 5; Formerly ADS AS2579	1988	ADS	
654	AGS904	Pipe Couplings, (Aluminium Alloy), Outer Sleeve - Edition 27; Formerly ADS AGS904	1988	ADS	
655	AS2578	Seating Ring - Edition 5; Formerly ADS AS2578	1988	ADS	
656	AS27400-449	Adaptor, Straight, Pipe (for Inch Pipes) - Edition 4; Formerly ADS AS27400-449; Best Copy Available	1988	ADS	
657	AS12890-939	Bushing. Plastics - Edition 4; Formerly ADS AS12890-939	1988	ADS	
658	AS23700-799	Bolt, Close Tolerance - Double Hexagon Extended Washer Head, BS HR 601, .375-24 UNJF-3A-BS.4084 - Edition 3; Formerly ADS AS23700-799	1988	ADS	
659	AS8589	Pipe Couplings (Steel), Cone Union Adaptor/Unified Attachment End 3/16 Inch to 1/2 Inch, for use with Parallel Gaskets (e.g. Bonded Seals) - Edition 4; Formerly ADS AS8589	1988	ADS	
660	AS22000-099	Bolt, Machine, Double Hexagon Extended Washer Head, BS HR 601, .250-28 UNJF-3A-BS.4084 - Edition 3; Formerly ADS AS22000-099	1988	ADS	
661	AS25100-199	Bolt, Externally Relieved Body - Double Hexagon Extended Washer Head, BS HR601, .3125-24 UNJF-3A-BS.4084 - Edition 3; Formerly ADS AS25100-199	1988	ADS	
662	AS47971-978	Adaptor, Elbow, Pipe - Edition 2; Formerly ADS AS47971-978	1988	ADS	

663	AS8590	Pipe Couplings (Steel), Union Adaptor/Unified Attachment End 3/16 Inch to 1/2 Inch & 5/8 Inch to 1, for use with Parallel Gaskets (eg. Bonded Seals) - Edition 4; Formerly ADS AS8590	1988	ADS	
664	AS27350-399	Adaptor, Straight, Pipe (for Inch Pipes) - Edition 4; Formerly ADS AS27350-399	1988	ADS	
665	AS30500-599	Bolt, Machine - Double Hexagon Extended Washer Head, HR650, .500-20 UNJF-3A.BS4084 - Edition 2; Formerly ADS AS30500-599	1988	ADS	
666	AS43103	Washer Plate Triangular (Aluminium Alloy) - Edition 2; Formerly ADS AS43103	1988	ADS	
667	AS24900-999	Bolt, Externally Relieved Body - Double Hexagon Extended Washer Head, BS HR 601, .190-32 UNJF-3A-BS.4084 - Edition 3; Formerly ADS AS24900-999	1988	ADS	
668	AS27500-549	Adaptor, Straight, Pipe (for Metric Pipes) - Edition 3; Formerly ADS AS27500-549	1988	ADS	
669	AGS4677	Insert, Screw Thread, Metric, Screw Locking, Helical Hoil, Corrosion Resistant Steel DTD 734, Cadmium Plated - Edition 3; Formerly ADS AGS4677	1987	ADS	
670	TS348	Test for Electrical Connectors - Thermal Shock (for hermetically sealed Connectors) - Edition 1; Formerly ADS TS348	1987	ADS	
671	TS345	Test for Electrical Connectors - Ozone Resistance - Edition 1; Formerly ADS TS345	1987	ADS	
672	TS368	Test for Electrical Connectors - Robustness of Protective Cover Attachment - Edition 1; Formerly ADS TS368	1987	ADS	
673	TS343	Test for Electrical Connectors - Shielding Effectiveness from 100 MHz to 1 GHz - Edition 1; Formerly ADS TS343	1987	ADS	
674	TS337	Test for Electrical Connectors - Environmental Sealing - Edition 2; Formerly ADS TS337	1987	ADS	
675	TS334	Test for Electrical Connectors - Fluid Resistance Test - Edition 2; Formerly ADS TS334	1987	ADS	
676	TS347	Test for Electrical Connectors - Hermeticity - Edition 1; Formerly ADS TS347	1987	ADS	
677	TS320	Test for Electrical Connectors - Contact Retention - Edition 2; Formerly ADS TS320	1987	ADS	
678	AS47981-988	Adaptor, Elbow, Pipe Edition 2 03/01/1988 - Formerly ADS AS47981-988	1987	ADS	
679	TS369	Test for Electrical Connectors - Use of Tools - Edition 1; Formerly ADS TS369	1987	ADS	
680	TS370	Test for Electrical Connectors - Fire Resistance - Edition 1; Formerly ADS TS370	1987	ADS	
681	TS349	Test for Electrical Connectors - Interfacial sealing - Edition 1; Formerly ADS TS349	1987	ADS	
682	TS371	Test for Electrical Connectors - Electrical Overload - Edition 1; Formerly ADS TS371	1987	ADS	
683	TS302	SBAC Manufacturing Specification TS 302 for ESC Series of Circular Electrical Connector Accessories - Edition 2; Formerly ADS TS302	1987	ADS	
684	TS346	Test for Electrical Connectors - Damp Heat - Cyclic Test - Edition 1; Formerly ADS TS346	1987	ADS	
685	TS338	Test for Electrical Connectors - Visual Examination - Edition 1; Formerly ADS TS338	1987	ADS	
686	TS322	Test for Electrical Connectors - Coupling Torque - Edition 2; Formerly ADS TS322	1987	ADS	
687	TS364	Test for Electrical Connectors - Contact Insertion and Extraction Forces - Edition 1; Formerly ADS TS364	1987	ADS	
688	TS366	Test for Electrical Connectors - Stability of Male Contacts in the Insert - Edition 1; Formerly ADS TS366	1987	ADS	
689	TS339	Test for Electrical Connectors - Examination of Dimensions and Mass - Edition 1; Formerly ADS TS339	1987	ADS	
690	TS300	SBAC Manufacturing Specification TS 300 for ESC Series of Circular Electrical Connectors - Edition 2; Formerly ADS TS300	1987	ADS	
691	TS342	Test for Electrical Connectors - Housing (Shell) Electrical Continuity - Edition 1; Formerly ADS TS342	1987	ADS	
692	TS367	Test for Electrical Connectors - Contact Retention System Effectiveness (Removable Contact Walkout) - Edition 1; Formerly ADS TS367	1987	ADS	
693	TS341	Test for Electrical Connectors - Contact Resistance at Rated Current - Edition 1; Formerly ADS TS341	1987	ADS	
694	TS329	Test for Electrical Connectors - Physical Shock - Edition 2; Formerly ADS TS329	1987	ADS	
695	TS357	Tests for Electrical Connectors - Restricted Entry - Edition 1; Formerly ADS TS357	1987	ADS	
696	TS324	Test for Electrical Connectors - Insulation Resistance - Edition 2; Formerly ADS TS324	1987	ADS	
697	TS363	Test for Electrical Connectors - Mechanical Endurance - Edition 1; Formerly ADS TS363	1987	ADS	
698	TS331	Test for Electrical Connectors - Climatic Tests - Edition 2; Formerly ADS TS331	1987	ADS	

699	TS365	Test for Electrical Connectors - Holding Force of Grounding Spring System - Edition 1; Formerly ADS TS365	1987	ADS	
700	AGS2000	A.G.S. Stiffnuts - Application - Edition 14; Sheet 4 Thru 10 are Cancelled; Formerly ADS AGS2000	1987	ADS	
701	TS355	Test for Electrical Connectors - Contact Deformation after Crimping - Edition 1; Formerly ADS TS355	1987	ADS	
702	TS340	Test for Electrical Connectors - Contact resistance - Low Current (Size 16 and 20 sizes only) - Edition 1; Formerly ADS TS340	1987	ADS	
703	TS356	Test for Electrical Connectors - Contact Bending Strength - Edition 1; Formerly ADS TS356	1987	ADS	
704	TS362	Test for Electrical Connectors - Transverse Load (External Bending Moment) - Edition 1; Formerly ADS TS362	1987	ADS	
705	TS344	Test for Electrical Connectors - Immersion at Low Air Pressure - Edition 1; Formerly ADS TS344	1987	ADS	
706	TS332	Test for Electrical Connectors - High Temperature Cyclic Endurance - Edition 2; Formerly ADS TS332	1987	ADS	
707	TS361	Test for Electrical Connectors - Durability of Contact Retention Systems and Seals (Maintenance ageing) - Edition 1; Formerly ADS TS361	1987	ADS	
708	AS4526	Support Clips, Rubber covered with Earthing Tongue - Edition 8; Formerly ADS AS4526	1986	ADS	
709	AS44860-869	Nut, Self-Locking, Spline Drive, BS HR650 (AMS 5737 or 5732) - Edition 1; Formerly ADS AS44860-869	1986	ADS	
710	AS6733	Wire Thread Inserts (UN.F.) - Unplated - Edition 5; Formerly ADS AS6733	1986	ADS	
711	AS6734	Wire Thread Inserts (UN.C.) - Unplated - Edition 6; Formerly ADS AS6734	1986	ADS	
712	AS6703	Bonding Clip Assembly (Non-Corroding Steel Strap) - Edition 3; Formerly ADS AS6703	1986	ADS	
713	AS6702	Bonding Clip Assembly (Brass Strap) - Edition 3; Formerly ADS AS6702	1986	ADS	
714	AS6730	Single End Union Banjo Body (3/16 Inch to 1 Inch) for use with Banjo Bolts AS 6721-6726 - Edition 6; Formerly ADS AS6730	1986	ADS	
715	AS3180	â Pâ Clips Rubber Covered - Edition 12; Formerly ADS AS3180	1986	ADS	
716	AS41097	Streamer, Warning - Edition 2; Formerly ADS AS41097	1986	ADS	
717	AS27830-832	Nut, Self-Locking, Six-Point, Captive Washer (Source Control Drawing) - Edition 2; Formerly ADS AS27830-832	1986	ADS	
718	AS12940-959	Washer, Flat, Countersunk - Edition 2; Formerly ADS AS12940-959	1986	ADS	
719	AS8455	Wire Thread Inserts (U.N.F), Cadmium Plated - Edition 5; Formerly ADS AS8455	1986	ADS	
720	AS8456	Wire Thread Inserts (U.N.C), Cadmium Plated - Edition 6; Formerly ADS AS8456	1986	ADS	
721	TS321	Test for Electrical Connectors - Insert Retention - Edition 1; Formerly ADS TS321	1985	ADS	
722	TS351	Test for Electrical Connectors - Test Probe Damage - Edition 1; Formerly ADS TS351	1985	ADS	
723	TS353	Test for Electrical Connectors - Thermocouple Contacts - Edition 1; Formerly ADS TS353	1985	ADS	
724	TS325	Test for Electrical Connectors - Thermal Shock - Edition 1; Formerly ADS TS325	1985	ADS	
725	TS326	Test for Electrical Connectors - Low Temperature Handling - Edition 1; Formerly ADS TS326	1985	ADS	
726	TS330	Test for Electrical Connectors - Dust and Sand Contamination - Edition 1; Formerly ADS TS330	1985	ADS	
727	AGS3870-889	Gasket (Corrujoint) - Edition 2; Formerly ADS AGS3870-889	1985	ADS	
728	TS333	Test for Electrical Connectors - Corrosion - Edition 1; Formerly ADS TS333	1985	ADS	
729	TS323	Test for Electrical Connectors - Dielectric Withstand - Edition 1; Formerly ADS TS323	1985	ADS	
730	TS350	Test for Electrical Connectors - Contact Engaging And Separating Forces - Edition 1; Formerly ADS TS350	1985	ADS	
731	RS730	Alternative Materials for the Manufacture of Metric Swaged Pipe Couplings - Edition 2; Formerly ADS RS730	1984	ADS	
732	AS44800-817	Pin, Shoulder, Headless - Edition 3; Formerly ADS AS44800-817	1984	ADS	
733	AGS2067	Chobert, 100 ^o Countersunk Rivet. Steel - Edition 6; Formerly ADS AGS2067	1984	ADS	
734	AS20640-739	Pin, Straight, Headless - Edition 5; Formerly ADS AS20640-739	1984	ADS	
735	AS44442	Bush for 3/8" DIA. Pipe Union Nut - Edition 2; Formerly ADS AS44442	1984	ADS	
736	AS43022	Nipple, Swaged (Carbon Steel) - Edition 3; Formerly ADS AS43022	1984	ADS	
737	AS20740-759	Pin, Grooved, Headless - Edition 3; Formerly ADS AS20740-759	1984	ADS	

738	AS6736	Double Anchor Bolt (Unified) - Edition 2; Formerly ADS AS6736	1983	ADS	
739	AS27900-949	Plug, Machine Thread - Edition 3; Formerly ADS AS27900-949	1983	ADS	
740	AS15766-769	Ferrule, Welding, Pipe Fitting - Assembly - Edition 3; Formerly ADS AS15766-769	1983	ADS	
741	AS43192	Reducer - Adaptor - Nipple End, Male Nut Union (Steel) - Edition 2; Formerly ADS AS43192	1983	ADS	
742	AGS2068	Chobert, 100° Countersunk Rivet. Aluminium Alloy - Edition 5; Formerly ADS AGS2068	1983	ADS	
743	AGS3924	Clamp, Hose, Worm Drive, Microflex (Extra Light Duty) - Edition 2; Formerly ADS AGS3924	1983	ADS	
744	AS6326	Housing for Bonding Socket - Edition 2; Formerly ADS AS6326	1983	ADS	
745	AS6735	Single Anchor Bolt (Unified) - Edition 2; Formerly ADS AS6735	1983	ADS	
746	AGS3925	Clamp, Hose, Worm Drive Minox, (Light Duty) - Edition 2; Formerly ADS AGS3925	1983	ADS	
747	AS46783	Clamp, Loop, Aluminium Alloy Fluorosilicone Rubber Cushion (Imperial Dimensions) - Edition 1; Formerly ADS AS46783	1982	ADS	
748	AGS1143	Pipe Couplings Cone Plugs (3/16" to 1") - Edition 16; Formerly ADS AGS1143	1982	ADS	
749	AS44200-299	Bolt, Machine, Double Hexagon Extended Washer Head, Drilled, BS HR601 Silver Coated, .3125-24 UNJF-3A.BS4084 - Edition 3; Formerly ADS AS44200-299	1982	ADS	
750	AS44300-399	Bolt, Machine, Double Hexagon Extended Washer Head, Drilled, BS HR601 Silver Coated, .375-24 UNJF-3A.BS4084 - Edition 3; Formerly ADS AS44300-399	1982	ADS	
751	AS44100-199	Bolt, Machine, Double Hexagon Extended Washer Head, Drilled, BS HR601 Silver Coated, .250-28 UNJF-3A.BS4084 - Edition 3; Formerly ADS AS44100-199	1982	ADS	
752	AS44000-099	Bolt, Machine, Double Hexagon Extended Washer Head, Drilled, BS HR601 Silver Coated, 10(.190)-32 UNJF-3A.BS4084 - Edition 3; Formerly ADS AS44000-099	1982	ADS	
753	AS46778	Pins, Quick-Release (Ball Type) CR Steel, 1/4" L Handle, Single Acting - Edition 2; Formerly ADS AS46778	1981	ADS	
754	AS6673	Plug - Drain Plug - Edition 2; Formerly ADS AS6673	1981	ADS	
755	AS2549	Outer Handle Assembly, Double Handle Lock - Edition 5; Formerly ADS AS2549	1981	ADS	
756	AGS2106	Push Type 1/4" Pip Pin with Handle - Edition 3; Formerly ADS AGS2106	1981	ADS	
757	AS46779	Pin, Quick-Release (Ball Type) Alloy Steel, 1/2" T Handle, Double Acting - Edition 1; Formerly ADS AS46779	1981	ADS	
758	AGS2107	3/16" DIA. Pull Type 1/4" Pip Pin - Edition 5; Formerly ADS AGS2107	1981	ADS	
759	AS46780	Pin, Quick-Release (Ball Type) Alloy Steel, Ring Handle, Double Acting - Edition 1; Formerly ADS AS46780	1981	ADS	
760	AS46775	Pins, Quick-Release (Ball Type), Non C.R. Steel, 1/4" L Handle, Single Acting - Edition 1; Formerly ADS AS46775	1981	ADS	
761	AS46776	Pins, Quick-Release (Ball Type), C.R. Steel, 1/2" T Handle, Single Acting - Edition 1; Formerly ADS AS46776	1981	ADS	
762	AS46777	Pins, Quick-Release (Ball Type) CR Steel, Ring Handle, Single Acting - Edition 1; Formerly ADS AS46777	1981	ADS	
763	RS719	The Sponsor System - Edition 2; Formerly ADS RS719	1981	ADS	
764	AS43090	Swaged Couplings - Typical Joints (Aluminium Alloy) - Edition 2; Formerly ADS AS43090	1981	ADS	
765	AS46774	Pins, Quick-Release (Ball Type), Non C.R. Steel, Ring Handle Single Acting - Edition 1; Formerly ADS AS46774	1981	ADS	
766	AS46773	Pins, Quick-Release (Ball Type), Non C.R. Steel, T Handle Single Acting - Edition 1; Formerly ADS AS46773	1981	ADS	
767	RS686	Application of Locating Pins - Edition 2; Formerly ADS RS686	1981	ADS	
768	AS2552	Outer Handle Assembly. Single Handle Lock - Edition 5; Formerly ADS AS2552	1981	ADS	
769	RS704	Recommended Size & Location of Locking Wire Holes in Bolts, Screws & Nuts - Edition 3; Formerly ADS RS704	1981	ADS	
770	AS46781	Pin, Quick-Release (Ball Type) Alloy Steel, 1/4" L Handle, Double Acting - Edition 1; Formerly ADS AS46781	1981	ADS	
771	RS741	Shaft & Groove Dimensions for Ring, Retaining (Friction Locking) - Edition 1; Formerly ADS RS741	1981	ADS	
772	AS43176	Bulkhead Elbow - Forged Blank - Aluminium Alloy. Swaged Pipe Coupling - Edition 1; Formerly ADS AS43176	1980	ADS	
773	AS43190	Tee-Increased-End (Aluminium Alloy) - Edition 1; Formerly ADS AS43190	1980	ADS	
774	AS46742	Elbow - 135° - Nipple End, Male Nut Union (Steel) - Edition 1; Formerly ADS AS46742	1980	ADS	

775	AGS3431	Pipe Clip Rubber covered for 1" DIA. Fixing. (for Pipes 1" DIA. & over) - Edition 4; Formerly ADS AGS3431	1980	ADS	
776	AS43069	Elbow - 90° - Bulkhead (Steel) - Edition 1; Formerly ADS AS43069	1980	ADS	
777	AS43025	Nut Union-Male (Steel) - Edition 1; Formerly ADS AS43025	1980	ADS	
778	AS43043	Elbow - 90°, Nipple End, Female Nut Union (Steel) - Edition 1; Formerly ADS AS43043	1980	ADS	
779	AS46734	Union Adaptor - Nipple End, Male Nut Union (Steel) - Edition 1; Formerly ADS AS46734	1980	ADS	
780	AS43095	Nut Union-Male (Aluminium Alloy) - Edition 1; Formerly ADS AS43095	1980	ADS	
781	AS43041	Tee-Increased End (Steel) - Issue 1; Formerly ADS AS43041	1980	ADS	
782	AS43182	Cross-Equal Branches (Aluminium Alloy) - Edition 1; Formerly ADS AS43182	1980	ADS	
783	AS43195	Cone Blank Assembly (Steel) - Edition 1; Formerly ADS AS43195	1980	ADS	
784	AS43152	Elbow - 135° - Forged Blank - Aluminium Alloy. Swaged Pipe Coupling - Edition 2; Formerly ADS AS43152	1980	ADS	
785	AS43080	Tee - Forged Blank - Steel. Swaged Pipe Coupling - Edition 2; Formerly ADS AS43080	1980	ADS	
786	AS43047	Tee - Nipple Branch, Female Nut Union (Steel) - Edition 1; Formerly ADS AS43047	1980	ADS	
787	AS43031	Reducer (Steel) - Edition 1; Formerly ADS AS43031	1980	ADS	
788	AS46733	Union Adaptor Assembly - Nipple End, Male Nut Union (Steel) - Edition 1; Formerly ADS AS46733	1980	ADS	
789	AS43142	Elbow - 135° - Bulkhead (Aluminium Alloy) - Edition 1; Formerly ADS AS43142	1980	ADS	
790	AS43181	Tee-Equal (Aluminium Alloy) - Edition 1; Formerly ADS AS43181	1980	ADS	
791	AS43093	Union (Aluminium Alloy) - Edition 1; Formerly ADS AS43093	1980	ADS	
792	RS728	Insert, Screw Thread, Metric, Helical Coil - Tang & Notch details - Edition 2; Formerly ADS RS728	1980	ADS	
793	AS43194	Nut Union, Cone Blank (Steel) - Edition 1; Formerly ADS AS43194	1980	ADS	
794	AS46735	Tee Assembly - Nipple Branch, Male Nut Union (Steel) - Edition 1; Formerly ADS AS46735	1980	ADS	
795	AS43032	Union-Bulkhead, Triangular Flange (Steel) - Edition 1; Formerly ADS AS43032	1980	ADS	
796	AS43048	Tee Assembly - Nipple End, Female Nut Union (Steel) - Edition 1; Formerly ADS AS43048	1980	ADS	
797	AS43081	Elbow - Forged Blank - Steel. Swaged Pipe Coupling - Edition 2; Formerly ADS AS43081	1980	ADS	
798	AS43082	Elbow - 135° - Forged Blank - Steel. Swaged Pipe Coupling - Edition 2; Formerly ADS AS43082	1980	ADS	
799	AS43049	Tee - Nipple End, Female Nut Union (Steel) - Edition 1; Formerly ADS AS43049	1980	ADS	
800	AS43097	Union - Hexagon, Bulkhead (Aluminium Alloy) - Edition 1; Formerly ADS AS43097	1980	ADS	
801	AS43155	Bulkhead Adaptor - Forged Blank (Aluminium Alloy). Swaged Pipe Coupling - Edition 2; Formerly ADS AS43155	1980	ADS	
802	AS43183	Cross-Reduced Branches (Aluminium Alloy) - Edition 1; Formerly ADS AS43183	1980	ADS	
803	AS43196	Nipple Blanking Assembly, Long (Steel) - Edition 1; Formerly ADS AS43196	1980	ADS	
804	AS43178	Bulkhead Tee - Forged Blank - Aluminium Alloy. Swaged Pipe Coupling - Edition 1; Formerly ADS AS43178	1980	ADS	
805	AS46731	Nut Union - Thrust Wire - Male - 5.0mm size (Steel) - Edition 1; Formerly ADS AS46731	1980	ADS	
806	AS43044	Nut Union-Thrust Wire - Female (Steel) - Edition 1; Formerly ADS AS43044	1980	ADS	
807	AS43070	Tee-Branch-Bulkhead (Steel) - Edition 1; Formerly ADS AS43070	1980	ADS	
808	AS43026	Nipple-Blanking, Short (Steel) - Edition 1; Formerly ADS AS43026	1980	ADS	
809	AS43177	Bulkhead Tee - Forged Blank - Aluminium Alloy. Swaged Pipe Coupling - Edition 1; Formerly ADS AS43177	1980	ADS	
810	AS43191	Reducer - Adaptor Assembly Nipple End, Male Nut Union (Steel) - Edition 1; Formerly ADS AS43191	1980	ADS	
811	AS43089	Bulkhead Elbow 135° - Forged Blank - Steel. Swaged Pipe Coupling - Edition 2; Formerly ADS AS43089	1980	ADS	
812	AS46730	Nut Union - Thrust Wire - Male (Steel) - Edition 1; Formerly ADS AS46730	1980	ADS	
813	AGS3432	Pipe Clip Rubber covered for 1" DIA. Fixing with Earthing Tongue (for Pipes 1" DIA. & over) - Edition 4; Formerly ADS AGS3432	1980	ADS	
814	AS43193	Cone Blank (Steel) - Edition 1; Formerly ADS AS43193	1980	ADS	
815	AS43180	Elbow - 90° (Aluminium Alloy) - Edition 1; Formerly ADS AS43180	1980	ADS	

816	AS43091	Nut Union - Female (Aluminium Alloy) - Edition 1; Formerly ADS AS43091	1980	ADS	
817	AS43133	Elbow - 135 ^o (Aluminium Alloy) - Edition 1; Formerly ADS AS43133	1980	ADS	
818	AS43046	Tee Assembly - Nipple Branch, Female Nut Union (Steel) - Edition 1; Formerly ADS AS43046	1980	ADS	
819	AS43072	Elbow - 135 ^o - Bulkhead (Steel) - Edition 1; Formerly ADS AS43072	1980	ADS	
820	AS43030	Plug-Blanking (Steel) - Edition 1; Formerly ADS AS43030	1980	ADS	
821	AS46732	Thrust Wire - Nut Union, Male (Steel) - Edition 1; Formerly ADS AS46732	1980	ADS	
822	AS43045	Thrust Wire-Nut Union, Female (Steel) - Edition 1; Formerly ADS AS43045	1980	ADS	
823	AS43071	Tee-End-Bulkhead (Steel) - Edition 1; Formerly ADS AS43071	1980	ADS	
824	AS43027	Union-Hexagon, Bulkhead (Steel) - Edition 1; Formerly ADS AS43027	1980	ADS	
825	AS46738	Tee - Nipple End, Male Nut Union (Steel) - Edition 1; Formerly ADS AS46738	1980	ADS	
826	AS43037	Tee - Equal (Steel) - Edition 1; Formerly ADS AS43037	1980	ADS	
827	AS43062	Cross-Reduced Branches (Steel) - Edition 1; Formerly ADS AS43062	1980	ADS	
828	AS43084	Cross - Forged Blank-Steel. Swaged Pipe Coupling - Edition 2; Formerly ADS AS43084	1980	ADS	
829	AS43063	Elbow - 135 ^o (Steel) - Edition 1; Formerly ADS AS43063	1980	ADS	
830	AS43038	Tee-Reduced Branch (Steel) - Edition 1; Formerly ADS AS43038	1980	ADS	
831	AS43085	Bulkhead Adaptor - Forged Blank - Steel. Swaged Pipe Coupling - Edition 2; Formerly ADS AS43085	1980	ADS	
832	AS43199	Nipple Blanking Assembly, Short (Aluminium Alloy) - Edition 1; Formerly ADS AS43199	1980	ADS	
833	AS43186	Tee-End-Bulkhead (Aluminium Alloy) - Edition 1; Formerly ADS AS43186	1980	ADS	
834	AS43099	Nut - Thin (Aluminium Alloy) - Edition 1; Formerly ADS AS43099	1980	ADS	
835	AS43198	Nipple Blanking Assembly, Long (Aluminium Alloy) - Edition 1; Formerly ADS AS43198	1980	ADS	
836	AS43185	Tee-Branch-Bulkhead (Aluminium Alloy) - Edition 1; Formerly ADS AS43185	1980	ADS	
837	AS43061	Cross-Equal Branches (Steel) - Edition 1; Formerly ADS AS43061	1980	ADS	
838	AS43036	Elbow - 90 ^o (Steel) - Edition 1; Formerly ADS AS43036	1980	ADS	
839	AS43083	Cross - Forged Blank - Steel. Swaged Pipe Coupling - Edition 2; Formerly ADS AS43083	1980	ADS	
840	AS46737	Tee Assembly - Nipple End, Male Nut Union (Steel) - Edition 1; Formerly ADS AS46737	1980	ADS	
841	AS46736	Tee - Nipple Branch, Male Nut Union (Steel) - Edition 1; Formerly ADS AS46736	1980	ADS	
842	AS43184	Elbow - 90 ^o - Bulkhead (Aluminium Alloy) - Edition 1; Formerly ADS AS43184	1980	ADS	
843	AS43197	Nipple Blanking Assembly, Short (Steel) - Edition 1; Formerly ADS AS43197	1980	ADS	
844	AS43159	Bulkhead Elbow 135 ^o - Forged Blank (Aluminium Alloy). Swaged Pipe Coupling - Edition 2; Formerly ADS AS43159	1980	ADS	
845	AS46741	Elbow Assembly, 135 ^o - Nipple End, Male Nut Union (Steel) - Edition 1; Formerly ADS AS46741	1980	ADS	
846	RS740	British Metric Swaged Pipe Coupling (AS 43020 and AS 43090 Series) Designers Guide - Edition 1; Formerly ADS RS740	1980	ADS	
847	AS43065	Elbow - 135 ^o , Nipple End, Female Nut Union (Steel) - Edition 1; Formerly ADS AS43065	1980	ADS	
848	AS43087	Bulkhead Tee - Forged Blank - Steel. Swaged Pipe Coupling - Edition 2; Formerly ADS AS43087	1980	ADS	
849	AS43023	Union (Steel) - Edition 1; Formerly ADS AS43023	1980	ADS	
850	AS43040	Tee-Reduced End (Steel) - Edition 1; Formerly ADS AS43040	1980	ADS	
851	AS43189	Tee-Reduced-End (Aluminium Alloy) - Edition 1; Formerly ADS AS43189	1980	ADS	
852	AS43102	Union - Bulkhead, Triangular Flange (Aluminium Alloy) - Edition 1; Formerly ADS AS43102	1980	ADS	
853	AS43173	Cross - Forged Blank - Aluminium Alloy. Swaged Pipe Coupling - Edition 1; Formerly ADS AS43173	1980	ADS	
854	AS43068	Nipple - Blanking, Long (Steel) - Edition 1; Formerly ADS AS43068	1980	ADS	
855	AS43042	Elbow Assembly - 90 ^o , Nipple End, Female Nut Union (Steel) - Edition 1; Formerly ADS AS43042	1980	ADS	
856	AS43088	Bulkhead Tee- Forged Blank - Steel. Swaged Pipe Coupling - Edition 2; Formerly ADS AS43088	1980	ADS	

857	AS46740	Elbow - 90 ^o - Nipple End, Male Nut Union (Steel) - Edition 1; Formerly ADS AS46740	1980	ADS
858	AS43064	Elbow Assembly - 135 ^o , Nipple End, Female Nut Union (Steel) - Edition 1; Formerly ADS AS43064	1980	ADS
859	AS43086	Bulkhead Elbow - Forged Blank - Steel. Swaged Pipe Coupling - Edition 2; Formerly ADS AS43086	1980	ADS
860	RS736	British Metric Swaged Pipe Coupling (AS 43020 and AS 43090 Series) Summary of Tests - Edition 1; Formerly ADS RS736	1980	ADS
861	AS43101	Reducer (Aluminium Alloy) - Edition 1; Formerly ADS AS43101	1980	ADS
862	AS43171	Elbow - Forged Blank - Aluminium Alloy. Swaged Pipe Coupling - Edition 1; Formerly ADS AS43171	1980	ADS
863	AS43188	Tee-Increased Branches (Aluminium Alloy) - Edition 1; Formerly ADS AS43188	1980	ADS
864	AS43039	Tee-Increased Branch (Steel) - Edition 1; Formerly ADS AS43039	1980	ADS
865	AS46739	Elbow Assembly, 90 ^o - Nipple End, Male Nut Union (Steel) - Edition 1; Formerly ADS AS46739	1980	ADS
866	AS43187	Tee-Reduced Branches (Aluminium Alloy) - Edition 1; Formerly ADS AS43187	1980	ADS
867	AS43170	Tee - Forged Blank - Aluminium Alloy. Swaged Pipe Coupling - Edition 1; Formerly ADS AS43170	1980	ADS
868	RS735	Component Tapped Hole Geometry (for use with Swaged Coupling Male Nut Units ref AS43020 & 43090) - Edition 1; Formerly ADS RS735	1980	ADS
869	AS43100	Plug - Blanking (Aluminium Alloy) - Edition 1; Formerly ADS AS43100	1980	ADS
870	RS734	Groove Dimensions for Gaskets (Metallic Seals) - Edition 1; Formerly ADS RS734	1979	ADS
871	AS46768	Nut, Self-Locking, Miniature, Double Lug Floating Anchor, Cres. Steel, Silver Plated (125,000lbf/in ²) 425 ^l _C - Edition 1; Formerly ADS AS46768	1979	ADS
872	AS8633	Self-Locking Nuts, Miniature, Double Lug Floating Anchor, C.R. Steel, Silver Plated, 125,000lbf/in ² 450 ^l _C - Edition 3; Formerly ADS AS8633	1979	ADS
873	AS46767	Nut, Self-Locking, Miniature, Double Lug Floating Anchor, Carbon Steel, Cadmium Coated (125,000lbf/in ²) 235 ^l _C - Edition 1; Formerly ADS AS46767	1979	ADS
874	AGS1142	Pipe Couplings Adaptor Nipple - Edition 11; Formerly ADS AGS1142	1978	ADS
875	AGS589	3/8â B.S.F. Rod End Bearing, Internal Thread, (Short) Assembly - Edition 12; Formerly ADS AGS589	1978	ADS
876	AGS987	Female, Flanges (Bolted) with Spigot (Steel) - Edition 6; Formerly ADS AGS987	1978	ADS
877	AGS1170	Pipe Couplings Nipple - Edition 10; Formerly ADS AGS1170	1978	ADS
878	AGS1233	Ferrule Re-usable End Fittings for Non-Fire Resistant Hose D.T.D. (R.D.I.) 3951 - Edition 7; Formerly ADS AGS1233	1978	ADS
879	AGS978	Male Flanges (Bolted) (Steel) - Edition 9; Formerly ADS AGS978	1978	ADS
880	AS41088	Spiral Wrapping, P.T.F.E. - Edition 2; Formerly ADS AS41088	1978	ADS
881	AGS955	Metal Couplings (Steel), Inner Sleeve - Edition 19; Formerly ADS AGS955	1978	ADS
882	AS46764	Spacer, Sleeve (Metric), Thin Wall - Stainless Steel - Edition 1; Formerly ADS AS46764	1978	ADS
883	AGS2120	Pipe Couplings, Nipple - Edition 5; Formerly ADS AGS2120	1978	ADS
884	AGS591	5/16 â B.S.F. Rod End Bearing, External Thread Assembly - Edition 9; Formerly ADS AGS591	1978	ADS
885	AGS1236	Pipe Couplings, Cone Caps (Steel) 3/16â to 1 ^l â - Edition 6; Formerly ADS AGS1236	1978	ADS
886	AGS592	3/8â B.S.F Rod End Bearing, Internal Thread (Long) Assembly - Edition 10; Formerly ADS AGS592	1978	ADS
887	AGS3912	Cone, Union Adaptor, Steel (Pipe Couplings Whitworth/UNJF) - Edition 4; Formerly ADS AGS3912	1978	ADS
888	AGS1658	Gland Nut - Edition 14; Formerly ADS AGS1658	1978	ADS
889	AS46762	Spacer, Sleeve (Metric), Thin Wall - Aluminium Alloy - Edition 1; Formerly ADS AS46762	1978	ADS
890	AS46763	Spacer, Sleeve (Metric), Thick Wall - Aluminium Alloy - Edition 1; Formerly ADS AS46763	1978	ADS
891	AGS590	Rod End Bearing - Plain Shank Assembly - Edition 9; Formerly ADS AGS590	1978	ADS
892	AS43014	Ring, Sealing, Toroidal, DTD5613 Grade 90 (Source Control Drawing) - Edition 2; Formerly ADS AS43014	1978	ADS
893	AGS593	5/16 â B.S.F. Rod End Bearing, Internal Thread, (Short) Assembly - Edition 10; Formerly ADS AGS593	1978	ADS
894	AS46765	Spacer, Sleeve (Metric), Thick Wall - Stainless Steel - Edition 1; Formerly ADS AS46765	1978	ADS

895	AGS949	Double Ended Union Body (Steel) - Edition 17; Formerly ADS AGS949	1978	ADS	
896	AS46766	Covers, Transport/Protective, for 20 ¹ Flanges (Metric) - Edition 1; Formerly ADS AS46766	1978	ADS	
897	AS44441	Union Nut 3/8" O/D Pipe - Edition 2; Formerly ADS AS44441	1977	ADS	
898	RS700	General Requirements for A.S. and A.G.S. Parts - Edition 2; Formerly ADS RS700	1977	ADS	
899	AS3297	Bolt - â Phillipsâ 120 ¹ Countersunk Head - Edition 7; Formerly ADS AS3297	1977	ADS	
900	AGS2040	Rivets, Chobert, Steel D.T.D. 720 Snap Head - Edition 7; Formerly ADS AGS2040	1977	ADS	
901	AS3295	Bolt - â Phillipsâ Raised 90 Degree Countersunk Head - Edition 7; Formerly ADS AS3295	1977	ADS	
902	AS3294	Bolt - â Phillipsâ 90 Degree Countersunk Head - Edition 7; Formerly ADS AS3294	1977	ADS	
903	AS46712	Washer, Flat, Brass, Metric - Edition 1; Formerly ADS AS46712	1977	ADS	
904	AGS1235	Assembly of Re-usable 45 ¹ End Fittings for Non-Fire Resistant Hose D.T.D. (R.D.I.) 3951 - Edition 6; Formerly ADS AGS1235	1977	ADS	
905	AS3399	Taper Bolt - Rudder Bar - Edition 4; Formerly ADS AS3399	1977	ADS	
906	AS3296	Bolt - â Phillipsâ Raised 120 ¹ Countersunk Head - Edition 7; Formerly ADS AS3296	1977	ADS	
907	AS2411	Adjusting Worm (Rudder Bar) - Edition 8; Formerly ADS AS2411	1977	ADS	
908	AS4598	Bolt - â Phillipsâ Mushroom Head - Edition 6; Formerly ADS AS4598	1977	ADS	
909	AS2504	Bolts, Hexagon, Close Tolerance - Edition 10; Formerly ADS AS2504	1977	ADS	
910	AS4597	Bolt - â Phillipsâ Round Head - Edition 6; Formerly ADS AS4597	1977	ADS	
911	AS4569	Bolts, 2BA Hexagon, Close Tolerance - Edition 7; Formerly ADS AS4569	1977	ADS	
912	AGS100	AGS Design Notes (The requirements of this AGS are now embodied on SBAC Reference Sheet RS 700 and drawing reference to â AGS100â should be taken as reference to â RS700â). - Issue 7; Sheet 2 Thru 8 are Cancelled; Formerly ADS AGS100	1977	ADS	
913	AGS1234	Assembly of re-usable 90 ¹ End Fittings for Non-Fire Resistant Hose D.T.D. (R.D.I.) 3951 - Edition 7; Formerly ADS AGS1234	1977	ADS	
914	AGS4715	Union Nut Re-usable End Fittings for Non Fire Resistant Hose - Edition 1; Formerly ADS AGS4715	1977	ADS	
915	AS2809-2811	Seamless Distance Tubes - Edition 5; Formerly ADS AS2809-2811	1977	ADS	
916	AS25372	Ring, Sealing, Toroidal, 85 ¹ I.R.H. Butadiene Ethylene - Edition 2; Formerly ADS AS25372	1976	ADS	
917	AS46749	End Plate for Stirrup (Rudder Bar) - Edition 1; Formerly ADS AS46749	1976	ADS	
918	AS25387	Ring, Sealing, Toroidal, 70 ¹ I.R.H.D. Pipe Fitting, Fluorosilicone Rubber - Edition 2; Formerly ADS AS25387	1976	ADS	
919	AS25341	Ring, Sealing, Toroidal, 75 ¹ I.R.H. Pipe Fitting, Butadiene Acrylonitrile (Fuel & Synthetic Oil Resistant) - Edition 2; Formerly ADS AS25341	1976	ADS	
920	AS44404-406	Elastomeric Grommets (Various), for Aeronautical Purposes - Edition 3; Formerly ADS AS44404-406	1976	ADS	
921	AS25386	Ring, Sealing, Toroidal, 60 ¹ I.R.H.D. Pipe Fitting, Fluorosilicone Rubber - Edition 2; Formerly ADS AS25386	1976	ADS	
922	AS25340	Ring, Sealing, Toroidal, 65 ¹ I.R.H. Pipe Fitting, Butadiene Acrylonitrile (Fuel & Synthetic Oil Resistant) - Edition 2; Formerly ADS AS25340	1976	ADS	
923	AS46744	Stirrup - Rudder Bar - Edition 1; Formerly ADS AS46744	1976	ADS	
924	AS46745-746	Assembly of Foot Pedal (Rudder Bar) - Edition 1; Formerly ADS AS46745-746	1976	ADS	
925	AS25330	Ring, Sealing, Toroidal, 65 ¹ I.R.H., Butadiene Acrylonitrile (Mineral Oil Resistant) - Edition 2; Formerly ADS AS25330	1976	ADS	
926	AS25410	Ring, Sealing, Toroidal, 65 ¹ I.R.H. Silicone - Edition 2; Formerly ADS AS25410	1976	ADS	
927	AS46747-748	Assembly of Foot Pedal (Rudder Bar) - Edition 1; Formerly ADS AS46747-748	1976	ADS	
928	AS25411	Ring, Sealing, Toroidal, 75 ¹ I.R.H. Silicone - Edition 2; Formerly ADS AS25411	1976	ADS	
929	AS25331	Ring, Sealing, Toroidal, 75 ¹ I.R.H., Butadiene Acrylonitrile (Mineral Oil Resistant) - Edition 2; Formerly ADS AS25331	1976	ADS	
930	AS25362	Ring, Sealing, Toroidal, 85 ¹ I.R.H. Pipe Fitting, Butadiene Ethylene - Edition 2; Formerly ADS AS25362	1976	ADS	
931	AS25332	Ring, Sealing, Toroidal, 85 ¹ I.R.H., Butadiene Acrylonitrile (Mineral Oil Resistant) - Edition 2; Formerly ADS AS25332	1976	ADS	

932	AS25370	Ring, Sealing, Toroidal 65 ^l I.R.H. Ethylene Propylene - Issue 2; Formerly ADS AS25370	1976	ADS	
933	AS25412	Ring, Sealing, Toroidal, 85 ^l I.R.H. Silicone - Edition 2; Formerly ADS AS25412	1976	ADS	
934	RS727	Tapped Hole and Fitted Size Data for Helical Coil Wire Thread Inserts (Metric) - Edition 2; Formerly ADS RS727	1976	ADS	
935	AS25350	Ring, Sealing, Toroidal, 65 ^l I.R.H. Butadiene Acrylonitrile (Fuel & Synthetic Oil Resistant) - Edition 2; Formerly ADS AS25350	1976	ADS	
936	AS25342	Ring, Sealing, Toroidal, 85 ^l I.R.H. Pipe Fitting, Butadiene Acrylonitrile (Fuel & Synthetic Oil Resistant) - Edition 2; Formerly ADS AS25342	1976	ADS	
937	AS25351	Ring, Sealing, Toroidal, 75 ^l I.R.H. Butadiene Acrylonitrile (Fuel & Synthetic Oil Resistant) - Edition 2; Formerly ADS AS25351	1976	ADS	
938	AS25400	Ring, Sealing, Toroidal, 65 ^l I.R.H. Pipe Fitting, Silicone - Edition 2; Formerly ADS AS25400	1976	ADS	
939	AS25320	Ring, Sealing, Toroidal, 65 ^l I.R.H. Pipe Fitting, Butadiene Acrylonitrile (Mineral Oil Resistant) - Edition 2; Formerly ADS AS25320	1976	ADS	
940	AGS3914	Hose Assembly, Flexible - Pitot (Metric) Source Control Drawing - Edition 1; Formerly ADS AGS3914	1976	ADS	
941	AS25401	Ring, Sealing, Toroidal, 75 ^l I.R.H. Pipe Fitting, Silicone - Edition 2; Formerly ADS AS25401	1976	ADS	
942	AS25352	Ring, Sealing, Toroidal, 85 ^l I.R.H. Butadiene Acrylonitrile (Fuel & Synthetic Oil Resistant) - Edition 2; Formerly ADS AS25352	1976	ADS	
943	AS25321	Ring, Sealing, Toroidal, 75 ^l I.R.H. Pipe Fitting, Butadiene Acrylonitrile (Mineral Oil Resistant) - Edition 2; Formerly ADS AS25321	1976	ADS	
944	AGS1551	Locking Pins - Edition 7; Formerly ADS AGS1551	1976	ADS	
945	AS25402	Ring, Sealing, Toroidal, 85 ^l I.R.H. Pipe Fitting, Silicone - Edition 2; Formerly ADS AS25402	1976	ADS	
946	AS25322	Ring, Sealing, Toroidal, 85 ^l I.R.H. Pipe Fitting, Butadiene Acrylonitrile (Mineral Oil Resistant) - Edition 2; Formerly ADS AS25322	1976	ADS	
947	AGS3915	Hose Assembly, Flexible - Static (Metric) Source Control Drawing - Edition 1; Formerly ADS AGS3915	1976	ADS	
948	AS25360	Ring, Sealing, Toroidal, 65 ^l I.R.H. Pipe Fitting, Butadiene Ethylene - Edition 2; Formerly ADS AS25360	1976	ADS	
949	AGS905	Pipe Couplings, (Aluminium Alloy), Inner Sleeve - Edition 25; Formerly ADS AGS905	1976	ADS	
950	AGS950	Metal Couplings reducing Union Body (Steel) - Edition 16; Formerly ADS AGS950	1975	ADS	
951	AGS1104	Pipe Couplings (Aluminium Alloy), Cone Adaptor 3/16" to 1/2" - Edition 17; Formerly ADS AGS1104	1975	ADS	
952	AGS1117	Pipe Couplings (Aluminium Alloy), Union Elbow 5/8" to 1" - Edition 12; Formerly ADS AGS1117	1975	ADS	
953	AS3179	Handhole Cover - Curved - Edition 4; Formerly ADS AS3179	1975	ADS	
954	AS15776-787	Wire, Thrust -Tube and Hose Coupling Nut - Edition 5; Formerly ADS AS15776-787	1975	ADS	
955	AGS1220	Pipe Couplings for Aluminium Allow Range, Aluminium Alloy Banjo Bolt 3/16" to 1" B.S.P.F. with Hole for Bleeder Screw - Edition 12; Formerly ADS AGS1220	1975	ADS	
956	AS2565	Screw Cap - Edition 5; Formerly ADS AS2565	1975	ADS	
957	AGS1116	Pipe Couplings (Aluminium Alloy), Cone Elbow 3/16" to 1/2" - Edition 13; Formerly ADS AGS1116	1975	ADS	
958	AGS1103	Pipe Couplings (Aluminium Alloy), Union Body 3/16" to 2" - Edition 15; Formerly ADS AGS1103	1975	ADS	
959	AGS1129	Pipe Couplings (AlumM Alloy) Single End Cone Banjo Body 3/16" to 1/2" - Edition 18; Formerly ADS AGS1129	1975	ADS	
960	AGS1140	Pipe Couplings Nipple Plugs (3/16" to 1") - Edition 12; Formerly ADS AGS1140	1975	ADS	
961	AS46716	Shackle - ISO Diameter Wire Rope, Steel (Inch Pin Sizes) - Edition 1; Formerly ADS AS46716	1975	ADS	
962	AGS1218	Pipe Couplings (Aluminium Alloy) Standard Inner Sleeve - Edition 14; Formerly ADS AGS1218	1975	ADS	
963	AGS3018	Dimensions of Tapped Bosses with Unified Threads for Pipe Coupling Union Adaptors, using "O" Ring (e.g. U.S. AN.6290 or equivalent) Gaskets - Edition 5; Formerly ADS AGS3018	1975	ADS	
964	AGS900	Assembly of Metal Couplings (Aluminium Alloy) 5/16" Light Type for Automatic Controls only - Edition 20; Formerly ADS AGS900	1975	ADS	
965	AGS948	Plugs Flanged (Aluminium Alloy) - Edition 16; Formerly ADS AGS948	1975	ADS	

966	RS680	Wrenching Configuration Double Hexagon (12 point) for Threaded Fasteners - Edition 4; Formerly ADS RS680	1975	ADS	
967	AGS1102	Pipe Couplings (Aluminium Alloy), Cone Union Body 3/16" to 1/2" - Edition 15; Formerly ADS AGS1102	1975	ADS	
968	AGS1114	Pipe Couplings (AlumM Alloy), Flanged Bulkhead Screwed Sleeve - Edition 12; Formerly ADS AGS1114	1975	ADS	
969	AGS1126	Pipe, Couplings (Aluminium Alloy), Union 4 Way Piece (Unequal) - Edition 10; Formerly ADS AGS1126	1975	ADS	
970	AS6712	Elbow Union Body - Edition 4; Formerly ADS AS6712	1975	ADS	
971	AGS3913	Union Adaptor, Steel (Pipe Couplings Whitworth/UNJF) - Edition 2; Formerly ADS AGS3913	1975	ADS	
972	AS46715	Shackle - ISO Diameter Wire Rope, C.R. Steel (Inch Pin Sizes) - Edition 1; Formerly ADS AS46715	1975	ADS	
973	AS6711	Tee Union Body - Edition 4; Formerly ADS AS6711	1975	ADS	
974	AGS1123	Pipe Couplings (Aluminium Alloy), Cone 4 Way Piece 3/16" to 1" - Edition 13; Formerly ADS AGS1123	1975	ADS	
975	AGS1111	Pipe Couplings (Aluminium Alloy), Flanged Bulkhead Cone Union Body 3/16" to 2/3" - Edition 13; Formerly ADS AGS1111	1975	ADS	
976	AS6694	Pipe Couplings (Aluminium Alloy) Union Adaptor/Unified Attachment End, 3/16 Inch to 1 Inch, 3/16 Inch to 1/2 Inch, 5/8 Inch to 1 Inch, 1 1/4 to 2 Inch - for use with "O" Ring Gaskets (in American) (& 10050) or equivalent AGS3018 Tapped Bosses - Editio	1975	ADS	
977	RS733	Hole sizes for Solid Rivets - Edition 1; Formerly ADS RS733	1975	ADS	
978	AGS1214	Pipe Couplings (Aluminium Alloy Range) Aluminium Alloy Banjo Bolt with Cone Head Connector - Edition 15; Formerly ADS AGS1214	1975	ADS	
979	AS6693	Pipe Couplings (Aluminium Alloy) Cone Union Adaptor/Unified Attachment End, 3/16 Inch to 1/2 Inch - for use with "O" Ring Gaskets (in American) (& 10050) or equivalent AGS3018 Tapped Bosses - Edition 8; Formerly ADS AS6693	1975	ADS	
980	AGS1148	Pipe Couplings (Aluminium Alloy), Thin Nuts (3/16" to 1") - Edition 10; Formerly ADS AGS1148	1975	ADS	
981	AGS1113	Pipe Couplings (Aluminium Alloy), Flanged Bulkhead Union Body (Cone to Nipple type) - Edition 13; Formerly ADS AGS1113	1975	ADS	
982	AGS2042	Rivets, Chobert, Steel, Pins. Sealing - Edition 7; Formerly ADS AGS2042	1975	ADS	
983	AGS1125	Pipe Couplings (Aluminium Alloy), Cone 4 Way Piece (Unequal) - Edition 10; Formerly ADS AGS1125	1975	ADS	
984	AS46714	Shackle - ISO Diameter Wire Rope, Steel (Metric Pin Sizes) - Edition 1; Formerly ADS AS46714	1975	ADS	
985	AGS1216	Standard Union Nuts (Steel) - Edition 10; Formerly ADS AGS1216	1975	ADS	
986	AS46713	Shackle - ISO Diameter Wire Rope, C.R. Steel (Metric Pin Sizes) - Edition 1; Formerly ADS AS46713	1975	ADS	
987	AGS1124	Pipe Couplings (Aluminium Alloy), Cone 4 Way Piece 5/8" to 1" - Edition 12; Formerly ADS AGS1124	1975	ADS	
988	AGS1112	Pipe Couplings (Aluminium Alloy), Flanged Bulkhead Union Body 3/16" to 1/2" - Edition 13; Formerly ADS AGS1112	1975	ADS	
989	AS6710	Straight Union Body - Edition 4; Formerly ADS AS6710	1975	ADS	
990	AGS1107	Pipe Couplings (Aluminium Alloy), reducing Cone Union - Edition 15; Formerly ADS AGS1107	1975	ADS	
991	AGS981	Female Flanges (Bolted) (Steel) - Edition 5; Formerly ADS AGS981	1975	ADS	
992	AGS1119	Pipe Couplings (Aluminium Alloy), Union Tee 5/8" to 1" - Edition 12; Formerly ADS AGS1119	1975	ADS	
993	AGS583	Frames Inspection (Woods Type) - Edition 5; Formerly ADS AGS583	1975	ADS	
994	AGS1106	Pipe Couplings (Aluminium Alloy), Union Body (Cone to Nipple type) - Edition 15; Formerly ADS AGS1106	1975	ADS	
995	AGS954	Metal Couplings (Steel), Outer Sleeve - Edition 17; Formerly ADS AGS954	1975	ADS	
996	AGS1118	Pipe Couplings (Aluminium Alloy), Cone Tee 3/16" to 1" - Edition 13; Formerly ADS AGS1118	1975	ADS	
997	AGS1131	Pipe Couplings (AlumM Alloy) Double R.A. Cone Banjo Body 3/16" to 1" - Edition 18; Formerly ADS AGS1131	1975	ADS	
998	AGS582	Frames Inspection (Woods Type) 6.625" x 6.625" - Edition 6; Formerly ADS AGS582	1975	ADS	
999	AGS4678	Thread Insert - Metric - Solid Wall, s/locking - Alloy Steel, Cad. Plated - Edition 1; Formerly ADS AGS4678	1975	ADS	
1000	AS2919	Close Tolerance Rivet (120° Countersunk Head) - Edition 4; Formerly ADS AS2919	1975	ADS	
1001	AGS1105	Pipe Couplings (Aluminium Alloy), Union Adaptor 3/16" to 1/2" - Edition 16; Formerly ADS AGS1105	1975	ADS	

1002	RS724	Forgins, Tolerances and Surface Condition - Edition 1; Formerly ADS RS724	1975	ADS	
1003	AGS1130	Pipe Couplings (AlumM Alloy) Double End Cone Banjo Body 3/16â to 1â - Edition 18; Formerly ADS AGS1130	1975	ADS	
1004	AGS1147	Pipe Couplings (Aluminium Alloy), Hexagon Bulkhead Union Body (3/16â to 1â) - Edition 17; Formerly ADS AGS1147	1975	ADS	
1005	AGS1121	Pipe Couplings (Aluminium Alloy), Union Tee (Unequal) - Edition 11; Formerly ADS AGS1121	1975	ADS	
1006	AGS1109	Pipe Couplings (Aluminium Alloy), Reducing Union - Edition 17; Formerly ADS AGS1109	1975	ADS	
1007	AS6692	Pipe Couplings (Aluminium Alloy) Union Adaptor/Unified 3/16 Inch to 1 Inch, 3/16 Inch to 1/2 Inch, 5/8 Inch to 1 1/4 Inch, 1 1/4 Inch to 2 Inch, for use with Parallel Gaskets (e.g. Bonded Seals) - Edition 9; Formerly ADS AS6692	1975	ADS	
1008	AGS1134	Pipe Couplings (AlumM Alloy) Double R.A. Union Banjo Body 3/16â to 1â - Edition 17; Formerly ADS AGS1134	1975	ADS	
1009	AGS3090	.4375 - 20 UNJF - 3 B Tapped Hole for Instruments (Pressure) - Edition 3; Formerly ADS AGS3090	1975	ADS	
1010	AGS1213	Pipe Couplings (Aluminium Alloy Range) Banjo Bolt Assembly - Edition 13; Formerly ADS AGS1213	1975	ADS	
1011	AGS1122	Pipe Couplings (Aluminium Alloy), Cone & Nipple Tees (Unequal) - Edition 13; Formerly ADS AGS1122	1975	ADS	
1012	AGS3091	.500 - 20 UNJF - 3 B Tapped Hole for Instruments (Static) - Edition 3; Formerly ADS AGS3091	1975	ADS	
1013	AGS1132	Pipe Couplings (AlumM Alloy) Single End Union Banjo Body 3/16â to 1â - Edition 17; Formerly ADS AGS1132	1975	ADS	
1014	AGS1145	Pipe Couplings (Aluminium Alloy), Hexagon Bulkhead Cone Union Body (3/16â to 1â) - Edition 17; Formerly ADS AGS1145	1975	ADS	
1015	AGS1232	Tailpiece Re-usable End Fittings for Non-Fire Resistant Hose D.T.D. (R.D.I.) 3951 - Edition 7; Formerly ADS AGS1232	1975	ADS	
1016	AGS1133	Pipe Couplings (AlumM Alloy) Double End Union Banjo Body 3/16â to 1â - Edition 17; Formerly ADS AGS1133	1975	ADS	
1017	AGS1146	Pipe Couplings (Aluminium Alloy), Hexagon Bulkhead Cone Union Body (3/16â to 1â) Edition 15 07/01/1975 - Edition 15; Formerly ADS AGS1146	1975	ADS	
1018	AGS1108	Pipe Couplings (Aluminium Alloy), Reducing Union (Cone to Nipple type) - Edition 16; Formerly ADS AGS1108	1975	ADS	
1019	AGS1120	Pipe Couplings (Aluminium Alloy), Cone Tee (Unequal) - Edition 13; Formerly ADS AGS1120	1975	ADS	
1020	AS6691	Pipe Couplings (Aluminium Alloy) Cone Union Adaptor/Unified Attachment End, 3/16 Inch to 1/2 Inhc - for use with Parallel Gaskets (e.g. Bonded Seal) - Edition 8; Formerly ADS AS6691	1975	ADS	
1021	RS729	Metric Thread Insert - Wire Section - Edition 1; Formerly ADS RS729	1974	ADS	
1022	RS714	External Markers - Definition of Sizes - Edition 5 Sheets 10,13,15 and 18 are Cancelled; Formerly ADS RS714	1974	ADS	
1023	AS8672	Capping (Cable Duct), 1.09â Wide, Fire Resistant - Edition 3; Formerly ADS AS8672	1974	ADS	
1024	RS726	Removal of Incomplete Threads - Edition 1; Formerly ADS RS726	1974	ADS	
1025	AGS4714	Call up of Glass Fibre Tape System Identification Markers - Edition 2; Formerly ADS AGS4714	1974	ADS	
1026	AS25397	Ring, Sealing, Toroidal, 70 I.R.H.D. General Purpose, Fluorosilicone Rubber - Edition 1; Formerly ADS AS25397	1974	ADS	
1027	AGS3911	Dimensions of Medium Tolerance Tapped Bosses with Unified Threads for Pipe Coupling Union Adaptors using Pipe Fitting â Oâ Ring Seals, eg. AS43003. (Recommended for use with pressures above 2500 LBF/IN2. For pressures up to 2500 LBF/IN2, AGS 3910 is re	1974	ADS	
1028	AS8673	Capping (Cable Duct), .88â Wide, Fire Resistant - Edition 3; Formerly ADS AS8673	1974	ADS	
1029	AS8674	Capping (Cable Duct), .72â Wide, Fire Resistant - Edition 3; Formerly ADS AS8674	1974	ADS	
1030	AS25396	Ring, Sealing, Toroidal, 60 I.R.H.D. General Purpose, Fluorosilicone Rubber - Edition 1; Formerly ADS AS25396	1974	ADS	
1031	AGS3910	Dimensions for Close Tolerance Tapped Bosses with Unified Threads for Pipe Coupling Union Adaptors using Pipe Fitting â Oâ Ring Seals, eg. AS43003. (Recommended for use with pressures above 2500 LBF/IN2. For pressures up to 2500 LBF/IN2, AGS 3911 is re	1974	ADS	
1032	AS6709	Typical Assemblies of Alum Alloy Low Pressure Union for 3/8 Inch DIA. Tubing - Edition 3; Formerly ADS AS6709	1973	ADS	
1033	AGS2089	Clip Identification Band - Edition 4; Formerly ADS AGS2089	1973	ADS	
1034	AS44408	Collar, Aluminium Alloy, Anodised, Metric - Edition 1; Formerly ADS AS44408	1973	ADS	
1035	AS44407	Pin, Shear, Headed, Close Tolerance, Metric - Edition 1; Formerly ADS AS44407	1973	ADS	
1036	AGS4672	Servicing Point Emblem - Self Adhesive - Edition 2; Formerly ADS AGS4672	1973	ADS	

1037	AS8652	Self-Locking Nuts, Double Lug Anchor, CR Steel, 125,000lbf/in ² 250 ^l C - Edition 4; Formerly ADS AS8652	1973	ADS	
1038	AGS4673	Maintenance Point Emblem - Self Adhesive - Edition 2; Formerly ADS AGS4673	1973	ADS	
1039	AGS2091	Clip Identification Band - Edition 4; Formerly ADS AGS2091	1973	ADS	
1040	RS720	Minimum Clearance around Hydraulic Lubricating Nipples - Edition 1; Formerly ADS RS720	1973	ADS	
1041	AS8653	Self-Locking Nuts, Miniature Double Lug Anchor, CR Steel, 125,000lbf/in ² 250 ^l C - Edition 4; Formerly ADS AS8653	1973	ADS	
1042	AS8654	Self-Locking Nuts, Single, Long Lug Anchor, CR Steel, 125,000lbf/in ² 250 ^l C - Edition 4; Formerly ADS AS8654	1973	ADS	
1043	AGS2093	Clip Identification Band - Edition 4; Formerly ADS AGS2093	1973	ADS	
1044	RS722	Selection of Cotter Pins - Metric - Edition 1; Formerly ADS RS722	1973	ADS	
1045	AGS4675	Safety/Hazard Emblem - Self Adhesive - Edition 2; Formerly ADS AGS4675	1973	ADS	
1046	AGS4676	Armament Handling Point Emblem - Self Adhesive - Edition 2; Formerly ADS AGS4676	1973	ADS	
1047	AS8655	Self-Locking Nuts, Miniature Single, Long Lug Anchor, CR Steel, 125,000lbf/in ² 250 ^l C - Edition 4; Formerly ADS AS8655	1973	ADS	
1048	AS8659	Self-Locking Nuts, Double Lug Floating Anchor, CR Steel, 125,000lbf/in ² 250 ^l C - Edition 4; Formerly ADS AS8659	1973	ADS	
1049	AGS3050-069	Rose Self Aligning Spherical Bearing Rod Ends. Unified Female Series - Edition 3; Formerly ADS AGS3050-069	1973	ADS	
1050	AS15824-835	Nut Assembly, Pipe Closure - Edition 1; Formerly ADS AS15824-835	1973	ADS	
1051	AGS1231	Union Nut. Re-usable End Fittings for Non-Fire Resistant Hose D.T.D. (R.D.I.) 3951 - Edition 7; Formerly ADS AGS1231	1973	ADS	
1052	AS8658	Self-Locking Nuts, Miniature Corner Anchor, CR Steel, 125,000lbf/in ² 250 ^l C - Edition 4; Formerly ADS AS8658	1973	ADS	
1053	AS44444	Assembly - Union Nut, 3/8" DIA. Pipe - Edition 1; Formerly ADS AS44444	1973	ADS	
1054	AS8657	Self-Locking Nuts, Corner Anchor, CR Steel, 125,000lbf/in ² 250 ^l C - Edition 4; Formerly ADS AS8657	1973	ADS	
1055	AS8661	Self-Locking Nuts, Single, Long, Lug Floating Anchor, CR Steel, 125,000lbf/in ² 250 ^l C - Edition 4; Formerly ADS AS8661	1973	ADS	
1056	AS44401-403	Lubricating Nipples, Hydraulic Surface-Check Type, Metric - Edition 1; Formerly ADS AS44401-403	1973	ADS	
1057	AGS2114-117	Clip Identification Band - Edition 4; Formerly ADS AGS2114-117	1973	ADS	
1058	AGS3070-089	Rose Self Aligning Spherical Bearing Rod Ends. Unified Male Series - Edition 2; Formerly ADS AGS3070-089	1973	ADS	
1059	AS15836-847	Ferrule, Blank - Edition 3; Formerly ADS AS15836-847	1973	ADS	
1060	RS715	Legend Markers - Self Adhesive - Edition 1; Formerly ADS RS715	1973	ADS	
1061	AGS3413	Wing Nuts - Edition 2; Formerly ADS AGS3413	1973	ADS	
1062	AS44443	Washer for 3/8" DIA. Pipe Union Nut - Edition 1; Formerly ADS AS44443	1973	ADS	
1063	AS8656	Self-Locking Nuts, Miniature, Single, Short Lug Anchor. C.R. Steel, 125,000lbf/in ² 250 ^l C - Issue 4; Formerly ADS AS8656	1973	ADS	
1064	RS723	Selected Aerospace Diameter-Pitch Combinations of Metric 60 ^l Screw Threads for Nuts and Bolts - Edition 1; Formerly ADS RS723	1973	ADS	
1065	AGS2095	Clip Identification Band - Edition 4; Formerly ADS AGS2095	1973	ADS	
1066	AGS2046	Rivets, Chobert, 120 ^l (Aluminium Alloy) Countersunk Head - Edition 6; Formerly ADS AGS2046	1972	ADS	
1067	AS2823	Fairlead - Edition 3; Formerly ADS AS2823	1972	ADS	
1068	AS40670	Connector, Multiple, Fluid, Pressure (Static, Metric) - Edition 2; Formerly ADS AS40670	1972	ADS	
1069	AS28007	Nut, Self-Locking, Non C.R. Steel, Floating, Double Lug Anchor, Cadmium Coated - Edition 4; Formerly ADS AS28007	1972	ADS	
1070	RS709	Tolerances for High Performance Austenitic Steel Piping (Tubing) Metric in the Softened Condition - Edition 2; Formerly ADS RS709	1972	ADS	
1071	AS40666	Connector, Multiple, Fluid (Static, Metric) - Edition 2; Formerly ADS AS40666	1972	ADS	
1072	AGS164	Round Jointing Washers (Hard Fibre) - Edition 14; Formerly ADS AGS164	1972	ADS	
1073	AS40668	Connector, Multiple, Fluid, Pressure (Pivot, Metric) - Edition 2; Formerly ADS AS40668	1972	ADS	
1074	AS40664	Connector, Multiple, Fluid, Pressure (Pivot, Metric) - Edition 2; Formerly ADS AS40664	1972	ADS	

1075	AGS2045	Rivets, Chobert, Aluminium Alloy Snap Head - Edition 6; Formerly ADS AGS2045	1972	ADS	
1076	AS40663	Connector, Multiple, Fluid (Static, Metric) - Edition 2; Formerly ADS AS40663	1972	ADS	
1077	AS40662	Connector, Multiple, Fluid, Pressure (Pitot, Metric) - Edition 3; Formerly ADS AS40662	1972	ADS	
1078	AS40675	Cock, Poppet, Drain Assembly (Static) - Edition 1; Formerly ADS AS40675	1972	ADS	
1079	AS40674	Connector, Straight, Fluid Pressure (Static, Metric) - Edition 1; Formerly ADS AS40674	1972	ADS	
1080	AS40661	Adaptor, Straight, Pipe, (Unified to Metric. Static) - Edition 4; Formerly ADS AS40661	1972	ADS	
1081	AS40660	Adaptor, Straight, Pipe, (Unified to Metric. Pitot) - Edition 4; Formerly ADS AS40660	1972	ADS	
1082	AS40673	Cock, Poppet, Drain Assembly (Pilot) - Edition 1; Formerly ADS AS40673	1972	ADS	
1083	AS28009	Nut, Self-Locking, Non C.R. Steel, Miniature, Single Long Lug Anchor, Cadmium Coated - Edition 2; Formerly ADS AS28009	1972	ADS	
1084	AS40672	Connector, Straight, Fluid Pressure (Pitot, Metric) - Edition 1; Formerly ADS AS40672	1972	ADS	
1085	RS718	Connection, Threaded, Geometry for Low Pressure Corrugated Hose - Edition 1; Formerly ADS RS718	1972	ADS	
1086	AGS567	Jointing Washers Thin, (Hard Fibre) - Edition 9; Formerly ADS AGS567	1972	ADS	
1087	AGS3808	Bearings, Airframe, Self Lubricating. Plain Cylindrical - Alumm Alloy Shell - Edition 1; Formerly ADS AGS3808	1971	ADS	
1088	AS4760	1/4" Bore - Sediment Drain Valve - Edition 4; Formerly ADS AS4760	1971	ADS	
1089	AGS3809	Bearings, Airframe, Self Lubricating. Plain Cylindrical Steel Shell - Edition 1; Formerly ADS AGS3809	1971	ADS	
1090	AGS3810	Bearings, Airframe Self Lubricating. Flanged Cylindrical - Alumm Alloy Shell - Edition 1; Formerly ADS AGS3810	1971	ADS	
1091	AGS4674	Ground Handling Point Emblem - Self Adhesive - Edition 4; Formerly ADS AGS4674	1971	ADS	
1092	AGS3811	Bearings, Airframe Self Lubricating. Flanged Cylindrical Steel Shell - Edition 1; Formerly ADS AGS3811	1971	ADS	
1093	AS15720-743	Ferrule, Welding, Pipe Fitting (for Inch Pipes) - Edition 4; Formerly ADS AS15720-743	1971	ADS	
1094	RS713	Rivet Tails - Edition 1; Formerly ADS RS713	1971	ADS	
1095	AS26000-049	Ferrule, Welding, Pipe Fitting (for Metric Pipes) - Edition 2; Formerly ADS AS26000-049	1971	ADS	
1096	RS696	Recommended Diameters & Thickness for Meta Tube - Metric Series - Edition 2; Formerly ADS RS696	1971	ADS	
1097	RS716	Application of Self Adhesive External Markers - Edition 1; Formerly ADS RS716	1971	ADS	
1098	AS41089-090	TAG, Attachment - Edition 2; Formerly ADS AS41089-090	1971	ADS	
1099	AS16600-799	Rivet, Solid, 100 ¹ Countersunk Head, BS HR 504 (Heat Resistant Alloy) - Edition 2; Formerly ADS AS16600-799	1970	ADS	
1100	AGS2085	Special Pipe Couplings (Alumm Alloy) Outer Sleeve - Edition 5; Formerly ADS AGS2085	1970	ADS	
1101	AS6721	Pipe Couplings (Unified Adaptor), Alumm Alloy Banjo Bolt - Edition 4; Formerly ADS AS6721	1970	ADS	
1102	AS8611	Self-Locking Nuts, Single Long Lug Floating Anchor, Steel, Cadmium Plated, 125,000lbs/sq.in 250 Degree C - Edition 4; Formerly ADS AS8611	1970	ADS	
1103	AS28005	Nut, Self-Locking, Non C.R. Steel, Corner Anchor, Cadmium Coated - Edition 2; Formerly ADS AS28005	1970	ADS	
1104	AS28006	Nut, Self-Locking, Non C.R. Steel, Floating, Long Lug Anchor, Cadmium Coated - Edition 2; Formerly ADS AS28006	1970	ADS	
1105	AGS3405	Straight Union Body - Unified - Edition 4; Formerly ADS AGS3405	1970	ADS	
1106	AS8612	Self-Locking Nuts, Strip Steel, Cadmium Plated, 125,000 lbs/sq.in. 250 Degree C - Edition 5; Formerly ADS AS8612	1970	ADS	
1107	AS8600	Self-Locking Nuts, Hexagon, Flange Type, Steel, Cadmium Plated 160,000lbs/sq.in 250 Degree C - Edition 4; Formerly ADS AS8600	1970	ADS	
1108	AS28003	Nut, S/Locking Non C.R. Steel, Long Lug Anchor, Cadmium Coated - Edition 2; Formerly ADS AS28003	1970	ADS	
1109	AS41087	Spiral Wrapping, Nylon - Edition 1; Formerly ADS AS41087	1970	ADS	
1110	AS28004	Nut, S/Locking, Non C.R. Steel, Double Lug Anchor, Cadmium Coated - Edition 2; Formerly ADS AS28004	1970	ADS	
1111	AS28002	Washer - for use with AS28001 Nuts - Edition 1; Formerly ADS AS28002	1970	ADS	
1112	AS8609	Self-Locking Nuts, Double Lug Floating Anchor, Steel, Cadmium Plated, 125,000lbs/sq.in. 250 Degree C - Edition 4; Formerly ADS AS8609	1970	ADS	

1113	AS16400-599	Rivet, Solid, 100 ¹ _ Countersunk Head, DTD5036, (Corrosion & Heat Resistant Steel) - Edition 2; Formerly ADS AS16400-599	1970	ADS	
1114	AGS3414	Special Pipe Couplings (Aluminium Alloy) Outer Sleeve - Edition 4; Formerly ADS AGS3414	1970	ADS	
1115	AS6687	Pipe Coupling, Outer Sleeve, 3/4 Inch U.N.F. - Edition 6; Formerly ADS AS6687	1970	ADS	
1116	AS8595	Drain Trap - Edition 3; Formerly ADS AS8595	1970	ADS	
1117	AS8608	Self-Locking Nuts, Miniature Corner Anchor, Steel, Cadmium Plated, 125,000lbs/sq.in 250 Degree C - Edition 4; Formerly ADS AS8608	1970	ADS	
1118	AGS3095	Static Connector (Plain 3/8â DIA.) - Edition 6; Formerly ADS AGS3095	1970	ADS	
1119	AGS3410	Union Nut - 5/16â O/D Pipe, Unified - Edition 5; Formerly ADS AGS3410	1970	ADS	
1120	AS8604	Self-Locking Nuts, Single, Long Lug Anchor, Steel, Cadmium Plated, 125,000lbs/sq.in 250 Degree C - Edition 4; Formerly ADS AS8604	1970	ADS	
1121	AS8605	Self-Locking Nuts, Miniature, Single, Long Lug Anchor, Steel, Cadmium Plated, 125,000lbs/sq.in 250 Degree C - Edition 4; Formerly ADS AS8605	1970	ADS	
1122	RS679	Insert, Screw Thread, Unified, Helical Coil - Tang & Notch Details - Edition 1; Formerly ADS RS679	1970	ADS	
1123	RS701	Recommended Thicknesses for Sheet Metal in the Metric Series - Edition 2; Formerly ADS RS701	1970	ADS	
1124	AS28010	Nut, S/Locking, Miniature, Double Long Lug Anchor, Cadmium Coated - Edition 2; Formerly ADS AS28010	1970	ADS	
1125	AS16200-399	Rivet, Solid, Universal Head, BS HR 504 (Heat Resistant Alloy) - Edition 2; Formerly ADS AS16200-399	1970	ADS	
1126	AS28019	Nut, S/Locking, Non C.R. Steel, Corner Anchor, Miniature, Cadmium Coated - Edition 2; Formerly ADS AS28019	1970	ADS	
1127	AS28000	Nut, S/Locking Non C.R. Steel, Captive Washer, Cadmium Coated - Edition 2; Formerly ADS AS28000	1970	ADS	
1128	AGS3500	Connector 1/8â B.S. Pipe with Female Cone - Edition 2; Formerly ADS AGS3500	1970	ADS	
1129	AS8606	Self-Locking Nuts, Miniature, Single, Short Lug Anchor, Steel, Cadmium Plated, 125,000lbs/sq.in 250 Degree C - Edition 4; Formerly ADS AS8606	1970	ADS	
1130	AGS3094	Static Connector (Screwed) - Edition 4; Formerly ADS AGS3094	1970	ADS	
1131	AS8603	Self-Locking Nuts, Miniature Double Lug Anchor, Steel, Cadmium Plated, 125,000lbs/sq.in 250 Degree C - Edition 4; Formerly ADS AS8603	1970	ADS	
1132	AS6270	Assembly of Flush Drain Valve 1 ¹ â Bore - Issue 2; Formerly ADS AS6270	1970	ADS	
1133	AGS3408	Drain Trap - Unified - Edition 4; Formerly ADS AGS3408	1970	ADS	
1134	AGS3093	Pitot Connector (Plain 5/16â DIA.) - Edition 6; Formerly ADS AGS3093	1970	ADS	
1135	AS6725	Pipe Couplings (Unified Adaptor), Alum Alloy Banjo Bolt with Union Head Connection - Edition 5; Formerly ADS AS6725	1970	ADS	
1136	RS699	Installation Information for Rivet Blind AGS 3920 to 3923 - Edition 1; Formerly ADS RS699	1970	ADS	
1137	AS6723	Pipe Couplings (Unified Adaptor), Alum Alloy Banjo Bolt with Cone Head Connection Edition 5 05/22/1970 - Edition 5; Formerly ADS AS6723	1970	ADS	
1138	AS41093	Flexible Strapping - Edition 1; Formerly ADS AS41093	1970	ADS	
1139	AGS3092	Pitot Connector (Screwed) - Edition 4; Formerly ADS AGS3092	1970	ADS	
1140	AS16000-199	Rivet, Solid, Universal Head, DTD5036, (Corrosion & Heat Resistant Steel) - Edition 2; Formerly ADS AS16000-199	1970	ADS	
1141	AS28008	Nut, Anchor, Double Lug, Floating, Self Aligning, Cadmium Coated - Edition 2; Formerly ADS AS28008	1970	ADS	
1142	AS8602	Self-Locking Nuts, Double Lug Anchor, Steel, Cadmium Plated 125,000lbs/sq.in 250 Degree C - Edition 4; Formerly ADS AS8602	1970	ADS	
1143	AS28001	Nut - 6 Point, Self Aligning - Edition 2; Formerly ADS AS28001	1970	ADS	
1144	AS6759	Pipe Couplings (Unified Adaptor) Alum Alloy Banjo Bolt with Hole for Bleeder screw - Edition 4; Formerly ADS AS6759	1970	ADS	
1145	AS2917	Plate, Modification Record - Edition 3; Formerly ADS AS2917	1970	ADS	

1146	AS8607	Self-Locking Nuts, Corner Anchor, Steel, Cadmium Plated 125,000lbs/sq.in 250 Degree C - Edition 4; Formerly ADS AS8607	1970	ADS	
1147	AGS3501	Connector 3/8" B.S. Pipe with Female Cone - Edition 2; Formerly ADS AGS3501	1970	ADS	
1148	AS40665	Cock, Poppet, Drain Assembly (Pitot) - Edition 1; Formerly ADS AS40665	1969	ADS	
1149	AGS3034	Test of 9/16" U.N.F. (Air & Mineral Base Hydraulic Fluid) - Edition 5; Formerly ADS AGS3034	1969	ADS	
1150	AS8483-8493	B.S.1 Chain (8mm Pitch) and 8 U.N.C. Fittings Assembly Code - Edition 3; Formerly ADS AS8483-8493	1969	ADS	
1151	AS7473-7493	B.S.1 Chain (8mm Pitch) and Fittings Assembly Code - Edition 4; Formerly ADS AS7473-7493	1969	ADS	
1152	AS8223-8252	B.S.1 Chain (8mm Pitch) & Fittings Assembly Code, Non-Reversible Control - Edition 4; Formerly ADS AS8223-8252	1969	ADS	
1153	RS698	Application of Self Locking Nut Retainers - Edition 1; Formerly ADS RS698	1969	ADS	
1154	AS7714-7768	B.S.6 Chain (1/2 Inch Pitch) and Fittings Assembly Code - Edition 3; Formerly ADS AS7714-7768	1969	ADS	
1155	AS7678-7713	B.S.4 Chain (1/2 Inch Pitch) and Fittings Assembly Code - Edition 3; Formerly ADS AS7678-7713	1969	ADS	
1156	AS8141-8222	B.S.6 Chain (1/2 Inch Pitch) and Fittings Assembly Code, Non-Reversible Control - Edition 3; Formerly ADS AS8141-8222	1969	ADS	
1157	AS8553-8570	B.S.1 Chain (8mm Pitch) and 8 UNC Fittings Assembly Code Non-Reversible Control - Edition 3; Formerly ADS AS8553-8570	1969	ADS	
1158	AS7310-7345	B.S.1. Chain (8mm Pitch) and Fittings Assembly Code - Edition 4; Formerly ADS AS7310-7345	1969	ADS	
1159	AS8253-8300	B.S.2 Chain (3/8 Inch Pitch) and Fittings Assembly Code, Non-Reversible Control - Edition 3; Formerly ADS AS8253-8300	1969	ADS	
1160	AS8571-8588	B.S.1 Chain (8mm Pitch) and 8 UNC Fittings Assembly Code Non-Reversible Control - Edition 3; Formerly ADS AS8571-8588	1969	ADS	
1161	RS430	Tapped Holes for Wire Thread Inserts, (Unified Threads), Unplated, Cadmium plated - Edition 5; Formerly ADS RS430	1969	ADS	
1162	AS4714	Cable Stud - Edition 3; Formerly ADS AS4714	1969	ADS	
1163	AS7781-7836	B.S.1 Chain (8mm Pitch) & Fittings Assembly Code, Non-Reversible Control - Edition 4; Formerly ADS AS7781-7836	1969	ADS	
1164	AS7418-7472	B.S.6 Chain (1/2 Inch Pitch) and Fittings Assembly Code - Edition 3; Formerly ADS AS7418-7472	1969	ADS	
1165	AS7382-7417	B.S.4 Chain (1/2 Inch Pitch) and Fittings Assembly Code - Edition 3; Formerly ADS AS7382-7417	1969	ADS	
1166	AS8349-8430	B.S.6 Chain (1/2 Inch Pitch) and Fittings Assembly Code, Non-Reversible Control - Edition 3; Formerly ADS AS8349-8430	1969	ADS	
1167	AS8301-8348	B.S.4 Chain (1/2 Inch Pitch) and Fittings Assembly Code, Non-Reversible Control - Edition 3; Formerly ADS AS8301-8348	1969	ADS	
1168	AS7346-7381	B.S.2 Chain (3/8 Inch Pitch) and Fittings Assembly Code Edition - Edition 3; Formerly ADS AS7346-7381	1969	ADS	
1169	AS8494-8504	B.S.1 Chain (8mm Pitch) and 8 U.N.C. Fittings Assembly Code - Edition 3; Formerly ADS AS8494-8504	1969	ADS	
1170	AS7837-7884	B.S.2 Chain (3/8 Inch Pitch) and Fittings Assembly Code, Non-Reversible Control - Edition 3; Formerly ADS AS7837-7884	1969	ADS	
1171	AS7494-7529	B.S.2 Chain (3/8 Inch Pitch) and Fittings Assembly Code - Edition 3; Formerly ADS AS7494-7529	1969	ADS	
1172	AS7885-7932	B.S.4 Chain (1/2 Inch Pitch) and Fittings Assembly Code, Non-Reversible Control - Edition 3; Formerly ADS AS7885-7932	1969	ADS	
1173	AGS2096	Test for 1" B.S.P.F. Air & Hydraulic Charging Valve System - Edition 5; Formerly ADS AGS2096	1969	ADS	
1174	AS3119	Shear Bushes - Parallel - Edition 2; Formerly ADS AS3119	1969	ADS	
1175	AS40667	Cock, Poppet, Drain Assembly (Static) - Edition 1; Formerly ADS AS40667	1969	ADS	
1176	AS7530-7565	B.S.4 Chain (1/2 Inch Pitch) and Fittings Assembly Code - Edition 3; Formerly ADS AS7530-7565	1969	ADS	
1177	AS7933-8014	B.S.6 Chain (1/2 Inch Pitch) and Fittings Assembly Code, Non-Reversible Control - Edition 3; Formerly ADS AS7933-8014	1969	ADS	
1178	RS684	Spring Clips and Bushes for use with Rigid Tubes - Edition 1; Formerly ADS RS684	1969	ADS	

1179	AS2920	Bolt, 90° Countersunk Head (Stainless Steel) - Edition 6; Formerly ADS AS2920	1969	ADS	
1180	AS40671	Cock, Poppet, Drain Assembly (Static) - Edition 1; Formerly ADS AS40671	1969	ADS	
1181	AS7642-7677	B.S.2 Chain (3/8 Inch Pitch) and Fittings Assembly Code - Edition 3; Formerly ADS AS7642-7677	1969	ADS	
1182	AS8509-8552	B.S.1 Chain (8mm Pitch) and 8 UNC. Fittings Assembly Code. Non-Reversible Control - Issue 3; Formerly ADS AS8509-8552	1969	ADS	
1183	AS8093-8140	B.S.4 Chain (1/2 Inch Pitch) and Fittings Assembly Code, Non-Reversible Control - Edition 3; Formerly ADS AS8093-8140	1969	ADS	
1184	AS8045-8092	B.S.2 Chain (3/8 Inch Pitch) and Fittings Assembly Code, Non-Reversible Control - Edition 3; Formerly ADS AS8045-8092	1969	ADS	
1185	AS7621-7641	B.S.1 Chain (8mm Pitch) and Fittings Assembly Code - Edition 4; Formerly ADS AS7621-7641	1969	ADS	
1186	AS7566-7620	B.S.6 Chain (1/2 Inch Pitch) and Fittings Assembly Code - Edition 3; Formerly ADS AS7566-7620	1969	ADS	
1187	AS8015-8044	B.S.1 Chain (8mm Pitch) & Fittings Assembly Code, Non-Reversible Control - Edition 4; Formerly ADS AS8015-8044	1969	ADS	
1188	AS40669	Cock, Poppet, Drain Assembly (Pilot) - Edition 1; Formerly ADS AS40669	1969	ADS	
1189	AS8436	Seal - 1/4 Inch Bore Drain Valve - Edition 1; Formerly ADS AS8436	1968	ADS	
1190	AGS2112	Protection Plug Edition 2 - Edition 2; Formerly ADS AGS2112	1968	ADS	
1191	AGS2113	Protection Plug - Edition 2; Formerly ADS AGS2113	1968	ADS	
1192	AS8437	Clip. Chain - 1/4 Inch Bore Drain Valve - Edition 1; Formerly ADS AS8437	1968	ADS	
1193	AGS3801	Cover for 25,000 lb. Lashing Fitting Base - Edition 2; Formerly ADS AGS3801	1968	ADS	
1194	AGS3890-909	Gasket (Corrujoint) - Edition 1; Formerly ADS AGS3890-909	1968	ADS	
1195	AS6717	Round Jointing Washers, Fibre, to suit Unified Plugs - Edition 2; Formerly ADS AS6717	1968	ADS	
1196	AS6732	Double R.A. Union Banjo Body (3/16 Inch to 1 Inch) for use with Banjo Bolts AS 6721-6726 - Edition 5; Formerly ADS AS6732	1968	ADS	
1197	AS4699	Vacuum Flask Stowage, 1 Unit - Edition 2; Formerly ADS AS4699	1968	ADS	
1198	AGS3816	Cover for 5,000 lb. Lashing Fitting Base - Edition 2; Formerly ADS AGS3816	1968	ADS	
1199	AGS3820-869	Washer, Seal, Flat - Edition 1; Formerly ADS AGS3820-869	1968	ADS	
1200	AGS3800	Cover for 10,000 lb. Lashing Fitting Base - Edition 2; Formerly ADS AGS3800	1968	ADS	
1201	AS8435	Cap - 1/4 Inch Bore Drain Valve - Edition 1; Formerly ADS AS8435	1968	ADS	
1202	AS6731	Double End Union Banjo Body (3/16 Inch to 1 Inch) for use with Banjo Bolts AS 6721-6726 - Edition 5; Formerly ADS AS6731	1968	ADS	
1203	AS8434	Body - 1/4 Inch Bore Drain Valve - Edition 1; Formerly ADS AS8434	1968	ADS	
1204	AS8433	1/4 Inch Bore Sediment Drain Valve, Unified - Edition 1; Formerly ADS AS8433	1968	ADS	
1205	AS6727	Single End Cone Banjo Body (3/16 Inch to 1/2 Inch) for use with Banjo Bolts AS 6721-6726 - Edition 6; Formerly ADS AS6727	1968	ADS	
1206	AS6728	Double End Cone Banjo Body (3/16 Inch to 1/2 Inch) for use with Banjo Bolts AS 6721-6726 - Edition 5; Formerly ADS AS6728	1968	ADS	
1207	AS28013-018	Ferrule, Welding, Pipe Fitting Assembly (for Metric Pipes) - Edition 1; Formerly ADS AS28013-018	1968	ADS	
1208	AGS595	Plug, Dust Protection, Metal, B.S.P.F. - Edition 9; Formerly ADS AGS595	1968	ADS	
1209	AS6729	Double R.A. Cone Banjo Body (3/16 Inch to 1/2 Inch) for use with Banjo Bolts AS 6721-6726 - Edition 5; Formerly ADS AS6729	1968	ADS	
1210	AGS2104	Pipe Bonding and Support Clip - Edition 2; Formerly ADS AGS2104	1967	ADS	
1211	AGS1635	Nut, Union, for L.T. Cable - Edition 5; Formerly ADS AGS1635	1967	ADS	
1212	AS8679	Arrangement of Banjo Fittings, Pitot Static Systems - Edition 2; Formerly ADS AS8679	1967	ADS	
1213	AS4892	Spring Float Needle (Conical) (called for on AS4889) - Edition 2; Formerly ADS AS4892	1967	ADS	

1214	AS4528	Flexible Strip (for Cable Fastening) - Edition 3; Formerly ADS AS4528	1967	ADS	
1215	AS2508	Strap for Cable Fastening - Edition 3; Formerly ADS AS2508	1967	ADS	
1216	AGS2101	Pipe Support Clip - Edition 2; Formerly ADS AGS2101	1967	ADS	
1217	AS4800	Cable Duct (Typical Assembly) - Edition 4; Formerly ADS AS4800	1967	ADS	
1218	AGS1	Procedure for the establishment of standards for proprietary items - Issue 1; Formerly ADS AGS1	1967	ADS	
1219	AS4891	Spring (for Connecting Rod Assembly) (AS4889) Edition 2 02/07/1967 - Edition 2; Formerly ADS AS4891	1967	ADS	
1220	AS8650	Self-Locking Nuts, Hexagon, Flange Type, C.R. Steel, 125,000lbf/in ² 250°C - Edition 4; Formerly SAE AS8650	1967	ADS	
1221	AS8632	Self-Locking Nuts, Double Lug Floating Anchor, C.R. Steel, Silver Plated, 125,000lbf/in ² 450°C - Edition 2; Formerly ADS AS8632	1966	ADS	
1222	AS8634	Self-Locking Nuts, Single Lug Floating Anchor, C.R. Steel, Silver Plated, 125,000lbf/in ² 450°C - Edition 2; Formerly ADS AS8634	1966	ADS	
1223	AGS889	Drainage Hole Eyelets (Marine type) - Edition 4; Formerly ADS AGS889	1966	ADS	
1224	AS8631	Self-Locking Nuts, Miniature Corner Anchor, C.R. Steel, Silver Plated, 125,000lbf/in ² 450 Degree C - Edition 2; Formerly ADS AS8631	1966	ADS	
1225	AGS584	Clip for Detachable Pipe Line - Edition 9; Formerly ADS AGS584	1966	ADS	
1226	AS8629	Self-Locking Nuts, Miniature, Single, Short Lug Anchor, C.R. Steel, Silver Plated, 125,000lbf/in ² 450 Degree C - Edition 2; Formerly ADS AS8629	1966	ADS	
1227	AS8683	Banjo Bolt, Static. Pitot Static System - Edition 1; Formerly ADS AS8683	1966	ADS	
1228	AS8630	Self-Locking Nuts, Corner Anchor, C.R. Steel, Silver Plated, 125,000lbf/in ² 450 Degree C - Edition 2; Formerly ADS AS8630	1966	ADS	
1229	AS8623	Self-Locking Nuts, Hexagon, Flange Type, C.R. Steel, Silver Plated, 125,000lbf/in ² 450 Degree C - Edition 2; Formerly ADS AS8623	1966	ADS	
1230	AS8627	Self-Locking Nuts, Single, Long Lug Anchor, C.R. Steel, Silver Plated, 125,000lbf/in ² 450 Degree C - Edition 2; Formerly ADS AS8627	1966	ADS	
1231	AS8681	Banjo Body, Static. Pitot Static System - Edition 2; Formerly ADS AS8681	1966	ADS	
1232	AS8626	Self-Locking Nuts, Miniature Double Lug Anchor, C.R. Steel, Silver Plated, 125,000lbf/in ² 450 Degree C - Edition 2; Formerly ADS AS8626	1966	ADS	
1233	AS8680	Banjo Bolt, Pitot. Pitot Static System - Edition 1; Formerly ADS AS8680	1966	ADS	
1234	AS4715	Cable Stud - Edition 2; Formerly ADS AS4715	1966	ADS	
1235	AS8625	Self-Locking Nuts, Double Lug Anchor, C.R. Steel, Silver, Silver Plated, 125,000lbf/in ² 450 Degree C - Edition 2; Formerly ADS AS8625	1966	ADS	
1236	AS8628	Self-Locking Nuts, Miniature, Single, Long Lug Anchor, C.R. Steel, Silver Plated, 125,000lbf/in ² 450 Degree C - Edition 2; Formerly ADS AS8628	1966	ADS	
1237	AS8682	Banjo Bolt, Pitot. Pitot Static System - Edition 1; Formerly ADS AS8682	1966	ADS	
1238	AS12985-989	Retainer, Nut & Bolt, without Rivet Holes - Edition 1; Formerly ADS AS12985-989	1966	ADS	
1239	RS683	Minimum effective Wrench Pad Heights for Double Hexagon Fasteners - Edition 1; Formerly ADS RS683	1965	ADS	
1240	RS682	Standard Servicing Earth Bolt (Ground Contact) - Edition 1; Formerly ADS RS682	1964	ADS	
1241	AS10701	Pipe Couplings, Nipple - Edition 1; Formerly ADS AS10701	1964	ADS	
1242	AS10700	Pipe Couplings, Adaptor Nipple - Edition 1; Formerly ADS AS10700	1964	ADS	
1243	AGS1653	Sleeves, Bonding, Metal Braided Cable L.T. Type 2, Circular Inner - Edition 13; Formerly ADS AGS1653	1963	ADS	
1244	AGS3435	Drain Trap, Internal, Straight Union. (Static) - Edition 1; Formerly ADS AGS3435	1963	ADS	
1245	AGS1654	Sleeves, Bonding, Metal Braided Cable L.T. Type 2, Circular Outer - Edition 14; Formerly ADS AGS1654	1963	ADS	
1246	AGS3436	Drain Trap, Internal, Elbow Union. (Static) - Edition 1; Formerly ADS AGS3436	1963	ADS	
1247	AGS1655	Sleeves, Bonding, Metal Braided Cable L.T. Type 2, Oval Inner - Edition 9; Formerly ADS AGS1655	1963	ADS	

1248	AGS3437	Drain Trap, External, Straight Union. (Pitot) - Edition 1; Formerly ADS AGS3437	1963	ADS	
1249	AGS1652	Sleeves, Plain Cable, L.T. Type 1. Oval, No.1 - Edition 13; Formerly ADS AGS1652	1963	ADS	
1250	AGS3434	Drain Trap, Internal, Elbow Union. (Pitot) - Edition 1; Formerly ADS AGS3434	1963	ADS	
1251	AGS1514	Sleeves, Identification Cable, H.T. Black and Red - Edition 9; Formerly ADS AGS1514	1963	ADS	
1252	AGS1651	Sleeves, Plain Cable, L.T. Type 1. Circular, No.1 - Edition 12; Formerly ADS AGS1651	1963	ADS	
1253	AGS3433	Drain Trap, Internal, Straight Union. (Pitot) - Edition 1; Formerly ADS AGS3433	1963	ADS	
1254	AS8665	Bracket, for Manifold Connection (AS8662) - Edition 1; Formerly ADS AS8665	1963	ADS	
1255	AGS1523	Sleeves, Identification, Cable, L.T. Black and Red - Edition 8; Formerly ADS AGS1523	1963	ADS	
1256	AGS3430	Flexible Hose Assembly - Static - Edition 2; Formerly ADS AGS3430	1963	ADS	
1257	AGS3429	Flexible Hose Assembly - Pitot - Edition 2; Formerly ADS AGS3429	1963	ADS	
1258	AS8666	Ballast Weight 5lb - Edition 1; Formerly ADS AS8666	1963	ADS	
1259	AGS1522	Sleeves, Insulating, Cable, L.T. Black and Red - Edition 5; Formerly ADS AGS1522	1963	ADS	
1260	RS622	Definition of Drawing State - Edition 4; Formerly ADS RS622	1963	ADS	
1261	AS8662	Pitot & Static Manifold Connection Assembly - Edition 1; Formerly ADS AS8662	1963	ADS	
1262	AGS1656	Sleeves, Bonding, Metal Braided Cable L.T. Type 2, Oval Outer - Edition 10; Formerly ADS AGS1656	1963	ADS	
1263	AGS3438	Drain Trap, External, Elbow Union. (Pitot) - Edition 1; Formerly ADS AGS3438	1963	ADS	
1264	AGS3440	Drain Trap, External, Elbow Union. (Static) - Edition 1; Formerly ADS AGS3440	1963	ADS	
1265	AS8664	Connection, Static (used on AS8662) - Edition 3; Formerly ADS AS8664	1963	ADS	
1266	AGS3439	Drain Trap, External, Straight Union. (Static) - Edition 1; Formerly ADS AGS3439	1963	ADS	
1267	AGS1657	Collet - Edition 8; Formerly ADS AGS1657	1963	ADS	
1268	AS8663	Connection, Pitot (used on AS8662) - Edition 3; Formerly ADS AS8663	1963	ADS	
1269	AGS1511	Sleeves, Bonding, Metal Braided Cable, H.T. Inner, Straight, Long - Edition 9; Formerly ADS AGS1511	1963	ADS	
1270	AGS1519	L.T. Cable Union Nut - Edition 14; Formerly ADS AGS1519	1962	ADS	
1271	AGS1636	Sleeves, Bonding, Metal Braided Cable L.T. Inner, Type B - Edition 4; Formerly ADS AGS1636	1962	ADS	
1272	AGS1520	Sleeves, Bonding, Metal Braided Cable, L.T. Inner, Type A - Edition 9; Formerly ADS AGS1520	1962	ADS	
1273	AGS1634	Nut, Union, for H.T. Cable - Edition 6; Formerly ADS AGS1634	1962	ADS	
1274	AGS2118	Cap, Sealing - Shallow Drawn B.S.P.F. - Metal (for Inhibited Units) - Edition 1; Formerly ADS AGS2118	1962	ADS	
1275	AGS2119	Cap, Sealing - Deep Drawn B.S.P.F. - Metal (for Inhibited Units) - Edition 1; Formerly ADS AGS2119	1962	ADS	
1276	AGS1710	Locknut, L.T. Union - Edition 5; Formerly ADS AGS1710	1962	ADS	
1277	AGS1767	Cable End Fitting for Magneto Low Tension Connection - Edition 2; Formerly ADS AGS1767	1962	ADS	
1278	AGS1616	Sleeves, Bonding, Metal Braided Cable H.T. Inner, Straight, Short - Edition 7; Formerly ADS AGS1616	1962	ADS	
1279	AGS1521	Sleeves, Bonding, Metal Braided Cable, L.T. Outer, Type A - Edition 11; Formerly ADS AGS1521	1962	ADS	
1280	AGS1713	L.T. Cable End - Edition 4; Formerly ADS AGS1713	1962	ADS	
1281	AGS1513	Sleeves, Bonding, Metal Braided Cable, H.T. Inner, Straight, Medium - Edition 10; Formerly ADS AGS1513	1962	ADS	
1282	AGS1531	Thimble for Cambric covered H.T. Cables - Edition 6; Formerly ADS AGS1531	1962	ADS	
1283	AGS1714	Cable Sleeve, Insulating L.T. - Edition 3; Formerly ADS AGS1714	1962	ADS	
1284	AGS159	Repair Bolts for De-Bergue Riveted Tanks - Edition 8; Formerly ADS AGS159	1962	ADS	
1285	AGS1229	Plugs, Transportation, B.S.P.F. - Edition 2; Formerly ADS AGS1229	1962	ADS	
1286	AGS1512	Sleeves, Bonding, Metal Braided Cable, H.T. Outer, Straight - Edition 12; Formerly ADS AGS1512	1962	ADS	
1287	AGS1606	Tubes. Cable End - Edition 8; Formerly ADS AGS1606	1962	ADS	
1288	AGS1517	H.T. Cable Union Nut - Edition 16; Formerly ADS AGS1517	1962	ADS	

1289	AGS3423	Elbow Union (Pitot) - Edition 4; Formerly ADS AGS3423	1961	ADS	
1290	AGS3422	Straight Union (Pitot) - Edition 4; Formerly ADS AGS3422	1961	ADS	
1291	RS620	U.N.C. Thread Insert - Wire Section - Edition 3; Formerly ADS RS620	1961	ADS	
1292	AGS3421	Locking Plate - Edition 3; Formerly ADS AGS3421	1961	ADS	
1293	AGS3420	Flanged Mounting - Edition 3; Formerly ADS AGS3420	1961	ADS	
1294	AGS3415	Non Return Valve, Safety Guard for use with 1 " B.S.P.F. Thread - Edition 1; Formerly ADS AGS3415	1961	ADS	
1295	AGS596	Cap Protection - Deep Drawn, Metal B.S.P.F. - Edition 5; Formerly ADS AGS596	1961	ADS	
1296	AS8646	Channel (used on AS4580/4581) - Edition 1; Formerly ADS AS8646	1961	ADS	
1297	AGS3424	Straight Union (Static) - Edition 4; Formerly ADS AGS3424	1961	ADS	
1298	AS3050	Pilots Control Wheel - Edition 1; Formerly ADS AS3050	1961	ADS	
1299	AS4960	Rubber Pad - Control Stops - Edition 1; Formerly ADS AS4960	1961	ADS	
1300	AGS3425	Elbow Union (Static) - Edition 4; Formerly ADS AGS3425	1961	ADS	
1301	AGS3098-099	Gasket - Oâ Ring - Edition 2; Formerly ADS AGS3098-099	1961	ADS	
1302	AGS597	Cap Protection - Shallow Drawn, Metal B.S.P.F. - Edition 5; Formerly ADS AGS597	1961	ADS	
1303	AGS2109	Protective Plugs to suit B.S.P.F. Threads - Edition 2; Formerly ADS AGS2109	1960	ADS	
1304	AS6686	Clamping Screw - No. 10 UNF Tank Straps - Edition 1; Formerly ADS AS6686	1960	ADS	
1305	AS8432	Packing Plates - Plain for use with B.S. A.125-201 - Single Anchor Stiffnuts - Edition 1; Formerly ADS AS8432	1960	ADS	
1306	AGS1173	Pipe Couplings (for Aluminium Alloy range) Banjo Bolt 3/16â to 1â B.S.P.F. with hole for Bleeder Screw - Edition 8; Formerly ADS AGS1173	1960	ADS	
1307	AGS3409	Washer - Edition 1; Formerly ADS AGS3409	1960	ADS	
1308	AGS3407	Elbow Union Body - Unified - Edition 3; Formerly ADS AGS3407	1960	ADS	
1309	AGS2100	High Temperature Bonding Leads - Edition 1; Formerly ADS AGS2100	1960	ADS	
1310	AGS3412	Assembly of Union Nut and Bush - Unified - Edition 2; Formerly ADS AGS3412	1960	ADS	
1311	AGS2108	Protective Plugs for Plain Bores. 5/8â to 2 1/2â DIA. - Edition 2; Formerly ADS AGS2108	1960	ADS	
1312	AS6680-6685	Trunnion - Trap Straps - Edition 1; Formerly ADS AS6680-6685	1960	ADS	
1313	AS6758	Pipe Couplings (Unified Adaptor) Steel Banjo Bolt with Hole for Bleeder Screw - Edition 2; Formerly ADS AS6758	1960	ADS	
1314	RS702	Recommended Diameters for Wire in the Metric Series - Edition 1; Formerly ADS RS702	1960	ADS	
1315	AS8431	Packing Plates - Plain for use with B.S. A.125-201 - Double Anchor Stiffnuts - Edition 1; Formerly ADS AS8431	1960	ADS	
1316	RS445	Flanged Lightening Holes - Edition 1; Formerly ADS RS445	1960	ADS	
1317	RS446	Sleeve for increasing 5/16â O/D Pipe to 3/8â O/D - Edition 3; Formerly ADS RS446	1960	ADS	
1318	AGS3402	Assembly of Mark 1 Aluminium Alloy Low Pressure Unions 5/16â DIA. Tubing - Tee Union - Edition 1; Formerly ADS AGS3402	1960	ADS	
1319	AS8505-8506	Connector Chain Internal Thread. (8 UNC.) - Issue 2; Formerly ADS AS8505-8506	1960	ADS	
1320	AGS3403	Assembly of Mark 1 Aluminium Alloy Low Pressure Unions 5/16â DIA. Tubing - Elbow Union - Edition 1; Formerly ADS AGS3403	1960	ADS	
1321	AS8597	Assembly of Pitot Drain, for use with 3/8 Inch DIA. Tubing - Edition 2; Formerly ADS AS8597	1960	ADS	
1322	AGS3401	Assembly of Mark 1 Aluminium Alloy Low Pressure Unions 5/16â DIA. Tubing with Drain Trap - Edition 1; Formerly ADS AGS3401	1960	ADS	
1323	AS8596	Washer (for typical Assembly, see AS6709) - Edition 1; Formerly ADS AS8596	1960	ADS	
1324	AGS3404	Assembly of Mark 1 Aluminium Alloy Low Pressure Unions 5/16â DIA. Tubing - Straight Union - Edition 1; Formerly ADS AGS3404	1960	ADS	
1325	AS8598	Sub-Assembly of Pitot Drain, for use with 3/8 Inch DIA. Tubing - Edition 1; Formerly ADS AS8598	1960	ADS	
1326	AS8507-8508	Connector 8 UNC. (8 mm Chain) - Issue 1; Formerly ADS AS8507-8508	1960	ADS	

1327	AGS3406	Tee Union Body - Unified - Edition 3; Formerly ADS AGS3406	1960	ADS	
1328	RS196	Full Scale Layout Reproduction. Recommended Terms and Abbreviations - Edition 2; Formerly ADS RS196	1960	ADS	
1329	AGS3040	Avlok 5/16" B.S.F. and 5/16" U.N.F. Blind Anchor Nuts (Steel) - Edition 1; Formerly ADS AGS3040	1959	ADS	
1330	RS441	Details of Screwdriver for use with Plunge Milled Slots - Edition 1; Formerly ADS RS441	1959	ADS	
1331	AGS3026	G.A. of 1/2" Bore Drain Cock (No. 1 size) - Edition 1; Formerly ADS AGS3026	1959	ADS	
1332	AGS3039	Avlok 1/2" B.S.F. and 1/2" U.N.F. Blind Anchor Nuts (Steel) - Edition 1; Formerly ADS AGS3039	1959	ADS	
1333	AGS2099	Method of Assembling Safety Guard & Securing Ring on N.R.V. - Edition 1; Formerly ADS AGS2099	1959	ADS	
1334	AGS2098	Securing Ring, Compression Tube - Edition 1; Formerly ADS AGS2098	1959	ADS	
1335	AS6200	Assembly of Accumulator Tray, 12Volt, 40 AH, (Unified Thread) - Edition 1; Formerly ADS AS6200	1959	ADS	
1336	AGS3025	Plug for Ball Joint - Edition 1; Formerly ADS AGS3025	1959	ADS	
1337	AGS3038	Avlok 2 B.A., No. 10 U.N.F. & No. 8 U.N.C. Blind Anchor Nuts (Steel) - Edition 1; Formerly ADS AGS3038	1959	ADS	
1338	AGS3035	UN Thread Identification Label (Metal) - Edition 1; Formerly ADS AGS3035	1959	ADS	
1339	AGS3022	Ball Joint - Edition 1; Formerly ADS AGS3022	1959	ADS	
1340	AGS3048	Fitting Data for Avlock Blind Nuts - Edition 1; Formerly ADS AGS3048	1959	ADS	
1341	AGS3037	Avlok 4 B.A. & No. 6 U.N.C. Blind Anchor Nuts (Steel) - Edition 1; Formerly ADS AGS3037	1959	ADS	
1342	AGS3024	Ball for Ball Joint - Edition 1; Formerly ADS AGS3024	1959	ADS	
1343	AGS3036	UN Thread Identification Label (Adhesive) - Edition 2; Formerly ADS AGS3036	1959	ADS	
1344	AGS3023	Socket for Ball Joint - Edition 1; Formerly ADS AGS3023	1959	ADS	
1345	AS2970	G.A. Flanged Half for 2 1/2" Re-Fuelling Coupling (Self Sealing Type) - Edition 6; Formerly ADS AS2970	1959	ADS	
1346	AS6756	Packing Plate for Nylon Retaining Rings - Single Anchor Nuts - Edition 1; Formerly ADS AS6756	1959	ADS	
1347	AS6755	Packing Plate for Steel Retaining Rings - Single Anchor Nuts - Edition 1; Formerly ADS AS6755	1959	ADS	
1348	AS7770-7777	Connector. Chain, Internal Thread - Edition 2; Formerly ADS AS7770-7777	1959	ADS	
1349	AGS3044	Nut for AGS 3041 Cage - Edition 1; Formerly ADS AGS3044	1959	ADS	
1350	AGS3031	Body for Drain Cock - Edition 1; Formerly ADS AGS3031	1959	ADS	
1351	AGS3045	Nut for AGS 3042 Cage - Edition 1; Formerly ADS AGS3045	1959	ADS	
1352	AGS3032	Plug for Drain Cock - Edition 1; Formerly ADS AGS3032	1959	ADS	
1353	AGS3046	Nut for AGS 3043 Cage - Edition 1; Formerly ADS AGS3046	1959	ADS	
1354	AGS3033	Nut for Drain Cock - Edition 1; Formerly ADS AGS3033	1959	ADS	
1355	AS6752	Typical Assembly of Retained Bolts - Double Anchor Nuts - Edition 1; Formerly ADS AS6752	1959	ADS	
1356	AGS3028	Plug for Drain Cock - Edition 1; Formerly ADS AGS3028	1959	ADS	
1357	AGS3041	Cage for Blind Nuts - Edition 1; Formerly ADS AGS3041	1959	ADS	
1358	AS6753	Packing Plate for Steel Retaining Rings - Double Anchor Nuts - Edition 1; Formerly ADS AS6753	1959	ADS	
1359	AGS3043	Cage for Blind Nuts - Edition 1; Formerly ADS AGS3043	1959	ADS	
1360	AGS3030	G.A. of 1/2" Bore Drain Cock (No. 2 size) - Edition 1; Formerly ADS AGS3030	1959	ADS	
1361	AGS1100	Pipe Couplings, Typical Joints - Edition 4; Formerly ADS AGS1100	1959	ADS	
1362	AS6754	Packing Plate for Nylon Retaining Rings - Double Anchor Nuts - Edition 1; Formerly ADS AS6754	1959	ADS	
1363	AS7769	Assembly of Chain to Connector - Edition 2; Formerly ADS AS7769	1959	ADS	
1364	AGS3042	Cage for Blind Nuts - Edition 1; Formerly ADS AGS3042	1959	ADS	
1365	AGS3029	Nut for Drain Cock - Edition 1; Formerly ADS AGS3029	1959	ADS	
1366	AS7778	Assembly of Chain to Connector, No. 8 UNC - Edition 2; Formerly ADS AS7778	1959	ADS	
1367	AGS3047	Nut for AGS 3043 Cage - Edition 1; Formerly ADS AGS3047	1959	ADS	

1368	AS6380	Control - Single Lever - for Anti-Spin Parachutes - Edition 1; Formerly ADS AS6380	1958	ADS	
1369	AS6572	Switch Assembly: for Pilotâ s Control Wheel - Edition 2; Formerly ADS AS6572	1958	ADS	
1370	AS4751	Lid Assembly - Flush Filler Cap MKII - Edition 1; Formerly ADS AS4751	1958	ADS	
1371	AS6744	Filler Cap Base with Vent - Edition 2; Formerly ADS AS6744	1958	ADS	
1372	AGS977	Male Flanges (Bolted) (Aluminium Alloy) - Edition 10; Formerly ADS AGS977	1958	ADS	
1373	AS6207	Filler Cap - Edition 1; Formerly ADS AS6207	1958	ADS	
1374	AS6667-6671	Stud (Alternative to Bolt for Inner Ring) - Edition 1; Formerly ADS AS6667-6671	1958	ADS	
1375	AGS3014	Dimensions of Tapped Bosses with Unified Threads, for Pipe Coupling Union Adaptors, using Parallel Gaskets (eg Bonded Seals) - Edition 4; Formerly ADS AGS3014	1958	ADS	
1376	AGS839	Thermometer Washer (Copper) - Edition 3; Formerly ADS AGS839	1958	ADS	
1377	AS4762	Cap (1/4" Bore Drain Valve) - Edition 1; Formerly ADS AS4762	1958	ADS	
1378	AS6738	Plate for Single Anchor Bolt (Unified) - Edition 1; Formerly ADS AS6738	1958	ADS	
1379	AGS1137	Pipe Couplings (for AlumM Alloy Range) Banjo Bolt with Union Head Connection - Edition 10; Formerly ADS AGS1137	1958	ADS	
1380	AGS2041	Rivets, Chobert, 120° (Steel) D.T.D. 720 Countersunk Head - Edition 5; Formerly ADS AGS2041	1958	ADS	
1381	AGS2055	Rivets, Tucker, Monel, Cup, Domed Head - Edition 3; Formerly ADS AGS2055	1958	ADS	
1382	AGS1138	Pipe Couplings Jointing Washers (Aluminium) - Edition 8; Formerly ADS AGS1138	1958	ADS	
1383	AGS840	Drainage Hole Eyelets - Edition 4; Formerly ADS AGS840	1958	ADS	
1384	AS6672	Assembly - Drain Plug - Edition 1; Formerly ADS AS6672	1958	ADS	
1385	AGS1237	Assembly of Re-usable 90° End Fitting (Steel) 1/2" I/D Non-Fire Resistant Hose, D.T.D. (R.D.I.) 3951 - Edition 3; Formerly ADS AGS1237	1958	ADS	
1386	AS6737	Bolts, Weldable (Unified) - Edition 4; Formerly ADS AS6737	1958	ADS	
1387	AS4713	Flexible Strapping - Edition 2; Formerly ADS AS4713	1958	ADS	
1388	AS4761	Body (1/4" Bore Drain Valve) - Edition 1; Formerly ADS AS4761	1958	ADS	
1389	AGS1149	Pipe Couplings, Washer Plates for Hexagon Bulkhead Fittings - Edition 4; Formerly ADS AGS1149	1958	ADS	
1390	AGS1136	Pipe Couplings (for AlumM Alloy Range) Banjo Bolt with Cone Head Connection - Edition 11; Formerly ADS AGS1136	1958	ADS	
1391	AGS2072	1/2" Washer, Tin Plated to D.T.D. 924 - Edition 1; Formerly ADS AGS2072	1958	ADS	
1392	AGS3013	Pipe Couplings (Steel). Union Adaptor/Unified Attachment End 3/16" to 1/2", for use with Parallel Gaskets (e.g. Bonded Seals) - Edition 7; Formerly ADS AGS3013	1958	ADS	
1393	AS6662-6666	Bolt for Inner Ring - Edition 1; Formerly ADS AS6662-6666	1958	ADS	
1394	AS6268-6269	Assembly of Cap and Dip Stick - Issue 1; Formerly ADS AS6268-6269	1958	ADS	
1395	AGS1135	Pipe Couplings (for AlumM Alloy Range) Banjo Bolt (3/16" to 1/2") - Edition 8; Formerly ADS AGS1135	1958	ADS	
1396	AGS1219	Dimensions of Tapped Holes in Components for connecting AGS Pipe Couplings Direct - Edition 4; Formerly ADS AGS1219	1958	ADS	
1397	AS6589	Switch Body Assembly Pilotâ s Control Wheel - Issue 1; Formerly ADS AS6589	1958	ADS	
1398	AGS1239	Union Nut (Steel) 1/2" B.S.P.F. Re-usable End Fittings for 1/2" I/D Non-Fire Resistant Hose to Spec. D.T.D. (R.D.I.) 3951 - Edition 2; Formerly ADS AGS1239	1958	ADS	
1399	AS6674	Seating - Drain Plug - Edition 1; Formerly ADS AS6674	1958	ADS	
1400	AGS1672	Cleats, Wiring, No.14 & No. 15 - Edition 3; Formerly ADS AGS1672	1958	ADS	
1401	AS6743	Assembly of Filler Cap MK.II without Vent - Edition 2; Formerly ADS AS6743	1958	ADS	
1402	AGS1115	Pipe Couplings, Washer Plates for Flanged Bulkhead Fittings - Edition 3; Formerly ADS AGS1115	1958	ADS	
1403	AGS2044	Rivets, Chobert, 120° (Aluminium Alloy) L.37 Countersunk Head - Edition 4; Formerly ADS AGS2044	1958	ADS	
1404	AGS1128	Pipe Couplings. Arrangement of Cone Banjoâ s Assembly - Edition 7; Formerly ADS AGS1128	1958	ADS	

1405	AGS1238	Assembly of Re-usable 45° End Fitting (Steel) 1/2" I/D Non-Fire Resistant Hose, DTD (RD1) 3951 - Edition 3; Formerly ADS AGS1238	1958	ADS	
1406	AS6739	Plate for Double Anchor Bolt (Unified) - Edition 1; Formerly ADS AS6739	1958	ADS	
1407	AS6742	Assembly of Filler Cap MK.II with Vent - Edition 2; Formerly ADS AS6742	1958	ADS	
1408	AGS2043	Rivets, Chobert, Aluminium Alloy (L.37) Snap Head - Edition 5; Formerly ADS AGS2043	1958	ADS	
1409	AGS2056	Rivets, Tucker, Monel, Cup, Countersunk Head - Edition 3; Formerly ADS AGS2056	1958	ADS	
1410	AGS1230	G.A. Re-usable End Fitting for Non-Fire Resistant Hose D.T.D. (R.D.I.) 3951 - Edition 2; Formerly ADS AGS1230	1958	ADS	
1411	AS6618	Body Assembly - Edition 1; Formerly ADS AS6618	1958	ADS	
1412	AS6604	Assembly showing Switch Fixing - Edition 1; Formerly ADS AS6604	1958	ADS	
1413	AS6231	Assembly of Pilots Seat 25G - Issue 2; Formerly ADS AS6231	1958	ADS	
1414	AS4754	Bolts - Weldable (B.A. and B.S.F.) - Edition 2; Formerly ADS AS4754	1958	ADS	
1415	AS6747	Filler Cap - Edition 1; Formerly ADS AS6747	1958	ADS	
1416	AGS980	Female Flanges (Bolted) (Aluminium Alloy) - Edition 6; Formerly ADS AGS980	1958	ADS	
1417	AGS1144	Arrangement of Hexagon Bulkhead Unions - Edition 3; Formerly ADS AGS1144	1958	ADS	
1418	AGS2084	Typical Assembly of Non-Reversible Pipe Couplings - Edition 3; Formerly ADS AGS2084	1958	ADS	
1419	AS6619	Valve (for AS6617) - Edition 1; Formerly ADS AS6619	1958	ADS	
1420	AS6605	Float Operated Cut-Off Valve - Edition 1; Formerly ADS AS6605	1958	ADS	
1421	AGS3005	Studs 1/2" U.N.F. High Duty - Edition 3; Formerly ADS AGS3005	1958	ADS	
1422	AS6383	Grub Screw for Plunger Assembly - Edition 1; Formerly ADS AS6383	1958	ADS	
1423	AS6573	Switch Assembly: for Pilot's Control Wheel - Edition 2; Formerly ADS AS6573	1958	ADS	
1424	AS6617	Flush Water/Sediment Drain Valve - Edition 1; Formerly ADS AS6617	1958	ADS	
1425	AS4752	Single Anchor Bolt - B.A. and B.S.F. - Edition 1; Formerly ADS AS4752	1958	ADS	
1426	AS6745	Filler Cap Base without Vent - Edition 1; Formerly ADS AS6745	1958	ADS	
1427	AS6381	Plunger Assembly - Edition 1; Formerly ADS AS6381	1958	ADS	
1428	AS4753	Double Anchor Bolt - B.A. and B.S.F. - Edition 1; Formerly ADS AS4753	1958	ADS	
1429	AS6716	Unified Transportation Plugs - Edition 1; Formerly ADS AS6716	1958	ADS	
1430	AS4698	Vacuum Flask Stowage, 2 Unit - Edition 2; Formerly ADS AS4698	1958	ADS	
1431	AS6746	Lid Assembly - Flush Filler Cap MK.II - Edition 1; Formerly ADS AS6746	1958	ADS	
1432	AGS2035	LOCK WASHER "SHAKEPROOF" FLAT INTERNAL TEETH, STEEL - Edition 9; Formerly ADS AGS2035	1958	ADS	
1433	AS6382	Housing for Plunger Assembly - Edition 1; Formerly ADS AS6382	1958	ADS	
1434	AS6239	Crew Seat 25G - Issue 2; Formerly ADS AS6239	1958	ADS	
1435	AGS952	Pipe Couplings Collar - Edition 18; Formerly ADS AGS952	1958	ADS	
1436	AGS3006	Studs 3/16" U.N.F. High Duty - Edition 3; Formerly ADS AGS3006	1958	ADS	
1437	AS6606	Adaptor (Drop Tanks) Edition 1 - Formerly ADS AS6606	1958	ADS	
1438	AS6631	Cover, Inspection (Typical Assembly) - Edition 1; Formerly ADS AS6631	1958	ADS	
1439	RS560-569	Pipe Coupling Flanges - Edition 1; Formerly ADS RS560-569	1958	ADS	
1440	AS6748	Filler Cap Lever - Edition 2; Formerly ADS AS6748	1958	ADS	
1441	AS6720	Pipe Couplings - Arrangement of Cone Banjos - Edition 1; Formerly ADS AS6720	1958	ADS	
1442	AS4755	Plate for Single Anchor Bolt - B.A. and B.S.F. - Edition 1; Formerly ADS AS4755	1958	ADS	
1443	AGS986	Female Flanges (Bolted) with Spigot (Aluminium Alloy) - Edition 6; Formerly ADS AGS986	1958	ADS	
1444	AGS2038	Rivets, Chobert, Mandrels - Edition 3; Formerly ADS AGS2038	1958	ADS	
1445	AGS1759	Terminals, Instrument (Single) - Edition 2; Formerly ADS AGS1759	1958	ADS	

1446	AS4756	Plate for Double Anchor Bolt - B.A. and B.S.F. - Edition 1; Formerly ADS AS4756	1958	ADS	
1447	AS6749	Axis Pin for Catch (Flush Filler Cap) - Edition 1; Formerly ADS AS6749	1958	ADS	
1448	AGS3007	Studs 3/8" U.N.F. High Duty - Edition 3; Formerly ADS AGS3007	1958	ADS	
1449	AS6263	Dip Stick - Issue 1; Formerly ADS AS6263	1958	ADS	
1450	AS6632-6646	Ring, Tapped, Inner Edition 1 - Edition 1; Formerly ADS AS6632-6646	1958	ADS	
1451	AS6607	Set Screw (for Cut-Off Valve) - Edition 1; Formerly ADS AS6607	1958	ADS	
1452	AS6750	Grub Screw (for Filler Cap) - Edition 2; Formerly ADS AS6750	1958	ADS	
1453	AGS2039	Rivets, Blind, A.G.S. (Chobert & Tucker), Application - Edition 3; Formerly ADS AGS2039	1958	ADS	
1454	AGS2087	Non Return Valve Safety Guard Securing Ring - Edition 1; Formerly ADS AGS2087	1958	ADS	
1455	AGS1186	Seals, Bonded, Steel and Synthetic Rubber - Edition 13; Formerly ADS AGS1186	1958	ADS	
1456	AGS1760	Terminals, Instrument (Double) - Edition 2; Formerly ADS AGS1760	1958	ADS	
1457	AGS1110	Pipe Couplings arrangement of Flanged Bulkhead Union Bodies - Edition 4; Formerly ADS AGS1110	1958	ADS	
1458	AGS3012	Pipe Couplings (Steel). Cone Union Adaptor/Unified Attachment End 3/16" to 1", for use with Parallel Gaskets (e.g. Bonded Seals) - Edition 7; Formerly ADS AGS3012	1958	ADS	
1459	AS6647-6661	Ring (Bolt) - Edition 1; Formerly ADS AS6647-6661	1958	ADS	
1460	AS6608	Brass Nut, 4 U.N.C. - Edition 1; Formerly ADS AS6608	1958	ADS	
1461	AS6595	Switch Body Assembly: Pilot's Control Wheel - Edition 1; Formerly ADS AS6595	1958	ADS	
1462	AGS1716	Insulating Sleeve (for H.T. Ignition Cable Sparking Plug Terminal) - Edition 2; Formerly ADS AGS1716	1958	ADS	
1463	AGS995	Studs 2 B.A. High Duty - Edition 2; Formerly ADS AGS995	1957	ADS	
1464	AS6722	Pipe Couplings (Unified Adaptor), Banjo Bolt - Steel - Edition 3; Formerly ADS AS6722	1957	ADS	
1465	AS4731	Filter Bowl - Sub-Assembly (used on AS4726) - Edition 2; Formerly ADS AS4731	1957	ADS	
1466	AS4730	Fin Centre for Filter Pack Support (used on AS4726) - Edition 3; Formerly ADS AS4730	1957	ADS	
1467	AS6705	Strap (used on AS6703) - Edition 2; Formerly ADS AS6705	1957	ADS	
1468	AGS385	Ball Joint Assembly - Edition 20; Formerly ADS AGS385	1957	ADS	
1469	AS6704	Strap (used on AS6702) - Edition 2; Formerly ADS AS6704	1957	ADS	
1470	AS6690	Cone Cap for 7/16 Inch U.N.F. Sleeve - Edition 3; Formerly ADS AS6690	1957	ADS	
1471	AS4728	Filter Bowl (for 500 G.P.H. Filter) (used on AS4731) - Edition 2; Formerly ADS AS4728	1957	ADS	
1472	AS4727	Filter Bowl Seat (for 500 G.P.H. Filter) (used on AS4731) - Edition 2; Formerly ADS AS4727	1957	ADS	
1473	AS6715	Adaptor Union Body - Edition 3; Formerly ADS AS6715	1957	ADS	
1474	AS4729	Fin (used on AS4726) - Edition 2; Formerly ADS AS4729	1957	ADS	
1475	AS6689	Cone Cap for 3/4 Inch U.N.F. Sleeve - Edition 3; Formerly ADS AS6689	1957	ADS	
1476	AGS1101	Pipe Couplings, Arrangement of Pipe Joints - Edition 13; Formerly ADS AGS1101	1957	ADS	
1477	AGS501	Rivets (Tubular) - Edition 12; Formerly ADS AGS501	1957	ADS	
1478	AS6698	Seal (Drain Valve) - Edition 1; Formerly ADS AS6698	1957	ADS	
1479	AS6726	Pipe Couplings (Unified Adaptor), Steel Banjo Bolt with Union Head Connection - Edition 4; Formerly ADS AS6726	1957	ADS	
1480	AS6248	G.A. and Assembly of Control Column - Issue 1; Formerly ADS AS6248	1957	ADS	
1481	AS4725	Assembly of 500 G.P.H. Filter - Edition 1; Formerly ADS AS4725	1957	ADS	
1482	AS6699	Cap - Valve (Drain Valve) - Edition 1; Formerly ADS AS6699	1957	ADS	
1483	AS6249	Control Column Assy. - Issue 1; Formerly ADS AS6249	1957	ADS	
1484	AS6724	Pipe Couplings (Unified Adaptor), Steel Banjo Bolt with Cone Head Connection - Edition 3; Formerly ADS AS6724	1957	ADS	
1485	AGS568	Jointing Washers (Aluminium) - Edition 5; Formerly ADS AGS568	1957	ADS	
1486	AS4726	Assembly of Filter Bowl (for 500 G.P.H. Filter) (used on AS4725) - Edition 2; Formerly ADS AS4726	1957	ADS	

1487	AS6250	Housing Control Column - Issue 1; Formerly ADS AS6250	1957	ADS	
1488	RS346	Square Flange & Drive / Square Pad & Drive, 3.812â P.C.D. x .375 - Edition 1; Formerly ADS RS346	1956	ADS	
1489	AS6602	Spindle for Brake Lock - Edition 2; Formerly ADS AS6602	1956	ADS	
1490	AS6616	Anchor Clip (for Pitot Drain) - Edition 2; Formerly ADS AS6616	1956	ADS	
1491	AS6586	Locking Ring for Brake Stop for Pilotâ s Control Wheel - Edition 1; Formerly ADS AS6586	1956	ADS	
1492	AS6391	Knob (Propeller Control) - Edition 2; Formerly ADS AS6391	1956	ADS	
1493	AS6238	Quadrant Stop - Pilots Seat Raising Gear - Issue 2; Formerly ADS AS6238	1956	ADS	
1494	AS6372	Nut - Union (for Drainage Connection) - Edition 2; Formerly ADS AS6372	1956	ADS	
1495	AS6332	Special Bolt (Rudder Bar) - Edition 1; Formerly ADS AS6332	1956	ADS	
1496	AS6590	Switch Body : Pilotâ s Control Wheel - Issue 2; Formerly ADS AS6590	1956	ADS	
1497	AS6235	Quadrant Assy-Pilots Seat Raising Gear - Issue 2; Formerly ADS AS6235	1956	ADS	
1498	AS6611	Assembly of Pitot Drain - Edition 2; Formerly ADS AS6611	1956	ADS	
1499	AS6580	Brake Off Stop - Pilotâ s Control Wheel - Edition 2; Formerly ADS AS6580	1956	ADS	
1500	AS6597	Switch Lever - Auto Pilot Switch - Pilotâ s Control Wheel - Edition 1; Formerly ADS AS6597	1956	ADS	
1501	RS605	Standard No.6 Propeller Shaft & Engine Nose (with Unified Screw Threads & Four-Line Oil System) - Edition 1; Formerly ADS RS605	1956	ADS	
1502	AS6581	Brake On Stop - Pilotâ s Control Wheel - Edition 2; Formerly ADS AS6581	1956	ADS	
1503	AS6612	Sub-assembly of Pitot Drain - Edition 1; Formerly ADS AS6612	1956	ADS	
1504	AS6388	Knob (Air Shutter Control) - Edition 2; Formerly ADS AS6388	1956	ADS	
1505	AS6368	Seal - Cap - Edition 3; Formerly ADS AS6368	1956	ADS	
1506	AS6387	Knob (General Purpose) - Edition 3; Formerly ADS AS6387	1956	ADS	
1507	AS6367	Seal - Valve - Edition 3; Formerly ADS AS6367	1956	ADS	
1508	AS6347	Shaft for Pedal Spool - Rudder Bar - Edition 2; Formerly ADS AS6347	1956	ADS	
1509	AS6399	Screw for Rotating Knob - Edition 1; Formerly ADS AS6399	1956	ADS	
1510	AS6234	Bearing Bolt - Pilots Seat Raising Gear - Issue 3; Formerly ADS AS6234	1956	ADS	
1511	AS6329	Assembly of Rudder Bar (Single Position Pedal) - Edition 2; Formerly ADS AS6329	1956	ADS	
1512	AS6609-6610	Hand Nut - Edition 1; Formerly ADS AS6609-6610	1956	ADS	
1513	AS6398	Screw for Rotating Knob - Edition 1; Formerly ADS AS6398	1956	ADS	
1514	AS6386	Knob (Carburettor Hot/Cold Air Control) - Edition 2; Formerly ADS AS6386	1956	ADS	
1515	AS6237	Torque Tube - Pilots Seat Raising Gear - Issue 2; Formerly ADS AS6237	1956	ADS	
1516	AS6614	Base (for Pitot Drain) - Edition 2; Formerly ADS AS6614	1956	ADS	
1517	AS6331	Rudder Bar Pedestal (Upper) - Edition 1; Formerly ADS AS6331	1956	ADS	
1518	AS6371	Adaptor - Cap Lifter - Edition 2; Formerly ADS AS6371	1956	ADS	
1519	AS6615	Special Bolt (for Pitot Drain) - Edition 2; Formerly ADS AS6615	1956	ADS	
1520	AS6584-6585	Adjusting Brake Screw Stop - Edition 1; Formerly ADS AS6584-6585	1956	ADS	
1521	AS6613	Cup (for Pitot Drain) - Edition 2; Formerly ADS AS6613	1956	ADS	
1522	AS6389	Knob (Flap Control) - Edition 2; Formerly ADS AS6389	1956	ADS	
1523	AS6582	Brake Lock Adjuster for Pilotâ s Control Wheel - Edition 1; Formerly ADS AS6582	1956	ADS	
1524	AS6236	Plug End - Pilots Seat Raising Gear - Issue 2; Formerly ADS AS6236	1956	ADS	
1525	AS6341	Assembly of Rudder Bar Arm - Edition 1; Formerly ADS AS6341	1956	ADS	
1526	AS6370	Drainage Connection - Drain Valve - Edition 3; Formerly ADS AS6370	1956	ADS	
1527	AS6390	Knob (Undercarriage Control) - Edition 3; Formerly ADS AS6390	1956	ADS	

1528	AS6583	Brake Lock Shaft - Pilotâ s Control Wheel - Edition 1; Formerly ADS AS6583	1956	ADS	
1529	AS6261	Trunnion for Strap - Issue 1; Formerly ADS AS6261	1956	ADS	
1530	AS6591	Switch Lever: Auto Pilot Switch - Pilotâ s Control Wheel - Edition 1; Formerly ADS AS6591	1956	ADS	
1531	AS6574	Switch Assembly: for Pilotâ s Control Wheel - Edition 1; Formerly ADS AS6574	1956	ADS	
1532	AS6394	Knob (Arrestor Hook Control) - Edition 2; Formerly ADS AS6394	1956	ADS	
1533	AS6592	Switch Lever Spigot for Pilotâ s Control Wheel - Edition 2; Formerly ADS AS6592	1956	ADS	
1534	AS6335-6336	Pivot Bolts (Rudder Bar) - Edition 1; Formerly ADS AS6335-6336	1956	ADS	
1535	AS6343	Taper Bolt (Rudder Bar) - Edition 1; Formerly ADS AS6343	1956	ADS	
1536	AS6363	Guide - Valve - Edition 4; Formerly ADS AS6363	1956	ADS	
1537	AS6375	Segment - Valve Lifter - Edition 2; Formerly ADS AS6375	1956	ADS	
1538	RS538	2.175â P.C.DIA. Square Accessory Flange & Square Mounting Pad - Unified Thread - Edition 1; Formerly ADS RS538	1956	ADS	
1539	AS4697	Clips - Edition 1; Formerly ADS AS4697	1956	ADS	
1540	AS6230	Assy. of Pilots Seat and Raising Gear - 25G - Issue 2; Formerly ADS AS6230	1956	ADS	
1541	AS6373	Assembly of Valve Lifter - Adaptor - Edition 2; Formerly ADS AS6373	1956	ADS	
1542	AS6333	Special Nut (Rudder Bar) - Edition 1; Formerly ADS AS6333	1956	ADS	
1543	AS6342	Cap Nut (Rudder Bar) - Edition 1; Formerly ADS AS6342	1956	ADS	
1544	AS6603	Push Button Cover Assembly - Edition 1; Formerly ADS AS6603	1956	ADS	
1545	AS6392	Knob (Supercharger Control) - Edition 2; Formerly ADS AS6392	1956	ADS	
1546	AS6571	Switch Assy: - Pilotâ s Control Wheel - Issue 1; Formerly ADS AS6571	1956	ADS	
1547	AS6334	Spindle for Rudder Bar - Edition 1; Formerly ADS AS6334	1956	ADS	
1548	AS6374	Adaptor - Hose - Edition 2; Formerly ADS AS6374	1956	ADS	
1549	AS6393	Knob (Glider Release Control) - Edition 2; Formerly ADS AS6393	1956	ADS	
1550	AS6362	Valve - Oil Drain Valve - Edition 4; Formerly ADS AS6362	1956	ADS	
1551	RS438	Wing Spreading and Folding Control Lever - Edition 2; Formerly ADS RS438	1956	ADS	
1552	AS6232	Assy of Torque Shaft and Handle for Pilots Seat Raising Gear - Issue 2; Formerly ADS AS6232	1956	ADS	
1553	AS6262	Strap for Oxygen Cradle - Issue 1; Formerly ADS AS6262	1956	ADS	
1554	AS6337-6338	Pedal Pivot Bolt (Rudder Bar) - Edition 1; Formerly ADS AS6337-6338	1956	ADS	
1555	AS6344	Eye Bolt (Rudder Bar) - Edition 1; Formerly ADS AS6344	1956	ADS	
1556	AS6576	Switch Assembly: for Pilotâ s Control Wheel - Edition 1; Formerly ADS AS6576	1956	ADS	
1557	AS6364	Cap - Valve - Edition 4; Formerly ADS AS6364	1956	ADS	
1558	AS6395	Fuel Cock Knob (Low Pressure) - Edition 1; Formerly ADS AS6395	1956	ADS	
1559	AS6384	Knob (Airbrake Control) - Edition 2; Formerly ADS AS6384	1956	ADS	
1560	AS6593	Switch Contact Screw for Pilotâ s Control Wheel - Edition 1; Formerly ADS AS6593	1956	ADS	
1561	AS6339-6340	Assembly of Foot Pedal (Rudder Bar) - Edition 1; Formerly ADS AS6339-6340	1956	ADS	
1562	AS6365	Spring Valve (for Flush Drain Valve) - Edition 3; Formerly ADS AS6365	1956	ADS	
1563	AS6594	Switch Lever Pivot for Pilotâ s Control Wheel - Edition 1; Formerly ADS AS6594	1956	ADS	
1564	AS6577	Switch Assembly: for Pilotâ s Control Wheel - Edition 1; Formerly ADS AS6577	1956	ADS	
1565	AS6385	Knob (Throttle Control) - Edition 2; Formerly ADS AS6385	1956	ADS	
1566	AS6396	Knob (Mixture Control) - Edition 2; Formerly ADS AS6396	1956	ADS	
1567	AS6233	Thin Castle Nut for Pilots Seat Raising Gear - Issue 2; Formerly ADS AS6233	1956	ADS	
1568	AS6345-6346	Sub-assembly of Two Position Pedal, (Rudder Bar) - Edition 1; Formerly ADS AS6345-6346	1956	ADS	

1569	AS6366	Spring - Cap - Oil Drain Valve - Edition 3; Formerly ADS AS6366	1956	ADS	
1570	AS6397	Knob (for Cockpit Heating Control) - Edition 2; Formerly ADS AS6397	1956	ADS	
1571	AS6544	Blanking Cap for 1 ¹ â Fuel Coupling - Edition 1; Formerly ADS AS6544	1955	ADS	
1572	AS6531	Pivot Bolt - Edition 1; Formerly ADS AS6531	1955	ADS	
1573	AS4573	Steel Retaining Ring - Edition 3; Formerly ADS AS4573	1955	ADS	
1574	AS6530	Long Bolt Rod - Edition 1; Formerly ADS AS6530	1955	ADS	
1575	AS6543	G.A. Flanged Half for 1 ¹ â Fueling Coupling (Non-Self Sealing Type) - Edition 1; Formerly ADS AS6543	1955	ADS	
1576	AS4572	Typical Assembly of Retained Bolts - Double Anchor Nuts - Edition 1; Formerly ADS AS4572	1955	ADS	
1577	AS6556	Valve Retainer - Edition 1; Formerly ADS AS6556	1955	ADS	
1578	AS6555	Sealing Cap (for Fuel Coupling) - Edition 2; Formerly ADS AS6555	1955	ADS	
1579	AS6529	Short Bolt Rod - Edition 1; Formerly ADS AS6529	1955	ADS	
1580	AS4640	Base - Earth Terminal 6 B.A. - Edition 1; Formerly ADS AS4640	1955	ADS	
1581	AS6352	Captive Nut (for Filler Cap) - Edition 2; Formerly ADS AS6352	1955	ADS	
1582	AS6350	Pivot Screw (for Filler Cap) - Edition 1; Formerly ADS AS6350	1955	ADS	
1583	AS6527	Spider - Edition 1; Formerly ADS AS6527	1955	ADS	
1584	AS6539	Seal - Press Button - Edition 1; Formerly ADS AS6539	1955	ADS	
1585	AS6526	Spider Assembly R.H. - Edition 1; Formerly ADS AS6526	1955	ADS	
1586	AS4635	Washer (called for on AS4630) - Edition 1; Formerly ADS AS4635	1955	ADS	
1587	AS4649	Retaining Cable (Filler Cap) - Edition 2; Formerly ADS AS4649	1955	ADS	
1588	AS4581	Clip with Earthing Tongue - Edition 4; Formerly ADS AS4581	1955	ADS	
1589	AS6552	Blanking Cap for 2 ¹ â Fuel Coupling - Edition 1; Formerly ADS AS6552	1955	ADS	
1590	AS6260	Housing Trim Control - Issue 3; Formerly ADS AS6260	1955	ADS	
1591	AS6351	Screw (for Filler Cap) - Edition 1; Formerly ADS AS6351	1955	ADS	
1592	AS4639	Base - Earth Terminal 4 B.A. - Edition 1; Formerly ADS AS4639	1955	ADS	
1593	AS6554	Locking Flange (for Fuel Coupling) - Edition 1; Formerly ADS AS6554	1955	ADS	
1594	AS6528	Spider Assembly L.H. - Edition 1; Formerly ADS AS6528	1955	ADS	
1595	AS6553	Locking Screw (for Fuel Coupling) - Edition 1; Formerly ADS AS6553	1955	ADS	
1596	AS4636	Corner Washer (called for on AS4630) - Edition 1; Formerly ADS AS4636	1955	ADS	
1597	RS437	Knob - Braking Parachute Control - Edition 3; Formerly ADS RS437	1955	ADS	
1598	AS4632	Casing (called for on AS4630) - Edition 1; Formerly ADS AS4632	1955	ADS	
1599	AS6549	Flanged Adaptor - Edition 1; Formerly ADS AS6549	1955	ADS	
1600	AS4578	Packing Plates for Nylon Retaining Rings - Single Anchor Nuts - Edition 1; Formerly ADS AS4578	1955	ADS	
1601	AS6523	Outer Handle Assembly - Double Handle Lock - Edition 1; Formerly ADS AS6523	1955	ADS	
1602	AS6536	Outer Handle Assembly - Single Handle Lock - Edition 1; Formerly ADS AS6536	1955	ADS	
1603	AS6348	Filler Cap Assembly - Edition 1; Formerly ADS AS6348	1955	ADS	
1604	AS6359	Insert for Seating (Filler Cap) - Edition 1; Formerly ADS AS6359	1955	ADS	
1605	AS6258	Cover-Plate Trim Control - Issue 1; Formerly ADS AS6258	1955	ADS	
1606	AS6358	Filler Cap (for AS6357) - Edition 1; Formerly ADS AS6358	1955	ADS	
1607	AS4577	Packing Plates for Steel Retaining Rings - Single Anchor Nuts - Edition 1; Formerly ADS AS4577	1955	ADS	
1608	AS4631	Sleeve (called for on AS4630) - Edition 1; Formerly ADS AS4631	1955	ADS	
1609	AS6535	Special Mushroom Head Screw - Edition 1; Formerly ADS AS6535	1955	ADS	

1610	AS6548	Valve Retainer - Edition 1; Formerly ADS AS6548	1955	ADS	
1611	AS6522	Cover Plate Assembly (for Flush Fitting Door Lock) - Edition 1; Formerly ADS AS6522	1955	ADS	
1612	AS6400-6519	Assembly of Flush Fitting Door Lock - Edition 2; Formerly ADS AS6400-6519	1955	ADS	
1613	AS6537	Spindle Assembly - Single Handle Lock - Edition 1; Formerly ADS AS6537	1955	ADS	
1614	AS6550	G.A. Flanged Half for 1 ¹ â Re-Fueling Coupling (Self Sealing Type) - Edition 1; Formerly ADS AS6550	1955	ADS	
1615	AS6524	Spindle Assembly - Double Handle Lock - Edition 1; Formerly ADS AS6524	1955	ADS	
1616	AS4633	Plate (called for on AS4630) - Edition 1; Formerly ADS AS4633	1955	ADS	
1617	AS6259	Chain Guard Trim Control - Issue 1; Formerly ADS AS6259	1955	ADS	
1618	RS501-521	Circular Flanges & Drives / Circular Pads & Drives - Edition 1; Formerly ADS RS501-521	1955	ADS	
1619	AS6532	Stop Bolt - Edition 1; Formerly ADS AS6532	1955	ADS	
1620	AS6545	Locking Flange - Edition 1; Formerly ADS AS6545	1955	ADS	
1621	AS4574	Packing Plates for Steel Retaining Rings - Double Anchor Nuts - Edition 1; Formerly ADS AS4574	1955	ADS	
1622	AS6557	Flanged Adaptor (for Re-Fuelling Coupling) - Edition 1; Formerly ADS AS6557	1955	ADS	
1623	AS6354	Seating for Filler Cap - Edition 1; Formerly ADS AS6354	1955	ADS	
1624	RS428	Tapped Holes for Wire Thread Inserts , (B.A., B.S.F., B.S.W. Threads) - Unplated, Cadmium Plated - Edition 5; Formerly ADS RS428	1955	ADS	
1625	AS6520	Main Body - Left Hand (for Flush Fitting Door Lock) - Edition 1; Formerly ADS AS6520	1955	ADS	
1626	AS6533	Stop - Edition 1; Formerly ADS AS6533	1955	ADS	
1627	AS4575	Nylon Retaining Ring - Edition 2; Formerly ADS AS4575	1955	ADS	
1628	AS6558	G.A. Flanged Half for 2 ¹ â Re-Fueling Coupling (Self Sealing Type) - Edition 1; Formerly ADS AS6558	1955	ADS	
1629	AS6256	Body Trim Control - Issue 2; Formerly ADS AS6256	1955	ADS	
1630	RS429	Tapped Holes for Wire Thread Inserts, (B.S.P.F. Threads), Unplated, Cadmium plated - Edition 4; Formerly ADS RS429	1955	ADS	
1631	AS6357	Filler Cap Assembly (2â DIA.) - Edition 1; Formerly ADS AS6357	1955	ADS	
1632	AS4630	Assembly of Firing Sleeve and Stowage for Signal Pistol - Edition 1; Formerly ADS AS4630	1955	ADS	
1633	AS6547	Bolt - Edition 2; Formerly ADS AS6547	1955	ADS	
1634	AS4576	Packing Plates for Nylon Retaining Rings - Double Anchor Nuts - Edition 1; Formerly ADS AS4576	1955	ADS	
1635	AS6559	Top Cover (for Cover Plate Assembly) - Edition 1; Formerly ADS AS6559	1955	ADS	
1636	AS6521	Main Body - Right Hand (for Flush Fitting Door Lock) - Edition 1; Formerly ADS AS6521	1955	ADS	
1637	AS6534	Push Button - Outer - Edition 2; Formerly ADS AS6534	1955	ADS	
1638	AS6257	Housing Trim Control - Issue 2; Formerly ADS AS6257	1955	ADS	
1639	AS6546	Sealing Cap - Edition 2; Formerly ADS AS6546	1955	ADS	
1640	AS4644	Filler Cap - Edition 2; Formerly ADS AS4644	1955	ADS	
1641	AS6349	Filler Cap - Edition 1; Formerly ADS AS6349	1955	ADS	
1642	AS4634	Recoil Ring (called for on AS4630) - Edition 1; Formerly ADS AS4634	1955	ADS	
1643	AS6551	G.A. Flanged Half for 2 ¹ â Re-Fueling Coupling (Open Ended Type) - Edition 1; Formerly ADS AS6551	1955	ADS	
1644	AS6538	Spindle - Single Handle Lock - Edition 1; Formerly ADS AS6538	1955	ADS	
1645	AS6525	Spindle - Double Handle Lock - Edition 1; Formerly ADS AS6525	1955	ADS	
1646	AS6264-6267	Filler Cap Small Plastic - Issue 1	1954	ADS	
1647	AS4799	Spring Clip (Cable Duct) - Edition 2; Formerly ADS AS4799	1954	ADS	
1648	RS415	A Standard Method of Dimensioning Turbine Blades - Edition 2; Formerly ADS RS415	1954	ADS	
1649	AS6247	Shank for Wing Bolt - Issue 1; Formerly ADS AS6247	1954	ADS	
1650	AS6225	Trim Control Assembly, Direct Drive - Edition 2; Formerly ADS AS6225	1954	ADS	

1651	AS5423	Flanged Plug - Edition 2; Formerly ADS AS5423	1954	ADS	
1652	AS6203	Bolt - Accumulator Attachment - Edition 1; Formerly ADS AS6203	1954	ADS	
1653	AS6222	Bevel & Shaft (Sprocket) Trim Control - Edition 1; Formerly ADS AS6222	1954	ADS	
1654	AS6246	Bolt Wing Oxygen Cradle - Issue 2; Formerly ADS AS6246	1954	ADS	
1655	RS414	A Standard Method of Dimensioning Compressor Blades - Edition 2; Formerly ADS RS414	1954	ADS	
1656	RS344	Circular Flange & Drive / Mounting Pad & Drive, 5.197 P.C.D. x .500 - Edition 1; Formerly ADS RS344	1954	ADS	
1657	AS6226	Shaft Trim control Direct Drive - Edition 1; Formerly ADS AS6226	1954	ADS	
1658	AS6229	Trim Control Assy. Direct Drive - Issue 2; Formerly ADS AS6229	1954	ADS	
1659	AS6213-6218	Trunnion - Edition 1; Formerly ADS AS6213-6218	1954	ADS	
1660	RS345	Circular Flange & Drive / Mounting Pad & Drive, 5.197 P.C.D. x .625 - Edition 1; Formerly ADS RS345	1954	ADS	
1661	AS6228	Trim Control Assy. 90° Drive - Issue 2; Formerly ADS AS6228	1954	ADS	
1662	AS6240	Wing Nut Oxygen Cradle - Issue 2; Formerly ADS AS6240	1954	ADS	
1663	AS4585	Flush Water / Sediment Drain Valve - Edition 1; Formerly ADS AS4585	1954	ADS	
1664	AS4586	Body Assembly (called for on AS4585) - Edition 1; Formerly ADS AS4586	1954	ADS	
1665	AS6220	Trim Control Assembly 90 Degrees Drive - Edition 2; Formerly ADS AS6220	1954	ADS	
1666	AS4587	Valve (called for on AS4585) - Edition 1; Formerly ADS AS4587	1954	ADS	
1667	RS440	Identification of B.A. & B.S.F. Nuts & Bolts, and Identification of Unified Nuts, Bolts & Screws - Edition 2; Formerly ADS RS440	1954	ADS	
1668	RS570	Percentage R.P.M. Tachometer Flange & Drive - Edition 2; Formerly ADS RS570	1954	ADS	
1669	AS6241	Hand Nut - Issue 2; Formerly ADS AS6241	1954	ADS	
1670	AS4588	Seal (called for on AS4585) - Edition 2; Formerly ADS AS4588	1954	ADS	
1671	AS6201	Assembly of Accumulator Tray, 12Volt, 15 & 25 AH, (Unified Thread) - Edition 1; Formerly ADS AS6201	1954	ADS	
1672	AS6245	Assy. of Cradle for Oxygen Bottle - Issue 1; Formerly ADS AS6245	1954	ADS	
1673	AS6202	Bolt Assembly - Attachment of Lead - Acid Accumulators - Edition 2; Formerly ADS AS6202	1954	ADS	
1674	RS299	Table of Accessory Flanges - Edition 2; Formerly ADS RS299	1954	ADS	
1675	AS4527	Stud for Cable Fastening - Edition 3; Formerly ADS AS4527	1953	ADS	
1676	AS6277	Cap Seal - Issue 3; Formerly ADS AS6277	1953	ADS	
1677	AS6301	Cap Seal for Flush Drain Valve - Edition 3; Formerly ADS AS6301	1953	ADS	
1678	RS422	Std. No.6 Propeller Shaft & Engine Nose (with Unified Screw Threads) - Edition 2; Formerly ADS RS422	1953	ADS	
1679	AS4559	Control Knob for Emergency Oxygen - Edition 1; Formerly ADS AS4559	1953	ADS	
1680	RS421	Std. No.5 Propeller Shaft & Engine Nose (with Unified Screw Threads) - Edition 2; Formerly ADS RS421	1953	ADS	
1681	AS3348	Plunger Assembly - Edition 1; Formerly ADS AS3348	1953	ADS	
1682	AS4571	Circlips - Edition 4; Formerly ADS AS4571	1953	ADS	
1683	AS6300	Valve Spring for Flush Drain Valve - Edition 1; Formerly ADS AS6300	1953	ADS	
1684	RS420	Std. No.4 Propeller Shaft & Engine Nose (with Unified Screw Threads) - Edition 2; Formerly ADS RS420	1953	ADS	
1685	AS3347	Fork End - Edition 1; Formerly ADS AS3347	1953	ADS	
1686	AS4556	Hood Jettison Release Handle - Edition 2; Formerly ADS AS4556	1953	ADS	
1687	AS6324	Contact for Bonding Socket - Edition 3; Formerly ADS AS6324	1953	ADS	
1688	AS6275	Valve Spring - Issue 1; Formerly ADS AS6275	1953	ADS	
1689	AS6299	Valve Cap for Flush Drain Valve - Edition 3; Formerly ADS AS6299	1953	ADS	
1690	AS6325	Bush for Bonding Socket - Edition 3; Formerly ADS AS6325	1953	ADS	

1691	RS543	6â PCU Pad & Drive 5.400â PCD x .875â . Three Oilway. Unified Threads 6â PCU Flange & Shaft 5.400â PCD x .875â . Three Oilway. Unified Threads - Edition 2; Formerly ADS RS543	1953	ADS	
1692	RS419	Std. No.3 Propeller Shaft & Engine Nose (with Unified Screw Threads) - Edition 2; Formerly ADS RS419	1953	ADS	
1693	AS3346	Grub Screw (for Plunger Assembly) - Edition 1; Formerly ADS AS3346	1953	ADS	
1694	AS6314	Adaptor for Tank Drainage Connection - 2â - Edition 1; Formerly ADS AS6314	1953	ADS	
1695	RS417	Std. No.1 Propeller Shaft (with Unified Screw Threads) - Edition 2; Formerly ADS RS417	1953	ADS	
1696	AS4554	Spring for Valve - Edition 4; Formerly ADS AS4554	1953	ADS	
1697	AS6315	Seal - Edition 2; Formerly ADS AS6315	1953	ADS	
1698	AS6298	Valve Guide for Flush Drain Valve Edition 2 - Formerly ADS AS6298	1953	ADS	
1699	RS542	5â PCU Pad & Drive 4.400â PCD x .650â , Three Oilway. Unified Threads 5â PCU Flange & Shaft 4.400â PCD x .650â , Three Oilway. Unified Threads - Edition 2; Formerly ADS RS542	1953	ADS	
1700	RS418	Std. No.2 Propeller Shaft & Engine Nose (with Unified Screw Threads) - Edition 2; Formerly ADS RS418	1953	ADS	
1701	AS3345	Spring - Edition 2; Formerly ADS AS3345	1953	ADS	
1702	RS433	Handle for Escape Hatch Control - Edition 1; Formerly ADS RS433	1953	ADS	
1703	AS3342	Box - Single Lever Parachute Control - Edition 2; Formerly ADS AS3342	1953	ADS	
1704	AS6287	Tapped Ring for Drain Valve - Issue 3; Formerly ADS AS6287	1953	ADS	
1705	AS6311	Tapped Ring for Drain Valve AS6295 - Edition 3; Formerly ADS AS6311	1953	ADS	
1706	AS6291	Seal - Edition 2; Formerly ADS AS6291	1953	ADS	
1707	AS6322	Assembly of Bonding Socket - Edition 3; Formerly ADS AS6322	1953	ADS	
1708	AS4566	Bolt, Mushroom Head, Aluminium Alloy - Edition 6; Formerly ADS AS4566	1953	ADS	
1709	AS4506-4511	Protection Cap for Propeller Shaft - Edition 1; Formerly ADS AS4506-4511	1953	ADS	
1710	AS4565	Bolt, Round Head, Aluminium Alloy - Edition 6; Formerly ADS AS4565	1953	ADS	
1711	RS343	6â Propeller Control Unit Pad & Drive / Flange & Shaft 5.400â P.C.D. x .875â (Three Oilway) - Edition 2; Formerly ADS RS343	1953	ADS	
1712	AS6321	Filler Cap Base without Vent - Edition 3; Formerly ADS AS6321	1953	ADS	
1713	AS3341	Control - Single Lever for Anti-Spin Parachutes - Edition 1; Formerly ADS AS3341	1953	ADS	
1714	AS4567	End Plate for Stirrup (Rudder Bar) - Edition 1; Formerly ADS AS4567	1953	ADS	
1715	AS6323	Assembly of Housing and Bonding Socket - Edition 2; Formerly ADS AS6323	1953	ADS	
1716	RS434	Knob for High Pressure Fuel Control (incorporating Re-Light Switch) - Edition 2; Formerly ADS RS434	1953	ADS	
1717	AS6295	Assembly of Flush Drain Valve, 2â Bore - Edition 1; Formerly ADS AS6295	1953	ADS	
1718	AS6312	Stamping Tapped Ring for Drain Valve AS6295 - Edition 2; Formerly ADS AS6312	1953	ADS	
1719	AS3343	Housing - Edition 1; Formerly ADS AS3343	1953	ADS	
1720	RS312	5â Constant Speed Unit Pad & Drive / Flange & Shaft 4.400â P.C.D. x .650â (Twin Oilway) Edition 4 - Formerly ADS RS312	1953	ADS	
1721	AS4562	Plain Washers (Precision) - Edition 2; Formerly ADS AS4562	1953	ADS	
1722	AS6288	Tapped Ring for Drain Valve (AS6270) - Edition 2; Formerly ADS AS6288	1953	ADS	
1723	AS6302	Valve Seal for Flush Drain Valve - Edition 3; Formerly ADS AS6302	1953	ADS	
1724	AS6278	Valve Seal - Issue 3; Formerly ADS AS6278	1953	ADS	
1725	AS6289	Tank Drainage Connection Drain Valve AS6270 - 1â - Edition 1; Formerly ADS AS6289	1953	ADS	
1726	AS6320	Filler Cap Base with Vent - Edition 5; Formerly ADS AS6320	1953	ADS	
1727	AS6303-6310	Tapped Ring for Drain Valve AS6295 - Edition 3; Formerly ADS AS6303-6310	1953	ADS	
1728	AS4563	Bolt, 90 Degree Countersunk Head, Aluminium Alloy - Edition 7; Formerly ADS AS4563	1953	ADS	

1729	AS4500-4502	Protection Cap for Propeller Shaft - Edition 1; Formerly ADS AS4500-4502	1953	ADS	
1730	AS4564	Bolt, Raised 90 Degree Countersunk Head, Aluminium Alloy - Edition 6; Formerly ADS AS4564	1953	ADS	
1731	RS342	5â Propeller Control Unit Pad & Drive / Flange & Shaft 4.400â P.C.D. x .650â (Three Oilway) - Edition 2; Formerly ADS RS342	1953	ADS	
1732	AS6279-6286	Tapped Ring for Drain Valve - Issue 3; Formerly ADS AS6279-6286	1953	ADS	
1733	AS6290	Adaptor - 1â , (Tank Drainage Connection) - Edition 1; Formerly ADS AS6290	1953	ADS	
1734	RS313	6â Constant Speed Unit Pad & Drive 5.400â P.C.D. x .875â Twin Oilway - Edition 4; Formerly ADS RS313	1953	ADS	
1735	AS6296	Valve Body & Casting (for Flush Drain Valve - AS6295) - Edition 2; Formerly ADS AS6296	1953	ADS	
1736	AS6273	Valve Guide - Issue 2; Formerly ADS AS6273	1953	ADS	
1737	AS6313	Tank Drainage Connection - Drain Valve AS6295 - 2â - Edition 1; Formerly ADS AS6313	1953	ADS	
1738	AS4568	Stirrup (Rudder Bar) - Edition 3; Formerly ADS AS4568	1953	ADS	
1739	AS3344	Plunger - Edition 3; Formerly ADS AS3344	1953	ADS	
1740	AS2948	Sealing Cap - Edition 3; Formerly ADS AS2948	1952	ADS	
1741	AS4521	Split Reinforcing Ring used on Filler Cap AS2398 - Edition 1; Formerly ADS AS4521	1952	ADS	
1742	AS4887	Bracket for Float (called for on AS4881) - Edition 1; Formerly ADS AS4887	1952	ADS	
1743	AS4898	Seating - Edition 3; Formerly ADS AS4898	1952	ADS	
1744	AS2947	Locking Spring (for Blanking Cap) - Edition 3; Formerly ADS AS2947	1952	ADS	
1745	RS341	Circular Flange & Drive / Circular Pad & Drive (Pinion Located) 8.000â P.C. DIA. X 1.125â - Edition 3; Formerly ADS RS341	1952	ADS	
1746	AS4904	Tab Washer - Float Bracket - Edition 3; Formerly ADS AS4904	1952	ADS	
1747	AS2913	Seal - Edition 2; Formerly ADS AS2913	1952	ADS	
1748	AS2943	Locking Spring, for Blanking Cap - Edition 3; Formerly ADS AS2943	1952	ADS	
1749	AS4894	Washer (called for on AS4889) - Edition 1; Formerly ADS AS4894	1952	ADS	
1750	AS4905	Tab Washer 1/2" Gas - Edition 3; Formerly ADS AS4905	1952	ADS	
1751	AS4882	Float (called for on AS4881) - Edition 1; Formerly ADS AS4882	1952	ADS	
1752	AS2942	Bolt, for Blanking Cap - Edition 3; Formerly ADS AS2942	1952	ADS	
1753	AS2912	Seal - Edition 2; Formerly ADS AS2912	1952	ADS	
1754	AS4881	Float Assembly - Edition 3; Formerly ADS AS4881	1952	ADS	
1755	AS4903	Set Screw for Float Operated Cut Off Valve - Edition 2; Formerly ADS AS4903	1952	ADS	
1756	AS2941	Blanking Cap for 1 1/2â Fuel Coupling - Edition 2; Formerly ADS AS2941	1952	ADS	
1757	AS2911	Seal - Edition 2; Formerly ADS AS2911	1952	ADS	
1758	RS116	SBAC Protective Treatment Chart - Edition 5; Formerly ADS RS116	1952	ADS	
1759	RS340	2 Bolt Flange & Drive / 2 Bolt Actuator Flange Drive (primarily for Valves and Cocks) - Edition 1; Formerly ADS RS340	1952	ADS	
1760	AS2946	Blanking Cap for 2 1/2â Fuel Coupling - Edition 2; Formerly ADS AS2946	1952	ADS	
1761	AS4897	Adaptor (Drop Tank) (called for on AS4880) - Edition 3; Formerly ADS AS4897	1952	ADS	
1762	AS4908	Boundary Ring for Accumulator Trough - Edition 2; Formerly ADS AS4908	1952	ADS	
1763	AS2914	Seal - Edition 2; Formerly ADS AS2914	1952	ADS	
1764	AS2944	Chain Assembly, for Blanking Cap - Edition 2; Formerly ADS AS2944	1952	ADS	
1765	AS4895	Rivet (called for on AS4889) - Edition 1; Formerly ADS AS4895	1952	ADS	
1766	AS4896	Bracket - Edition 3; Formerly ADS AS4896	1952	ADS	
1767	AS4906	Assembly of Accumulator Trough, 24V. 40AH - Edition 1; Formerly ADS AS4906	1952	ADS	

1768	AS2915	Seal - Edition 2; Formerly ADS AS2915	1952	ADS	
1769	AS2945	Sealing Cap - Edition 3; Formerly ADS AS2945	1952	ADS	
1770	RS413	Non-Reversible Chains - Edition 1; Formerly ADS RS413	1952	ADS	
1771	AS4889	Connecting Rod Assembly (for Float Operated Cut-Off Valve) - Edition 3; Formerly ADS AS4889	1952	ADS	
1772	AS4522	Split Reinforcing Ring used on Filler Cap AS2510 - Edition 1; Formerly ADS AS4522	1952	ADS	
1773	AS2949	Chain Assembly (for Blanking Cap) - Edition 2; Formerly ADS AS2949	1952	ADS	
1774	AS4899	Needle Float Chamber - Edition 3; Formerly ADS AS4899	1952	ADS	
1775	AS4888	Rivet - Float Strap to Bracket (called for on AS4881) - Edition 1; Formerly ADS AS4888	1952	ADS	
1776	AS2950	Spindle for Brake Lock - Edition 2; Formerly ADS AS2950	1952	ADS	
1777	AS4900	Link Pin - Edition 3; Formerly ADS AS4900	1952	ADS	
1778	AS4524	Spring - 1/4" Bore Drain Valve - Edition 2; Formerly ADS AS4524	1952	ADS	
1779	AS4890	Connecting Rod - Edition 1; Formerly ADS AS4890	1952	ADS	
1780	AS2951	Lock Washer. Brake Lock Adjustment - Edition 2; Formerly ADS AS2951	1952	ADS	
1781	AS4901	Link Pin - Float - Edition 3; Formerly ADS AS4901	1952	ADS	
1782	AS4880	Float Operated Cut-Off Valve - Edition 2; Formerly ADS AS4880	1952	ADS	
1783	AS2910	Valve Seal, for Flush Drain Valve - Edition 2; Formerly ADS AS2910	1952	ADS	
1784	AS4902	Dowel - Tubular - Edition 3; Formerly ADS AS4902	1952	ADS	
1785	AS4830-4853	Sprocket (Blanks) for Chains, Non-Reversible Control - Edition 1; Formerly ADS AS4830-4853	1951	ADS	
1786	AS3146	Switch Lever. Auto Pilot Switch - Pilot's Control Wheel - Edition 1; Formerly ADS AS3146	1951	ADS	
1787	RS325	Supercharger Mounting Flange / Supercharger Pad & Drive 3.307" (84M.M.) CTS - Edition 2; Formerly ADS RS325	1951	ADS	
1788	AS3381	Sealing Ring (for 1/4" Non-Return Valve) - Edition 1; Formerly ADS AS3381	1951	ADS	
1789	AS3059	Switch Assembly for Pilot's Control Wheel - Edition 1; Formerly ADS AS3059	1951	ADS	
1790	AS5362	Washer - Front Spigot - Control Column - Edition 2; Formerly ADS AS5362	1951	ADS	
1791	AS5342	Boundary Ring for Plastic Trough, 25 A.H. - Edition 1; Formerly ADS AS5342	1951	ADS	
1792	AS5375	Spacer - Edition 2; Formerly ADS AS5375	1951	ADS	
1793	AS3122	Brake Lock Adjuster for Pilot's Control Wheel - Edition 1; Formerly ADS AS3122	1951	ADS	
1794	RS324	Supercharger Mounting Flange / Supercharger Pad & Drive 2.4404" (62M.M.) CTS - Edition 2; Formerly ADS RS324	1951	ADS	
1795	AS3380	Spring (for 1/4" Non-Return Valve) - Edition 1; Formerly ADS AS3380	1951	ADS	
1796	AS3393	Sealing Ring (for 1/2" Non-Return Valve) - Edition 1; Formerly ADS AS3393	1951	ADS	
1797	AS3058	Switch Assembly for Pilot's Control Wheel - Edition 1; Formerly ADS AS3058	1951	ADS	
1798	AS3038-3047	Pilots Control Wheel Assembly's - Edition 1; Formerly ADS AS3038-3047	1951	ADS	
1799	AS3121	Bearing Bush for Pilot's Control Wheel - Edition 2; Formerly ADS AS3121	1951	ADS	
1800	AS3070	Switch Contact Screw for Pilot's Control Wheel - Edition 1; Formerly ADS AS3070	1951	ADS	
1801	RS408	Project Plates. Non-Reversible Chain. - Edition 1; Formerly ADS RS408	1951	ADS	
1802	AS5374	Spider - Edition 1; Formerly ADS AS5374	1951	ADS	
1803	AS5354	Assembly of Accumulator Trough, 12V 40 AH - Edition 1; Formerly ADS AS5354	1951	ADS	
1804	AS3306	Locking Plate - Switch Lever - Edition 2; Formerly ADS AS3306	1951	ADS	
1805	AS3305	Switch Body Assembly Pilots Control Wheel - Edition 1; Formerly ADS AS3305	1951	ADS	
1806	AS5373	Spider - Edition 3; Formerly ADS AS5373	1951	ADS	
1807	AS5353	Assembly of Accumulator Trough, 12V 25 AH - Edition 1; Formerly ADS AS5353	1951	ADS	

1808	AS3133	Spring Cover - Pilotâ s Control Wheel Switch - Edition 2; Formerly ADS AS3133	1951	ADS	
1809	AS3160	Connector Tag - Push Button - Edition 2; Formerly ADS AS3160	1951	ADS	
1810	AS3145	Switch Spring for Pilotâ s Control Wheel - Edition 2; Formerly ADS AS3145	1951	ADS	
1811	AS3364	Ferrule - Vacuum Flask Stowage - Edition 1; Formerly ADS AS3364	1951	ADS	
1812	RS407	Relation of Sprocket to Guard. Non-Reversible Chain. - Edition 1; Formerly ADS RS407	1951	ADS	
1813	AS3379	Valve (for 1/4" Non-Return Valve) - Edition 1; Formerly ADS AS3379	1951	ADS	
1814	RS323	Supercharger Mounting Flange / Supercharger Pad & Drive 6.000â CTS - Edition 1; Formerly ADS RS323	1951	ADS	
1815	AS3392	Spring (for 1/2" Non-Return Valve) - Edition 1; Formerly ADS AS3392	1951	ADS	
1816	AS3144	Spring for Auto Pilot Switch - Edition 3; Formerly ADS AS3144	1951	ADS	
1817	AS3132	Locking Plate - Switch Lever - Edition 2; Formerly ADS AS3132	1951	ADS	
1818	AS3159	Connector Tag - Push Button - Edition 2; Formerly ADS AS3159	1951	ADS	
1819	AS4822-4825	Spring Clip (Cable Duct) - Edition 2; Formerly ADS AS4822-4825	1951	ADS	
1820	AS3334	Valve - 1/4" Bore Drain Valve - Edition 2; Formerly ADS AS3334	1951	ADS	
1821	AS5384	Operating Sleeve R.H. - Edition 3; Formerly ADS AS5384	1951	ADS	
1822	AS3363	Close Tolerance Rivet (120 Degree Countersunk Head) - Edition 5; Formerly ADS AS3363	1951	ADS	
1823	RS406	Typical Assembly showing Incorrect & Correct Method. Non-Reversible Chain - Edition 1; Formerly ADS RS406	1951	ADS	
1824	AS3158	Switch Body Assembly Pilots Control Wheel - Edition 1; Formerly ADS AS3158	1951	ADS	
1825	AS3131	Locking Ring for Brake Stop. Pilotâ s Control Wheel - Edition 1; Formerly ADS AS3131	1951	ADS	
1826	AS3143	Press Button Insert - Auto Pilotâ s Switch - Pilotâ s Control Switch - Edition 1; Formerly ADS AS3143	1951	ADS	
1827	AS3391	Valve (for 1/2" Non-Return Valve) - Edition 1; Formerly ADS AS3391	1951	ADS	
1828	AS3068	Insert for Press Button - Pilotâ s Control Wheel - Edition 1; Formerly ADS AS3068	1951	ADS	
1829	AS5339	Assembly of Accumulator Trough, 12V 15 AH - Edition 1; Formerly ADS AS5339	1951	ADS	
1830	AS3377	Body - (for 1/4" Non-Return Valve) - Edition 1; Formerly ADS AS3377	1951	ADS	
1831	AS3390	Plug (for 1/2" Non-Return Valve) - Edition 1; Formerly ADS AS3390	1951	ADS	
1832	RS405	Typical Assembly showing Incorrect & Correct Method. Non-Reversible Chain - Edition 1; Formerly ADS RS405	1951	ADS	
1833	AS3362	Close Tolerance Rivet (90 Degree Countersunk Head) - Edition 5; Formerly ADS AS3362	1951	ADS	
1834	AS3333	Insert - 1/4" Bore Drain Valve - Edition 2; Formerly ADS AS3333	1951	ADS	
1835	AS5383	Operating Sleeve L.H. - Edition 3; Formerly ADS AS5383	1951	ADS	
1836	AS5435	Rod for Filter Pack (called for on AS5435) - Edition 1; Formerly ADS AS5435	1951	ADS	
1837	AS3130	Brake on Stop. Pilotâ s Control Wheel - Edition 2; Formerly ADS AS3130	1951	ADS	
1838	AS3156	Insertion Tube - Switch Body Pilotâ s Control Wheel - Edition 2; Formerly ADS AS3156	1951	ADS	
1839	AS3376	1/4" Non-Return Valves - Hydraulic - Edition 3; Formerly ADS AS3376	1951	ADS	
1840	AS3389	Body (for 1/2" Non-Return Valve) - Edition 1; Formerly ADS AS3389	1951	ADS	
1841	AS3054	Brake Lock Spring for Pilotâ s Control Wheel - Edition 2; Formerly ADS AS3054	1951	ADS	
1842	AS4821	Spacer (Cable Duct) - Edition 2; Formerly ADS AS4821	1951	ADS	
1843	AS3157	Insertion Tube - Switch Body Pilotâ s Control Wheel - Edition 2; Formerly ADS AS3157	1951	ADS	
1844	AS3205	Handwheel Assembly, showing Switch Fixings - Edition 1; Formerly ADS AS3205	1951	ADS	
1845	AS3332	Valve Spindle - 1/4" Bore Drain Valve - Edition 3; Formerly ADS AS3332	1951	ADS	
1846	RS404	Typical Assembly showing Incorrect & Correct Method. Non-reversible Chain - Edition 1; Formerly ADS RS404	1951	ADS	
1847	AS5382	Pivot Bolt - Edition 1; Formerly ADS AS5382	1951	ADS	
1848	AS5434	Filter Pack Assembly (called for on AS4725) - Edition 2; Formerly ADS AS5434	1951	ADS	

1849	AS5350	Absorbent Pads - Bottom Accumulator Trough, 40AH - Edition 1; Formerly ADS AS5350	1951	ADS	
1850	AS5366	Forging for Control Column Housing - Edition 1; Formerly ADS AS5366	1951	ADS	
1851	AS5378	Stop (called for on AS2840-99) - Edition 1; Formerly ADS AS5378	1951	ADS	
1852	AS5426	Filter Head (called for on AS4725) - Edition 2; Formerly ADS AS5426	1951	ADS	
1853	AS3153	Insertion Tube - Switch Body Pilotâs Control Wheel - Edition 2; Formerly ADS AS3153	1951	ADS	
1854	AS3126	Brake Push Rod End for Pilotâs Control Wheel - Edition 4; Formerly ADS AS3126	1951	ADS	
1855	AS3298	Filler Cap - Edition 1; Formerly ADS AS3298	1951	ADS	
1856	AS3152	Insertion Tube - Switch Body Pilotâs Control Wheel - Edition 2; Formerly ADS AS3152	1951	ADS	
1857	AS3125	Brake Lever for Pilotâs Control Wheel - Edition 2; Formerly ADS AS3125	1951	ADS	
1858	AS3200	Connector Tag - Push Button - Edition 2; Formerly ADS AS3200	1951	ADS	
1859	RS412	Standard Dimensions for Manhole Flanges for Aircraft Tanks - Edition 1; Formerly ADS RS412	1951	ADS	
1860	AS3385	Valve (for 3/8" Non-Return Valve) - Edition 1; Formerly ADS AS3385	1951	ADS	
1861	AS3052	Brake Lock Lever for Pilotâs Control Wheel - Edition 2; Formerly ADS AS3052	1951	ADS	
1862	AS3357	Gasket (for Thermal Relief Valve - AS3350) - Edition 2; Formerly ADS AS3357	1951	ADS	
1863	AS5432	Stirrup - Filter Bowl (called for on AS5431) - Edition 1; Formerly ADS AS5432	1951	ADS	
1864	AS5380	Spring (for Stop) - Edition 2; Formerly ADS AS5380	1951	ADS	
1865	AS4813-4816	Tee Piece for Packing - Edition 2; Formerly ADS AS4813-4816	1951	ADS	
1866	AS3154	Insertion Tube - Switch Body Pilotâs Control Wheel - Edition 2; Formerly ADS AS3154	1951	ADS	
1867	AS3387	Sealing Ring (for 3/8" Non-Return Valve) - Edition 1; Formerly ADS AS3387	1951	ADS	
1868	AS3371	Spring - Edition 4; Formerly ADS AS3371	1951	ADS	
1869	AS3127-3128	Adjusting Brake Screw Stop - Edition 1; Formerly ADS AS3127-3128	1951	ADS	
1870	AS4854-4877	Sprocket (Blanks) for Chains, Non-Reversible Control - Edition 1; Formerly ADS AS4854-4877	1951	ADS	
1871	AS3356	Spring Retainer (for Thermal Relief Valve - AS3350) - Edition 3; Formerly ADS AS3356	1951	ADS	
1872	AS5431	Stirrup Assembly (called for on AS4725) - Edition 2; Formerly ADS AS5431	1951	ADS	
1873	AS5379	Stop Bolt (called for on AS5378) - Edition 1; Formerly ADS AS5379	1951	ADS	
1874	AS3386	Spring (for 3/8" Non-Return Valve) - Edition 1; Formerly ADS AS3386	1951	ADS	
1875	AS5347	Absorbent Pads - Accumulator Trough, 40 A.H. - Edition 1; Formerly ADS AS5347	1951	ADS	
1876	AS3051	Assembly, Push Button Cover - Edition 1; Formerly ADS AS3051	1951	ADS	
1877	RS326	Supercharger Mounting Flange / Supercharger Pad & Drive 4.500âCTS - Edition 2; Formerly ADS RS326	1951	ADS	
1878	AS3071	Switch Spring for Pilotâs Control Wheel - Edition 3; Formerly ADS AS3071	1951	ADS	
1879	AS3060	Switch Assembly for Pilotâs Control Wheel - Edition 1; Formerly ADS AS3060	1951	ADS	
1880	AS3048	Pilots Control Wheel Brake Assembly (Spade Type) - Edition 1; Formerly ADS AS3048	1951	ADS	
1881	AS3382	3/8" Non-Return Valves - Hydraulic (see AS3376 Sheet 2 for Test Schedule) - Edition 3; Formerly ADS AS3382	1951	ADS	
1882	AS3337	Washer - 1/4" Bore Drain Valve - Edition 2; Formerly ADS AS3337	1951	ADS	
1883	RS409	Full Scale Layout Reproduction recommended Standard Symbols - Edition 1; Formerly ADS RS409	1951	ADS	
1884	AS3147	Switch Lever. Auto Pilot Switch - Pilotâs Control Wheel - Edition 1; Formerly ADS AS3147	1951	ADS	
1885	AS3134	Spring for Switch Cover - Edition 2; Formerly ADS AS3134	1951	ADS	
1886	AS3338	Chain Tag Washer - 1/4" Bore Drain Valve - Edition 2; Formerly ADS AS3338	1951	ADS	
1887	AS5376	Stop Plate - Edition 2; Formerly ADS AS5376	1951	ADS	
1888	AS3123	Brake Lever for Pilotâs Control Wheel - Edition 3; Formerly ADS AS3123	1951	ADS	
1889	AS5343	Boundary Ring for Plastic Trough, 40 A.H. - Edition 1; Formerly ADS AS5343	1951	ADS	

1890	AS3149	Switch Lever Pivot Pilotâ s Control Wheel - Edition 1; Formerly ADS AS3149	1951	ADS	
1891	AS5365	Forging for Control Column Housing - Edition 1; Formerly ADS AS5365	1951	ADS	
1892	AS5377	Stop Pin - Edition 2; Formerly ADS AS5377	1951	ADS	
1893	AS3061	Switch Assembly for Pilotâ s Control Wheel - Edition 1; Formerly ADS AS3061	1951	ADS	
1894	AS3384	Plug (for 3/8" Non-Return Valve) Edition 1 - Edition 1; Formerly ADS AS3384	1951	ADS	
1895	AS3353	Sleeve (for Thermal Relief Valve - AS3350) - Edition 3; Formerly ADS AS3353	1951	ADS	
1896	AS3339	Chain Clip - 1/4" Bore Drain Valve - Edition 2; Formerly ADS AS3339	1951	ADS	
1897	AS5422	Rod for Filter Pack (called for on AS5421) - Edition 1; Formerly ADS AS5422	1951	ADS	
1898	AS4809-4812	Packing Piece for Cable Duct - Edition 2; Formerly ADS AS4809-4812	1951	ADS	
1899	RS411	Standard Dimensions for Manhole Flanges for Aircraft Tanks - Edition 1; Formerly ADS RS411	1951	ADS	
1900	AS3049	Pilots Control Wheel Brake Assembly (Horn Type) - Edition 1; Formerly ADS AS3049	1951	ADS	
1901	AS3124	Brake Lever for Pilotâ s Control Wheel - Edition 3; Formerly ADS AS3124	1951	ADS	
1902	AS3383	Body (for 3/8" Non-Return Valve) - Edition 1; Formerly ADS AS3383	1951	ADS	
1903	AS3398	Washer for Rudder Bar - Edition 2; Formerly ADS AS3398	1951	ADS	
1904	AS3374	Grub Screw - Edition 5; Formerly ADS AS3374	1951	ADS	
1905	AS3155	Insertion Tube - Switch Body Pilotâ s Control Wheel - Edition 2; Formerly ADS AS3155	1951	ADS	
1906	AS3202	Switch Lever Spigot - Edition 2; Formerly ADS AS3202	1951	ADS	
1907	AS3129	Brake off Stop. Pilotâ s Control Wheel - Edition 2; Formerly ADS AS3129	1951	ADS	
1908	AS4817-4820	Cap for Packing Piece - Edition 2; Formerly ADS AS4817-4820	1951	ADS	
1909	AS3388	1/2" Non-Return Valve - Hydraulic (see AS3376 Sheet 2 for Test Schedule) - Edition 3; Formerly ADS AS3388	1951	ADS	
1910	AS3053	Brake Lock Shaft for Pilotâ s Control Wheel - Edition 1; Formerly ADS AS3053	1951	ADS	
1911	AS5381	Seal for Push Button - Edition 2; Formerly ADS AS5381	1951	ADS	
1912	AS5433	Stirrup Screw (called for on AS5431) - Edition 1; Formerly ADS AS5433	1951	ADS	
1913	AS5369	Loose Collar - Edition 3; Formerly ADS AS5369	1951	ADS	
1914	AS2802	Spring Anchorage - Edition 1; Formerly ADS AS2802	1950	ADS	
1915	AS3301	Valve (for Drain Valve Assembly) - Edition 1; Formerly ADS AS3301	1950	ADS	
1916	AS3317	Filter Lamination - Edition 3; Formerly ADS AS3317	1950	ADS	
1917	RS332	Square Flange & Drive / Square Pad & Drive, 4.312 P.C. DIA - Edition 2; Formerly ADS RS332	1950	ADS	
1918	AS3245	Stirrup Distance Piece - Filter Fuel Type â Aâ - Edition 1; Formerly ADS AS3245	1950	ADS	
1919	AS3218	Standard Tubes for Oil Coolers, Dummy Dee Tube - Edition 1; Formerly ADS AS3218	1950	ADS	
1920	AS3273	â Dâ Ring - Filter Fuel Type â Bâ - Edition 1; Formerly ADS AS3273	1950	ADS	
1921	AS2995	Screw - â Phillips Raised 120° Countersunk Head - Edition 3; Formerly ADS AS2995	1950	ADS	
1922	AS3268	Stirrup - Filter Fuel Type â Bâ - Edition 2; Formerly ADS AS3268	1950	ADS	
1923	RS327	Square Flange & Drive / Square Pad & Drive, 1.437 P.C. DIA - Edition 1; Formerly ADS RS327	1950	ADS	
1924	AS3325	Clamping Screw - Filter Stirrup - Edition 2; Formerly ADS AS3325	1950	ADS	
1925	AS3312	Bearing for Filter Head - Edition 3; Formerly ADS AS3312	1950	ADS	
1926	RS328	Square Flange & Drive / Square Pad & Drive, 2.000 P.C. DIA - Edition 1; Formerly ADS RS328	1950	ADS	
1927	AS3269	Stirrup Eyebolt - Filter Fuel Type â Bâ - Edition 1; Formerly ADS AS3269	1950	ADS	
1928	AS3241	Outer Gauge - Strainer - Filter Fuel Type â Aâ - Edition 1; Formerly ADS AS3241	1950	ADS	
1929	AS3214	Standard Tubes for Oil Coolers, Hexagon Ends - Double Expansion - Edition 1; Formerly ADS AS3214	1950	ADS	
1930	AS3227	Bottom Cup - Strainer - Filter Fuel Type â Aâ - Edition 2; Formerly ADS AS3227	1950	ADS	

1931	AS3257	Bottom Cup - Strainer - Filter Fuel Type â Bâ - Edition 2; Formerly ADS AS3257	1950	ADS	
1932	AS2996	Screw - â Phillips 120° Countersunk Head - Edition 3; Formerly ADS AS2996	1950	ADS	
1933	AS3313	Sump (called for on AS5420) - Edition 3; Formerly ADS AS3313	1950	ADS	
1934	AS3256	Strainer Assembly - Filter Fuel Type â Bâ - Edition 2; Formerly ADS AS3256	1950	ADS	
1935	AS3226	Strainer Assembly - Filter Fuel Type â Aâ - Edition 3; Formerly ADS AS3226	1950	ADS	
1936	AS3213	Standard Tubes for Oil Coolers, Half Tube - Edition 1; Formerly ADS AS3213	1950	ADS	
1937	AS3311	Filter Head Casting - Edition 3; Formerly ADS AS3311	1950	ADS	
1938	AS3324	Stirrup - Filter Sump - Edition 1; Formerly ADS AS3324	1950	ADS	
1939	AS3212	Standard Tubes for Oil Coolers, Pentagon Ends - Edition 1; Formerly ADS AS3212	1950	ADS	
1940	AS3225	Spring Filter Fuel Type â Aâ - Edition 1; Formerly ADS AS3225	1950	ADS	
1941	AS2994	Screw - â Phillips Raised 90° Countersunk Head - Edition 3; Formerly ADS AS2994	1950	ADS	
1942	AS3267	Outer Gauze - Strainer - Filter Fuel Type â Bâ - Edition 1; Formerly ADS AS3267	1950	ADS	
1943	AS3240	Inner Gauge - Strainer - Filter Fuel Type â Aâ - Edition 1; Formerly ADS AS3240	1950	ADS	
1944	AS3255	Spring. Filter Fuel Type â Bâ - Edition 1; Formerly ADS AS3255	1950	ADS	
1945	RS330	Square Flange & Drive / Square Pad & Drive, 3.125 P.C. DIA - Edition 1; Formerly ADS RS330	1950	ADS	
1946	AS3328	Stirrup Screw - Edition 1; Formerly ADS AS3328	1950	ADS	
1947	AS3315	Stirrup Assembly - Edition 2; Formerly ADS AS3315	1950	ADS	
1948	RS331	Square Flange & Drive / Square Pad & Drive, 3.812 P.C. DIA - Edition 1; Formerly ADS RS331	1950	ADS	
1949	AS3272	Union Locknut - Filter Fuel Type â Bâ - Edition 2; Formerly ADS AS3272	1950	ADS	
1950	AS3260	Inner Bottom Wire Support - Strainer - Filter Fuel Type â Bâ - Edition 2; Formerly ADS AS3260	1950	ADS	
1951	AS3217	Standard Tubes for Oil Coolers, Hexagon Ends, Central Bulge - Edition 1; Formerly ADS AS3217	1950	ADS	
1952	AS3230	Inner Bottom Wire Support - Strainer - Filter Fuel Type â Aâ - Edition 2; Formerly ADS AS3230	1950	ADS	
1953	AS3244	Stirrup Eyebolt - Filter Fuel Type â Aâ - Edition 1; Formerly ADS AS3244	1950	ADS	
1954	AS3300	Drain Valve Assembly - Edition 2; Formerly ADS AS3300	1950	ADS	
1955	AS152	Handwheel 3l â Diameter - Edition 6; Formerly ADS AS152	1950	ADS	
1956	RS329	Square Flange & Drive / Square Pad & Drive, 2.625 P.C. DIA - Edition 1; Formerly ADS RS329	1950	ADS	
1957	AS3258	Outer â Uâ Ring Strainer - Filter Fuel Type â Bâ - Edition 2; Formerly ADS AS3258	1950	ADS	
1958	AS3270	Stirrup Nut - Filter Fuel Type â Bâ - Edition 1; Formerly ADS AS3270	1950	ADS	
1959	AS3228	Outer â Uâ Ring Strainer - Filter Fuel Type â Aâ - Edition 2; Formerly ADS AS3228	1950	ADS	
1960	AS3242	Stirrup Nut - Filter Fuel Type â Aâ - Edition 1; Formerly ADS AS3242	1950	ADS	
1961	AS3326	Centre Pin (Clamping Screw) - Edition 2; Formerly ADS AS3326	1950	ADS	
1962	AS3215	Standard Tubes for Oil Coolers, Pentagon Ends, Central Bulge - Edition 1; Formerly ADS AS3215	1950	ADS	
1963	AS3271	Stirrup Distance Piece - Filter Fuel Type â Bâ - Edition 1; Formerly ADS AS3271	1950	ADS	
1964	AS3243	Stirrup - Filter Fuel Type â Aâ - Edition 2; Formerly ADS AS3243	1950	ADS	
1965	AS3259	Outer Wire Support - Strainer - Filter Fuel Type â Bâ - Edition 2; Formerly ADS AS3259	1950	ADS	
1966	AS3216	Standard Tubes for Oil Coolers, Hexagon Ends - Double Expansion, Central Bulge - Edition 1; Formerly ADS AS3216	1950	ADS	
1967	AS3229	Outer Wire Support - Strainer - Filter Fuel Type â Aâ - Edition 2; Formerly ADS AS3229	1950	ADS	
1968	AS3327	End Cap (Centre Pin) - Edition 2; Formerly ADS AS3327	1950	ADS	
1969	AS3314	Filter Sump Joint Ring - Edition 3; Formerly ADS AS3314	1950	ADS	
1970	AS3302	Union Nut (for Drain Valve Assembly) - Edition 1; Formerly ADS AS3302	1950	ADS	
1971	AS3318	Baffle Plate - Filter Pack - Edition 3; Formerly ADS AS3318	1950	ADS	

1972	AS3262	Support for embossed Plate Bottom - Strainer - Filter Fuel Type â Bâ - Edition 2; Formerly ADS AS3262	1950	ADS	
1973	AS3232	Support for embossed Plate - Strainer - Filter Fuel Type â Aâ - Edition 2; Formerly ADS AS3232	1950	ADS	
1974	AS3231	Inner Top Wire Support - Strainer Filter Fuel type â Aâ - Edition 2; Formerly ADS AS3231	1950	ADS	
1975	AS3274	Tab Washer - Filter Fuel Type â Bâ - Edition 2; Formerly ADS AS3274	1950	ADS	
1976	AS3250	Filter Fuel Type â Bâ Assembly, 200 G.P.H. - Edition 2; Formerly ADS AS3250	1950	ADS	
1977	AS3261	Inner Top Wire Support - Strainer - Filter Fuel Type â Bâ - Edition 2; Formerly ADS AS3261	1950	ADS	
1978	AS3220	Filter - Fuel Type â Aâ Assembly, 100 G.P.H. - Edition 2; Formerly ADS AS3220	1950	ADS	
1979	AS3303	Release Nut (for Drain Valve Assembly) - Edition 1; Formerly ADS AS3303	1950	ADS	
1980	AS3319	Bottom Ring - Filter Pack - Edition 3; Formerly ADS AS3319	1950	ADS	
1981	AS3281-3288	Attachment Pin - Edition 1; Formerly ADS AS3281-3288	1950	ADS	
1982	AS3181	â Pâ Clips - Edition 3; Formerly ADS AS3181	1950	ADS	
1983	AS3289	Cover Plate - Edition 2; Formerly ADS AS3289	1950	ADS	
1984	AS3263	Embossed Top Plate - Strainer - Filter Fuel Type â Bâ - Edition 2; Formerly ADS AS3263	1950	ADS	
1985	AS3251	Casing - Top Half. Filter Fuel Type â Bâ - Edition 1; Formerly ADS AS3251	1950	ADS	
1986	AS3233	Embossed Top Plate - Strainer - Filter Fuel Type â Aâ - Edition 2; Formerly ADS AS3233	1950	ADS	
1987	AS3221	Casing - Top Half. Filter Fuel Type â Aâ - Edition 1; Formerly ADS AS3221	1950	ADS	
1988	AS3304	Stop for Drain Valve - Edition 1; Formerly ADS AS3304	1950	ADS	
1989	AS2505	Stud for Cable Fastening - Edition 3; Formerly ADS AS2505	1950	ADS	
1990	AS2991	Screw - â Phillips Round Head - Edition 4; Formerly ADS AS2991	1950	ADS	
1991	AS3264	Spring Cup - Strainer - Filter Fuel Type â Bâ - Edition 2; Formerly ADS AS3264	1950	ADS	
1992	AS3290	Hinge Bracket - Edition 2; Formerly ADS AS3290	1950	ADS	
1993	AS3234	Spring Cup - Strainer - Filter Fuel Type â Aâ - Edition 2; Formerly ADS AS3234	1950	ADS	
1994	AS3252	Screen - Filter Fuel Type â Bâ - Edition 1; Formerly ADS AS3252	1950	ADS	
1995	AS3222	Screen Filter Fuel Type A - Edition 1; Formerly ADS AS3222	1950	ADS	
1996	AS3210	Assembly of Standard Tubes for Oil Coolers - Edition 1; Formerly ADS AS3210	1950	ADS	
1997	AS2506	Flexible Strip for Cable Fastening - Edition 4; Formerly ADS AS2506	1950	ADS	
1998	AS3321	Top Plate - Filter Pack - Edition 3; Formerly ADS AS3321	1950	ADS	
1999	AS3322	Stabilising Ring - Filter Pack - Edition 3; Formerly ADS AS3322	1950	ADS	
2000	AS2507	Bridge Piece - Edition 1; Formerly ADS AS2507	1950	ADS	
2001	AS3291-3292	Spring - Edition 2; Formerly ADS AS3291-3292	1950	ADS	
2002	AS3265	Top Cap - Strainer - Filter Fuel Type â Bâ - Edition 2; Formerly ADS AS3265	1950	ADS	
2003	AS3253	Casing - Bottom Half - Filter Fuel Type â Bâ - Edition 1; Formerly ADS AS3253	1950	ADS	
2004	AS3235	Top Cap - Strainer - Filter Fuel Type â Aâ - Edition 2; Formerly ADS AS3235	1950	ADS	
2005	AS3223	Casing - Bottom Half. Filter Fuel Type â Aâ - Edition 1; Formerly ADS AS3223	1950	ADS	
2006	AS2993	Screw - â Phillips 90 ^o Countersunk Head - Edition 4; Formerly ADS AS2993	1950	ADS	
2007	AS3293	G.A. & Assembly of Control Column - Edition 2; Formerly ADS AS3293	1950	ADS	
2008	AS3254	Jointing Washer - Filter Fuel Type â Bâ - Edition 1; Formerly ADS AS3254	1950	ADS	
2009	AS3266	Inner Gauze Strainer - Filter Fuel Type â Bâ - Edition 1; Formerly ADS AS3266	1950	ADS	
2010	AS3211	Standard Tubes for Oil Coolers, Hexagon Ends - Edition 1; Formerly ADS AS3211	1950	ADS	
2011	AS3224	Jointing Washer - Filter Fuel Type â Aâ - Edition 1; Formerly ADS AS3224	1950	ADS	
2012	AS3236-3239	Connecting Strap - Strainer - Filter Fuel Type â Aâ & â Bâ - Edition 2; Formerly ADS AS3236-3239	1950	ADS	

2013	AS3195	Knob (Arrestor Hook Control) - Edition 4; Formerly ADS AS3195	1949	ADS	
2014	RS338	2.175 P.C. DIA. Square Accessory Flange & Mounting Pad - Edition 1; Formerly ADS RS338	1949	ADS	
2015	AS3022	Ring Nut - 3.000â DIA. - Edition 2; Formerly ADS AS3022	1949	ADS	
2016	AS3173	Circlip Housing - Edition 1; Formerly ADS AS3173	1949	ADS	
2017	RS337	Circular Flange & Drive for Electrical Machines / Pad & Drive for Electrical Machines : 9.000â__ P.C.D. x .9375â - Edition 1; Formerly ADS RS337	1949	ADS	
2018	AS3021	Ring Nut - 2.875â DIA. - Edition 2; Formerly ADS AS3021	1949	ADS	
2019	AS3171	Cover Plate - Edition 1; Formerly ADS AS3171	1949	ADS	
2020	AS3194	Knob (Glider Release Control) - Edition 3; Formerly ADS AS3194	1949	ADS	
2021	RS214	Gauging Systems for SBAC Standard Propeller Shaft and Hub Serrations - Edition 3; Formerly ADS RS214	1949	ADS	
2022	RS336	Circular Flange & Drive for Electrical Machines / Pad & Drive for Electrical Machines : 8.000â__ P.C.D. x .8125â - Edition 1; Formerly ADS RS336	1949	ADS	
2023	AS2805	De-Oiling Connection. Naval Aircraft - Edition 1; Formerly ADS AS2805	1949	ADS	
2024	AS3020	Ring Nut - 2.750â DIA. - Edition 2; Formerly ADS AS3020	1949	ADS	
2025	RS335	Circular Flange & Drive for Electrical Machines / Pad & Drive for Electrical Machines : 7.000â__ P.C.D. x .6875â - Edition 1; Formerly ADS RS335	1949	ADS	
2026	RS334	Circular Flange & Drive for Electrical Machines / Pad & Drive for Electrical Machines : 6.000â__ P.C.D. x .5625â - Edition 1; Formerly ADS RS334	1949	ADS	
2027	AS3019	Ring Nut - 2.625â DIA. - Edition 2; Formerly ADS AS3019	1949	ADS	
2028	AS2804	Washer Plate for Tapped Nut Ring (AS 2801) - Edition 1; Formerly ADS AS2804	1949	ADS	
2029	AS3170	Assembly of Handhole Cover - Edition 1; Formerly ADS AS3170	1949	ADS	
2030	RS333	Circular Flange & Drive for Electrical Machines / Pad & Drive for Electrical Machines : 5.000â__ P.C.D. x .500â - Edition 1; Formerly ADS RS333	1949	ADS	
2031	AS3018	Ring Nut - 2.500â DIA. - Edition 2; Formerly ADS AS3018	1949	ADS	
2032	AS2803	Washer Plate for Tapped Nut Ring (AS 2800) - Edition 1; Formerly ADS AS2803	1949	ADS	
2033	AS2594	Filler Cap. Locking Lever - Edition 7; Formerly ADS AS2594	1949	ADS	
2034	AS3168	Air Valve for Filler Cap. (AS1964) - Edition 1; Formerly ADS AS3168	1949	ADS	
2035	AS3177	Lug for Lanyard - Edition 1; Formerly ADS AS3177	1949	ADS	
2036	AS3164	Support - Edition 1; Formerly ADS AS3164	1949	ADS	
2037	AS3176	Spring - Edition 1; Formerly ADS AS3176	1949	ADS	
2038	AS3113	â Driwikâ Silent Static Discharger - Edition 1; Formerly ADS AS3113	1949	ADS	
2039	AS3014	Ring Nut - 2.000â DIA. - Edition 2; Formerly ADS AS3014	1949	ADS	
2040	AS3016	Ring Nut - 2.250â DIA. - Edition 2; Formerly ADS AS3016	1949	ADS	
2041	AS2592	Filler Cap (Sub-Assembly) - Edition 8; Formerly ADS AS2592	1949	ADS	
2042	AS3115	Channel, Earthing Point, 37 AMP - Edition 1; Formerly ADS AS3115	1949	ADS	
2043	AS3166	Elastic Retainer - Edition 1; Formerly ADS AS3166	1949	ADS	
2044	AS3178	Retaining Ring - Edition 1; Formerly ADS AS3178	1949	ADS	
2045	AS3015	Ring Nut - 2.125â DIA. - Edition 2; Formerly ADS AS3015	1949	ADS	
2046	AS3114	Channel, Earthing Point, 19 AMP - Edition 1; Formerly ADS AS3114	1949	ADS	
2047	AS2800	Tapped Ring for Drain Valve (AS 2560) - Edition 3; Formerly ADS AS2800	1949	ADS	
2048	AS2591	Filler Cap Base - Edition 4; Formerly ADS AS2591	1949	ADS	
2049	AS3196	Fuel Cock Knob (Low Pressure) - Edition 1; Formerly ADS AS3196	1949	ADS	
2050	AS3161	Stowage Assembly (Horizontal). Signal Lamp - Edition 1; Formerly ADS AS3161	1949	ADS	

2051	AS2813	Cable Clip (Filler Cap) - Edition 2; Formerly ADS AS2813	1949	ADS	
2052	AS3174	Finger Hinge - Edition 2; Formerly ADS AS3174	1949	ADS	
2053	AS3197	Knob (Canopy Winding Gear) - Edition 3; Formerly ADS AS3197	1949	ADS	
2054	AS3162	Base Plate - Edition 1; Formerly ADS AS3162	1949	ADS	
2055	AS2801	Tapped Ring for Drain Valve (AS 2573) - Edition 3; Formerly ADS AS2801	1949	ADS	
2056	AS3013	Ring Nut - 1.875" DIA. - Edition 2; Formerly ADS AS3013	1949	ADS	
2057	AS3199	Knob (Mixture Control) - Edition 3; Formerly ADS AS3199	1949	ADS	
2058	AS3163	Stowage Assembly (Vertical). Signal Lamp - Edition 1; Formerly ADS AS3163	1949	ADS	
2059	AS3175	Bridge Piece - Edition 1; Formerly ADS AS3175	1949	ADS	
2060	AS3017	Ring Nut - 2.375" DIA. - Edition 2; Formerly ADS AS3017	1949	ADS	
2061	AS2593	Filler Cap - Edition 5; Formerly ADS AS2593	1949	ADS	
2062	AS3116	Earthing Plate (for D.A. Nut 4 or 2 B.A.) - Edition 1; Formerly ADS AS3116	1949	ADS	
2063	AS3167	Assembly of Filler Cap - Air Valve Type - Edition 2; Formerly ADS AS3167	1949	ADS	
2064	AS3029	Ring Nut - 3.875" DIA. - Edition 2; Formerly ADS AS3029	1948	ADS	
2065	AS3005	Ring Nut - 0.875" DIA. - Edition 2; Formerly ADS AS3005	1948	ADS	
2066	RS256	Ring Nuts - Edition 1; Formerly ADS RS256	1948	ADS	
2067	AS3025	Ring Nut - 3.375" DIA. - Edition 2; Formerly ADS AS3025	1948	ADS	
2068	AS3112	Sealing Washer - Edition 1; Formerly ADS AS3112	1948	ADS	
2069	AS2548	Spindle Assembly, Double Handle Lock - Edition 5; Formerly ADS AS2548	1948	ADS	
2070	AS3024	Ring Nut - 3.250" DIA. - Edition 2; Formerly ADS AS3024	1948	ADS	
2071	AS3012	Ring Nut - 1.750" DIA. - Edition 2; Formerly ADS AS3012	1948	ADS	
2072	AS2588	Cap Assembly - Edition 3; Formerly ADS AS2588	1948	ADS	
2073	AS2547	Sleeve for Operating Spindle - Edition 7; Formerly ADS AS2547	1948	ADS	
2074	RS255	Standard No.1 Propeller Shaft - Edition 2; Formerly ADS RS255	1948	ADS	
2075	AS2559	Seal - Handle - Edition 3; Formerly ADS AS2559	1948	ADS	
2076	AS2545	Internal Sleeve - Main Spindle - Edition 4; Formerly ADS AS2545	1948	ADS	
2077	AS2840-2899	Assembly of Flush Fitting Door Lock - Edition 6; Formerly ADS AS2840-2899	1948	ADS	
2078	AGS1172	End Connection for Flexatex Fuel Hose, Flared End Connecting Tube - Issue 5; Formerly ADS AGS1172	1948	ADS	
2079	AS2520	Outer Handle - Edition 5; Formerly ADS AS2520	1948	ADS	
2080	AS3011	Ring Nut - 1.625" DIA. - Edition 2; Formerly ADS AS3011	1948	ADS	
2081	AS3023	Ring Nut - 3.125" DIA. - Edition 2; Formerly ADS AS3023	1948	ADS	
2082	AS2550	Spindle - Single Handle Lock - Edition 5; Formerly ADS AS2550	1948	ADS	
2083	AS3003	Ring Nut - 0.625" DIA. - Edition 2; Formerly ADS AS3003	1948	ADS	
2084	AS3027	Ring Nut - 3.625" DIA. - Edition 2; Formerly ADS AS3027	1948	ADS	
2085	RS264	Standard No. 3 Propeller Shaft & Engine Nose - Edition 1; Formerly ADS RS264	1948	ADS	
2086	AS3028	Ring Nut - 3.750" DIA. - Edition 2; Formerly ADS AS3028	1948	ADS	
2087	AS3004	Ring Nut - 0.750" DIA. - Edition 2; Formerly ADS AS3004	1948	ADS	
2088	AS2525	Top Cover - Edition 4; Formerly ADS AS2525	1948	ADS	
2089	AS1235	Dial Assembly - Trim Control - Edition 2; Formerly ADS AS1235	1948	ADS	
2090	AS3026	Ring Nut - 3.500" DIA. - Edition 2; Formerly ADS AS3026	1948	ADS	
2091	RS263	Standard No. 2 Propeller Shaft and Engine Nose - Edition 1; Formerly ADS RS263	1948	ADS	

2092	AS2528	Push Button - Outer - Edition 4; Formerly ADS AS2528	1948	ADS	
2093	AS2553	Lock Plunger - Edition 5; Formerly ADS AS2553	1948	ADS	
2094	AS3030	Ring Nut - 4.000â DIA. - Edition 2; Formerly ADS AS3030	1948	ADS	
2095	AS3006	Ring Nut - 1.000â DIA. - Edition 2; Formerly ADS AS3006	1948	ADS	
2096	AS3007	Ring Nut - 1.125â DIA. - Edition 2; Formerly ADS AS3007	1948	ADS	
2097	AS3008	Ring Nut - 1.250â DIA. - Edition 2; Formerly ADS AS3008	1948	ADS	
2098	AS2530	Centre Plate - Push Button - Edition 4; Formerly ADS AS2530	1948	ADS	
2099	RS308	4â P.C. Dia. Starter Mounting Flange - Edition 1; Formerly ADS RS308	1948	ADS	
2100	RS270	Standard No. 5/7 Counter Rotating Propeller Shafts & Engine Nose - Edition 1; Formerly ADS RS270	1948	ADS	
2101	AS3009	Ring Nut - 1.375â DIA. - Edition 2; Formerly ADS AS3009	1948	ADS	
2102	RS309	5â P.C. Dia. Starter Mounting Flange - Edition 1; Formerly ADS RS309	1948	ADS	
2103	AS2599	Seal - Lock Plunger - Edition 3; Formerly ADS AS2599	1948	ADS	
2104	AS3104-3105	Assembly of Cap & Dip Stick - Edition 1; Formerly ADS AS3104-3105	1948	ADS	
2105	AS3010	Ring Nut - 1.500â DIA. - Edition 3; Formerly ADS AS3010	1948	ADS	
2106	RS271	Standard 5 ^l / 7 ^l Counter Rotating Propeller Shafts & Engine Nose - Edition 1; Formerly ADS RS271	1948	ADS	
2107	RS310	5.750â P.C. Dia. Starter Mounting Flange. - Edition 1; Formerly ADS RS310	1948	ADS	
2108	AS2557	Spring Clip - Edition 3; Formerly ADS AS2557	1948	ADS	
2109	AS2572	Cap Assembly (Drain Valve) - Edition 3; Formerly ADS AS2572	1948	ADS	
2110	AS2544	Spindle - Double Handle Lock - Edition 5; Formerly ADS AS2544	1948	ADS	
2111	RS311	7â P.C. Dia. Starter Mounting Flange - Edition 1; Formerly ADS RS311	1948	ADS	
2112	AS3037	Axis Pin for Catch (Flush Filler Cap) - Edition 4; Formerly ADS AS3037	1947	ADS	
2113	AS3031-3036	Packing Washer (Flush Filler Cap) - Edition 1; Formerly ADS AS3031-3036	1947	ADS	
2114	RS321	Circular Accessory Flange & Drive / Accessory Pad & Drive 12â__ P.C.D. x 1.250â__ - Edition 2; Formerly ADS RS321	1947	ADS	
2115	AS2821	Assembly of Back Casing (Harness Release Gear) - Edition 5; Formerly ADS AS2821	1947	ADS	
2116	RS320	Circular Accessory Flange & Drive / Accessory Pad & Drive 10.5â__ P.C.D. x 1.125â__ - Edition 2; Formerly ADS RS320	1947	ADS	
2117	RS267	Standard No. 6 Propeller Shaft and Engine Nose - Edition 1; Formerly ADS RS267	1947	ADS	
2118	RS306	Circular Flange & Drive 9.000â P.C.D. x 1.250â - Edition 3; Formerly ADS RS306	1947	ADS	
2119	AS2958	Valve (for re-fuelling Coupling) - Edition 4; Formerly ADS AS2958	1947	ADS	
2120	RS316	Circular Flange & Drive / Circular Pad & Drive, 6.000â P.C.D. x .625â - Edition 4; Formerly ADS RS316	1947	ADS	
2121	RS302	Circular Flange & Drive 5.000â P.C.D. x .750â - Edition 3; Formerly ADS RS302	1947	ADS	
2122	RS317	Circular Flange & Drive / Circular Pad & Drive, 7.000 P.C.D. x .750â - Edition 3; Formerly ADS RS317	1947	ADS	
2123	RS303	Circular Flange & Drive 6.000â P.C.D. x .875â - Edition 3; Formerly ADS RS303	1947	ADS	
2124	RS304	Circular Flange & Drive 7.000â P.C.D. x 1.000â - Edition 3; Formerly ADS RS304	1947	ADS	
2125	RS265	Standard No. 4 Propeller Shaft and Engine Nose - Edition 1; Formerly ADS RS265	1947	ADS	
2126	RS318	Circular Accessory Flange & Drive / Accessory Pad & Drive 8.000â__ P.C.D. x .875â__ - Edition 3; Formerly ADS RS318	1947	ADS	
2127	AS2959	Spring (for re-fuelling Coupling) - Edition 5; Formerly ADS AS2959	1947	ADS	
2128	AS2830	25g Harness Release Gear (Locking In) - Edition 5; Formerly ADS AS2830	1947	ADS	
2129	AS2954	Flanged Adaptor - Forging - Edition 6; Formerly ADS AS2954	1947	ADS	
2130	AS2955	Valve Retainer - Edition 3; Formerly ADS AS2955	1947	ADS	

2131	AS2814	Cable Spring for Harness Release Gear - Edition 4; Formerly ADS AS2814	1947	ADS	
2132	AS2827	Distance Guard Plate - Edition 3; Formerly ADS AS2827	1947	ADS	
2133	RS314	Circular Flange & Drive 4.290â P.C.D. x .500â - Edition 3; Formerly ADS RS314	1947	ADS	
2134	RS301	Circular Pad & Drive. 4.290â P.C.D. x .625â - Edition 3; Formerly ADS RS301	1947	ADS	
2135	AS2956	Seal Retainer - Edition 4; Formerly ADS AS2956	1947	ADS	
2136	RS319	Circular Accessory Flange & Drive / Accessory Pad & Drive 9.000â__ P.C.D. x 1.000â__ - Edition 2; Formerly ADS RS319	1947	ADS	
2137	AS2961	Tab - Edition 3; Formerly ADS AS2961	1947	ADS	
2138	RS266	Standard No. 5 Propeller Shaft and Engine Nose - Edition 1; Formerly ADS RS266	1947	ADS	
2139	RS305	Circular Flange & Drive. 8.0â P.C.D. x 1.125â - Edition 3; Formerly ADS RS305	1947	ADS	
2140	AS2819	Half Casing for Harness Release Gear - Edition 4; Formerly ADS AS2819	1947	ADS	
2141	AS2567	Washer, Joint (Drain Valve) - Edition 3; Formerly ADS AS2567	1946	ADS	
2142	AS2580	Tank Drainage Connection Drain Valve 2" - Edition 5; Formerly ADS AS2580	1946	ADS	
2143	AS2111	Attachment Lug for â Zâ Type Harness - Edition 1; Formerly ADS AS2111	1946	ADS	
2144	AS2562	Drain Valve Guide - Edition 4; Formerly ADS AS2562	1946	ADS	
2145	AS2576	Jointing Washer (Screw Cap) - Edition 4; Formerly ADS AS2576	1946	ADS	
2146	AS2826	End for Cable - Edition 3; Formerly ADS AS2826	1946	ADS	
2147	AS2560	Drain Valve Assembly - 2" - Edition 5; Formerly ADS AS2560	1946	ADS	
2148	AS2575	Screw Cap - Edition 4; Formerly ADS AS2575	1946	ADS	
2149	AS2825	Drum - Edition 6; Formerly ADS AS2825	1946	ADS	
2150	AS2574	Drain Valve - Body - Edition 5; Formerly ADS AS2574	1946	ADS	
2151	AS2587	Assembly of Valve Lifter and Adaptor (called for on AS2584) - Edition 5; Formerly ADS AS2587	1946	ADS	
2152	AS2817	Catch Spring for Harness Release Gear - Edition 4; Formerly ADS AS2817	1946	ADS	
2153	AS2564	Drain Valve - Body - Edition 5; Formerly ADS AS2564	1946	ADS	
2154	AS2818	Cable Assembly - Edition 4; Formerly ADS AS2818	1946	ADS	
2155	AS2829	Catch for Harness Release Gear - Edition 4; Formerly ADS AS2829	1946	ADS	
2156	AS2816	Drum Spring - Edition 3; Formerly ADS AS2816	1946	ADS	
2157	AS2563	Bush for Valve Guide - Edition 2; Formerly ADS AS2563	1946	ADS	
2158	AS2577	Spring Ring - Edition 3; Formerly ADS AS2577	1946	ADS	
2159	AS2112	Stop Collar, Pilots Seat-Raising Gear - Edition 1; Formerly ADS AS2112	1946	ADS	
2160	AS2581	Union Nut - Casting - Edition 6; Formerly ADS AS2581	1946	ADS	
2161	AS2568	Jointing Washer (Nut) - Edition 2; Formerly ADS AS2568	1946	ADS	
2162	AS2820	Assembly of Front Casing (Harness Release Gear) - Edition 4; Formerly ADS AS2820	1946	ADS	
2163	AS2582	Valve Lifter - Edition 3; Formerly ADS AS2582	1946	ADS	
2164	AS2583	Assembly of Valve Lifter and Adaptor (called for on AS2580) - Edition 5; Formerly ADS AS2583	1946	ADS	
2165	AS2570	Chain Tag - Edition 3; Formerly ADS AS2570	1946	ADS	
2166	AS2114	Washer, Taper - Edition 1; Formerly ADS AS2114	1946	ADS	
2167	AS2571	Spring Ring - Edition 3; Formerly ADS AS2571	1946	ADS	
2168	AS2584	Tank Drainage Connection - Drain Valve, 1 1/4" - Edition 5; Formerly ADS AS2584	1946	ADS	
2169	AS2822	Spring Anchorage - Edition 3; Formerly ADS AS2822	1946	ADS	
2170	AS2573	Drain Valve Assembly - 1 1/4" - Edition 6; Formerly ADS AS2573	1946	ADS	
2171	AS2586	Valve Lifter - Edition 3; Formerly ADS AS2586	1946	ADS	

2172	AS2824	Drum Assembly - Edition 6; Formerly ADS AS2824	1946	ADS	
2173	AS1233	Gear - Trim Control - Edition 2; Formerly ADS AS1233	1945	ADS	
2174	AS1162	Clips, 360 ^l °, with Pressed Ends (Aluminium Alloy) - Edition 2; Formerly ADS AS1162	1945	ADS	
2175	AS1234	Dial Assembly - Trim Control - Edition 3; Formerly ADS AS1234	1945	ADS	
2176	AS1230	Trim Control Assembly 90 ^l Drive - Edition 5; Formerly ADS AS1230	1945	ADS	
2177	AS1231	Trim Control Assembly D. Drive - Edition 5; Formerly ADS AS1231	1945	ADS	
2178	AS1232	Intermediate Gear - Trim Control - Edition 4; Formerly ADS AS1232	1945	ADS	
2179	AS1163	Clips, 360 ^l °, with Pressed Ends (Aluminium Alloy) - Edition 2; Formerly ADS AS1163	1945	ADS	
2180	RS208	Bend Allowances for Full Scale Layout - Edition 1; Formerly ADS RS208	1944	ADS	
2181	AS2410	Retaining Plate (Filler Cap) - Edition 4; Formerly ADS AS2410	1944	ADS	
2182	AS2426	Clamping Screw - 2BA. Tank Straps - Edition 2; Formerly ADS AS2426	1944	ADS	
2183	AS1159	Clips, Saddle, with Pressed Ends (M.S.) - Edition 5; Formerly ADS AS1159	1944	ADS	
2184	AS2406	Pivot Screw (Filler Cap) - Edition 3; Formerly ADS AS2406	1944	ADS	
2185	AS1158	Clips, 180 ^l °, with Pressed Ends (M.S.) - Edition 4; Formerly ADS AS1158	1944	ADS	
2186	AS2453-2457	Retaining Bar for Quick-Release Pin - Edition 3; Formerly ADS AS2453-2457	1944	ADS	
2187	AS2481	Filler Neck - Edition 2; Formerly ADS AS2481	1944	ADS	
2188	RS198	Full Scale Layout Reproduction Fuselage Lines - Identification and Layout - Edition 1; Formerly ADS RS198	1944	ADS	
2189	AS2405	Washer-Seating (Filler Cap) - Edition 4; Formerly ADS AS2405	1944	ADS	
2190	AS1157	Clips, 360 ^l °, with Pressed Ends (M.S.) - Edition 5; Formerly ADS AS1157	1944	ADS	
2191	AS2479-2480	Tanks - 8 Gallons (for De-Icing Fluid & Drinking Water) - Edition 3; Formerly ADS AS2479-2480	1944	ADS	
2192	AS2451-2452	Pin (Quick-Release, Ringed) - Edition 4; Formerly ADS AS2451-2452	1944	ADS	
2193	RS197	Full Scale Layout Reproduction Negative Sizes - Edition 1; Formerly ADS RS197	1944	ADS	
2194	AS2404	Washer (Filler Cap) - Edition 4; Formerly ADS AS2404	1944	ADS	
2195	AS2477-2478	Tanks - 7 Gallons (for De-Icing Fluid & Drinking Water) - Edition 3; Formerly ADS AS2477-2478	1944	ADS	
2196	AGS1163	Pipe Couplings Cone End Union Piece (Corrugated) - Issue 5; Formerly ADS AGS1163	1944	ADS	
2197	AS1161	Clips, 180 ^l °, with Pressed Ends (Aluminium Alloy) - Edition 2; Formerly ADS AS1161	1944	ADS	
2198	AS2484-2489	Label for De-Icing Fluid Tanks - Edition 2; Formerly ADS AS2484-2489	1944	ADS	
2199	AS2425	Strap 1 ^l â Wide - Edition 2; Formerly ADS AS2425	1944	ADS	
2200	AS2460-2466	Springs for Quick-Release Pins - Edition 2; Formerly ADS AS2460-2466	1944	ADS	
2201	AS2470-2472	Tanks - 2 ^l Gallons (for De-Icing Fluid & Drinking Water) - Edition 3; Formerly ADS AS2470-2472	1944	ADS	
2202	AS2408	Captive Nut (Filler Cap) - Edition 4; Formerly ADS AS2408	1944	ADS	
2203	AGS1164	â Tâ Adaptor (for Fuel Tank Fire Extinguisher) - Issue 6; Formerly ADS AGS1164	1944	ADS	
2204	AS2409	Knob (Filler Cap) - Edition 7; Formerly ADS AS2409	1944	ADS	
2205	RS202	Preparation of Surface of Layout Blanks for Lithographic Reproduction - Edition 1; Formerly ADS RS202	1944	ADS	
2206	AGS1162	End Connection for Flexatex Fuel Hose, Type C7 - Edition 2; Formerly ADS AGS1162	1944	ADS	
2207	AS2483	Insert for Outlet Adaptor - Edition 2; Formerly ADS AS2483	1944	ADS	
2208	AS2424	Strap 1â Wide - Edition 2; Formerly ADS AS2424	1944	ADS	
2209	AS1160	Clips, Saddle, with Pressed Ends (Aluminium Alloy) - Edition 3; Formerly ADS AS1160	1944	ADS	
2210	RS201	Hydraulic Hand Pump (Double Acting Type) - Edition 1; Formerly ADS RS201	1944	ADS	
2211	AS2407	Screw (Filler Cap) - Edition 3; Formerly ADS AS2407	1944	ADS	
2212	AS485	Pressed End for Clips - to suit 2 B.A. Bolts - Edition 5; Formerly ADS AS485	1944	ADS	

2213	AS2482	Outlet Adaptor - Edition 2; Formerly ADS AS2482	1944	ADS	
2214	AS2458-2459	Retaining Bar for Quick-Release Pin (Ringed) - Edition 3; Formerly ADS AS2458-2459	1944	ADS	
2215	AS1156	Pressed End for Clips, to suit 1/4" DIA Bolts - Edition 4; Formerly ADS AS1156	1944	ADS	
2216	AS2403	Pivot Bracket (Filler Cap) - Edition 6; Formerly ADS AS2403	1944	ADS	
2217	AS2446-2450	Pin (Quick-Release) - Edition 3; Formerly ADS AS2446-2450	1944	ADS	
2218	AS2475-2476	Tanks - 6 Gallons (for De-Icing Fluid & Drinking Water) - Edition 3; Formerly ADS AS2475-2476	1944	ADS	
2219	RS195	Preparation of Surface of Layout Blanks for Photographic Reproduction - Edition 1; Formerly ADS RS195	1944	ADS	
2220	AS2402	Arm (Filler Cap) - Edition 6; Formerly ADS AS2402	1944	ADS	
2221	AS2473-2474	Tanks - 4 Gallons (for De-Icing Fluid & Drinking Water) - Edition 3; Formerly ADS AS2473-2474	1944	ADS	
2222	RS194	Standard Layout Blank - Edition 1; Formerly ADS RS194	1944	ADS	
2223	RS193	Standard Layout Tables - Edition 1; Formerly ADS RS193	1944	ADS	
2224	AS2400	Filler Cap - Edition 5; Formerly ADS AS2400	1944	ADS	
2225	RS210	Bend Allowances for Full Scale Layout - Edition 1; Formerly ADS RS210	1944	ADS	
2226	AS2399	Seating (Filler Cap) - Edition 7; Formerly ADS AS2399	1944	ADS	
2227	AS2469-2470	Tanks - 1 Gallon (for De-Icing Fluid & Drinking Water) - Edition 2; Formerly ADS AS2469-2470	1944	ADS	
2228	AS2427-2432	Trunnion - Tank Straps - Edition 2; Formerly ADS AS2427-2432	1944	ADS	
2229	AS2490-2495	Label for Drinking Water Tanks - Edition 2; Formerly ADS AS2490-2495	1944	ADS	
2230	AS2467	Spring Washer for Quick-Release Pin - Edition 4; Formerly ADS AS2467	1944	ADS	
2231	RS209	Bend Allowances for Full Scale Layout - Edition 1; Formerly ADS RS209	1944	ADS	
2232	AS2398	Filler Cap Assembly - Edition 5; Formerly ADS AS2398	1944	ADS	
2233	AS2374	Tank Strap Assembly, 3/8" B.S.F. - Edition 2; Formerly ADS AS2374	1943	ADS	
2234	AS2272	Lever - Edition 2; Formerly ADS AS2272	1943	ADS	
2235	AS2320-2343	Stock Plate Sprockets (Aluminium Alloy) - Edition 2; Formerly ADS AS2320-2343	1943	ADS	
2236	AS2273-2274	Body - Control Lever - Edition 3; Formerly ADS AS2273-2274	1943	ADS	
2237	AS2375	Tank Strap (1/2" B.S.F.) - Edition 2; Formerly ADS AS2375	1943	ADS	
2238	AS2376	Tank Strap (5/16" B.S.F.) - Edition 2; Formerly ADS AS2376	1943	ADS	
2239	AS2275	Stop Socket - Control Lever - Edition 3; Formerly ADS AS2275	1943	ADS	
2240	AS2414-2418	Stud - Alternative to Bolt for Inner Ring - Edition 3; Formerly ADS AS2414-2418	1943	ADS	
2241	AS2288	Drum Stop - Edition 3; Formerly ADS AS2288	1943	ADS	
2242	AS2377	Tank Strap (3/8" B.S.F.) - Edition 2; Formerly ADS AS2377	1943	ADS	
2243	AS2344-2367	Stop Plate Sprockets (Steel) - Edition 2; Formerly ADS AS2344-2367	1943	ADS	
2244	AS2419	Drain Plug Assembly - Edition 5; Formerly ADS AS2419	1943	ADS	
2245	AS2378	Tank Strap End (1/2" B.S.F.) - Edition 2; Formerly ADS AS2378	1943	ADS	
2246	AS2289	Location Spool - Edition 4; Formerly ADS AS2289	1943	ADS	
2247	AS2379	Tank Strap End (5/16" B.S.F.) - Edition 2; Formerly ADS AS2379	1943	ADS	
2248	AS2422	Washer - Drain Plug - Edition 3; Formerly ADS AS2422	1943	ADS	
2249	AGS1160	End Connection (Straight) for Flexatex Fuel Hose. General Arrangement - Edition 2; Formerly ADS AGS1160	1943	ADS	
2250	AS2295	Spring Clips - Edition 4; Formerly ADS AS2295	1943	ADS	
2251	AS2269	Control Lever - Edition 3; Formerly ADS AS2269	1943	ADS	
2252	RS200	Standard Diameters of Jack Piston Rods - Edition 1; Formerly ADS RS200	1943	ADS	
2253	RS179	Standard Threads - Edition 1; Formerly ADS RS179	1943	ADS	

2254	RS182	Fits for Ball Bearings - Edition 1; Formerly ADS RS182	1943	ADS	
2255	AS2372	Tank Strap Assembly, 1 1/2 B.S.F. - Edition 2; Formerly ADS AS2372	1943	ADS	
2256	AGS1177	Pipe Couplings 90° Elbow Tube - Issue 4; Formerly ADS AGS1177	1943	ADS	
2257	AS2393-2395	Collar - Edition 2; Formerly ADS AS2393-2395	1943	ADS	
2258	AS2270	Spring - Control Lever - Edition 3; Formerly ADS AS2270	1943	ADS	
2259	AS2420	Plug - Drain Plug - Edition 4; Formerly ADS AS2420	1943	ADS	
2260	AS2380	Tank Strap End (3/8" B.S.F.) - Edition 2; Formerly ADS AS2380	1943	ADS	
2261	AS2381-2383	Tension Rod - Edition 3; Formerly ADS AS2381-2383	1943	ADS	
2262	AS2264	Trunnion for Harness Release Gear - Edition 4; Formerly ADS AS2264	1943	ADS	
2263	AS2421	Seating - Drain Plug - Edition 3; Formerly ADS AS2421	1943	ADS	
2264	AS2314	Screw for Rotating Knob - Edition 2; Formerly ADS AS2314	1943	ADS	
2265	AS2384-2392	Trunnion - Edition 2; Formerly ADS AS2384-2392	1943	ADS	
2266	AS2268	Spacer Tube - Edition 3; Formerly ADS AS2268	1943	ADS	
2267	AS2294	Spring Clips - Edition 8; Formerly ADS AS2294	1943	ADS	
2268	RS199	Standard Diameters of Shock Absorbers and Jack Cylinders - Edition 1; Formerly ADS RS199	1943	ADS	
2269	AS2373	Tank Strap Assembly, 5/16" B.S.F. - Edition 2; Formerly ADS AS2373	1943	ADS	
2270	AS2271	Piston - Control Lever - Edition 3; Formerly ADS AS2271	1943	ADS	
2271	RS183	Standard Capacity Ratings for Hydraulic Components - Edition 2; Formerly ADS RS183	1943	ADS	
2272	RS130	Standard Rolled Angle Section (18 Gauge) - Edition 1; Formerly ADS RS130	1942	ADS	
2273	AS1905	Saddle Washers (Steel) - Edition 2; Formerly ADS AS1905	1942	ADS	
2274	RS139	Standard Rolled Top-Hat Section (Lipped) 16 Gauge - Edition 1; Formerly ADS RS139	1942	ADS	
2275	AS876	Forging for Housing - Trim Control - Edition 5; Formerly ADS AS876	1942	ADS	
2276	AGS1153	End Connection for Self Sealing Fuel Hose End Cap - Issue 3; Formerly ADS AGS1153	1942	ADS	
2277	RS137	Standard Rolled Top-Hat Section (Lipped) 20 Gauge - Edition 1; Formerly ADS RS137	1942	ADS	
2278	RS138	Standard Rolled Top-Hat Section (Lipped) 18 Gauge - Edition 1; Formerly ADS RS138	1942	ADS	
2279	AS1904	Saddle Washers (Aluminium Alloy) - Edition 3; Formerly ADS AS1904	1942	ADS	
2280	RS129	Standard Rolled Angle Section (20 Gauge) - Edition 1; Formerly ADS RS129	1942	ADS	
2281	RS128	Standard Rolled Angle Section (22 Gauge) - Edition 1; Formerly ADS RS128	1942	ADS	
2282	AS1903	Saddle Washers (Aluminium Alloy) - Edition 4; Formerly ADS AS1903	1942	ADS	
2283	RS127	Standard Rolled Angle Section (24 Gauge) - Edition 1; Formerly ADS RS127	1942	ADS	
2284	RS136	Standard Rolled Top-Hat Section (Lipped) 16 Gauge - Edition 1; Formerly ADS RS136	1942	ADS	
2285	RS135	Standard Rolled Top-Hat Section (Lipped) 18 Gauge - Edition 1; Formerly ADS RS135	1942	ADS	
2286	AS2834	Assembly of Rudder-Bar (Single Position Pedal) - Edition 5; Formerly ADS AS2834	1942	ADS	
2287	RS134	Standard Rolled Top-Hat Section (Lipped) 20 Gauge - Edition 1; Formerly ADS RS134	1942	ADS	
2288	AS2835	Assembly of Rudder-Bar (Two Position Pedal) - Edition 5; Formerly ADS AS2835	1942	ADS	
2289	RS133	Standard Rolled Top-Hat Section (Lipped) 22 Gauge - Edition 1; Formerly ADS RS133	1942	ADS	
2290	AS1241	Shaft - Trim Control - Direct Drive - Edition 2; Formerly ADS AS1241	1942	ADS	
2291	AS1299-1314	Adjuster Screw (Swaged on Cable) - Edition 4; Formerly ADS AS1299-1314	1942	ADS	
2292	AS1240	Cover Plate- Trim Control - Edition 2; Formerly ADS AS1240	1942	ADS	
2293	RS132	Standard Rolled Top-Hat Section (Lipped) 24 Gauge - Edition 1; Formerly ADS RS132	1942	ADS	
2294	RS131	Standard Rolled Angle Section (16 Gauge) - Edition 1; Formerly ADS RS131	1942	ADS	

2295	AS1906	Saddle Washers (Steel) - Edition 2; Formerly ADS AS1906	1942	ADS	
2296	AS882	Pin - Trim Control - Edition 3; Formerly ADS AS882	1941	ADS	
2297	AS1894	Trunnion for Strap (Plain) - Edition 2; Formerly ADS AS1894	1941	ADS	
2298	AS869	Control Column - Edition 4; Formerly ADS AS869	1941	ADS	
2299	AS883	Sprocket - Trim Control - Edition 5; Formerly ADS AS883	1941	ADS	
2300	AS1895	Bolt, Wing - Oxygen Cradle - Edition 3; Formerly ADS AS1895	1941	ADS	
2301	AS487	Clips, 180°, with Pressed Ends (M.S.) Edition 6 - Edition 6; Formerly ADS AS487	1941	ADS	
2302	AS491	Clips, Aluminium, 1 1/2" Wide - Edition 4; Formerly ADS AS491	1941	ADS	
2303	AS884	Chain Guard - Trim Control - Edition 2; Formerly ADS AS884	1941	ADS	
2304	AS489	Clips, Saddle, with Pressed Ends (Aluminium Alloy) - Edition 4; Formerly ADS AS489	1941	ADS	
2305	AS1896	Shank for Wing Bolt - Edition 3; Formerly ADS AS1896	1941	ADS	
2306	AS872	Spacer - Trim Control - Edition 3; Formerly ADS AS872	1941	ADS	
2307	AS1898	Draw Pin, Outer - Oxygen Cradle - Edition 4; Formerly ADS AS1898	1941	ADS	
2308	AS867	Ball Race & Housing - Control Column - Edition 3; Formerly ADS AS867	1941	ADS	
2309	AS885	Housing - Trim Control - Edition 7; Formerly ADS AS885	1941	ADS	
2310	AS1897	Draw Pin, Inner - Oxygen Cradle - Edition 3; Formerly ADS AS1897	1941	ADS	
2311	AS488	Clips, Saddle, with Pressed Ends (M.S.) - Edition 6; Formerly ADS AS488	1941	ADS	
2312	AS886	Disc - Trim Control - Edition 3; Formerly ADS AS886	1941	ADS	
2313	AS1899	Spring for Oxygen Cradle - Edition 3; Formerly ADS AS1899	1941	ADS	
2314	AS887	Boss for Handwheel - Trim Control - Edition 8; Formerly ADS AS887	1941	ADS	
2315	AS873	Body - Trim Control - Edition 4; Formerly ADS AS873	1941	ADS	
2316	AS892	Washer - Trim Control - Edition 5; Formerly ADS AS892	1941	ADS	
2317	AS868	Forging for Ball Race Housing - Control Column - Edition 4; Formerly ADS AS868	1941	ADS	
2318	AS1891	Strap for Oxygen Cradle - Edition 2; Formerly ADS AS1891	1941	ADS	
2319	AS893	Spring Ring - Trim Control - Edition 3; Formerly ADS AS893	1941	ADS	
2320	AS879	Distance Tube, Trim Control - Edition 3; Formerly ADS AS879	1941	ADS	
2321	AS1892	Trunnion for Strap (2 B.A.) - Edition 2; Formerly ADS AS1892	1941	ADS	
2322	AS493	Clips, Aluminium, 1 1/2" Wide - Edition 5; Formerly ADS AS493	1941	ADS	
2323	RS118	Radii and Widths of Milling Cutters - Edition 1; Formerly ADS RS118	1941	ADS	
2324	AS875	Pinnion & Boss - Trim Control - Edition 5; Formerly ADS AS875	1941	ADS	
2325	AS889	Bevel & Shaft (Handwheel) - Trim Control - Edition 7; Formerly ADS AS889	1941	ADS	
2326	AS1889	Assembly of Cradle for Oxygen Bottle - Edition 3; Formerly ADS AS1889	1941	ADS	
2327	AS492	Clips, Aluminium, 5/8" Wide - Edition 5; Formerly ADS AS492	1941	ADS	
2328	AS888	Bevel & Shaft (Sprocket) - Trim Control - Edition 6; Formerly ADS AS888	1941	ADS	
2329	AS874	Housing - Trim Control - Edition 8; Formerly ADS AS874	1941	ADS	
2330	AS469	Rivet, Flat Head - Edition 3; Formerly ADS AS469	1941	ADS	
2331	AS1890	Cradle for Oxygen Bottle - Edition 3; Formerly ADS AS1890	1941	ADS	
2332	AS891	Dial - Trim Control - Edition 6; Formerly ADS AS891	1941	ADS	
2333	AS1893	Strap for Oxygen Cradle - Edition 3; Formerly ADS AS1893	1941	ADS	
2334	AS486	Clips, 360°, with Pressed Ends (M.S.) - Edition 7; Formerly ADS AS486	1941	ADS	
2335	AS898	Bush - Trim Control - Edition 5; Formerly ADS AS898	1941	ADS	

2336	AS145	Shim - Edition 4; Formerly ADS AS145	1940	ADS	
2337	AS153	Lever - Hand - Edition 3; Formerly ADS AS153	1940	ADS	
2338	RS51-78	Tee Extrusions - Edition 1; Formerly ADS RS51-78	1940	ADS	
2339	AS140	Spring - Edition 5; Formerly ADS AS140	1940	ADS	
2340	AS133	Couple for Box Single Lever Parachute Control - Edition 4; Formerly ADS AS133	1940	ADS	
2341	RS2-18	Angle Extrusions - Edition 1; Formerly ADS RS2-18	1940	ADS	
2342	AS139	Plunger - Jettison - Edition 4; Formerly ADS AS139	1940	ADS	
2343	RS91-115	Symmetric Square Channel Extrusions - Edition 1; Formerly ADS RS91-115	1940	ADS	
2344	AS134	Lever Hand - Assembly - Edition 4; Formerly ADS AS134	1940	ADS	
2345	AS144	Bush - Edition 4; Formerly ADS AS144	1940	ADS	
2346	RS1	Standard Abbreviations - Edition 1; Formerly ADS RS1	1940	ADS	
2347	AS149	Lever (Stream) - Edition 5; Formerly ADS AS149	1940	ADS	
2348	AS188-194	Cable Spool, Chain - Edition 4; Formerly ADS AS188-194	1940	ADS	
2349	AS154	Housing - Plunger - Edition 3; Formerly ADS AS154	1940	ADS	
2350	AS136	Lever - Jettison - Edition 5; Formerly ADS AS136	1940	ADS	
2351	AS195-198	Bi-planar Block, Chain - Edition 3; Formerly ADS AS195-198	1940	ADS	
2352	RS31-42	Bulb Angle Extrusions - Edition 1; Formerly ADS RS31-42	1940	ADS	
2353	AGS1002	R.A.E. Petrol Filter - Issue 11; Formerly ADS AGS1002	1938	ADS	
2354	AGS897	Ferrules, Steel Wire for Elastic Cord - Edition 4; Formerly ADS AGS897	1934	ADS	
2355	AS2540	Blanking Plug - Edition 3; Formerly ADS AS2540	0	ADS	
2356	AS2815	Cable Spring for Harness Release Gear - Edition 1; Formerly ADS AS2815	0	ADS	
2357	AS2980	Spring (for re-fuelling Coupling) - Edition 3; Formerly ADS AS2980	0	ADS	
2358	AS2532	Catch Plate - Edition 4; Formerly ADS AS2532	0	ADS	
2359	AS4549-4550	Assembly of Thermal Relief Valve (Test Schedule see Sheet 2) - Edition 3; Formerly ADS AS4549-4550	0	ADS	
2360	RS119	Armour Protection - Edition 1; Formerly ADS RS119	0	ADS	
2361	AS4883	Float Support Strap (called for on AS4881) - Edition 1; Formerly ADS AS4883	0	ADS	
2362	AGS1011	Standard Compressed Air Bottle Details - Issue 4; Formerly ADS AGS1011	0	ADS	
2363	AS5364	Filler Sealing Ring - Edition 6; Formerly ADS AS5364	0	ADS	
2364	AS2523	Spider Assembly R.H. - Edition 5; Formerly ADS AS2523	0	ADS	
2365	AS2509	Stud for Cable Fastening - Edition 4; Formerly ADS AS2509	0	ADS	
2366	RS300	Circular Accessory Flange & Drive 4.290" P.C.D. x .500" - Edition 2; Formerly ADS RS300	0	ADS	
2367	AS4590	Ballast Weight. 17.5LB - Edition 2; Formerly ADS AS4590	0	ADS	
2368	AS2979	Valve (for re-fuelling Coupling) - Edition 3; Formerly ADS AS2979	0	ADS	
2369	AGS895	Clip for Spearing Tubes - Edition 4; Formerly ADS AGS895	0	ADS	
2370	AS2535	Long Bolt Rod - Edition 5; Formerly ADS AS2535	0	ADS	
2371	AS175	Assembly of Chain End Bolt (Roller omitted) - Edition 10; Formerly ADS AS175	0	ADS	
2372	AS4893	Collar Float Needle Conical Rod - Edition 1; Formerly ADS AS4893	0	ADS	
2373	RS443	40° V, Coupling Data - Edition 2; Formerly ADS RS443	0	ADS	
2374	AGS1010	Standard Compressed Air Bottle Assemblies - Issue 3; Formerly ADS AGS1010	0	ADS	
2375	AS5421	Filter Pack Assembly (for 300 G.P.H. Fuel Filter) - Edition 1; Formerly ADS AS5421	0	ADS	
2376	RS251	Installation Drawing of Flanged Half of 2 1/2" Fuelling Coupling - Edition 3; Formerly ADS RS251	0	ADS	

2377	AS6579	Pilots Control Wheel - Edition 1; Formerly ADS AS6579	0	ADS
2378	AS2978	Flanged Adaptor - Forging - Edition 5; Formerly ADS AS2978	0	ADS
2379	RS621	U.N.F. Thread - Wire Section - Edition 2; Formerly ADS RS621	0	ADS
2380	RS717	Practical Expression of Aerospace System Pressures - Edition 1; Formerly ADS RS717	0	ADS
2381	RS442	Basic Seat Rail Geometry & Basic Seat Pin Geometry - Edition 2; Formerly ADS RS442	0	ADS
2382	AGS1171	â Yâ Adaptor (for Fuel Tank Fire Extinguisher) - Issue 6; Formerly ADS AGS1171	0	ADS
2383	AS2923	Bolt, Mushroom Head (Stainless Steel) - Edition 6; Formerly ADS AS2923	0	ADS
2384	AS2982	Valve Retainer - Edition 2; Formerly ADS AS2982	0	ADS
2385	AS4552	Valve Cap (for Thermal Relief Valve) - Edition 3; Formerly ADS AS4552	0	ADS
2386	AS4886	Bumper Pad (called for on AS4881) - Edition 1; Formerly ADS AS4886	0	ADS
2387	AS2536	Short Bolt Rod - Edition 5; Formerly ADS AS2536	0	ADS
2388	AS2511	Filler Cap - Edition 2; Formerly ADS AS2511	0	ADS
2389	AS2900	Eye End - Edition 2; Formerly ADS AS2900	0	ADS
2390	AGS1176	End Connection for Flexatex Fuel Hose 45° Elbow Tube - Issue 5; Formerly ADS AGS1176	0	ADS
2391	AS2296	Spring Clip - Edition 1; Formerly ADS AS2296	0	ADS
2392	AS2981	Seal Retainer - Edition 3; Formerly ADS AS2981	0	ADS
2393	AS4551	Valve Body (for Thermal Relief Valve) - Edition 2; Formerly ADS AS4551	0	ADS
2394	AS6570	Pilotâ s Control Wheel Brake Assembly: (Spade Type) Edition 1 - Formerly ADS AS6570	0	ADS
2395	AS4885	Rivet - Float (called for on AS4881) - Edition 1; Formerly ADS AS4885	0	ADS
2396	AS28950-959	â Pâ Section. Rubber - Edition 1; Formerly ADS AS28950-959	0	ADS
2397	AGS1175	End Connection for Flexatex Fuel Hose 90° Elbow Tube - Issue 5; Formerly ADS AGS1175	0	ADS
2398	AS877	Zero Marker - Trim Control - Edition 4; Formerly ADS AS877	0	ADS
2399	AS2524	Spider Assembly L.H. - Edition 5; Formerly ADS AS2524	0	ADS
2400	AS4884	Distance Bush (called for on AS4881) - Edition 1; Formerly ADS AS4884	0	ADS
2401	AS6330	Assembly of Rudder Bar (Two Position Pedal) - Edition 1; Formerly ADS AS6330	0	ADS
2402	RS432	Lofting Procedure - Edition 1; Formerly ADS RS432	0	ADS
2403	AS2510	Filler Cap Assembly (2â DIA.) - Edition 5; Formerly ADS AS2510	0	ADS
2404	RS178	Standard Diameters - Edition 1; Formerly ADS RS178	0	ADS
2405	AS6560-6569	Pilotâ s Control Wheel Assemblies - Edition 1; Formerly ADS AS6560-6569	0	ADS
2406	AS176	Assembly of Chain to Cable Spool - Edition 8; Formerly ADS AS176	0	ADS
2407	AS2543	Main Body. Right Hand - Edition 5; Formerly ADS AS2543	0	ADS
2408	AS2922	Bolt, Round Head (Stainless Steel) - Edition 6; Formerly ADS AS2922	0	ADS
2409	AS2952	G.A. Flanged Half for 1 1/2â Fuelling Coupling (non-self Sealing Type) - Edition 8; Formerly ADS AS2952	0	ADS
2410	AS2976	Chain Rivet - Edition 4; Formerly ADS AS2976	0	ADS
2411	AS2977	Bracket - Edition 3; Formerly ADS AS2977	0	ADS
2412	AS3394	Retaining Link - Edition 4; Formerly ADS AS3394	0	ADS
2413	AS174	Assembly of Chain End Bolt - Edition 10; Formerly ADS AS174	0	ADS
2414	AS5420	300 G.P.H. Fuel Filter Assembly - Edition 2; Formerly ADS AS5420	0	ADS
2415	AS4913-4920	Protection Covers for Flanges and Drives - Edition 1; Formerly ADS AS4913-4920	0	ADS
2416	AS2531	Sleeve - Push Button - Edition 5; Formerly ADS AS2531	0	ADS
2417	AS4561	Wire Locking Tabs - Edition 1; Formerly ADS AS4561	0	ADS

2418	RS250	Installation Drawing of Flanged Half of 1 1/2" Fuelling Coupling - Edition 5; Formerly ADS RS250	0	ADS	
2419	AS4589	Ballast Weight. 10LB - Edition 1; Formerly ADS AS4589	0	ADS	
2420	AS2953	G.A. Flanged Half for 1 1/2" Re-Fuelling Coupling (Self Sealing Type) - Edition 8; Formerly ADS AS2953	0	ADS	
2421	AS2516	Sealing Washer - Edition 3; Formerly ADS AS2516	0	ADS	
2422	AGS1168	Pipe Couplings 45° Union Elbow Assembly - Issue 6; Formerly ADS AGS1168	0	ADS	
2423	RS618	B.S.F. Thread - Wire Section - Edition 1; Formerly ADS RS618	0	ADS	
2424	AS2973	Locking Flange - Edition 2; Formerly ADS AS2973	0	ADS	
2425	AS173	Assembly of Chain to Bi-Planar Block - Edition 5; Formerly ADS AS173	0	ADS	
2426	RS619	B.S.P.F. Thread Insert - Wire Section - Edition 1; Formerly ADS RS619	0	ADS	
2427	AS2517	Washer for 2" Filler Cap - Edition 2; Formerly ADS AS2517	0	ADS	
2428	AS2921	Bolt, Raised 90° Countersunk Head (Stainless Steel) - Edition 6; Formerly ADS AS2921	0	ADS	
2429	AGS1169	Pipe Couplings - Union Elbows, Union Sleeve - Issue 5; Formerly ADS AGS1169	0	ADS	
2430	AS2534	Spring for Catch - Edition 3; Formerly ADS AS2534	0	ADS	
2431	AS2542	Main Body. Left Hand - Edition 5; Formerly ADS AS2542	0	ADS	
2432	AS2556	Spring Stud - Edition 4; Formerly ADS AS2556	0	ADS	
2433	RS185	Standard Jack and Shock Absorber Data - Edition 1; Formerly ADS RS185	0	ADS	
2434	AS2985	Locking Flange - Edition 2; Formerly ADS AS2985	0	ADS	
2435	AS2969	G.A. Flanged Half for 2 1/2" Re-Fuelling Coupling (Open Ended Type) - Edition 5; Formerly ADS AS2969	0	ADS	
2436	AS172	Assembly of Chain to Cable Spool - Edition 9; Formerly ADS AS172	0	ADS	
2437	AS2513	Seating for Filler Cap - Edition 4; Formerly ADS AS2513	0	ADS	
2438	AS186	Chain Assembly (Inner Link at end) - Edition 5; Formerly ADS AS186	0	ADS	
2439	RS403	Dimensions for Mounting Rings & for Circular Flanges of Tank Mounted Accessories - Edition 1; Formerly ADS RS403	0	ADS	
2440	AS6701	Body - Drain Valve - Edition 2; Formerly ADS AS6701	0	ADS	
2441	AS2514	Insert for Seating (Filler Cap) - Edition 3; Formerly ADS AS2514	0	ADS	
2442	RS436	Grooves for Circlips, AS 4571 - Edition 2; Formerly ADS RS436	0	ADS	
2443	AS3117	Spring - Edition 4; Formerly ADS AS3117	0	ADS	
2444	TS378	Testing and Assembly Requirements for ESC 61, ESC 62 and ESC 63 - Edition 1; Formerly ADS TS378	0	ADS	
2445	AGS1166	End Connection Fuel Hose - 45° Nipple Elbow Assembly - Issue 9; Formerly ADS AGS1166	0	ADS	
2446	AS2989	Locking Screw Die Casting - Edition 3; Formerly ADS AS2989	0	ADS	
2447	RS307	Triangular Flange and Drive 3.450" P.C.D. x .375" - Edition 3; Formerly ADS RS307	0	ADS	
2448	AS4555	Shim (for Thermal Relief Valve) - Edition 1; Formerly ADS AS4555	0	ADS	
2449	RS186	Standard Airman - Edition 1; Formerly ADS RS186	0	ADS	
2450	RS268	Standard No. 4/6 Counter Rotating Propeller Shafts (Integral Bearing Race) & Engine Nose - Edition 1; Formerly ADS RS268	0	ADS	
2451	AS2529	Push Button - Inner - Edition 4; Formerly ADS AS2529	0	ADS	
2452	AGS1167	Pipe Couplings 90° Union Elbow Assembly - Issue 6; Formerly ADS AGS1167	0	ADS	
2453	AS2554	Special Mushroom Head Screw - Edition 2; Formerly ADS AS2554	0	ADS	
2454	RS617	B.A. Thread Insert - Wire Section - Edition 1; Formerly ADS RS617	0	ADS	
2455	AS2515	Retaining Plate - Edition 3; Formerly ADS AS2515	0	ADS	
2456	RS211	Master Reference JIG - Edition 1; Formerly ADS RS211	0	ADS	
2457	AS4570	Retaining Rings - Edition 4; Sheet 9 is Cancelled; Formerly ADS AS4570	0	ADS	

2458	AS6575	Switch Assembly: for Pilotâ s Control Wheel - Edition 1; Formerly ADS AS6575	0	ADS	
2459	RS269	Standard No. 4/6 Counter Rotating Propeller Shafts (Separate Bearing Race) & Engine Nose - Edition 1; Formerly ADS RS269	0	ADS	
2460	AS2412	Screwed Sleeve (Rudder Bar) - Edition 4; Formerly ADS AS2412	0	ADS	
2461	AS2555	Chamfered Washer - Edition 3; Formerly ADS AS2555	0	ADS	
2462	AS6700	Assembly - Drain Valve - Edition 1; Formerly ADS AS6700	0	ADS	
2463	AS2512	Stamping for Arm (Filler Cap) - Edition 3; Formerly ADS AS2512	0	ADS	
2464	AS177	Chain Assembly (Inner Link at end) - Edition 5; Formerly ADS AS177	0	ADS	
2465	RS435	Grooves for Retaining Rings. AS 4570 - Edition 2; Formerly ADS RS435	0	ADS	
2466	AS4553	Plunger (for Thermal Relief Valve) - Edition 2; Formerly ADS AS4553	0	ADS	
2467	AS2831	Assembly of Bowden Control - Edition 4; Formerly ADS AS2831	0	ADS	
2468	AS2918	Close Tolerance Rivet (90 ^l ° Countersunk Head) - Edition 3; Formerly ADS AS2918	0	ADS	
2469	AGS1165	End Connection Fuel Hose - 90 ^l ° Nipple Elbow Assembly - Issue 8; Formerly ADS AGS1165	0	ADS	
2470	AS3375	Pin - Edition 3; Formerly ADS AS3375	0	ADS	
2471	AS2541	Main Spring - Edition 4; Formerly ADS AS2541	0	ADS	
2472	AS2527	Cover Plate Assembly - Edition 3; Formerly ADS AS2527	0	ADS	
2473	AS2533	Button for Catch - Edition 3; Formerly ADS AS2533	0	ADS	

Hercules Ebooks Institute

www.herculesebooks.com info@herculesebooks.com +989141908737