Standards Manager Web Standards List
SAE-Society of Automotive Engineers

Id	Number	Title	Year	Organization	Page
1	1007A	NULL	2024	SAE	
2	AIR737G	(R) Aerospace Hydraulic and Pneumatic Specifications Standards Recommended Practices and Information Reports	2024	SAE	
3	AIR1083C	(R) Airborne Hydraulic and Control System Survivability for Military Aircraft	2024	SAE	
4	AIR1204A	(R) Control of Water Carryover from the Environmental Control System and Condensation on the Structure	2024	SAE	
5	AIR1209	Construction and Calibration of Parallel Plate Transmission Line for Electromagnetic Interference Susceptibility Testing	2024	SAE	
6	AIR1255	Spectrum Analyzers for Electromagnetic Interference Measurements	2024	SAE	
7	AIR1277B	(R) Cooling of Military Avionic Equipment	2024	SAE	
8	AIR1336C	Ground Support Equipment Electrical Systems	2024	SAE	
9	AIR1364C	Age Control of Age Sensitive Elastomeric Materials	2024	SAE	
10	AIR1752A	Aircraft Nosewheel Steering/Centering Systems	2024	SAE	
11	AIR1826A	Acoustical Considerations for Aircraft Environmental Control System Design	2024	SAE	
12	AIR1854B	Battery Powered Aircraft Tow Tractors - Factors for Design Consideration	2024	SAE	
13	AIR1900C	(R) Guide to Temperature Monitoring in Aircraft Gas Turbine Engines	2024	SAE	
14	AIR3260A	NULL	2024	SAE	
15	AIR4121	Steel: Chemical Composition and Hardenability	2024	SAE	
16	AIR4416	Helicopter Turbine Engine Wash	2024	SAE	
17	AIR4766	Air Quality for Commercial Aircraft Cabins	2024	SAE	
18	AIR4827C	Modeling Techniques for Jet Engine Test Cell Aerodynamics	2024	SAE	
19	AIR4844D	Composites and Metal Bonding Glossary	2024	SAE	
20	AIR5303A	NULL	2024	SAE	
21	AIR5372A	(R) Information on Brake-By-Wire (BBW) Brake Control Systems	2024	SAE	
22	AIR5665C	(R) Architecture Framework for Unmanned Systems	2024	SAE	
23	AIR5667	Fiber Optic Wavelength Division Multiplexed (WDM) Singlemode Interconnect and Component Standards Mapping for Aerospace Platform Applications Device Level Specification	2024	SAE	
24	AIR5717A	NULL	2024	SAE	
25	AIR5883B	Landing Gear Shock Struts Bearing Selection	2024	SAE	
26	AIR5885A	(R) Landing Gear Common Repair	2024	SAE	
27	AIR5924B	Guidelines for the Integration of Electronic Engine Control Systems for Transport Category (Part 25) and General Aviation (Part 23) Aircraft	2024	SAE	
28	AIR5926A	NULL	2024	SAE	
29	AIR6005	General Requirements for WDM Backbone Networks	2024	SAE	
30	AIR6006	Modeling and Simulation Capabilities for Aerospace WDM LAN Applications	2024	SAE	
31	AIR6031	Fiber Optic Cleaning	2024	SAE	
32	AIR6056A	NULL	2024	SAE	
33	AIR6110A	NULL	2024	SAE	
34	AIR6113	Guidelines for Design of Digital Fiber Optic Link Loss Budget Methodology	2024	SAE	
35	AIR6151C	Torque Threaded Application Electrical Connector Accessory and Terminal Board Installation	2024	SAE	

36	AIR6162	Fusion Splicing for Optical Fibers	2024	SAE	
37	AIR6185A	NULL	2024	SAE	
38	AIR6284A	NULL	2024	SAE	
39	AIR6291A	NULL	2024	SAE	
40	AIR6292	Method to Calculate Behind Start of Takeoff Roll Noise Level Adjustments	2024	SAE	
41	AIR6353	Numerical Modeling Techniques for Jet Engine Test Cell Aerodynamics	2024	SAE	
42	AIR6515A	NULL	2024	SAE	
43	AIR6516A	NULL	2024	SAE	
44	AIR6517A	NULL	2024	SAE	
45	AIR6520A	NULL	2024	SAE	
46	AIR6540C	Fundamentals in Wire Selection and Sizing for Aerospace Applications	2024	SAE	
47	AIR6808A	NULL	2024	SAE	
48	AIR6840	NULL	2024	SAE	
49	AIR6908A	NULL	2024	SAE	
50	AIR6970	Water Content Instrumentation for Icing Cloud Characterization	2024	SAE	
51	AIR6982	Performance Evaluation of Fuel Filter Elements Utilized in Aircraft Gas Turbine Engine and APU Main Fuel Systems	2024	SAE	
52	AIR6987	Performance Evaluation of Fuel Filter Elements Utilized in Aircraft Gas Turbine Engine and APU Main Fuel Systems	2024	SAE	
53	AIR7063	NULL	2024	SAE	
54	AIR7095	NULL	2024	SAE	
55	AIR7130	Guideline for Determining Presenting and Substantiating Turbine Engine Starting and Motoring Characteristics	2024	SAE	
56	AIR7374	(R) Aerospace Hydraulic and Pneumatic Specifications Standards Recommended Practices and Information Reports	2024	SAE	
57	AIR7491	NULL	2024	SAE	
58	AIR7522	Measurement Data and Reference Values for Compounds Potentially Found in Aircraft Engine Bleed Air	2024	SAE	
59	AIR8466	NULL	2024	SAE	
60	AIR65521	NULL	2024	SAE	
61	AMS1371A	NULL	2024	SAE	
62	AMS1431F	Compound Solid Runway and Taxiway Deicing/Anti-Icing	2024	SAE	
63	AMS1435E	(R) Liquid Runway Deicing/Anti-Icing Product	2024	SAE	
64	AMS1450B	(R) Disinfectant (Insecticide), Aircraft	2024	SAE	
65	AMS1451C	Disinfectant, Aircraft for Use in Cargo Compartments	2024	SAE	
66	AMS1630D	(R) Cleaner, Carpet Shampoo Type	2024	SAE	
67	AMS1631D	(R) Cleaner, Carpet Water Extraction Type	2024	SAE	
68	AMS1640D	Corrosion Removing Compound for Aircraft Surfaces	2024	SAE	
69	AMS2175B	Castings Classification and Inspection of	2024	SAE	
70	AMS2231L	Tolerances Carbon Steel Bars	2024	SAE	
71	AMS2249K	Chemical Check Analysis Limits Titanium and Titanium Alloys	2024	SAE	
72	AMS2251K	Tolerances Low-Alloy Steel Bars	2024	SAE	
73	AMS2360F	Room Temperature Tensile Properties of Castings	2024	SAE	
74	AMS2361F	Elevated Temperature Tensile Properties of Castings	2024	SAE	
75	AMS2362E	Stress-Rupture Properties of Castings	2024	SAE	
76	AMS2380H	Approval and Control of Premium-Quality Titanium Alloys	2024	SAE	

77	AMS2401L	Plating Cadmium Low Hydrogen Content Deposit	2024	SAE	
78	AMS2402M	Plating Zinc	2024	SAE	
79	AMS2404K	Plating Electroless Nickel	2024	SAE	
80	AMS2408L	Plating Tin	2024	SAE	
81	AMS2410M	Plating Silver Nickel Strike High Bake	2024	SAE	
82	AMS2411K	Plating Silver for High Temperature Applications	2024	SAE	
83	AMS2413G	Plating Silver-Rhodium	2024	SAE	
84	AMS2416N	Plating Nickel-Cadmium Diffused	2024	SAE	
85	AMS2426F	Coating Cadmium Vacuum Deposition	2024	SAE	
86	AMS2429F	Plating Bronze Nitriding Stop-off 90Cu - 10Sn	2024	SAE	
87	AMS2437E	Coating Plasma Spray Deposition	2024	SAE	
88	AMS2461A	NULL	2024	SAE	
89	AMS2469L	Hard Anodic Coating on Aluminum and Aluminum Alloys	2024	SAE	
90	AMS2472J	Anodic Treatment of Aluminum Alloys Sulfuric Acid Process Dyed Coating	2024	SAE	
91	AMS2479E	Anodic Treatment of Magnesium Alloys Acid Type Thin Coat	2024	SAE	
92	AMS2480K	Phosphate Treatment Paint Base	2024	SAE	
93	AMS2485M	Coating Black Oxide	2024	SAE	
94	AMS2486F	Conversion Coating of Titanium Alloys Fluoride-Phosphate Type	2024	SAE	
95	AMS2526E	Molybdenum Disulfide Coating Thin Lubricating Film Impingement Applied	2024	SAE	
96	AMS2548	Laser Peening	2024	SAE	
97	AMS2549	Laser Peening	2024	SAE	
98	AMS2585B	Shot Peening Media Ultrasonically Activated	2024	SAE	
99	AMS2628C	Ultrasonic Immersion Inspection Titanium and Titanium Alloy Billet Premium Grade	2024	SAE	
100	AMS2644J	Inspection Material Penetrant	2024	SAE	
101	AMS2649E	Etch Inspection of High Strength Steel Parts	2024	SAE	
102	AMS2694D	(R) In-Process Welding of Castings	2024	SAE	
103	AMS2745B	Induction Hardening of Steel Parts	2024	SAE	
104	AMS2750H	(R) Pyrometry	2024	SAE	
105	AMS2774H	Heat Treatment Wrought Nickel Alloy and Cobalt Alloy Parts	2024	SAE	
106	AMS2801D	Heat Treatment of Titanium Alloy Parts	2024	SAE	
107	AMS2807C	Identification Carbon and Low-Alloy Steels Corrosion and Heat-Resistant Steels and Alloys Sheet Strip Plate and Aircraft Tubing	2024	SAE	
108	AMS2809B	Identification Titanium and Titanium Alloy Wrought Products	2024	SAE	
109	AMS2810J	(R) Identification and Packaging Elastomeric Products	2024	SAE	
110	AMS3021G	Fluid Reference for Testing Di-Ester (Polyol) Resistant Material	2024	SAE	
111	AMS3023D	Fluid Reference for Testing Polyol Ester (and Diester) Resistant Material	2024	SAE	
112	AMS3044H	Magnetic Particles Fluorescent Wet Method Dry Powder	2024	SAE	
113	AMS3045G	Magnetic Particles Fluorescent Wet Method Oil Vehicle Ready-to-Use	2024	SAE	
114	AMS3046J	Magnetic Particles Fluorescent Wet Method Oil Vehicle Aerosol Packaged	2024	SAE	
115	AMS3050A	NULL	2024	SAE	
116	AMS3085B	Fluid, Reference for Testing AS5780 HPC Class (Polyol) Resistant Material (Also known as Eastman Reference Oil 300)	2024	SAE	
117	AMS3200M	Butadiene Acrylonitrile (NBR) Rubber Petroleum-Base Hydraulic Fluid Resistant 55 - 65	2024	SAE	

118	AMS3276H	Sealing Compound Integral Fuel Tanks and General Purpose Intermittent Use to 360 ï°F (182 ï°C)	2024	SAE	
119	AMS3277L	Sealing Compound Polythioether Rubber Fast Curing for Integral Fuel Tanks and General Purpose Intermittent Use to 360 ï°F (182 ï°C)	2024	SAE	
120	AMS3284D	(R) Sealing Compound Low Adhesion for Removable Panels and Fuel Tank Inspection Plates	2024	SAE	
121	AMS3301K	Silicone Rubber General Purpose 40 Durometer	2024	SAE	
122	AMS3325H	(R) Fluorosilicone (FVMQ) Rubber Fuel and Oil Resistant 55 - 65	2024	SAE	
123	AMS3331D	Fluorosilicone (FVMQ) Rubber Fuel and Oil Resistant 65 - 75	2024	SAE	
124	AMS3334G	Silicone Rubber Extreme Low-Temperature Resistant 35 - 45	2024	SAE	
125	AMS3660F	Polytetrafluoroethylene (PTFE) Moldings General Purpose Grade As Sintered	2024	SAE	
126	AMS3668F	Polytetrafluoroethylene (PTFE) Moldings Premium Grade As Sintered	2024	SAE	
127	AMS3669H	Polytetrafluoroethylene (PTFE) Sheet Molded Premium Grade As Sintered	2024	SAE	
128	AMS3721A	NULL	2024	SAE	
129	AMS4002B	Aluminum Alloy Tubing Seamless Drawn 1.8Cu - 1.0Mg - 0.8Si - 0.20Cr Solution Heat Treated Stress-Relieved by Stretching and Aged (2013-T6511) - UNS A92013	2024	SAE	
130	AMS4013J	Aluminum Sheet Laminated Surface Bonded	2024	SAE	
131	AMS4016N	Aluminum Alloy Sheet and Plate 2.5Mg - 0.25Cr (5052-H32) Strain Hardened Quarter-Hard and Stabilized - UNS A95052	2024	SAE	
132	AMS4017M	Aluminum Alloy Sheet and Plate 2.5Mg - 0.25Cr (5052-H34) Strain-Hardened Half-Hard and Stabilized - UNS A95052	2024	SAE	
133	AMS4063G	Aluminum Alloy Clad One Side Sheet 1.25Mn - 0.12Cu (No. 11-0 Brazing Sheet) Annealed - UNS A83003	2024	SAE	
134	AMS4085G	Aluminum Alloy Sheet 5.7Zn - 2.2Mg - 1.6Cu - 0.22Cr (7475-T761) Solution Heat Treated and Overaged - UNS A97475	2024	SAE	
135	AMS4094E	(R) Aluminum Alloy Sheet and Plate Alclad 6.3Cu - 0.30Mn - 0.18Zr - 0.10V - 0.06Ti Alclad 2219-T81 Sheet Solution Heat Treated Cold Worked and Precipitation Heat Treated Alclad 2219-T851 Plate Solution Heat Treated Stress Relieved and Precipitation	2024	SAE	
136	AMS4095F	Aluminum Alloy Alclad Sheet and Plate 6.3Cu - 0.30Mn - 0.18Zr - 0.10V - 0.06Ti Alclad 2219-T31; Sheet Solution Heat Treated and Cold Worked Alclad 2219-T351; Plate Solution Heat Treated and Stress Relieved - UNS A82219	2024	SAE	
137	AMS4100G	Aluminum Alloy Alclad Sheet 5.7Zn - 2.2Mg - 1.6Cu - 0.22Cr (Alclad 7475-T761) Solution and Precipitation Heat Treated - UNS A87475	2024	SAE	
138	AMS4123L	Aluminum Alloy Rolled or Cold Finished Bars and Rods (7075-T651) Solution and Precipitation Heat Treated - UNS A97075	2024	SAE	
139	AMS4127L	Aluminum Alloy Forgings and Rolled or Forged Rings (6061-T6) Solution and Precipitation Heat Treated - UNS A96061	2024	SAE	
140	AMS4134H	Aluminum Alloy Die Forgings 4.4Cu - 0.85Si - 0.80Mn - 0.50Mg (2014-T4) Solution Heat Treated - UNS A92014	2024	SAE	
141	AMS4147F	Aluminum Alloy Forgings 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (7075-T7352) Solution Heat Treated Stress Relieved by Compression and Overaged - UNS A97075	2024	SAE	
142	AMS4149G	Aluminum Alloy Die and Hand Forgings 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (7175-T74) Solution and Precipitation Heat Treated - UNS A97175	2024	SAE	
143	AMS4150P	Aluminum Alloy Extrusions and Rings 1.0Mg - 0.60Si - 0.28Cu - 0.20Cr - (6061-T6) Solution and Precipitation Heat Treated - UNS A96061	2024	SAE	
144	AMS4157F	Aluminum Alloy Extrusions 7.7Zn - 2.4Mg - 1.6Cu - 0.16Cr (7049-T73511) Solution Heat Treated Stress Relieved and Overaged - UNS A97049	2024	SAE	
145	AMS4172H	Aluminum Alloy Extrusions 1.0Mg - 0.60Si - 0.28Cu - 0.20Cr (6061-T4511 or T4510) Solution Heat Treated and Stress Relieved by Stretching - UNS A96061	2024	SAE	
146	AMS4174F	Aluminum Alloy Flash Welded Rings 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (7075-T73) Solution and Precipitation Heat Treated - UNS A97075	2024	SAE	
147	AMS4191K	Aluminum Alloy Welding Wire 6.3Cu - 0.30Mn - 0.18Zr - 0.15Ti - 0.10V (2319) - UNS A92319	2024	SAE	
148	AMS4204E	Aluminum Alloy Plate 6.2Zn - 1.8Cu - 2.4Mg - 0.13Zr (7010-T7651) Solution Heat Treated Stress Relieved and Precipitation Heat Treated (Composition similar to UNS A97010)	2024	SAE	

149	AMS4207D	Aluminum Alloy Sheet Alclad 5.7Zn - 2.2Mg - 1.6Cu - 0.22Cr (7475-T61) Solution and Precipitation Heat Treated - UNS A87475	2024	SAE	
150	AMS4232E	Aluminum Alloy Extrusions 2.7Cu - 2.2Li - 0.12Zr (2090-T86) Solution Heat Treated Cold Worked and Precipitation Heat Treated - UNS A92090	2024	SAE	
151	AMS4243D	Aluminum Alloy Alclad Sheet 6.2Zn - 2.3Cu - 2.2Mg - 0.12Zr (Alclad 7050-T76) Solution Heat Treated and Overaged	2024	SAE	
152	AMS4247D	Aluminum Alloy Hand Forgings 7.7Zn - 2.4Mg - 1.6Cu - 0.16Cr (7049-T7352) Solution Heat Treated Stress Relieved by Compression and Precipitation Heat Treated - UNS A97049	2024	SAE	
153	AMS4268B	Aluminum Alloy Sheet and Plate 4.4Cu - 1.5Mg - 0.60Mn; (2024-T81 Sheet -T851 Plate) Solution Heat Treated Cold Worked and Artificially Aged - UNS A92024	2024	SAE	
154	AMS4276C	Aluminum Alloy Sheet 4.4Cu - 1.5Mg - 0.60Mn (2024-0) Annealed Fine Grained - UNS A92024	2024	SAE	
155	AMS4278C	Aluminum Alloy Alclad Sheet 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (Alclad 7075-0) Annealed Fine Grained - UNS A87075	2024	SAE	
156	AMS4293B	Aluminum Alloy Extrusions 7.9Zn - 1.6Cu - 2.2Mg - 0.16Cr (7249-T76511) Solution Heat Treated Stress-Relieved Straightened and Overaged	2024	SAE	
157	AMS4297C	Aluminum Alloy Sheet 4.4Cu - 1.5Mg - 0.60Mn (2024; -T4 Flat Sheet) Solution Heat Treated High Formability - UNS A92024	2024	SAE	
158	AMS4298B	Aluminum Alloy Alclad Sheet 3.8Cu - 1.0Mg - 0.30Mn - 0.60Zn (Alclad 2056-T3) Solution Heat Treated and Cold Worked	2024	SAE	
159	AMS4338C	Aluminum Alloy Extrusions 4.0Cu - 1.3Mg - 0.60Mn (2026-T3511) Solution Heat Treated and Stress Relieved by Stretching - UNS A92026	2024	SAE	
160	AMS4339C	Aluminum Alloy Rolled or Cold Finished Bars and Rods 4.4Cu - 1.5Mg - 0.60Mn (2024-T851) Solution Heat Treated Cold Worked and Artificially Aged - UNS A92024	2024	SAE	
161	AMS4340H	Aluminum Alloy Extrusions 6.2Zn - 2.3Cu - 2.2Mg - 0.12Zr (7050-T76511) Solution Heat Treated Stress Relieved Straightened and Overaged - UNS A97050	2024	SAE	
162	AMS4341H	Aluminum Alloy Extrusions 6.2Zn - 2.3Cu - 2.2Mg - 0.12Zr (7050-T73511) Solution Heat Treated Stress Relieved by Stretching Straightened and Overaged - UNS A97050	2024	SAE	
163	AMS4343G	Aluminum Alloy Extrusions 7.7Zn - 2.4Mg - 1.6Cu - 0.16Cr (7149-T73511) Solution Heat Treated Stress Relieved by Stretching and Overaged - UNS A97149	2024	SAE	
164	AMS4344G	Aluminum Alloy Extrusions 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (7175-T73511) Solution Heat Treated Stress Relieved by Stretching Straightened and Overaged - UNS A97175	2024	SAE	
165	AMS4349F	Core Honeycomb Aluminum Alloy Corrosion Inhibited For Sandwich Construction 5056 350 (177)	2024	SAE	
166	AMS4351B	Aluminum Alloy Plate (7065-T7651) 7.7Zn - 2.1Cu - 1.65Mg - 0.10Zr Solution Heat Treated Stress-Relieved and Overaged	2024	SAE	
167	AMS4352K	(R) Magnesium Alloy Extrusions 5.5Zn - 0.45Zr (ZK60A - T5) Precipitation Heat Treated - UNS M16600	2024	SAE	
168	AMS4354B	Aluminum Alloy Plate 7.9Zn _ 1.8Cu - 2.0Mg - 0.10Zr (7099-T7451) Solution Heat Treated Stress Relieved and Overaged	2024	SAE	
169	AMS4359A	NULL	2024	SAE	
170	AMS4361B	Aluminum Alloy Plate (7065-T7451) 7.7Zn - 2.1Cu - 1.65Mg - 0.10Zr Solution Heat Treated Stress-Relieved and Overaged	2024	SAE	
171	AMS4369A	NULL	2024	SAE	
172	AMS4373A	NULL	2024	SAE	
173	AMS4375N	Sheet and Plate Magnesium Alloy 3.0Al - 1.0Zn - 0.20Mn (AZ31B-0) Annealed and Recrystallized - UNS M11311	2024	SAE	
174	AMS4378A	NULL	2024	SAE	
175	AMS4379A	NULL	2024	SAE	
176	AMS4391A	NULL	2024	SAE	
177	AMS4392A	NULL	2024	SAE	
178	AMS4393A	NULL	2024	SAE	

179	AMS4394A	NULL	2024	SAE	
180	AMS4395G	Magnesium Alloy Welding Wire 9.0Al - 2.0Zn (AZ92A) - UNS M11922	2024	SAE	
181	AMS4396G	Magnesium Alloy Welding Wire 3.2 Rare Earths - 2.5Zn - 0.72Zr (EZ33A) - UNS M12331	2024	SAE	
182	AMS4398A	NULL	2024	SAE	
183	AMS4399A	NULL	2024	SAE	
184	AMS4400A	NULL	2024	SAE	
185	AMS4401C	Aluminum Alloy Plate (7140-T7451) 6.6Zn - 1.8Cu - 2.0Mg - 0.10Zr Solution Heat Treated Stress Relieved and Overaged - UNS A97140	2024	SAE	
186	AMS4402B	Aluminum Alloy Extruded Profiles (2024-T432) 4.4Cu - 1.5Mg - 0.6Mn Annealed Stretch Formed Solution Heat Treated and Stress Relieved by Stretching - UNS A92027	2024	SAE	
187	AMS4406B	Aluminum Alloy Centrifugal Castings 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (709.0-T61) Hot Isostatically Pressed Solution and Precipitation Heat Treated - UNS A07090	2024	SAE	
188	AMS4407B	Aluminum Alloy Plate (7056-T7651) 9.1Zn - 1.6Cu - 1.9Mg Solution Heat Treated Stress Relieved and Overaged - UNS A97056	2024	SAE	
189	AMS4408B	Aluminum Alloy Plate (7140-T7651) 6.6Zn - 1.8Cu - 2.0Mg - 0.10Zr Solution Heat Treated Stress Relieved and Overaged - UNS A97140	2024	SAE	
190	AMS4421A	NULL	2024	SAE	
191	AMS4432A	NULL	2024	SAE	
192	AMS4443J	Magnesium Alloy Sand Castings 4.5Zn - 0.75Zr (ZK51A-T5) Precipitation Heat Treated - UNS M16510	2024	SAE	
193	AMS4450A	NULL	2024	SAE	
194	AMS4467C	Aluminum Alloy Sheet and Plate Alclad 4.4Cu 1.5Mg 0.60Mn (Alclad 2024 -T861 Sheet & Plate) Solution Heat Treated 6% Cold Worked and Artificially Aged - UNS A82024	2024	SAE	
195	AMS4475C	Aluminum Alloy Coiled Sheet Alclad 4.4Cu 1.5Mg 0.60Mn (Alclad 2024; -T4 Coiled Sheet) Solution Heat Treated - UNS A82024	2024	SAE	
196	AMS4481A	NULL	2024	SAE	
197	AMS4485B	Magnesium Alloy Extrusions 4.0Y - 2.25Nd - 0.5Zr (WE43C - T5) Precipitation Heat Treated - UNS M18434	2024	SAE	
198	AMS4500L	COPPER SHEET AND STRIP	2024	SAE	
199	AMS4505M	Copper Alloy (Brass) Sheet Strip and Plate 70Cu - 30Zn Annealed (OS035) - UNS C26000	2024	SAE	
200	AMS4554D	Brass Tubing Seamless 66.5Cu - 33Zn - 0.45Pb Annealed - UNS C33000	2024	SAE	
201	AMS4600B	Aluminum Alloy Sheet and Plate 6.3Cu - 0.30Mn - 0.06Ti - 0.10V - 0.18Zr Solution Heat Treated Cold Worked (8%) and Naturally Aged (2219 -T37) - UNS A92219	2024	SAE	
202	AMS4610P	Brass Free-Cutting Bars and Rods 61.5Cu - 35Zn - 3.1Pb Half Hard (H02) - UNS C36000	2024	SAE	
203	AMS4611K	Brass Naval Bars and Rods 60.5Cu - 38.7Zn - 0.8Sn Half Hard (H02) - UNS C46400	2024	SAE	
204	AMS4616H	Silicon Bronze Bars Rods Forgings and Tubing 92Cu - 3.2Si - 2.8Zn - 1.5Fe Stress Relieved - UNS C65620	2024	SAE	
205	AMS4617B	Aluminum Alloy Extrusions 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (7075-T73 7075-T73511 7075-T73510) Solution Heat Treated Stress Relieved by Stretching when required and Overaged - UNS A97075	2024	SAE	
206	AMS4674J	Nickel - Copper Alloy Corrosion-Resistant Bars and Forgings 67Ni - 30Cu - 0.04S Free Machining - UNS N04405	2024	SAE	
207	AMS4700F	Copper Wire Bare High Purity - UNS C10100	2024	SAE	
208	AMS4713H	Brass Wire 65Cu - 35Zn Eighth-Hard (H00) - UNS C27000	2024	SAE	
209	AMS4764H	Copper Alloy Brazing Filler Metal 52.5Cu - 38Mn - 9.5Ni 1615 to 1700 ï°F (879 to 927 ï°C) Solidus-Liquidus Range - UNS C69950	2024	SAE	
210	AMS4784H	Gold-Palladium-Nickel Alloy Brazing Filler Metal High Temperature 50Au - 25Pd - 25Ni 2015 to 2050 ï°F (1102 to 1121 ï°C) Solidus-Liquidus Range - UNS P00500	2024	SAE	
211	AMS4863A	NULL	2024	SAE	

212	AMS4873G	Aluminum Bronze Alloy Sand Castings 85Cu - 11Al - 3.6Fe Solution Heat Treated and Tempered - UNS C95420	2024	SAE	
213	AMS4903E	Titanium Alloy Sheet Strip and Plate 6Al - 4V Solution Heat Treated - UNS R56400	2024	SAE	
214	AMS4911S	Titanium Alloy Sheet Strip and Plate 6Al - 4V Annealed - UNS R56400	2024	SAE	
215	AMS4919K	Titanium Alloy Sheet Strip and Plate 6AI - 2Sn - 4Zr - 2Mo - 0.08Si Duplex Annealed - UNS R54620	2024	SAE	
216	AMS4926R	Titanium Alloy Bars Wire and Rings 5Al - 2.5Sn Annealed 110 ksi (758 MPa) Yield Strength - UNS R54520	2024	SAE	
217	AMS4932E	Titanium Alloy Sheet 6Al - 4V Driver Sheet (Composition similar to UNS R56400)	2024	SAE	
218	AMS4934J	Titanium Alloy Extrusions and Flash Welded Rings 6Al - 4V Solution Heat Treated and Aged - UNS R56400	2024	SAE	
219	AMS4938B	Forgings Titanium Alloys Heat-Treated Finished-Part Properties: Short-Traverse Tensile Fracture Toughness and Longitudinal Time-Dependent-Tension	2024	SAE	
220	AMS4953J	Titanium Alloy Welding Wire 5Al - 2.5Sn - UNS R54520	2024	SAE	
221	AMS4957H	Titanium Alloy Round Bar and Wire 3AI - 8V - 6Cr - 4Mo - 4Zr Consumable Electrode Melted Solution Heat Treated and Cold Drawn - UNS R58640	2024	SAE	
222	AMS4964D	Titanium Alloy Bars Wire Forgings and Rings 4.5Al - 3V - 2Fe - 2Mo Annealed	2024	SAE	
223	AMS4972K	Titanium Alloy Bars Wire and Rings 8Al - 1Mo - 1V Solution Heat Treated and Stabilized - UNS R54810	2024	SAE	
224	AMS4973K	Titanium Alloy Forgings 8Al - 1Mo - 1V Solution Heat Treated and Stabilized - UNS R54810	2024	SAE	
225	AMS4990E	Titanium Alloy Sheet Strip and Plate 6Al - 6V - 2Sn Solution Heat Treated and Aged - UNS R56620	2024	SAE	
226	AMS4999B	Titanium Alloy Direct Deposited Products 6Al - 4V Annealed	2024	SAE	
227	AMS5028G	Steel Welding Wire 1.05Cr 0.55Ni 1.0Mo 0.07V (0.34 0.40C) (D6AC) Vacuum Melted Environment-Controlled Packaging - UNS K23725	2024	SAE	
228	AMS5029F	Steel Welding Wire 0.78Cr - 1.8Ni - 0.35Mo - 0.20V (0.33 - 0.38C)(4335 Mod) Vacuum Melted Environment Controlled Packaging - UNS K33517	2024	SAE	
229	AMS5032J	Wire Steel 0.18 - 0.23C (SAE 1020) Annealed - UNS G10200	2024	SAE	
230	AMS5044L	Steel Sheet and Strip 0.15 Carbon Maximum Half Hard Temper - UNS G10100	2024	SAE	
231	AMS5045L	Steel Sheet and Strip 0.25 Carbon Maximum Hard Temper - UNS G10200	2024	SAE	
232	AMS5112N	Carbon Steel, Wire Spring Quality Music Wire 0.70 - 1.00C Cold Drawn - UNS G10900	2024	SAE	
233	AMS5121M	Sheet and Strip Steel (0.90 - 1.04C) (SAE 1095) Annealed - UNS G10950	2024	SAE	
234	AMS5334J	Steel, Investment Castings 0.50Cr - 0.55Ni - 0.20Mo (0.25 - 0.35C) (SAE 8630 Mod) Normalized and Tempered - UNS J13042	2024	SAE	
235	AMS5504P	Steel Corrosion and Heat-Resistant Sheet Strip and Plate 12.5Cr (SAE 51410) Annealed - UNS S41000	2024	SAE	
236	AMS5505G	Steel Corrosion and Heat Resistant Sheet Strip and Plate 12Cr (SAE 51410 Modified) Ferrite Controlled Annealed - UNS S41000	2024	SAE	
237	AMS5506H	Steel Corrosion and Heat Resistant Sheet Strip and Plate 13Cr (0.30 - 0.40C) (SAE 51420) Annealed - UNS S42000	2024	SAE	
238	AMS5511L	Steel Corrosion-Resistant Sheet Strip and Plate 19Cr - 9.5Ni (304L) Solution Heat Treated - UNS S30403	2024	SAE	
239	AMS5512N	Steel Corrosion and Heat-Resistant Sheet Strip and Plate 18Cr - 10.5Ni - 0.80Cb (SAE 30347) Solution Heat Treated - UNS S34700	2024	SAE	
240	AMS5517N	Steel Corrosion Resistant Sheet and Strip 18Cr - 8Ni (SAE 30301) Cold Rolled 125 ksi (862 MPa) Tensile Strength - UNS S30100	2024	SAE	
241	AMS5528K	Steel Corrosion-Resistant Sheet Strip and Plate 17Cr - 7.1Ni - 1.1Al Solution Heat Treated Precipitation Hardenable - UNS S17700	2024	SAE	
242	AMS5529L	Steel Corrosion Resistant Sheet and Strip 17Cr - 7.1Ni - 1.1Al Solution Heat Treated and Cold Rolled Precipitation Hardenable 0.0015 to 0.100 inch (0.038 to 2.54 mm) Nominal Thickness - UNS S17700	2024	SAE	
243	AMS5536R	Nickel Alloy Corrosion and Heat-Resistant Sheet Strip and Plate 47.5Ni - 22Cr - 1.5Co - 9.0Mo - 0.60W - 18.5Fe Solution Heat Treated - UNS N06002	2024	SAE	
244	AMS5541J	Nickel Alloy Corrosion and Heat Resistant Sheet and Strip 73Ni - 15.5Cr - 2.4Ti - 0.7Al - 7.0Fe Annealed - UNS N07722	2024	SAE	

245	AMS5542R	Nickel Alloy Corrosion and Heat-Resistant Sheet Strip and Plate 72Ni - 15.5Cr - 0.95Cb(Nb) - 2.5Ti - 0.70Al - 7.0Fe Annealed - UNS N07750	2024	SAE	
246	AMS5547J	Steel Corrosion and Heat-Resistant Sheet and Strip 15.5Cr - 4.5Ni - 2.9Mo - 0.10N Solution Heat Treated - UNS S35500	2024	SAE	
247	AMS5555G	Nickel and Wire Ribbon 99Ni - UNS N02205	2024	SAE	
248	AMS5572J	Steel Corrosion and Heat-Resistant Seamless Tubing 25Cr - 20Ni (SAE 30310S) Solution Heat Treated - UNS S31008	2024	SAE	
249	AMS5582H	Nickel Alloy Corrosion and Heat-Resistant Seamless Tubing 72Ni - 15.5Cr - 0.95Cb (Nb) - 2.5Ti - 0.70Al - 7.0Fe Solution Heat Treated Precipitation Hardenable to 155 ksi (1069 MPa) Tensile Strength - UNS N07750	2024	SAE	
250	AMS5583G	Nickel Alloy Corrosion and Heat-Resistant Seamless Tubing 72Ni - 15.5Cr - 0.95Cb (Nb) - 2.5Ti - 0.70Al - 7.0Fe Vacuum Melted Solution Heat Treated Precipitation Hardenable to 170 ksi (1172 MPa) Tensile Strength - UNS N07750	2024	SAE	
251	AMS5586J	Nickel Alloy Corrosion and Heat-Resistant Welded Tubing 57Ni - 19.5Cr - 13.5Co - 4.2Mo - 2.9Ti - 1.4Al - 0.006B - 0.08Zr Consumable Electrode Remelted or Vacuum Induction Melted Annealed - UNS N07001	2024	SAE	
252	AMS5591M	Steel Corrosion and Heat-Resistant Tubing Seamless 12.5Cr (SAE 51410) Annealed - UNS S41000	2024	SAE	
253	AMS5592H	Iron-Nickel Alloy Corrosion and Heat-Resistant Sheet Strip and Plate 44Fe - 18.5Cr - 35Ni - 1.15Si Solution Heat Treated - UNS N08330	2024	SAE	
254	AMS5598G	Nickel Alloy Corrosion and Heat-Resistant Sheet Strip and Plate 72Ni - 15.5Cr - 0.95 (Cb (Nb) + Ta) - 2.5Ti - 0.70Al - 7.0Fe Consumable Electrode Remelted or Vacuum Induction Melted Solution Heat Treated Precipitation-Hardenable - UNS N07750	2024	SAE	
255	AMS5600G	Steel Corrosion-Resistant Sheet Laminated Edge Bonded - UNS S30200	2024	SAE	
256	AMS5605H	Nickel Alloy Corrosion and Heat-Resistant Sheet Strip and Plate 41.5Ni - 16Cr - 37Fe - 2.9Cb (Nb) - 1.8Ti Consumable Electrode or Vacuum Induction Melted 1800 °F (982 °C) Solution Heat Treated - UNS N09706	2024	SAE	
257	AMS5606G	Alloy Corrosion and Heat-Resistant Sheet Strip and Plate 41.5Ni - 16Cr - 37Fe - 2.9Cb - 1.8Ti Consumable Electrode or Vacuum Induction Melted 1750 °F (954 °C) Solution Heat Treated - UNS N09706	2024	SAE	
258	AMS5607H	Nickel Alloy Corrosion and Heat-Resistant Sheet Strip and Plate 73Ni - 7.0Cr - 16.5Mo Solution Heat Treated - UNS N10003	2024	SAE	
259	AMS5609F	Steel Corrosion and Heat Resistant Bars Wire Forgings Tubing and Rings 12Cr - 0.12Cb (SAE 51410 Modified) Ferrite Controlled Annealed - UNS S41040	2024	SAE	
260	AMS5612L	Steel Corrosion and Heat-Resistant Bars Wire Forgings Tubing and Rings 12Cr Ferrite Controlled Annealed - UNS S41001	2024	SAE	
261	AMS5614G	Steel Corrosion and Heat Resistant Bars Wire and Forgings 12Cr - 0.50Mo Annealed - UNS S41025	2024	SAE	
262	AMS5617L	Steel Corrosion-Resistant Bars Wire and Forgings 12Cr - 8.5Ni - 1.2Ti - 2.0Cu Vacuum Induction Plus Vacuum Consumable Electrode Melted Solution Heat Treated Precipitation Hardenable - UNS S45500	2024	SAE	
263	AMS5627J	Steel Corrosion and Heat-Resistant Bars Wire Forgins Tubing and Rings 17Cr (SAE 51430) Annealed - UNS S43000	2024	SAE	
264	AMS5649J	Steel Corrosion and Heat-Resistant Bars Wire and Forgings 18Cr - 13Ni - 2.1Mo Free Machining Solution Heat Treated - UNS J92200	2024	SAE	
265	AMS5651L	Steel Corrosion and Heat-Resistant Bars Wire Forgings Tubing and Rings 25Cr - 20Ni (SAE 30310) Solution Heat Treated - UNS S31008	2024	SAE	
266	AMS5653K	Steel Corrosion and Heat-Resistant Bars Wire Forgings Tubing and Rings 17Cr - 12Ni - 2.5Mo (0.030 Max C) (316L) Solution Heat Treated - UNS S31603	2024	SAE	
267	AMS5661H	Nickel-Iron Alloy Corrosion and Heat-Resistant Bars Forgings and Rings 42.5Ni - 12.5Cr - 5.8Mo - 2.9Ti - 0.015B - 35Fe Consumable Electrode or Vacuum Induction Melted Solution Stabilization and Precipitation Heat Treated - Composition similar to UNS	2024	SAE	
268	AMS5668L	Nickel Alloy Corrosion and Heat-Resistant Bars Forgings and Rings 72Ni - 15.5Cr - 7.0Fe - 2.5Ti - 1.0Cb (Nb) - 0.70Al 2100 °F (1149 °C) Solution and Precipitation Heat Treated - UNS N07750	2024	SAE	
269	AMS5671J	Nickel Alloy Corrosion and Heat-Resistant Bars Forgings and Rings 72Ni - 15.5Cr - 0.95Cb - 2.5Ti - 0.70Al - 7.0Fe Consumable Electrode or Vacuum Induction Melted 1800 °F (982 °C) Solution Heat Treated Precipitation Hardenable - UNS N07750	2024	SAE	
270	AMS5686J	Steel Corrosion Resistant Rivet Wire 18Cr - 11.5Ni (SAE 30305) Solution Heat Treated - UNS S30500	2024	SAE	

271	AMS5692F	Steel Corrosion and Heat-Resistant Welding Wire 19Cr - 12.5Ni - 2.5Mo - UNS S31680	2024	SAE	
272	AMS5708N	Nickel Alloy Corrosion and Heat-Resistant Bars Wire Forgings and Rings 58Ni - 19.5Cr - 13.5Co - 4.3Mo - 3.0Ti - 1.4Al Consumable Electrode or Vacuum Induction Melted 1975 j°F (1079 j°C) Solution Heat Treated - UNS N07001	2024	SAE	
273	AMS5734L	Steel Corrosion and Heat-Resistant Bars Wire Forgings and Tubing 15Cr - 25.5Ni - 1.2Mo - 2.1Ti - 0.006B - 0.30V Consumable Electrode Melted 1650 j°F (899 j°C) Solution Heat Treated - UNS S66286	2024	SAE	
274	AMS5744G	Steel Corrosion and Heat-Resistant Bars and Forgings 15.5Cr - 4.5Ni - 2.9Mo - 0.10N Heat Treated 170 ksi (1172 MPa) Tensile Strength - UNS S35500	2024	SAE	
275	AMS5754P	Nickel Alloy Corrosion and Heat-Resistant Bars Forgings and Rings 47.5Ni - 22Cr - 1.5Co - 9.0Mo - 0.60W - 18.5Fe Solution Heat Treated - UNS N06002	2024	SAE	
276	AMS5755G	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 64Ni - 5.0Cr - 24.5Mo - 5.5Fe Solution Heat Treated - UNS N10004	2024	SAE	
277	AMS5782J	Steel Corrosion and Heat Resistant Welding Wire 20.5Cr - 9.0Ni - 0.50Mo - 1.5W - 1.2Cb - 0.20Ti Vacuum Induction Melted - UNS S63197	2024	SAE	
278	AMS5792C	Powder Plasma Spray 50 (88WC - 12Co) + 35 (70Ni - 16.5Cr - 4Fe - 4Si - 3.8B) + 15 (80Ni - 20A1) Three-Component Mixture	2024	SAE	
279	AMS5793C	Powder Plasma Spray 95Ni - 5Al	2024	SAE	
280	AMS5805K	Steel Corrosion and Heat Resistant Welding Wire 15Cr - 25.5Ni - 1.2Mo - 2.1Ti - 0.004B - 0.30V Vacuum Induction Melted Environment Controlled Packaging - UNS S66286	2024	SAE	
281	AMS5828H	Nickel Alloy Corrosion and Heat Resistant Welding Wire 57Ni - 19.5Cr - 13.5Co - 4.2Mo - 3.1Ti - 1.4Al - 0.006B Vacuum Induction Melted Solution Heat Treated - UNS N07001	2024	SAE	
282	AMS5848F	Steel Corrosion-Resistant Bars Wire Forgings Extrusions Tubing and Rings Wear and Galling Resistant 8.0Mn 4.0Si 17Cr 8.5Ni 0.13N Solution Heat Treated - UNS S21800	2024	SAE	
283	AMS5853E	Steel Corrosion and Heat-Resistant Bars and Wire 15Cr - 25.5Ni - 1.2Mo - 2.1Ti - 0.006B - 0.30V Consumable Electrode Melted 1800 j°F (982 j°C) Solution Treated and Work-Strengthened 160 ksi (1103 MPa) Tensile Strength - UNS S66286	2024	SAE	
284	AMS5870G	Nickel Alloy Corrosion and Heat-Resistant Sheet Strip and Plate 60.5Ni - 23Cr - 14Fe - 0.35Ti - 1.4Al Solution Heat Treated. - UNS N06601	2024	SAE	
285	AMS5872G	Nickel Alloy Corrosion and Heat-Resistant Sheet Strip and Plate 48Ni - 20Cr - 20Co - 5.9Mo - 2.2Ti - 0.45Al Consumable Electrode or Vacuum Induction Melted Solution Heat Treated - UNS N07263	2024	SAE	
286	AMS5880F	Steel Corrosion-Resistant Bars Wire and Forgings 17Cr 0.52Mo (0.95 1.20C) (SAE 51440C) for Bearing Applications - UNS S44004	2024	SAE	
287	AMS5898C	Steel Corrosion Resistant Bars Wire and Forgings 15.2Cr - 1.0Mo - 0.40N - (0.28 - 0.34C) Consumable Electrode Melted Under Pressure	2024	SAE	
288	AMS5899D	Steel Corrosion-Resistant Bars Wire and Forgings 17Cr - 0.52Mo (0.95 - 1.20C) Powder Metallurgy Product Hot Isostatically Pressed - UNS S44004	2024	SAE	
289	AMS5903D	Steel Corrosion-Resistant Sheet Strip and Plate 18Cr - 9.0Ni (SAE 30302) Cold Rolled 1/4 Hard 125 ksi (862 MPa) Tensile Strength - UNS S30200	2024	SAE	
290	AMS5904D	Steel Corrosion-Resistant Sheet and Strip 18Cr - 9.0Ni (SAE 30302) Cold Rolled 1/2 Hard 150 ksi (1034 MPa) Tensile Strength - UNS S30200	2024	SAE	
291	AMS5905D	Steel Corrosion Resistant Sheet and Strip 18Cr - 9.0Ni (SAE 30302) Cold Rolled 3/4 Hard 175 ksi (1207 MPa) Tensile Strength - UNS S30200	2024	SAE	
292	AMS5907D	Steel Corrosion and Heat Resistant Sheet Strip and Plate 17Cr - 12Ni - 2.5Mo (SAE 30316) Cold Rolled 1/4 Hard 125 ksi (862 MPa) Tensile Strength - UNS S31600	2024	SAE	
293	AMS5910D	Steel Corrosion-Resistant Sheet Strip and Plate 19Cr - 9.2Ni (SAE 30304) Cold Rolled 125 ksi (862 MPa) Tensile Strength - UNS S30400	2024	SAE	
294	AMS5914C	Nickel Alloy Corrosion and Heat Resistant Sheet Strip and Foil 52.5Ni - 19Cr - 3.0Mo - 5.0Cb - 0.90Ti - 0.50Al - 18Fe Consumable Electrode or Vacuum Induction Melted Precision Cold Rolled Solution Heat Treated - UNS N07719	2024	SAE	

295	AMS5919C	Cobalt-Nickel Alloy Corrosion and Heat-Resistant Round Bars 19Cr - 36Co - 25Ni - 7.0Mo - 0.50Cb (Nb) - 2.9Ti - 0.20Al - 9.0Fe Vacuum Induction Plus Vacuum Consumable Electrode Melted Solution Heat Treated and Work Strengthened Modified Strength - UNS R	2024	SAE	
296	AMS5920C	Cobalt-Nickel Alloy Corrosion and Heat-Resistant Round Bars 19Cr - 36Co - 25Ni - 7.0Mo - 0.50Cb (Nb) - 2.9Ti - 0.20Al - 9.0Fe Vacuum Induction Plus Vacuum Consumable Electrode Melted Solution Heat Treated Work Strengthened and Aged Modified Strength -	2024	SAE	
297	AMS5922D	Steel Corrosion-Resistant Bars and Forgings 10Cr - 5.5Ni - 14Co - 2Mo - 1W (0.19-0.23C) Vacuum Induction Melted Vacuum Arc Remelted Normalized Annealed - UNS S10500	2024	SAE	
298	AMS5926A	NULL	2024	SAE	
299	AMS5933B	Steel Corrosion Resistant Bars and Forgings 12.5Cr - 1.0Ni - 15.5Co - 2.0Mo Vacuum Induction Plus Vacuum Consumable Electrode Remelted	2024	SAE	
300	AMS5934H950	NULL	2024	SAE	
301	AMS5934H1000A	NULL	2024	SAE	
302	AMS5934H1025	NULL	2024	SAE	
303	AMS5934H1050	NULL	2024	SAE	
304	AMS5934H1100	NULL	2024	SAE	
305	AMS5934H1150	NULL	2024	SAE	
306	AMS5940E	Alloy Corrosion and Heat-Resistant Bars Forgings and Rings 34Co - 3.0Cr - 28Ni - 3.0Cb(Nb) - 5.5Al - 0.008B - 25.5Fe Multiple Melted High Temperature Oxidation-Resistant Low Expansion Solution Heat Treated Precipitation-Hardenable - UNS R30783	2024	SAE	
307	AMS5960B	Nickel Alloy Corrosion and Heat Resistant Sheet Strip and Foil Ni - 18Cr - 2.8Mo - 5.5Cb (Nb) - 0.70Ti - 1.50Al - 10Fe - 9Co - 1W Vacuum Induction Melted and Consumable Electrode Remelted Solution Heat Treated - UNS N07818	2024	SAE	
308	AMS5961B	Nickel Alloy Corrosion and Heat-Resistant Wire 74Ni - 15.5Cr - 8.0Fe Cold Reduced Spring Temper - UNS N06600	2024	SAE	
309	AMS5966D	Nickel Alloy Corrosion and Heat Resistant Welding Wire 50Ni - 20Cr - 20Co - 5.9Mo - 2.2Ti - 0.45AI Consumable Electrode or Vacuum Induction Melted - UNS N07263	2024	SAE	
310	AMS6264N	Steel Carburizing Grade Bars Forgings and Tubing 1.2Cr - 3.2Ni - 0.12Mo (0.14 - 0.20C) (SAE 9317) - UNS K44414	2024	SAE	
311	AMS6292L	Steel Bars and Forgings Carburizing 1.8Ni - 0.25Mo (0.15 - 0.20C) (SAE 4617) - UNS G46170	2024	SAE	
312	AMS6299H	Steel Bars Forgings and Tubing Carburizing 0.50Cr - 1.8Ni - 0.25Mo (0.17 - 0.23C) (SAE 4320H) - UNS H43200	2024	SAE	
313	AMS6325M	Steel Bars and Forgings 0.50Cr 0.55Ni 0.25Mo (0.38 0.43C) (SAE 8740) Heat Treated 105 ksi (724 MPa) Tensile Strength - UNS G87400	2024	SAE	
314	AMS6327M	Steel Bars and Forgings 0.50Cr - 0.55Ni - 0.25Mo (0.38 - 0.43C) (SAE 8740) Heat Treated 125 ksi (862 MPa) Tensile Strength - UNS G87400	2024	SAE	
315	AMS6345F	Steel Sheet Strip and Plate 0.95Cr - 0.20Mo (0.28 - 0.33C) (SAE 4130) Normalized or Otherwise Heat Treated - UNS G41300	2024	SAE	
316	AMS6349F	Steel Bars 0.95Cr - 0.20Mo (0.38 to 0.43C) (SAE 4140) Normalized - UNS G41400	2024	SAE	
317	AMS6350R	Steel Sheet Strip and Plate 0.95Cr - 0.20Mo (0.28 - 0.33C) (SAE 4130) - UNS G41300	2024	SAE	
318	AMS6351M	Steel Sheet Strip and Plate 0.95Cr - 0.20Mo (0.28 - 0.33C) (SAE 4130) Spheroidized - UNS G41300	2024	SAE	
319	AMS6356K	Steel Sheet Strip and Plate 0.95Cr - 0.20Mo - (0.30 - 0.35C)(4132) - UNS G41300	2024	SAE	
320	AMS6361H	Steel Tubing Seamless 0.95Cr - 0.20Mo (0.28 - 0.33C) (SAE 4130) 125 ksi (862 MPa) Tensile Strength - UNS G41300	2024	SAE	
321	AMS6362J	Steel Tubing Seamless 0.95Cr - 0.20Mo (0.28 - 0.33C) (SAE 4130) 150 ksi (1034 MPa) Tensile Strength - UNS G41300	2024	SAE	
322	AMS6378J	Steel Bars 1.0Cr - 0.20Mo - 0.45Se (0.39 - 0.48C) (4142H Modified) Die-Drawn 130 ksi (896 MPa) Yield Strength Free Machining - UNS K11542	2024	SAE	

323	AMS6433J	Steel Sheet Strip and Plate 0.75Mn - 0.78Cr - 1.8Ni - 0.35Mo - 0.20V (0.33 - 0.38C) (4335 Mod) - UNS K33517	2024	SAE	
324	AMS6470R	Steel Nitriding Bars Forgings and Tubing 1.6 Cr 0.35Mo 1.13Al (0.38 0.43C) (135 Mod) - UNS K24065	2024	SAE	
325	AMS6472H	Steel Bars and Forgings Nitriding 1.6Cr 0.35Mo 1.1Al (0.38 0.43C) (135 Mod) Hardened and Tempered 112 ksi (772 MPa) Tensile Strength - UNS K24065	2024	SAE	
326	AMS6475M	Steel Nitriding Bars Forgings and Tubing 1.1Cr - 3.5Ni - 0.25Mo - 1.2Al (0.21 - 0.26C) - UNS K52355	2024	SAE	
327	AMS6482C	Steel Bars Forgings and Tubing 1.5Si - 1.25Cr - 3.8Ni - 0.50Mo - 0.30V (0.40C) Vacuum Remelted Annealed - UNS K63835	2024	SAE	
328	AMS6490K	Steel Bars Forgings and Tubing 4.0Cr - 4.2Mo - 1.0V (0.77 - 0.85C) (M-50) Premium Aircraft-Quality for Bearing Applications Consumable Electrode Vacuum Melted - UNS T11350	2024	SAE	
329	AMS6491G	Steel Bars Forgings and Tubing 4.1Cr - 4.2Mo - 1.0V (0.80 - 0.85C) (M-50) Premium Aircraft-Quality for Bearing Applications Double Vacuum Melted - UNS T11350	2024	SAE	
330	AMS6492C	Steel Bars Forgings and Tubing 1.0Cr 3.25Ni 0.40Mo (0.17 0.22C) Aircraft Quality - UNS K41910	2024	SAE	
331	AMS6493C	Steel Bars Forgings and Tubing 1.0Cr - 3.25Ni - 0.40Mo (0.17 - 0.22C) Electroslag Remelted or Consumable Electrode Vacuum Remelted Premium Aircraft-Quality - UNS K41910	2024	SAE	
332	AMS6499C	Steel Bars Forgings and Tubing 2.7Si - 0.85Cr - 1.8Ni - 0.4Mo - 0.2V - (0.37 - 0.44C) Double Vacuum Melted - UNS K54015	2024	SAE	
333	AMS6519F	Steel Maraging Bars Forgings Tubing and Rings 19Ni - 3.0Mo - 1.4Ti - 0.10Al Premium Aircraft-Quality Double Vacuum Melted Annealed - UNS K92150	2024	SAE	
334	AMS6532L	Steel Bars and Forgings and Forging Stock 3.1Cr - 11.5Ni - 13.5Co - 1.2Mo (0.21 - 0.25C) Vacuum Melted Normalized and Overaged Precipitation Hardenable	2024	SAE	
335	AMS6539B	Steel Bars Forgings and Tubing 1.7Cr - 3.8Ni - 0.3Mo (0.32 - 0.38C) Aircraft-Quality - UNS K54532	2024	SAE	
336	AMS6900D	Titanium Alloy Bars Forgings and Forging Stock 5Al - 2.5Sn Annealed - UNS R54520	2024	SAE	
337	AMS6901D	Titanium Alloy Bars Forgings and Forging Stock 5Al - 2.5Sn Extra Low Interstitial Annealed - UNS R54521	2024	SAE	
338	AMS6903	NULL	2024	SAE	
339	AMS6906D	Titanium Alloy Bars Forgings and Forging Stock 6.0Al - 2.0Sn - 4.0Zr - 6.0Mo Solution Heat Treated and Aged - UNS R56260	2024	SAE	
340	AMS6915D	Titanium Alloy Bars Forgings and Forging Stock 7.0Al - 4.0Mo Annealed	2024	SAE	
341	AMS6920E	Titanium Alloy Bars Forgings and Forging Stock 3Al - 8V - 6Cr - 4Mo - 4Zr Solution Heat Treated - UNS R58640	2024	SAE	
342	AMS6935D	Titanium Alloy Bars Forgings and Forging Stock 6.0Al 6.0V 2.0Sn Solution Heat Treated and Aged - UNS R56620	2024	SAE	
343	AMS6940C	Titanium Alloy Bars Forgings and Forging Stock 3.0Al - 2.5V Annealed - UNS R56320	2024	SAE	
344	AMS6946E	Titanium Alloy Sheet Strip and Plate 4Al - 2.5V - 1.5Fe Annealed - UNS R54250	2024	SAE	
345	AMS6947C	Titanium Alloy Bars Wire Forgings Rings and Drawn Shapes 4Al - 2.5V -1.5 Fe Annealed Heat Treatable - UNS R54250	2024	SAE	
346	AMS6948C	Titanium Alloy Bars Wire Forgings Rings and Drawn Shapes 4Al - 2.5V -1.5 Fe Annealed - UNS R54250	2024	SAE	
347	AMS6949B	Titanium Alloy Sheet and Strip 4Al - 2.5V - 1.5Fe Electron Beam Single Melted.Annealed - UNS R54250	2024	SAE	
348	AMS7028	Aluminum Alloy Powder 7.0Si - 0.55Mg - 0.12Ti	2024	SAE	
349	AMS7030	Aluminum Alloy Powder 4.6Cu - 3.4Ti - 1.4B - 0.75Ag - 0.27Mg	2024	SAE	
350	AMS7057	NULL	2024	SAE	
351	AMS7259F	Rubber: Fluorocarbon (FKM) High Temperature/Fluid Resistant Low Compression Set/ 85 to 95 Hardness For Seals In Fuel Systems and Specific Engine Oil Systems	2024	SAE	
352	AMS7320H	Rings Sealing Cast Leaded-Tin Bronze 80Cu 16Sn 5Pb As Cast - UNS C92800	2024	SAE	
353	AMS7707F	Iron Commercially Pure Bar Sheet Strip and Plate Hot Rolled Unannealed - UNS K00095	2024	SAE	
354	AMS7848E	Tantalum Alloy Bars and Rods 90Ta - 10W - UNS R05255	2024	SAE	
355	AMS7904F	Beryllium Bars Rods Tubing and Shapes High Ductility Grade	2024	SAE	

356	AMS7907E	Beryllium Bars Rods Tubing and Shapes Instrument Grade	2024	SAE	
357	AMS7910E	Beryllium Near-Net Preforms Standard Grade Cold Isostatic Pressed Sintered	2024	SAE	
358	AMS7913E	Aluminum-Beryllium Alloy Sheet and Plate 38Al - 62Be	2024	SAE	
359	AMS24313F	NULL	2024	SAE	
360	AMS24314E	NULL	2024	SAE	
361	AMS24318D	NULL	2024	SAE	
362	AMS27596D	NULL	2024	SAE	
363	AMS30502A	NULL	2024	SAE	
364	AMS30503A	NULL	2024	SAE	
365	AMS30504A	NULL	2024	SAE	
366	AMS30505A	NULL	2024	SAE	
367	AMS30506A	NULL	2024	SAE	
368	AMS30507A	NULL	2024	SAE	
369	AMS30508A	NULL	2024	SAE	
370	AMS30509A	NULL	2024	SAE	
371	AMS243110	NULL	2024	SAE	
372	AMS275910D	NULL	2024	SAE	
373	ARP85G	Air Conditioning Systems for Subsonic Airplanes	2024	SAE	
374	ARP147E	(R) Environmental Control Systems Terminology	2024	SAE	
375	ARP464A	NULL	2024	SAE	
376	ARP465C	Flange - Thermocouple	2024	SAE	
377	ARP485B	Temperature Measuring Devices Nomenclature	2024	SAE	
378	ARP488G	Exits and Their Operation - Air Transport Cabin Emergency	2024	SAE	
379	ARP583L	Flight Attendant Stations	2024	SAE	
380	ARP712C	(R) Galley Lighting	2024	SAE	
381	ARP813D	(R) Maintainability Recommendations for Aircraft Wheel and Hydraulically Actuated Brake Design	2024	SAE	
382	ARP924B	Specification and Inspection of Glass for Integrally Lighted Aerospace Instruments	2024	SAE	
383	ARP1070E	(R) Design and Testing of Antiskid Brake Control Systems for Total Aircraft Compatibility	2024	SAE	
384	ARP1217B	Instrumentation Requirements for Turboshaft Engine Performance Measurements	2024	SAE	
385	ARP1234E	Gland Design Elastomeric O-Ring Seals Static Axial Without Back-Up Rings	2024	SAE	
386	ARP1281C	(R) Actuators: Aircraft Flight Controls, Power Operated, Hydraulic, General Specification For	2024	SAE	
387	ARP1307C	(R) Measurement of Exterior Noise Produced by Aircraft Auxiliary Power Units (APUs) and Associated Aircraft Systems During Ground Operation	2024	SAE	
388	ARP1315E	Safety Considerations for Airplane Lavatories	2024	SAE	
389	ARP1341C	Determining Decarburization and Carburization in Finished Parts of Carbon and Low-Alloy Steels	2024	SAE	
390	ARP1481B	Corrosion Control and Electrical Conductivity in Enclosure Design	2024	SAE	
391	ARP1533D	Procedure for the Analysis and Evaluation of Gaseous Emissions from Aircraft Engines	2024	SAE	
392	ARP1631A	Manufacturing Sequence for Fabrication of High-Strength Steel Parts 300M or 4340 Modified Low-Alloy Steels 270,000 psi (1860 MPa) Tensile Strength and Higher	2024	SAE	
393	ARP1658C	Hose Assemblies Installed Visual Inspection Guide For	2024	SAE	
394	ARP1709A	NULL	2024	SAE	
395	ARP1797B	Aircraft and Aircraft Engine Fuel Pump Low Lubricity Fluid Endurance Test	2024	SAE	

396	ARP1802C	Selection and Application of Polytetrafluoroethylene (PTFE or TFE) Backup Rings for Hydraulic and Pneumatic Fluid Power Applications	2024	SAE	
397	ARP1839	A Guide to Aircraft Turbine Engine Vibration Monitoring Systems	2024	SAE	
398	ARP1947D	Dendrite Arm Spacing of Structural Aircraft Quality D357 Aluminum Alloy Castings Determination and Acceptance of	2024	SAE	
399	ARP4014A	AIRCRAFT TURBINE ENGINE PNEUMATIC COMPONENT CONTAMINATED AIR ENDURANCE TEST	2024	SAE	
400	ARP4048A	NULL	2024	SAE	
401	ARP4168B	Night Vision Goggle (NVG) Compatible Light Sources	2024	SAE	
402	ARP4379B	(R) Aerospace - Accumulator, Hydraulic, Cylindrical, Piston Separated	2024	SAE	
403	ARP4402A	(R) Eddy Current Inspection of Open Fastener Holes in Aluminum Aircraft Structure	2024	SAE	
404	ARP4404D	Aircraft Electrical Installations	2024	SAE	
405	ARP4462C	(R) Barkhausen Noise Inspection for Detecting Grinding Burns in High Strength Steel Parts	2024	SAE	
406	ARP4466B	Dimensional Compatibility of Child Restraint Systems and Passenger Seat Systems in Civil Transport Airplanes	2024	SAE	
407	ARP4853D	(R) Design Specification for Towbarless Tow Vehicles	2024	SAE	
408	ARP4895B	Flight Control Actuators - Dynamic Seals, Collection of Duty Cycle Data	2024	SAE	
409	ARP4915C	(R) Disposition of Landing Gear Components Involved in Accidents/Incidents	2024	SAE	
410	ARP5015B	(R) Ground Equipment - 400 Hertz Ground Power Performance Requirements	2024	SAE	
411	ARP5021B	(R) Oxygen Cylinder Installation Guide	2024	SAE	
412	ARP5088C	Test Method for the Determination of Total Acidity in Polyol Ester and Diester Gas Turbine Lubricants by Automatic Potentiometric Titration	2024	SAE	
413	ARP5252A	(R) Emergency Portability of Slide/Rafts	2024	SAE	
414	ARP5412C	(R) Aircraft Lightning Environment and Related Test Waveforms	2024	SAE	
415	ARP5507A	NULL	2024	SAE	
416	ARP5554	Recommendations for Installation of Seals in Standard Glands	2024	SAE	
417	ARP5559	Recommendations for Installation of Seals in Standard Glands	2024	SAE	
418	ARP5614A	NULL	2024	SAE	
419	ARP5637A	Design and Maintenance Considerations for Aircraft Exterior Lighting Plastic Lenses	2024	SAE	
420	ARP5879A	NULL	2024	SAE	
421	ARP5987A	NULL	2024	SAE	
422	ARP5991B	Test Method for the Determination of Water Concentration in Polyol Ester and Diester Aerospace Lubricants by Coulometric Karl Fischer Titration	2024	SAE	
423	ARP6167A	NULL	2024	SAE	
424	ARP6196A	NULL	2024	SAE	
425	ARP6227	JAUS Messaging over the OMG Data Distribution Service (DDS)	2024	SAE	
426	ARP6243	Training for Quality Control of Overhaul Chemical Process Operators (Parts Cleaners)	2024	SAE	
427	ARP6265	Tire Burst Test Methodology	2024	SAE	
428	ARP6283	In-Service Fiber Optic Inspection, Evaluation and Cleaning, Best Practices, Physical Contact Termini	2024	SAE	
429	ARP6318	Verification of Discrete and Packaged Photonic Device Technology Readiness	2024	SAE	
430	ARP6320B	Procedure for the Continuous Sampling and Measurement of Non-Volatile Particulate Matter Emissions from Aircraft Turbine Engines	2024	SAE	
431	ARP6330A	NULL	2024	SAE	
432	ARP6366	Fiber Optic Sensor Specification Guidelines for Aerospace Applications	2024	SAE	
433	ARP6402B	LED Landing Taxiing Runway Turnoff and Recognition Lights	2024	SAE	

434	ARP6420A	NULL	2024	SAE	
435	ARP6448B	Gaining Approval for Seats with Integrated Electronics in Accordance with AC 21-49 Section 7.b	2024	SAE	
436	ARP6481A	NULL	2024	SAE	
437	ARP6852E	Methods and Processes for Evaluation of Aerodynamic Effects of SAE-Qualified Aircraft Ground Deicing/Anti-icing Fluids	2024	SAE	
438	ARP6881A	NULL	2024	SAE	
439	ARP6887	Reusable Lock for Spanner Nuts	2024	SAE	
440	ARP6943	Aerial Refueling Lights - Design Criteria	2024	SAE	
441	ARP6951	Galley System Design and Installation Criteria	2024	SAE	
442	ARP6992	High Temperature Pneumatic Duct Systems for Aircraft	2024	SAE	
443	ARP7064	NULL	2024	SAE	
444	ARP7131	NULL	2024	SAE	
445	ARP7446A	NULL	2024	SAE	
446	ARP7500	Minimization of High Temperature Oxidation, Aluminum Alloy Heat Treatment	2024	SAE	
447	ARP7977	NULL	2024	SAE	
448	ARP8831	Procedure for Development of a Test Method	2024	SAE	
449	ARP9137A	NULL	2024	SAE	
450	ARP54486A	NULL	2024	SAE	
451	AS130B	TUBE BENDING RADIUS	2024	SAE	
452	AS407E	Contractile Strain Ratio Testing of Titanium Hydraulic Tubing	2024	SAE	
453	AS598A	(R) Aerospace Microscopic Sizing and Counting of Particulate Contamination for Fluid Power Systems	2024	SAE	
454	AS755G	(R) Aircraft Propulsion System Performance Station Designation and Nomenclature	2024	SAE	
455	AS916C	(R) Oxygen Flow Indication	2024	SAE	
456	AS1310C	Faster Torque for Threaded Applications Definitions Of	2024	SAE	
457	AS1337B	Selected Aerospace Diameter Pitch Combinations of Metric 60ï° Screw Threads for Nuts and Bolts	2024	SAE	
458	AS1354	Individual Inflatable Life Preserver	2024	SAE	
459	AS1368C	FITTING REDUCER-EXTERNAL THREAD FLARED TUBE FOR SEAL RING	2024	SAE	
460	AS1369C	FITTING PLUG FLARED TUBE FOR SEAL RING	2024	SAE	
461	AS1473C	HOSE ASSEMBLY FLEXIBLE LOW PRESSURE FLARELESS POTABLE WATER STRAIGHT TO STRAIGHT	2024	SAE	
462	AS1474C	HOSE ASSEMBLY FLEXIBLE LOW PRESSURE FLARELESS POTABLE WATER STRAIGHT TO 45ï°	2024	SAE	
463	AS1475C	HOSE ASSEMBLY FLEXIBLE LOW PRESSURE FLARELESS POTABLE WATER STRAIGHT TO 90ï°	2024	SAE	
464	AS1476C	HOSE ASSEMBLY FLEXIBLE LOW PRESSURE FLARELESS POTABLE WATER 45ï° TO 45ï°	2024	SAE	
465	AS1477C	Hose Assembly Flexible Low Pressure Flareless Potable Water 45ï° TO 90ï°	2024	SAE	
466	AS1478C	HOSE ASSEMBLY FLEXIBLE LOW PRESSURE FLARELESS POTABLE WATER 90ï° TO 90ï°	2024	SAE	
467	AS1483A	NULL	2024	SAE	
468	AS1484A	NULL	2024	SAE	
469	AS1485A	NULL	2024	SAE	
470	AS1486A	NULL	2024	SAE	
471	AS1487A	NULL	2024	SAE	
472	AS1488A	NULL	2024	SAE	
473	AS1576G	(R) Fittings Welded Hydraulic Titanium Corrosion Resistant Steel and Nickel 3000 psi Hydraulic	2024	SAE	
474	AS1578B	BELLMOUTH TUBE END WELDING	2024	SAE	

475	AS1651C	ASSEMBLED COUPLING THREADLESS - FLEXIBLE FIXED CAVITY SELF-BONDING ENVELOPE DIMENSIONS	2024	SAE	
476	AS1652B	COUPLING ASSEMBLY THREADLESS - FLEXIBLE FIXED CAVITY SELF-BONDING	2024	SAE	
477	AS1653D	MALE FERRULE THREADLESS - FLEXIBLE FIXED CAVITY SELF-BONDING SWAGED	2024	SAE	
478	AS1654E	SLEEVE THREADLESS - FLEXIBLE FIXED CAVITY SELF-BONDING	2024	SAE	
479	AS1655D	COUPLING BODY THREADLESS - FLEXIBLE FIXED CAVITY SELF-BONDING	2024	SAE	
480	AS1656D	FITTING END THREADLESS - FLEXIBLE FIXED CAVITY SELF-BONDING MALE AND FEMALE DESIGN STANDARD	2024	SAE	
481	AS1711C	COUPLING FLEXIBLE VARIABLE CAVITY THREADED FERRULE TYPE TUBE ENDS ENVELOPE DIMENSIONS DESIGN STANDARD	2024	SAE	
482	AS1712D	COUPLING SUBASSEMBLY FLEXIBLE VARIABLE CAVITY THREADED FERRULE TYPE TUBE ENDS	2024	SAE	
483	AS1713D	HALF COUPLING SUBASSEMBLY FLEXIBLE VARIABLE CAVITY THREADED FERRULE TYPE TUBE ENDS	2024	SAE	
484	AS1714E	NUT ASSEMBLY COUPLING FLEXIBLE VARIABLE CAVITY THREADED FERRULE TYPE TUBE ENDS	2024	SAE	
485	AS1715F	WASHER COUPLING FLEXIBLE VARIABLE CAVITY THREADED FERRULE TYPE TUBE ENDS	2024	SAE	
486	AS1716E	FERRULE COUPLING FLEXIBLE VARIABLE CAVITY THREADED FERRULE TUBE END	2024	SAE	
487	AS1717E	RETAINER COUPLING FLEXIBLE VARIABLE CAVITY THREADED FERRULE TYPE TUBE ENDS	2024	SAE	
488	AS1718F	COUPLING BODY FLEXIBLE VARIABLE CAVITY THREADED FERRULE TYPE TUBE ENDS	2024	SAE	
489	AS1719C	FITTING END HALF-COUPLING FLEXIBLE VARIABLE CAVITY THREADED FERRULE TYPE DESIGN STANDARD	2024	SAE	
490	AS1720C	FITTING END COUPLING FLEXIBLE VARIABLE CAVITY THREADED FERRULE TYPE DESIGN STANDARD	2024	SAE	
491	AS1723A	NULL	2024	SAE	
492	AS1863A	NULL	2024	SAE	
493	AS1864A	NULL	2024	SAE	
494	AS1865A	NULL	2024	SAE	
495	AS1866A	NULL	2024	SAE	
496	AS1867A	NULL	2024	SAE	
497	AS1868A	NULL	2024	SAE	
498	AS1895F	(R) Coupling Assembly V-Retainer High Pressure High Temperature Pneumatic Tube	2024	SAE	
499	AS1911D	(R) HOSE ASSEMBLY POLYTETRAFLUOROETHYLENE CRES REINFORCED 400 °F 3000 PSI LIGHTWEIGHT BEAM SEAL STRAIGHT TO 90°	2024	SAE	
500	AS1933B	Age Controls for Hose Containing Age-Sensitive Elastomeric Material	2024	SAE	
501	AS1941B	FITTING END STRAIGHT THREAD HIGH PRESSURE BOSS CONNECTION DESIGN STANDARD	2024	SAE	
502	AS1960A	NULL	2024	SAE	
503	AS3063C	Bolts, Screws, and Studs, Geometric Control Requirements	2024	SAE	
504	AS3080A	(R) INSERT - CRES HELICAL COIL FINE THREAD, STRAIGHT, STUD LOCKING, 1.5 DIA NOM LENGTH	2024	SAE	
505	AS3081A	(R) INSERT - CRES HELICAL COIL FINE THREAD, STRAIGHT, STUD LOCKING, 2 DIA NOM LENGTH	2024	SAE	
506	AS3083A	(R) INSERT - CRES HELICAL COIL FINE THREAD, STRAIGHT, STUD LOCKING, 3 DIA NOM LENGTH	2024	SAE	
507	AS3090A	STUD - STRAIGHT, KEY LOCKED, CRES UNS S66286 .1900-32 UNJF X .1900-32 UNJF	2024	SAE	
508	AS3095A	(R) INSERT - CRES HELICAL COIL FINE THREAD, LOCKING (LOW FRICTION SYSTEMS) 2 DIA NOM LENGTH	2024	SAE	
509	AS3096B	(R) INSERT CRES HELICAL COIL FINE THREAD LOCKING (LOW FRICTION SYSTEMS) 2.5 DIA NOM LENGTH	2024	SAE	
510	AS3097B	(R) INSERT - CRES HELICAL COIL FINE THREAD LOCKING (LOW FRICTION SYSTEMS) 3 DIA NOM LENGTH	2024	SAE	

511	AS3098A	(R) SCREW, MACHINE - HEXAGON HEAD, PD SHANK, CRES AMS5731 (UNS S66286), .164-36 UNJF-3A	2024	SAE	
512	AS3099B	(R) BOLT MACHINE - HEXAGON HEAD PD SHANK CRES AMS 5731 .190-32 UNJF-3A	2024	SAE	
513	AS3100B	(R) BOLT MACHINE - HEXAGON HEAD PD SHANK CRES AMS5731 .2500-28 UNJF-3A	2024	SAE	
514	AS3101B	(R) BOLT MACHINE - HEXAGON HEAD PD SHANK CRES AMS5731 .3125-24 UNJF-3A	2024	SAE	
515	AS3102B	(R) BOLT MACHINE - HEXAGON HEAD PD SHANK CRES AMS5731 .3750-24 UNFJ-3A	2024	SAE	
516	AS3103B	(R) BOLT MACHINE - HEXAGON HEAD PD SHANK CRES AMS5731 .4375-20 UNJF-3A	2024	SAE	
517	AS3104B	(R) BOLT MACHINE - HEXAGON HEAD PD SHANK CRES AMS5731 .5000-20 UNJF-3A	2024	SAE	
518	AS3105B	(R) BOLT MACHINE - HEXAGON HEAD PD SHANK CRES AMS5731 .5625-18 UNFJ-3A	2024	SAE	
519	AS3121B	PLUG, EXPANSION, ALUMINUM, 2024-T4 AND 2024-T351, LONG; STD AND .010 OVERSIZE DIAMETERS - UNS A92024	2024	SAE	
520	AS3122B	PIN, EXPANSION - ALUMINUM, 2024-T4 AND 2024-T351, LONG - UNS A92024	2024	SAE	
521	AS3124B	PIN, EXPANSION - ALUMINUM, 2024-T4 AND 2024-T351, SHORT, UNS A92024	2024	SAE	
522	AS3170B	BOLT MACHINE - DOUBLE HEX EXTENDED WASHER HEAD CLOSE TOLERANCE SHANK AMS5643 (UNS S17400) .3750-24 UNJF-3A	2024	SAE	
523	AS3171B	BOLT MACHINE - DOUBLE HEX EXTENDED WASHER HEAD CLOSE TOLERANCE SHANK AMS5643 (UNS S17400) .4375-20 UNJF-3A	2024	SAE	
524	AS3172B	BOLT MACHINE - DOUBLE HEX EXTENDED WASHER HEAD CLOSE TOLERANCE SHANK AMS5643 (UNS S17400) 140 KSI .5000-20 UNJF-3A	2024	SAE	
525	AS3173B	BOLT MACHINE - DOUBLE HEX EXTENDED WASHER HEAD CLOSE TOLERANCE SHANK AMS5643 (UNS S17400) 140 KSI .5625-18 UNJF-3A	2024	SAE	
526	AS3247D	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, NICKEL ALLOY, UNS N07718, 185 KSI MIN, .4375-20 UNJF-3A	2024	SAE	
527	AS3250D	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, NICKEL ALLOY, UNS N07718, 185 KSI MIN, .1900-32 UNJF-3A	2024	SAE	
528	AS3272B	(R) NUT - SELF-LOCKING CLINCH SERRATED SHANK 700 Ï°F DRY FILM COATED UNS S66286 UNJ THREAD	2024	SAE	
529	AS3273B	(R) NUT - SELF-LOCKING CLINCH SERRATED SHANK 1200 Ï°F SILVER PLATED UNS S66286 UNJ THREAD	2024	SAE	
530	AS3298A	NULL	2024	SAE	
531	AS3411E	(R) BOLT TEE HEAD - AMS5662 CHAMFERED .3125-24 UNJF-3A (STRESS RUPTURE RESISTANT)	2024	SAE	
532	AS3435A	NULL	2024	SAE	
533	AS3436A	NULL	2024	SAE	
534	AS3472A	RING, RETAINING - INTERNAL, SPIRAL WOUND HEAVY AND MEDIUM DUTY, UNS S66286	2024	SAE	
535	AS3505D	INSERT - THIN WALL LONG SELF-LOCKING 1025 Ï°F SILVER PLATED ON INTERNAL SURFACES ONLY UNS N07718 UNJ THREAD	2024	SAE	
536	AS3509C	CABLE SAFETY KIT NICKEL ALLOY UNS N0660	2024	SAE	
537	AS3511C	CABLE SAFETY KIT CORROSION RESISTANT STEEL UNS S30400	2024	SAE	
538	AS3528A	(R) BOLT, SHEAR - DOUBLE HEX HEAD, UNS S66286 - 160 KSI	2024	SAE	
539	AS3529A	BOLT, SHEAR - DOUBLE HEX HEAD, DRILLED SHANK UNS S66286 - 160 KSI	2024	SAE	
540	AS3566B	(R) NUT SELF-LOCKING CASTELLATED PREVAILING TORQUE UNS G41300 OR UNS G43400 UNJ 16 PITCH THREAD FORM	2024	SAE	
541	AS3572B	(R) INSERT SCREW THREAD NON-LOCKING LOCKED IN KEY LOCKED HEAVY-DUTY SELF-BROACHING KEYS UNS S66286	2024	SAE	
542	AS3588B	(R) PIN AND PLUG, EXPANSION, SET OF PARTS AL ALLOY 2024-T4 AND 2024-T351, SHORT; STD AND .010 OVERSIZE DIAMETERS, UNS A92024	2024	SAE	

543	AS3589C	(R) PIN AND PLUG, EXPANSION SET OF PARTS, AL ALLOY 2024-T4 AND 2024-T351, LONG; STD AND .010 OVERSIZE DIAMETERS (UNS A92024)	2024	SAE	
544	AS3616A	NULL	2024	SAE	
545	AS3623B	BOLT MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD DRILLED PD SHANK COBALT-NICKEL ALLOY UNS R30159 260 KSI MIN	2024	SAE	
546	AS3625B	(R) NUT, SELF-LOCKING, DOUBLE HEXAGON, REDUCED ENVELOPE, UNS S66286 SILVER PLATED THREADS ONLY	2024	SAE	
547	AS4073B	(R) Air Cycle Air Conditioning Systems for Air Vehicles	2024	SAE	
548	AS4167D	(R) Wrenches; Flare Nut Crowfoot 12 Point Non-distorting	2024	SAE	
549	AS4194B	Sheet and Strip Surface Finish Nomenclature	2024	SAE	
550	AS4216A	NULL	2024	SAE	
551	AS4299B	Rings, Retaining - Spiral Wound, Uniform Section Corrosion and Heat Resistant, UNS S66286	2024	SAE	
552	AS4383D	FITTING ASSEMBLY REDUCER RING LOCKED PORT CONNECTION TO BEAM SEAL 5000 PSI /8/	2024	SAE	
553	AS4407D	(R) FITTING ASSEMBLY ELBOW 90ï° REDUCER AND NONREDUCER INTERNAL FLARE TO FLARED TUBE	2024	SAE	
554	AS4409D	FITTING ASSEMBLY ELBOW 45ï° REDUCER AND NONREDUCER INTERNAL FLARE TO FLARED TUBE	2024	SAE	
555	AS4723A	NULL	2024	SAE	
556	AS4724A	NULL	2024	SAE	
557	AS4734D	MALE FERRULE THREADLESS - FLEXIBLE FIXED CAVITY SELF-BONDING BUTT WELDED	2024	SAE	
558	AS4735C	(R) Female Ferrule Threadless - Flexible Fixed Cavity Self-Bonding Swaged	2024	SAE	
559	AS4792C	Water Conditioning Agents for Aqueous Magnetic Particle Inspection	2024	SAE	
560	AS4793A	NULL	2024	SAE	
561	AS4833A	Aircraft New Tire Standard - Bias and Radial	2024	SAE	
562	AS4897B	Hose Assembly Polytetrafluoroethylene (PTFE) Low Pressure 450 °F and Fireproof Procurement Specification for	2024	SAE	
563	AS4958B	Performance Nut Self-Locking Castellated Prevailing Torque UNJ 16 Pitch Thread Form	2024	SAE	
564	AS4983A	NULL	2024	SAE	
565	AS5054B	Areas for Calculating Stress or Load Values for Externally and Internally Threaded Fasteners	2024	SAE	
566	AS5127D	(R) Aerospace Standard Test Methods for Aerospace Sealants Methods for Preparing Aerospace Sealant Test Specimens	2024	SAE	
567	AS5169D	FITTING PORT PLUG AND BLEEDER	2024	SAE	
568	AS5272G	Lubricant Solid Film Heat Cured Corrosion Inhibiting Procurement Specification	2024	SAE	
569	AS5377A	NULL	2024	SAE	
570	AS5405	Mechanical Splice for Aerospace Fiber Optic Cables	2024	SAE	
571	AS5440B	(R) Hydraulic Systems Military Aircraft Design and Installation Requirements For	2024	SAE	
572	AS5447A	NULL	2024	SAE	
573	AS5466	Aerospace - General Requirements for Hydraulic Fuse - Quantity Measuring	2024	SAE	
574	AS5502F	(R) Standard Requirements for Aerospace Sealants and Adhesion Promoters	2024	SAE	
575	AS5571	NULL	2024	SAE	
576	AS5603A	(R) Digital Fiber Optic Link Loss Budget Methodology for Aerospace Platforms	2024	SAE	
577	AS5681C	Minimum Operational Performance Specification for Remote On-Ground Ice Detection Systems	2024	SAE	
578	AS5750A	Loss Budget Specification for Fiber Optic Links	2024	SAE	
579	AS5768A	NULL	2024	SAE	
580	AS5878A	NULL	2024	SAE	
581	AS6062A	(R) JAUS Mission Spooling Service Set	2024	SAE	

582	AS6173B	(R) Cutting Tools Wire Electrical General Specification for	2024	SAE	
583	AS6279C	Standard Practice for Production Distribution and Procurement of Metal Stock	2024	SAE	
584	AS6286D	Aircraft Ground Deicing/Anti-Icing Training and Qualification Program - Effective Date: 8/1/2020	2024	SAE	
585	AS6301A	NULL	2024	SAE	
586	AS6413	Manufacturing Processing Requirements for Molded Elastomer Components Used in Aerospace Applications	2024	SAE	
587	AS6446A	NULL	2024	SAE	
588	AS6496A	NULL	2024	SAE	
589	AS6506A	Fusion Splice for Aerospace Fiber Optic Cables	2024	SAE	
590	AS6522B	(R) Unmanned Systems (UxS) Control Segment (UCS) Architecture: Architecture Technical Governance	2024	SAE	
591	AS6834	Installation Procedures and Torques for Fluid Connections	2024	SAE	
592	AS6996	NULL	2024	SAE	
593	AS6999	NULL	2024	SAE	
594	AS7051	NULL	2024	SAE	
595	AS7052	NULL	2024	SAE	
596	AS7053	NULL	2024	SAE	
597	AS7054	NULL	2024	SAE	
598	AS7055	NULL	2024	SAE	
599	AS7056	NULL	2024	SAE	
600	AS7205A	NULL	2024	SAE	
601	AS7207A	NULL	2024	SAE	
602	AS7210B	Pins Cotter Steel Corrosion Resistant UNS S30200 Procurement Specification for	2024	SAE	
603	AS7211B	Pins Cotter Steel Corrosion and Heat Resistant UNS S32100 Procurement Specification	2024	SAE	
604	AS7222B	Aluminum Rivets UNS A92117 2.5Cu - 0.3Mg (2117-T4) Procurement Specification	2024	SAE	
605	AS7229A	NULL	2024	SAE	
606	AS7233A	NULL	2024	SAE	
607	AS7234A	NULL	2024	SAE	
608	AS7235A	NULL	2024	SAE	
609	AS7236A	NULL	2024	SAE	
610	AS7237A	NULL	2024	SAE	
611	AS7246A	NULL	2024	SAE	
612	AS7250E	(R) Nuts Self-Locking Steel Corrosion and Heat Resistant High Strength All Metal 1200 ĭ°F Use UN Thread Form	2024	SAE	
613	AS7256	Nuts Self-Locking Steel High Strength All Metal 450 Degrees F Use UNJ Thread Form	2024	SAE	
614	AS7330A	NULL	2024	SAE	
615	AS7469B	(R) Bolts and Screws, UNS N07041 Nickel Alloy, Corrosion and Heat Resistant, 155 ksi, Procurement Specification	2024	SAE	
616	AS8026B	Crewmember Demand Oxygen Mask for Transport Category Aircraft	2024	SAE	
617	AS8040C	(R) Heater and Accessories, Aircraft Internal Combustion Heat Exchanger Type	2024	SAE	
618	AS8473	NULL	2024	SAE	
619	AS8879D	Screw Threads - UNJ Profile, Inch Controlled Radius Root with Increased Minor Diameter - Best Copy Available	2024	SAE	
620	AS8994	Gasket Fuselage Light - Cover Screw	2024	SAE	
621	AS9116A	NULL	2024	SAE	
622	AS9125	NULL	2024	SAE	

623	AS9357C	(R) NUT PLAIN HEXAGON SILVER PLATED UNS S66286 130 KSI MIN	2024	SAE	
624	AS9358B	NUT, PLAIN, CASTELLATED, HEXAGON - UNS S66286, 130 KSI MIN	2024	SAE	
625	AS9433B	BOLT, TEE HEAD, CHAMFERED - CRES, UNS S66286, 130 KSI MIN, .2500-28 UNJF-3A	2024	SAE	
626	AS9554F	SCREW MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD CORROSION AND HEAT RESISTANT STEEL UNS S66286 130 KSI MIN .1380-40 UNJF-3A	2024	SAE	
627	AS9556F	BOLT MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD CORROSION AND HEAT RESISTANT STEEL UNS S66286 130 KSI MIN .1900-32 UNJF-3A	2024	SAE	
628	AS9559E	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, UTS 130 KSI MIN, .3750-24 UNJF-3A	2024	SAE	
629	AS9566B	(R) BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, CRES UNS S66286, 130 KSI MIN .2500-28 UNJF-3A	2024	SAE	
630	AS9568F	BOLT, MACHINE _ DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, CRES UNS S66286, 130 KSI MIN, .3750-24 UNJF-3A	2024	SAE	
631	AS9581C	(R) WASHER KEY - 90 DEG LOCKING CRES UNS S32100	2024	SAE	
632	AS9633B	(R) BOLT, MACHINE - HEXAGON HEAD, PD SHANK, TITANIUM AMS4967 (UNS R56400), .190-32 UNJF-3A	2024	SAE	
633	AS9714A	(R) BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, DRILLED, SILVER PLATED, CORROSION AND HEAT RESISTANT NICKEL ALLOY UNS N07001, .190-32 UNJF-3A	2024	SAE	
634	AS9715C	BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, DRILLED, SILVER PLATED, CORROSION AND HEAT RESISTANT NICKEL ALLOY, .2500-28 UNJF-3A	2024	SAE	
635	AS9750B	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, AMS4967 (TI 6AL - 4V), .1900-32 UNJF-3A	2024	SAE	
636	AS9842B	(R) PIN STRAIGHT HEADED .0937 DIAMETER UNS S41800	2024	SAE	
637	AS9881C	(R) NUT PLAIN HEXAGON CADMIUM PLATED UNS G87400 125 KSI MIN	2024	SAE	
638	AS9882C	(R) NUT PLAIN HEXAGON - DRILLED CADMIUM PLATED - UNS G87400 125 KSI MIN	2024	SAE	
639	AS9887A	BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK AMS5616, .3125-24 UNJF-3A	2024	SAE	
640	AS13000A	NULL	2024	SAE	
641	AS13003A	NULL	2024	SAE	
642	AS13004A	NULL	2024	SAE	
643	AS13006A	NULL	2024	SAE	
644	AS15000B	FITTING END LUBRICATION HYDRAULIC - DESIGN STANDARD	2024	SAE	
645	AS17143C	(R) TERMINAL LUG CRIMP STYLE COPPER INSULATED RECTANGULAR TONGUE TYPE II CLASS 1 FOR 105 °C TOTAL CONDUCTOR TEMPERATURE	2024	SAE	
646	AS17184D	SCREW EXTERNALLY RELIEVED BODY (SYNCHRO) CRES (UNS S30200 OR UNS S30300)	2024	SAE	
647	AS18029E	(R) COVER ASSEMBLY ELECTRICAL FOR MS27212 TERMINAL BOARD ASSEMBLY	2024	SAE	
648	AS18951J	NULL	2024	SAE	
649	AS18954J	NULL	2024	SAE	
650	AS18957J	NULL	2024	SAE	
651	AS19601B	NULL	2024	SAE	
652	AS19602A	NULL	2024	SAE	
653	AS19603A	NULL	2024	SAE	
654	AS19604A	NULL	2024	SAE	
655	AS19605A	NULL	2024	SAE	
656	AS21151F	BEARING BALL ROD END DOUBLE ROW PRECISION EXTERNAL THREAD SELF-ALIGNING AIRFRAME TYPE II -65 TO 300 DEGREES F	2024	SAE	

657	AS21153F	BEARING BALL ROD END DOUBLE ROW PRECISION INTERNAL THREAD SELF-ALIGNING AIRFRAME TYPE IV -65 TO 300 DEGREE F	2024	SAE	
658	AS21432C	(R) BEARING ROLLER NEEDLE TRACK ROLLER INTEGRAL STUD TYPE VII ANTIFRICTION INCH	2024	SAE	
659	AS21442C	Bearing Roller Needle Track Roller Sealed Type X Antifriction Inch	2024	SAE	
660	AS21916G	REDUCER EXTERNAL THREAD FLARELESS TUBE	2024	SAE	
661	AS21919C	CLAMP LOOP TYPE CUSHIONED SUPPORT	2024	SAE	
662	AS21925F	ELBOW 90â ° UNIVERSAL FLARELESS TUBE HIGH PROFILE	2024	SAE	
663	AS21940B	(R) BOLT CLUSTER FITTING DOUBLE PORT FLARELESS	2024	SAE	
664	AS21980C	FERRULE OUTER UNINSULATED SHIELD TERMINATING TYPE I TWO PIECE CLASS I FOR SHIELDED CABLES	2024	SAE	
665	AS22759E	Wire Electrical Fluoropolymer-Insulated Copper or Copper Alloy	2024	SAE	
666	AS24461E	BEARING ROLLER NEEDLE SINGLE ROW HEAVY DUTY TYPE I ANTIFRICTION INCH	2024	SAE	
667	AS24462C	(R) BEARING ROLLER NEEDLE SINGLE ROW THIN SHELL TYPE II ANTIFRICTION	2024	SAE	
668	AS24465B	(R) BEARING ROLLER NEEDLE-SINGLE ROW HEAVY DUTY TRACK ROLLER TYPE V ANTIFRICTION INCH	2024	SAE	
669	AS25036F	TERMINAL LUG CRIMP STYLE COPPER INSULATED RING TONGUE BELL-MOUTHED TYPE II CLASS 1 (FOR 105 Ï°C TOTAL CONDUCTOR TEMPERATURE)	2024	SAE	
670	AS25189D	TERMINAL LUG CRIMP STYLE COPPER UNINSULATED FLAG TONGUE SIZES 8-0000 TYPE I CLASS I FOR 150 ?C TOTAL CONDUCTOR TEMPERATURE	2024	SAE	
671	AS25481B	(R) Cable Assemblies Electrical Power for Portable Ground Support Test Equipment	2024	SAE	
672	AS27212E	(R) TERMINAL BOARD ASSEMBLY MOLDED-IN-STUD ELECTRIC	2024	SAE	
673	AS33671J	STRAP TIEDOWN ELECTRICAL COMPONENTS ADJUSTABLE SELF-CLINCHING PLASTIC TYPE I CLASS 1	2024	SAE	
674	AS39901D	(R) Bearings Roller Needle Airframe Antifriction Inch	2024	SAE	
675	AS49011C	(R) ROD END - THREADED AIRCRAFT	2024	SAE	
676	AS50861C	Wire Electric Polyvinyl Chloride Insulated Copper or Copper Alloy	2024	SAE	
677	AS51272D	NULL	2024	SAE	
678	AS54051	NULL	2024	SAE	
679	AS61731B	NULL	2024	SAE	
680	AS61732B	NULL	2024	SAE	
681	AS61733A	NULL	2024	SAE	
682	AS79281F	NULL	2024	SAE	
683	AS79285E	NULL	2024	SAE	
684	AS79287B	NULL	2024	SAE	
685	AS79745B	NULL	2024	SAE	
686	AS81819B	(R) Bearings Plain Self-Aligning Self-Lubricating High Speed Oscillation -65 to +160 Ï°F General Specification For	2024	SAE	
687	AS81824E	Splice, Electric, Crimp, Copper, Environment Resistant	2024	SAE	
688	AS81914A	NULL	2024	SAE	
689	AS87132A	NULL	2024	SAE	
690	AS91001E	NUT HEXAGON DRILLED BOSS CONNECTION CRES - UNS S30400	2024	SAE	
691	AS95234D	Connectors Electrical Reverse Bayonet General Specification for	2024	SAE	
692	AS123451C	NULL	2024	SAE	
693	AS124951A	NULL	2024	SAE	

694	AS125401A	NULL	2024	SAE	
695	AS182802B	NULL	2024	SAE	
696	AS189520G	NULL	2024	SAE	
697	AS189521B	NULL	2024	SAE	
698	AS189522G	NULL	2024	SAE	
699	AS189523D	NULL	2024	SAE	
700	AS225201C	NULL	2024	SAE	
701	AS225206B	NULL	2024	SAE	
702	AS225207B	NULL	2024	SAE	
703	AS276461B	NULL	2024	SAE	
704	AS390294D	NULL	2024	SAE	
705	AS390295F	NULL	2024	SAE	
706	AS390299D	NULL	2024	SAE	
707	AS792810E	NULL	2024	SAE	
708	AS792811F	NULL	2024	SAE	
709	AS792814B	NULL	2024	SAE	
710	AS792815C	NULL	2024	SAE	
711	AS813062B	NULL	2024	SAE	
712	AS817145B	NULL	2024	SAE	
713	AS818248A	NULL	2024	SAE	
714	AS819693B	NULL	2024	SAE	
715	AS819698B	NULL	2024	SAE	
716	AS854215E	NULL	2024	SAE	
717	AS2252047	NULL	2024	SAE	
718	AS2305312B	NULL	2024	SAE	
719	AS3902910D	NULL	2024	SAE	
720	AS3902911D	NULL	2024	SAE	
721	AS3902912D	NULL	2024	SAE	
722	AS3902922F	NULL	2024	SAE	
723	AS3902929D	NULL	2024	SAE	
724	AS3902955B	NULL	2024	SAE	
725	AS3902976D	NULL	2024	SAE	
726	AS3902977D	NULL	2024	SAE	
727	AS3902978D	NULL	2024	SAE	
728	AS3902985C	NULL	2024	SAE	
729	AS3902986C	NULL	2024	SAE	
730	AS3902987B	NULL	2024	SAE	
731	AS3902988B	NULL	2024	SAE	
732	AS3902989B	NULL	2024	SAE	
733	AS3902992C	NULL	2024	SAE	
734	AS8171414B	NULL	2024	SAE	

735	AS8171416B	NULL	2024	SAE	
736	AS8171467B	NULL	2024	SAE	
737	AS8182410A	NULL	2024	SAE	
738	AS8182414C	NULL	2024	SAE	
739	AS8182415	NULL	2024	SAE	
740	AS8182416	NULL	2024	SAE	
741	AS8196912A	NULL	2024	SAE	
742	AS8196916A	NULL	2024	SAE	
743	AS8196918A	NULL	2024	SAE	
744	AS8196920A	NULL	2024	SAE	
745	AS8196930B	NULL	2024	SAE	
746	AS8196939A	NULL	2024	SAE	
747	AS8504991E	NULL	2024	SAE	
748	AS39029121A	NULL	2024	SAE	
749	AS39029122B	NULL	2024	SAE	
750	AS85049103E	NULL	2024	SAE	
751	AS85049125A	NULL	2024	SAE	
752	EIA6492A	NULL	2024	SAE	
753	IA9137	NULL	2024	SAE	
754	J89	Dynamic Cushioning Performance Criteria for Snowmobile Seats	2024	SAE	
755	J99	Lighting and Marking of Industrial Equipment on Highways	2024	SAE	
756	J115	(R) Safety Signs	2024	SAE	
757	J129	Engine and Transmission Identification Numbers	2024	SAE	
758	J131	Motorcycle Turn Signal Lamps, Standard	2024	SAE	
759	J180	Electrical Charging Systems for Construction and Industrial Machinery	2024	SAE	
760	J228	Airflow Reference Standards	2024	SAE	
761	J272	(R) Vehicle Identification Number Systems	2024	SAE	
762	J300	(R) Engine Oil Viscosity Classification	2024	SAE	
763	J311	Fluid for Passenger Car Type Automatic Transmissions	2024	SAE	
764	J360	Truck and Bus Grade Parking Performance Test Procedure	2024	SAE	
765	J402	(R) New Steel Designation System for Wrought or Rolled Steel	2024	SAE	
766	J403	Chemical Compositions of SAE Carbon Steels	2024	SAE	
767	J406	(R) Methods of Determining Hardenability of Steels	2024	SAE	
768	J413	Mechanical Properties of Heat Treated Wrought Steels	2024	SAE	
769	J443	(R) PROCEDURES FOR USING STANDARD SHOT PEENING TEST STRIP	2024	SAE	
770	J530	Automotive Pipe Fittings	2024	SAE	
771	J533	(R) FLARES FOR TUBING	2024	SAE	
772	J575	(R) Test Methods and Equipment for Lighting Devices and Components for Use on Vehicles Less Than 2032 mm in Overall Width	2024	SAE	
773	J586	(R) Stop Lamps for Use on Motor Vehicles Less Than 2032 mm in Overall Width	2024	SAE	
774	J680	(R) Location and Operation of Air Brake Controls in Motor Truck Cabs	2024	SAE	
775	J695	Turning Ability and Off Tracking - Motor Vehicles	2024	SAE	

776	J745	Hydraulic Power Pump Test Procedure	2024	SAE	
777	J746	Hydraulic Motor Test Procedure, Recommended Practice - December 1955	2024	SAE	
778	J903	(R) Passenger Car Windshield Wiper Systems	2024	SAE	
779	J920	Technical Publications for Off-Road Self-Propelled Work Machines	2024	SAE	
780	J931	(R) Hydraulic Fluid Power Circuit Filtration - Application & Methods	2024	SAE	
781	J960	Marine Control Cable Connection - Engine Clutch Lever	2024	SAE	
782	J961	Marine Control Cable Connection - Engine Throttle Lever	2024	SAE	
783	J964	(R) Test Procedure for Determining Reflectivity of Rear View Mirrors	2024	SAE	
784	J985	Vision Factors Considerations in Rearview Mirror Design	2024	SAE	
785	J1015	Ton Kilometer per Hour Test Procedure, Standard;	2024	SAE	
786	J1029	Lighting and Marking of Construction, Earthmoving Machinery	2024	SAE	
787	J1058	Sheet Steel Thickness and Profile, Recommended Practice	2024	SAE	
788	J1087	One-Way Clutches - Nomenclature and Terminology	2024	SAE	
789	J1098	(R) Ton Kilometer Per Hour Application	2024	SAE	
790	J1111	Component Nomenclature - Skidder - Grapple	2024	SAE	
791	J1222	Speed Control Assurance for Snowmobiles	2024	SAE	
792	J1227	Assessing Cleanliness of Hydraulic Fluid Power Components and Systems	2024	SAE	
793	J1238	Rating Lift Cranes on Fixed Platforms Operating in the Ocean Environment	2024	SAE	
794	J1241	Fuel and Lubricant Tanks for Motorcycles, Recommended Practice	2024	SAE	
795	J1249	Former SAE Standard and Former SAE Ex-Steels, Information Report	2024	SAE	
796	J1277	(R) Method for Assessing the Cleanliness Level of New Hydraulic Fluid, Standard	2024	SAE	
797	J1279	Snowmobile Drive Mechanisms	2024	SAE	
798	J1308	Fan Guard for Off-Road Machines	2024	SAE	
799	J1339	(R) Test Method for Measuring Performance of Engine Cooling Fans	2024	SAE	
800	J1366	Rating Lift Cranes Operating on Platforms in the Ocean Environment	2024	SAE	
801	J1388	Personnel Protection - Skid Steer Loaders	2024	SAE	
802	J1397	Estimated Mechanical Properties and Machinability of Steel Bars, Information Report	2024	SAE	
803	J1441	(R) Subjective Rating Scale for Vehicle Ride and Handling	2024	SAE	
804	J1449	Small Craft - Graphic Symbols	2024	SAE	
805	J1452	(R) Trailer Grade Parking Performance Test Procedure, Recommended Practice - September 1995	2024	SAE	
806	J1476	Parking Brake Structural Integrity Test Procedure Vehicles Over 4500 kg (10 000 lb) GVWR-Truck and Bus	2024	SAE	
807	J1477	Measurement of Interior Sound Levels of Light Vehicles	2024	SAE	
808	J1487	Rating Air-Conditioner Evaporator Air Delivery and Cooling Capacities	2024	SAE	
809	J1488	(R) Emulsified Water/Fuel Separation Test Procedure	2024	SAE	
810	J1493	Shielding of Starter System Energization	2024	SAE	
811	J1516	Accommodation Tool Reference Point for Class B Vehicles	2024	SAE	
812	J1517	Driver Selected Seat Position for Class B Vehicles - Seat Track Length and SgRP	2024	SAE	
813	J1521	Truck Driver Shin-Knee Position for Clutch and Accelerator	2024	SAE	
814	J1522	Truck Driver Stomach Position	2024	SAE	
815	J1612	Cab Heating Systems Test Procedure and Performance Requirementsâ Trucks, and Multipurpose Vehicles	2024	SAE	
816	J1614	Wiring Distribution Systems for Construction, Agricultural, and Off-Road Work Machines	2024	SAE	

817	J1684	Test Method for Evaluating the Electrochemical Resistance of Coolant System Hoses and Materials	2024	SAE	
818	J1703	Motor Vehicle Brake Fluid	2024	SAE	
819	J1704	Borate Ester Based Brake Fluids	2024	SAE	
820	J1726	Charge Air Cooler Internal Cleanliness, Leakage, and Nomenclature	2024	SAE	
821	J1733	(R) Sign Convention for Vehicle Crash Testing	2024	SAE	
822	J1750	Describing and Evaluating the Truck Driver s Viewing Environment, Recommended Practice	2024	SAE	
823	J1772	SAE Electric Vehicle and Plug in Hybrid Electric Vehicle Conductive Charge Coupler	2024	SAE	
824	J1855	Deployment of Electrically Activated Automotive Air Bags for Automobile Reclamation	2024	SAE	
825	J1899	Lubricating Oil, Aircraft Piston Engine (Ashless Dispersant)	2024	SAE	
826	J1903	Automotive Adaptive Driver Controls, Manual, Recommended Practice	2024	SAE	
827	J1930	(R) ELECTRICAL/ELECTRONIC SYSTEMS DIAGNOSTIC TERMS, DEFINITIONS, ABBREVIATIONS, AND ACRONYMS	2024	SAE	
828	J1952	All-Wheel Drive Systems Classification, Recommended Practice - January 1991	2024	SAE	
829	J1966	Lubricating Oils, Aircraft Piston Engine (Non-Dispersant Mineral Oil)	2024	SAE	
830	J1975	Case Hardenability of Carburized Steels, Information Report	2024	SAE	
831	J1978-2	NULL	2024	SAE	
832	J2022	Classification, Nomenclature, and Specification Definitions for Horizontal Earthboring Machines, Standard	2024	SAE	
833	J2040	Tail Lamps (Rear Position Lamps) for Use on Vehicles 2032 mm or More in Overall Width, Standard	2024	SAE	
834	J2042	Clearance, Sidemarker, and Identification Lamps for Use on Motor Vehicles 2032 mm or More in Overall Width	2024	SAE	
835	J2045	Tube/Hose Assemblies, Standard	2024	SAE	
836	J2118	Braking Performance - Asphalt Pavers	2024	SAE	
837	J2202	(R) Heavy-Duty Wiring Systems for On-Highway Trucks	2024	SAE	
838	J2233	Bus Body Heating Systems, Recommended Practice - December 1995	2024	SAE	
839	J2247	Truck Tractor Power Output for Trailer ABS	2024	SAE	
840	J2255	Antilock Brake Systems Energy Consumption Test Procedure for Air-Braked-Equipped Truck Tractors, Buses, Trailers, and Dollies, Recommended Practice	2024	SAE	
841	J2267	Minimum Performance Criteria for Operator Front Protective Structure (OFPS) for Certain Equipment	2024	SAE	
842	J2275	(R) Internal Combustion Enginesâ Piston Ring-Grooves	2024	SAE	
843	J2297	Ultraviolet Leak Detection: Stability and Compatibility Criteria of Fluorescent Refrigerant Leak Detection Dyes for Mobile R-134a and R-1234yf (HFO-1234yf) Air-Conditioning Systems	2024	SAE	
844	J2305	Hazard Reduction for Horizontal Earthboring Machines	2024	SAE	
845	J2310	(R) Rectangular Cross Section Polymeric Sealing Rings	2024	SAE	
846	J2329	Categorization and Properties of Low-Carbon Automotive Sheet Steels	2024	SAE	
847	J2348	Electric Windshield Washer Switch - Trucks, Buses, and Multipurpose Vehicles	2024	SAE	
848	J2349	Electric Windshield Wiper Switch - Trucks, Buses, and Multipurpose Vehicles	2024	SAE	
849	J2392	Categorization and Properties of SAE Cold Rolled Strip Steels	2024	SAE	
850	J2403	Medium/Heavy-Duty E/E Systems Diagnosis Nomenclature	2024	SAE	
851	J2412	Accelerated Exposure of Automotive Interior Trim Components Using a Controlled Irradiance Xenon-Arc Apparatus	2024	SAE	
852	J2420	COE Frontal Strength Evaluation - Dynamic Loading Heavy Trucks	2024	SAE	
853	J2424	Free Motion Headform Impact Tests of Heavy Truck Cab Interiors	2024	SAE	
854	J2475	Wheel End Assembly and Axle Spindle Interface Dimensions - Truck and Bus	2024	SAE	
855	J2530	Aftermarket Wheelsâ Passenger Cars and Light Truckâ Performance Requirements and Test Procedures	2024	SAE	

856	J2572	Recommended Practice for Measuring Fuel Consumption and Range of Fuel Cell and Hybrid Fuel Cell Vehicles Fuelled by Compressed Gaseous Hydrogen	2024	SAE	
857	J2591	Adaptive Forward Lighting System	2024	SAE	
858	J2634	Scribing of Coatings in Preparation for Testing of Wheels and Wheel Trim	2024	SAE	
859	J2672	Combined Cornering and Braking Test for Truck and Bus Tires	2024	SAE	
860	J2675	Combined Cornering and Braking Test for Truck and Bus Tires	2024	SAE	
861	J2713	Direct Injection Gasoline Fuel Injector Characterization	2024	SAE	
862	J2745	Categorization and Properties of Advanced High Strength Automotive Sheet Steels	2024	SAE	
863	J2784	FMVSS Inertia Dynamometer Test Procedure for Vehicles Below 4540 kg GVWR	2024	SAE	
864	J2799	70 MPa Compressed Hydrogen Surface Vehicle Fueling Connection Device and Optional Vehicle to Station Communications	2024	SAE	
865	J2806	Off-Vehicle Brake Testing for Service Brakes Over 10 000 lb GVWâ Air, Hydraulic, and Mechanical Actuation	2024	SAE	
866	J2807	Performance Requirements for Determining Tow-Vehicle Gross Combination Weight Rating and Trailer Weight Rating	2024	SAE	
867	J2808	Lane Departure Warning Systems: Information for the Human Interface	2024	SAE	
868	J2836	Instructions for Using Plug-In Electric Vehicle (PEV) Communications, Interoperability and Security Documents	2024	SAE	
869	J2855	SAE Instrumented Arm Userâ s Manual	2024	SAE	
870	J2867	Laboratory Testing of Light Duty Vehicle Electric Cooling Fan Assemblies for Airflow Performance	2024	SAE	
871	J2904	Power Cylinder Friction: Mechanisms	2024	SAE	
872	J2923	Inertia-dynamometer Disc Brake Drag Measurement Test Procedure for Vehicles Less Than 4540 kg GVWR	2024	SAE	
873	J2928	Brake Rotor Thermal Cracking Procedure for Vehicles Below 4 540 kg GVWR	2024	SAE	
874	J2938	(R) LED Light Sources Tests and Requirements Standard	2024	SAE	
875	J2939	SAE Child Passenger Safety Glossary	2024	SAE	
876	J2954	(R) Wireless Power Transfer for Light-Duty Plug-In/Electric Vehicles and Alignment Methodology	2024	SAE	
877	J2969	Use of the Critical Speed Formula	2024	SAE	
878	J2985	Definition and Measurement of Transfer Case Speed-Dependent Parasitic Loss	2024	SAE	
879	J2989	Handling and Packaging of Materials and Components for Emissions Testing	2024	SAE	
880	J3001	(R) Brake Insulator Damping Measurement Procedure	2024	SAE	
881	J3006	Low-duty Inertia Dynamometer Hydraulic Brake Wear Test Procedures for Vehicles Above 4536 kg (10 000 lb) of GVWR	2024	SAE	
882	J3024	Product Safety Signs for Ready Mixed Concrete Trucks	2024	SAE	
883	J3048	Driver-Vehicle Interface Considerations for Lane Keeping Assistance Systems	2024	SAE	
884	J3053	Heavy Duty Truck and Bus Electrical Circuit Performance Requirement for 12/24 Volt Electric Starter Motors	2024	SAE	
885	J3059	Ambulance Patient Compartment Seated Occupant Excursion Zone Evaluation	2024	SAE	
886	J3072	Interconnection Requirements for Onboard, Utility-Interactive Inverter Systems	2024	SAE	
887	J3099	Linear Impactor Calibration Procedure	2024	SAE	
888	J3111	A/C Compressor Oil Separator Effectiveness Test Standard	2024	SAE	
889	J3120	Sound Level Determination for Snowmobiles under Typical Trail Operating Conditions	2024	SAE	
890	J3161	LTE Vehicle-to-Everything (LTE-V2X) Deployment Profiles and Radio Parameters for Single Radio Channel Multi-Service Coexistence	2024	SAE	
891	J3162	Heavy Duty OBD IUMPR Data Collection Tool Process	2024	SAE	
892	J3175	Road Vehicles - Friction Materials - Finished Brake Pad Normalized Elastic Constant of Friction Material	2024	SAE	
893	J3201	Taxonomy and Definition of Safety Principles for Automated Driving System (ADS)	2024	SAE	
894	J3207	Taxonomy and Definition of Safety Principles for Automated Driving System (ADS)	2024	SAE	

895	J3217R	NULL	2024	SAE	
896	J3229	Terminology and Measurement Methodology for Determining Vehicle Overlap in Offset-Frontal Crashes	2024	SAE	
897	J3247	Common Port Connections Used in Truck and Bus Air Brake Systems	2024	SAE	
898	J3256	Best Practices for Storage of Lithium-Ion Batteries	2024	SAE	
899	J3277	NULL	2024	SAE	
900	J3282	Guidelines for Haptic Interaction in a Driver Vehicle Interface	2024	SAE	
901	J3287	Guidelines for Haptic Interaction in a Driver Vehicle Interface	2024	SAE	
902	J3291	NULL	2024	SAE	
903	J3298	NULL	2024	SAE	
904	J3309	Driving Level Skill Certification	2024	SAE	
905	J3314	NULL	2024	SAE	
906	J3350	NULL	2024	SAE	
907	J3400	NULL	2024	SAE	
908	J4004	Positioning the H-Point Design Tool Seating Reference Point and Seat Track Length	2024	SAE	
909	J5141	NULL	2024	SAE	
910	J5142	NULL	2024	SAE	
911	J16992	NULL	2024	SAE	
912	J17982	NULL	2024	SAE	
913	J19421	NULL	2024	SAE	
914	J26014	NULL	2024	SAE	
915	J26015	NULL	2024	SAE	
916	J28363	NULL	2024	SAE	
917	J29451B	NULL	2024	SAE	
918	J29451C	NULL	2024	SAE	
919	J29458	NULL	2024	SAE	
920	J29534	NULL	2024	SAE	
921	J29621	NULL	2024	SAE	
922	J29622	NULL	2024	SAE	
923	J29623	NULL	2024	SAE	
924	J30682	NULL	2024	SAE	
925	J30781	NULL	2024	SAE	
926	J30783	NULL	2024	SAE	
927	J31011	NULL	2024	SAE	
928	J31013	NULL	2024	SAE	
929	J31081	NULL	2024	SAE	
930	J31173	NULL	2024	SAE	
931	J31611	NULL	2024	SAE	
932	J31612	NULL	2024	SAE	
933	J193913	NULL	2024	SAE	
934	J193916	NULL	2024	SAE	
935	J193973	NULL	2024	SAE	

936	JA1011	(R) Evaluation Criteria for Reliability-Centered Maintenance (RCM) Processes	2024	SAE	
937	MA1370A	NULL	2024	SAE	
938	MA1508A	NULL	2024	SAE	
939	MA1784B	Spacers and Washers Procurement Specification for Metric	2024	SAE	
940	MA1943C	Nuts Self-Locking UNS N07001 730 Degrees C 1100 MPa and 1210 MPa Procurement Specification for Metric	2024	SAE	
941	MA3295B	NULL	2024	SAE	
942	MA3329E	(R) INSERT SCREW THREAD HELICAL COIL METRIC SERIES SCREW LOCKING CRES UNCOATED	2024	SAE	
943	MA3351A	NULL	2024	SAE	
944	MA3375E	Studs Corrosion and Heat Resistant Steel UNS S66286 Tensile Strength 900 MPa Procurement Specification Metric	2024	SAE	
945	MA3399A	NULL	2024	SAE	
946	MA7211A	Pins, Cotter, Steel, Corrosion and Heat Resistant UNS S32100, Metric Procurement Specification For	2024	SAE	
947	USCAR2-9	NULL	2024	SAE	
948	USCAR49-1	NULL	2024	SAE	
949	AIR825-5A	Liquid Oxygen Systems	2023	SAE	0
950	AIR825-8	Continuous Flow Oxygen Systems	2023	SAE	0
951	AIR825-9	Demand Oxygen Systems	2023	SAE	0
952	AIR825-10A	Protective Breathing Equipment for Flight Deck and Cabin Crew Members	2023	SAE	0
953	AIR825-11A	Closed-Cycle Protective Breathing Devices	2023	SAE	0
954	AIR984D	Air Bleed Objective for Rotorcraft Turbine Engines	2023	SAE	0
955	AIR1392A	Oxygen System Maintenance Guide	2023	SAE	0
956	AIR1423A	Electromagnetic Compatibility on Gas Turbine Engines for Aircraft Propulsion	2023	SAE	0
957	AIR4083A	Helicopter Power Assurance	2023	SAE	0
958	AIR4495	Helicopter Powerplant Corrosion Protection	2023	SAE	0
959	AIR5642	The Effect of Installation Power Losses on the Overall Performance of a Helicopter	2023	SAE	0
960	AIR5742A	Packaging and Transportation of Oxygen Equipment	2023	SAE	0
961	AIR6127	Managing Higher Voltages in Aerospace Electrical Systems	2023	SAE	0
962	AIR6130B	Cadmium Plate Cyclic Corrosion Test	2023	SAE	0
963	AIR6148	Synthetic Jet Fuels from Non-Petroleum Feed Stocks	2023	SAE	0
964	AIR6916	Guide for Safety, Efficiency, and Productivity in Buying Power Hand Tools	2023	SAE	0
965	AIR6977	Water Content Instrumentation for Icing Cloud Characterization	2023	SAE	0
966	AMS1428L	Fluid, Aircraft Deicing/Anti-Icing, Non-Newtonian (Pseudoplastic), SAE Types II, III, and IV	2023	SAE	0
967	AMS1452C	Disinfectant, Aircraft General Purpose	2023	SAE	0
968	AMS1453A	Disinfectant Cleaner for Aircraft Interior General Purpose Liquid	2023	SAE	0
969	AMS1525E	Cleaner for Aircraft Exterior Metallic Surfaces Wipe Solvent, Cold Operations (Stabilized: May 2023)	2023	SAE	0
970	AMS1541D	Cleaner, Fuel Drop Tank Water Soluble (Stabilized: May 2023)	2023	SAE	0
971	AMS2221H	Tolerances Copper and Copper Alloy Bars and Rods	2023	SAE	0
972	AMS2222L	Tolerances Copper and Copper Alloy Sheet, Strip, and Plate	2023	SAE	0
973	AMS2224H	Tolerances Copper and Copper Alloy Wire	2023	SAE	0
974	AMS2259G	Chemical Check Analysis Limits Wrought Low-Alloy and Carbon Steels	2023	SAE	0
975	AMS2370M	Quality Assurance Sampling and Testing Carbon and Low-Alloy Steel Wrought Products and Forging Stock	2023	SAE	0
976	AMS2374F	Quality Assurance Sampling and Testing Corrosion- and Heat-Resistant Steel and Alloy Forgings	2023	SAE	0

977	AMS2431E	Peening Media, General Requirements	2023	SAE	0
978	AMS2460B	Plating, Chromium	2023	SAE	0
979	AMS2615G	Pressure Testing, Hydraulic Pressure as Specified	2023	SAE	0
980	AMS2665J	Brazing, Silver for Use up to 400 °F (204 °C)	2023	SAE	0
981	AMS2667H	Brazing, Silver, for Small Pressurized Fittings	2023	SAE	0
982	AMS2772H	Heat Treatment of Aluminum Alloy Raw Materials	2023	SAE	0
983	AMS3040E	Magnetic Particles, Nonfluorescent Dry Method	2023	SAE	0
984	AMS3041G	Magnetic Particles, Nonfluorescent Wet Method, Oil Vehicle, Ready-to-Use	2023	SAE	0
985	AMS3043F	Magnetic Particles, Nonfluorescent, Wet Method, Oil Vehicle, Aerosol Packaged	2023	SAE	0
986	AMS3196H	Sponge, Silicone Rubber Closed Cell, Firm	2023	SAE	0
987	AMS3213N	Acrylonitrile Butadiene (NBR) Rubber Aromatic Fuel Resistant 75 - 85 (Stabilized: Apr 2023)	2023	SAE	0
988	AMS3238K	Butyl (IIR) Rubber Phosphate Ester Resistant 65 - 75 (Stabilized: Jun 2023)	2023	SAE	0
989	AMS3353A	Elastomer: Fluorocarbon (FKM) Aircraft Engine Oil, Fuel and Hydraulic Fluid Resistant Low Temperature Sealing Tg -40 °F (-40 °C) / 70 to 80 Hardness, for Products in Aircraft Engine Oil, Fuel, and Hydraulics Systems	2023	SAE	0
990	AMS3374G	Sealing Compound Aircraft Firewall, Silicone	2023	SAE	0
991	AMS4015N	Aluminum Alloy, Sheet and Plate 2.5Mg - 0.25Cr (5052-O) Annealed	2023	SAE	0
992	AMS4044P	Aluminum Alloy, Sheet and Plate 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr Annealed (7075-O) or, When Specified, _As Fabricated_ (7075-F)	2023	SAE	0
993	AMS4070P	Aluminum Alloy, Drawn, Round Seamless Tubing 2.5Mg - 0.25Cr (5052-O) Annealed	2023	SAE	0
994	AMS4071P	Aluminum Alloy, Drawn, Round, Seamless Hydraulic Tubing 2.5Mg - 0.25Cr (5052-O) Annealed	2023	SAE	0
995	AMS4080R	Aluminum Alloy, Drawn Seamless Tubing 1.0Mg - 0.60Si - 0.28Cu - 0.20Cr (6061-O) Annealed	2023	SAE	0
996	AMS4107H	Aluminum Alloy Die Forgings (7050-T74) Solution Heat Treated and Overaged - UNS A97050	2023	SAE	0
997	AMS4111F	Aluminum Alloy Forgings 7.7Zn - 2.5Mg - 1.5Cu - 0.16Cr (7049-T73) Solution and Precipitation Heat Treated	2023	SAE	0
998	AMS4113G	Aluminum Alloy, Extruded Profiles 1.0Mg - 0.60Si - 0.28Cu - 0.20Cr (6061-T6) Solution and Precipitation Heat Treated	2023	SAE	0
999	AMS4245G	Aluminum Alloy, Welding Wire 5.0Si - 1.2Cu - 0.50Mg (C355.0)	2023	SAE	0
1000	AMS4269B	Aluminum Alloy, Sheet and Plate 4.4Cu - 1.5Mg - 0.60Mn (2024-T361) Solution Heat Treated and Cold Worked	2023	SAE	0
1001	AMS4296D	Aluminum Alloy, Alclad Sheet and Plate 4.3Cu - 1.4Mg - 0.60Mn (Alclad 2524-T3) Solution Heat Treated and Cold Worked	2023	SAE	0
1002	AMS4305A	Aluminum Alloy, Extruded Profiles (7449-T79511) 8.1Zn - 1.8Cu - 2.2Mg - 0.16Zr Solution Heat Treated, Stress Relieved, and Overaged	2023	SAE	0
1003	AMS4368A	Aluminum Alloy, Discontinuously Reinforced Hot Isostatically Pressed Shapes 6061B/SiC/40p (3 ?m) (T1P)	2023	SAE	0
1004	AMS4477B	Aluminum Alloy, Coiled Sheet 4.4Cu - 1.5Mg - 0.60Mn (2024-T4) Solution Treated	2023	SAE	0
1005	AMS4478B	Aluminum Alloy, Sheet and Plate, Alclad 4.4Cu - 1.5Mg - 0.60Mn (Alclad 2024, -T81 Sheet, -T851 Plate) Solution Heat Treated, Cold Worked and Artificially Aged	2023	SAE	0
1006	AMS4599B	Aluminum Alloy, Sheet, and Plate 6.3Cu - 0.30Mn - 0.06Ti - 0.10V - 0.18Zr Solution and Precipitation Heat Treated (2219 -T81/-T851)	2023	SAE	0
1007	AMS4625J	Phosphor Bronze Bars, Rods, and Tubing 95Cu - 5Sn Hard Temper	2023	SAE	0
1008	AMS4633C	Bronze, Aluminum Silicon, Rods, Bars, and Forgings 90Cu - 7.0Al - 1.8Si Drawn and Stress Relieved (HR50)	2023	SAE	0
1009	AMS4763C	Silver Alloy, Brazing Filler Metal 56Ag - 22Cu - 17Zn - 5.0Sn 1145 to 1205 °F (618 to 652 °C) Solidus-Liquidus Range	2023	SAE	0
1010	AMS4772L	Silver Alloy, Brazing Filler Metal 54Ag - 40Cu - 5.0Zn - 1.0Ni 1325 to 1575 °F (718 to 857 °C) Solidus-Liquidus Range	2023	SAE	0
1011	AMS4895	Titanium Alloy, Round Bars 5Al - 1Fe Annealed	2023	SAE	0
1012	AMS4902M	Titanium Sheet, Strip, and Plate Commercially Pure Annealed 40.0 ksi (276 MPa) Yield Strength	2023	SAE	0
1013	AMS4904E	Titanium Alloy Sheet, Strip, and Plate 6Al - 4V Solution Heat Treated and Aged	2023	SAE	0

1014	AMS4905G	Titanium Alloy, Damage-Tolerant Grade Plate 6Al - 4V, Extra Low Interstitial (ELI) Beta Annealed	2023	SAE	0
1015	AMS4918R	Titanium Alloy, Sheet, Strip, and Plate 6Al - 6V - 2Sn Annealed	2023	SAE	0
1016	AMS4940D	Titanium Sheet, Strip, and Plate Commercially Pure Annealed, 25.0 ksi (172 MPa) Yield Strength	2023	SAE	0
1017	AMS4941H	Titanium Tubing, Welded 40 ksi (276 MPa) Yield Strength	2023	SAE	0
1018	AMS4950F	Titanium Alloy, Bars, Wire, Forgings, and Rings 6.0Al - 4.0V Solution Heat Treated and Aged Modified Strength	2023	SAE	0
1019	AMS4976M	Titanium Alloy, Forgings 6.0Al - 2.0Sn - 4.0Zr - 2.0Mo - 08Si Solution and Precipitation Heat Treated	2023	SAE	0
1020	AMS4989E	Titanium Alloy Sheet, Strip, and Plate 3Al - 2.5V Annealed	2023	SAE	0
1021	AMS4991G	Titanium Alloy Castings, Investment 6Al - 4V Hot Isostatic Pressed, Anneal Optional	2023	SAE	0
1022	AMS4992D	Casting, Structural Investment, Titanium Alloy 6Al - 4V Hot Isostatically Pressed	2023	SAE	0
1023	AMS5120P	Steel Strip 0.68 - 0.80C (SAE 1074)	2023	SAE	0
1024	AMS5441C	Nickel Alloy, Corrosion- and Heat-Resistant, Bars, Forgings, and Rings Ni - 18Cr - 2.8Mo - 5.5Cb (Nb) - 0.70Ti - 1.50Al - 10Fe - 9Co - 1W Consumable Electrode Remelted or Vacuum Induction Melted 1775 °F (968 °C) Solution Heat Treated, Precipitation-Harden	2023	SAE	0
1025	AMS5514J	Steel, Corrosion Resistant, Sheet, Strip, and Plate 18Cr - 11.5Ni (305) Solution Heat Treated	2023	SAE	0
1026	AMS5537K	Cobalt Alloy, Corrosion- and Heat-Resistant, Sheet, Strip, Foil, and Plate 52Co - 20Cr - 10Ni - 15W Solution Heat Treated	2023	SAE	0
1027	AMS5540R	Nickel Alloy, Corrosion- and Heat-Resistant, Sheet, Strip, and Plate 74Ni - 15.5Cr - 8.0Fe Annealed	2023	SAE	0
1028	AMS5564D	Steel, Corrosion Resistant, Tubing 19Cr - 10Ni High-Pressure Hydraulic, Welded Plus Ultrasonically Tested or Seamless Cold Drawn, One Eighth - Hard Temper	2023	SAE	0
1029	AMS5568J	Steel, Corrosion- and Heat-Resistant, Welded Tubing 17Cr - 7.1Ni - 1.1Al Solution Heat Treated, Precipitation-Hardenable	2023	SAE	0
1030	AMS5571K	Steel, Corrosion- and Heat-Resistant, Seamless Tubing 18Cr - 10.5Ni - 0.70Cb (Nb) (347) Solution Heat Treated	2023	SAE	0
1031	AMS5596N	Nickel Alloy, Corrosion- and Heat-Resistant, Sheet, Strip, Foil and Plate 52.5Ni - 19Cr - 3.0Mo - 5.1Cb (Nb) - 0.90Ti - 0.50Al - 18Fe Consumable Electrode Remelted or Vacuum Induction Melted 1775 °F (968 °C) Solution Heat Treated	2023	SAE	0
1032	AMS5604K	Steel, Corrosion Resistant, Sheet, Strip, and Plate 16.5Cr - 4.0Ni - 4.0Cu - 0.30Cb Solution Heat Treated, Precipitation Hardenable	2023	SAE	0
1033	AMS5610R	Steel, Corrosion- and Heat-Resistant, Bars, Wire, Forgings, and Forging Stock 12.5Cr - Low Carbon (SAE 51416, 51416Se) Free-Machining	2023	SAE	0
1034	AMS5620J	Steel, Corrosion- and Heat-Resistant, Bars, Wire, Forgings, and Forging Stock 13Cr (0.30 - 0.40C) (420F, 420FSe) Free-Machining Grade, Annealed	2023	SAE	0
1035	AMS5632K	Steel, Corrosion-Resistant, Bars, Wire, Forgings, and Forging Stock, 17Cr - 0.50Mo (0.95 - 1.20C) (440F), Free-Machining, Annealed	2023	SAE	0
1036	AMS5636H	Steel, Corrosion-Resistant, Bars and Wire 18Cr - 9.0Ni (302) Solution Heat Treated and Cold Drawn 100 ksi (689 MPa) Tensile Strength	2023	SAE	0
1037	AMS5640W	Steel, Corrosion-Resistant, Bars, Wire, and Forgings 18Cr - 9.0Ni Free Machining	2023	SAE	0
1038	AMS5659-H900A	Steel, Corrosion-Resistant, Bars, Wire, Forgings, Rings, and Extrusions 15Cr - 4.5Ni - 0.30Cb (Nb) - 3.5Cu Solution and Precipitation Heat Treated (H900A) (Stabilized: Jan 2023)	2023	SAE	0
1039	ARP1048C	Instrument and Cockpit Illumination for General Aviation Aircraft	2023	SAE	0
1040	ARP1256E	Procedure for the Continuous Sampling and Measurement of Gaseous Emissions from Aircraft Turbine Engines	2023	SAE	0
1041	ARP1384E	Passenger Safety Information System	2023	SAE	0
1042	ARP1833C	Sealing Techniques for Missile Applications	2023	SAE	0
1043	ARP4087D	Wing Inspection Lights - Design Criteria	2023	SAE	0
1044	ARP4287A	Supplemental Oxygen Devices with Automatic or Manual Presentation	2023	SAE	0
1045	ARP4771A	Recommended Brace Positions	2023	SAE	0
1046	ARP4967C	Night Vision Imaging Systems (NVIS) Integrally Illuminated Information Panels	2023	SAE	0
1047	ARP5143A	Vacuum Bagging of Thermosetting Composite and Metalbond Repairs	2023	SAE	0

1048	ARP5144A	Heat Application for Thermosetting Resin Curing	2023	SAE	0
1049	ARP5297C	Recommended Qualification Tests for Halogen Miniature Lamps Less Than 35 Watts for Aircraft Applications (Stabilized: Mar 2023)	2023	SAE	0
1050	ARP5319	Impregnation of Dry Fabric and Ply Lay-Up	2023	SAE	0
1051	ARP5533B	Stationary Runway Weather Information System (In-Pavement) (Stabilized: Feb 2023)	2023	SAE	0
1052	ARP5564A	Airport Runway Brooms (Stabilized: Feb 2023)	2023	SAE	0
1053	ARP5623A	Mobile Digital Infrared Pavement Surface, Ambient Air and Dew Point Temperature Sensor System (Stabilized: Feb 2023)	2023	SAE	0
1054	ARP5655A	Safety Briefings for Passengers in Exit Rows	2023	SAE	0
1055	ARP5660B	Deicing Facility Operational Procedures	2023	SAE	0
1056	ARP5825B	Design Requirements and Test Procedures for Dual Mode Exterior Lights	2023	SAE	0
1057	ARP5889A	Alternative (Ecological) Method for Measuring Electronic Product Immunity to External Electromagnetic Fields (Stabilized: Mar 2023)	2023	SAE	0
1058	ARP6059A	Solid De-Icing/Anti-Icing Material Spreader for Airport Application (Stabilized: Feb 2023)	2023	SAE	0
1059	ARP6178A	Counterfeit Electrical, Electronic, and Electromechanical (EEE) Parts: Tools for Risk Assessment of Other than an Authorized Source (e.g., Independent Distributors)	2023	SAE	0
1060	ARP6205	Transport Airplane Fuel System Lightning Protection	2023	SAE	0
1061	ARP6225B	Aircraft Tire Inspection - In-Service Removal Criteria	2023	SAE	0
1062	ARP6239A	Demonstration Emergency Equipment	2023	SAE	0
1063	ARP6290	Guidelines for the Development of Architectures for Integrated Vehicle Health Management Systems	2023	SAE	0
1064	ARP6377	Human Engineering Considerations Associated with Design and Airborne Implementation of Head Worn Display (HWD) Systems	2023	SAE	0
1065	ARP6412	Recommended Practice for Landing Gear Integrity Programs	2023	SAE	0
1066	ARP6503A	Cabin Crew Rest Facilities (Stabilized: May 2023)	2023	SAE	0
1067	ARP6991	MPR Micropitting Test Method	2023	SAE	0
1068	ARP7120	Compatibility of Turbine Lubricating Oils	2023	SAE	0
1069	ARP7204	Polymeric Bearings for Linear Actuators	2023	SAE	0
1070	ARP7519	Potential Usage of Life Test Samples for Flight	2023	SAE	0
1071	ARP8830	Procedure for Development of a Test Method	2023	SAE	0
1072	AS95A	FITTING ASSEMBLY, CROSS, REDUCER AND NON-REDUCER, INTERNAL FLARE ON ONE END, TO FLARED TUBE	2023	SAE	0
1073	AS681L	Gas Turbine Engine Performance Presentation for Computer Programs	2023	SAE	0
1074	AS861C	Minimum General Standards for Oxygen Systems	2023	SAE	0
1075	AS932C	FITTING, ADAPTER, REDUCER/EXPANDER, FLARELESS TO BOSS	2023	SAE	0
1076	AS954H	Wrenches, Hand, Twelve Point, High Strength, Thin Wall	2023	SAE	0
1077	AS1100D	FITTING, UNION, FLARED TUBE BULKHEAD AND UNIVERSAL, FOR SEAL RING	2023	SAE	0
1078	AS1197B	Continuous Flow Oxygen Regulator	2023	SAE	0
1079	AS1225A	Oxygen System Fill/Check Valve	2023	SAE	0
1080	AS1390A	Level of Repair Analysis (LORA)	2023	SAE	0
1081	AS1491B	Interline Air Cargo Pallets	2023	SAE	0
1082	AS1492C	Interline Air Cargo Pallet Nets	2023	SAE	0
1083	AS1581E	FITTING, SLEEVE, FLARELESS ACORN TO INTEGRAL WELD RING, 3000 PSI	2023	SAE	0
1084	AS1582G	FITTING, ADAPTER, EXTERNAL THREAD FLARELESS TO INTEGRAL WELD RING, 3000 PSI	2023	SAE	0
1085	AS1708H	FITTING END, INTERNAL FLARE, DESIGN STANDARD	2023	SAE	0

1086	AS3040B	INSTALLATION - MULTIPLE TUBE DETACHABLE CUSHION CLAMP (Stabilized: Aug 2023)	2023	SAE	0
1087	AS3241E	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, NICKEL ALLOY, UNS N07718, 185 KSI MIN, .5000-20 UNJF-3A	2023	SAE	0
1088	AS3242E	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, NICKEL ALLOY, UNS N07718, 185 KSI MIN, .5625-18 UNJF-3A	2023	SAE	0
1089	AS4283D	Handles and Attachments for Hand Socket Wrenches	2023	SAE	0
1090	AS4296A	Drawing Interpretation and Standard Machining Practices, Couplings, Fittings, and Hose Ends, Fluid Systems	2023	SAE	0
1091	AS4329A	CAP ASSEMBLY, PRESSURE SEAL, FLARED TUBE FITTING	2023	SAE	0
1092	AS4407C	FITTING ASSEMBLY, ELBOW 90°, REDUCER AND NONREDUCER, INTERNAL FLARE TO FLARED TUBE	2023	SAE	0
1093	AS4408C	FITTING ASSEMBLY, ELBOW 90°, REDUCER AND NONREDUCER, INTERNAL FLARE	2023	SAE	0
1094	AS4409C	FITTING ASSEMBLY, ELBOW 45°, REDUCER AND NONREDUCER, INTERNAL FLARE TO FLARED TUBE	2023	SAE	0
1095	AS4411C	FITTING ASSEMBLY, TEE, REDUCER AND NONREDUCER, INTERNAL FLARE ON SIDE TO FLARED TUBE	2023	SAE	0
1096	AS4662C	FITTING, PLUG, SHORT FLARELESS	2023	SAE	0
1097	AS4832B	Gland Design: Nominal 3/8 Inch Cross Section for Compression-Type Seals	2023	SAE	0
1098	AS5178E	NUT, FITTING, BULKHEAD	2023	SAE	0
1099	AS5179D	NUT, FITTING, PORT	2023	SAE	0
1100	AS5206B	NUT, FLARED, LONG	2023	SAE	0
1101	AS5282C	Tool Steel Ring for Magnetic Particle Inspection	2023	SAE	0
1102	AMS5665R	Nickel Alloy, Corrosion- and Heat-Resistant, Bars, Forgings, and Rings and Stock for Forgings and Rings 74Ni - 15.5Cr - 8.0Fe	2023	SAE	0
1103	AMS5680K	Steel, Corrosion- and Heat-Resistant, Welding Wire 18.5Cr - 11Ni - 0.40Cb (Nb) (SAE 30347)	2023	SAE	0
1104	AMS5689H	Steel, Corrosion- and Heat-Resistant, Wire 18Cr - 10.5Ni - 0.40Ti (321) Solution Heat Treated	2023	SAE	0
1105	AMS5697H	Steel, Corrosion-Resistant, Wire 19Cr - 9.5Ni (304) Solution Heat Treated	2023	SAE	0
1106	AMS5707P	Nickel Alloy, Corrosion- and Heat-Resistant, Bars, Forgings, Rings, and Forging Stock 57Ni - 19.5Cr - 13.5Co - 4.3Mo - 3.0Ti - 1.4Al - 0.05Zr - 0.006B Consumable Electrode Remelted or Vacuum Induction Melted 1825 to 1900 °F (996 to 1038 °C) Solution, Stab	2023	SAE	0
1107	AMS5726F	Steel, Corrosion- and Heat-Resistant, Bars and Wire 15Cr - 25.5Ni - 1.2Mo - 2.1Ti - 0.006B - 0.30V 1800 °F (982 °C) Solution Heat Treated and Work-Strengthened Consumable Electrode Remelted 200 ksi (1379 MPa) Tensile Strength Capability	2023	SAE	0
1108	AMS5749G	Steel, Corrosion-Resistant, Bars, Wire, Forgings, Forging Stock and Mechanical Tubing 14.5Cr - 4.0Mo - 1.2V (1.10-1.20C) Premium Quality for Bearing Applications, Double Vacuum Melted	2023	SAE	0
1109	AMS5768M	Alloy, Corrosion and Heat-Resistant, Bars, Wire, Forgings, Rings and Stock for Forgings, Rings and Heading 21Cr - 20Ni - 20Co - 3.0Mo - 2.5W - 1.0Cb - 0.15N - 31Fe Solution and Precipitation Heat Treated	2023	SAE	0
1110	AMS5784F	Steel, Corrosion- and Heat-Resistant, Welding Wire 29Cr - 9.5Ni	2023	SAE	0
1111	AMS5906D	Steel, Corrosion-Resistant, Sheet and Strip 18Cr - 9.0Ni (SAE 30302) Cold Rolled, Full Hard, 185 ksi (1276 MPa) Tensile Strength	2023	SAE	0
1112	AMS5930C	Steel, Corrosion-Resistant, Bars, Forgings and Forging Stock 13.0Cr - 2.5Ni - 5.5Co - 2.0Mo - 0.60V (0.05 - 0.09C) Vacuum Induction Plus Vacuum Consumable Electrode Melted	2023	SAE	0
1113	AMS6290L	Steel, Bars, Forgings, and Forging Stock, Carburizing 1.8Ni - 0.25Mo (0.11 - 0.17C) (SAE 4615)	2023	SAE	0
1114	AMS6302L	Low-Alloy Steel, Heat-Resistant, Bars, Forgings, Mechanical Tubing and Forging Stock 0.65Si - 1.25Cr - 0.50Mo - 0.25V (0.28 - 0.33C)	2023	SAE	0
1115	AMS6305H	Steel, Heat-Resistant, Bars, Forgings, Mechanical Tubing, and Forging Stock 0.95Cr - 0.55Mo - 0.30V (0.40 - 0.50C) Vacuum Arc Remelted	2023	SAE	0
1116	AMS6308G	Steel, Bars, and Forgings and Forging Stock 0.90Si - 1.0Cr - 2.0Ni - 3.2Mo - 2.0Cu - 0.10V (0.07 - 0.13C) Vacuum Arc or Electroslag Remelted	2023	SAE	0

1117	AMS6320R	Steel Bars, Forgings, Rings and Forging Stock 0.50Cr - 0.55Ni - 0.25Mo (0.33 - 0.38C) (8735)	2023	SAE	0
1118	AMS6328P	Steel, Bars, Forgings, Mechanical Tubing, and Forging Stock 0.50Cr - 0.55Ni - 0.25Mo (0.48 to 0.53C) (8750)	2023	SAE	0
1119	AMS6408F	Steel, Hotwork Tool, Bars, and Forgings and Forging Stock 5.25Cr - 1.5Mo - 1.0V (0.35-0.45C) (H-13) Electroslag Remelted (ESR) or Consumable Electrode Vacuum Arc Remelted (VAR) Annealed	2023	SAE	0
1120	AMS6414N	Steel, Bars, Forgings, Mechanical Tubing, and Forging Stock 0.80Cr - 1.8Ni - 0.25Mo (0.38 - 0.43C) (SAE 4340) Vacuum Consumable Electrode Remelted	2023	SAE	0
1121	AMS6463G	Wire, Steel Welding 18.5Ni - 8.5Co - 5.2Mo - 0.72Ti - 0.10Al (Marage 300) Vacuum Melted, Environment Controlled Packaging	2023	SAE	0
1122	AMS6511C	Steel, Maraging, Bars, Forgings, Mechanical Tubing, Rings, and Stock for Forging and Rings 18Ni - 8.5Co - 3.2Mo - 0.20Ti - 0.10Al Double Vacuum Melted, Annealed	2023	SAE	0
1123	AMS6527G	Steel, Bars, Forgings, and Forging Stock 2.0Cr - 10Ni - 14Co - 1.0Mo (0.15 - 0.19C) Vacuum Melted, Normalized and Overaged	2023	SAE	0
1124	AMS6544F	Steel, Plate 2.0Cr - 10Ni - 8.0Co - 1.0Mo (0.10 - 0.14C) (HY-180) Double Vacuum Melted, Solution Heat Treated	2023	SAE	0
1125	AMS6562	Medium Temperature, Out-of-Autoclave, Oven-Vacuum-Bag Cure Epoxy Resin Impregnated Fiber Reinforced Composite Materials	2023	SAE	0
1126	AMS7911E	Aluminum Beryllium, Preforms Hot Isostatic Pressed and Heat Treated 38Al - 62Be	2023	SAE	0
1127	AMS7912E	Aluminum-Beryllium Alloy, Extrusions 38Al - 62Be Annealed	2023	SAE	0
1128	AMS-G-952C	Guns Spray Oil and Solvent	2023	SAE	0
1129	AMS-H-81829B	Heat Transfer Fluid Fluorochemical	2023	SAE	0
1130	AMS-P-5510B	O-Ring, Preformed, Straight Thread Tube Fitting Boss, Type I Hydraulic (-65 to 160 ?F)	2023	SAE	0
1131	ARP378E	Passenger Reading Lights (Stabilized: May 2023)	2023	SAE	0
1132	ARP721	Turbine Drive Shaft Connection	2023	SAE	0
1133	AS6081A	Counterfeit Electrical, Electronic, and Electromechanical (EEE) Parts: Avoidance, Detection, Mitigation, and Disposition - Independent Distribution	2023	SAE	0
1134	AS6136B	Conduit, Electrical, Flexible, Shielded, Aluminum Alloy for Aircraft Installations (Stabilized: May 2023)	2023	SAE	0
1135	AS6228A	Safety Requirements for Procurement, Maintenance, and Use of Handheld Powered Tools	2023	SAE	0
1136	AS6285E	Aircraft Ground Deicing/Anti-Icing Processes	2023	SAE	0
1137	AS6886	Counterfeit Materiel: Assuring Acquisition and Use of Authentic and Conforming Refrigerant	2023	SAE	0
1138	AS6944	Dynamic Seal Test Fixture	2023	SAE	0
1139	AS7045	Residual Stress Measurement and Classification, Metallic Structural Alloy Products and Finished Parts	2023	SAE	0
1140	AS7217	O-RINGS MOLDED FROM AMS7361 ETHYLENE PROPYLENE RUBBER FOR STATIC APPLICATIONS	2023	SAE	0
1141	AS7232C	Rivets, Solid and Tubular, Nickel Alloy Corrosion- and Heat-Resistant 74Ni - 15.5Cr - 8.0Fe Procurement Specification for	2023	SAE	0
1142	AS7460D	Bolts and Screws, Titanium Alloy 6Al - 4V, UNS R56400 Procurement Specification for	2023	SAE	0
1143	AS7461F	Bolts and Screws, Titanium Alloy 6Al - 4V, UNS R56400 Fatigue-Rated, Procurement Specification for	2023	SAE	0
1144	AS7471K	Bolts and Screws, Nickel Alloy, UNS N07001 Tensile Strength 165 ksi, Corrosion- and Heat-Resistant Procurement Specification	2023	SAE	0
1145	AS7477J	Bolts and Screws, Steel, UNS S66286 Tensile Strength 130 ksi, Procurement Specification	2023	SAE	0
1146	AS7514C	SLEEVE, THREADLESS, FLEXIBLE, FIXED CAVITY, CURRENT CARRYING, SELF BONDING	2023	SAE	0
1147	AS7515C	COUPLING ASSEMBLY, THREADLESS, FLEXIBLE, FIXED CAVITY, CURRENT CARRYING, SELF BONDING	2023	SAE	0
1148	AS8010D	Aviator's Breathing Oxygen Purity Standard	2023	SAE	0
1149	AS8027	Crew Member Oxygen Regulators, Demand	2023	SAE	0
1150	AS8043C	Restraint Systems for Civil Aircraft	2023	SAE	0
1151	AS9102C	Aerospace Series - First Article Inspection Requirements	2023	SAE	0

1152	AS9212D	BOLT, MACHINE - STEEL, DIFFUSED NICKEL-CADMIUM PLATED, DOUBLE HEXAGON EXTENDED WASHER-HEAD, UNS K14675, 195 KSI MIN, .4375-20 UNJF-3A	2023	SAE	0
1153	AS9553C	NUT - HEXAGON, BOSS CONNECTION, CRES - UNS S30400, 75 KSI (Stabilized: Aug 2023)	2023	SAE	0
1154	AS9555E	SCREW, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, UTS 130 KSI MIN, .1640-36 UNJF-3A	2023	SAE	0
1155	AS9558E	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, UTS 130 KSI MIN, .3125-24 UNJF-3A	2023	SAE	0
1156	AS9576E	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, 130 KSI MIN, .3125-24 UNJF-3A	2023	SAE	0
1157	AS9579D	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, 130 KSI MIN, .5000-20 UNJF-3A	2023	SAE	0
1158	AS9596C	BRACKET, ANGLE, 90°, CADMIUM PLATED, STEEL UNS G41300, .190 BOLT	2023	SAE	0
1159	AS9696G	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, CORROSION AND HEAT RESISTANT ALLOY, UNS N07001, 165 KSI MIN, .1900-32 UNJF-3A	2023	SAE	0
1160	AS9705E	BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, PD SHANK, DRILLED, NICKEL ALLOY (UNS N07001), .1900-32 UNJF-3A	2023	SAE	0
1161	AS9706A	SCREW, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, NICKEL ALLOY (UNS N07001), .2500-28 UNJF-3A	2023	SAE	0
1162	AS9732C	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, UNS S17400, .1900-32 UNJF-3A	2023	SAE	0
1163	AS9734C	BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, PD SHANK, CRES AMS5643, .3125-24 UNJF-3A	2023	SAE	0
1164	AS9916B	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, STEEL AMS6322, CADMIUM PLATED, .3125-24 UNJF-3A	2023	SAE	0
1165	AS10380B	COUPLING INSTALLATIONS, STANDARD CONDUIT, ELECTRICAL (Stabilized: May 2023)	2023	SAE	0
1166	AS14227E	LOCK, ROD END, IMPROVED STRENGTH, NAS LUG	2023	SAE	0
1167	AS15720D	FITTING, LUBRICATION, HYDRAULIC, THROAT OR SURFACE CHECK, .250-28 TAPER THREADS, CORROSION-RESISTANT STEEL, TYPE VII	2023	SAE	0
1168	AS15721D	FITTING, LUBRICATION, HYDRAULIC, THROAT OR SURFACE CHECK, 1/8 PIPE THREADS, CORROSION-RESISTANT STEEL, TYPE VIII	2023	SAE	0
1169	AS21155C	BEARING, PLAIN, SELF-ALIGNING, CHAMFERED OUTER RING (Stabilized: Jun 2023)	2023	SAE	0
1170	AS21904E	ELBOW, FLARELESS TUBE, 90 DEGREES	2023	SAE	0
1171	AS21905E	TEE, FLARELESS TUBE	2023	SAE	0
1172	AS21906E	CROSS, FLARELESS TUBE	2023	SAE	0
1173	AS21907E	ELBOW, BULKHEAD UNIVERSAL, 45 DEGREES, FLARELESS TUBE	2023	SAE	0
1174	AS21909F	TEE, BULKHEAD AND UNIVERSAL, FLARELESS TUBE	2023	SAE	0
1175	AS21910F	TEE, BULKHEAD, FLARELESS TUBE, INTERNAL THREAD ON SIDE	2023	SAE	0
1176	AS21911E	TEE, BULKHEAD, FLARELESS TUBE, INTERNAL THREAD ON RUN	2023	SAE	0
1177	AS21912E	TEE, FLARELESS TUBE WITH BULKHEAD ON RUN	2023	SAE	0
1178	AS21926D	ELBOW, 90° UNIVERSAL, FLARELESS TUBE, LOW PROFILE	2023	SAE	0
1179	AS21936A	CONTOUR AND MOUNTING END, CLUSTER FITTING BODY, SEMIFINISHED, DESIGN STANDARD	2023	SAE	0
1180	AS21944C	BODY, CLUSTER FITTING, TWO WAY, 180°, FLARELESS	2023	SAE	0
1181	AS22520-2B	CRIMPING TOOLS, TYPE 1, TERMINAL, HAND, WIRE TERMINATION FOR WIRE BARREL SIZES 20 THROUGH 28	2023	SAE	0
1182	AS22520-5B	CRIMPING TOOLS, TYPE 2, TERMINAL, HAND, WIRE TERMINATION, FOR COXIAL, TWIN AXIAL, TRIAXIAL, SHIELDED CONTACTS AND FERRULES, TERMINAL LUGS, SPLICES, AND END CAPS	2023	SAE	0

1183	AS22520-10A	CRIMPING TOOLS, TYPE 2, TERMINAL, HAND, WIRE TERMINATION, FOR COAXIAL, TWINAXIAL, TRIAXIAL, SHIELDED CONTACTS AND FERRULES, TERMINAL LUGS, SPLICES AND END CAPS	2023	SAE	0
1184	AS22520-46A	CRIMPING TOOLS, TYPE 1, TERMINAL, HAND, WIRE TERMINATINO FOR MINIATURE CO-AXIAL AND TRI-AXIAL INNER CONTACTS	2023	SAE	0
1185	AS22520-48A	CRIMP TOOLS, TYPE 1, HAND OR POWER ACTUATED, WIRE TERMINATION, HYDRAULIC TOOL FOR WIRE BARREL SIZES 0000 THROUGH 8	2023	SAE	0
1186	AS23053-8A	INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, POLYVINYLIDENE FLUORIDE, SEMI-RIGID, CROSSLINKED	2023	SAE	0
1187	AS23053-10B	INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, SILICONE RUBBER, FLEXIBLE	2023	SAE	0
1188	AS24464C	BEARING, ROLLER, NEEDLE-DOUBLE ROW, HEAVY DUTY, SELF-ALIGNING, TYPE IV, ANTIFRACTION, INCH	2023	SAE	0
1189	AS24585E	SPRING, HELICAL, COMPRESSION: FOR LOADS BELOW 20 LBF	2023	SAE	0
1190	AS24651B	ELBOW, TUBE - 90°, BULKHEAD, FLARELESS TUBE UNIVERSAL TO FLARED TUBE	2023	SAE	0
1191	AS24652B	ELBOW, TUBE - 90°, BULKHEAD, FLARED TUBE UNIVERSAL TO FLARELESS TUBE	2023	SAE	0
1192	AS24654B	ELBOW, TUBE, 45°, BULKHEAD, FLARELESS TUBE UNIVERSAL TO FLARED TUBE	2023	SAE	0
1193	AS26574A	CIRCUIT BREAKER - TRIP-FREE, PUSH-PULL, 1/2 THRU 20 AMP, TYPE I	2023	SAE	0
1194	AS28937A	FUSE, LIMITER TYPE, ENCLOSED LINK, 5-60 AMP, AIRCRAFT	2023	SAE	0
1195	AS28938A	FUSE, LIMITER TYPE, ENCLOSED LINK, INTERMEDIATE RATING, AIRCRAFT	2023	SAE	0
1196	AS34641B	CONNECTOR, RECEPTACLE, ELECTRIC, CRIMP TYPE, JAM NUT MOUNTING, PUSH-PULL COUPLING, SERIES 3 (CLASS L AND E)	2023	SAE	0
1197	AS39029-33C	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR AS81511 SERIES 1 CONNECTORS)	2023	SAE	0
1198	AS39029-46B	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-C-81511 SERIES 2 CONNECTORS)	2023	SAE	0
1199	AS39029-93C	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR MIL-DTL-83527, CONNECTOR)	2023	SAE	0
1200	AS39029-94C	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-DTL-83527 CONNECTORS)	2023	SAE	0
1201	AS39029-102B	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, COAXIAL, SIZE 12 (FOR MIL-DTL-38999 SERIES I, II, III, AND IV CONNECTORS)	2023	SAE	0
1202	AS39029-103C	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, COAXIAL, SIZE 12 (FOR MIL-DTL-38999 SRIES I, III, AND IV CONNECTORS)	2023	SAE	0
1203	AS50141C	Tube, Pneumatic Tire, Aircraft	2023	SAE	0
1204	AS50881H	Wiring Aerospace Vehicle	2023	SAE	0
1205	AS58091B	Circuit Breakers, Trip Free, Aircraft, General Specification for	2023	SAE	0
1206	AS5372-1	FUSE, LIMITER TYPE ENCLOSED LINK, 1-60 AMP	2023	SAE	0
1207	AS5449B	FITTING END, WELD RING, SHORT TAPERED, DESIGN STANDARD	2023	SAE	0
1208	AS5528F	Lubricant Application, Solid Film, Heat Cured, Corrosion Inhibiting	2023	SAE	0
1209	AS5545A	NUT COUPLING, FLARELESS, EXTRA FINE THREAD, 5080 PSI	2023	SAE	0
1210	AS5692-2	ARC FAULT CIRCUIT BREAKER - AIRCRAFT, TRIP FREE, 1-20 AMP, TYPE I	2023	SAE	0
1211	AS5692A	ARC Fault Circuit Breaker (AFCB), Aircraft, Trip-Free Single Phase and Three Phase 115 VAC, 400 Hz - Constant Frequency	2023	SAE	0
1212	AS5725C	Interface Standard, Miniature Mission Store Interface	2023	SAE	0
1213	AS5729B	O-RING MOLDED FROM AMS7379 FLUOROCARBON (FKM) MATERIAL	2023	SAE	0
1214	AS6029B	Criteria for Laser Control Measures for Aviation Safety	2023	SAE	0
1215	AS81934-2B	BEARING, SLEEVE, FLANGED, SELF-LUBRICATING, -65 °F TO 325 °F	2023	SAE	0

1216	AS81969-2B	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE I, CLASS I, COMPOSITION C (Stabilized: Feb 2023)	2023	SAE	0
1217	AS90708C	RING, RETAINING, EXTERNAL, INTERLOCKING	2023	SAE	0
1218	AS172201B - AS172235B	NULL	2023	SAE	0
1219	J169	Design Guidelines for Air Conditioning Systems for Off-Road Operator Enclosures	2023	SAE	0
1220	J200	Classification System for Rubber Materials	2023	SAE	0
1221	J577	(R) Vibration Test Machine and Operation Procedure	2023	SAE	0
1222	J585	Tail Lamps (Rear Position Lamps) for Use on Motor Vehicles Less than 2032 mm in Overall Width	2023	SAE	0
1223	J643	(R) Hydrodynamic Drive Test Code	2023	SAE	0
1224	J714	Wheel Mounting Elements for Industrial and Agricultural Disc Wheels, Recommended Practice	2023	SAE	0
1225	J814	(R) Coolants for Internal Combustion Engines	2023	SAE	0
1226	J846	Coding Systems for Identification of Fluid Conductors and Connectors	2023	SAE	0
1227	J880	Brake System Rating Test Code - Commercial Vehicles	2023	SAE	0
1228	J882	Test Method for Measuring Thickness of Automotive Textiles and Plastics	2023	SAE	0
1229	J899	Operator' s Seat Dimensions for Off-Road Self-Propelled Work Machines, Standard	2023	SAE	0
1230	J912	Test Method for Determining Blocking Resistance and Associated Characteristics of Automotive Trim Materials	2023	SAE	0
1231	J947	Glossary of Fiberboard Terminology	2023	SAE	0
1232	J948	Test Method for Determining Resistance to Abrasion of Automotive Bodycloth, Vinyl, and Leather, and the Snagging of Automotive Bodycloth	2023	SAE	0
1233	J1052	Motor Vehicle Driver and Passenger Head Position	2023	SAE	0
1234	J1078	A Recommended Method of Analytically Determining the Competence of Hydraulic Telescopic Cantilevered Crane Booms	2023	SAE	0
1235	J1081	Potential Standard Steels, Information Report - December 1988	2023	SAE	0
1236	J1082	Fuel Economy Measurement Road Test Procedure	2023	SAE	0
1237	J1113-1	Electromagnetic Compatibility Measurement Procedures and Limits for Components of Vehicles, Boats (up to 15 m), and Machines (Except Aircraft) (16.6 Hz to 18 GHz)	2023	SAE	0
1238	J1113-11	Immunity to Conducted Transients on Power Leads	2023	SAE	0
1239	J1113-27	Electromagnetic Compatibility Measurements Procedure for Vehicle Components - Part 27 - Immunity to Radiated Electromagnetic Fields - Mode Stir Reverberation Method	2023	SAE	0
1240	J1171	External Ignition Protection of Marine Electrical Devices	2023	SAE	0
1241	J1235	Measuring and Reporting the Internal Leakage of a Hydraulic Fluid Power Valve	2023	SAE	0
1242	J1239	Four-, Five-, and Eight-Conductor Electrical Connectors for Automotive Type Trailers	2023	SAE	0
1243	J1286	Thrust Test Device	2023	SAE	0
1244	J1340	Test Method for Measuring Power Consumption of Air Conditioning and Brake Compressors for Trucks and Buses	2023	SAE	0
1245	J1341	(R) Test Method for Measuring Power Consumption of Hydraulic Pumps for Trucks and Buses	2023	SAE	0
1246	J1362	(R) Graphical Symbols for Operator Controls and Displays on Off-Road Self-Propelled Work Machines	2023	SAE	0
1247	J1375	Starter Motor Application Considerations	2023	SAE	0
1248	J1393	Heavy Duty Vehicle Cooling Test Code	2023	SAE	0
1249	J1405	Optional Test Procedures for Hydraulic Hose Assemblies	2023	SAE	0
1250	J1436	(R) Requirements for Engine Cooling System Filling, Deaeration, and Drawdown Tests	2023	SAE	0
1251	J1454	Dynamic Durability Testing of Seat Cushions for Off-Road Work Machines	2023	SAE	0
1252	J1470	(R) Measurement of Noise Emitted by Accelerating Highway Vehicles	2023	SAE	0
1253	J1508	Hose Clamp Specifications	2023	SAE	0

1254	J399	Anodized Aluminum Automotive Parts	2023	SAE	0
1255	J423	Methods of Measuring Case Depth	2023	SAE	0
1256	J448	Surface Texture (Stabilized Type)	2023	SAE	0
1257	J474	Electroplating and Related Finishes	2023	SAE	0
1258	J304	(R) Engine Oil Tests	2023	SAE	0
1259	J518-1	Hydraulic Flanged Tube, Pipe, and Hose Connections, 4-Screw Flange Connection Part 1: 3.5 MPa to 35 MPa (Code 61)	2023	SAE	0
1260	J1626-1	Recommended Practice for Braking, Stability, and Control Performance Test Procedure for Air-Brake-Equipped Truck-Tractors	2023	SAE	0
1261	J1626-2	Recommended Practice for Braking, Stability, and Control Performance Test Procedure for Air-Brake-Equipped Trucks and Buses	2023	SAE	0
1262	J1671	Outboard Mounted Brake Drum/Disc Wheel Hub Interface Dimensions - Truck and Bus	2023	SAE	0
1263	J1678	Low Voltage Ultra Thin Wall Primary Cable	2023	SAE	0
1264	J1681	(R) Gasoline, Alcohol, and Diesel Fuel Surrogates for Material Testing	2023	SAE	0
1265	J1698-1	(R) Event Data Recorder - Output Data Definition	2023	SAE	0
1266	J1698-2	(R) Event Data Recorder - Retrieval Tool Protocol	2023	SAE	0
1267	J1698	(R) Event Data Recorder	2023	SAE	0
1268	J1711	(R) Recommended Practice for Measuring the Exhaust Emissions and Fuel Economy of Hybrid-Electric Vehicles, Including Plug-in Hybrid Vehicles	2023	SAE	0
1269	J1817	Long-Stroke Air-Brake Actuator Marking	2023	SAE	0
1270	J1832	Low Pressure Gasoline Fuel Injector	2023	SAE	0
1271	J1842	(R) Disc Wheel Hub/Spoke Wheel and Axle Interface Dimensions - Truck and Bus	2023	SAE	0
1272	J1926-1	Connections for General Use and Fluid Powerâ__Ports and Stud Ends with ASME B1.1 Threads and O-Ring Sealingâ__Part 1: Threaded Port with O-Ring Seal in Truncated Housing	2023	SAE	0
1273	J1926-2	(R) Connections for General Use and Fluid Powerâ__Ports and Stud Ends with ASME B1.1 Threads and O-Ring Sealingâ__Part 2: Heavy-Duty (S Series) Stud Ends	2023	SAE	0
1274	J1926-3	(R) Connections for General Use and Fluid Powerâ__Ports and Stud Ends with ASME B1.1 Threads and O-Ring Sealingâ__Part 3: Light-Duty (L-Series) Stud Ends	2023	SAE	0
1275	J1939-31	Network Layer	2023	SAE	0
1276	J1939-84	OBD Communications Compliance Test Cases for Heavy Duty Components and Vehicles	2023	SAE	0
1277	J1939	(R) Serial Control and Communications Heavy Duty Vehicle Network - Top Level Document	2023	SAE	0
1278	J1982	Nomenclatureâ__Wheels for Passenger Cars, Light Trucks, and Multipurpose Vehicles	2023	SAE	0
1279	J1992	Wheels/Rims - Military Vehicles - Test Procedures and Performance Requirements	2023	SAE	0
1280	J2034	Personal Watercraft Ventilation Systems	2023	SAE	0
1281	J2046	Personal Watercraft Fuel Systems	2023	SAE	0
1282	J2120	Personal Watercraft - Electrical Systems	2023	SAE	0
1283	J2121	Requirements for Composite Lighting Assemblies Used on Construction and Industrial Machinery	2023	SAE	0
1284	J2277	(R) Shot Peening Coverage Determination	2023	SAE	0
1285	J2284-1	High Speed CAN (HSC) for Vehicle Applications at 125 Kbps	2023	SAE	0
1286	J2284-2	High Speed CAN (HSC) for Vehicle Applications at 250 Kbps	2023	SAE	0
1287	J2429	Free-Rolling Cornering Test for Truck and Bus Tires	2023	SAE	0
1288	J2437	Air Starter Motor Test Procedures	2023	SAE	0
1289	J2438	Low-Temperature Cranking Load Requirements of an Engine - Air Starter Method	2023	SAE	0
1290	J2461	Vehicle Electronic Programming Stations (VEPS) System Specification for Win32	2023	SAE	0

1291	J2473	Self-Propelled Sweepers and Scrubbers - Maximum Gradient Rating During Hopper Discharge	2023	SAE	0
1292	J2494-4	Cartridge Cavity	2023	SAE	0
1293	J2536	Anti-Lock Brake System (ABS) Road Test Evaluation Procedure for Trucks, Truck-Tractors and Buses	2023	SAE	0
1294	J2558	Classification System for Thermoplastic Elastomers	2023	SAE	0
1295	J2566	Personal WatercraftDisplay of Persons Capacity Information	2023	SAE	0
1296	J2578	Recommended Practice for General Fuel Cell Vehicle Safety	2023	SAE	0
1297	J2579	(R) Standard for Fuel Systems in Fuel Cell and Other Hydrogen Vehicles	2023	SAE	0
1298	J2594	Recommended Practice to Design for Recycling Proton Exchange Membrane (PEM) Fuel Cell Systems (Stabilized Type)	2023	SAE	0
1299	J2601-2	Fueling Protocol for Gaseous Hydrogen Powered Heavy Duty Vehicles	2023	SAE	0
1300	USCAR-17	PERFORMANCE SPECIFICATION FOR AUTOMOTIVE RF CONNECTOR SYSTEMS - Revision 5	2023	SAE	0
1301	USCAR-18	(R) FAKRA SMB RF CONNECTOR SUPPLEMENT - Revision 3	2023	SAE	0
1302	USCAR-26	Test Procedure for Electrical Ground Attachments	2023	SAE	0
1303	USCAR-38	PERFORMANCE SPECIFICATION FOR ULTRASONICALLY WELDED WIRE/CABLE TERMINATION	2023	SAE	0
1304	USCAR-44	Performance Specification for Automotive Wire Harness Retainer Clips	2023	SAE	0
1305	USCAR-46	ENGINE OIL PUMP PERFORMANCE AND DURABILITY TEST PROCEDURES	2023	SAE	0
1306	USCAR-53	NULL	2023	SAE	0
1307	1010A	Standard Practice for Manpower and Personnel	2023	SAE	0
1308	1026	NULL	2023	SAE	0
1309	6906A	NULL	2023	SAE	0
1310	8579	NULL	2023	SAE	0
1311	AIR825-5A	Liquid Oxygen Systems	2023	SAE	0
1312	AIR825-8	Continuous Flow Oxygen Systems	2023	SAE	0
1313	AIR825-9	Demand Oxygen Systems	2023	SAE	0
1314	AIR825-10A	Protective Breathing Equipment for Flight Deck and Cabin Crew Members	2023	SAE	0
1315	AIR825-11A	Closed-Cycle Protective Breathing Devices	2023	SAE	0
1316	AIR825-13	Guide for Evaluating Combustion Hazards in Aircraft Oxygen Systems	2023	SAE	0
1317	AIR984D	Air Bleed Objective for Rotorcraft Turbine Engines	2023	SAE	0
1318	AIR1392A	Oxygen System Maintenance Guide	2023	SAE	0
1319	AIR1423A	Electromagnetic Compatibility on Gas Turbine Engines for Aircraft Propulsion	2023	SAE	0
1320	AIR1594D	Plain Bearing Selection for Landing Gear Applications	2023	SAE	0
1321	AIR1810D	(R) Design Development and Test Criteria - Solid State Proximity Switches/Systems for Landing Gear Applications	2023	SAE	0
1322	AIR1900B	(R) Guide to Temperature Monitoring in Aircraft Gas Turbine Engines	2023	SAE	0
1323	AIR4083A	Helicopter Power Assurance	2023	SAE	0
1324	AIR4096A	NULL	2023	SAE	0
1325	AIR4495	Helicopter Powerplant Corrosion Protection	2023	SAE	0
1326	AIR5279A	NULL	2023	SAE	0
1327	AIR5317A	(R) A Guide to APU Health Management	2023	SAE	0
1328	AIR5358B	(R) Landing Gear Shock Strut Hydraulic Fluid	2023	SAE	0
1329	AIR5464A	(R) Metal Clad Fibers for Electrical Shielding and Harness Overbraid	2023	SAE	0
1330	AIR5642	The Effect of Installation Power Losses on the Overall Performance of a Helicopter	2023	SAE	0
1331	AIR5690A	(R) Rationale for Replacement of Pyrotechnic Signaling Devices in Survival Kits on Transport Category Aircraft Life Rafts and Slide-Rafts	2023	SAE	0

1332	AIR5704A	NULL	2023	SAE	0
1333	AIR5742A	Packaging and Transportation of Oxygen Equipment	2023	SAE	0
1334	AIR5913A	(R) Landing Gear Component Heat Damage	2023	SAE	0
1335	AIR6127	Managing Higher Voltages in Aerospace Electrical Systems	2023	SAE	0
1336	AIR6130B	Cadmium Plate Cyclic Corrosion Test	2023	SAE	0
1337	AIR6148	Synthetic Jet Fuels from Non-Petroleum Feed Stocks	2023	SAE	0
1338	AIR6508	Procedure for the Calculation of non-volatile Particulate Matter Sampling and Measurement System Penetration Functions and System Loss Correction Factors - Includes Access to Additional Content	2023	SAE	0
1339	AIR6916	Human Factor Considerations in the Implementation of IVHM	2023	SAE	0
1340	AIR6977	Water Content Instrumentation for Icing Cloud Characterization	2023	SAE	0
1341	AIR7097	NULL	2023	SAE	0
1342	AIR7367	Cybersecurity for Propulsion Systems	2023	SAE	0
1343	AIR7368	Cybersecurity for Propulsion Systems	2023	SAE	0
1344	AIR23054	NULL	2023	SAE	0
1345	AMS1428L	(R) Fluid Aircraft Deicing/Anti-Icing Non-Newtonian (Pseudoplastic) SAE Types II III and IV	2023	SAE	0
1346	AMS1452C	(R) Disinfectant , Aircraft General Purpose	2023	SAE	0
1347	AMS1453A	(R) Disinfectant Cleaner for Aircraft Interior General Purpose Liquid	2023	SAE	0
1348	AMS1525E	CLEANER FOR AIRCRAFT EXTERIOR METALLIC SURFACES WIPE SOLVENT COLD OPERATIONS	2023	SAE	0
1349	AMS1541D	Cleaner, Fuel Drop Tank Water Soluble	2023	SAE	0
1350	AMS2221H	Tolerances Copper and Copper Alloy Bars and Rods	2023	SAE	0
1351	AMS2222L	Tolerances Copper and Copper Alloy Sheet Strip and Plate	2023	SAE	0
1352	AMS2223J	Tolerances Copper and Copper Alloy Seamless Tubing	2023	SAE	0
1353	AMS2224H	Tolerances Copper and Copper Alloy Wire	2023	SAE	0
1354	AMS2259G	Chemical Check Analysis Limits Wrought Low-Alloy and Carbon Steels	2023	SAE	0
1355	AMS2370M	Quality Assurance Sampling and Testing Carbon and Low-Alloy Steel Wrought Products and Forging Stock	2023	SAE	0
1356	AMS2374F	Quality Assurance Sampling and Testing Corrosion and Heat-Resistant Steel and Alloy Forgings	2023	SAE	0
1357	AMS2431E	Peening Media , General Requirements	2023	SAE	0
1358	AMS2460B	Plating Chromium	2023	SAE	0
1359	AMS2615G	Pressure Testing Hydraulic Pressure as Specified	2023	SAE	0
1360	AMS2643F	Structural Examination of Titanium Alloys Chemical Etch Inspection Procedure	2023	SAE	0
1361	AMS2665J	Brazing , Silver for Use up to 400 ? F (204? C)	2023	SAE	0
1362	AMS2667H	Brazing Silver For Small Pressurized Fittings	2023	SAE	0
1363	AMS2772H	Heat Treatment of Aluminum Alloy Raw Materials	2023	SAE	0
1364	AMS3040E	Magnetic Particles Nonfluorescent Dry Method	2023	SAE	0
1365	AMS3041G	Magnetic Particles Nonfluorescent Wet Method Oil Vehicle Ready-to-Use	2023	SAE	0
1366	AMS3043F	Magnetic Particles Nonfluorescent Wet Method Oil Vehicle Aerosol Packaged	2023	SAE	0
1367	AMS3196H	Sponge , Silicone Rubberr Closed Cell , Firm	2023	SAE	0
1368	AMS3213N	Acrylonitrile Butadiene (NBR) Rubber Aromatic Fuel Resistant 75 - 85	2023	SAE	0
1369	AMS3238K	Butyl (IIR) Rubber Phosphate Ester Resistant 65 - 75 (Stabilized: Jun 2023)	2023	SAE	0
1370	AMS3353A	Elastomer: Fluorocarbon (FKM) Aircraft Engine Oil Fuel and Hydraulic Fluid Resistant Low Temperature Sealing Tg -40 °F (-40 °C) / 70 to 80 Hardness for Products in Aircraft Engine Oil Fuel and Hydraulics Systems	2023	SAE	0
1371	AMS3374G	Sealing Compound Aircraft Fier wall , Silicone	2023	SAE	0

1372	AMS4015N	Aluminum Alloy Sheet and Plate 2.5Mg - 0.25Cr (5052-0) Annealed - UNS A95052	2023	SAE	0
1373	AMS4026N	Aluminum Alloy Sheet and Plate 1.0Mg - 0.60Si - 0.28Cu - 0.20Cr (6061; -T4 Sheet -T451 Plate) Solution Heat Treated and Naturally Aged - UNS A96061	2023	SAE	0
1374	AMS4044P	Aluminum Alloy Sheet and Plate 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr Annealed (7075-O) or when specified "As Fabricated" (7075-F) - UNS A97075	2023	SAE	0
1375	AMS4056J	Aluminum Alloy Sheet and Plate 4.4Mg - 0.70Mn - 0.15Cr (5083-0) Annealed - UNS A95083	2023	SAE	0
1376	AMS4070P	Aluminum Alloy Drawn Round Seamless Tubing 2.5Mg - 0.25Cr (5052-0) Annealed - UNS A95052	2023	SAE	0
1377	AMS4071P	Aluminum Alloy Drawn Round Seamless Hydraulic Tubing 2.5Mg 0.25Cr (5052-O) Annealed - UNS A95052	2023	SAE	0
1378	AMS4078L	Aluminum Alloy Sheet and Plate 5.6Zn 2.5Mg-1.6Cu-0.23Cr 7075: (-T73 Sheet -T7351 Plate) Solution Heat Treated and Overaged - UNS A97075	2023	SAE	0
1379	AMS4079J	Aluminum Alloy, Drawn , Round , Seam less, Tubing 1 . 0M g - 0 . 60S i - 0 . 28Cu - 0 . 20Cr (6061 - O) Close To lerance , Annealed (Composition similar to UNS A96061)	2023	SAE	0
1380	AMS4080R	Aluminum Alloy Drawn Seamless Tubing 1.0Mg - 0.60Si - 0.28Cu - 0.20Cr (6061-O) Annealed - UNS A96061	2023	SAE	0
1381	AMS4081K	Aluminum Alloy Tubing , Hydraulic, Seam less , Drawn , Round 1 . 0Mg - 0 . 60S i - 0 . 28Cu - 0 . 20Cr (6061 -T4) Solution Heat Treated and Naturally Aged (Composition similar to UNS A96061)	2023	SAE	0
1382	AMS4107H	Aluminum Alloy Die Forgings (7050-T74) Solution Heat Treated and Overaged - UNS A97050	2023	SAE	0
1383	AMS4111F	Aluminum Alloy Forgings 7.7Zn - 2.5Mg - 1.5Cu - 0.16Cr (7049-T73) Solution and Precipitation Heat Treated - UNS A97049	2023	SAE	0
1384	AMS4113G	Aluminum Alloy Extruded Profiles 1.0Mg - 0.60Si - 0.28Cu - 0.20Cr (6061-T6) Solution and Precipitation Heat Treated	2023	SAE	0
1385	AMS4149F	Aluminum Alloy Die and Hand Forgings 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (7175-T74) Solution and Precipitation Heat Treated - UNS A97175	2023	SAE	0
1386	AMS4154S	Aluminum Alloy Extrusions 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (7075-T6 7075-T6510 7075-T6511) Solution Heat Treated Stress Relieved by Stretching When Required and Precipitation Heat Treated - UNS A97075	2023	SAE	0
1387	AMS4245G	Aluminum Alloy Welding Wire 5.0Si - 1.2Cu - 0.50Mg (C355.0)	2023	SAE	0
1388	AMS4256D	Aluminum Alloy Clad Two Sides Sheet 0.6Mg - 0.35Si - 0.28Cu (No. 22 Brazing Sheet) As Fabricated - UNS A86951	2023	SAE	0
1389	AMS4269B	Aluminum Alloy, Sheet and Plate 4 . 4Cu - 1 . 5M g - 0 . 60M n (2024 - T361) Solution Heat Treated and Cold Worked (Composition simillar to UNS A92024)	2023	SAE	0
1390	AMS4296D	Aluminum Alloy Alclad Sheet and Plate 4.3Cu - 1.4Mg - 0.60Mn (Alclad 2524-T3) Solution Heat Treated and Cold Worked - UNS A82524	2023	SAE	0
1391	AMS4305A	Aluminum Alloy Extruded Profiles (7449-T79511) 8.1Zn - 1.8Cu - 2.2Mg - 0.16Zr Solution Heat Treated Stress Relieved and Overaged	2023	SAE	0
1392	AMS4342G	Aluminum Alloy Extrusions 6.2Zn - 2.3Cu - 2.2Mg - 0.12Zr (7050-T74511) Solution Heat Treated Stress Relieved Straightened and Overaged - UNS A97050	2023	SAE	0
1393	AMS4368A	Aluminum Alloy Discontinuously Reinforced Hot Isostatically Pressed Shapes 6061B/SiC/40p (3 ?m) (T1P)	2023	SAE	0
1394	AMS4371C	Magnesium Alloy Plate 4.0Y - 2.25Nd - 0.5Zr (WE43C - T5) Precipitation Heat Treated - UNS M18434	2023	SAE	0
1395	AMS4413C	Aluminum Alloy Plate 3.5Cu - 1.0Li - 0.40Mg - 0.35Mn - 0.45Ag - 0.12Zr (2050-T84) Solution Heat Treated Stress Relieved and Artificially Aged - UNS A92050	2023	SAE	0
1396	AMS4477B	Aluminum Alloy Coiled Sheet 4.4Cu - 1.5Mg - 0.60Mn (2024-T4) Solution Treated - UNS A82024	2023	SAE	0
1397	AMS4478B	Aluminum Alloy Sheet and Plate Alclad 4.4Cu - 1.5Mg - 0.60Mn (Alclad 2024 -T81 Sheet -T851 Plate) Solution Heat Treated Cold Worked and Artificially Aged - UNS A82024	2023	SAE	0
1398	AMS4599B	Aluminum Alloy Sheet and Plate 6.3Cu - 0.30Mn - 0.06Ti - 0.10V - 0.18Zr Solution and Precipitation Heat Treated (2219 -T81/-T851) - UNS A92219	2023	SAE	0
1399	AMS4625J	Phosphor Bronze Bars Rods and Tubing 95Cu - 5Sn Hard Temper	2023	SAE	0
1400	AMS4633C	Bronze Aluminum Silicon Rods Bars and Forgings 90Cu - 7.0Al - 1.8Si Drawn and Stress Relieved (HR50) - UNS C64200	2023	SAE	0

1401	AMS4640J	Aluminum Bronze Bars Rods Shapes Tubes and Forgings 81.5Cu - 10.0Al - 4.8Ni - 3.0Fe Drawn and Stress Relieved (HR50) or Temper Annealed (TQ50) - UNS C63000	2023	SAE	0
1402	AMS4763C	Silver Alloy Brazing Filler Metal 56Ag - 22Cu - 17Zn - 5.0Sn 1145 to 1205 °F (618 to 652 °C) Solidus-Liquidus Range	2023	SAE	0
1403	AMS4772L	Silver Alloy Brazing Filler Metal 54Ag - 40Cu - 5.0Zn - 1.0Ni 1325 to 1575 Degree F (718 to 857 Degrees C) Solidus-Liquidus Range - UNS P07540	2023	SAE	0
1404	AMS4895	Titanium Alloy , Round Bars 5 A l - 1 F e Annealed	2023	SAE	0
1405	AMS4902M	Titanium Sheet Strip and Plate Commercially-Pure Annealed 40.0 ksi (276 MPa) Yield Strength - UNS R50400	2023	SAE	0
1406	AMS4904E	Titanium Alloy Sheet Strip and Plate 6Al - 4V Solution Heat Treated and Aged - UNS R56400	2023	SAE	0
1407	AMS4905G	Titanium Alloy Damage-Tolerant Grade Plate 6Al - 4V Beta Annealed - UNS R56400	2023	SAE	0
1408	AMS4918R	Titanium Alloy Sheet Strip and Plate 6AI - 6V - 2Sn Annealed - UNS R56620	2023	SAE	0
1409	AMS4940D	Titanium Sheet Strip and Plate Commercially Pure Annealed 25.0 ksi (172 MPa) Yield Strength - UNS R50250	2023	SAE	0
1410	AMS4941H	Titanium Tubing , Welded 40 ksi (276 MPa) Yield Strength (Composition similar to UNS R50400)	2023	SAE	0
1411	AMS4950F	Titanium Alloy Bars Wire Forgings and Rings 6.0Al - 4.0V Solution Heat Treated and Aged Modified Strength - UNS R56400	2023	SAE	0
1412	AMS4976M	Titanium Alloy Forgings 6.0Al - 2.0Sn - 4.0Zr - 2.0Mo - 08Si Solution and Precipitation Heat Treated - UNS R54620	2023	SAE	0
1413	AMS4989E	Titanium Alloy Sheet Strip and Plate 3Al - 2.5V Annealed - UNS R56320	2023	SAE	0
1414	AMS4991G	Titanium Alloy Castings Investment 6Al - 4V Hot Isostatic Pressed Anneal Optional - UNS R56401	2023	SAE	0
1415	AMS4992D	Casting Structural Investment Titanium Alloy 6Al - 4V Hot Isostatically Pressed - UNS R56401	2023	SAE	0
1416	AMS4994B	Titanium Alloy Powdered Metal Products 6Al - 4V Hot Isostatically Pressed Annealed - UNS R56400	2023	SAE	0
1417	AMS5120P	Steel Strip 0 . 6 8 - 0 . 8 0 C (SAE 1 0 7 4)	2023	SAE	0
1418	AMS5383F	Nickel Alloy Corrosion and Heat-Resistant Investment Castings 52.5Ni - 19Cr - 3.0Mo - 5.1Cb(Nb) - 0.90Ti - 0.60Al - 18Fe Vacuum Melted Homogenization and Solution Heat Treated - UNS N07718	2023	SAE	0
1419	AMS5441C	Nickel Alloy Corrosion- and Heat-Resistant Bars Forgings and Rings Ni - 18Cr - 2.8Mo - 5.5Cb (Nb) - 0.70Ti - 1.50Al - 10Fe - 9Co - 1W Consumable Electrode Remelted or Vacuum Induction Melted 1775 °F (968 °C) Solution Heat Treated Precipitation-Harden	2023	SAE	0
1420	AMS5514J	Steel Corrosion Resistant Sheet Strip and Plate 18Cr - 11.5Ni (SAE 30305) Solution Heat Treated - UNS S30500	2023	SAE	0
1421	AMS5537K	Cobalt Alloy Corrosion and Heat-Resistant Sheet Strip Foil and Plate 52Co - 20Cr - 10Ni - 15W Solution Heat Treated - UNS R30605	2023	SAE	0
1422	AMS5540R	Nickel Alloy Corrosion and Heat-Resistant Sheet Strip and Plate 74Ni - 15.5Cr - 8.0Fe Annealed - UNS N06600	2023	SAE	0
1423	AMS5564D	Steel Corrosion Resistant Tubing 19CR - 10Ni (SAE 30304) High-Pressure Hydraulic Welded Plus Ultrasonically Tested or Seamless Cold Drawn One Eighth - Hard Temper - UNS S30400	2023	SAE	0
1424	AMS5568J	Steel Corrosion and Heat Resistant Welded Tubing 17Cr - 7.1Ni - 1.1Al Solution Heat Treated Precipitation-Hardenable - UNS S17700	2023	SAE	0
1425	AMS5571K	Steel Corrosion and Heat-Resistant Seamless Tubing 18Cr - 10.5Ni - 0.70Cb (Nb) (347) Solution Heat Treated - UNS S34700	2023	SAE	0
1426	AMS5578H	Steel Corrosion and Heat-Resistant Welded Tubing 12Cr - 8.5Ni - 0.30Cb - 1.1Ti - 2.0Cu Vacuum Induction Plus Consumable Electrode Vacuum Melted Solution Heat Treated Precipitation Hardenable - UNS S45500	2023	SAE	0
1427	AMS5596N	Nickel Alloy Corrosion and Heat-Resistant Sheet Strip Foil and Plate 52.5Ni - 19Cr - 3.0Mo - 5.1Cb (Nb) - 0.90Ti - 0.50Al - 18Fe Consumable Electrode Remelted or Vacuum Induction Melted 1775 °F (968 °C) Solution Heat Treated - UNS N07718	2023	SAE	0
1428	AMS5604K	Steel Corrosion Resistant Sheet Strip and Plate 16.5Cr - 4.0Ni - 4.0Cu - 0.30Cb Solution Heat Treated Precipitation Hardenable - UNS S17400	2023	SAE	0
1429	AMS5610R	Steel Corrosion- and Heat-Resistant Bars Wire Forgings and Forging Stock 12.5Cr - Low Carbon (SAE 51416 51416Se) Free-Machining	2023	SAE	0
1430	AMS5618K	Steel Corrosion-Resistant Bars Wire and Forgings 17Cr - 0.52Mo (0.95 - 1.20C) (440C) Consumable Electrode Vacuum Melted - UNS S44004	2023	SAE	0

1431	AMS5620J	Steel Corrosion and Heat-Resistant Bars Wire and Forgings 13Cr (0.30 - 0.40C) (SAE 51420F 51420FSe) Free-Machining Grade - UNS S42020 (Type 2); S42023 (Type 1)	2023	SAE	0
1432	AMS5631G	Steel Corrosion-Resistant Bars and Forgings 17Cr (0.60 - 0.75C) (SAE 51440A) - UNS S44002	2023	SAE	0
1433	AMS5632K	Steel Corrosion-Resistant Bars Wire and Forgings 17Cr - 0.50Mo (0.95 - 1.20C) (SAE 51440F) Free-Machining Annealed - UNS S44020 (Type I) or UNS S44023 (Type II)	2023	SAE	0
1434	AMS5635H	Steel Corrosion-Resistant Bars Wire and Forgings 18Cr - 9Ni - 0.21Pb (303Pb) Free-Machining Solution Heat Treated - UNS S30360	2023	SAE	0
1435	AMS5636H	Steel Corrosion-Resistant Bars and Wire 18Cr - 9.0Ni (302) Solution Heat Treated and Cold Drawn 100 ksi (689 MPa) Tensile Strength	2023	SAE	0
1436	AMS5640W	Steel Corrosion-Resistant Bars Wire and Forgings 18Cr - 9.0Ni Free Machining	2023	SAE	0
1437	AMS5659-H900A	Steel Corrosion-Resistant Bars Wire Forgings Rings and Extrusions 15Cr - 4.5Ni - 0.30Cb (Nb) - 3.5Cu Solution and Precipitation Heat Treated (H900A) (Stabilized: Jan 2023)	2023	SAE	0
1438	AMS5665R	Nickel Alloy Corrosion and Heat Resistant Bars Forgings and Rings 74Ni - 15.5Cr - 8.0Fe - UNS N06600	2023	SAE	0
1439	AMS5680K	Steel Corrosion and Heat-Resistant Welding Wire 18.5Cr - 11Ni - 0.40Cb (Nb) (SAE 30347) - UNS S34781	2023	SAE	0
1440	AMS5689H	Steel Corrosion and Heat Resistant Wire 18Cr - 10.5Ni - 0.40Ti (SAE 30321) Solution Heat Treated - UNS S32100	2023	SAE	0
1441	AMS5697H	Steel Corrosion-Resistant Wire 19Cr - 9.5Ni (SAE 30304) Solution Heat Treated - UNS S30400	2023	SAE	0
1442	AMS5701G	Nickel Alloy Corrosion and Heat-Resistant Bars Forgings and Rings 41.5Ni - 16Cr - 37Fe - 2.9Cb (Nb) - 1.8Ti Consumable Electrode Remelted or Vacuum Induction Melted 1800 °F (982 °C) Solution Heat Treated	2023	SAE	0
1443	AMS5703F	Nickel Alloy Corrosion and Heat-Resistant Bars Forgings and Rings 41.5Ni - 16Cr - 37Fe - 2.9Cb - 1.8Ti Consumable Electrode or Vacuum Induction Melted 1750 °F (954 °C) Solution Stabilization and Precipitation Heat Treated - UNS N09706	2023	SAE	0
1444	AMS5707P	Nickel Alloy Corrosion- and Heat-Resistant Bars Forgings Rings and Forging Stock 57Ni - 19.5Cr - 13.5Co - 4.3Mo - 3.0Ti - 1.4Al - 0.05Zr - 0.006B Consumable Electrode Remelted or Vacuum Induction Melted 1825 to 1900 °F (996 to 1038 °C) Solution Stab	2023	SAE	0
1445	AMS5726F	Steel Corrosion and Heat-Resistant Bars and Wire 15Cr - 25.5Ni - 1.2Mo - 2.1Ti - 0.006B - 0.30V 1800 °F (982 °C) Solution Heat Treated and Work-Strengthened Consumable Electrode Remelted 200 ksi (1379 MPa) Tensile Strength Capability - UNS S66286	2023	SAE	0
1446	AMS5731M	Steel Corrosion and Heat-Resistant Bars Wire Forgings Tubing and Rings 15Cr - 25.5Ni - 1.2Mo - 2.1Ti - 0.006B - 0.30V Consumable Electrode Melted 1800 °F (982 °C) Solution Heat Treated - UNS S66286	2023	SAE	0
1447	AMS5737R	Steel Corrosion and Heat-Resistant Bars Wire Forgings and Tubing 15Cr - 25.5Ni - 1.2Mo - 2.1Ti - 0.006B - 0.30V Consumable Electrode Melted 1650 °F (899 °C) Solution and Precipitation Heat Treated - UNS S66286	2023	SAE	0
1448	AMS5749G	Steel Corrosion-Resistant Bars Wire Forgings and Tubing 14.5Cr - 4.0Mo - 1.2V (1.10-1.20C) Premium Quality for Bearing Applications Double Vacuum Melted - UNS S42700	2023	SAE	0
1449	AMS5768M	Alloy Corrosion and Heat-Resistant Bars Forgings and Rings 21Cr - 20Ni - 20Co - 3.0Mo - 2.5W - 1.0Cb - 0.15N - 31Fe Solution and Precipitation Heat Treated - UNS R30155	2023	SAE	0
1450	AMS5784F	Steel Corrosion and Heat-Resistant Welding Wire 29Cr - 9.5Ni - UNS S64299	2023	SAE	0
1451	AMS5837H	Nickel Alloy Corrosion and Heat-Resistant Welding Wire 62Ni - 21.5Cr - 9.0Mo - 3.7Cb(Nb) - UNS N06625	2023	SAE	0
1452	AMS5906D	Steel Corrosion Resistant Sheet Strip 18Cr - 9.0Ni (SAE 30302) Cold Rolled Full Hard 185 ksi (1276 MPa) Tensile Strength - UNS S30200	2023	SAE	0
1453	AMS5930C	Steel Corrosion-Resistant Bars Forgings and Forging Stock 13.0Cr - 2.5Ni - 5.5Co - 2.0Mo - 0.60V (0.05 - 0.09C) Vacuum Induction Plus Vacuum Consumable Electrode Melted	2023	SAE	0
1454	AMS6272P	Steel Bars Forgings and Tubing 0.50Cr - 0.55Ni - 0.20Mo (0.15 - 0.20C) (SAE 8617) - UNS G86170	2023	SAE	0
1455	AMS6290L	Steel Bars Forgings and Forging Stock Carburizing 1.8Ni - 0.25Mo (0.11 - 0.17C) (SAE 4615)	2023	SAE	0
1456	AMS6302L	Low-Alloy Steel Heat-Resistant Bars Forgings Mechanical Tubing and Forging Stock 0.65Si - 1.25Cr - 0.50Mo - 0.25V (0.28 - 0.33C)	2023	SAE	0
1457	AMS6305H	Steel Heat-Resistant Bars Forgings and Tubing 0.95Cr - 0.55Mo - 0.30V (0.40 - 0.50C) Vacuum Arc Remelted - UNS K14675	2023	SAE	0

1458	AMS6308G	Steel Bars and Forgings 0.90Si - 1.0Cr - 2.0Ni - 3.2Mo - 2.0Cu - 0.10V (0.07 - 0.13C) Vacuum Arc or Electroslag Remelted - UNS K71040	2023	SAE	0
1459	AMS6320R	Steel Bars Forgings Rings and Forging Stock 0.50Cr - 0.55Ni - 0.25Mo (0.33 - 0.38C) (8735)	2023	SAE	0
1460	AMS6322S	Steel Bars Forgings and Rings 0.50Cr - 0.55Ni - 0.25Mo (0.38 - 0.43C) (SAE 8740) - UNS G87400	2023	SAE	0
1461	AMS6328P	Steel Bars Forgings and Tubing 0.50Cr - 0.55Ni - 0.25Mo (0.48 to 0.53C) (8750) - UNS K13550	2023	SAE	0
1462	AMS6346D	Steel Bars 0.95Cr - 0.20Mo (0.28 to 0.33C) (SAE 4130) Hardened and Tempered 125 Ksi (862 MPa) Tensile Strength - UNS G41300	2023	SAE	0
1463	AMS6360R	Steel Tubing Seamless 0.95Cr - 0.20Mo (0.28 - 0.33C) (SAE 4130) Normalized or Stress Relieved - UNS G41300	2023	SAE	0
1464	AMS6382S	Steel Bars Forgings and Rings 0.95Cr - 0.20Mo (0.38 - 0.43C) (SAE 4140) Annealed - UNS G41400	2023	SAE	0
1465	AMS6408F	Steel Hotwork Tool Bars and Forgings 5.25Cr 1.5Mo 1.0V (0.35-0.45C) (H-13) Electroslag Remelted (ESR) or Consumable Electrode Vacuum Arc Remelted (VAR) Annealed - UNS T20813	2023	SAE	0
1466	AMS6411K	Steel Bars Forgings and Tubing 0.88Cr 1.8Ni 0.42Mo 0.08V (0.28 0.33C) (4330 Mod) Consumable Electrode Remelted - UNS K23080	2023	SAE	0
1467	AMS6414N	Steel Bars Forgings Mechanical Tubing and Forging Stock 0.80Cr - 1.8Ni - 0.25Mo (0.38 - 0.43C) (SAE 4340) Vacuum Consumable Electrode Remelted	2023	SAE	0
1468	AMS6459G	Steel Welding Wire 1.0Cr - 1.0Mo - 0.12V (0.18 - 0.23C) Vacuum Melted - UNS K22720	2023	SAE	0
1469	AMS6463G	Wire Steel Welding 18.5Ni - 8.5Co - 5.2Mo - 0.72Ti - 0.10Al (Marage 300) Vacuum Melted Environment Controlled Packaging - UNS K93130	2023	SAE	0
1470	AMS6471K	Steel Nitriding Bars Forgings and Tubing 1.6Cr 0.35Mo 1.13Al (0.38 0.43C) (135 Mod) Consumable Electrode Vacuum Melted - UNS K24065	2023	SAE	0
1471	AMS6472H	Steel Bars and Forgings Nitriding 1.6Cr 0.35Mo 1.1Al (0.38 0.43C) (135 Mod) Hardened and Tempered 112 ksi (772 MPa) Tensile Strength - UNS K24065	2023	SAE	0
1472	AMS6511C	Steel Maraging Bars Forgings Mechanical Tubing Rings and Stock for Forging and Rings 18Ni - 8.5Co - 3.2Mo - 0.20Ti - 0.10Al Double Vacuum Melted Annealed	2023	SAE	0
1473	AMS6527G	Steel Bars and Forgings 2.0Cr - 10Ni - 14Co - 1.0Mo (0.15 - 0.19C) Vacuum Melted Normalized and Overaged - UNS K92571	2023	SAE	0
1474	AMS6544F	Maraging Steel Plate 2.0Cr - 10Ni - 8.0Co - 1.0Mo (0.10 - 0.14C) Double Vacuum Melted Solution Heat Treated - UNS K91971	2023	SAE	0
1475	AMS6562	Steel Bars Wire and Forgings 10 Co - 7 Mo - 6 V - 6 W - 4 Cr (2.2 - 2.4C) Premium Aircraft-Quality for Bearing Applications Inert Gas Atomized and Hot Isostatically Pressed Consolidated - UNS T61301	2023	SAE	0
1476	AMS6945D	Titanium Alloy Single Melt Sheet Strip and Plate 6Al - 4V Annealed - UNS R56400	2023	SAE	0
1477	AMS7911E	Aluminum Beryllium Preforms Hot Isostatic Pressed and Heat Treated 38Al - 62Be	2023	SAE	0
1478	AMS7912E	Aluminum-Beryllium Alloy Extrusions 38Al - 62Be Annealed	2023	SAE	0
1479	ARP378E	Passenger Reading Lights (Stabilized: May 2023)	2023	SAE	0
1480	ARP600C	Aerospace - Passive Side Stick Unit General Requirements for Fly by Wire Transport and Business	2023	SAE	0
1481	ARP721	Turbine Drive Shaft Connection	2023	SAE	0
1482	ARP907A	NULL	2023	SAE	0
1483	ARP908D	Torque Requirements Installation and Qualification Test Hose and Tube Fitting.	2023	SAE	0
1484	ARP1048C	(R) Instrument and Cockpit Illumination for General Aviation Aircraft	2023	SAE	0
1485	ARP1172A	NULL	2023	SAE	0
1486	ARP1256E	Procedure for the Continuous Sampling and Measurement of Gaseous Emissions from Aircraft Turbine Engines	2023	SAE	0
1487	ARP1267A	NULL	2023	SAE	0
1488	ARP1279A	NULL	2023	SAE	0
1489	ARP1311D	Landing Gear Structures and Mechanisms	2023	SAE	0
1490	ARP1384E	(R) Passenger Safety Briefing Materials	2023	SAE	0

1491	ARP1833C	Sealing Techniques for Missile Applications	2023	SAE	0
1492	ARP1923B	Qualification and Certification of Etch Inspectors	2023	SAE	0
1493	ARP4087D	(R) Wing Inspection Lights - Design Criteria	2023	SAE	0
1494	ARP4287A	(R) Supplemental Oxygen Devices with Automatic or Manual Presentation	2023	SAE	0
1495	ARP4698A	NULL	2023	SAE	0
1496	ARP4761A	NULL	2023	SAE	0
1497	ARP4771A	Recommended Brace Positions	2023	SAE	0
1498	ARP4919A	NULL	2023	SAE	0
1499	ARP4927A	NULL	2023	SAE	0
1500	ARP4961A	NULL	2023	SAE	0
1501	ARP4967C	Night Vision Imaging Systems (NVIS) Integrally Illuminated Information Panels	2023	SAE	0
1502	ARP4968A	NULL	2023	SAE	0
1503	ARP4988A	NULL	2023	SAE	0
1504	ARP5102A	NULL	2023	SAE	0
1505	ARP5143A	(R) Vacuum Bagging of Thermosetting Composite and Metalbond Repairs	2023	SAE	0
1506	ARP5144A	(R) Heat Application for Thermosetting Resin Curing	2023	SAE	0
1507	ARP5297C	Recommended Qualification Tests for Halogen Miniature Lamps Less Than 35 Watts for Aircraft Applications	2023	SAE	0
1508	ARP5319	Aerospace-Interface Definition for Mechanical Actuation Subsystems	2023	SAE	0
1509	ARP5533B	Stationary Runway Weather Information System (In-Pavement) (Stabilized: Feb 2023)	2023	SAE	0
1510	ARP5564A	Airport Runway Brooms (Stabilized: Feb 2023)	2023	SAE	0
1511	ARP5623A	Mobile Digital Infrared Pavement Surface Ambient Air and Dew Point Temperature Sensor System (Stabilized: Feb 2023)	2023	SAE	0
1512	ARP5655A	Safety Briefings for Passengers in Exit Rows	2023	SAE	0
1513	ARP5660B	Deicing Facility Operational Procedures	2023	SAE	0
1514	ARP5824A	NULL	2023	SAE	0
1515	ARP5825B	Design Requirements and Test Procedures for Dual Mode Exterior Lights	2023	SAE	0
1516	ARP5889A	Alternative (Ecological) Method for Measuring Electronic Product Immunity to External Electromagnetic Fields (Stabilized: Mar 2023)	2023	SAE	0
1517	ARP6002A	NULL	2023	SAE	0
1518	ARP6059A	Solid De-Icing/Anti-Icing Material Spreader for Airport Application (Stabilized: Feb 2023)	2023	SAE	0
1519	ARP6152	Aircraft Tires Service Overload Capability	2023	SAE	0
1520	ARP6178A	Counterfeit Electrical Electronic and Electromechanical (EEE) Parts: Tools for Risk Assessment of Other than an Authorized Source (e.g. Independent Distributors)	2023	SAE	0
1521	ARP6205	Transport Airplane Fuel System Lightning Protection	2023	SAE	0
1522	ARP6225B	Aircraft Tire Inspection - In-Service Removal Criteria	2023	SAE	0
1523	ARP6239A	Demonstration Emergency Equipment	2023	SAE	0
1524	ARP6257B	Aircraft Ground Deicing/Anti-Icing Communication Phraseology for Flightcrew and Groundcrew	2023	SAE	0
1525	ARP6290	Procedure for Thermal Aging Test for Polyol Ester Gas Turbine Engine Lubricants	2023	SAE	0
1526	ARP6307A	New and Newly Retreaded Tire Appearance	2023	SAE	0
1527	ARP6328A	NULL	2023	SAE	0
1528	ARP6377	Guidance on Mitigation Strategies Against Laser Illumination Effects	2023	SAE	0
1529	ARP6408	Recommended Practice for Processing and Handling Wire and Cable with Silver Plated Conductors and Shields	2023	SAE	0
1530	ARP6412	Use of Pb-Free Ball Grid Array Component Soldered Using SnPb Solder	2023	SAE	0

1531	ARP6503A	Cabin Crew Rest Facilities (Stabilized: May 2023)	2023	SAE	0
1532	ARP6991	High Temperature Pneumatic Duct Systems for Aircraft	2023	SAE	0
1533	ARP7120	(R) Galley Lighting	2023	SAE	0
1534	ARP7204	Polymeric Bearings for Linear Actuators	2023	SAE	0
1535	ARP7519	Potential Usage of Life Test Samples for Flight	2023	SAE	0
1536	ARP8462	Methods for Determining the Effect of Liquid Disinfectants on Seats in Transport Aircraft	2023	SAE	0
1537	ARP8830	Procedure for Development of a Test Method	2023	SAE	0
1538	AS1251D	FITTING UNION FLARED TUBE FOR SEAL RING	2023	SAE	0
1539	AS1291B	SLEEVE HOSE ASSEMBLY CHAFE GUARD TFE OR FEP	2023	SAE	0
1540	AS1292A	NULL	2023	SAE	0
1541	AS1293A	NULL	2023	SAE	0
1542	AS1294A	NULL	2023	SAE	0
1543	AS1295A	NULL	2023	SAE	0
1544	AS1298A	NULL	2023	SAE	0
1545	AS1582H	FITTING ADAPTER EXTERNAL THREAD FLARELESS TO INTEGRAL WELD RING 3000 PSI	2023	SAE	0
1546	AS1791E	WIRE RETAINER - TUBE COUPLING NUT	2023	SAE	0
1547	AS1988B	Air Cargo Pallet Extensions	2023	SAE	0
1548	AS5659-4	Physical Layer Specification	2023	SAE	0
1549	AS5722	PACKING PREFORMED O-RING MOLDED FROM AMS7268 MATERIAL	2023	SAE	0
1550	AS5726A	Interface Standard, Interface for Micro Munitions	2023	SAE	0
1551	AS5768-1F	TOOL STRIPPER MANUALLY ACTUATED ELECTRICAL INSULATION ROUND WIRE SIZE 10 TO 30	2023	SAE	0
1552	AS5768-2D	TOOL STRIPPER MANUALLY ACTUATED SMALL GRIP ELECTRICAL INSULATION ROUND WIRE SIZE 16 TO 30	2023	SAE	0
1553	AS5782C	(R) Retainers (Backup Rings) Hydraulic and Pneumatic Polytetrafluoroethylene Resin Solid Un-Cut for Use in AS4716 Glands	2023	SAE	0
1554	AS5861C	Retainers (Back-Up Rings) Hydraulic and Pneumatic Polytetrafluoroethylene Resin Solid Static Gland	2023	SAE	0
1555	AS6111	FITTING ASSEMBLY STRAIGHT MALE FLARELESS AXIALLY SWAGED HYDRAULIC UP TO 1500 PSI	2023	SAE	0
1556	AS6316	Performance Standards for Oblique Facing Passenger Seats in Transport Aircraft	2023	SAE	0
1557	AS6462D	(R) AS5553A Fraudulent/Counterfeit Electronic Parts; Avoidance Detection Mitigation and Disposition Verification Criteria	2023	SAE	0
1558	AS7512A	NULL	2023	SAE	0
1559	AS9578A	NULL	2023	SAE	0
1560	AS14238E	(R) BUSHING SLEEVE FLANGED PRESS FIT REAM TYPE	2023	SAE	0
1561	AS21914E	CAP PRESSURE SEAL FLARELESS TUBE FITTING	2023	SAE	0
1562	AS22520-38A	NULL	2023	SAE	0
1563	AS23053-19	INSULATION SLEEVING ELECTRICAL HEAT SHRINKABLE FLAME RETARDED MODIFIED POLYOLEFIN FLEXIBLE CROSSLINKED	2023	SAE	0
1564	AS23053C	Insulation Sleeving Electrical Heat Shrinkable General Specification for	2023	SAE	0
1565	AS25281E	Clamp Loop Plastic Wire Support	2023	SAE	0
1566	AS27648E	BEARING BALL AIRFRAME ANTI-FRICTION EXTERNAL SELF ALIGNING EXTRA LIGHT DUTY	2023	SAE	0
1567	AS27649F	(R) BEARING BALL AIRFRAME ANTIFRICTION INTERMEDIATE DUTY	2023	SAE	0
1568	AS42702	Validation Methods For MIL-STD-1760D Mission Stores	2023	SAE	0

1569	AS46778	FITTING TEE BULKHEAD ON RUN BOSS ON SIDE SHORT FLARELESS	2023	SAE	0
1570	AS54381-390	NULL	2023	SAE	0
1571	AS55900-999	NULL	2023	SAE	0
1572	AS61900-934	NULL	2023	SAE	0
1573	AS63750-761	AEROSPACE STANDARD No. AS63750-761ï NUT, UNION, TUBE AND HOSE COUPLING	2023	SAE	0
1574	AS64366-374	NULL	2023	SAE	0
1575	AS65113AR-3	AEROSPACE STANDARD No. AS651 1 3ï NUT, SELF LOCKING, SHANK, FLANGE RESTRAINED 0.3750-24UNJFû3B BS.A346 (ISO31 61). BASED ON AS63479 WITH 3g, 5g AND 1 5g OF ADDITIONAL MASS.	2023	SAE	0
1576	AS81582C	Connectors, Electrical, Bayonet Coupling, Environment Resisting, Umbilical, General Specification For	2023	SAE	0
1577	AS95234-1A	PROTECTIVE COVER CONNECTOR PLUG REVERSE BAYONET COUPLING	2023	SAE	0
1578	AS95234-7A	NULL	2023	SAE	0
1579	AS95234-9A	NULL	2023	SAE	0
1580	AS122900A - AS122939A	NULL	2023	SAE	0
1581	HS-1086	Metals and Alloys in the Unified Numbering System - ***To Purchase: Contact IHS at 1-800-854-7179 USA/Canada or 303-397-7956 Worldwide***	2023	SAE	0
1582	J48	Guidelines for Liquid Level Indicators	2023	SAE	0
1583	J175	Wheels - Impact Test Procedures - Road Vehicles	2023	SAE	0
1584	J280	Snowmobile Headlamps	2023	SAE	0
1585	J343	Test and Test Procedures for SAE 100R Series Hydraulic Hose and Hose Assemblies	2023	SAE	0
1586	J444	Cast Shot and Grit Size Specifications for Peening and Cleaning	2023	SAE	0
1587	J514-3	Metallic Connections for Fluid Power and General Use - Part 3: NPTF Pipe Adapters and NPSM Adapter Unions	2023	SAE	0
1588	J518-2	Hydraulic Flanged Tube, Pipe, and Hose Connections, 4-Screw Flange Connection Part 2: 42 MPa (Code 62)	2023	SAE	0
1589	J537	Storage Batteries	2023	SAE	0
1590	J646	(R) Planetary Gears - Terminology	2023	SAE	0
1591	J649	Automatic Transmission Functions - Terminology	2023	SAE	0
1592	J747	Control Valve Test Procedure, Standard	2023	SAE	0
1593	J1004	Glossary of Engine Cooling System Terms	2023	SAE	0
1594	J1012	(R) Operator Enclosure Pressurization System Test Procedure, Recommended Practice	2023	SAE	0
1595	J1307	Excavator and Backhoe Hand Signals	2023	SAE	0
1596	J1323	Standard Classification System for Fiberboards	2023	SAE	0
1597	J1335	Hydraulic Cylinder No-Load Friction Test	2023	SAE	0
1598	J1353	Nomenclature - Clam Bunk Skidder	2023	SAE	0
1599	J1400	(R) Laboratory Measurement of the Airborne Sound Barrier Performance of Flat Materials and Assemblies	2023	SAE	0
1600	J1492	(R) Measurement of Light Vehicle Stationary Exhaust System Sound Level Engine Speed Sweep Method	2023	SAE	0
1601	J1676	Type "F" Clamps for Plumbing Applications	2023	SAE	0
1602	J1730	ABS Excitor Ring Location Standardization	2023	SAE	0
1603	J1754-1	Hose Assemblies, Rubber, Hydraulic, Steel Wire Reinforced - Part 1: Procurement Document	2023	SAE	0
1604	J1830	Size Classification and Characteristics of Ceramic Shot for Peening	2023	SAE	0
1605	J1939-02	Agricultural and Forestry Off-Road Machinery Control and Communication Network	2023	SAE	0
1606	J1939-82	Compliance	2023	SAE	0
1607	J1942-1	(R) Qualified Hoses for Marine Applications	2023	SAE	0

1608	J1978-1	NULL	2023	SAE	0
1609	J1985	Fuel Filter - Initial Single-Pass Efficiency Test Method	2023	SAE	0
1610	J2081	Test Procedure for Determining the Resistance of Safety-Glazing Materials, of which One Surface is Plastic, to Simulated Weathering	2023	SAE	0
1611	J2191	Recommended Practice for Identification of Standardized Truck and Tractor Electrical Circuits	2023	SAE	0
1612	J2402	(R) Road Vehiclesâ Symbols for Controls, Indicators, and Tell-tales	2023	SAE	0
1613	J2412	(R) Accelerated Exposure of Automotive Interior Trim Components Using a Controlled Irradiance Xenon-Arc Apparatus	2023	SAE	0
1614	J2436	Accessory Drive Tensioner Test Standards (Mechanical Rotary Type)	2023	SAE	0
1615	J2494-3	Performance Requirements for SAE J844 Non-metallic Air Brake Tubing and Push to Connect Fitting Assemblies Used in Vehicular Air Brake Systems	2023	SAE	0
1616	J2497	Power Line Carrier Communications for Commercial Vehicles	2023	SAE	0
1617	J2522	Dynamometer Global Brake Effectiveness (Stabilized Type)	2023	SAE	0
1618	J2564	Automotive Stability Enhancement Systems	2023	SAE	0
1619	J2735	Dedicated Short Range Communications (DSRC) Message Set Dictionary	2023	SAE	0
1620	J2743	Air Compressor Size Rating Recommended Practice - Truck and Bus	2023	SAE	0
1621	J2836-2	Use Cases for Communication between Plug-in Vehicles and Off-Board DC Charger	2023	SAE	0
1622	J2868	Pedestrian Dummy Full Scale Test Results and Resource Materials	2023	SAE	0
1623	J2882	Maximum Velocity of Personal Watercraft	2023	SAE	0
1624	J2931-1	(R) Digital Communications for Plug-in Electric Vehicles	2023	SAE	0
1625	J2945-1B	Vehicle Level Validation Test Procedures for V2V Safety Communications	2023	SAE	0
1626	J2945-6	Road Safety Applications	2023	SAE	0
1627	J2964	Low Speed Continuous Slip SAE No. 2 خ PVT Procedure	2023	SAE	0
1628	J2980	Considerations for ISO 26262 ASIL Hazard Classification	2023	SAE	0
1629	J3010	Registration and Conformity Assessment Process for Passenger Cars and Light Trucks Wheels	2023	SAE	0
1630	J3068-1	NULL	2023	SAE	0
1631	J3080	Inertia Dynamometer Rotor Crack Test Procedure for Air Disc Brakes	2023	SAE	0
1632	J3104	Ambulance Patient Compartment Structural Integrity Test to Support SAE J3027 Compliant Litter Systems	2023	SAE	0
1633	J3130	Low-Temperature Coolant Circuit Nomenclature and Applications	2023	SAE	0
1634	J3187-1	NULL	2023	SAE	0
1635	J3187-3	NULL	2023	SAE	0
1636	J3240	Common Port Connections Used in Truck and Bus Air Brake Systems	2023	SAE	0
1637	J3241	Common Port Connections Used in Truck and Bus Air Brake Systems	2023	SAE	0
1638	J3262	Listing of Provider Service Identifiers and Associated Application Technical Reports	2023	SAE	0
1639	MA2093A	Fitting End Dimensions Fluid Systems Port Connection Metric (Stabilized: Aug 2023)	2023	SAE	0
1640	MA2520A	NULL	2023	SAE	0
1641	MA2521A	NULL	2023	SAE	0
1642	MA2532A	NULL	2023	SAE	0
1643	TS24-8	NULL	2023	SAE	0
1644	USCAR-24	USCAR INFLATOR TECHNICAL REQUIREMENTS AND VALIDATION - REVISION 2	2023	SAE	0
1645	USCAR-30	Performance Specification for Automotive Universal Serial Bus (USB) Connection System	2023	SAE	0
1646	J2706	Hybrid III Six-Year-Old Child Dummy Users Manual	2023	SAE	0
1647	J2714	Gasoline Direct Injection Pump	2023	SAE	0

1648	J2721	(R) Recommended Corrosion Test Methods for Commercial Vehicle Components	2023	SAE	0
1649	J2725	Road Vehiclesâ Friction Materialsâ Elastic Properties Measurements	2023	SAE	0
1650	J2738	Improved Roadway Illumination: Information Resource	2023	SAE	0
1651	J2789	Inertia Calculation for Single-Ended Inertia-Dynamometer Testing	2023	SAE	0
1652	J2796	Power Cylinder Oil Consumption: Methods of Measurements	2023	SAE	0
1653	J2812	Road Load Tire Model Validation Procedures for Dynamic Behavior	2023	SAE	0
1654	J2848-1	Tire Pressure Monitoring Systemsâ For Medium and Heavy Duty Highway Vehicles	2023	SAE	0
1655	J2848-2	Tire Pressure Systems - Maintenance (ATIS) Type For Medium and Heavy Duty Highway Vehicles	2023	SAE	0
1656	J2857	Hybrid III 3-Year Old Child Dummy Users Manual	2023	SAE	0
1657	J2858	Hybrid III Ten-Year-Old Child Dummy Users Manual	2023	SAE	0
1658	J2860	Users Manual for the Hybrid III Large Male Test Dummy	2023	SAE	0
1659	J2862	Users Manual for the Small Adult Female Hybrid III Test Dummy	2023	SAE	0
1660	J2863	Automotive Trailer Tow Connector	2023	SAE	0
1661	J2884	Thermoset Elastomer Specification System	2023	SAE	0
1662	J2886	Design Review Based on Failure Modes (DRBFM)	2023	SAE	0
1663	J2907	(R) Performance Characterization of Electrified Powertrain Motor-Drive Subsystem	2023	SAE	0
1664	J2908	Vehicle Power Test for Electrified Powertrains	2023	SAE	0
1665	J1953	Brake-Stroke Indicator Design Guideline for Cam or Disc Air-Brake Actuators	2023	SAE	0
1666	J1973	(R) Personal Watercraft - Floatation	2023	SAE	0
1667	J2296	Retest of Refrigerant Container	2023	SAE	0
1668	J2608	Off Throttle Steering Capabilities of Personal Watercraft	2023	SAE	0
1669	J2643	Standard Reference Elastomers (SRE) for Characterizing the Effect of Liquids on Vulcanized Rubbers	2023	SAE	0
1670	J2661	Optical Imaging Evaluation of Impact Damage Resistance Testing on Exterior Finishes	2023	SAE	0
1671	J2675	(R) Combined Cornering and Braking Test for Truck and Bus Tires	2023	SAE	0
1672	J2921	H-III5F Chest Jacket Harmonization	2023	SAE	0
1673	J2927	R-1234yf Refrigerant Identifier Installed In Recovery and Recycling Equipment for Use With Mobile A/C Systems	2023	SAE	0
1674	J2931-4	(R) Digital Communications for Plug-in Electric Vehicles	2023	SAE	0
1675	J2932	Air Disc Brake Actuator Test Requirements	2023	SAE	0
1676	J2944	Operational Definitions of Driving Performance Measures and Statistics	2023	SAE	0
1677	J2945-4	Road Safety Applications	2023	SAE	0
1678	J2945-7	High - Precision Positioning for V2X Systems	2023	SAE	0
1679	J2953-1	Plug-in Electric Vehicle (PEV) Interoperability with Electric Vehicle Supply Equipment (EVSE)	2023	SAE	0
1680	J2953-2	Test Procedures for the Plug-In Electric Vehicle (PEV) Interoperability with Electric Vehicle Supply Equipment (EVSE)	2023	SAE	0
1681	J3001	Brake Insulator Damping Measurement Procedure	2023	SAE	0
1682	J3008	Sealed Trailer Tow Connector	2023	SAE	0
1683	J3029	Forward Collision Warning and Mitigation Vehicle Test Procedure - Truck and Bus	2023	SAE	0
1684	J3057	Ambulance Modular Body Evaluation-Quasi-Static Loading for Type I and Type III Modular Ambulance Bodies	2023	SAE	0
1685	J3063	Active Safety Systems Terms & Definitions	2023	SAE	0
1686	J3074	Lumbar Flexion Test Procedure for the Hybrid III 50th Male Dummy	2023	SAE	0
1687	J3078-2	(R) Off-Road Self-Propelled Work Machines Operator Enclosure Environment - Part 2: Air Filter Element Test Method	2023	SAE	0
1688	J3078-6	Off-Road Self-Propelled Work Machines Operator Enclosure Environment Part 6: Determination of Effect of Solar Heating	2023	SAE	0

1689	J3086	Inertia Dynamometer Rotor Crack Test Procedure for Air Disc Brakes	2023	SAE	0
1690	J3094	Test Procedure for Internal Heat Exchangers of Mobile Air-Conditioning Systems with R-134a or R-1234yf Refrigerant	2023	SAE	0
1691	J3095	Linear Impactor Calibration Procedure	2023	SAE	0
1692	J3105-1	Electric Vehicle Power Transfer System Using Conductive Automated Connection Devices Infrastructure-Mounted Pantograph (Cross-Rail) Connection	2023	SAE	0
1693	J3105-2	Electric Vehicle Power Transfer System Using Conductive Automated Connection Devices Vehicle-Mounted Pantograph (Bus-Up)	2023	SAE	0
1694	J3105	Electric Vehicle Power Transfer System Using Conductive Automated Connection Devices	2023	SAE	0
1695	J3109	PWM HVAC Blower Controller and BLDC Motor Controller Efficiency Assessment	2023	SAE	0
1696	J3116	Active Safety Pedestrian Test Mannequin Recommendation	2023	SAE	0
1697	J3117-1	1000BASE-T1 Un-Shielded and Shielded Balanced Single Twisted Pair Ethernet Cable	2023	SAE	0
1698	J3186	Application Protocol and Requirements for Maneuver Sharing and Coordinating Service	2023	SAE	0
1699	J3187	System Theoretic Process Analysis (STPA) Recommended Practices for Evaluations of Automotive Related Safety-Critical Systems	2023	SAE	0
1700	J3203	Wheel Radial Impact Test Procedure for Passenger Cars	2023	SAE	0
1701	J3213	Low-Speed Continuous Slip Durability Test	2023	SAE	0
1702	J3214	(R) Breath-Based Alcohol Detection System	2023	SAE	0
1703	J3215	Hydrogen Embrittlement Testing of Ultra High Strength Steels and Stampings by Acid Immersion	2023	SAE	0
1704	J3220	Lithium-Ion Cell Performance Testing	2023	SAE	0
1705	J3234-2	Active Safety Roadside Metal Guardrail Surrogate Recommendation	2023	SAE	0
1706	J3235	Best Practices for Storage of Lithium-Ion Batteries	2023	SAE	0
1707	J3251	Best Practices for Storage of Lithium-Ion Batteries	2023	SAE	0
1708	J3252	Best Practices for Storage of Lithium-Ion Batteries	2023	SAE	0
1709	J3268	Listing of Provider Service Identifiers and Associated Application Technical Reports	2023	SAE	0
1710	J3280	Guidelines for Haptic Interaction in a Driver Vehicle Interface	2023	SAE	0
1711	J3281	Desorption of Brake Friction Materials	2023	SAE	0
1712	J3289	Guidelines for Haptic Interaction in a Driver Vehicle Interface	2023	SAE	0
1713	JA6268	Design & Run-Time Information Exchange for Health-Ready Components	2023	SAE	0
1714	J2383	(R) Air Dryer Installation Procedure	2023	SAE	0
1715	J2970	Minimum Performance Requirements for Non-Refrigerant Tracer Gasses and Electronic Tracer Gas Leak Detectors	2023	SAE	0
1716	J3117	Un-shielded Balanced Single Twisted Pair Ethernet Cable	2023	SAE	0
1717	J3164	Ontology and Lexicon for Automated Driving System (ADS)-Operated Vehicle Behaviors and Maneuvers in Routine/Normal Operating Scenarios	2023	SAE	0
1718	MA2093A	Fitting End, Dimensions, Fluid Systems Port Connection, Metric (Stabilized: Aug 2023)	2023	SAE	0
1719	MA3447A	BOLT, MACHINE - SPLINE DRIVE HD CLOSE TOL FULL SHANK, AMS5662, METRIC	2022	SAE	0
1720	MA3448A	BOLT, SPLINE DRIVE SPECIAL EXTENDED WASHER HEAD, REDUCED HEAD, PD SHANK, AMS5708, METRIC	2022	SAE	0
1721	MA3449A	BOLT, SPLINE DRIVE EXTENDED WASHER HEAD, REDUCED HEAD, RETAINER LOCKED, PD SHANK, AMS5708, METRIC	2022	SAE	0
1722	J3165	LTE Vehicle-to-Everything (LTE-V2X) Deployment Profiles and Radio Parameters for Single Radio Channel Multi-Service Coexistence	2022	SAE	0
1723	MA2039B	PLUG, PORT - MJ THREAD, O-RING SEAL, AMS-5640, METRIC (Stabilized: May 2022)	2022	SAE	0
1724	J2982	Riding Range Test Procedure for On-Highway Electric Motorcycles	2022	SAE	0

1725	J2388	Secondary Control Modifications	2022	SAE	0
1726	MA1806A	Spring Clips and Cushion Selection for Metal Tube Support, Metric (Stabilized: Oct 2022)	2022	SAE	0
1727	J3117-2	1000BASE-T1 Un-Shielded and Shielded Balanced Single Twisted Pair Ethernet Cable	2022	SAE	0
1728	J2954	Wireless Power Transfer for Light-Duty Plug-In/ Electric Vehicles and Alignment Methodology	2022	SAE	0
1729	J2956	Occupant Restraint and Equipment Mounting Integrity Side Impact System-Level Ambulance Patient Compartment	2022	SAE	0
1730	J2698	Primary Single Phase Nominal 120 VAC Wiring Distribution Assembly Design - Truck and Bus	2022	SAE	0
1731	J2302	(R) Thermal Effectiveness of Sleeve/Tubing/Tape Insulation	2022	SAE	0
1732	J2358	Low Speed Vehicles	2022	SAE	0
1733	J1976	(R) Outdoor Weathering of Exterior Materials, Standard - February 1994	2022	SAE	0
1734	J2914	Exhaust Gas Recirculation (EGR) Cooler Nomenclature and Application	2022	SAE	0
1735	J2917	Occupant Restraint and Equipment Mounting Integrity Frontal Impact System-Level Ambulance Patient Compartment	2022	SAE	0
1736	J2918	(R) Engine-Off Cab Heating and Air Conditioning Systems Test Procedure and Performance Requirements - Trucks with and without Sleepers	2022	SAE	0
1737	J2601-3	Fueling Protocol for Gaseous Hydrogen Powered Industrial Trucks	2022	SAE	0
1738	J2517	Hybrid III Family Chest Potentiometer Calibration Procedure	2022	SAE	0
1739	J2521	(R) Disc and Drum Brake Dynamometer Squeal Noise Test Procedure	2022	SAE	0
1740	J2284-3	High-Speed CAN (HSC) for Vehicle Applications at 500 KBPS	2022	SAE	0
1741	J1942-1	(R) Qualified Hoses for Marine Applications	2022	SAE	0
1742	J1843	Accelerator Pedal Position Sensor for Use with Electronic Controls in Medium- and Heavy-Duty Vehicle Applicationsâ Truck and Bus	2022	SAE	0
1743	J1850	(R) Class B Data Communications Network Interface	2022	SAE	0
1744	J1834	Seat Belt Comfort, Fit, and Conveniencâ Truck and Bus	2022	SAE	0
1745	J1803	Seat Belt Restraint System Hardware - Glossary of Terms	2022	SAE	0
1746	J551-16	Electromagnetic Immunity - Off-Vehicle Source (Reverberation Chamber Method) - Part 16 - Immunity to Radiated Electromagnetic Fields	2022	SAE	0
1747	J384	(R) Motor Vehicle Seat Belt Anchorages - Test Procedure	2022	SAE	0
1748	J514-1	Metallic Connections for Fluid Power and General Use - Part 1: 37 Degree Flared Fittings	2022	SAE	0
1749	J1531	Seam Damage Test Procedure	2022	SAE	0
1750	J1113-12	Electrical Interference by Conduction and CouplingCapacitive and Inductive Coupling via Lines Other than Supply Lines	2022	SAE	0
1751	J225	Brake Force Distribution Field Test Procedure for Truck and Bus	2022	SAE	0
1752	J141	(R) Seat Belt Hardware Performance Requirements	2022	SAE	0
1753	AS100026C - AS100035C	SAFETY WIRE - CRES AS5685 (UNS S30500)	2022	SAE	0
1754	AS123301E - AS123450E	RIVET, SOL ID , UN IVERSAL HEAD , N ICKEL ALLOY, UNS N 06600	2022	SAE	0
1755	AS125251C - AS125400C	RIVET - 1 00 DEGREE COUNTERSUNK HEAD , ALUM INUM ALLOY (UNS A921 1 7)	2022	SAE	0
1756	AS125701C - AS125850C	NULL	2022	SAE	0
1757	AS6039E	Bearings, Ball, Rod End, Double Row, Self-Aligning	2022	SAE	0
1758	AS63298-299	NULL	2022	SAE	0
1759	AS63298-299-AR	NULL	2022	SAE	0

1760	AS63480-529	No . AS63480-529ĵ NUT SELF-LOCKING SHANK FLANGE RESTRAINED HEAT & CR STEEL A286 S ILVER COATED THREAD ONLY CLASS IFICATION Rm ? 1 1 00 MPa (1 60 000 lbf/in ?) @ TA / +650?C	2022	SAE	0
1761	AS63480-529-AR	NULL	2022	SAE	0
1762	AS21908F	ELBOW, BULKHEAD UNIVERSAL, 90 DEGREES, FLARELESS TUBE	2022	SAE	0
1763	ARP901B	Bubble-Point Test Method	2022	SAE	0
1764	AS5316	Storage of Elastomer Seals and Seal Assemblies Which Include an Elastomer Element Prior to Hardware Assembly	2022	SAE	0
1765	AMS5659-H925	This document has been replaced. View the most recent version.	2022	SAE	0
1766	AMS5659-H1025C	Steel, Corrosion-Resistant, Bars, Wire, Forgings, Rings, and Extrusions 15Cr - 4.5Ni - 0.30Cb (Nb) - 3.5Cu Consumable Remelted, Solution and Precipitation Heat Treated (H1025)	2022	SAE	0
1767	AMS3699A	Resin System, Epoxy, Carbon Microballoon Filled, 135 °C (275 °F) Cure	2022	SAE	0
1768	AMS2431-1G	Peening Media (ASR) Cast Steel Shot, Regular Hardness (45 to 52 HRC)	2022	SAE	0
1769	AMS2248H	Chemical Check Analysis Limits, Corrosion- and Heat-Resistant Steels and Alloys, Maraging and Other Highly Alloyed Steels, and Iron Alloys	2022	SAE	0
1770	AIR825-3A	Gaseous Oxygen and Oxygen Equipment, Introductory	2022	SAE	0
1771	AIR1147B	Electromagnetic Interference on Aircraft from Jet Engine Charging	2022	SAE	0
1772	AIR1351K	(R) Manufacturers Identification of Aerospace Electrical and Electronic Wiring Devices and Accessories	2022	SAE	0
1773	AIR1389C	FAR - Regulatory Requirements Covering the Use of Breathing Oxygen in Aircraft	2022	SAE	0
1774	AIR1589C	Aircraft Damage Caused by Ground Support Equipment	2022	SAE	0
1775	AIR1869D	Wide-Body and Standard-Body Aircraft Lower Deck Cargo Compartment ULD Capacities (Stabilized: May 2022)	2022	SAE	0
1776	AIR4358A	Steering Effect of Tilted, Free-Swiveling Nose Gears	2022	SAE	0
1777	AIR4367B	(R) Aircraft Inflight Ice Detectors and Icing Rate Measuring Instruments	2022	SAE	0
1778	AIR4548B	Real-Time Modeling Methods for Gas Turbine Engine Performance	2022	SAE	0
1779	AIR4783A	Glossary of Terms - Aircraft Ground Refueling and Defueling	2022	SAE	0
1780	AIR4830A	(R) Aircraft Tire Pressure Monitoring Systems	2022	SAE	0
1781	AIR4845A	The FMECA Process in the Concurrent Engineering (CE) Environment (Stabilized: Apr 2022)	2022	SAE	0
1782	AIR5024A	(R) Landing Gear Switch Selection Criteria	2022	SAE	0
1783	AIR5271A	A Guideline for Application of High-Density Fiber Optic Interconnects to Aerospace Platforms	2022	SAE	0
1784	AIR5378A	Aircraft Tube Bending Methods, Techniques and Tooling (Stabilized: May 2022)	2022	SAE	0
1785	AIR5386A	Hose and Hose Assembly Selection, Installation, Inspection and Maintenance Guidelines, Listing of	2022	SAE	0
1786	AIR5487B	(R) Aircraft Tire History	2022	SAE	0
1787	AIR5670A	Issues in Stairway Design Aboard Transport Category Airplanes	2022	SAE	0
1788	AIR5686	A Methodology for Assessing Inlet Swirl Distortion	2022	SAE	0
1789	AIR5699A	A Guide for the Damaging Effects of Tire and Wheel Failures	2022	SAE	0
1790	AIR6052A	(R) Trimmable Horizontal Stabilizer Actuator Descriptions	2022	SAE	0
1791	AIR6411	Effects of Extremely Cold Temperature on Landing Gear Operation	2022	SAE	0
1792	AIR6418	Transient Measurement Method Development for Aircraft Propulsion Engine and Auxiliary Power Unit Generated Contaminants in Bleed Air	2022	SAE	0
1793	AIR6813	Landing Gear Manufacturing, Maintenance, Repair, and Overhaul Critical Processes	2022	SAE	0
1794	AIR7930	Dimensional Life of Heat-Shrinkable Sleeve	2022	SAE	0
1795	AMS1389	Sealing Compound, Polythioether Rubber, Light-Cured, for Integral Fuel Tanks and General Purpose, Intermittent use to 360 °F (182 °C)	2022	SAE	0

1796	AMS1775C	Fabric, Nylon Upholstery Fire Resistant	2022	SAE	0
1797	AMS2368E	Sampling and Testing of Wrought Titanium Raw Material Except Forgings and Forging Stock	2022	SAE	0
1798	AMS2419E	Plating, Cadmium-Titanium	2022	SAE	0
1799	AMS2420F	Plating of Aluminum for Solderability Zinc Immersion Pre-Treatment Process	2022	SAE	0
1800	AMS2423F	Plating, Nickel Hard Deposit	2022	SAE	0
1801	AMS2431-6D	Peening Media Glass Shot	2022	SAE	0
1802	AMS2434E	Plating, Tin-Zinc Alloy	2022	SAE	0
1803	AMS2436E	Coating, Aluminum Oxide Detonation Deposition	2022	SAE	0
1804	AMS2451-1B	Plating, Brush, Nickel General Purpose	2022	SAE	0
1805	AMS2451-4E	Plating, Brush, Cadmium Corrosion Protective, Low Hydrogen Embrittlement	2022	SAE	0
1806	AMS2451-7B	Plating, Brush, Nickel Low Stress, Medium-Hardness Deposit	2022	SAE	0
1807	AMS2451-8B	Plating, Brush, Non-Cyanide Silver General Purpose	2022	SAE	0
1808	AMS2451-12A	Plating, Brush, Tin	2022	SAE	0
1809	AMS2451-13A	Plating, Brush, Silver	2022	SAE	0
1810	AMS2451-14	Plating, Brush, Nickel-Tungsten Low Hydrogen Embrittlement	2022	SAE	0
1811	AMS2467A	Hard Anodic Coating of Magnesium Alloys Alkaline Type, High Voltage	2022	SAE	0
1812	AMS2471K	Anodic Treatment of Aluminum Alloys Sulfuric Acid Process, Undyed Coating	2022	SAE	0
1813	AMS2482F	Hard Anodic Coating on Aluminum Alloys Polytetrafluoroethylene (PTFE)-Impregnated or Codeposited	2022	SAE	0
1814	AMS2487B	Anodic Treatment of Titanium and Titanium Alloys Solution pH 12.4 Maximum	2022	SAE	0
1815	AMS2490	Anodic Treatment of Aluminum Alloys Sulfuric Acid Process Thin Film	2022	SAE	0
1816	AMS2491G	Surface Treatment of Polytetrafluoroethylene (PTFE) Preparation for Bonding	2022	SAE	0
1817	AMS2590C	Rotary Flap Peening of Metal Parts	2022	SAE	0
1818	AMS2631G	Ultrasonic Inspection Titanium and Titanium Alloy Bar, Billet, and Plate	2022	SAE	0
1819	AMS2631G	Ultrasonic Inspection Titanium and Titanium Alloy Bar, Billet, and Plate	2022	SAE	0
1820	AMS2632C	Inspection, Ultrasonic, of Thin Materials 0.50 Inch (12.7 mm) and Under in Cross-Sectional Thickness	2022	SAE	0
1821	AMS2634C	Ultrasonic Inspection Thin Wall Metal Tubing	2022	SAE	0
1822	AMS2670K	Brazing, Copper	2022	SAE	0
1823	AMS2681B	Welding, Electron-Beam	2022	SAE	0
1824	AMS2745A	Induction Hardening of Steel Parts	2022	SAE	0
1825	AMS2750G	Pyrometry	2022	SAE	0
1826	AMS2773F	Heat Treatment Cast Nickel Alloy and Cobalt Alloy Parts	2022	SAE	0
1827	AMS3102A	Sealing Compound, Polythioether Rubber Fast Curing, Light Weight (Specific Gravity 0.78, Max) for Integral Fuel Tanks and General Purpose, Intermittent Use to 360 °F (182 °C)	2022	SAE	0
1828	AMS3197N	Sponge, Chloroprene (CR) Rubber Soft	2022	SAE	0
1829	AMS3240L	(R) Elastomer: Chloroprene Rubber (CR) Weather Resistant 35 - 45	2022	SAE	0
1830	AMS3241K	(R) Elastomer: Chloroprene Rubber (CR) Weather Resistant 55 - 65	2022	SAE	0
1831	AMS3281G	Sealing Compound, Polysulfide (T) Synthetic Rubber for Integral Fuel Tank and Fuel Cell Cavities Low Density for Intermittent Use to 360 °F (182 °C)	2022	SAE	0
1832	AMS3328D	(R) Elastomer: Fluorosilicone Rubber (FVMQ) Fuel and Oil Resistant 35 - 45 Type _A_ Durometer Hardness for Products Used in Engine Oil Systems/Fuel Systems	2022	SAE	0
1833	AMS3381C	Sealing Compound, Flame Resistant, Non-Silicone	2022	SAE	0
1834	AMS3686A	Adhesive, Polyimide Resin, Film and Paste High Temperature Resistant, 315 Degrees C (599 Degrees F)	2022	SAE	0

1835	AMS3692C	Adhesive Compound, Epoxy Resin High Temperature Application	2022	SAE	0
1836	AMS3695-1	Adhesive Film, Epoxy-Base, High Durability For 95 °C (200 °F) Service	2022	SAE	0
1837	AMS3695-2	Adhesive Film, Epoxy-Base, High Durability For 120 °C (250 °F) Service	2022	SAE	0
1838	AMS3695-3	Adhesive Film, Epoxy-Base, High Durability For 175 °C (350 °F) Service	2022	SAE	0
1839	AMS3695-4	Adhesive Film, Epoxy-Base, High Durability For 215 °C (420 °F) Service	2022	SAE	0
1840	AMS3695	Adhesive Film, Epoxy-Base For High Durability Structural Adhesive Bonding	2022	SAE	0
1841	AMS3742	Elastomer: Rubber, Silicone (MQ/VMQ/PVMQ) Flame Retardant, Low Smoke Density, Low Smoke Toxicity 50 _ 60 Durometer Type A Hardness for Products in Pressurized Aircraft Compartment Interiors	2022	SAE	0
1842	AMS3846D	Cloth, Quartz Finished for Resin Laminates	2022	SAE	0
1843	AMS3898-1B	Interleaf Carrier Material, Composite Tape Parchment, 0.004 inch (0.10 mm), Unperforated	2022	SAE	0
1844	AMS3898-2B	Interleaf Carrier Material, Composite Tape Polyethylene Film, 0.0018 inch (0.046 mm), Unperforated	2022	SAE	0
1845	AMS3898-3B	Interleaf Carrier Material, Composite Tape Polyethylene Coated Paper, Unperforated 0.0035 inch (0.089 mm)	2022	SAE	0
1846	AMS3898-4B	Interleaf Carrier Material, Composite Tape Paper, 0.04 inch (0.10 mm), Perforated	2022	SAE	0
1847	AMS3898-5B	Interleaf Carrier Material, Composite Tape Polyethylene Coated Paper, Perforated 0.0035 inch (0.089 mm)	2022	SAE	0
1848	AMS3898-6A	Interleaf Carrier Material, Composite Tape Differentially Coated Paper, Unperforated 0.0035 inch (0.081 mm)	2022	SAE	0
1849	AMS3898-7A	Interleaf Carrier Material, Composite Tape Differentially Coated Paper, Unperforated 0.0042 inch (0.107 mm)	2022	SAE	0
1850	AMS3898-8A	Interleaf Carrier Material, Composite Tape/Broadgoods Kraft, Differentially Coated Paper, Unperforated 0.0038 inch _ 0.0004 (0.097 mm 0.010)	2022	SAE	0
1851	AMS3898-9A	Interleaf Carrier Material, Composite Tape/Broadgoods Kraft, Differentially Coated Paper, Unperforated 0.0050 inch _ 0.0005 (0.127 mm 0.013)	2022	SAE	0
1852	AMS3898B	Interleaf Carrier Material, Composite Tape or Broadgoods Paper, 0.004 inch (0.10 mm), Perforated	2022	SAE	0
1853	AMS4027P	Aluminum Alloy, Sheet and Plate 1.0Mg - 0.60Si - 0.28Cu - 0.20Cr (6061; -T6 Sheet, -T651 Plate) Solution and Precipitation Heat Treated	2022	SAE	0
1854	AMS4028J	Aluminum Alloy Sheet and Plate 4.4Cu - 0.85Si - 0.80Mn - 0.50Mg (2014-O) Annealed - UNS A92014	2022	SAE	0
1855	AMS4066D	Aluminum Alloy, Drawn, Round Seamless Tubing 6.3Cu - 0.30Mn - 0.18Zr - 0.10V - 0.06Ti - (2219-T8511) Solution Heat Treated, Stress Relieved by Stretching and Precipitation Heat Treated	2022	SAE	0
1856	AMS4088L	Aluminum Alloy, Drawn, Seamless Tubing 4.4Cu - 1.5Mg - 0.60Mn (2024-T3) Solution Heat Treated and Cold Worked	2022	SAE	0
1857	AMS4133F	Aluminum Alloy Forgings and Rolled Rings 4.4Cu - 0.85Si - 0.80Mn - 0.50Mg (2014-T6) Solution and Precipitation Heat Treated - UNS A92014	2022	SAE	0
1858	AMS4181D	Aluminum Alloy, Welding Wire 7.0Si - 0.38Mg - 0.10Ti (4008 or 356) - UNS A94008	2022	SAE	0
1859	AMS4189K	Aluminum Alloy Welding Wire 4.1Si - 0.20Mg (4643)	2022	SAE	0
1860	AMS4203D	Aluminum Alloy, Plate 6.2Zn - 1.8Cu - 2.4Mg - 0.13Zr (7010-T7351) Solution Heat Treated, Stress Relieved, and Precipitation Heat Treated - UNS A97010	2022	SAE	0
1861	AMS4209D	Aluminum Alloy Sheet, Alclad 6.0Cu - 0.40Zr - (2004-F) As Rolled - UNS A82004	2022	SAE	0
1862	AMS4213B	Aluminum Alloy Plate (2027-T351) 4.4Cu - 1.2Mg - 0.8Mn - 0.10Zr Solution Heat Treated, Cold Worked and Naturally Aged - UNS A92027	2022	SAE	0
1863	AMS4233D	Aluminum Alloy, Welding Wire 4.5Cu - 0.70Ag - 0.30Mn - 0.25Mg - 0.25Ti (201)	2022	SAE	0
1864	AMS4312E	Aluminum Alloy, Rolled or Forged Rings 1.0Mg - 0.60Si - 0.28Cu - 0.20Cr (6061-T651, 6061-T652) Solution Heat Treated, Mechanically Stress Relieved, and Precipitation Heat Treated	2022	SAE	0
1865	AMS4327B	Aluminum Alloy, Plate (2098-O) 3.5Cu - 1.1Li - 0.50Mg - 0.40Ag - 0.11Zr Annealed - UNS A92098	2022	SAE	0
1866	AMS4333E	Aluminum Alloy, Die Forgings 6.2Zn - 2.3Cu - 2.2Mg - 0.12Zr (7050-T7452) Solution Heat Treated, Compression Stress-Relieved, and Overaged	2022	SAE	0
1867	AMS4353A	Aluminum Alloy, Extruded Round Rod 3.5Cu - 1.0Li - 0.40Mg - 0.45Ag - 0.12Zr (2050-T84) Solution Heat Treated, Stress Relieved by Stretching, and Artificially Aged	2022	SAE	0

1868	AMS4354A	Aluminum Alloy, Plate, 7.9Zn _ 1.8Cu - 2.0Mg - 0.10Zr (7099-T7451) Solution Heat Treated, Stress Relieved, and Overaged	2022	SAE	0
1869	AMS4356A	Aluminum Alloy Seamless Drawn Round Tubing 2.3 Cu - 8.0 Zn - 2.0 Mg - 0.16 Zr (7155-T76) Solution Heat Treated and Aged	2022	SAE	0
1870	AMS4479A	Aluminum Alloy, Extruded Profiles (2824-T3511) 4.0Cu - 1.35Mg - 0.7Mn Solution Heat Treated and Stress Relieved by Stretching - UNS A92824	2022	SAE	0
1871	AMS4535E	Copper-Beryllium Alloy, Mechanical Tubing 98Cu - 1.9Be Solution and Precipitation Heat Treated (TF00, formerly AT)	2022	SAE	0
1872	AMS4574F	Nickel-Copper Alloy, Corrosion Resistant, Tubing, Seamless 67Ni - 31Cu Annealed - UNS N04400	2022	SAE	0
1873	AMS4676F	Nickel-Copper Alloy, Corrosion-Resistant, Bars and Forgings 66.5Ni - 3.0Al - 0.62Ti - 28Cu Hot-Finished, Precipitation Hardenable - UNS N05500	2022	SAE	0
1874	AMS4677C	Nickel-Copper Alloy, Corrosion Resistant, Bars and Forgings 66.5Ni - 2.9Al - 30Cu Annealed - UNS N05502	2022	SAE	0
1875	AMS4720J	Wire, Phosphor Bronze 94Cu - 5.0Sn - 0.19P Cold Drawn, Spring Temper (H08) - UNS C51000	2022	SAE	0
1876	AMS4787H	Gold-Nickel Alloy, Brazing Filler Metal, High Temperature 82Au - 18Ni 1740 °F (949 °C) Solidus-Liquidus Temperature	2022	SAE	0
1877	AMS4803F	Zinc Alloy Castings, Die 4.0Al - 0.04Mg (AG40A) As Cast - UNS Z33520	2022	SAE	0
1878	AMS4916M	Titanium Alloy Sheet, Strip, and Plate 8Al - 1Mo - 1V Duplex Annealed (Stabilized: Apr 2022)	2022	SAE	0
1879	AMS4922D	Titanium Alloy, Seamless, Hydraulic Tubing 15V - 3.0Cr - 3.0Al - 3.0Sn Cold Worked and Precipitation Heat Treated - UNS R58153	2022	SAE	0
1880	AMS4933G	Titanium Alloy Extrusions and Flash Welded Rings 8Al - 1Mo - 1V Solution Heat Treated and Stabilized - UNS R54810	2022	SAE	0
1881	AMS4939D	Titanium Alloy Sheet, Strip, and Plate 3Al - 8V - 6Cr - 4Mo - 4Zr Solution Heat Treated	2022	SAE	0
1882	AMS4942H	Titanium Tubing, Seamless Annealed, 40.0 ksi (275 MPa) Yield Strength - UNS R50400	2022	SAE	0
1883	AMS4947	Titanium Alloy, Cold Rolled Sheet and Strip 5Al - 1Fe Annealed	2022	SAE	0
1884	AMS4948	Titanium Alloy, Hot Rolled Sheet and Strip 5Al - 1Fe Annealed	2022	SAE	0
1885	AMS4949C	Titanium, Sheet, Laminated, Surface Bonded	2022	SAE	0
1886	AMS4951K	Titanium Welding Wire Commercially Pure Environment Controlled Packaging	2022	SAE	0
1887	AMS4954L	Titanium Alloy, Welding Wire 6Al - 4V - UNS R56402	2022	SAE	0
1888	AMS4960	Titanium Alloy Powder Titanium Ti-5553 (Ti - 5Al - 5Mo - 5V - 3Cr)	2022	SAE	0
1889	AMS4971M	Titanium Alloy, Bars, Wire, Forgings, and Rings 6Al - 6V - 2Sn Annealed, Heat Treatable - UNS R56620	2022	SAE	0
1890	AMS4979K	Titanium Alloy, Bars, Wire, Forgings, and Rings 6Al - 6V - 2Sn Solution and Precipitation Heat Treated - UNS R56620	2022	SAE	0
1891	AMS4998F	Titanium Alloy Powder 6Al - 4V - UNS R56400	2022	SAE	0
1892	AMS5085K	Steel Sheet, Strip, and Plate 0.48 - 0.55C (SAE 1050)	2022	SAE	0
1893	AMS5132M	Steel, Bars 0.90 - 1.03C	2022	SAE	0
1894	AMS5387F	Alloy, Corrosion and Heat Resistant, Investment Castings 60Co - 29Cr - 4.5W As Cast - UNS R30006	2022	SAE	0
1895	AMS5400D	Steel, Corrosion-Resistant, Investment Castings 15Cr - 4.6Ni - 0.22Cb - 2.8Cu Solution and Precipitation Heat Treated (H935) 170 ksi (1172 MPa) Tensile Strength - UNS J92110	2022	SAE	0
1896	AMS5510T	Steel, Corrosion- and Heat-Resistant, Sheet, Strip, and Plate 18Cr - 10.5Ni - 0.40Ti (SAE 30321) Solution Heat Treated - UNS S32100	2022	SAE	0
1897	AMS5513L	Steel, Corrosion-Resistant, Sheet, Strip, and Plate 19Cr - 9.2Ni (SAE 30304) Solution Heat Treated - UNS S30400	2022	SAE	0
1898	AMS5532J	Iron Alloy, Corrosion and Heat-Resistant, Sheet, Strip, and Plate 30Fe - 21Cr - 20Ni - 20Co - 3.0Mo - 2.5W - 1.0Cb(Nb) - 0.15N Solution Heat Treated	2022	SAE	0
1899	AMS5554H	Steel, Corrosion and Heat-Resistant, Seamless Tubing 16.5Cr - 4.5Ni - 2.9Mo - 0.10N Solution Heat Treated - UNS S35000	2022	SAE	0
1900	AMS5556K	Steel, Corrosion- and Heat-Resistant, Seamless or Welded Hydraulic Tubing 18Cr - 11Ni - 0.70Cb (347) Solution Heat Treated	2022	SAE	0
1901	AMS5560P	Steel, Corrosion Resistant, Seamless Tubing, 19Cr - 10Ni (304), Solution Heat Treated	2022	SAE	0

1902	AMS5570R	Steel, Corrosion- and Heat-Resistant, Seamless Tubing 18Cr - 11Ni - 0.40Ti (321) Solution Heat Treated - UNS S32100	2022	SAE	0
1903	AMS5575R	Steel, Corrosion and Heat-Resistant, Welded Tubing 18Cr - 10.5Ni - 0.70Cb (Nb) (347) Solution Heat Treated	2022	SAE	0
1904	AMS5580M	Nickel Alloy, Corrosion and Heat-Resistant, Seamless Tubing 74Ni - 15.5Cr - 8.0Fe Annealed	2022	SAE	0
1905	AMS5581G	Nickel Alloy, Corrosion- and Heat-Resistant, Seamless or Welded Tubing 62Ni - 21.5Cr - 9.0Mo - 3.7Cb (Nb) Annealed - UNS N06625	2022	SAE	0
1906	AMS5584B	Steel, Corrosion and Heat Resistant, Seamless and Welded Hydraulic Tubing 17Cr - 12Ni - 1.5Mo - 0.03C max Cold Drawn, 1/8 Hard Temper	2022	SAE	0
1907	AMS5588H	Nickel Alloy, Corrosion- and Heat-Resistant, Welded Tubing 47.5Ni - 22Cr - 1.5Co - 9.0Mo - 0.60W - 18.5Fe Solution Heat Treated - UNS N06002	2022	SAE	0
1908	AMS5597H	Nickel Alloy, Corrosion and Heat Resistant, Sheet, Strip, and Plate 52.5Ni - 19Cr - 3.0Mo - 5.1Cb (Nb) - 0.90Ti - 0.50Al - 18Fe Consumable Electrode or Vacuum Induction Melted 1950 °F (1066 °C) Solution Heat Treated	2022	SAE	0
1909	AMS5599J	Nickel Alloy, Corrosion- and Heat-Resistant, Sheet, Strip, and Plate 62Ni - 21.5Cr - 9.0Mo - 3.7 Cb (Nb) Annealed - UNS N06625	2022	SAE	0
1910	AMS5608H	Cobalt Alloy, Corrosion- and Heat-Resistant, Sheet, Strip, and Plate 40Co - 22Cr - 22Ni - 14.5W - 0.07La Solution Heat Treated - UNS R30188	2022	SAE	0
1911	AMS5643-H900	This document has been replaced. View the most recent version.	2022	SAE	0
1912	AMS5643-H925	This document has been replaced. View the most recent version.	2022	SAE	0
1913	AMS5643-H1025B	Steel, Corrosion Resistant, Bars, Wire, Forgings, Mechanical Tubing and Rings 16Cr - 4.0Ni - 0.30Cb (Nb) - 4.0Cu Solution and Precipitation Heat Treated (H1025)	2022	SAE	0
1914	AMS5643-H1075	Steel, Corrosion Resistant, Bars, Wire, Forgings, Mechanical Tubing, and Rings 16Cr - 4.0Ni - 0.30Cb (Nb) - 4.0Cu Solution and Precipitation Heat Treated (H1075)	2022	SAE	0
1915	AMS5643-H1100A	Steel, Corrosion-Resistant, Bars, Wire, Forgings, Mechanical Tubing, and Rings 16Cr - 4.0Ni - 0.30Cb (Nb) - 4.0Cu Solution and Precipitation Heat Treated (H1100)	2022	SAE	0
1916	AMS5643-H1150A	Steel, Corrosion Resistant, Bars, Wire, Forgings, Mechanical Tubing, and Rings 16Cr - 4.0Ni - 0.30Cb (Nb) - 4.0Cu Solution and Precipitation Heat Treated (H1150)	2022	SAE	0
1917	AMS5645T	Steel, Corrosion and Heat Resistant, Bars, Wire, Forgings, Mechanical Tubing, Rings and Forging Stock 18Cr - 10Ni - 0.40Ti (321) Solution Heat Treated	2022	SAE	0
1918	AMS5647M	Steel, Corrosion-Resistant, Bars, Wire, Forgings, Mechanical Tubing, Rings, and Forging Stock 19Cr - 9.5Ni Solution Heat Treated - UNS S30403	2022	SAE	0
1919	AMS5656G	Steel, Corrosion-Resistant, Bars, Wire, Forgings, Extrusions, Rings and Forging Stock 9.0Mn - 20Cr - 6.5Ni - 0.27N Solution Heat Treated	2022	SAE	0
1920	AMS5666K	Nickel Alloy, Corrosion- and Heat-Resistant, Bars, Forgings, Extrusions, Rings, and Stock for Forgings, Extrusions, and Rings 62Ni - 21.5Cr - 9.0Mo - 3.65Cb (Nb) Annealed - UNS N06625	2022	SAE	0
1921	AMS5679J	Nickel Alloy, Corrosion- and Heat-Resistant, Welding Wire 73Ni - 15.5Cr - 2.2Cb - 8.0Fe	2022	SAE	0
1922	AMS5698H	Nickel Alloy, Corrosion- and Heat-Resistant, Wire 72Ni - 15.5Cr - 0.95Cb - 2.5Ti - 0.70Al - 7.0Fe Solution Heat Treated, Precipitation Hardenable	2022	SAE	0
1923	AMS5699H	Nickel Alloy, Corrosion and Heat-Resistant, Wire 72Ni - 15.5Cr - 0.95Cb - 2.5Ti - 0.70Al - 7.0Fe Solution Heat Treated, Precipitation Hardenable	2022	SAE	0
1924	AMS5701F	Nickel Alloy, Corrosion- and Heat-Resistant, Bars, Forgings, Flash Welded Rings and Forging Stock 41.5Ni - 16Cr - 37Fe - 2.9Cb (Nb) - 1.8Ti Consumable Electrode Remelted or Vacuum Induction Melted 1800 °F (982 °C) Solution Heat Treated - UNS N09706	2022	SAE	0
1925	AMS5716L	Iron-Nickel Alloy, Heat Resistant, Bars, Wire, Forgings, Rings and Stock for Rings and Forgings 44Fe - 18.5Cr - 35.5Ni - 1.1Si Solution Heat Treated - UNS N08330	2022	SAE	0
1926	AMS5746G	Alloy, Corrosion- and Heat-Resistant, Bars and Forgings 15Cr - 45Ni - 4.1Mo - 4.1W - 3.0Ti - 1.0Al - 31Fe (D979) Consumable Electrode Vacuum Melted Solution and Precipitation Heat Treated - UNS N09979	2022	SAE	0

1927	AMS5763F	Steel, Corrosion-Resistant Bars, Forgings, Mechanical Tubing, and Rings and Forging Stock 15Cr - 6.5Ni - 0.75Mo - 0.50Cb (Nb) - 1.5Cu Solution Heat Treated	2022	SAE	0
1928	AMS5814D	Cobalt Alloy, Corrosion and Heat-Resistant, Welding Wire 52Co - 20Cr - 20Ni - 7.5Ta Vacuum Melted (Stabilized: Jun 2022)	2022	SAE	0
1929	AMS5817G	Steel, Corrosion- and Heat-Resistant, Welding Wire 13Cr - 2.0Ni - 3.0W (Stabilized: Jun 2022)	2022	SAE	0
1930	AMS5821H	Steel, Corrosion-Resistant, Welding Wire 12Cr (SAE 51410 Modified) Ferrite Control Grade - UNS S41081	2022	SAE	0
1931	AMS5822E	Steel, Corrosion and Heat-Resistant, Welding Wire 11.8Cr - 2.8Ni - 1.6Co - 1.8Mo - 0.32V Vacuum Induction Melted (Stabilized: Jun 2022)	2022	SAE	0
1932	AMS5829F	Nickel Alloy, Corrosion- and Heat-Resistant, Welding Wire 56Ni - 19.5Cr - 16.5Co - 2.5Ti - 1.5Al Vacuum Induction Melted - UNS N07090	2022	SAE	0
1933	AMS5841G	Cobalt-Nickel Alloy, Corrosion and Heat-Resistant, Bars 19Cr - 36Co - 25Ni - 7.0Mo - 0.50Cb (Nb) - 2.9Ti - 0.20Al - 9.0Fe Vacuum Induction Plus Vacuum Consumable Electrode Melted Solution Heat Treated for Work Strengthening - UNS R30159	2022	SAE	0
1934	AMS5842H	Cobalt-Nickel Alloy, Corrosion- and Heat-Resistant, Bars 19Cr - 36Co - 25Ni - 7.0Mo - 0.50Cb (Nb) - 2.9Ti - 0.20Al - 9.0Fe Vacuum Induction Plus Vacuum Consumable Electrode Melted Solution Heat Treated and Work Strengthened	2022	SAE	0
1935	AMS5846D	Alloy, Corrosion and Heat-Resistant, Bars and Forgings 53Ni - 15Cr - 18.5Co - 5.0Mo - 3.2Ti - 4.2Al - 0.03B Double Vacuum Melted Solution, Stabilization, and Precipitation Heat Treated - UNS N13020	2022	SAE	0
1936	AMS5864D	Steel, Corrosion-Resistant, Plate 13Cr - 8.0Ni - 2.2Mo - 1.1Al Vacuum Induction Plus Consumable Electrode Melted Solution Heat Treated, Precipitation Hardenable - UNS S13800	2022	SAE	0
1937	AMS5866F	Steel, Corrosion-Resistant, Flat Wire 18Cr - 9.0Ni (302) Spring Temper - UNS S30200	2022	SAE	0
1938	AMS5871G	Iron-Nickel-Chromium Alloy, Corrosion- and Heat-Resistant, Sheet, Strip, and Plate 21Cr - 32.5Ni - 0.38Ti - 0.38Al - 45Fe Solution Heat Treated	2022	SAE	0
1939	AMS5889D	Nickel Alloy, Corrosion and Heat Resistant, Sheet and Strip 54Ni - 22Cr - 12.5Co - 9.0Mo - 1.2Al Consumable Electrode or Vacuum Induction Melted Annealed	2022	SAE	0
1940	AMS5894E	Cobalt Alloys, Bars, Sheet, and Plate 60Co - 28Cr - 4.5W - 1.15C Solution Heat Treated	2022	SAE	0
1941	AMS5901D	Steel, Corrosion-Resistant, Sheet, Strip, and Plate 18Cr - 8Ni (SAE 30301) Solution Heat Treated - UNS S30100	2022	SAE	0
1942	AMS5923A	Steel, Corrosion-Resistant, Bars, Wire, and Forgings and Forging Stock 17Cr - 0.52Mo (0.95 - 1.20C) (440C) for Bearing Applications	2022	SAE	0
1943	AMS5926	Steel, Corrosion-Resistant, Bars, Wire, Tubing, and Forgings 15.5Cr - 1.5Si - 0.3Mo - 0.1N (0.45 - 0.60C) for Bearing Applications - UNS S42716	2022	SAE	0
1944	AMS5928	Steel, Corrosion-Resistant, Bars, Wire, and Forgings 12Cr - 9Ni - 2Mo - 0.7Al - 0.3Ti Vacuum Induction Plus Vacuum Consumable Electrode Melted Solution Heat Treated, Precipitation Hardenable	2022	SAE	0
1945	AMS5935A	Steel, Corrosion-Resistant, Bars, Wire, Forgings and Forging Stock 12Cr - 10Ni - 2Mo - 0.9Al - 0.3Ti Vacuum Induction Plus Vacuum Consumable Electrode Melted Solution Heat Treated, Precipitation Hardenable - UNS S10120	2022	SAE	0
1946	AMS5955C	Steel, Corrosion-Resistant, Bars, Wire, Forgings, and Forging Stock 10Cr - 12Ni - 2Mo - 1.45Al - 1.15Ti Vacuum Induction Plus Vacuum Consumable Electrode Melted Solution Heat Treated, Precipitation Hardenable	2022	SAE	0
1947	AMS5962A	Nickel Alloy, Corrosion and Heat-Resistant, Round Bars and Wire 52.5Ni - 19Cr - 3.0Mo - 5.1Cb - 0.90Ti - 0.50Al - 18Fe Consumable Electrode or Vacuum Induction Melted 1775 °F (968 °C) Solution Treated and Work Strengthened Precipitation Hardenable - UNS	2022	SAE	0
1948	AMS6280N	Steel Bars, Forgings, Rings and Forging Stock 0.50Cr - 0.55Ni - 0.20Mo (0.28 - 0.33C) (SAE 8630) - UNS G86300	2022	SAE	0
1949	AMS6330K	Steel Bars, Forgings, Mechanical Tubing and Forging Stock 0.65Cr - 1.25Ni (0.33 - 0.38C)	2022	SAE	0
1950	AMS6424H	Steel Bars, Forgings, Mechanical Tubing and Forging Stock 0.80Cr - 1.8Ni - 0.25Mo (0.49 - 0.55C)	2022	SAE	0
1951	AMS6431R	Steel, Bars, Forgings, Mechanical Tubing, and Forging Stock 1.05Cr - 0.55Ni - 1.0Mo - 0.11V (0.45 - 0.50C) (D6AC) Vacuum Consumable Electrode Remelted - UNS K24728	2022	SAE	0
1952	AMS6435H	Steel, Sheet, Strip, and Plate, 0.75Mn - 0.78Cr - 1.8Ni - 0.35Mo - 0.20V (0.33 - 0.38C) (4335 Mod), Vacuum Consumable Electrode Melted, Annealed	2022	SAE	0

1953	AMS6481E	Steel Bars, Forgings, Mechanical Tubing, and Forging Stock Nitriding 3Cr - 1Mo - 0.2V - (0.29 - 0.36C) Premium Aircraft-Quality for Bearing Applications Double Vacuum Melted	2022	SAE	0
1954	AMS6501E	Steel, Maraging, Welding Wire 18Ni - 8.0Co - 4.9Mo - 0.40Ti - 0.10Al Vacuum Induction Melted, Environment Controlled Packaging - UNS K92890	2022	SAE	0
1955	AMS6514K	Steel, Maraging, Bars, Forgings, Mechanical Tubing, Rings and Forging Stock 18.5Ni - 9.0Co - 4.9Mo - 0.65Ti - 0.10Al Consumable Electrode Vacuum Melted, Annealed - UNS K93120	2022	SAE	0
1956	AMS6525F	Steel, Bars, Forgings, Mechanical Tubing, Rings, and Stock for Forgings and Rings 0.75Cr - 9.0Ni - 4.5Co - 1.0Mo - 0.09V (0.17 - 0.23C) Consumable Electrode Vacuum Melted, Annealed	2022	SAE	0
1957	AMS6526J	Steel, Bars, Forgings, Mechanical Tubing, Rings, and Stock for Forgings and Rings 1.0Cr - 7.5Ni - 4.5Co - 1.0Mo - 0.09V (0.29 - 0.34C) Consumable Electrode Vacuum Remelted, Annealed	2022	SAE	0
1958	AMS6532J	Steel, Bars and Forgings, and Forging Stock 3.1Cr - 11.5Ni - 13.5Co - 1.2Mo (0.21 - 0.25C) Vacuum Melted, Normalized and Overaged Precipitation Hardenable	2022	SAE	0
1959	AMS6951A	Titanium Alloy, Sheet 5Al - 4V - 0.75Mo - 0.5Fe Annealed	2022	SAE	0
1960	AMS6953A	Titanium Alloy Sheet 6Al - 4Sn - 3Nb - 0.5Mo - 0.3Si Duplex Annealed - UNS R56643	2022	SAE	0
1961	AMS7000A	Laser-Powder Bed Fusion (L-PBF) Produced Parts, Nickel Alloy, Corrosion- and Heat-Resistant, 62Ni - 21.5Cr - 9.0Mo - 3.65Nb Stress Relieved, Hot Isostatic Pressed and Solution Annealed	2022	SAE	0
1962	AMS7002A	Process Requirements for Production of Metal Powder Feedstock for Use in Additive Manufacturing of Aerospace Parts	2022	SAE	0
1963	AMS7006	Nickel Alloy, Corrosion- and Heat-Resistant, Powder for Additive Manufacturing 52.5Ni - 19Cr - 3.0Mo - 5.1Cb (Nb) - 0.90Ti - 0.50Al - 18Fe - UNS N07718	2022	SAE	0
1964	AMS7015	Titanium 6-Aluminum 4-Vanadium Powder for Additive Manufacturing	2022	SAE	0
1965	AMS7017	Titanium 6 - Aluminum 4 - Vanadium Powder for Additive Manufacturing, Extra Low Interstitial (ELI)	2022	SAE	0
1966	AMS7031	Batch Processing Requirements for the Reuse of Used Powder in Additive Manufacturing of Aerospace Parts	2022	SAE	0
1967	AMS7100-1	This document has been replaced. View the most recent version.	2022	SAE	0
1968	AMS7101-1	Fused Filament Fabrication, Type 1, Class 1, Form 1, Grade 0, Natural Color Material for	2022	SAE	0
1969	AMS7101A	Fused Filament Fabrication, Material for	2022	SAE	0
1970	AMS7270M	Rubber: Acrylonitrile-Butadiene (NBR) Fuel Resistant 65 to 75 Type A Hardness for Seals in Fuel	2022	SAE	0
1971	AMS7498S	Rings, Flash Welded Titanium and Titanium Alloys	2022	SAE	0
1972	AMS7851E	Columbium (Niobium) Alloy Foil, Sheet, Strip, and Plate 10W - 2.5Zr Recrystallized - UNS R04217	2022	SAE	0
1973	AMS7855E	Columbium (Niobium) Alloy Bars, Rods, and Wire 10W - 2.5Zr Recrystallized (Stabilized: Jul 2022)	2022	SAE	0
1974	ARP583K	Cabin Crew Stations	2022	SAE	0
1975	ARP988B	(R) Electrohydraulic Mechanical Feedback Servoactuators	2022	SAE	0
1976	ARP1231C	General Gland Design Criteria for Static and Dynamic O-Ring Seal Applications Specifically for Engines and Engine Control Systems	2022	SAE	0
1977	ARP1507B	Helicopter Engine/Airframe Interface Document and Checklist	2022	SAE	0
1978	ARP1538C	Arresting Hook Installation, Land-Based Aircraft	2022	SAE	0
1979	ARP1674A	Automated Manufacture of Continuous Multi-Ply Carbon Fiber/Epoxy Resin Impregnated Broadgoods	2022	SAE	0
1980	ARP1676A	Recommended Formulae for Determining Drop Dimensions for Simple-Bend Tube Fittings with Flared and Flareless End Connections Used in Aerospace Applications	2022	SAE	0
1981	ARP1804B	Electric Baggage/Cargo Tractor	2022	SAE	0
1982	ARP1842	Surface Preparation for Structural Adhesive Bonding Aluminum Alloy and Low Alloy Steel Parts	2022	SAE	0
1983	ARP1926	Cure Monitor, Electrical Methods	2022	SAE	0
1984	ARP1987-4A	Titles, SAE Subcommittee G-3A Aerospace Coupling Documents, Selection of (Stabilized: May 2022)	2022	SAE	0
1985	ARP4050A	(R) Balancing Machines - Description and Evaluation Vertical, Two-Plane, Hard-Bearing Type for Gas Turbine Rotors	2022	SAE	0
1986	ARP4102-1A	On-Board Weight and Balance System (Stabilized: Mar 2022)	2022	SAE	0

1987	ARP4102-6A	Communications and Navigation Equipment	2022	SAE	0
1988	ARP5256A	Mixing Resins, Adhesives, and Potting Compounds	2022	SAE	0
1989	ARP5284B	TLTV - Aircraft NLG Steering and Tractive Force Protection Systems or Alerting Devices - Inspection, Maintenance and Calibration Requirements	2022	SAE	0
1990	ARP5323A	(R) Balancing Machines - Description and Evaluation Vertical, Single-Plane, Hard-Bearing Type for Gas Turbine Rotors	2022	SAE	0
1991	ARP5526F	Aircraft Seat Design Guidance and Clarifications	2022	SAE	0
1992	ARP5627A	Flammability Test Method for Aircraft Comfort Blankets (Stabilized: Apr 2022)	2022	SAE	0
1993	ARP5789A	Aviation Fuel Facilities	2022	SAE	0
1994	ARP5911A	Regional Aircraft Towbarless Tow Vehicle - Test Requirements	2022	SAE	0
1995	ARP5916A	(R) Design Specification for Regional Aircraft Towbarless Tow Vehicle for Pushback and/or Maintenance Towing Operations	2022	SAE	0
1996	ARP6175A	Definition, Recognition, Troubleshooting, and Repair of Aircraft Hydraulic System External Leakage	2022	SAE	0
1997	ARP6199B	(R) Method to Evaluate Passenger and Flight Attendant Seats for the Test Requirements of 14 CFR Part 25 Appendix F, Parts IV and V	2022	SAE	0
1998	ARP6248	Stripline Test Method to Characterize the Shielding Effectiveness of Conductive EMI Gaskets up to 40 GHz	2022	SAE	0
1999	ARP6404	Aircraft Tire Electrical Resistance Test	2022	SAE	0
2000	ARP6833	Optical Simulation and Analysis for Aircraft Lighting	2022	SAE	0
2001	ARP6952	Sizing Criteria for Stored Energy Systems Used for Emergency Braking	2022	SAE	0
2002	ARP7042	Recommended Practice: Development Planning for Design of Additive Manufactured Components in an Aircraft System	2022	SAE	0
2003	ARP7212	Recommended Design and Test Requirements for Hydraulic Flow Regulators	2022	SAE	0
2004	ARP7449	MIL-PRF-29504/5, NSN 6060-01-6122316 Socket Terminus Alignment Sleeve Retention	2022	SAE	0
2005	ARP8463	Methods for Determining the Effect of Liquid Disinfectants on Seats in Transport Aircraft	2022	SAE	0
2006	AS604F	Hose Assembly, Polytetrafluoroethylene, Metallic Reinforced, 3000 psi, 400 °F, Heavyweight, Hydraulic	2022	SAE	0
2007	AS621D	HOSE ASSEMBLY, 3000 PSI, PTFE, FLARELESS, STRAIGHT TO STRAIGHT, HEAVYWEIGHT	2022	SAE	0
2008	AS623D	HOSE ASSEMBLY, 3000 PSI, PTFE, FLARELESS, STRAIGHT TO 90°, HEAVYWEIGHT	2022	SAE	0
2009	AS624D	HOSE ASSEMBLY, 3000 PSI, PTFE, FLARELESS, 45° TO 45°, HEAVYWEIGHT	2022	SAE	0
2010	AS626D	HOSE ASSEMBLY, 3000 PSI, PTFE, FLARELESS, 90 TO 90°, HEAVYWEIGHT	2022	SAE	0
2011	AS1002K	FITTING, TEE, STANDARD AND REDUCER, BULKHEAD AND INTERNAL PORT ON RUN, FLARELESS	2022	SAE	0
2012	AS1003K	FITTING, TEE, STANDARD AND REDUCER, BULKHEAD ON RUN, FLARELESS	2022	SAE	0
2013	AS1004H	FITTING, ELBOW, 90°, STANDARD AND REDUCER, FLARELESS	2022	SAE	0
2014	AS1171B	BOSS-FLUID CONNECTION, INTERNAL STRAIGHT THREAD, SHALLOW TAP (Stabilized: May 2022)	2022	SAE	0
2015	AS1553B	Performance Standard for Tube Support Loop-Cushioned Clamp (Stabilized: May 2022)	2022	SAE	0
2016	AS1701F	Lubricant, Solid Film	2022	SAE	0
2017	AS1958A	PORT-FLUID CONNECTION, RING LOCKED INSERT, STANDARD DIMENSIONS FOR (Stabilized: May 2022)	2022	SAE	0
2018	AS3076A	RING - BACK UP, BOSS CONNECTION, POLYTETRAFLUORETHYLENE (Stabilized: May 2022)	2022	SAE	0
2019	AS3086C	STUD - STRAIGHT, KEY LOCKED, CADMIUM PLATED, STEEL, UNS G87400 .1900-32 UNJF-3A X .1900-32 UNJF-3A	2022	SAE	0
2020	AS3087C	STUD - STRAIGHT, KEY LOCKED, CADMIUM PLATED, STEEL, UNS G87400 .2500-28 UNJF-3A X .2500-28 UNJF-3A	2022	SAE	0
2021	AS3088C	STUD, STRAIGHT, KEY LOCKED, CADMIUM PLATED, STEEL, UNS G87400 .3125-24 UNJF-3A X .3125-24 UNJF-3A	2022	SAE	0
2022	AS3144B	STUD, STEPPED, 2.5 DIA ENGAGEMENT, PD SHANK, AMS5731, .5625-18 UNJF-3A X .500-20 UNJF-3A	2022	SAE	0
2023	AS3231B	(R) RIVET - TUBULAR, UNIVERSAL	2022	SAE	0

2024	AS3237E	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, NICKEL ALLOY, UNS N07718, 185 KSI MIN, .2500-28 UNJF-3A	2022	SAE	0
2025	AS3268B	SLEEVE HALF REINFORCING, TUBE (Stabilized: May 2022)	2022	SAE	0
2026	AS3269B	SLEEVE HALF REINFORCING, TUBE, SHOULDER (Stabilized: May 2022)	2022	SAE	0
2027	AS3309C	BOLT, MACHINE - HEXAGON HEAD, PD SHANK, NICKEL ALLOY (UNS N07001), .3750-24 UNJF-3A	2022	SAE	0
2028	AS3404B	BOLT, MACHINE - HEXAGON HEAD, DRILLED 6 HOLES, PD SHANK, AMS5708 (UNS N07001), .1900-32 UNJF-3A	2022	SAE	0
2029	AS3413C	BOLT, MACHINE - HEXAGON HEAD, PD SHANK, UNS N07718, 185 KSI, .1900-32 UNJF-3A (STRESS RUPTURE RESISTANT)	2022	SAE	0
2030	AS3414C	BOLT, MACHINE - HEXAGON HEAD, PD SHANK UNS N07718, 185 KSI, .2500-28 UNJF-3A (STRESS RUPTURE RESISTANT)	2022	SAE	0
2031	AS3418B	BOLT, MACHINE, DOUBLE HEX, EXT WASHER HEAD, CLOSE TOL. SHANK, UNS N07718, 185 KSI MIN, .2500-28UNJF-3A (STRESS RUPTURE RESISTANT)	2022	SAE	0
2032	AS3481J	This document has been replaced. View the most recent version.	2022	SAE	0
2033	AS3554D	NUT, SELF-LOCKING, DOUBLE HEXAGON, SILVER PLATED, REDUCED HEIGHT 180 KSI, 1400 °F, UNS N07001	2022	SAE	0
2034	AS4352B	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 400 °F, 3000 PSI, HEAVYWEIGHT, BEAM SEAL, STRAIGHT TO STRAIGHT	2022	SAE	0
2035	AS4353B	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 400 °F, 3000 PSI, HEAVYWEIGHT, BEAM SEAL, STRAIGHT TO 45°	2022	SAE	0
2036	AS4354A	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 400 °F, 3000 psi, HEAVYWEIGHT, BEAM SEAL, STRAIGHT TO 90°	2022	SAE	0
2037	AS4355B	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 400 °F, 3000 PSI, HEAVYWEIGHT, BEAM SEAL, 45 TO 45°	2022	SAE	0
2038	AS4356B	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 400 °F, 3000 PSI, HEAVYWEIGHT, BEAM SEAL, 40 TO 90°	2022	SAE	0
2039	AS4357B	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 400 °F, 3000 PSI, HEAVYWEIGHT, BEAM SEAL, 90° TO 90°	2022	SAE	0
2040	AS4541A	ELBOW, 45°, BEAM SEAL, MALE, 4000 PSI, HYDRAULIC	2022	SAE	0
2041	AS5178D	NUT, FITTING, BULKHEAD	2022	SAE	0
2042	AS5196E	FITTING, ELBOW, 45°, FLARED TO PIPE	2022	SAE	0
2043	AS5391A	(R) Helicopter Health and Usage Monitoring System Accelerometer Interface Specification	2022	SAE	0
2044	AS5498B	Minimum Operational Performance Specification for Inflight Icing Detection Systems	2022	SAE	0
2045	AS5506D	Architecture Analysis & Design Language (AADL)	2022	SAE	0
2046	AS5553D	Counterfeit Electrical, Electronic, and Electromechanical (EEE) Parts; Avoidance, Detection, Mitigation, and Disposition	2022	SAE	0
2047	AS5635A	Message Boards (MBs)	2022	SAE	0
2048	AS5756-2B	CABLE, POWER, ELECTRICAL, 600 VOLTS, PORTABLE, SINGLE CONDUCTOR, OZONE RESISTANT (Stabilized: Mar 2022)	2022	SAE	0
2049	AS6118C	FITTING ASSEMBLY, STRAIGHT, FEMALE FLARELESS, AXIALLY SWAGED, HYDRAULIC, UP TO 1500 PSI	2022	SAE	0
2050	AS6158A	FITTING ASSEMBLY, TEE, AXIALLY SWAGED ON THE RUN, FEMALE FLARELESS ON THE SIDE, HYDRAULIC, UP TO 1500 PSI	2022	SAE	0
2051	AS6159B	FITTING ASSEMBLY, TEE, AXIALLY SWAGED TO FEMALE FLARELESS ON THE RUN, MALE FLARELESS ON THE SIDE, HYDRAULIC, UP TO 1500 PSI	2022	SAE	0
2052	AS6171-7	Techniques for Suspect/Counterfeit EEE Parts Detection by Electrical Test Methods	2022	SAE	0
2053	AS6171-10	Techniques for Suspect/Counterfeit EEE Parts Detection by Thermogravimetric Analysis (TGA) Test Methods	2022	SAE	0
2054	AS6192A	FITTING ASSEMBLY, ELBOW, 90°, AXIALLY SWAGED, FEMALE FLARELESS, HYDRAULIC, UP TO 1500 PSI	2022	SAE	0

2055	AS6193A	FITTING ASSEMBLY, ELBOW, 45°, AXIALLY SWAGED, FEMALE FLARELESS, HYDRAULIC, UP TO 1500 PSI	2022	SAE	0
2056	AS6194A	FLARING ASSEMBLY, TEE, AXIALLY SWAGED, FEMALE FLARELESS ON THE RUN, AXIALLY SWAGED ON THE SIDE, HYDRAULIC, UP TO 1500 PSI	2022	SAE	0
2057	AS6305	DIMENSIONS AND GAGING MORTORQ¡ SPIRAL DRIVE INTERNAL RECESS	2022	SAE	0
2058	AS6416	Bolts, Screws, Studs, and Nuts, Definitions for Design, Testing and Procurement	2022	SAE	0
2059	AS6458B	FITTING ASSEMBLY, TEE, AXIALLY SWAGED TO FEMALE FLARELESS ON THE RUN, FEMALE FLARELESS ON THE SIDE, HYDRAULIC, UP TO 1500 PSI	2022	SAE	0
2060	AS6502	Aircraft Propulsion System Performance Nomenclature	2022	SAE	0
2061	AS6512B	Unmanned Systems (UxS) Control Segment (UCS) Architecture: Architecture Description	2022	SAE	0
2062	AS6513B	Unmanned Systems (UxS) Control Segment (UCS) Architecture: Conformance Specification	2022	SAE	0
2063	AS7220A	Aluminum Rivets, UNS A91100, 99Al (1100-H14)	2022	SAE	0
2064	AS7455C	Bolts and Screws, Steel, Low Alloy, Heat Resistant Hardened and Tempered, Roll Threaded	2022	SAE	0
2065	AS7458C	(R) Studs, Steel, Low Alloy, Heat-Resistant Normalized and Tempered, Roll Threaded 135000 psi Tensile Strength	2022	SAE	0
2066	AS7461E	This document has been replaced. View the most recent version.	2022	SAE	0
2067	AS7478F	Bolts and Screws, Steel, UNS S66286 Classification: 130 ksi/1200 °F 1800 °F Solution Heat Treated, Aged After Roll Threaded Procurement Specification for	2022	SAE	0
2068	AS7995	Passenger Access Means Docking Indicator for Cabin Crew	2022	SAE	0
2069	AS8037D	Minimum Performance Standard for Aircraft Position Lights	2022	SAE	0
2070	AS8942A	Bearings, Plain and PTFE Lined, Self-Aligning	2022	SAE	0
2071	AS9104-1A	Requirements for Certification of Aviation, Space, and Defense Quality Management Systems	2022	SAE	0
2072	AS9132B	(R) Data Matrix Quality Requirements for Parts Marking	2022	SAE	0
2073	AS9501D	BOLT, MACHINE - HEXAGON HEAD, DRILLED, 1 HOLE, FULL SHANK CRES, UNS S66286, 130 KSI MIN, .2500-28 UNJF-3A	2022	SAE	0
2074	AS9505C	BOLT, MACHINE - HEXAGON HEAD, DRILLED, 1 HOLE, FULL SHANK, CRES, UNS S66286, 130 KSI MIN, .5000-20 UNJF-3A	2022	SAE	0
2075	AS9527C	SCREW, MACHINE STEEL UNS G87400, CADMIUM PLATE, DRILLED, 1 HOLE, HEXAGON HEAD, .1380-40 UNJF-3A	2022	SAE	0
2076	AS9528C	SCREW, MACHINE STEEL UNS G87400, CADMIUM PLATE, DRILLED, 1 HOLE HEXAGON HEAD, .1640-36 UNJF-3A	2022	SAE	0
2077	AS9529C	BOLT, MACHINE - STEEL UNS G87400 CADMIUM PLATE, DRILLED, 1 HOLE HEXAGON HEAD, 1900-32 UNJF-3A	2022	SAE	0
2078	AS9569	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED PD SHANK, UNS S66286, .4375-20 UNJF-3A	2022	SAE	0
2079	AS9584C	BOLT, MACHINE - HEXAGON HEAD, DRILLED, 6 HOLES, FULL SHANK, UNS S66286, 130 KSI MIN, .2500-28 UNJF-3A	2022	SAE	0
2080	AS9587C	BOLT, MACHINE - HEXAGON HEAD, DRILLED, 6 HOLES, FULL SHANK, UNS S66286, 130 KSI MIN, .4375-20 UNJF-3A	2022	SAE	0
2081	AS9588C	BOLT, MACHINE - HEXAGON HEAD, DRILLED, 6 HOLES, FULL SHANK, UNS S66286, 130 KSI MIN, .5000-20 UNJF-3A	2022	SAE	0
2082	AS9594B	(R) BRACKET, ANGLE, 90¡°, CRES UNS S32100, .190 X .312 BOLT	2022	SAE	0
2083	AS9698D	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, NICKEL ALLOY (UNS N07001), 165 KSI MIN, .3125-24 UNJF-3A	2022	SAE	0
2084	AS9716C	BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, DRILLED, SILVER PLATED, NICKEL ALLOY (UNS N07001), .3125-24 UNJF-3A	2022	SAE	0
2085	AS9720	BOLT, MACHINE _ DOUBLE HEXAGON, EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATE NICKEL ALLOY (ŪNS N07001), .5625-18UNJF-3A	2022	SAE	0

2086	AS9805B	BOLT, MACHINE-HEXAGON HEAD, PD SHANK, CORROSION RESISTANT STEEL (UNS S17400), .1900-32 UNJF-3A	2022	SAE	0
2087	AS9821B	BOLT, MACHINE - HEXAGON HEAD, DRILLED, 1 HOLE, PD SHANK, CRES (UNS S17400), .5000-20 UNJF-3A	2022	SAE	0
2088	AS9928C	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, CADMIUM PLATED, STEEL, UNS G87400, 125 KSI MIN, .5000-20 UNJF-3A	2022	SAE	0
2089	AS9967B	O-Ring Molded from AMS7273 Fluorosilicone (FVMQ) Rubber Material	2022	SAE	0
2090	AS21150F	BEARING, BALL, ROD END, DOUBLE ROW, PRECISION, SOLID SHANK, SELF-ALIGNING, AIRFRAME, TYPE I, -65 TO 300 °F	2022	SAE	0
2091	AS21152E	BEARING, BALL, ROD END, DOUBLE ROW, PRECISION, HOLLOW SHANK, SELF-ALIGNING, AIRFRAME, TYPE III, -65 TO 300 °F	2022	SAE	0
2092	AS22759-80D	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYMIDE INSULATED, LIGHT WEIGHT, TIN COATED, COPPER CONDUCTOR, 150 °C, 600 VOLT, ROHS	2022	SAE	0
2093	AS22759-81D	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYMIDE INSULATED, LIGHT WEIGHT, SILVER COATED, HIGH STRENGTH OR ULTRA HIGH STRENGTH COPPER ALLOY, 260 °C, 600 VOLT, ROHS	2022	SAE	0
2094	AS22759-82D	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYMIDE INSULATED, LIGHT WEIGHT, NICKEL COATED, HIGH STRENGTH OR ULTRA HIGH STRENGTH COPPER ALLOY, 260 °C, 600 VOLT, ROHS	2022	SAE	0
2095	AS22759-83E	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYMIDE INSULATED, NORMAL WEIGHT, SILVER COATED, COPPER CONDUCTOR, 200 °C, 600 VOLT, ROHS	2022	SAE	0
2096	AS22759-84E	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYMIDE INSULATED, NORMAL WEIGHT, NICKEL COATED, COPPER CONDUCTOR, 260 °C, 600 VOLT, ROHS	2022	SAE	0
2097	AS22759-85E	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYMIDE INSULATED, NORMAL WEIGHT, TIN COATED COPPER CONDUCTOR, 150 °C, 600 VOLT, ROHS	2022	SAE	0
2098	AS22759-86E	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYMIDE INSULATED, NORMAL WEIGHT, SILVER COATED, COPPER CONDUCTOR, 200 °C, 600 VOLT, ROHS	2022	SAE	0
2099	AS22759-87E	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYMIDE INSULATED, NORMAL WEIGHT, NICKEL COATED, COPPER CONDUCTOR, 260 °C, 600 VOLT, ROHS	2022	SAE	0
2100	AS22759-88E	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYMIDE INSULATED, NORMAL WEIGHT, TIN COATED, COPPER CONDUCTOR, 150 °C, 600 VOLT, ROHS	2022	SAE	0
2101	AS22759-89E	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYIMIDE INSULATED, NORMAL WEIGHT, SILVER COATED, HIGH STRENGTH OR ULTRA HIGH STRENGTH COPPER, ALLOY, 200 °C, 600 VOLTS ROHS	2022	SAE	0
2102	AS22759-90D	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYIMIDE INSULATED, NORMAL WEIGHT, NICKEL COATED, HIGH STRENGTH OR ULTRA HIGH STRENGTH COPPER, ALLOY, 260 °C, 600 VOLTS ROHS	2022	SAE	0
2103	AS22759-91D	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYMIDE INSULATED, LIGHT WEIGHT, SILVER COATED, COPPER CONDUCTOR, 200 °C, 600 VOLT, ROHS	2022	SAE	0
2104	AS22759-92D	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYMIDE INSULATED, LIGHT WEIGHT, NICKEL COATED, COPPER CONDUCTOR, 260 °C, 600 BOLTS, ROHS	2022	SAE	0
2105	AS22759-93B	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYMIDE INSULATED, LIGHT WEIGHT, SILVER COATED, EXTRA HIGH STRENGTH COPPER ALLOY, 200 °C, 600 VOLT, ROHS	2022	SAE	0
2106	AS22759-94B	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYMIDE INSULATED, LIGHTWEIGHT, NICKEL COATED, EXTRA HIGH STRENGTH COPPER ALLOY, 260 °C, 600 VOLT, ROHS	2022	SAE	0
2107	AS22759-95B	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYMIDE INSULATED, NORMAL WEIGHT, SILVER COATED, EXTRA HIGH STRENGTH COPPER ALLOY, 200 °C, 600 VOLT, ROHS	2022	SAE	0
2108	AS22759-96B	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYMIDE INSULATED, NORMAL WEIGHT, NICKEL COATED, EXTRA HIGH STRENGTH COPPER ALLOY, 260 °C, 600 VOLT, ROHS	2022	SAE	0
2109	AS23053-6	INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, POLYOLEFIN, SEMI-RIGID, CROSSLINKED	2022	SAE	0
2110	AS23053-7	INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE POLYETHYLENE TEREPHTHALATE, NON-CROSSLINKED	2022	SAE	0

2111	AS23053-11B	INSULATION SLEEVING, ELECTRICAL, HEAT-SHRINKABLE FLUORINATED ETHYLENE PROPYLENE, NON-CROSSLINKED	2022	SAE	0
2112	AS23053-13	INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, FLUOROELASTOMER, FLEXIBLE	2022	SAE	0
2113	AS23053-14	INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE ETHYLENE-TETRAFLUOROETHYLENE FLUOROPOLYMER, SEMI-RIGID	2022	SAE	0
2114	AS23053-15	INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, POLYOLEFIN, HEAVY-WALL, COATED, FLEXIBLE, OUTER WALL CROSSLINKED	2022	SAE	0
2115	AS23053-16	INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, CROSSLINKED, ELASTOMERIC POLYOLEFIN, FLEXIBLE	2022	SAE	0
2116	AS23053-18	INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, MODIFIED FLUOROPOLYMER, CROSSLINKED	2022	SAE	0
2117	AS25019B	CABLE ASSEMBLY, EXTERNAL ELECTRIC POWER, AIRCRAFT, 28 VOLT DC, JET STARTING	2022	SAE	0
2118	AS25064B	CONDUIT, FLEXIBLE, RADIO FREQUENCY SHIELDING (Stabilized: Jan 2022)	2022	SAE	0
2119	AS27647F	BEARING, BALL, AIRFRAME, ANTI-FRICTION, EXTRA WIDE, DOUBLE ROW, INTERMEDIATE DUTY	2022	SAE	0
2120	AS31081B	(R) CONNECTORS, PLUG, ELECTRIC, SOLDER CONTACT, 90°, AN TYPE	2022	SAE	0
2121	AS33698A	(R) INSERT ARRANGEMENTS, ELECTRIC CONNECTOR, SHELL SIZE 3 (FOR AS81703 CONNECTORS)	2022	SAE	0
2122	AS39029-1E	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR AS81714 TERMINAL JUNCTION SYSTEM)	2022	SAE	0
2123	AS39029-31D	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR MIL-DTL-26482 SERIES 1, MIL-DTL-26500 AND MIL-DTL-26518 CONNECTORS)	2022	SAE	0
2124	AS39029-101C	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-DTL-12883/44, MIL-DTL-12883/45, MIL-DTL-12883/46, AND MIL-DTL-12883/52 RELAY)	2022	SAE	0
2125	AS39029E	Contacts, Electrical Connector, General Specification for	2022	SAE	0
2126	AS39901C	Bearings, Roller, Needle, Airframe, Antifriction, Inch	2022	SAE	0
2127	AS60491-6	SLEEVE, CHAFE PROTECTION, WRAP-AROUND, SELF-CLOSING (-55 TO +175 °C)	2022	SAE	0
2128	AS81659-9B	CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE ENVIRONMENT RESISTANT, CRIMP CONTACTS, DOUBLE INSERT, TYPE II, CLASS 1 (?65 °C TO +125 °C), SERIES 1, SHELL DESIGNATOR A	2022	SAE	0
2129	AS81659-29B	CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, CRIMP CONTACTS (SINGLE INSERT, TYPE II, CLASS 1, (?65 °C TO +125 °C), SERIES 2, SHELL DESIGNATOR A)	2022	SAE	0
2130	AS81659-31B	CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, SINGLE INSERT, TYPE II, CLASS 1 (?65 °C TO +125 °C), SERIES 2, SHELL DESIGNATOR A	2022	SAE	0
2131	AS81659-33B	CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, CRIMP CONTACTS (DUAL INSERT, TYPE II, CLASS 1, (?65 °C TO + 125 °C), SERIES 2, SHELL DESIGNATOR A)	2022	SAE	0
2132	AS81659-35B	CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (DUAL INSERT, TYPE II, CLASS 1, (-65 °C TO +125 °C), SERIES 2, SHELL DESIGNATOR A)	2022	SAE	0
2133	AS81659-37B	CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, CRIMP CONTACTS (TRIPLE INSERT, TYPE II, CLASS 1, (-65 °C TO +125 °C), SERIES 2, SHELL DESIGNATOR A)	2022	SAE	0
2134	AS81659-39B	CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, CRIMP CONTACTS (TRIPLE INSERT, TYPE II, CLASS 1 (-65 °C TO +125 °C), SERIES 2, SHELL DESIGNATOR A)	2022	SAE	0
2135	AS81659-43B	CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (QUADRUPLE INSERT, TYPE II, CLASS 1 (-65 °C TO +125 °C), SERIES 2, SHELL DESIGNATOR A)	2022	SAE	0
2136	AS81659-62B	CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, DUAL INSERT, TYPE III, CLASS 1 (?65 °C TO +125 °C), SERIES 2, SHELL DESIGNATOR A	2022	SAE	0
2137	AS81659-63B	CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, TRIPLE INSERT, TYPE III, CLASS 1 (?65 °C TO +125 °C), SERIES 2, SHELL DESIGNATOR A	2022	SAE	0
2138	AS81659-64B	CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, QUADRUPLE INSERT, TYPE III, CLASS 1(?65 °C TO +125 °C), SERIES 2, SHELL DESIGNATOR A	2022	SAE	0

2139	AS81659-65B	CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, CRIMP CONTACTS, SINGLE INSERT, TYPE IV, CLASS 1 (?65 °C TO +125 °C), SERIES 2, SHELL DESIGNATOR A	2022	SAE	0
2140	AS81659-66B	CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE,CRIMP CONTACTS, (SINGLE INSERT, TYPE IV, CLASS 1,(?65 °C TO +125 °C), SERIES 2, SHELL DESIGNATOR A)	2022	SAE	0
2141	AS81659-67B	CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE,CRIMP CONTACTS, (SINGLE INSERT, TYPE IV, CLASS 1,(?65 °C TO +125 °C), SERIES 2, SHELL DESIGNATOR A, CLINCH NUT MOUNTING)	2022	SAE	0
2142	AS81659-68B	CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (SINGLE INSERT, TYPE IV, CLASS 1, (?65 °C TO +125 °C), SERIES 2, SHELL DESIGNATOR A, FLOAT MOUNTING)	2022	SAE	0
2143	AS81659-70B	CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (DUAL INSERT, TYPE IV, CLASS 1, (?65 °C TO +125 °C), SERIES 2, SHELL DESIGNATOR A)	2022	SAE	0
2144	AS81659-72B	CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (DUAL INSERT, TYPE IV, CLASS 1, (?65 °C TO +125 °C), SERIES 2, SHELL DESIGNATOR A, FLOAT MOUNTING)	2022	SAE	0
2145	AS81659B	Connectors, Electrical, Rectangular Crimp Contacts General Specification For	2022	SAE	0
2146	AS81935-3D	LOCKING DEVICES (FOR ROD END BEARINGS)	2022	SAE	0
2147	AS83485B	O-RING MOLDED FROM AMS7287 MATERIAL	2022	SAE	0
2148	AS85421-1A	FITTING END, STANDARD DIMENSIONS FOR DYNAMIC BEAM SEAL, MALE	2022	SAE	0
2149	AS85421-4E	This document has been replaced. View the most recent version.	2022	SAE	0
2150	AS121501C - AS121525C	NUT, PLAIN - HEXAGON, STEEL UNS G87400, CADMIUM PLATED, 125 KSI MIN	2022	SAE	0
2151	AS126587C - AS126652C	STUD - STRAIGHT, CADM I UM PLATED , STEEL , UNS G87400 , 1 25 KS I M IN , . 3750 - 1 6 UNS X . 3750 - 24 UN F-3A	2022	SAE	0
2152	AS150801E - AS151100E	STUD, STEPPED. 1.5 DIA ENGAGEMENT, CADMIUM PLATED, STEEL UNS G87400, .3125-18 UNS X .2500-28 UNF-3A	2022	SAE	0
2153	AS151701D - AS152000D	STUD , STEPPED , 1 . 5 D IA ENGAGEMENT, CADM IUM PLATED , STEEL UNS G87400 , . 5000 -1 3 UNS X . 4375-20 UNF -3A	2022	SAE	0
2154	AS155001C - AS155300C	STUD, STEPPED, 2 DIA ENGAGEMENT, CADMIUM PLATED, STEEL UNS G87400, .3125-18 UNS X .2500-28 UNF-3A	2022	SAE	0
2155	AS158901C - AS159200C	STUD , STEPPED , NECKED , 1 . 5 D IA ENGAGEMENT, CADM I UM PLATED , STEEL UNS G87400 , . 4375-1 4 UNS X . 3750 -24 UNF -3A	2022	SAE	0
2156	AS162501C - AS162800C	STUD , STEPPED , DRI LLED , NECKED , 2 D IA ENGAGEMENT, CADM I UM PLATED , STEEL UNS G887400 , . 4375-1 4 UNS X . 3750 -24 UNF -3A	2022	SAE	0
2157	J20	Coolant System Hoses	2022	SAE	0
2158	J30	Fuel and Oil Hoses	2022	SAE	0
2159	J100	Class "A" Vehicle Glazing Shade Bands	2022	SAE	0
2160	J131	(R) Motorcycle Turn Signal Lamps	2022	SAE	0
2161	J156	Fusible Links	2022	SAE	0
2162	J224	Collision Deformation Classification	2022	SAE	0
2163	J246	Spherical and Flanged Sleeve (Compression) Tube Fittings	2022	SAE	0
2164	J308	(R) Axle and Manual Transmission Lubricants	2022	SAE	0
2165	J386	Seat Belts for Connstruction Equipment	2022	SAE	0
2166	J441	Cut Wire Shot	2022	SAE	0
2167	J442	Test Strip, Holder, and Gage for Shot Peening	2022	SAE	0
2168	J445	(R) Metallic Shot and Grit Mechanical Testing	2022	SAE	0
2169	J512	Automotive Tube Fittings	2022	SAE	0
2170	J515	Specification for O-Ring Materials Used with Hydraulic Connectors	2022	SAE	0

2171	J553	Circuit Breakers	2022	SAE	0
2172	J670	(R) Vehicle Dynamics Terminology	2022	SAE	0
2173	J860	Test Method for Measuring Mass (Weight) of Organic Trim Materials	2022	SAE	0
2174	J861	Method of Testing Resistance to Crocking of Organic Trim Materials	2022	SAE	0
2175	J883	Test Method for Determining Dimensional Stability of Automotive Textile Materials	2022	SAE	0
2176	J930	Storage Batteries for Off-Road Self-Propelled Work Machines	2022	SAE	0
2177	J1014	Classification and Nomenclature Towing Winch for Skidders and Crawler Tractors	2022	SAE	0
2178	J1248	Performance Requirements for Parking Stability of Motorcycles	2022	SAE	0
2179	J1281	Operator Sound Pressure Level Exposure Measurement Procedure for Powered Recreational Craft	2022	SAE	0
2180	J1301	Truck Deformation Classification	2022	SAE	0
2181	J1351	(R) Hot Odor Test for Materials Used in Vehicle Interior Cabins	2022	SAE	0
2182	J1356	Minimum Performance Criteria for Falling Object Guards for Excavators	2022	SAE	0
2183	J1390	Engine Cooling Fan Structural Analysis	2022	SAE	0
2184	J1459	V-Ribbed Belts and Pulleys	2022	SAE	0
2185	J1502	Connections for Fluid Power and General Use - Hydraulic Couplings - Diagnostic	2022	SAE	0
2186	J1526	SAE Fuel Consumption Test Procedure (Engineering Method) - Includes Access to Additional Content	2022	SAE	0
2187	J1527	Marine Fuel Hoses	2022	SAE	0
2188	J1533	Operator Enclosure Air Filter Element Test Procedure, Recommended Practice	2022	SAE	0
2189	J1637	Laboratory Measurement of the Composite Vibration Damping Properties of Materials on a Supporting Steel Bar	2022	SAE	0
2190	J1670	Type F Clamps for Plumbing Applications	2022	SAE	0
2191	J1701M	Torque-Tension Tightening for Metric Series Fasteners	2022	SAE	0
2192	J1791	Self-Propelled Sweepers and Scrubbers Dual Position Driving Controls and Displays	2022	SAE	0
2193	J1826	Turbocharger Gas Stand Test Code, Recommended Practice;	2022	SAE	0
2194	J1911	Test Procedure for Air Reservoir Capacity - Truck and Bus	2022	SAE	0
2195	J1939-14	Physical Layer, 500 Kbps	2022	SAE	0
2196	J1939-21	Data Link Layer	2022	SAE	0
2197	J1965	(R) Road Vehicles - Wheels for Commercial Vehicles and Multipurpose Passenger Vehicles - Fixing Nuts - Test Methods	2022	SAE	0
2198	J1978	(R) OBD-II Scan Tool	2022	SAE	0
2199	J2013	(R) Military Tire Glossary	2022	SAE	0
2200	J2014	Pneumatic Tire/Wheel/Runflat Assembly Qualifications for Military Tactical Wheeled Vehicles	2022	SAE	0
2201	J2258	Light Utility Vehicles	2022	SAE	0
2202	J2360	Automotive Gear Lubricants for Commercial and Military Use	2022	SAE	0
2203	J2481	Dynamic Simulation Sled Testing	2022	SAE	0
2204	J2534-1	(R) Recommended Practice for Pass-Thru Vehicle Programming	2022	SAE	0
2205	J2534-2-1	Pass-Thru Extended Feature - Single Wire CAN	2022	SAE	0
2206	J2534-2-2	Pass-Thru Extended Feature - GM_UART	2022	SAE	0
2207	J2534-2-3	NULL	2022	SAE	0
2208	J2534-2-4	Pass-Thru Extended Feature - HONDA_DIAGH	2022	SAE	0
2209	J2534-2-5	Pass-Thru Extended Feature - SAE J1939	2022	SAE	0
2210	J2534-2-6	Pass-Thru Extended Feature - SAE J1708	2022	SAE	0
2211	J2534-2-7	Pass-Thru Extended Feature - TP2.0	2022	SAE	0

2212	J2534-2-8	Pass-Thru Extended Feature - Fault-Tolerant CAN	2022	SAE	0
2213	J2534-2-9	Pass-Thru Extended Features - Ethernet NDIS	2022	SAE	0
2214	J2534-2-10	Pass-Thru Extended Feature - Analog Input	2022	SAE	0
2215	J2534-2-11	Pass-Thru Extended Features - CAN with Flexible Data Rate	2022	SAE	0
2216	J2534-2-13	Pass-Thru Extended Feature - Ethernet	2022	SAE	0
2217	J2534-2-15	Pass-Thru Extended Feature - IPv6	2022	SAE	0
2218	J2534-2-16	Pass-Thru Extended Feature - IPv4	2022	SAE	0
2219	J2534-2-17	Pass-Thru Extended Feature - UDP	2022	SAE	0
2220	J2534-2-18	Pass-Thru Extended Feature - TCP CLIENT	2022	SAE	0
2221	J2534-2-BA	Pass-Thru Extended Feature - Base Document	2022	SAE	0
2222	J2534-2-RE	Pass-Thru Extended Feature - Resource Document	2022	SAE	0
2223	J2534-5	Pass-Thru Interface - Alternate Platforms for API Version 05.00	2022	SAE	0
2224	J2580	Identification and Installation of Air Brake System Components	2022	SAE	0
2225	J2593	Information Report for the Installation of Fluid Conductors and Connectors	2022	SAE	0
2226	J2797	Power Cylinder Blow-by: Blow-by Mechanisms	2022	SAE	0
2227	J2810	HFC-134a (R-134a) Refrigerant Recovery Equipment for Mobile Automotive Air-Conditioning Systems	2022	SAE	0
2228	J2878	Low Speed Thorax Impact Test Procedure for the HIII5F Dummy	2022	SAE	0
2229	J2899	Brake Adjustment Limit for Air Brake Actuators	2022	SAE	0
2230	J2915	H-III5F Spine Box Update to Eliminate Noise	2022	SAE	0
2231	J2943	Recommended Practice for Filter Weighing of Particulate Matter Emissions	2022	SAE	0
2232	J2945-C	Req u i remen ts for Probe Da ta Co l lection App l ica tions	2022	SAE	0
2233	J2947	Categorization and Properties of Steel Sheet for Automotive Cold Forming Applications	2022	SAE	0
2234	J2976	Speedometer and Odometer Systems for On-Highway Vehicles	2022	SAE	0
2235	J3027	Ambulance Litter Integrity, Retention, and Patient Restraint	2022	SAE	0
2236	J3040	Electric Vehicle (E-Vehicle) Crash Test Lab Safety Guidelines	2022	SAE	0
2237	J3054	TP1.6 Vehicle DIAGNOSTIC Protocol	2022	SAE	0
2238	J3060	Automotive and Heavy Duty Storage Battery Vibration	2022	SAE	0
2239	J3064	Standard Specification for Allowable Defects in Rolled Goods for Interior Trim	2022	SAE	0
2240	J3068	(R) Electric Vehicle Power Transfer System Using a Three-Phase Capable Coupler	2022	SAE	0
2241	J3078-3	Off-Road Self-Propelled Work Machines Operator Enclosure Environment Part 3: Operator Enclosure Pressurization System Test Procedure	2022	SAE	0
2242	J3121	Hydrogen Vehicle Crash Test Lab Safety Guidelines	2022	SAE	0
2243	J3131	Definitions for Terms Related to Automated Driving Systems Reference Architecture	2022	SAE	0
2244	J3161-1A	Vehicle Level Validation Test Procedures for V2V Safety Communications	2022	SAE	0
2245	J3161	LTE Vehicle-to-Everything (LTE-V2X) Deployment Profiles and Radio Parameters for Single Radio Channel Multi-Service Coexistence	2022	SAE	0
2246	J3187	System Theoretic Process Analysis (STPA) Recommended Practices for Evaluations of Automotive Related Safety-Critical Systems	2022	SAE	0
2247	J3219	Hydrogen Fuel Quality Screening Test of Chemicals for Fuel Cell Vehicles	2022	SAE	0
2248	J3228	Digital Forensic Evidence Sources Related to Investigation and Analysis of Damage and Injury Causing Incidents	2022	SAE	0
2249	J3234-1	Active Safety Roadside Metal Guardrail Surrogate Recommendation	2022	SAE	0
2250	J3266	Automotive Air-Conditioning Service Ports Final Report, Recommendations	2022	SAE	0

2251	J3267	Automotive Air-Conditioning Service Ports Task Force Field Survey Results	2022	SAE	0
2252	J3268	Listing of Provider Service Identifiers and Associated Application Technical Reports	2022	SAE	0
2253	J4002	H-Point Machine (HPM-II) Specifications and Procedure for H-Point Determination - Auditing Vehicle Seats	2022	SAE	0
2254	MA2039B	PLUG, PORT - MJ THREAD, O-RING SEAL, AMS-5640, METRIC	2022	SAE	0
2255	MA3447A	BOLT, MACHINE - SPLINE DRIVE HD CLOSE TOL FULL SHANK, AMS5662, METRIC	2022	SAE	0
2256	MA3448A	BOLT, SPLINE DRIVE SPECIAL EXTENDED WASHER HEAD, REDUCED HEAD, PD SHANK, AMS5708, METRIC	2022	SAE	0
2257	MA3449A	BOLT, SPLINE DRIVE EXTENDED WASHER HEAD, REDUCED HEAD, RETAINER LOCKED, PD SHANK, AMS5708, METRIC	2022	SAE	0
2258	1008	Standard Practice for Force Protection and Survivability	2022	SAE	0
2259	MAP 749C	(R) Aircraft Turbine Engine Fuel System Component Endurance Test Procedure (Room Temperature Contaminated Fuel)	2022	SAE	0
2260	TA-STD-0017A	(R) Product Support Analysis - Formerly TechAmerica TA-STD-0017A	2022	SAE	0
2261	USCAR-1	Salt Spray Testing and Evaluation of Fastener Finishes - Revision 3	2022	SAE	0
2262	USCAR-2	Performance Specification for Automotive Electrical Connector Systems - Revision 8	2022	SAE	0
2263	USCAR-3	Standard for Testing Automotive Miniature Bulbs	2022	SAE	0
2264	USCAR-14	Specification for Testing Automotive Halogen Light Sources - Revision 3	2022	SAE	0
2265	USCAR-20	Field Correlated Life Test Supplement to SAE/USCAR-2 - Revision 2	2022	SAE	0
2266	USCAR-26	Test Procedure for Electrical Ground Attachments	2022	SAE	0
2267	USCAR-27	Specification for Testing Gas Discharge Light Source Subsystem - Revision 1	2022	SAE	0
2268	USCAR-29	Automotive Grade Coaxial Cable Performance Specification - Revision 1	2022	SAE	0
2269	USCAR-30	Performance Specification for Automotive Universal Serial Bus (USB) Connection System	2022	SAE	0
2270	USCAR-34	SPECIFICATION FOR TESTING AUTOMOTIVE LAMP ASSEMBLIES	2022	SAE	0
2271	USCAR-49	PERFORMANCE SPEC I F ICATION FOR M IN IATURE AUTOMOTIVE COAXIAL CONNECTORS	2022	SAE	0
2272	AIR46C	The Preparation and Use of Thermocouples for Aircraft Gas Turbine Engines	2022	SAE	0
2273	AIR1244B	(R) Aerospace, Slipper Seals, Selection for Fluid Power Applications	2022	SAE	0
2274	AIR1564C	Cross Reference for Materials for Fluid Systems Components, Including Military and Federal Specifications and Their International Equivalents (Stabilized: Aug 2022)	2022	SAE	0
2275	AIR1780B	(R) Aircraft Flotation Analysis	2022	SAE	0
2276	AIR1973B	(R) Trademarks, Hydraulic System Component Manufacturers, Index of	2022	SAE	0
2277	AIR4923B	Bolts and Screws, Aerospace Engine - Materials, Procurement Specifications, and Properties	2022	SAE	0
2278	AIR5128A	(R) Electrical Bonding of Aircraft Fuel Systems	2022	SAE	0
2279	AIR5388	Unique Wheel and Brake Designs	2022	SAE	0
2280	AIR5558A	(R) Ultraviolet (UV) Laser Marking Performance of Aerospace Wire Constructions	2022	SAE	0
2281	AIR5691B	Guidance for the Design and Installation of Fuel Quantity Indicating Systems (FQIS)	2022	SAE	0
2282	AIR5938A	Information on Hard Landings and Abnormal Landing Gear Loading Events	2022	SAE	0
2283	AIR6183	Procedures for the Calculation of Airplane Fuel Consumption	2022	SAE	0
2284	AIR6417	Aircraft Brake Quality Assurance Rejected Takeoff Test History and Considerations	2022	SAE	0
2285	AIR6894A	(R) Laser Wire Stripping Tools, General Understanding	2022	SAE	0
2286	AIR6989	Micropitting of Bearings and Gears in Aviation	2022	SAE	0
2287	AIR7209	Development Assurance Principles for Aerospace Vehicles and Systems	2022	SAE	0
2288	AMS1321	Putty, General Purpose, Non-Hardening, Corrosion-Inhibiting	2022	SAE	0

2289	AMS2241T	(R) Tolerances, Corrosion- and Heat-Resistant Steel, Iron Alloy, Titanium, and Titanium Alloy Bars and Wire	2022	SAE	0
2290	AMS2263F	Tolerances Nickel, Nickel Alloy, and Cobalt Alloy Aircraft Tubing	2022	SAE	0
2291	AMS2269G	Chemical Check Analysis Limits Nickel, Nickel Alloys, and Cobalt Alloys	2022	SAE	0
2292	AMS2283	Composition Testing Methods for Nickel- and Cobalt-Based Alloys	2022	SAE	0
2293	AMS2407G	Plating, Chromium, Porous (Stabilized: Sep 2022)	2022	SAE	0
2294	AMS2431-2G	Peening Media (ASH) Cast Steel Shot, High Hardness (55 to 62 HRC)	2022	SAE	0
2295	AMS2432E	Shot Peening, Computer Monitored	2022	SAE	0
2296	AMS2442A	Magnetic Particle Acceptance Criteria for Parts	2022	SAE	0
2297	AMS2451-3D	Plating, Brush, Nickel Low-Stress, Low-Hardness Deposit	2022	SAE	0
2298	AMS2453A	Low Stress Grinding of Steel Parts Heat Treated to 180 ksi or Over, and Low Stress Grinding of Chrome Plating Applied to Steel Parts Heat Treated to 180 ksi or Over	2022	SAE	0
2299	AMS2469K	Hard Anodic Coating on Aluminum and Aluminum Alloys	2022	SAE	0
2300	AMS2476D	Electrolytic Treatment for Magnesium Alloys Alkaline Type, Full Coat	2022	SAE	0
2301	AMS2588	Ultrasonically Activated Needle Peen Forming	2022	SAE	0
2302	AMS2672H	Brazing, Aluminum Torch or Furnace	2022	SAE	0
2303	AMS2673F	Brazing, Aluminum and Aluminum Alloys Molten Flux (Dip)	2022	SAE	0
2304	AMS2801C	(R) Heat Treatment of Titanium Alloy Parts	2022	SAE	0
2305	AMS3023C	Fluid, Reference for Testing Polyol Ester (and Diester) Resistant Material	2022	SAE	0
2306	AMS3042G	Magnetic Particles, Nonfluorescent Wet Method, Dry Powder	2022	SAE	0
2307	AMS3095B	(R) Paint System: High Gloss for Aircraft Exterior	2022	SAE	0
2308	AMS3143C	(R) Powder Coating Material	2022	SAE	0
2309	AMS3266B	Sealing Compound, Polythioether Elastomeric Two-Part Electrically Conductive	2022	SAE	0
2310	AMS3400A	Fluid, Reference for Testing Polyalphaolefin (PAO) Resistant Material	2022	SAE	0
2311	AMS3644H	Plastic: Polyimide for Molded Rod, Bar, and Tube, Plaque, and Formed Parts (Stabilized: Sep 2022)	2022	SAE	0
2312	AMS3712C	Core, Honeycomb, Glass/Polyimide	2022	SAE	0
2313	AMS3714D	Core, Overexpanded Honeycomb, Polyamide Paper Base, Phenolic Coated	2022	SAE	0
2314	AMS3715D	Core, Honeycomb, Glass/Phenolic	2022	SAE	0
2315	AMS3716C	Core, Honeycomb, Glass/Phenolic Bias Weave Fiber Construction	2022	SAE	0
2316	AMS3824C	Cloth, Glass Finished for Resin Laminates	2022	SAE	0
2317	AMS3865C	Filaments, Boron Tungsten Substrate, Continuous	2022	SAE	0
2318	AMS3902E	Cloth, Organic Fiver (Para-Aramid), High Modulus For Structural Composites	2022	SAE	0
2319	AMS3909-3A	Cloth, Aramid 2.0 oz per sq yd (68 g/m2), 230 Pounds Force per Inch (40279 N/m) (Warp) and 220 Pounds Force per Inch (38528 N/m) (Filling)	2022	SAE	0
2320	AMS3920A	Acceptance Criteria Adhesive-Bonded Metal-Faced Sandwich Structures	2022	SAE	0
2321	AMS4011E	Aluminum, Foil and Light Gage Sheet 99.45Al (1145-0) Annealed (Stabilized: Aug 2022)	2022	SAE	0
2322	AMS4029M	Aluminum Alloy, Sheet and Plate (2014; -T6 Sheet, -T651 Plate) Solution and Precipitation Heat Treated - UNS A92014	2022	SAE	0
2323	AMS4031K	Aluminum Alloy, Sheet and Plate 6.3Cu - 0.30Mn - 0.18Zr - 0.10V - 0.06Ti (2219-O) Annealed or, When Specified, _As Fabricated (2219-F) - UNS A92219	2022	SAE	0
2324	AMS4045M	Aluminum Alloy Sheet and Plate 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr 7075: (-T6 Sheet, -T651 Plate) Solution and Precipitation Heat Treated	2022	SAE	0
2325	AMS4048R	Aluminum Alloy Sheet and Plate, Alclad 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (Alclad 7075-O) Annealed or when specified, As Fabricated (Alclad 7075-F) - UNS A97075	2022	SAE	0

2326	AMS4049N	Aluminum Alloy, Sheet and Plate, Alclad 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (Alclad 7075; -T6 Sheet - T651 Plate) Solution and Precipitation Heat Treated	2022	SAE	0
2327	AMS4086P	Aluminum Alloy, Drawn, Round, Seamless Hydraulic Tubing 4.4Cu - 1.5Mg - 0.60Mn (2024-T3) Solution Heat Treated, Cold Worked, and Naturally Aged - UNS A92024	2022	SAE	0
2328	AMS4118M	Aluminum Alloy, Rolled or Cold Finished Bars, Rods, and Wire 4.0Cu - 0.70Mn - 0.60Mg - 0.50Si (2017; -T4, -T451) Solution Heat Treated - UNS A92017	2022	SAE	0
2329	AMS4163G	Aluminum Alloy, Extrusions 6.3Cu - 0.30Mn - 0.18Zr - 0.10V - 0.06Ti (2219-T3511) Solution Heat Treated, Stress-Relieved by Stretching, and Straightened - UNS A92219	2022	SAE	0
2330	AMS4244D	Aluminum Alloy, Welding Wire 4.6Cu - 0.35Mn - 0.25Mg - 0.22Ti for Welding A206.0 Type Alloys	2022	SAE	0
2331	AMS4251C	Aluminum Alloy Sheet 2.7Cu - 2.2Li - 0.12Zr (2090-T83) Solution Heat Treated, Cold Worked, and Precipitation Heat Treated - UNS A92090	2022	SAE	0
2332	AMS4279C	Aluminum Alloy, Alclad Sheet 4.4Cu - 1.5Mg - 0.60Mn (2024-T4 Flat Sheet) Solution Heat Treated, High Formability - UNS A82024	2022	SAE	0
2333	AMS4304C	Aluminum Alloy, Discontinuously Reinforced Sheet 2009/SiC/15w (T8P) Solution Heat Treated, Stretched, and Precipitation Heat Treated (Stabilized: Nov 2022)	2022	SAE	0
2334	AMS4315B	Aluminum Alloy, Sheet and Plate 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr 7075: (-T76 Sheet, -T7651 Plate) Solution and Precipitation Heat Treated - UNS R97075	2022	SAE	0
2335	AMS4320C	Aluminum Alloy Forgings 7.7Zn - 2.5Mg - 1.5Cu - 0.16Cr (7149-T73) Solution and Precipitation Heat Treated (Stabilized: Sep 2022)	2022	SAE	0
2336	AMS4330E	Aluminum Alloy, Plate (2297-T87) 2.8Cu - 1.5Li - 0.30Mn - 0.12Zr Solution Heat Treated, Stretched, and Artificially Aged - UNS A92297	2022	SAE	0
2337	AMS4365A	Aluminum Alloy, Plate 7.9Zn - 1.2Cu - 2.1Mg - 0.10Zr (7097-T7651) Solution Heat Treated, Stress Relieved, and Overaged	2022	SAE	0
2338	AMS4367A	Aluminum Alloy, Extruded Profiles 8.9Zn - 2.2Cu - 2.2Mg - 0.15Zr (7136-T74511) Solution Heat Treated, Stress Relieved by Stretching, Straightened, and Overaged	2022	SAE	0
2339	AMS4372B	Aluminum Alloy, Plate 3.5Cu - 1.0Li - 0.40Mg - 0.35Mn - 0.45Ag - 0.12Zr (2050-T34) Solution Heat Treated and Stress Relieved - UNS A92050	2022	SAE	0
2340	AMS4374A	Aluminum Alloy, Extruded Profiles 8.9Zn - 2.2Cu - 2.2Mg - 0.15Zr (7136-T73511) Solution Heat Treated, Stress Relieved by Stretching, Straightened, and Overaged	2022	SAE	0
2341	AMS4401B	Aluminum Alloy, Plate (7140-T7451) 6.6Zn - 1.8Cu - 2.0Mg - 0.10Zr Solution Heat Treated, Stress Relieved, and Overaged - UNS A97140	2022	SAE	0
2342	AMS4458B	Aluminum Alloy, Plate (2.7 Cu - 1.8 Li - 0.7 Zn) 2099-T86 Solution Heat Treated, Cold Worked, and Artificially Aged	2022	SAE	0
2343	AMS4466B	Aluminum Alloy, Sheet and Plate, Alclad 4.4Cu - 1.5Mg - 0.60Mn (Alclad 2024, -T361 Sheet and Plate) Solution Heat Treated, 6% Cold Worked, and Naturally Aged - UNS A82024	2022	SAE	0
2344	AMS4468A	Aluminum Alloy, Plate 5.0Cu - 0.4Mn - 0.5Mg - 0.4Ag (2139-T84) Solution Heat Treated, Cold Worked, and Artificially Aged	2022	SAE	0
2345	AMS4472B	Aluminum Alloy, Plate 4.0Cu - 1.0Li - 0.40Mg - 0.35Ag - 0.13Zr (2195-T34) Solution Heat Treated and Stress Relieved - UNS A92195	2022	SAE	0
2346	AMS4473B	Aluminum Alloy Plate (2624-T39) 4.1Cu - 1.4Mg - 0.6Mn Solution Heat Treated, Cold Worked and Naturally Aged - UNS A92624	2022	SAE	0
2347	AMS4500K	Copper, Sheet, Strip, and Plate Soft Annealed - UNS C11000	2022	SAE	0
2348	AMS4544J	Nickel-Copper Alloy, Corrosion-Resistant, Sheet, Strip, and Plate 67Ni - 30Cu Annealed - UNS N04400	2022	SAE	0
2349	AMS4553E	Brass, Seamless, Tubing 85Cu - 15Zn Annealed (O61) - UNS C23000	2022	SAE	0
2350	AMS4558J	Brass, Seamless Tubing 66.5Cu - 31.5Zn - 1.6Pb Drawn Temper (H58) - UNS C33200	2022	SAE	0
2351	AMS4598B	Copper-Nickel-Tin Alloy, Mechanical Tube 77Cu - 15Ni - 8Sn Solution Annealed and Spinodal Hardened (TX02, formerly TX00) - UNS C72900	2022	SAE	0
2352	AMS4602E	Copper Bars, Rods, and Shapes Oxygen-Free, Hard Temper (H04) - UNS C10200	2022	SAE	0

2353	AMS4613B	Aluminum Alloy, Sheet and Plate 6.3Cu - 0.30Mn - 0.06Ti - 0.10V - 0.18Zr Solution Heat Treated, Cold Worked (8%) and Precipitation Heat Treated (2219 -T87) - UNS A92219	2022	SAE	0
2354	AMS4614J	Brass Forgings, Free Cutting 60Cu - 2.0Pb - 37.5Zn As Forged (M10) - UNS C37700	2022	SAE	0
2355	AMS4675F	Nickel-Copper Alloy, Corrosion-Resistant, Bars and Forgings 67Ni - 30Cu - UNS N04400	2022	SAE	0
2356	AMS4712H	Copper Alloy, Wire 65Cu - 35Zn Annealed (O61)	2022	SAE	0
2357	AMS4730J	Nickel-Copper Alloy Wire, Corrosion-Resistant 67Ni - 31Cu Annealed (400) - UNS N04400	2022	SAE	0
2358	AMS4779L	Nickel Alloy, Brazing Filler Metal 94Ni - 3.5Si - 1.8B 1800 °F (982 °C) Solidus, 1950 °F (1066 °C) Liquidus - UNS N99640	2022	SAE	0
2359	AMS4782H	Nickel Alloy, Brazing Filler Metal 71Ni - 10Si - 19Cr 1975 °F (1080 °C) Solidus, 2075 °F (1135 °C) Liquidus	2022	SAE	0
2360	AMS4898F	Titanium Alloy, Sheet 6Al - 2Sn - 2Zr - 2Mo - 2Cr - 0.15Si Annealed - UNS R56222	2022	SAE	0
2361	AMS4914H	Titanium Alloy, Cold Rolled Sheet and Strip 15V - 3Al - 3Cr - 3Sn Solution Heat Treated - UNS R58153	2022	SAE	0
2362	AMS4935M	Titanium Alloy Extrusions and Flash Welded Rings 6Al - 4V Annealed Beta Processed - UNS R56400	2022	SAE	0
2363	AMS4958F	Titanium Alloy, Bars and Rods 3Al - 8V - 6Cr - 4Mo - 4Zr Consumable Electrode Melted Solution Heat Treated and Centerless Ground or Peeled and Polished - UNS R58640	2022	SAE	0
2364	AMS4965N	Titanium Alloy, Bars, Wire, Forgings, and Rings 6.0Al - 4.0V Solution Heat Treated and Aged - UNS R56400	2022	SAE	0
2365	AMS4966S	Titanium Alloy, Forgings 5Al - 2.5Sn Annealed, 110 ksi (758 MPa) Yield Strength - UNS R54520	2022	SAE	0
2366	AMS4967N	Titanium Alloy, Bars, Wire, Forgings, and Rings 6.0Al - 4.0V Annealed, Heat Treatable - UNS R56400	2022	SAE	0
2367	AMS4978J	Titanium Alloy Bars, Wire, Forgings, and Rings 6Al - 6V - 2Sn Annealed - UNS R56620	2022	SAE	0
2368	AMS4981J	Titanium Alloy Bars, Wire, and Forgings 6.0Al - 2.0Sn - 4.0Zr - 6.0Mo Solution and Precipitation Heat Treated - UNS R56260	2022	SAE	0
2369	AMS5046F	Carbon Steel, Sheet, Strip, and Plate (SAE 1020 and 1025) - UNS G10200 and G10250	2022	SAE	0
2370	AMS5339H	Steel, Maraging, Investment Castings 17Ni - 10Co - 4.6Mo - 0.30Ti - 0.06Al Vacuum Melted Homogenized, Overaged, and Solution Heat Treated - UNS J93010	2022	SAE	0
2371	AMS5355J	Steel, Corrosion Resistant, Investment Castings 16Cr - 4.1Ni - 0.28Cb - 3.2Cu Homogenization and Solution Heat Treated or Homogenization, Solution, and Precipitation Heat Treated - UNS J92200	2022	SAE	0
2372	AMS5548R	Steel, Corrosion- and Heat-Resistant, Sheet and Strip 16.5Cr - 4.5Ni - 2.9Mo - 0.10N 1850 to 1975 °F (1010 to 1079 °C), Annealed - UNS S35000	2022	SAE	0
2373	AMS5553J	Nickel, Sheet and Strip Low (0.02 Max) Carbon Annealed - UNS N02201	2022	SAE	0
2374	AMS5557K	Steel, Corrosion- and Heat-Resistant, Seamless or Welded Hydraulic Tubing 18.5Cr - 10.5Ni - 0.40Ti (SAE 30321) Solution Heat Treated - UNS S32100	2022	SAE	0
2375	AMS5565M	Steel, Corrosion-Resistant, Welded Tubing, 19Cr - 9.5Ni (304), Solution Heat Treated	2022	SAE	0
2376	AMS5630M	Steel, Corrosion-Resistant, Bars, Wire, and Forgings and Forging Stock 17Cr - 0.52Mo (0.95 - 1.20C) (440C)	2022	SAE	0
2377	AMS5639K	(R) Steel, Corrosion-Resistant, Bars, Wire, Forgings, Mechanical Tubing, Rings and Forging and Ring Stock 19Cr - 10Ni Solution Heat Treated - UNS S30400	2022	SAE	0
2378	AMS5648N	Steel, Corrosion- and Heat-Resistant, Bars, Wire, Forgings, Mechanical Tubing, Rings, and Stock for Forgings and Rings 17Cr - 12Ni - 2.5Mo (316) Solution Heat Treated - UNS S31600	2022	SAE	0
2379	AMS5655G	Steel, Corrosion- and Heat-Resistant, Bars, Wire, Forgings, and Forging Stock 12.5Cr - 0.75Ni - 1.0Mo - 1.0W - 0.24V (0.20-0.25C) Hardened and Tempered - UNS S42200	2022	SAE	0
2380	AMS5662P	Nickel Alloy, Corrosion- and Heat-Resistant, Bars, Forgings, Rings, and Stock for Forgings and Rings 52.5Ni - 19Cr - 3.0Mo - 5.1Cb (Nb) - 0.90Ti - 0.50Al - 18Fe Consumable Electrode or Vacuum Induction Melted 1775 °F (968 °C) Solution Heat Treated, Precip	2022	SAE	0
2381	AMS5663P	Nickel Alloy, Corrosion- and Heat-Resistant, Bars, Forgings, Rings, and Stock for Forgings and Rings 52.5Ni - 19Cr - 3.0Mo - 5.1Cb (Nb) - 0.90Ti - 0.50Al - 18Fe Consumable Electrode or Vacuum Induction Melted 1775 °F (968 °C) Solution and Precipitation He	2022	SAE	0

2382	AMS5664G	Nickel Alloy, Corrosion- and Heat-Resistant, Bars, Forgings, Extrusions, Rings, and Stock for Forgings and Rings 52.5Ni - 19Cr - 3.0Mo - 5.1Cb (Nb) - 0.90Ti - 0.50Al - 18Fe Consumable Electrode or Vacuum Induction Melted 1950 °F (1066 °C) Solution Heat Tr	2022	SAE	0
2383	AMS5676G	Nickel Alloy, Corrosion- and Heat-Resistant, Welding Wire 80Ni - 20Cr	2022	SAE	0
2384	AMS5687P	Nickel Alloy, Corrosion- and Heat-Resistant, Wire 74Ni - 15.5Cr - 8.0Fe Annealed - UNS N06600	2022	SAE	0
2385	AMS5694K	Steel, Corrosion and Heat-Resistant, Welding Wire 27Cr - 21.5Ni - UNS S31080	2022	SAE	0
2386	AMS5700H	Steel, Corrosion- and Heat-Resistant, Bars, Forgings, Rings, and Forging Stock 13.5Cr - 13.5Ni - 0.35Mo - 2.2W Annealed - UNS S66009	2022	SAE	0
2387	AMS5712L	Nickel Alloy, Corrosion- and Heat-Resistant, Bars, Forgings, and Rings 53Ni - 19Cr - 11Co - 9.8Mo - 3.2Ti - 1.6Al - 0.006B Vacuum Melted, Solution Heat Treated Precipitation Hardenable	2022	SAE	0
2388	AMS5713L	Nickel Alloy, Corrosion- and Heat-Resistant, Bars, Forgings, and Rings 53Ni - 19Cr - 11Co - 9.8Mo - 3.2Ti - 1.6Al - 0.006B Vacuum Melted, Solution and Precipitation Heat Treated - UNS N07041	2022	SAE	0
2389	AMS5714E	Alloy Bars, Forgings, and Rings, Corrosion and Heat-Resistant 73Ni - 15.5Cr - 2.5Ti - 0.70Al - 7.0Fe Precipitation-Hardenable - UNS N07722	2022	SAE	0
2390	AMS5747E	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 72Ni - 15.5Cr - 0.95Cb(Nb) - 2.5Ti - 0.70Al - 7.0Fe 1800 Ī°F (982 Ī°C) Solution Heat Treated, Precipitation Hardenable - UNS N07750	2022	SAE	0
2391	AMS5786J	Nickel Alloy, Corrosion- and Heat-Resistant, Welding Wire 62.5Ni - 5.0Cr - 24.5Mo - 5.5Fe - UNS N10004	2022	SAE	0
2392	AMS5798J	Nickel Alloy, Corrosion- and Heat-Resistant, Welding Wire 47.5Ni - 22Cr - 1.5Co - 9.0Mo - 0.60W - 18Fe - UNS N06002	2022	SAE	0
2393	AMS5808D	Steel, Corrosion and Heat-Resistant, Welding Wire 19Cr - 13Ni - 2.5Mo High Ferrite Grade, Trace Element Controlled	2022	SAE	0
2394	AMS5811E	Steel, Corrosion and Heat Resistant, Welding Wire 15Cr - 30Ni - 1.2Mo - 2.2Ti - 0.25Al - 0.001B - 0.030V (0.01 - 0.03C) Vacuum Induction Melted, Environment Controlled Packaging	2022	SAE	0
2395	AMS5823F	Steel, Corrosion- and Heat-Resistant, Welding Wire 11.8Cr - 2.8Ni - 1.6Co - 1.8Mo - 0.32V - UNS S41780	2022	SAE	0
2396	AMS5824G	Steel, Corrosion-Resistant, Welding Wire 17Cr - 7.1Ni - 1.0Al	2022	SAE	0
2397	AMS5825J	Steel, Corrosion-Resistant, Welding Wire 16.4Cr - 4.8Ni - 0.22Cb(Nb) - 3.6Cu - UNS S17480	2022	SAE	0
2398	AMS5826F	Steel, Corrosion- and Heat-Resistant, Welding Wire 15Cr - 5.1Ni - 0.30Cb(Nb) - 3.2Cu	2022	SAE	0
2399	AMS5840E	Steel, Corrosion and Heat Resistant, Welding Wire 13Cr - 8.0Ni - 2.3Mo - 1.1Al Vacuum Melted - UNS S13889	2022	SAE	0
2400	AMS5843H	Cobalt-Nickel Alloy, Corrosion- and Heat-Resistant, Bars 19Cr - 36Co - 25Ni - 7.0Mo - 0.50Cb (Nb) - 2.9Ti - 0.20Al - 9.0Fe Vacuum Induction Plus Vacuum Consumable Electrode Melted Solution Heat Treated, Work Strengthened, and Aged - UNS R30159	2022	SAE	0
2401	AMS5884E	Iron-Nickel Alloy, Bars, Forgings, and Rings 42Fe - 37.5Ni - 14Co - 4.8Cb (Nb) - 1.6Ti Solution Heat Treated, Precipitation Hardenable Multiple Melted, High Temperature, Low Expansion - UNS N19909	2022	SAE	0
2402	AMS5896C	Steel, Corrosion- and Heat-Resistant, Seamless or Welded Hydraulic Tubing 18.5Cr - 10.5Ni - 0.55Ti (321) Solution Heat Treated and Cold Drawn, 1/8 Hard Temper - UNS S32100	2022	SAE	0
2403	AMS5915B	Nickel Alloy, Corrosion- and Heat-Resistant, Bars and Forgings, 57Ni - 20Cr - 10Co - 8.5Mo - 2.1Ti - 1.5Al - 0.005B, Vacuum Induction and Consumable Electrode Melted, Solution Heat Treated, Precipitation Heat Treatable - UNS N07208	2022	SAE	0
2404	AMS5916B	Alloy, Corrosion and Heat-Resistant, Sheet, Strip, and Plate 35Fe - 24Cr - 37Ni - 0.65Cb(Nb) - 0.2N Annealed - UNS N08120	2022	SAE	0
2405	AMS5917	Metal Injection Molded Nickel Based Alloy 718 Parts Hot Isostatically Pressed, Solutioned and Aged	2022	SAE	0
2406	AMS5932C	Steel, Corrosion and Heat-Resistant, Bars, Forgings and Mechanical Tubing 14.5Cr - 2.3Ni - 12.5Co - 4.0Mo - 0.60V - 0.03Cb(Nb) Carburizing, Premium Aircraft-Quality, Double Vacuum Melted - UNS S42640	2022	SAE	0
2407	AMS6257G	Steel Bars, Forgings, Forging Stock, and Mechanical Tubing 1.6Si - 0.82Cr - 1.8Ni - 0.40Mo - 0.08V (0.40 - 0.44C) Consumable Electrode Vacuum Remelted Normalized and Tempered	2022	SAE	0
2408	AMS6260T	Steel, Bars, Forgings, and Mechanical Tubing and Forging Stock 1.2Cr - 3.2Ni - 0.12Mo (0.07 - 0.13C) (9310) - UNS G93106	2022	SAE	0
2409	AMS6317L	Steel Bars and Forgings 1.8Ni - 0.25Mo (0.38 - 0.43C) (4640) Heat Treated, 125 ksi (862 MPa) Tensile Strength - UNS K22440	2022	SAE	0

2410	AMS6323N	Steel, Mechanical Tubing 0.50Cr - 0.55Ni - 0.25Mo (0.38 - 0.43C) (SAE 8740)	2022	SAE	0
2411	AMS6371M	Steel, Mechanical Tubing 0.95Cr - 0.20Mo (0.28 - 0.33C) (SAE 4130)	2022	SAE	0
2412	AMS6372P	Steel, Mechanical Tubing 0.95Cr - 0.20Mo (0.33 - 0.38C) (SAE 4135)	2022	SAE	0
2413	AMS6381K	Steel, Mechanical Tubing 0.95Cr - 0.20Mo (0.38 - 0.43C) (SAE 4140) - UNS G41400	2022	SAE	0
2414	AMS6415V	teel, Bars, Forgings, Mechanical Tubing, and Forging Stock 0.80Cr - 1.8Ni - 0.25Mo (0.38 - 0.43C) (SAE 4340) - UNS G43406	2022	SAE	0
2415	AMS6430K	Steel, Bars, Forgings, Mechanical Tubing, Rings, and Stock for Forging and Rings 0.75Mn - 0.78Cr - 1.8Ni - 0.35Mo - 0.20V (0.32-0.38C) (4335 Modified)	2022	SAE	0
2416	AMS6434J	Steel, Sheet, Strip, and Plate 0.78Cr - 1.8Ni - 0.35Mo - 0.20V (0.33 - 0.38C) (4335 Mod)	2022	SAE	0
2417	AMS6450L	Steel, Spring Wire 0.95Cr - 0.22V (0.48 - 0.53C) (SAE 6150) Annealed and Cold Drawn - UNS G61500	2022	SAE	0
2418	AMS6484F	Steel, Bars, Forgings, Mechanical Tubing, and Forging Stock 0.80Cr - 1.8Ni - 0.25Mo (0.38 - 0.43C) (SAE 4340) Normalized and Tempered	2022	SAE	0
2419	AMS6494C	Steel Bars, Forgings, Mechanical Tubing, and Forging Stock 1.0Cr - 2.50Ni - 2.0Mo - 1.10Si (0.10 - 0.20C) Aircraft-Quality - UNS K51570	2022	SAE	0
2420	AMS6495C	Steel Bars, Forgings, Mechanical Tubing, and Forging Stock 1.0Cr - 2.50Ni - 2.0Mo - 1.10Si (0.10 - 0.20C) Premium Aircraft-Quality Electroslag Remelted or Consumable Electrode Vacuum Remelted - UNS K51570	2022	SAE	0
2421	AMS6509B	Steel Bars and Forgings 3.5Cr - 7.5Ni - 16.3Co - 1.75Mo - 0.2W - (0.09 - 0.13C) Double Vacuum Melted, Normalized, Annealed - UNS K92731	2022	SAE	0
2422	AMS6512J	Steel, Maraging, Bars, Forgings, Mechanical Tubing, Rings, and Forging Stock 18Ni - 7.8Co - 4.9Mo - 0.40Ti - 0.10Al Consumable Electrode Vacuum Melted, Annealed - UNS K92890	2022	SAE	0
2423	AMS6523J	Steel, Sheet, Strip, and Plate 0.75Cr - 9.0Ni - 4.5Co - 1.0Mo - 0.09V (0.17 - 0.23C) Vacuum Consumable Electrode Melted, Annealed - UNS K91472	2022	SAE	0
2424	AMS6528E	Steel, Bars 0.95Cr - 0.20Mo (0.28 - 0.33C) (SAE 4130) Special Aircraft Quality Cleanliness Normalized - UNS G41300	2022	SAE	0
2425	AMS6529E	Steel, Bars 0.95Cr - 0.20Mo (0.38 - 0.43C) (SAE 4140) Special Aircraft-Quality Cleanliness Normalized - UNS G41400	2022	SAE	0
2426	AMS6910D	Titanium Alloy Bars, Forgings and Forging Stock 8Al - 1Mo - 1V Duplex Annealed - UNS R54810	2022	SAE	0
2427	AMS6925D	Titanium Alloy Bars, Forgings and Forging Stock 13V - 11Cr - 3Al Solution Heat Treated (Stabilized: Nov 2022)	2022	SAE	0
2428	AMS6926D	Titanium Alloy Bars, Forgings and Forging Stock 13V - 11Cr - 3Al Solution Heat Treated and Aged (Stabilized: Nov 2022)	2022	SAE	0
2429	AMS6930G	Titanium Alloy Bars, Forgings and Forging Stock 6.0Al - 4.0V Solution Heat Treated and Aged - UNS R56400	2022	SAE	0
2430	AMS6950A	Titanium Alloy Bars, Forgings, and Forging Stock 4Al - 2.5V - 1.5 Fe Single Hearth Melted, Annealed - UNS R54250	2022	SAE	0
2431	AMS7003A	Laser Powder Bed Fusion Process	2022	SAE	0
2432	AMS7011	Electron Beam-Powder Bed Fusion (EB-PBF) Produced Preforms and Parts Titanium Alloy, 6Al - 4V Hot Isostatically Pressed - UNS R56401	2022	SAE	0
2433	AMS7032	Machine Qualification for Fusion-Based Metal Additive Manufacturing	2022	SAE	0
2434	AMS7287A	(R) Fluorocarbon Elastomer (FKM) High Temperature/HTS Oil Resistant/Fuel Resistant Low Compression Set/70 to 80 Hardness, Low Temperature Tg -22 °F (-30 °C), for Seals in Oil/Fuel/Specific Hydraulic Systems	2022	SAE	0
2435	AMS7361A	Rubber: Ethylene Propylene (EP) Phosphate Ester Resistant Low Temperature Tg -67 °F (-55 °C), 75 to 85 Type M Hardness for Seals in Hydraulic Systems	2022	SAE	0
2436	AMS-A-25463	Adhesive, Film Form Metallic Structural Sandwich Construction	2022	SAE	0
2437	AMS-C-8073	Core Material, Plastic Honeycomb, Laminated Glass Fabric Base for Aircraft Structural and Electronic Applications	2022	SAE	0
2438	AMS-C-81986	Core Material, Plastic Honeycomb, Nylon Paper Base; for Aircraft Structural Applications	2022	SAE	0
2439	AMS-M-3171A	Magnes ium Al loy, Processes for Pretrea tmen t and Preven tion of Corros ion on	2022	SAE	0
2440	AMS-P-5315C	Rubber: Acrylonitrile-Butadiene (NBR) Fuel-Resistant 60 - 70 Type A Hardness	2022	SAE	0
2441	AMS-QQ-P-416G	Plating, Cadmium (Electrodeposited)	2022	SAE	0

2442	AMS-S-8802F	Sealing Compound, Fuel-Resistant, Integral Fuel Tanks and Fuel Cell Cavities	2022	SAE	0
2443	AMS-T-21595A	(R) Tapes, Pressure-Sensitive Adhesive, Masking, Non-Staining for Aircraft Painting Applications	2022	SAE	0
2444	ARP573E	Silver, Copper, and Nickel Alloy Brazed Joints for Aerospace Propulsion Systems (Stabilized: Aug 2022)	2022	SAE	0
2445	ARP577F	Emergency, Instruction, and Information Placards - Internal and External	2022	SAE	0
2446	ARP1084B	External Hydraulic Leakage for In-Service Components	2022	SAE	0
2447	ARP1178C	Aircraft Evacuation Signal System	2022	SAE	0
2448	ARP1610A	Physical-Chemical Characterization Techniques, Epoxy Adhesive and Prepreg Resin Systems	2022	SAE	0
2449	ARP1612A	Polyimide Printed Circuit Boards Fabrication of	2022	SAE	0
2450	ARP1821C	(R) Aircraft Ground Flotation Analysis Methods	2022	SAE	0
2451	ARP1928B	Torque Recommendations for Attaching Electrical Wiring Devices to Terminal Boards or Blocks, Studs, Posts, etc. (Stabilized: Dec 2022)	2022	SAE	0
2452	ARP4392	Lighting, Aircraft Exterior, Night Vision Imaging System (NVIS) Compatible	2022	SAE	0
2453	ARP4784B	Definitions and Limits, Metal Material Defects and Surface and Edge Features, Fluid Couplings, Fittings, and Hose Ends (Stabilized: Sep 2022)	2022	SAE	0
2454	ARP4806A	This document has been replaced. View the most recent version.	2022	SAE	0
2455	ARP4943A	(R) Ground Support Equipment Hydraulic Systems, Design and Installation, Recommended Practices for	2022	SAE	0
2456	ARP5770A	(R) Design Guidelines for Aircraft Mechanical Control Systems and Components	2022	SAE	0
2457	ARP5891A	Achieving Cleanliness Standards for Aircraft Hydraulic Systems During Manufacture	2022	SAE	0
2458	ARP5918A	Standard Test Criteria for Aircraft Refuelers	2022	SAE	0
2459	ARP5991A	(R) Test Method for the Determination of Water Concentration in Polyol Ester and Diester Aerospace Lubricants by Coulometric Karl Fischer Titration	2022	SAE	0
2460	ARP6257A	(R) Aircraft Ground Deicing/Anti-Icing Communication Phraseology for Flightcrew and Groundcrew	2022	SAE	0
2461	ARP6824	Guidelines for the Use and Installation of Large Size Wire/Cable Jacket Damage Repair Sleeve	2022	SAE	0
2462	ARP6852D	Methods and Processes for Evaluation of Aerodynamic Effects of SAE-Qualified Aircraft Ground Deicing/Anti-Icing Fluids	2022	SAE	0
2463	ARP7043	Recommendations for an Additive Manufacturer Designing/Repairing Aircraft Components	2022	SAE	0
2464	ARP7044	Powder History Metric and Labeling Schema	2022	SAE	0
2465	ARP9536A	Declarable Substances Recommended Practice (Stabilized: Aug 2022)	2022	SAE	0
2466	AS403A	STALL WARNING INSTRUMENT	2022	SAE	0
2467	AS478S	Identification Marking Methods	2022	SAE	0
2468	AS595E	(R) General Requirements for the Design and Testing of Civil Type Pressure Compensated, Variable Delivery Hydraulic Pumps	2022	SAE	0
2469	AS931E	FITTING, ADAPTER, UNION, FLARELESS TO BOSS	2022	SAE	0
2470	AS933F	FITTING, ADAPTER, UNION, FLARED TO BOSS	2022	SAE	0
2471	AS977A	COUPLING - CLAMP, GROOVE V-BAND, FORGED, 6.400, 9.400, 11.400 FLANGE OD (Stabilized: Oct 2022)	2022	SAE	0
2472	AS1007M	FITTING, UNION, STANDARD AND REDUCER, BULKHEAD, FLARELESS	2022	SAE	0
2473	AS1182E	Standard Stock Removal Allowance Aircraft-Quality and Premium Aircraft-Quality Steel Bars and Mechanical Tubing	2022	SAE	0
2474	AS1895-10E	FLANGE, MALE, BUTT WELD, TYPE I STANDARD PROFILE	2022	SAE	0
2475	AS1909D	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 400 °F, 3000 PSI, LIGHTWEIGHT, BEAM SEAL, STRAIGHT TO STRAIGHT	2022	SAE	0
2476	AS1910D	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 400 °F, 3000 PSI, LIGHTWEIGHT, BEAM SEAL, STRAIGHT TO 45 DEGREES	2022	SAE	0

2477	AS1912D	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 400 °F, 3000 PSI, LIGHTWEIGHT, BEAM SEAL, 45 TO 45 DEGREES	2022	SAE	0
2478	AS1913D	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 400 °F, 3000 PSI, LIGHTWEIGHT, BEAM SEAL, 45 TO 90 DEGREES	2022	SAE	0
2479	AS1914C	(R) HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 400 ĩ°F, 3000 PSI, LIGHTWEIGHT, BEAM SEAL, 90ĩ° TO 90ĩ°	2022	SAE	0
2480	AS3236E	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, NICKEL ALLOY, UNS N07718, 185 KSI MIN, .1900-32 UNJF-3A	2022	SAE	0
2481	AS3238E	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, NICKEL ALLOY UNS N07718, 185 KSI MIN, .3125-24 UNJF-3A	2022	SAE	0
2482	AS3239F	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, NICKEL ALLOY UNS N07718, 185 KSI MIN, .3750-24 UNJF-3A	2022	SAE	0
2483	AS3240E	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, NICKEL ALLOY, UNS N07718, 185 KSI MIN, .4375-20 UNJF-3A	2022	SAE	0
2484	AS3244D	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, NICKEL ALLOY, UNS N07718, 185 KSI MIN UTS, .2500-28 UNJF-3A	2022	SAE	0
2485	AS3326B	(R) NUT, SELF-LOCKING-CAPTIVE WASHER, STEEL	2022	SAE	0
2486	AS3416C	BOLT, MACHINE - HEXAGON HEAD, PD SHANK UNS N07718, 185 KSI MIN, .3750-24 UNJF-3A (STRESS RUPTURE RESISTANT)	2022	SAE	0
2487	AS3417C	BOLT, MACHINE, DOUBLE HEX, EXTENDED WASHER HEAD, CLOSE TOL. SHANK, UNS N07718, 185 KSI MIN, .1900-32 UNJF-3A (STRESS RUPTURE RESISTANT)	2022	SAE	0
2488	AS3419D	BOLT, MACHINE, DOUBLE HEXAGON EXTENDED WASHER HEAD, CLOSE TOL. SHANK, UNS N07718, 185 KSI MIN, .3125-24 UNJF-3A (STRESS RUPTURE RESISTANT)	2022	SAE	0
2489	AS3420C	BOLT, MACHINE, DOUBLE HEX, EXTENDED WASHER HEAD, CLOSE TOL. SHANK, UNS N07718, 185 KSI MIN .3750-24 UNJF-3A (STRESS RUPTURE RESISTANT)	2022	SAE	0
2490	AS4052C	(R) Gland Design: Scraper, Landing Gear, Installation	2022	SAE	0
2491	AS4059G	Contamination Classification for Hydraulic Fluids	2022	SAE	0
2492	AS4310B	FITTING, TEE, FLARED TUBE, INTERNAL THREAD ON RUN, FOR SEAL RING	2022	SAE	0
2493	AS4311B	FITTING, TEE, FLARED TUBE, INTERNAL THREAD ON SIDE, FOR SEAL RING	2022	SAE	0
2494	AS4317D	FITTING, REDUCER, ADAPTER, FLARED TUBE TO BOSS FOR SEAL RING	2022	SAE	0
2495	AS4972A	FITTING, TEE, WELD RING	2022	SAE	0
2496	AS5443C	WRENCHING ELEMENT SPLINE DRIVE - DIMENSIONS FOR (Stabilized: Dec 2022)	2022	SAE	0
2497	AS5929C	BEARING, ROLLER, NEEDLE, TRACK-ROLLER, CROWN RADIUSED OD, INTEGRAL STUD, TYPE VII, ANTI-FRICTION, CORROSION RESISTANT NITROGEN (CREN) STEEL AND CORROSION RESISTANT (CRES) STEEL, INCH	2022	SAE	0
2498	AS6071A	BUSHING, SLEEVE, PLAIN CLAMP-UP	2022	SAE	0
2499	AS6099C	FITTING, ELBOW, 90°, STANDARD AND REDUCER, FLARED, 37° SPHERICAL	2022	SAE	0
2500	AS6146A	NUT, SELF-LOCKING, DOUBLE HEXAGON, REDUCED ENVELOPE, UNS S66286	2022	SAE	0
2501	AS6298B	CLAMP ASSEMBLY, LOOP, CUSHIONED, HINGED	2022	SAE	0
2502	AS6554A	(R) Cargo Stopper Devices	2022	SAE	0
2503	AS6849	Performance Standards for Passenger and Crew Seats in Advanced Air Mobility (AAM) Aircraft	2022	SAE	0
2504	AS6922	NUT, SELF-LOCKING, SHANK, 1400ĩ°F, 180 KSI NICKEL ALLOY (UNS N07001) SILVER PLATED THREADS ONLY, UNJ THREAD	2022	SAE	0
2505	AS6976-5	SLEEVING, IDENTIFICATION, HEAT SHRINKABLE, 125 °C AND 135 °C, POLYOLEFIN, FLEXIBLE, CROSSLINKED	2022	SAE	0
2506	AS6976	Sleeving, Identification, Heat Shrinkable, General Specification	2022	SAE	0

2507	AS7928-6E	SPLICES, CONDUCTOR, CRIMP STYLE, ELECTRIC (PERMANENT, TYPE II, CLASS 1) FOR 150 °C TOTAL CONDUCTOR TEMPERATURE (Stabilized: Nov 2022)	2022	SAE	0
2508	AS8046	Minimum Performance Standard Angle of Attack Equipment	2022	SAE	0
2509	AS9101G	(R) Requirements for Conducting Audits of Aviation, Space, and Defense Quality Management Systems	2022	SAE	0
2510	AS9103B	(R) Aerospace Series - Quality Management Systems - Variation Management of Key Characteristics	2022	SAE	0
2511	AS9146	Foreign Object Damage (FOD) Prevention Program - Requirements for Aviation, Space, and Defense Organizations	2022	SAE	0
2512	AS9163	Aerospace Series - Certificate of Conformity Requirements	2022	SAE	0
2513	AS9201D	NUT, PLAIN, HEXAGON, BOSS CONNECTION, SILVER PLATED, 347 CRES UNS S34700 (Stabilized: Aug 2022)	2022	SAE	0
2514	AS9316C	SCREW, MACHINE - HEXAGON HEAD, SLOTTED, FULL SHANK, ALLOY STEEL, UNS K14675, 135 KSI MIN, .1900-32 UNS-3A	2022	SAE	0
2515	AS9360D	NUT, PLAIN, HEXAGON - DRILLED, SILVER PLATED - UNS S66286, 130 KSI MIN	2022	SAE	0
2516	AS9392A	CUSHION, LOOP CLAMP, MULTIPLE, 3-TUBE, AMS3303 (Stabilized: Oct 2022)	2022	SAE	0
2517	AS9393A	CUSHION, LOOP CLAMP, MULTIPLE, 2-TUBE, AMS3303 (Stabilized: Oct 2022)	2022	SAE	0
2518	AS9395A	BACKPLATE, RETRAINING STRAP, AMS5510 (Stabilized: Oct 2022)	2022	SAE	0
2519	AS9397C	BOLT, TEE HEAD - CADMIUM PLATED, STEEL, UNS G87400, 125 KSI MIN, CHAMFERED, .1900-32 UNJF-3A	2022	SAE	0
2520	AS9398D	BOLT, TEE HEAD, CHAMFERED - CADMIUM PLATED, STEEL, UNS G87400, 125 KSI MIN, .2500-28 UNJF-3A	2022	SAE	0
2521	AS9399C	BOLT, TEE HEAD - CADMIUM PLATED, STEEL, UNS G87400, 125 KSI MIN, CHAMFERED, .3125-24 UNJF-3A	2022	SAE	0
2522	AS9535A	Substance Declaration Standard (Stabilized: Aug 2022)	2022	SAE	0
2523	AS9574D	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, 130 KSI MIN, .1900-32 UNJF-3A	2022	SAE	0
2524	AS9583D	BOLT, MACHINE - HEXAGON HEAD, DRILLED, 6 HOLES, FULL SHANK, UNS S66286, 130 KSI MIN, .1900-32 UNJF-3A	2022	SAE	0
2525	AS9687C	BOLT, MACHINE - HEXAGON HEAD, DRILLED, 1 HOLE, PD SHANK, STEEL, UNS K14675, DIFFUSED NICKEL-CADMIUM PLATE, 195 KSI MIN, .3125-24 UNJF-3A	2022	SAE	0
2526	AS21980B	FERRULE, OUTER, UNINSULATED, SHIELD TERMINATING, TYPE I, TWO PIECE, CLASS I, FOR SHIELDED CABLES	2022	SAE	0
2527	AS24208B	CABLE AND PLUG ASSEMBLY, EXTERNAL POWER 115/200 VOLTS 3 PHASE, SINGLE POINT REFUELING (Stabilized: Aug 2022)	2022	SAE	0
2528	AS25019C	CABLE ASSEMBLY, EXTERNAL ELECTRIC POWER, AIRCRAFT, 28 VOLT DC, JET STARTING (Stabilized: Aug 2022)	2022	SAE	0
2529	AS33201C	CIRCUIT BREAKER - AIRCRAFT, TRIP-FREE, PUSH-PULL, 1/2 THRU 25 AMPS, TYPE 1, -55 THRU +121 °C	2022	SAE	0
2530	AS33391C	PLATE, MOUNTING, PLASTIC FOR USE WITH MS3367 PLASTIC TIEDOWN STRAPS	2022	SAE	0
2531	AS33401B	BULKHEAD BRACKET FOR USE WITH MS33667 PLASTIC TIEDOWN STRAPS	2022	SAE	0
2532	AS33411C	BRACKET, MOUNTING, PLASTIC, FOR USE WITH MS3367 PLASTIC TIEDOWN STRAPS	2022	SAE	0
2533	AS33681E	STRAP, TIEDOWN, ELECTRICAL COMPONENTS, IDENTIFICATION, ADJUSTABLE, SELF-CLINCHING, PLASTIC, TYPE II, CLASS 1	2022	SAE	0
2534	AS34501C	(R) CONNECTORS, RECEPTACLE, ELECTRICAL, WALL MOUNTING, REAR RELEASE, CRIMP CONTACT, AN TYPE	2022	SAE	0
2535	AS64350-362	AEROSPACE STANDARD No . AS64350-362ï NUT, UN ION , SELF LOCKING , TUBE AND HOSE COUPLING	2022	SAE	0
2536	AS64350-AR	AMENDMENT RECORD No . AS64350ï -AR for Drawing S tandard No . AS64350-362ï	2022	SAE	0
2537	AS81824-1B	SPLICE, IN-LINE, ELECTRIC, CRIMP, SN/CU, ENVIRONMENTAL, HEAT-SHRINKABLE SLEEVE (150 °C), 1 X 1 SEALANT OPENING	2022	SAE	0
2538	AS81824-3A	SPLICE, COAXIAL CABLE, ELECTRIC, PERMANENT, CRIMP AND SOLDER STYLE COPPER, INSULATED, ENVIRONMENT RESISTANT, 150 °C	2022	SAE	0

2539	AS81824-4A	SPLICES, ELECTRIC, PERMANENT, CRIMP STYLE, COPPER, INSULATED, ENVIRONMENT RESISTANT, SPLICE, SHIELD, SOLDER TYPE, INSULATED, 150 °C	2022	SAE	0
2540	AS81824-5A	SPLICES, ELECTRIC, PERMANENT, CRIMP/SOLDER STYLE, COPPER, INSULATED, ENVIRONMENT RESISTANT, KIT, SHIELDED CABLE, 150 °C	2022	SAE	0
2541	AS81824-13A	SPLICE, STUB, ELECTRIC, PERMANENT, CRIMP STYLE, NICKEL/COPPER, INSULATED, ENVIRONMENT RESISTANT, 175 °C MAX	2022	SAE	0
2542	AS81969-2A	This document has been replaced. View the most recent version.	2022	SAE	0
2543	AS85049-21D	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NON-ENVIRONMENTAL, STRAIGHT, CATEGORY 3B (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2022	SAE	0
2544	AS85049-125	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 45° SELF-LOCKING AND NON-SELF-LOCKING, CATEGORY 4C (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2022	SAE	0
2545	AS85049-142C	CONNECTOR ACCESSORIES, ELECTRICAL BOOTS AND SLEEVES, TRANSITIONS, HEAT-SHRINKABLE, CATEGORY 7	2022	SAE	0
2546	AS85049-151	CONNECTOR ACCESSORIES, ELECTRICAL, RFI/EMI, STRAIN RELIEF, STRAIGHT, SELF-LOCKING, CATEGORY 3C (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2022	SAE	0
2547	AS85049-153	CONNECTOR ACCESSORIES, ELECTRICAL, RFI/EMI, STRAIN RELIEF, 90 DEGREE, SELF-LOCKING, CATEGORY 3C (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2022	SAE	0
2548	AS85421-3D	FITTING, TEE, REDUCER, BEAM SEAL, 3000/4000 PSI, 3 MALE ENDS	2022	SAE	0
2549	AS85421-4F	FITTING, TEE, REDUCER AND NON-REDUCER, BEAM SEAL, 3000/4000 PSI, MALE ON RUN, SWIVEL NUT ON BRANCH	2022	SAE	0
2550	AS85421-5D	FITTING, TEE, REDUCER AND NON-REDUCER, BEAM SEAL, 3000/4000 PSI, MALE ON RUN AND BRANCH, SWIVEL NUT ON RUN	2022	SAE	0
2551	AS85421-12D	FITTING, ELBOW, 90°, BEAM SEAL, 3000/4000 PSI, MALE TO MALE	2022	SAE	0
2552	AS85421-13D	FITTING, ELBOW, 90°, BEAM SEAL, 3000/4000 PSI, BULKHEAD MALE ENDS	2022	SAE	0
2553	AS85421-15D	FITTING, ELBOW, 45°, BEAM SEAL, 3000/4000 PSI, BULKHEAD, MALE ENDS	2022	SAE	0
2554	AS85421-17D	FITTING, TEE, BEAM SEAL, 3000/4000 PSI, BULKHEAD ON BRANCH, MALE ENDS	2022	SAE	0
2555	AS85720C	Fittings, Tube, Fluid Systems, Separable, High Pressure Beam Seal, 5000/8000 psi, General Specification for	2022	SAE	0
2556	AS90347B	CABLE ASSEMBLY, EXTERNAL ELECTRIC POWER, AIRCRAFT 28 VOLT DC, OPERATING POWER	2022	SAE	0
2557	AS91101D	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, UNS S66286, 130 KSI MIN, .1900-32 UNJF-3A	2022	SAE	0
2558	AS100026C-AS100035C	SAFETY WIRE - CRES AS5685 (UNS S30500)	2022	SAE	0
2559	AS123301E-AS123450E	RIVET, SOL ID , UN IVERSAL HEAD , N ICKEL ALLOY, UNS N 06600	2022	SAE	0
2560	AS125251C-AS125400C	RIVET - 1 00 DEGREE COUNTERSUNK HEAD , ALUM INUM ALLOY (UNS A921 1 7)	2022	SAE	0
2561	AS125701C-AS125850C	RIVET - UN IVERSAL HEAD , ALUM INUM ALLOY (UNS A921 1 7)	2022	SAE	0
2562	GEIA-859B	(R) Data Management	2022	SAE	0
2563	J33	Snowmobile Definitions and Nomenclature	2022	SAE	0
2564	J140	Seat Belt Hardware Test Procedures	2022	SAE	0
2565	J211-1	Instrumentation for Impact Test Part 1 - Electronic Instrumentation	2022	SAE	0
2566	J287	Driver Hand Control Reach	2022	SAE	0
2567	J314	Felts - Wool and Part Wool	2022	SAE	0
2568	J315	Fiberboard Test Procedure	2022	SAE	0
2569	J322	Nonmetallic Trim Materialsâ__Test Method for Determining the Staining Resistance to Hydrogen Sulfide Gas	2022	SAE	0

2570	J361	Procedure for Visual Evaluation of Interior and Exterior Automotive Trim	2022	SAE	0
2571	J383	Motor Vehicle Seat Belt Anchorages - Design Recommendations	2022	SAE	0
2572	J393	Nomenclature - Wheels, Hubs, and Rims for Commercial Vehicles	2022	SAE	0
2573	J400	Test for Chip Resistance of Surface Coatings	2022	SAE	0
2574	J514-3	Metallic Connections for Fluid Power and General Use - Part 3: NPTF Pipe Adapters and NPSM Adapter Unions	2022	SAE	0
2575	J526	Welded Low-Carbon Steel Tubing Suitable for Bending, Flaring, Beading, Forming, and Brazing	2022	SAE	0
2576	J561	Electrical Terminalsâ__Eyelet and Spade Type	2022	SAE	0
2577	J573	Signal and Marking Light Sources	2022	SAE	0
2578	J645	(R) Automotive Transmission, Transaxle, and Electrified Transmission Terminology	2022	SAE	0
2579	J792	(R) SAE Manual on Blast Cleaning	2022	SAE	0
2580	J824	Engine Rotation and Cylinder Numbering, Standard;	2022	SAE	0
2581	J855	Test Method of Stretch and Set of Textiles and Plastics	2022	SAE	0
2582	J928	Electrical Terminalsâ__Pin and Receptacle Type	2022	SAE	0
2583	J944	STEERING CONTROL SYSTEM - PASSENGER CAR - LABORATORY TEST PROCEDURE	2022	SAE	0
2584	J949	Test Method for Determining Stiffness of Interior Trim Materials and Substrates by a Three-Point Bending Test	2022	SAE	0
2585	J974	(R) Flashing Warning Lamp for Agricultural Equipment	2022	SAE	0
2586	J1028	(R) Mobile Crane Working Area Definitions	2022	SAE	0
2587	J1065	(R) Nominal Reference Working Pressures for Steel Hydraulic Tubing	2022	SAE	0
2588	J1078	(R) A Recommended Method of Analytically Determining the Competence of Hydraulic Telescopic Cantilevered Crane Booms	2022	SAE	0
2589	J1105	Horn - Forward Warning - Electric - Performance, Test, and Application	2022	SAE	0
2590	J1305	Two-Block Warning, Limit, and Damage Prevention Systems in Lifting Crane Service	2022	SAE	0
2591	J1319	Rear Fog Lamp System	2022	SAE	0
2592	J1342	Test Method for Determining Power Consumption of Cooling Fan Drive Systems	2022	SAE	0
2593	J1505	Brake Force Distribution Test Procedure - Trucks and Buses	2022	SAE	0
2594	J1530	Test Method for Determining Resistance to Fiber Loss, Resistance to Abrasion, and Bearding of Automotive Carpet Materials	2022	SAE	0
2595	J1609	Air Reservoir Capacity Performance Guide - Trucks and Buses	2022	SAE	0
2596	J1677	Tests and Procedures for Carbon Steel and High Strength, Low Alloy Steel Tubing	2022	SAE	0
2597	J1702	Self-Propelled Sweepers Sweep-Ability Performance	2022	SAE	0
2598	J1715	(R) Hybrid Electric Vehicle (HEV) and Electric Vehicle (EV) Terminology	2022	SAE	0
2599	J1742	Connections for High Voltage On-Board Vehicle Electrical Wiring Harnesses - Test Methods and General Performance Requirements	2022	SAE	0
2600	J1854	Brake Force Distribution Performance Guide - Truck and Bus	2022	SAE	0
2601	J1938	Product Development Process and Checklist for Vehicle Electronic Systems	2022	SAE	0
2602	J1939-22	CAN FD Data Link Layer	2022	SAE	0
2603	J1939-71	Vehicle Application Layer	2022	SAE	0
2604	J1939-73	Application Layer - Diagnostics	2022	SAE	0
2605	J1979-3	E/E Diagnostic Test Modes: Zero Emission Vehicle Propulsion Systems on UDS (ZEVonUDS)	2022	SAE	0
2606	J2009	(R) Discharge Forward Lighting System and Subsystems	2022	SAE	0
2607	J2020	Accelerated Exposure of Automotive Exterior Materials Using a Fluorescent UV and Condensation Apparatus	2022	SAE	0
2608	J2024	Contaminants for Testing Air Brake Components and Auxiliary Pneumatic Devices - Truck and Bus	2022	SAE	0

2609	J2056-3	Selection of Transmission Media	2022	SAE	0
2610	J2057-1	Class A Application/Definition	2022	SAE	0
2611	J2057-2	Class A Multiplexing Actuators	2022	SAE	0
2612	J2057-3	Class A Multiplexing Sensors	2022	SAE	0
2613	J2057-4	Class A Multiplexing Architecture Strategies	2022	SAE	0
2614	J2284-4	High-Speed CAN (HSC) for Vehicle Applications at 500 kbps with CAN FD Data at 2 Mbps	2022	SAE	0
2615	J2284-5	High-Speed CAN (HSC) for Vehicle Applications at 500 kbps with CAN FD Data at 5 Mbps	2022	SAE	0
2616	J2461	Vehicle Electronic Programming Stations (VEPS) System Specification for Win32	2022	SAE	0
2617	J2627	Braking System Definitions - Truck and Bus	2022	SAE	0
2618	J2646	Cab Air-Conditioning Test Procedure - Heavy Trucks with and without Sleepers	2022	SAE	0
2619	J2686	Brake Drum Qualification Recommended Practice	2022	SAE	0
2620	J2719-1	App lica tion Guide line for Use of Hydrogen Qua lity Specifica tion	2022	SAE	0
2621	J2735	(R) V2X Communications Message Set Dictionary	2022	SAE	0
2622	J2777	Recommended Best Practice for Climatic Wind Tunnel Correlation	2022	SAE	0
2623	J2779	Low Speed Thorax Impact Test Procedure for the HIII 50th Male Dummy	2022	SAE	0
2624	J2826	Snowmobile Probe Test for Contact with Power Driven Parts	2022	SAE	0
2625	J2851	Recovery Equipment for Contaminated R-134a or R-1234yf Refrigerant from Mobile Automotive Air Conditioning Systems	2022	SAE	0
2626	J2856	Users Manual for the 50th Percentile Male Hybrid III Dummy	2022	SAE	0
2627	J2876	Low Speed Knee Slider Test Procedure for the Hybrid III 50th Male Dummy	2022	SAE	0
2628	J2882	Maximum Velocity of Personal Watercraft	2022	SAE	0
2629	J2895	LED Work Lighting Devices	2022	SAE	0
2630	J2931-6	(R) S igna l ing Commun ica tion for Wi re less ly Charged E lectric Veh icles	2022	SAE	0
2631	J2933	(R) Verification of Brake Rotor and Drum Modal Frequencies	2022	SAE	0
2632	J2945-1B	NULL	2022	SAE	0
2633	J2954-2	Wi re l e s s P o w e r T ra n s fe r fo r H e a v y - D u t y E l e c t ri c V e h i c l e s	2022	SAE	0
2634	J2968-1	Measurement of M a teria l Properties for Wet Friction M a teria ls	2022	SAE	0
2635	J3044	Occupant Restraint and Equipment Mounting Integrity - Rear Impact System-Level Ambulance Patient Compartment	2022	SAE	0
2636	J3058	Ambulance Interior Storage Compartment Integrity	2022	SAE	0
2637	J3076	Clock Extension Peripheral Interface (CXPI)	2022	SAE	0
2638	J3077	Definitions and Data Sources for the Driver Vehicle Interface (DVI)	2022	SAE	0
2639	J3102	Ambulance Patient Compartment Structural Integrity Test to Support SAE J3027 Compliant Litter Systems	2022	SAE	0
2640	J3125	Technical Information Report for Integration of Battery Pack Systems in Bus Electrification	2022	SAE	0
2641	J3138	(R) Diagnostic Link Connector Security	2022	SAE	0
2642	J3147	Assessment of Evaluation Method Types to Determine Energy Efficiency of Multi-Vehicle Systems	2022	SAE	0
2643	J3163	SURFACE TRANSPORTATION RECOMMENDED PRACTICE	2022	SAE	0
2644	J3179	Test Procedure for Evaluating Corrosion Behavior of MAC Condensers	2022	SAE	0
2645	J3192	Drum and Disc Brake Static Performance Test Equivalency	2022	SAE	0
2646	J3200	Fluid for Automotive Electrified Drivetrains	2022	SAE	0
2647	J3210	Low-Speed Continuous Slip Durability Test	2022	SAE	0
2648	J3217	V2X-Based Fee Collection	2022	SAE	0
2649	J3218	Definition and Measurement of Beam Axle Efficiency	2022	SAE	0

2650	J3224	V2X Sensor-Sharing for Cooperative and Automated Driving	2022	SAE	0
2651	J3226	Voltage Regulation and Limits	2022	SAE	0
2652	J3231	Deflection Measurement for Friction Materials Using Segment Applicator	2022	SAE	0
2653	J3244	Common Port Connections Used in Truck and Bus Air Brake Systems	2022	SAE	0
2654	J3260	Selection and Use of Cleaners and Disinfectants for Vehicle Interior Surfaces and Exterior Touch Points	2022	SAE	0
2655	J3265	Naming Methodology for Driving Automation Systems	2022	SAE	0
2656	J3349	NOx Tracking Parameter Accuracy	2022	SAE	0
2657	MA1806A	Spring Clips and Cushion Selection for Metal Tube Support, Metric (Stabilized: Oct 2022)	2022	SAE	0
2658	AS9966A	PACKING, PREFORMED - AMS7273, SEAL	2021	SAE	0
2659	AIR1662B	(R) Minimization of Electrostatic Hazards in Aircraft Fuel Systems	2021	SAE	0
2660	AIR4170C	Reticulated Polyurethane Foam Explosion Suppression Material for Fuel Systems and Dry Bays	2021	SAE	0
2661	AIR5661A	(R) Compartment Decompression Analysis	2021	SAE	0
2662	AMS2428A	Plating, Cobalt-Phosphorus, Nanocrystalline	2021	SAE	0
2663	AMS2438F	Plating, Chromium Thin, Hard, Dense Deposit	2021	SAE	0
2664	AMS2454A	(R) Plating, Electroless Nickel-Phosphorus, Co-Deposited with Polytetrafluoroethylene (PTFE)	2021	SAE	0
2665	ARP217D	Testing of Airplane Installed Environmental Control Systems (ECS)	2021	SAE	0
2666	ARP1917B	Clarification of Terms Used in Aerospace Metals Specifications	2021	SAE	0
2667	ARP5454C	Multi-Pass Method for Evaluating Filtration Performance of Fine Lube Filter Elements Utilized in Aerospace Power and Propulsion Lubrication Systems	2021	SAE	0
2668	AS3650C	BOLT, MACHINE - DOUBLE HEX HEAD, REDUCED SHANK, UNS N07718 - 185 KSI	2021	SAE	0
2669	AS5259-2A	(R) CRIMPING TOOL AND ACCESSORIES, HYDRAULIC PUMPS, 10000 PSI MINIMUM	2021	SAE	0
2670	AS8057A	Minimum Design and Performance of Airplane Galley Insert Equipment, Electrical/Pressurized	2021	SAE	0
2671	AS9003B	Inspection and Test Quality Systems Requirements for Aviation, Space, and Defense Organizations	2021	SAE	0
2672	AS9230B	BRACKET, ANGLE, 90° .190 X .312 BOLT - UNS S41000	2021	SAE	0
2673	AS9320C	(R) WASHER, FLAT - AMS6350	2021	SAE	0
2674	AS9708	SCREW, MACHINE _ DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, NICKEL ALLOY (UNS N07001), .3750-24 UNJF-3A	2021	SAE	0
2675	AS9718	BOLT, MACHINE - DOUBLE HEXAGON, EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATE NICKEL ALLOY (UNS N07001), .4375-20UNJF-3A	2021	SAE	0
2676	AS22520-3D	CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION, INSPECTION GAGE FOR TYPE I AND II TOOLS	2021	SAE	0
2677	AS22520-10	CRIMPING TOOLS, TYPE 2, TERMINAL, HAND, WIRE TERMINATION, FOR COAXIAL, TWINAXIAL, TRIAXIAL, SHIELDED CONTACTS AND FERRULES, TERMINAL LUGS, SPLICES AND END CAPS	2021	SAE	0
2678	AS22520-35	CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION; IN-SERVICE INSPECTION GAGES FOR AS22520/34 CRIMP TOOLS	2021	SAE	0
2679	AS22520-45A	(R) CRIMPING TOOLS, TYPE 1, HAND, WIRE, TERMINATION FOR WIRE BARREL SIZE 10 POWER CONTACTS	2021	SAE	0
2680	AS39029-94B	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-DTL-83527 CONNECTORS)	2021	SAE	0
2681	AS85049-34C	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NON-ENVIRONMENTAL, THREADED ADAPTER, CATEGORY 7 (FOR MIL-DTL-26482 SERIES 1 JAM NUT RECEPTACLE CONNECTOR)	2021	SAE	0
2682	AS85049-120C	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90? SELF-LOCKING AND NON-SELF-LOCKING, CATEGORY 4B (FOR AS50151 CRIMP, AS95234, MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, AND MIL-DTL-83723 SERIES III CONNECTORS)	2021	SAE	0

2683	AS85049-140B	CONNECTOR ACCESSORIES, ELECTRICAL BOOTS, HEAT SHRINKABLE, STRAIGHT, CATEGORY 7	2021	SAE	0
2684	AS85049-141B	CONNECTOR ACCESSORIES, ELECTRICAL BOOTS, HEAT SHRINKABLE, 90 DEGREE, CATEGORY 7	2021	SAE	0
2685	J361	Test Method for Determining Visual Color Match to Master Specimen for Fabrics, Vinyls, Coated Fiberboards, and Other Automotive Trim Materials	2021	SAE	0
2686	J913	Test Method for Wicking of Automotive Fabrics and Fibrous Materials	2021	SAE	0
2687	J1545	(R) Instrumental Color Difference Measurement for Exterior Finishes, Textiles and Colored Trim	2021	SAE	0
2688	J1767	Instrumental Color Difference Measurements for Colorfastness of Automotive Interior Trim Materials	2021	SAE	0
2689	J1942-1	Qualified Hoses for Marine Applications	2021	SAE	0
2690	J2380	Vibration Testing of Electric Vehicle Batteries	2021	SAE	0
2691	J2798	Power Cylinder Blow-by: Problem Solving	2021	SAE	0
2692	J2836-5	Use Cases for Customer Communication for Plug-in Electric Vehicles RATIONALE	2021	SAE	0
2693	J3005	Permanently or Semi-Permanently Installed Diagnostic Communication Devices	2021	SAE	0
2694	J3155	Camera Monitor Systems Test Protocols and Performance Requirements	2021	SAE	0
2695	MA1573B	Nut, Self-Locking - Steel, Class 1100 MPa/235 °C, MJ Thread Procurement Specification For, Metric	2021	SAE	0
2696	MAP 1572A	Metric Stud Holes for Aerospace Electrical and Electronic Wire Terminating Devices	2021	SAE	0
2697	MAP 3439A	O-Ring Groove Design for Metric O-Ring Seals Used in Static Axial Compression Applications Specifically for Engine and Engine Control Systems	2021	SAE	0
2698	MAP 3440A	(R) O-Ring Groove Design for Metric O-Ring Seals Used in Static Radial Compression Applications Specifically for Engine and Engine Control Systems	2021	SAE	0
2699	MS 1008	Lubricants, Industrial Oils, and Related Products Type M (Metal Removal Fluids) - Specification	2021	SAE	0
2700	AIR797F	Hose Characteristics and Selection Chart (Stabilized: Apr 2021)	2021	SAE	0
2701	AIR887C	(R) Liquid Filter Ratings, Parameters and Tests	2021	SAE	0
2702	AIR1116C	Fluid Properties	2021	SAE	0
2703	AIR1168-4C	SAE Aerospace Applied Thermodynamics Manual Ice, Rain, Fog, and Frost Protection (Stabilized: Feb 2021)	2021	SAE	0
2704	AIR1184B	(R) Capacitive Fuel Gauging System Accuracies	2021	SAE	0
2705	AIR1266B	Fault Isolation in Environmental Control Systems of Commercial Transports	2021	SAE	0
2706	AIR1289A	Evaluation of Helicopter Turbine Engine Linear Vibration Environment	2021	SAE	0
2707	AIR1609B	Aircraft Humidification	2021	SAE	0
2708	AIR1657C	Handbook of Hydraulic Metric Calculations	2021	SAE	0
2709	AIR1780A	Aircraft Flotation Analysis	2021	SAE	0
2710	AIR1800B	Aircraft Tail Bumpers (Stabilized: Jun 2021)	2021	SAE	0
2711	AIR1810C	(R) Design, Development and Test Criteria - Solid State Proximity Switches/Systems for Landing Gear Applications	2021	SAE	0
2712	AIR2000F	Aerospace Fluid System Standards, Metric, National and International (Stabilized: Mar 2021)	2021	SAE	0
2713	AIR4092B	Investigation of PTFE "Melt" Phenomenon for High Pressure Hoses (Stabilized: Mar 2021)	2021	SAE	0
2714	AIR4275B	Jet Reference Fluid Study for Fuel Tank Sealants	2021	SAE	0
2715	AIR4728A	References, Spacecraft and Spacecraft Servicing, Fluid System Components (Abbreviations, Acronyms, Definitions, Applicable Documents and Environmental Conditions) (Stabilized: Apr 2021)	2021	SAE	0
2716	AIR4730A	GSE Training Videos	2021	SAE	0
2717	AIR4766-2A	Airborne Chemicals in Aircraft Cabins	2021	SAE	0
2718	AIR4779D	User's Guide to AMS Specifications	2021	SAE	0
2719	AIR4789B	(R) Aerospace Information Report on Evaluating Corrosion Testing of Electrical Connectors and Accessories for the Purpose of Qualification	2021	SAE	0
2720	AIR4869B	Design Considerations for Enclosed Turbofan/Turbojet Engine Test Cells	2021	SAE	0

2721	AIR4905A	Wheel Chocks	2021	SAE	0
2722	AIR5024	Landing Gear Switch Selection Criteria	2021	SAE	0
2723	AIR5556	Landing Gear Alignment	2021	SAE	0
2724	AIR5631A	Catalog of Landing Gear Systems and Suppliers	2021	SAE	0
2725	AIR5689B	Light Transmitting Glass Covers for Exterior Aircraft Lighting	2021	SAE	0
2726	AIR5866A	An Assessment of Planar Waves (Stabilized: Feb 2021)	2021	SAE	0
2727	AIR5995A	Evaluation of Human Factor Considerations for Outdoor Laser Operations in the Navigable Airspace (Stabilized: Mar 2021)	2021	SAE	0
2728	AIR6108	Engine Electronic Unit Fire and Overheat Design Guide	2021	SAE	0
2729	AIR6181A	Electronic Propulsion Control System/Aircraft Interface Control Documents	2021	SAE	0
2730	AIR6212	Use of Health Monitoring Systems to Detect Aircraft Exposure to Volcanic Events	2021	SAE	0
2731	AIR6246	Landing Gear (Engine Off) Taxi System	2021	SAE	0
2732	AIR6280	Overview of Aircraft Landing Gear Shimmy Analysis Methods	2021	SAE	0
2733	AIR6282A	Fiber Optic Harsh Environment Test Methods Cross Reference Document	2021	SAE	0
2734	AIR6540B	Fundamentals in Wire Selection and Sizing for Aerospace Applications	2021	SAE	0
2735	AIR6552-2	High-Resolution Optical Reflectometry Network End-to-End Data Link Evaluation System	2021	SAE	0
2736	AIR6811	Equivalence of Equipment Environmental Qualification Standards for Civil and Military Aircraft Equipment	2021	SAE	0
2737	AIR6945	Supplemental Information for Design of Measuring Devices for Measurement of Aircraft Cabin Air Quality	2021	SAE	0
2738	AIR6975	Hard Bearing Balancing Machine Technology - Proper Use of Rotor Type-Specific Calibration	2021	SAE	0
2739	AIR6985	Performance Evaluation of Fuel Filter Elements Utilized in Aircraft Gas Turbine Engine and APU Main Fuel Systems	2021	SAE	0
2740	AIR6988	Artificial Intelligence in Aeronautical Systems: Statement of Concerns	2021	SAE	0
2741	AIR7502	Aircraft Electrical Voltage Level Definitions	2021	SAE	0
2742	AIR7506	Impact of High Voltage on Wiring	2021	SAE	0
2743	AIR7929	Qualification of Percon?? 24, a New High-Strength Conductor Alloy to AS29606	2021	SAE	0
2744	AMS59-047	Conformal Coatings for Panels, Printed Circuit and Panels, Electronic Circuit	2021	SAE	0
2745	AMS1375B	Remover, Paint Epoxy and Polyurethane Paint Systems	2021	SAE	0
2746	AMS1377	Remover, Paint Epoxy and Polyurethane Paint System Non-Chlorinated Solvent	2021	SAE	0
2747	AMS1534C	Cleaner, Aircraft Glass Window	2021	SAE	0
2748	AMS1650D	Polishing Compound, Aircraft Metal	2021	SAE	0
2749	AMS2243L	Tolerances Corrosion and Heat-Resistant Steel Tubing	2021	SAE	0
2750	AMS2244D	Tolerances Titanium and Titanium Alloy Tubing	2021	SAE	0
2751	AMS2403R	Plating, Nickel General Purpose	2021	SAE	0
2752	AMS2424G	Plating, Nickel Low-Stressed Deposit	2021	SAE	0
2753	AMS2481K	Phosphate Treatment Antichafing	2021	SAE	0
2754	AMS2483C	Blackening Solution for Aluminum Touch-Up Solution	2021	SAE	0
2755	AMS2489A	Blackening of Steel Touch Up Method	2021	SAE	0
2756	AMS2545A	Controlled Pneumatic Needle Peening, Straightening and Forming	2021	SAE	0
2757	AMS2631F	Ultrasonic Inspection Titanium and Titanium Alloy Bar, Billet and Plate	2021	SAE	0
2758	AMS2759-1J	Heat Treatment of Carbon and Low-Alloy Steel Parts Minimum Tensile Strength Below 220 ksi (1517 MPa)	2021	SAE	0
2759	AMS2759-2K	Heat Treatment of Low-Alloy Steel Parts Minimum Tensile Strength 220 ksi (1517 MPa) and Higher	2021	SAE	0
2760	AMS3307E	Elastomer: Rubber, Silicone (VMQ) Non-Oil-Resistant Low Compression Set 65 - 75 Shore A Hardness	2021	SAE	0
2761	AMS3332G	Elastomer: Methyl Phenyl Vinyl Silicone Rubber (PVMQ) Extreme Low-Temperature Resistant 15 - 30 Type A Hardness	2021	SAE	0

2762	AMS3357H	Elastomer: Silicone Rubber (VMQ) Aircraft Piston Engine Oil Resistant Compression Set Resistant 65 - 75 Type A Hardness	2021	SAE	0
2763	AMS3376D	Sealing Compound, Non-Curing, Fluorosilicone Groove Injection Temperature and Fuel Resistant	2021	SAE	0
2764	AMS3670-1C	Bars, Rods, and Shapes Produced from Unfilled Polyamide-Imide (PAI) Material	2021	SAE	0
2765	AMS3670-2C	Molded or Extruded Bar, Rod, and Shapes Produced from 20% Graphite ??? 3% Polytetrafluoroethylene (PTFE) Filled Polyamide-Imide (PAI) Material	2021	SAE	0
2766	AMS3670-3C	Bar, Rod, and Shapes Produced from 12% Graphite - 3% Polytetrafluoroethylene (PTFE) Filled Polyamide-Imide (PAI) Material	2021	SAE	0
2767	AMS3670-4D	Bar, Rod, and Shapes Produced from 30% Glass Fiber Filled Polyamide-Imide (PAI) Material	2021	SAE	0
2768	AMS3670-5D	Bars, Rods, and Shapes Produced from 30% Carbon Fiber Filled Polyamide-Imide (PAI) Material	2021	SAE	0
2769	AMS3670C	Molded or Extruded Bar, Rod, and Shapes Made from Polyamide-Imide (PAI) Plastic Material Both Filled and Unfilled Grades for High-Impact Strength and Mechanical Strength Applications in High Temperature Environments	2021	SAE	0
2770	AMS4050K	Aluminum Alloy, Plate 6.2Zn - 2.3Cu - 2.2Mg - 0.12Zr (7050-T7451) Solution Heat Treated, Stress Relieved, and Overaged	2021	SAE	0
2771	AMS4115K	Aluminum Alloy, Rolled or Cold-Finished, Bars, Rods, Wire, and Flash Welded Rings and Stock for Flash Welded Rings Annealed 1.0Mg - 0.60Si - 0.28Cu - 0.20Cr (6061-O)	2021	SAE	0
2772	AMS4116K	Aluminum Alloy, Bars, Rods, and Wire 1.0Mg - 0.60Si - 0.30Cu - 0.20Cr (6061-T4) Cold Finished, Solution Heat Treated and Naturally Aged	2021	SAE	0
2773	AMS4128E	Aluminum Alloy Bars, Rolled or Cold Finished 1.0Mg - 0.60Si - 0.30Cu - 0.20Cr (6061-T451) Solution Heat Treated and Stress Relieved by Stretching	2021	SAE	0
2774	AMS4141H	Aluminum Alloy Die Forgings 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (7075-T73) Solution and Precipitation Heat Treated	2021	SAE	0
2775	AMS4146H	Aluminum Alloy Forgings and Rolled or Forged Rings and Forging Stock 1.0Mg - 0.60Si - 0.28Cu - 0.20Cr (6061 - T4) Solution Heat Treated and Naturally Aged	2021	SAE	0
2776	AMS4156L	Aluminum Alloy, Extrusions 0.68Mg - 0.40Si (6063-T6) Solution and Precipitation Heat Treated	2021	SAE	0
2777	AMS4178G	Core, Flexible Honeycomb, Aluminum Alloy, Treated for Sandwich Construction 5052, 350 Fahrenheit (177 Celsius)	2021	SAE	0
2778	AMS4210M	Aluminum Alloy, Castings 5.0Si - 1.2Cu - 0.50Mg (355.0-T51) Precipitation Heat Treated	2021	SAE	0
2779	AMS4246F	Aluminum Alloy, Welding Wire 7.0Si - 0.52Mg (357)	2021	SAE	0
2780	AMS4409A	Aluminum Alloy, Plate 4.0Zn - 2.0Mg - 0.32Mn (7019-T651) Solution Heat Treated, Stress Relieved, and Artificially Aged	2021	SAE	0
2781	AMS4457A	Aluminum Alloy, Sheet 3.5Cu - 1.1Li - 0.50Mg - 0.40Ag - 0.12Zr (2098-T8) Solution Heat Treated, Cold Worked, and Artificially Aged	2021	SAE	0
2782	AMS4460B	Aluminum Alloy, Clad Two Sides Sheet 0.6Mg - 0.35Si - 0.28Cu (No. 24 Brazing Sheet) As Fabricated	2021	SAE	0
2783	AMS4465B	Aluminum Alloy, Clad One Side Sheet 0.6Mg - 0.35Si - 0.28Cu (No. 23 Brazing Sheet) As Fabricated	2021	SAE	0
2784	AMS4471B	Cast Aluminum Alloy Composite 4.6Cu - 3.4Ti - 1.4B - 0.75Ag - 0.27Mg (205.0/TiB2/3p-T7P) Investment Cast, Solution and Precipitation Heat Treated	2021	SAE	0
2785	AMS4476A	Aluminum Alloy, Extrusions 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (7075-O) Annealed	2021	SAE	0
2786	AMS4508J	Copper-Zinc Alloy, Laminated Sheet 70Cu - 30Zn Surface Bonded	2021	SAE	0
2787	AMS4510J	Phosphor Bronze, Sheet, Strip, and Plate 94.5Cu - 4.0Sn - 0.19P Spring Temper (H08)	2021	SAE	0
2788	AMS4520M	Leaded Phosphor Bronze Strip 88.5Cu - 4.0Sn - 4.0Pb - 3.0Zn - 0.26P Cold Rolled, Half Hard (H02)	2021	SAE	0
2789	AMS4534E	Copper-Beryllium Alloy, Bars and Rods 98Cu - 1.9Be Solution Heat Treated, Cold Worked, and Precipitation Heat Treated (TH04, formerly HT)	2021	SAE	0
2790	AMS4555L	Leaded Brass, Seamless Tubing 66.5Cu - 32.5Zn - 0.48Pb Light Annealed (O50)	2021	SAE	0
2791	AMS4635H	Aluminum Bronze Bars, Rods, and Forgings 87Cu - 9Al - 3Fe Stress Relieved	2021	SAE	0
2792	AMS4731D	Nickel-Copper Alloy Wire and Ribbon, Corrosion-Resistant 67Ni - 31Cu Annealed	2021	SAE	0
2793	AMS4780H	Manganese Alloy, Brazing Filler Metal 66Mn - 16Ni - 16Co - 0.80B 1770 to 1875 ??F (966 to 1024 ??C) Solidus-Liquidus Range	2021	SAE	0

2794	AMS4783H	Cobalt Alloy, High Temperature Brazing Filler Metal 50Co - 8.0Si - 19Cr - 17Ni - 4.0W - 0.80B 2050 to 2100 ??F (1121 to 1149 ??C) Solidus-Liquidus Range	2021	SAE	0
2795	AMS4910S	Titanium Alloy, Sheet, Strip, and Plate 5Al - 2.5Sn Annealed	2021	SAE	0
2796	AMS4921R	Titanium Bars, Wire, Forgings, and Rings Commercially Pure 70 ksi (483 MPa) Yield Strength	2021	SAE	0
2797	AMS5225G	Iron-Nickel Alloy, Strip 49Fe - 5.3Cr - 42Ni - 2.5Ti - 0.55Al Solution Heat Treated, Cold Rolled, 50% Reduction	2021	SAE	0
2798	AMS5352G	Steel, Corrosion-Resistant, Investment Castings 17Cr - 0.55Mo (0.95 - 1.20C) Annealed	2021	SAE	0
2799	AMS5353F	Steel, Corrosion-Resistant, Investment Castings 16Cr - 1.9Ni - 0.08N As Cast	2021	SAE	0
2800	AMS5362M	Steel, Corrosion and Heat Resistant, Investment Castings 19Cr - 12Ni - 1.0Cb (Nb) Solution Heat Treated	2021	SAE	0
2801	AMS5397F	Nickel Alloy Castings, Investment, Corrosion and Heat-Resistant 50Ni - 9.5Cr - 15Co - 3.0Mo - 4.8Ti - 5.5Al - 0.015B - 0.95V - 0.06Zr Vacuum Melted, Vacuum Cast As Cast	2021	SAE	0
2802	AMS5503G	Steel, Corrosion-Resistant, Sheet, Strip, and Plate 17Cr (SAE 51430) Annealed	2021	SAE	0
2803	AMS5508G	Steel, Corrosion and Heat Resistant, Sheet, Strip, and Plate 13Cr - 2.0Ni - 3.0W Annealed	2021	SAE	0
2804	AMS5513K	Steel, Corrosion-Resistant, Sheet, Strip, and Plate 19Cr - 9.2Ni (SAE 30304) Solution Heat Treated	2021	SAE	0
2805	AMS5520H	Steel, Corrosion and Heat-Resistant, Sheet, Strip, Foil, and Plate 15Cr - 7.1Ni - 2.5Mo - 1.1Al Solution Heat Treated, Precipitation Hardenable	2021	SAE	0
2806	AMS5595H	Steel, Corrosion Resistant, Sheet, Strip, and Plate 9.0Mn - 20Cr - 6.5Ni - 0.28N Solution Heat Treated	2021	SAE	0
2807	AMS5611G	Steel, Corrosion and Heat-Resistant, Bars, Wire, Forgings, Forging and Ring Stock, Mechanical Tubing, and Rings 12Cr Ferrite Controlled, Annealed, Consumable Electrode Melted	2021	SAE	0
2808	AMS5613S	Steel, Corrosion and Heat Resistant, Bars, Wire, Forgings, Forging and Ring Stock, Mechanical Tubing, and Rings 12.5Cr (SAE 51410) Annealed	2021	SAE	0
2809	AMS5621H	Steel, Corrosion Resistant, Bars, Wire, and Forgings, 13Cr (0.30-0.40C) (51420), Annealed	2021	SAE	0
2810	AMS5629J	Steel, Corrosion-Resistant, Bars, Wire, Forgings, Rings, and Extrusions 13Cr - 8.0Ni - 2.2Mo - 1.1Al Vacuum Induction Plus Consumable Electrode Melted Solution Heat Treated, Precipitation Hardenable	2021	SAE	0
2811	AMS5638G	Steel, Corrosion-Resistant, Bars and Forgings 0.14S - 18Cr - 9.5Ni - 0.50Mo - 0.80Al (303MA) Free-Machining; Swaging or Upsetting Solution Heat Treated - UNS S30345	2021	SAE	0
2812	AMS5652J	Steel, Corrosion and Heat Resistant, Bars, Wire, Forgings, Tubing, and Rings 25Cr - 20Ni - 2.0Si (SAE 30314) Solution Heat Treated - UNS S31400	2021	SAE	0
2813	AMS5675J	Nickel Alloy, Corrosion and Heat Resistant, Welding Wire 70Ni - 2.5Mn - 15.5Cr - 3.0Ti - 7.0Fe	2021	SAE	0
2814	AMS5690N	Steel, Corrosion and Heat Resistant, Wire 17Cr - 12Ni - 2.5Mo (316) Solution Heat Treated	2021	SAE	0
2815	AMS5696E	Steel, Corrosion and Heat-Resistant, Welding Wire 19Cr - 12.5Ni - 2.5Mo	2021	SAE	0
2816	AMS5718E	Steel, Bars, Forgings, Tubing, and Rings, Corrosion Resistant 11.8Cr - 2.5Ni - 1.8Mo - 0.33V (0.08 - 0.15C) Annealed - UNS S64152	2021	SAE	0
2817	AMS5719E	Steel Bars, Wire, Forgings and Forging Stock, Mechanical Tubing, Rings, and Extrusions, Corrosion-Resistant 11.8Cr - 2.5Ni - 1.8Mo - 0.33V (0.08 - 0.15C) Annealed, Vacuum Arc or Electroslag Remelted	2021	SAE	0
2818	AMS5762G	Steel, Corrosion Resistant, Bars, Wire, and Forgings 5.8Mn - 17Cr - 5.8Ni - 2.0Cu - 0.26S Free Machining, Solution Heat Treated - UNS S20300	2021	SAE	0
2819	AMS5766F	Alloy, Corrosion and Heat-Resistant, Bars and Forgings 21Cr - 32.5Ni - 0.38Ti - 0.38Al - 45Fe Solution Heat Treated	2021	SAE	0
2820	AMS5774E	Steel, Corrosion and Heat-Resistant, Welding Wire 16.5Cr - 4.5Ni - 2.9Mo - 0.10N - UNS S35080	2021	SAE	0
2821	AMS5791D	Cobalt Alloy, Powder, Plasma Spray 56.5Co - 25.5Cr - 10.5Ni - 7.5W	2021	SAE	0
2822	AMS5794F	Iron Alloy, Corrosion and Heat-Resistant, Welding Wire, 31Fe - 21Cr - 20Ni - 20Co - 3.0Mo - 2.5W - 1.0Cb - 0.15N, Annealed	2021	SAE	0
2823	AMS5810B	Steel, Corrosion and Heat Resistant, Flat Wire 15Cr - 25.5Ni - 1.2Mo - 2.1Ti - 0.006B - 0.30V 1800 ĭ°F (982 ĭ°C) Solution Treated, Cold Drawn or Cold Rolled and Aged, Consumable Electrode Remelted - UNS S66286	2021	SAE	0
2824	AMS5812G	Steel, Corrosion and Heat Resistant, Welding Wire 15Cr - 7.1Ni - 2.4Mo - 1.0Al Vacuum Induction Melted - UNS S15789	2021	SAE	0

2825	AMS5835D	Nickel Alloy, Corrosion and Heat-Resistant, Welding Wire 72Ni - 3.2Mn - 20Cr - 2.5Cb - 0.48Ti Vacuum Induction Melted, Environment Controlled Packaging	2021	SAE	0
2826	AMS5854C	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Wire, Forgings, and Rings 61Ni - 20.5Cr - 8.5Mo - 3.4Cb(Nb) - 1.3Ti - 5.0Fe Consumable Electrode or Vacuum Induction Melted Solution Heat Treated	2021	SAE	0
2827	AMS5858E	Steel, Corrosion and Heat Resistant, Sheet, Strip, and Plate 15Cr - 25.5Ni - 1.2Mo - 2.1Ti - 0.006B - 0.30V Multiple Melted, 1800 ??F (982 ??C) Solution Heat Treated, Welding Grade Precipitation Hardenable	2021	SAE	0
2828	AMS5859F	Steel, Corrosion Resistant, Sheet, Strip, and Plate 15Cr - 6.5Ni - 0.75Mo - 0.30Cb - 1.5Cu Consumable Electrode Melted, Solution Heat Treated Precipitation Hardenable	2021	SAE	0
2829	AMS5863F	Steel, Corrosion Resistant, Sheet, Strip, and Plate 15Cr - 6.5Ni - 0.75Mo - 0.60Cb - 1.5Cu Solution Heat Treated, Precipitation Hardenable	2021	SAE	0
2830	AMS5869D	Nickel Alloy, Corrosion and Heat-Resistant, Sheet, Strip, and Plate 62Ni - 21.5Cr - 9.0Mo - 3.7Cb Solution Heat Treated	2021	SAE	0
2831	AMS5888D	Nickel Alloy, Corrosion and Heat-Resistant, Plate 54Ni - 22Cr - 12.5Co - 9.0Mo - 1.2Al Annealed	2021	SAE	0
2832	AMS6274S	Steel, Bars, Forgings, and Mechanical Tubing 0.50Cr - 0.55Ni - 0.20Mo (0.18 - 0.23C) (SAE 8620)	2021	SAE	0
2833	AMS6276M	Steel, Bars, Forgings, and Tubing 0.50Cr - 0.55Ni - 0.20Mo (0.18 - 0.23C) (SAE 8620) Consumable Electrode Vacuum Remelted	2021	SAE	0
2834	AMS6277J	Steel, Bars, Forgings, and Tubing 0.50Cr - 0.55Ni - 0.20Mo (0.18 - 0.23C) (SAE 8620) Vacuum Arc or Electroslag Remelted	2021	SAE	0
2835	AMS6375E	Steel, Welding Wire 0.50Cr - 0.55Ni - 0.20Mo (0.18 - 0.23C) (SAE 8620) Vacuum Melted, Environment Controlled Packaging	2021	SAE	0
2836	AMS6417K	Steel, Bars, Forgings, and Tubing 1.6Si - 0.82Cr - 1.8Ni - 0.40Mo - 0.08V (0.38 - 0.43C) Consumable Electrode Vacuum Remelted	2021	SAE	0
2837	AMS6419K	Steel, Bars, Forgings, and Tubing 1.6Si - 0.82Cr - 1.8Ni - 0.40Mo - 0.08V (0.40 - 0.45C) Consumable Electrode Vacuum Remelted	2021	SAE	0
2838	AMS6421H	Steel, Bars, Forgings, and Tubing 0.80Cr - 0.85Ni - 0.20Mo - 0.003B (0.35 - 0.40C) (Modified 98B37)	2021	SAE	0
2839	AMS6422L	Steel, Bars, Forgings, and Tubing 0.80Cr - 0.85Ni - 0.20Mo - 0.003B - 0.04V (0.38 - 0.43C) (Modified 98BV40)	2021	SAE	0
2840	AMS6423J	Steel Bars, Forgings, and Tubing 0.92Cr - 0.75No - 0.52Mo - 0.003B - 0.04V (Modified 98BV40)	2021	SAE	0
2841	AMS6425F	Steel, Bars, Forgings, and Tubing 1.4Mn - 1.5Si - 0.30Cr - 1.8Ni - 0.40Mo (0.23 - 0.28C) Consumable Electrode Vacuum Melted	2021	SAE	0
2842	AMS6440T	Steel, Bars, Forgings, and Tubing 1.45Cr (0.93 - 1.05C) (SAE 52100) For Bearing Applications	2021	SAE	0
2843	AMS6444P	Steel, Bars, Forgings, and Tubing 1.45Cr (0.93 - 1.05C) (SAE 52100) Premium Aircraft-Quality, Consumable Electrode Vacuum Remelted	2021	SAE	0
2844	AMS6458K	Steel, Welding Wire 0.65Si - 1.25Cr - 0.50Mo - 0.30V (0.28 - 0.33C) Vacuum Melted, Environment Controlled Packaging	2021	SAE	0
2845	AMS6885-1	Unidirectional Carbon Fiber Tape Epoxy Repair Prepreg, Vacuum Curing Part 1 - General Requirements	2021	SAE	0
2846	AMS6885-2	Unidirectional Carbon Fiber Tape Epoxy Repair Prepreg, Vacuum Curing Part 2 - Qualification Program for Fiber, Carbon Fiber Tape Prepreg, and Film Adhesive	2021	SAE	0
2847	AMS6885-3	Unidirectional Carbon Fiber Tape Epoxy Repair Prepreg, Vacuum Curing Part 3 - Purchasing Specification for Unidirectional Carbon Fiber Tape Epoxy Repair Prepreg	2021	SAE	0
2848	AMS6885-4	Unidirectional Carbon Fiber Tape Epoxy Repair Prepreg, Vacuum Curing Part 4 - Purchasing Specification for Film Adhesive	2021	SAE	0
2849	AMS6885-5	Unidirectional Carbon Fiber Tape Epoxy Repair Prepreg, Vacuum Curing Part 5 - Material Specification for Unidirectional Carbon Fiber Tape Epoxy Prepreg for Repair and Film Adhesive for Repair, 120 to 145 ??C (250 to 290 ??F) Curing	2021	SAE	0
2850	AMS6885	Unidirectional Carbon Fiber Tape Epoxy Repair Prepreg, Vacuum Curing Part 0 - Introduction	2021	SAE	0
2851	AMS6891-3	Carbon Fiber and Fiberglass Epoxy/Prepreg Products with 350 ??F (177 ??C) Cure for Aerospace Applications: Type 34, Class 4, Grade 294, Style 7781	2021	SAE	0
2852	AMS6891-4	Carbon Fiber and Fiberglass Epoxy/Prepreg Products with 350 ??F (177 ??C) Cure for Aerospace Applications: Type 42, Class 4, Grade 48, Style 108	2021	SAE	0

2853	AMS7023	Gamma Titanium-Aluminide Powder for Additive Manufacturing Ti - 48Al - 2Nb - 2Cr	2021	SAE	0
2854	AMS7025	Metal Powder Feedstock Size Classifications	2021	SAE	0
2855	AMS7026	Titanium Ti-5553 (Ti - 5Al - 5Mo - 5V - 3Cr) Powder for Additive Manufacturing	2021	SAE	0
2856	AMS7033	Aluminum Alloy Powder 4.6Cu - 3.4Ti - 1.4B - 0.75Ag - 0.27Mg	2021	SAE	0
2857	AMS7035	Precipitation Hardenable Steel Alloy, Corrosion and Heat-Resistant, Powder for Binder Jet Additive Manufacturing, 16.0Cr - 4.0Ni - 4.0Cu - 0.30Nb	2021	SAE	0
2858	AMS7202	Temporary Protective Coating and Remover	2021	SAE	0
2859	AMS7267H	Rubber: Vinyl-Methyl Silicone (VMQ) Hot Air Resistant Low Compression Set, 70 to 80 Type A Hardness for Seals in Hot Air Systems	2021	SAE	0
2860	AMS7268D	Rubber: Silicone [VMQ] Non-Oil Resistant Low Compression Set, 65 - 75 Type A Hardness	2021	SAE	0
2861	AMS7361	Rubber: Ethylene Propylene (EP) Phosphate Ester Resistant Low Temperature -75 ??F (-59 ??C), 75 to 85 Type M Hardness For Seals in Hydraulic Systems	2021	SAE	0
2862	AMS-C-19853A	Carbon Removing Compound (For Use in Agitated Tank)	2021	SAE	0
2863	AMS-P-46112B	Plastic Sheet and Strip, Polyimide	2021	SAE	0
2864	AMS-QQ-A-250-5C	Aluminum Alloy Alclad 2024, Plate and Sheet A82024	2021	SAE	0
2865	AMS-QQ-A-250-13B	Aluminum Alloy Alclad 7075, Plate and Sheet A87075	2021	SAE	0
2866	AMS-QQ-A-250-24C	Aluminum Alloy, 7075, Plate and Sheet (Improved Exfoliation Resistant) (Composition similar to UNS A97075)	2021	SAE	0
2867	AMS-QQ-P-416F	(R) Plating, Cadmium (Electrodeposited)	2021	SAE	0
2868	AMS-R-81903A	Remover, Acid Activated, for Amine-Cured Epoxy Coating Systems	2021	SAE	0
2869	AMS-S-4383C	Sealing Compound, Topcoat, Fuel Tank, Buna-N Type	2021	SAE	0
2870	AMS-STD-595A-A1	Colors Used in Government Procurement	2021	SAE	0
2871	AMS-STD-2154E	Inspection, Ultrasonic, Wrought Metals, Process for	2021	SAE	0
2872	ARP492C	Aircraft Engine Fuel Pump Cavitation Endurance Test	2021	SAE	0
2873	ARP570B	Designation of Direction of Rotation of Helicopter Rotors (Stabilized: Jan 2021)	2021	SAE	0
2874	ARP704A	Helicopter Engine-Rotor System Compatibility	2021	SAE	0
2875	ARP843B	Chip Detector, Electrical Connection, Remote Indicating (Stabilized: May 2021)	2021	SAE	0
2876	ARP876F	Gas Turbine Jet Exhaust Noise Prediction	2021	SAE	0
2877	ARP1088C	Aircraft Indicating Systems Optical Performance	2021	SAE	0
2878	ARP1110D	Minimizing Stress Corrosion Cracking in Wrought Forms of Steels and Corrosion Resistant Steels and Alloys	2021	SAE	0
2879	ARP1233B	Gland Design Criteria and Dimensions for Dynamic Radial O-Ring Seal Applications Specifically for Engine and Engine Control Systems Operating at 1500 psi Max	2021	SAE	0
2880	ARP1331C	The Chemical Milling Process	2021	SAE	0
2881	ARP1598C	Landing Gear System Development Plan	2021	SAE	0
2882	ARP1820C	Chord Method of Evaluating Surface Microstructural Characteristics	2021	SAE	0
2883	ARP1827D	Measuring Aircraft Gas Turbine Engine Fine Fuel Filter Element Performance	2021	SAE	0
2884	ARP1836C	Aircraft Cargo Conveyor	2021	SAE	0
2885	ARP1915E	Aircraft Tow Bar	2021	SAE	0

2886	ARP4056	Engine Exhaust System Design Considerations for Rotorcraft	2021	SAE	0
2887	ARP4072A	Safety Considerations of Carry-On Baggage Relating to the Emergency Evacuation of Transport Category Aircraft	2021	SAE	0
2888	ARP4102-9B	Flight Management System (FMS)	2021	SAE	0
2889	ARP4168B	Night Vision Goggle (NVG) Compatible Light Sources	2021	SAE	0
2890	ARP4915B	(R) Disposition of Landing Gear Components Involved in Accidents/Incidents	2021	SAE	0
2891	ARP4926B	Alloy Verification and Chemical Composition Inspection of Welding Wire	2021	SAE	0
2892	ARP4977	DRYING OF THERMOSETTING COMPOSITE MATERIALS	2021	SAE	0
2893	ARP5374B	Method of Testing Pre-Conditioned Air Equipment	2021	SAE	0
2894	ARP5376C	Methods, Locations and Criteria for System Sampling and Measuring the Solid Particle Contamination of Hydraulic Fluids	2021	SAE	0
2895	ARP5403A	(R) Aircraft Crash Axes	2021	SAE	0
2896	ARP5534	Application of Pure-Tone Atmospheric Absorption Losses to One-Third Octave-Band Data	2021	SAE	0
2897	ARP5598A	Unauthorized Laser Illuminations: Pilot Operational Procedures (Stabilized: Mar 2021)	2021	SAE	0
2898	ARP5607B	Legibility of Print on Aerospace Wires and Cables	2021	SAE	0
2899	ARP5632	Rotorcraft: Application of Existing Aircraft Designed Tires, Wheels and Brakes	2021	SAE	0
2900	ARP5765B	Analytical Methods for Aircraft Seat Design and Evaluation	2021	SAE	0
2901	ARP5873B	LED Passenger Reading Light Assembly	2021	SAE	0
2902	ARP5936	Landing Gear Storage	2021	SAE	0
2903	ARP6109A	Electronic Engine Control Hardware Change Management (Stabilized: Jun 2021)	2021	SAE	0
2904	ARP6275A	Determination of Costs and Benefits from Implementing an Integrated Vehicle Health Management System	2021	SAE	0
2905	ARP6277	Commercial Aircraft Hydraulic System Sizing	2021	SAE	0
2906	ARP6420	Guidelines for Characterization of Gas Turbine Engine Total-Pressure, Planar-Wave, and Total-Temperature Inlet-Flow Distortion	2021	SAE	0
2907	ARP6807A	Guide for Identification of Terminal Lugs in Electrical Wiring Interconnect Systems (EWIS)	2021	SAE	0
2908	ARP6823	Electronic Transactions for Aerospace Systems: An Overview	2021	SAE	0
2909	ARP6971	Power and Torque Determination for UAS Engines Having Maximum Power Ratings at or Below 22.4 kW	2021	SAE	0
2910	ARP6973	Aircraft Noise Level Reduction Measurement of Building Fa??ades	2021	SAE	0
2911	AS115K	HOSE ASSEMBLY, PTFE, CRES REINFORCED, 3000 PSI, 400 ??F, STRAIGHT TO STRAIGHT, FLARELESS, LIGHTWEIGHT	2021	SAE	0
2912	AS116K	HOSE ASSEMBLY, PTFE, CRES REINFORCED, 3000 PSI, 400 ??F, STRAIGHT TO 45??, FLARELESS, LIGHTWEIGHT	2021	SAE	0
2913	AS117K	HOSE ASSEMBLY, PTFE, CRES REINFORCED, 3000 PSI, 400 ??F, STRAIGHT TO 90??, FLARELESS, LIGHTWEIGHT	2021	SAE	0
2914	AS118K	HOSE ASSEMBLY, PTFE, CRES REINFORCED, 3000 PSI, 400 ??F, 45?? TO 45??, FLARELESS, LIGHTWEIGHT	2021	SAE	0
2915	AS119K	HOSE ASSEMBLY, PTFE, CRES REINFORCED, 3000 PSI, 400 ??F, 45 TO 90??, FLARELESS, LIGHTWEIGHT	2021	SAE	0
2916	AS120K	HOSE ASSEMBLY, PTFE, CRES REINFORCED, 3000 PSI, 400 ??F, 90?? TO 90??, FLARELESS, LIGHTWEIGHT	2021	SAE	0
2917	AS478R	Identification Marking Methods	2021	SAE	0
2918	AS1007L	FITTING, UNION, STANDARD AND REDUCER, BULKHEAD, FLARELESS	2021	SAE	0
2919	AS1031G	FITTING, TEE, STANDARD AND REDUCER, BULKHEAD ON RUN, INTERNAL PORT ON SIDE, FLARED	2021	SAE	0
2920	AS1032H	FITTING, TEE, STANDARD AND REDUCER, BULKHEAD ON RUN, INTERNAL PORT ON RUN, FLARED	2021	SAE	0
2921	AS1132K	Bolts, Screws, and Nuts - External Wrenching UNJ Thread, Inch - Design Standard	2021	SAE	0
2922	AS1290C	Graphic Symbols for Aircraft Hydraulic and Pneumatic Systems	2021	SAE	0
2923	AS1426C	Minimum Performance Standards for Galleys in Transport Category Airplanes	2021	SAE	0

2924	AS1614D	Main Line Aircraft Tow Bar Attach Fitting Interface	2021	SAE	0
2925	AS1895-1G	COUPLING, V-RETAINER, SINGLE LATCH, TYPE I STANDARD PROFILE	2021	SAE	0
2926	AS1895-2D	FLANGE, MALE, SEAM WELD TYPE I STANDARD PROFILE	2021	SAE	0
2927	AS1895-3D	FLANGE, FEMALE, SEAM WELD TYPE I STANDARD PROFILE	2021	SAE	0
2928	AS1895-4G	COUPLING, V-RETAINER, SINGLE LATCH, TYPE II LOW PROFILE	2021	SAE	0
2929	AS1895-5D	FLANGE, MALE, SEAM WELD TYPE II LOW PROFILE	2021	SAE	0
2930	AS1895-6D	FLANGE, FEMALE, SEAM WELD TYPE II LOW PROFILE	2021	SAE	0
2931	AS1895-7H	SEAL, TYPE I AND II STANDARD AND LOW PROFILE	2021	SAE	0
2932	AS1895-8D	FLANGE, MALE, BUTT WELD TYPE II LOW PROFILE	2021	SAE	0
2933	AS1895-9D	FLANGE, FEMALE, BUTT WELD TYPE II LOW PROFILE	2021	SAE	0
2934	AS1895-10D	FLANGE, MALE, BUTT WELD, TYPE I STANDARD PROFILE	2021	SAE	0
2935	AS1895-11D	FLANGE, FEMALE, BUTT WELD, TYPE I STANDARD PROFILE	2021	SAE	0
2936	AS1895-16B	FLANGE, MALE, INTEGRAL, WELD RING, TYPE II LOW PROFILE	2021	SAE	0
2937	AS1895-17B	FLANGE, FEMALE, INTEGRAL, WELD RING, TYPE II LOW PROFILE	2021	SAE	0
2938	AS1895-18B	FLANGE, MALE, INTEGRAL, WELD RING, TYPE I STANDARD PROFILE	2021	SAE	0
2939	AS1895-19B	FLANGE, FEMALE, INTEGRAL, WELD RING, TYPE I STANDARD PROFILE	2021	SAE	0
2940	AS1895-20E	COUPLING, V-RETAINER, DOUBLE LATCH, TYPE II LOW PROFILE	2021	SAE	0
2941	AS1895-22E	COUPLING, V-RETAINER, DOUBLE LATCH, TYPE I STANDARD PROFILE	2021	SAE	0
2942	AS1895-23C	HIGH CONFORMANCE SEAL, TYPE I AND II STANDARD AND LOW PROFILE	2021	SAE	0
2943	AS2390A	Chemical Process Test Specimen Material	2021	SAE	0
2944	AS3114B	BOLT, MACHINE - HEXAGON HEAD, DRILLED 6 HOLES, PD SHANK, CRES UNS S66286, .1900-32 UNJF-3A	2021	SAE	0
2945	AS3115B	BOLT, MACHINE - HEXAGON HEAD, DRILLED 6 HOLES, PD SHANK, CRES UNS S66286, .2500-28 UNJF-3A	2021	SAE	0
2946	AS3161B	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, CLOSE TOLERANCE SHANK, AMS4967, .5000-20 UNJF-3A	2021	SAE	0
2947	AS3209C	PACKING, PREFORMED - AMS7276, ???O??? RING (Stabilized: Aug 2021)	2021	SAE	0
2948	AS3230C	RIVET-TUBULAR, COUNTERSUNK, CORROSION AND HEAT RESISTANT NICKEL ALLOY (UNS N06600)	2021	SAE	0
2949	AS3400B	BOLT, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, PD SHANK, AMS5708 (UNS N07001), .1900-32 UNJF-3A	2021	SAE	0
2950	AS3401B	BOLT, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, PD SHANK, AMS5708 (UNS N07001), .2500-28 UNJF-3A	2021	SAE	0
2951	AS3406B	BOLT, MACHINE - HEXAGON HEAD, DRILLED 6 HOLES, PD SHANK, NICKEL ALLOY (UNS N07001), .3125-24 UNJF-3A	2021	SAE	0
2952	AS3407B	BOLT, MACHINE - HEXAGON HEAD, DRILLED 6 HOLES, PD SHANK, NICKEL ALLOY UNS N07001, .3750-24 UNJF-3A	2021	SAE	0
2953	AS3554C	NUT, SELF-LOCKING, DOUBLE HEXAGON, SILVER PLATED, REDUCED HEIGHT 180 KSI, 1400 ??F, UNS N07001	2021	SAE	0
2954	AS4052B	This document has been replaced. View the most recent version.	2021	SAE	0
2955	AS4191A	Gas Turbine Engine Performance Presentation for Computer Programs Using Fortran	2021	SAE	0
2956	AS4461D	Assembly and Soldering Criteria for High Quality/High Reliability Soldering Wire and Cable Termination in Aerospace Vehicles	2021	SAE	0
2957	AS4841D	Fittings, 37 Degree Internal Flare, Fluid Connection, Procurement Specification	2021	SAE	0
2958	AS4842B	Fittings and Bosses, Pipe Threaded, Fluid Connection, Procurement Specification	2021	SAE	0
2959	AS4875B	Fittings, Straight Threaded Boss or Flanged, Fluid Connection, Procurement Specification	2021	SAE	0

2960	AS4914E	Aircraft Fluorescent Lighting Ballast/Fixture Safety Standard (Stabilized: Jun 2021)	2021	SAE	0
2961	AS5162C	FITTING, CONNECTOR, MULTIPLE FLUID PRESSURE LINE, 90??	2021	SAE	0
2962	AS5163A	FITTING, CONNECTOR, MULTIPLE FLUID PRESSURE LINE, 75??	2021	SAE	0
2963	AS5164B	FITTING, CONNECTOR, MULTIPLE FLUID PRESSURE LINE, 45??	2021	SAE	0
2964	AS5165C	FITTING, CONNECTOR, MULTIPLE FLUID PRESSURE LINE, TEE	2021	SAE	0
2965	AS5166C	FITTING, TEE, AIR PRESSURE GAUGE	2021	SAE	0
2966	AS5169C	FITTING, PORT PLUG AND BLEEDER	2021	SAE	0
2967	AS5172E	FITTING, ADAPTER, PORT, REDUCER	2021	SAE	0
2968	AS5173D	FITTING, BUSHING, PORT, REDUCER	2021	SAE	0
2969	AS5190B	FITTING, ELBOW, 90??, INTERNAL STRAIGHT THREAD PORT	2021	SAE	0
2970	AS5191A	FITTING, ELBOW, 45??, INTERNAL STRAIGHT THREAD PORT	2021	SAE	0
2971	AS5193B	FITTING, CROSS, INTERNAL STRAIGHT THREAD PORT	2021	SAE	0
2972	AS5259A	Crimping Tool and Accessories, Electrical, Crimp Barrel Size 8 to 4/0, General Purpose Use	2021	SAE	0
2973	AS5272F	Lubricant, Solid Film, Heat Cured, Corrosion Inhibiting, Procurement Specification	2021	SAE	0
2974	AS5402A	(R) Design and Performance Criteria Aircraft Crash Axes	2021	SAE	0
2975	AS5419-8B	WIRE, THERMOCOUPLE, SMOOTH SURFACE, FP/POLYIMIDE/FP INSULATED, NICKEL/CHROMIUM (KP); NICKEL/ALUMINUM/MANGANESE (KN) THERMOCOUPLE EXTENSION, LIGHT WEIGHT, 260 ??C (Stabilized: Jan 2021)	2021	SAE	0
2976	AS5419-9B	WIRE, THERMOCOUPLE, SMOOTH SURFACE FP/POLYIMIDE/FP INSULATED, NICKEL/CHROMIUM (KP); NICKEL/ALUMINUM/MANGANESE (KN) THERMOCOUPLE EXTENSION, NORMAL WEIGHT, 260 ??C (Stabilized: Jan 2021)	2021	SAE	0
2977	AS5537A	Weather Support to Deicing Decision Making (WSDDM) Winter Weather Nowcasting System	2021	SAE	0
2978	AS5706A	Test Plan/Procedure for AS5643/1 S400 Copper Media Interface Characteristics Over Extended Distances	2021	SAE	0
2979	AS5756-3B	CABLE, POWER, ELECTRICAL, 600 VOLTS, PORTABLE, MULTICONDUCTOR (Stabilized: Jun 2021)	2021	SAE	0
2980	AS5756-7B	CABLE, LOW INDUCTANCE, 270 VOLT DC	2021	SAE	0
2981	AS5756C	Cable, Power, Electrical, Portable General Specification for	2021	SAE	0
2982	AS5961B	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE CRES BRAID REINFORCED, 400 ??F, 5080 PSI FLARELESS, STRAIGHT TO STRAIGHT	2021	SAE	0
2983	AS5962B	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE CRES BRAID REINFORCED, 400 ??F, 5080 PSI FLARELESS, STRAIGHT TO 45?? ELBOW	2021	SAE	0
2984	AS5963B	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE CRES BRAID REINFORCED, 400 ??F, 5080 PSI FLARELESS, STRAIGHT TO 90?? ELBOW	2021	SAE	0
2985	AS6018A	Wrench, Spanner	2021	SAE	0
2986	AS6047D	FITTING, UNION, STANDARD AND REDUCER, BULKHEAD, FLARELESS, PRECISION TYPE	2021	SAE	0
2987	AS6070B	Aerospace Cable, High Speed Data, Copper	2021	SAE	0
2988	AS6092B	FITTING, 37?? SPHERICAL FLARED, CONNECTOR, MULTIPLE FLUID PRESSURE LINE, 75??	2021	SAE	0
2989	AS6093B	FITTING, 37?? SPHERICAL FLARED, CONNECTOR, MULTIPLE FLUID PRESSURE LINE, 90??	2021	SAE	0
2990	AS6094B	FITTING, 37?? SPHERICAL FLARED, CONNECTOR, MULTIPLE FLUID PRESSURE LINE, 45??	2021	SAE	0
2991	AS6095B	FITTING, 37?? SPHERICAL FLARED, CONNECTOR, MULTIPLE FLUID PRESSURE LINE, TEE	2021	SAE	0
2992	AS6098B	FITTING, TEE, STANDARD AND REDUCER, BULKHEAD ON RUN, INTERNAL ON SIDE, FLARED, 37?? SPHERICAL	2021	SAE	0
2993	AS6136A	Conduit, Electrical, Flexible, Shielded, Aluminum Alloy for Aircraft Installations	2021	SAE	0
2994	AS6213B	FITTING, ADAPTER, PORT, REDUCER, 37?? SPHERICAL, FLARED	2021	SAE	0
2995	AS6285D	Aircraft Ground Deicing/Anti-Icing Processes	2021	SAE	0

2996	AS6298A	CLAMP ASSEMBLY, LOOP, CUSHIONED HINGED	2021	SAE	0
2997	AS6332A	Aircraft Ground Deicing/Anti-Icing Quality Management	2021	SAE	0
2998	AS6405	Ratcheting Wrenches, Twelve Point, High Strength, Thin Wall	2021	SAE	0
2999	AS6484	FITTING, ELBOW 90??, BULKHEAD, EXTERNAL SWAGE TO FLARELESS, HYDRAULIC	2021	SAE	0
3000	AS6485	FITTING, TEE, MALE FLARELESS TO EXTERNAL SWAGE ON RUN, EXTERNAL SWAGE ON BRANCH, HYDRAULIC	2021	SAE	0
3001	AS6488	FITTING, TEE, BULKHEAD, MALE FLARELESS TO EXTERNAL SWAGE ON RUN, EXTERNAL SWAGE ON BRANCH, HYDRAULIC	2021	SAE	0
3002	AS6492	FITTING, ADAPTER, STRAIGHT, EXTERNAL SWAGE TO FLANGE SEALING, MALE FLARELESS, HYDRAULIC	2021	SAE	0
3003	AS6500A	Manufacturing Management Program	2021	SAE	0
3004	AS6506-1	Fusion Splice for Aerospace Fiber Optic Cables	2021	SAE	0
3005	AS6837	Required O-ring Sizes for Quality Conformance Testing	2021	SAE	0
3006	AS6940	Standard Test Method for Measuring Forces During Normal Impact of a Soft Projectile on a Rigid Flat Surface	2021	SAE	0
3007	AS6960	Performance Standard for Seat Furnishings in Transport Aircraft	2021	SAE	0
3008	AS7452D	Bolts and Screws, Steel, Low Alloy Heat Treated, Roll Threaded FSC 5306	2021	SAE	0
3009	AS7466F	Bolts and Screws, Nickel Alloy, UNS N07718 Tensile Strength 185 ksi, Fatigue Rated, Procurement Specification	2021	SAE	0
3010	AS7467C	Bolts and Screws, Nickel Alloy, UNS N07718 Tensile Strength 185 ksi Stress Rupture Rated Procurement Specification	2021	SAE	0
3011	AS7471J	Bolts and Screws, Nickel Alloy, UNS N07001 Tensile Strength 165 ksi, Corrosion and Heat Resistant Procurement Specification	2021	SAE	0
3012	AS7478E	Bolts and Screws, Steel, UNS S66286 Classification: 130 ksi/1200 ??F 1800 ??F Solution Heat Treated, Aged After Roll Threaded Procurement Specification for	2021	SAE	0
3013	AS7767	Qualification of Aerospace Personnel Performing Special Processes	2021	SAE	0
3014	AS7768B	Light, Desk, Aircraft (Stabilized: Apr 2021)	2021	SAE	0
3015	AS7928-2D	TERMINALS, LUG AND SPLICES, CONDUCTOR, CRIMP STYLE, COPPER, INSULATED, RECTANGULAR TONGUE, FOR THIN WALL WIRE, TYPE II, CLASS 1 FOR 105 ??C TOTAL CONDUCTOR TEMPERATURE	2021	SAE	0
3016	AS7928-5C	TERMINALS, LUG AND SPLICES, CONDUCTOR, CRIMP STYLE, SPLICE, ELECTRIC (PERMANENT, TYPE II, CLASS 1) FOR 105 ??C TOTAL CONDUCTOR TEMPERATURE	2021	SAE	0
3017	AS7928-8B	TERMINALS, LUG AND SPLICES, CONDUCTOR, CRIMP STYLE, COPPER TERMINAL, LUG, CRIMP STYLE, COPPER, INSULATED, RING TONGUE, FOR THIN WALL WIRE, TIN WHISKER RESISTANT, TYPE II CLASS 1 FOR 105 ??C TOTAL CONDUCTOR TEMPERATURE	2021	SAE	0
3018	AS7928-9C	TERMINALS, LUG AND SPLICES, CONDUCTOR, CRIMP STYLE, COPPER, INSULATED, RECTANGULAR TONGUE, TIN WHISKER RESISTANT FOR THIN WALL WIRE, TYPE II, CLASS 1 FOR 105 ??C TOTAL CONDUCTOR TEMPERATURE (Stabilized: Aug 2021)	2021	SAE	0
3019	AS7928-10B	TERMINALS, LUG AND SPLICES, CONDUCTOR, CRIMP STYLE, SPLICE, ELECTRIC, TIN WHISKER RESISTANT (PERMANENT, TYPE II, CLASS 1) FOR 105 ??C TOTAL CONDUCTOR TEMPERATURE	2021	SAE	0
3020	AS7928-15B	TERMINAL, LUG, CRIMP STYLE, COPPER, UNINSULATED, FLAG TONGUE, SIZES 22-10, TYPE I, CLASS I, FOR 150 ??C TOTAL CONDUCTOR TEMPERATURE	2021	SAE	0
3021	AS8575	FITTING, TEE, MALE FLARELESS TO EXTERNAL SWAGE ON RUN, FEMALE FLARELESS ON BRANCH, HYDRAULIC	2021	SAE	0
3022	AS8576	FITTING, ELBOW 45??, BULKHEAD SEALING, EXTERNAL SWAGE TO FLARELESS, HYDRAULIC	2021	SAE	0
3023	AS9147	Unsalvageable Items Management ??? Requirements for Aviation, Space, and Defense Organizations	2021	SAE	0
3024	AS9297C	BOLT, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, PD SHANK, BLACK OXIDE, STEEL UNS G87400, 125 KSI MIN, .3750-24 UNJF-3A	2021	SAE	0
3025	AS9317D	SCREW, MACHINE - HEXAGON HEAD, SLOTTED, FULL SHANK, ALLOY STEEL, UNS K14675, 135 KSI MIN, .2500-28 UNS-3A, NI - CAD. PLATE	2021	SAE	0

3026	AS9386B	O-Ring Molded from AMS7267 Silicone (VMQ) Rubber	2021	SAE	0
3027	AS9400C	BOLT, TEE HEAD - CADMIUM PLATED, STEEL, UNS G87400, 125 KSI MIN, CHAMFERED, .3750-24 UNJF-3A	2021	SAE	0
3028	AS9401C	BOLT, TEE HEAD - CADMIUM PLATED, STEEL, UNS G87400, 125 KSI MIN, CHAMFERED, .4375-20 UNJF-3A	2021	SAE	0
3029	AS9402C	BOLT, TEE HEAD - CADMIUM PLATED, STEEL, UNS G87400, 125 KSI MIN, CHAMFERED, .5000-20 UNJF-3A	2021	SAE	0
3030	AS9459C	BOLT, MACHINE - STEEL, AMS6304 (UNS K14675), DIFFUSED NICKEL-CADMIUM PLATED HEXAGON HEAD, .7500-16 UNJF-3A (Stabilized: Jun 2021)	2021	SAE	0
3031	AS9487	BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, 130 KSI MIN, .1380-40 UNJF-3A	2021	SAE	0
3032	AS9488	SCREW, MACHINE - HEXAGON HEAD, FULL SHANK, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, 130 KSI MIN, .1640-36 UNJF-3A	2021	SAE	0
3033	AS9489E	BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, 130 KSI MIN, .1900-32 UNJF-3A	2021	SAE	0
3034	AS9495	BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, 130 KSI MIN, .5625-18 UNJF-3A	2021	SAE	0
3035	AS9497	BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, 130 KSI MIN, .7500-16 UNJF-3A	2021	SAE	0
3036	AS9503C	BOLT, MACHINE - HEXAGON HEAD, DRILLED, 1 HOLE, FULL SHANK, CRES, UNS S66286, 130 KSI MIN, .3750-24 UNJF-3A	2021	SAE	0
3037	AS9516C	SCREW, MACHINE - STEEL, CADMIUM PLATED, HEXAGON HEAD, UNS G87400, 125 KSI MIN, .1380-40 UNJF-3A	2021	SAE	0
3038	AS9532C	BOLT, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, CADMIUM PLATED, STEEL UNS G87400, 125 KSI MIN, .3750-24 UNJF-3A	2021	SAE	0
3039	AS9572C	SCREW, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, 130 KSI MIN, .1380-40 UNJF-3A	2021	SAE	0
3040	AS9589B	BOLT, MACHINE-HEXAGON HEAD, DRILLED, 6 HOLES, FULL SHANK, CORROSION AND HEAT RESISTANT STEEL (UNS S66286), .5625-18 UNJF-3A	2021	SAE	0
3041	AS9678C	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, CUP WASHER LOCKED, CRES UNS S66286, 130 KSI MIN, .3125-24 UNJF-3A	2021	SAE	0
3042	AS9679C	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, CUP WASHER LOCKED, CRES, UNS S66286, 130 KSI MIN, .3750-24 UNJF-3A	2021	SAE	0
3043	AS9760B	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, TI 6Al-4V (UNS R56400), .2500-28 UNJF-3A	2021	SAE	0
3044	AS9761B	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, 160 KSI UTS MIN, TI 6Al-4V (UNS R56400), .3125-24 UNJF-3A	2021	SAE	0
3045	AS9796C	BOLT, MACHINE - HEXAGON HEAD, DRILLED, 1 HOLE, FULL SHANK, CRES (UNS S17400), .3125-24 UNJF-3A	2021	SAE	0
3046	AS9894B	BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, AMS5616, .190-32 UNJF-3A	2021	SAE	0
3047	AS9947C	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, FULL SHANK, STEEL UNS G87400 CADMIUM PLATED, .5625-18 UNJF-3A	2021	SAE	0
3048	AS9958B	BOLT, MACHINE, HEXAGON HEAD, DRILLED, 6 HOLE, PD SHANK, LOW ALLOY STEEL UNS G87400, CADMIUM PLATED, .2500-28 UNJF-3A	2021	SAE	0
3049	AS9968A	Laboratory Viscosity Measurement of Thickened Aircraft Deicing/Anti-icing Fluids with a Viscometer	2021	SAE	0
3050	AS12810-6	RATIONALE S ixth issue of Standard . Red rawn to the la test ASPQP forma t. N otes updated to add a l terna tive materia l , heat treatmen t in forma tion and add i tiona l NDT speci fica tion . For fu l l deta i ls of changes , refer to supp lemen t	2021	SAE	0
3051	AS12810AR-6	AMENDMENT RECORD No . AS1 281 0-AR for Drawing Standard No . AS1 281 0 -839	2021	SAE	0
3052	AS13100	AESQ Quality Management System Requirements for Aero Engine Design and Production Organizations	2021	SAE	0

3053	AS18121B	FERRULES, OUTER, INSULATED, SHIELD TERMINATING, TYPE II TWO-PIECE, CLASS I, FOR SHIELDED CABLE	2021	SAE	0
3054	AS18280H	Fittings, 24 Degree Cone Flareless, Fluid Connection, 3000 psi	2021	SAE	0
3055	AS22520-23B	CRIMP TOOLS, TYPE 1, TERMINAL, HAND OR POWER ACTUATED, WIRE TERMINATION, PNEUMATIC TOOL FOR WIRE BARREL SIZES 8 THROUGH 0000	2021	SAE	0
3056	AS22759-34A	WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSS-LINKED MODIFIED ETFE, NORMAL WEIGHT, TIN-COATED, COPPER, 150 ??C, 600 VOLT, ROHS	2021	SAE	0
3057	AS22759-35A	WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSS-LINKED MODIFIED ETFE, NORMAL WEIGHT, SILVER-COATED, HIGH STRENGTH COPPER ALLOY, 200 ??C, 600 VOLT, ROHS	2021	SAE	0
3058	AS22759-41A	WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSS-LINKED MODIFIED ETFE, NORMAL WEIGHT, NICKEL-COATED, COPPER, 200 ??C, 600 VOLT, ROHS	2021	SAE	0
3059	AS22759-42A	WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSS-LINKED MODIFIED ETFE, NORMAL WEIGHT, NICKEL-COATED, HIGH STRENGTH COPPER ALLOY, 200 ??C, 600 VOLT, ROHS	2021	SAE	0
3060	AS22759-43A	WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSS-LINKED MODIFIED ETFE, NORMAL WEIGHT, SILVER-COATED, COPPER, 200 ??C, 600 VOLT, ROHS	2021	SAE	0
3061	AS24461D	BEARING, ROLLER, NEEDLE, SINGLE ROW, HEAVY DUTY, TYPE I, ANTIFRICTION, INCH	2021	SAE	0
3062	AS24585D	SPRING, HELICAL, COMPRESSION: FOR LOADS BELOW 20 LBF	2021	SAE	0
3063	AS24586D	SPRING, HELICAL, EXTENSION FOR LOADS BELOW 30 LBF	2021	SAE	0
3064	AS27647E	BEARING, BALL, AIRFRAME, ANTI-FRICTION, EXTRA WIDE, DOUBLE ROW, INTERMEDIATE DUTY	2021	SAE	0
3065	AS27850-11	NULL	2021	SAE	0
3066	AS28431A	Aerospace Hand Torque Wrenches (Mechanical, Impulse)	2021	SAE	0
3067	AS31051A	(R) CONNECTOR, RECEPTACLE, ELECTRIC, DUMMY STOWAGE	2021	SAE	0
3068	AS31301A	(R) CONNECTOR, RECEPTACLE, ELECTRIC, SOLDER TYPE, WALL MTG. FLANGE, PUSH-PULL COUPLING, SERIES 1 (CLASS E, P AND J)	2021	SAE	0
3069	AS31321A	(R) CONNECTOR, RECEPTACLE, ELECTRIC, BOX MOUNTING FLANGE, PUSH-PULL COUPLING, SERIES 1 (CLASS E AND H)	2021	SAE	0
3070	AS31341A	(R) CONNECTOR, RECEPTACLE, ELECTRIC, SOLDER TYPE, JAM NUT MOUNTING, PUSH-PULL, COUPLING, SERIES 1 (CLASS E, P, J AND H)	2021	SAE	0
3071	AS31351A	(R) CONNECTOR, RECEPTACLE, ELECTRIC, DUMMY STOWAGE, WALL MOUNTING FLANGE, PUSH-PULL COUPLING (SERIES 1 AND 2 CONNECTORS)	2021	SAE	0
3072	AS31381A	(R) CONNECTOR, PLUG, ELECTRIC, SOLDER TYPE LANYARD, PUSH-PULL COUPLING, SERIES 1 (CLASS E, P, AND J)	2021	SAE	0
3073	AS31391	CONNECTOR, RECEPTACLE, ELECTRIC THRU BULKHEAD, WALL MOUNTING FLANGE, SERIES I (CLASS E)	2021	SAE	0
3074	AS31401A	(R) CONNECTOR, RECEPTACLE, ELECTRIC, CRIMP TYPE, WALL MOUNTING FLANGE, PUSH-PULL, COUPLING, SERIES 2 (CLASS E AND J)	2021	SAE	0
3075	AS31441A	(R) CONNECTOR, RECEPTACLE, ELECTRIC, CRIMP TYPE, JAM NUT MOUNTING, PUSH-PULL, COUPLING, SERIES 2 (CLASS E AND J)	2021	SAE	0
3076	AS31461B	CONNECTOR, RECEPTACLE, ELECTRIC, HERMETIC, CRIMP TYPE, SOLDER MOUNTING, PUSH-PULL, COUPLING, SERIES 3 (CLASS N) (Stabilized: May 2021)	2021	SAE	0
3077	AS31471A	(R) CONNECTOR, PLUG, ELECTRIC, CRIMP TYPE, PUSH-PULL, COUPLING, SERIES 2 (CLASS E AND J)	2021	SAE	0
3078	AS31491B	CONNECTOR, RECEPTACLE, ELECTRIC, HERMETIC CRIMP TYPE, SINGLE HOLE MOUNTING PUSH-PULL COUPLING, SERIES 3 (CLASS N) (Stabilized: May 2021)	2021	SAE	0
3079	AS34121C	CONNECTORS, RECEPTACLE, ELECTRIC, WALL MOUNTING, FRONT RELEASE, CRIMP CONTACT, AN TYPE â WITH ACCESSORY THREADS	2021	SAE	0
3080	AS34451A	(R) CONNECTOR, PLUG, ELECTRIC, CRIMP TYPE, RACK AND PANEL, SERIES 2 (CLASS E)	2021	SAE	0
3081	AS34461A	(R) CONNECTOR, PLUG, ELECTRIC, CRIMP TYPE, RACK AND PANEL, SERIES 3 (CLASS L AND E)	2021	SAE	0

3082	AS34661B	CONNECTOR, RECEPTACLE, ELECTRIC, HERMETIC, SOLDER TYPE, BOX MOUNTING, PUSH-PULL COUPLING, SERIES 3 (CLASS H)	2021	SAE	0
3083	AS39029-18C	CONTACTS, ELECTRICAL CONNECTOR, PIN CRIMP REMOVABLE (FOR AS81511 SERIES 3 AND 4 CONNECTORS)	2021	SAE	0
3084	AS39029-29C	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR AS50151 SERIES, AS345XX AND MIL-DTL-83723 SERIES 2 CONNECTORS)	2021	SAE	0
3085	AS39029-34C	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR MIL-DTL-28748/3 AND MIL-DTL-28748/13 CONNECTORS)	2021	SAE	0
3086	AS39029-35C	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-DTL-28748/3 AND MIL-DTL-28748/13 CONNECTORS)	2021	SAE	0
3087	AS39029-57C	CONTACTS, ELECTRICAL CONNECTORS, SOCKET CRIMP REMOVABLE (FOR MIL-DTL-24308, MIL-DTL-38999 SERIES II, MIL-DTL-55302/68, /71, /72, /75 AND MIL-DTL-83733 CONNECTORS)	2021	SAE	0
3088	AS39029-59C	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, SIZE 8 (FOR MIL-DTL-38999 SERIES I, III, AND IV CONNECTORS)	2021	SAE	0
3089	AS39029-73C	CONTACTS, ELECTRICAL CONNECTORS, SOCKET, SOLDER, REMOVABLE, SHIELDED, SIZE 12 (FOR MIL-DTL-83723 SERIES III CONNECTORS)	2021	SAE	0
3090	AS39029-83B	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR MIL-DTL-28840 CONNECTORS)	2021	SAE	0
3091	AS39029-84B	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-DTL-28840 CONNECTORS)	2021	SAE	0
3092	AS39029-85B	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, THERMOCOUPLE (FOR AS50151 AS34501 SERIES AND MIL-DTL-83723 SERIES II CONNECTORS)	2021	SAE	0
3093	AS39029-86B	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, THERMOCOUPLE (FOR AS50151 AS34501 SERIES AND MIL-DTL-83723 SERIES II CONNECTORS)	2021	SAE	0
3094	AS39029-107C	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR MIL-DTL-38999 SERIES I, III, IV, MIL-DTL-55302, AND AS29600 SERIES A CONNECTORS)	2021	SAE	0
3095	AS39029-113C	CONTACT, ELECTRICAL CONNECTOR, CONCENTRIC TWINAX, PIN, SIZE 8 (FOR MIL-DTL-38999 SERIES I, III, AND IV CONNECTORS)	2021	SAE	0
3096	AS39029-114C	CONTACT, ELECTRICAL CONNECTOR, CONCENTRIC TWINAX, SOCKET, SIZE 8, MIL-DTL-38999 SERIES I, III, AND IV	2021	SAE	0
3097	AS39029-118	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, ENGINE APPLICATION (FOR MIL-DTL-38999 SERIES I, III, AND IV CONNECTORS)	2021	SAE	0
3098	AS44750-9	NULL	2021	SAE	0
3099	AS44750AR-9	AMENDMENT RECORD No . AS44750Ī -AR for Aerospace Standard No . AS44750-753 Ī	2021	SAE	0
3100	AS81044-5B	WIRE, ELECTRIC, CROSSLINKED POLYLALKENE INSULATED, SILVER-COATED COPPER, NORMAL WEIGHT, 600-VOLT, 150 ??C (Stabilized: Jul 2021)	2021	SAE	0
3101	AS81044-7A	WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, SILVER-COATED HIGH STRENGTH COPPER ALLOY, NORMAL WEIGHT, 600-VOLT, 150 ??C	2021	SAE	0
3102	AS81511A	Connectors, Electrical, Circular, High Density, Quick Disconnect, Environment Resisting and Accessories, General Specification For	2021	SAE	0
3103	AS81550B	Insulating Compound, Electrical, Embedding, Reversion Resistant Silicone	2021	SAE	0
3104	AS81659-61B	CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, CRIMP CONTACTS (SINGLE INSERT, TYPE III, CLASS 1 (???65 TO +125 ??C), SERIES 2, SHELL DESIGNATOR A)	2021	SAE	0
3105	AS81714-1C	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, BUSSING MODULES, FEEDBACK TYPE, SIZE 22, SERIES I	2021	SAE	0
3106	AS81714-6B	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, BUSSING MODULES, FEED THRU TYPE, SIZE 22, SERIES I	2021	SAE	0
3107	AS81714-11B	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, WIRE IN-LINE JUNCTIONS, SINGLE, SERIES I	2021	SAE	0

3108	AS81714-12C	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, WIRE IN-LINE JUNCTIONS, DOUBLE, SERIES I	2021	SAE	0
3109	AS81714-21B	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, ELECTRONIC IN-LINE JUNCTIONS, DIODE, SERIES I	2021	SAE	0
3110	AS81714-27B	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, GROUNDING MODULES, STUD TYPE MOUNTING, SERIES I	2021	SAE	0
3111	AS81714-28B	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, GROUNDING MODULES, INTEGRAL, BRACKET MOUNTING, SERIES I	2021	SAE	0
3112	AS81714-60D	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, BUSSING MODULES, FEEDBACK TYPE, SIZES 22-12, SERIES II	2021	SAE	0
3113	AS81714-61B	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, BUSSING MODULES, FEEDBACK TYPE, SIZE 22-12, SERIES II	2021	SAE	0
3114	AS81914-4C	TUBING, PLASTIC, EXTRA FLEXIBLE, CONVOLUTED, HELICAL, FLUORINATED ETHYLENE PROPYLENE (FEP), CLOSE CONVOLUTION	2021	SAE	0
3115	AS81914-5C	TUBING, PLASTIC, EXTRA FLEXIBLE, CONVOLUTED, HELICAL, ETHYLENE TETRAFLUOROETHYLENE (ETFE), CLOSE CONVOLUTION	2021	SAE	0
3116	AS81914-6C	TUBING, PLASTIC, FLEXIBLE, CONVOLUTED, HELICAL ETHYLENE TETRAFLUOROETHYLENE (ETFE), STANDARD CONVOLUTION	2021	SAE	0
3117	AS81914-7A	TUBING, PLASTIC, FLEXIBLE, CONVOLUTED WITH INTEGRAL BRAID(S)	2021	SAE	0
3118	AS81914-9B	TUBING, PLASTIC, FLEXIBLE, CONVOLUTED, HELICAL PERFLUOROALKOXY (PFA), STANDARD CONVOLUTION	2021	SAE	0
3119	AS81914-11B	TUBING, PLASTIC, LIGHTWEIGHT, ZERO HALOGEN, EXTRA FLEXIBLE, CONVOLUTED, HELICAL, CLOSE CONVOLUTION, POLYETHERETHERKEYTONE (PEEK)	2021	SAE	0
3120	AS81969-4A	REMOVAL TOOLS, CONNECTOR, ELECTRICAL CONTACT, (FORK TYPE, WRAP POST/CRIMP REMOVABLE) TYPE II, CLASS 1, COMPOSITION C (Stabilized: Jan 2021)	2021	SAE	0
3121	AS81969-5A	INSTALLING TOOLS, CONNECTOR, ELECTRICAL CONTACT, (FORK TYPE, CRIMP REMOVABLE) TYPE I, CLASS 1, COMPOSITION A (Stabilized: Jan 2021)	2021	SAE	0
3122	AS81969-8A	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE I & II, CLASS 2, COMPOSITION A	2021	SAE	0
3123	AS81969-10A	INSTALLING AND REMOVAL TOOLS, CONNECTOR, ELECTRICAL CONTACT, TYPE I AND II, CLASS 2, COMPOSITION B (Stabilized: Jan 2021)	2021	SAE	0
3124	AS81969-11A	REMOVAL TOOLS, CONNECTOR, ELECTRICAL CONTACT, (FORK TYPE, WRAPPOST/CRIMP REMOVABLE) TYPE II, CLASS 1, COMPOSITION C (Stabilized: Jan 2021)	2021	SAE	0
3125	AS81969-13A	INSTALLING TOOLS, CONNECTOR, ELECTRICAL CONTACT, (TYPE CR) TYPE I, CLASS 1, COMPOSITION A (Stabilized: Jan 2021)	2021	SAE	0
3126	AS81969-14A	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE III, CLASS 2, COMPOSITION B	2021	SAE	0
3127	AS81969-25A	INSTALLING AND REMOVAL TOOLS, CONNECTOR, ELECTRICAL CONTACT, TYPE III, CLASS 2, COMPOSITION C (Stabilized: Jan 2021)	2021	SAE	0
3128	AS81969-29A	REMOVAL TOOLS, CONNECTOR, ELECTRICAL CONTACT, TYPE II, CLASS 1, COMPOSITION B (Stabilized: Mar 2021)	2021	SAE	0
3129	AS81969-43B	REMOVAL TOOLS, SOCKET HEAD, ELECTRONIC COMPONENTS, TYPE II, CLASS 1, COMPOSITION C (Stabilized: Jul 2021)	2021	SAE	0
3130	AS83461-2D	STRAIGHT THREAD TUBE FITTING BOSS O-RING MOLDED FROM AMS-P-83461 ACRLONITRILE BUTADIENE (NBR) RUBBER	2021	SAE	0
3131	AS85049-6C	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, CABLE SEALING, 45??, SHIELD TERMINATION, CATEGORY 1A (FOR AS50151 CRIMP, AS95234, MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, AND MIL-DTL-83723 SERIES III CONNECTORS)	2021	SAE	0

3132	AS85049-7C	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, CABLE SEALING, 45??, CATEGORY 1A (FOR AS50151 CRIMP, AS95234, MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, AND MIL-DTL-83723 SERIES III CONNECTORS)	2021	SAE	0
3133	AS85049-10C	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, CABLE SEALING, STRAIGHT, SHIELD TERMINATION, CATEGORY 1A (FOR AS50151 CRIMP, AS95234, MIL-DTL-26482 SERIES 2, AS81703 SERIES 3 AND MIL-DTL-83723 SERIES III CONNECTORS	2021	SAE	0
3134	AS85049-17C	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, STRAIGHT, SHIELD TERMINATION, CATEGORY 2B (FOR MIL-DTL-38999 SERIES I AND II CONNECTORS)	2021	SAE	0
3135	AS85049-19C	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, RFI/EMI, CATEGORY 3B (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2021	SAE	0
3136	AS85049-20C	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, STRAIGHT, RFI/EMI CATEGORY 3B (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2021	SAE	0
3137	AS85049-23B	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, 45??, SHIELD TERMINATION, CATEGORY 3A (FOR AS50151 CRIMP, AS95234, MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, AND MIL-DTL-83723 SERIES III CONNECTORS)	2021	SAE	0
3138	AS85049-25B	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, SHIELD TERMINATION, CATEGORY 3A (FOR AS50151 CRIMP, MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, AND MIL-DTL-83723 SERIES III CONNECTORS)	2021	SAE	0
3139	AS85049-26C	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NON-ENVIRONMENTAL, STRAIGHT, SHIELD TERMINATION, CATEGORY 3B (FOR AS50151 CRIMP, AS95234, MIL-DTL-26482 SERIES 2, AS81703 SERIES 3 AND MIL-DTL-83723 SERIES III CONNECTORS)	2021	SAE	0
3140	AS85049-29C	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, CATEGORY 3B (FOR MIL-DTL-38999 SERIES I AND II CONNECTORS)	2021	SAE	0
3141	AS85049-30B	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, INDIVIDUAL SHIELDED WIRE TERMINATION, CATEGORY 3B (FOR MIL-DTL-38999 SERIES I AND II CONNECTORS)	2021	SAE	0
3142	AS85049-36C	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, SHIELD TERMINATION, CATEGORY 3B (FOR MIL-DTL-27599 SERIES I AND MIL-DTL-38999 SERIES I AND II CONNECTORS)	2021	SAE	0
3143	AS85049-42C	CONNECTOR ACCESSORIES, ELECTRICAL, NONENVIRONMENTAL, STRAIN RELIEF, STRAIGHT, CATEGORY 4A (FOR AS50151 SOLDER TYPE, V THREAD OF MS310X CLASSES A, B, C, OR K CONNECTORS)	2021	SAE	0
3144	AS85049-45C	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF STRAIGHT, NONMETALLIC, CATEGORY 4C (FOR MIL-DTL-27599 SERIES I AND MIL-DTL-38999 SERIES I AND II CONNECTORS)	2021	SAE	0
3145	AS85049-46C	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90??, NONMETALLIC, CATEGORY 4C (FOR MIL-DTL-27599 SERIES I AND MIL-DTL-38999 SERIES I AND II CONNECTORS)	2021	SAE	0
3146	AS85049-49D	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, STRAIGHT, SELF-LOCKING AND NON-SELF-LOCKING, CATEGORY 4C (MIL-DTL-38999 SERIES I AND II CONNECTORS)	2021	SAE	0
3147	AS85049-53D	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, NONENVIRONMENTAL, STRAIGHT, CATEGORY 4C (FOR AS50151 CRIMP, AS95234, MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, AND MIL-DTL-83723 SERIES III CONNECTORS)	2021	SAE	0
3148	AS85049-54C	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, NONENVIRONMENTAL, 45??, CATEGORY 4C (FOR AS50151 CRIMP, AS95234, MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, AND MIL-DTL-83723 SERIES III CONNECTORS)	2021	SAE	0
3149	AS85049-55D	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, NON-ENVIRONMENTAL, 90??, SELF-LOCKING AND NON-SELF-LOCKING, CATEGORY 4C (FOR AS50151 CRIMP, AS95234, MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, AND MIL-DTL-83723 SERIES III CONNECTORS)	2021	SAE	0
3150	AS85049-58C	CONNECTOR ACCESSORIES, ELECTRICAL, RING, POTTING BOOT, CATEGORY 5 (MIL-DTL-38999 SERIES I AND II CONNECTORS)	2021	SAE	0
3151	AS85049-61C	CONNECTOR ACCESSORIES, ELECTRICAL, RING, POTTING BOOT, CATEGORY 5 (MIL-DTL-27599 CONNECTORS)	2021	SAE	0

3152	AS85049-76C	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, 90??, SHIELD TERMINATION, CATEGORY 2B, NONSELF-LOCKING (MIL-DTL-38999 SERIES I AND II CONNECTORS)	2021	SAE	0
3153	AS85049-77C	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, 45??, SHIELD TERMINATION, CATEGORY 2B, NONSELF-LOCKING (MIL-DTL-38999 SERIES I AND II CONNECTORS)	2021	SAE	0
3154	AS85049-78C	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, 45??, SHIELD TERMINATION, CATEGORY 2B, NONSELF-LOCKING (MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2021	SAE	0
3155	AS85049-79C	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, 90??, SHIELD TERMINATION, CATEGORY 2B, NONSELF-LOCKING (MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2021	SAE	0
3156	AS85049-84D	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, 90??, SELF-LOCKING, SHIELD BAND TERMINATION (RFI/EMI), SHRINK SLEEVE ACCOMMODATION, CATEGORY 3B (FOR AS50151 CRIMP, AS95234, MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, AND MIL-DTL-83723 SERIES III CONNECTORS)	2021	SAE	0
3157	AS85049-94C	CONNECTOR ACCESSORIES, ELECTRICAL, MOUNTING DEVICE, FLANGE TYPE, CATEGORY 7, FULL PERIMETER	2021	SAE	0
3158	AS85049-95C	CONNECTOR ACCESSORIES, ELECTRICAL, MOUNTING DEVICE, FLANGE TYPE, CATEGORY 7, 3/4 PERIMETER	2021	SAE	0
3159	AS85049-96C	CONNECTOR ACCESSORIES, ELECTRICAL, MOUNTING DEVICE, FLANGE TYPE, CATEGORY 7, 1/4 PERIMETER	2021	SAE	0
3160	AS85049-104C	CONNECTORS, ACCESSORIES, COMPOSITE, RFI/EMI, ELECTRICAL, STRAIN RELIEF, 45??, SELF-LOCKING, CATEGORY 3C (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2021	SAE	0
3161	AS85049-105C	CONNECTORS, ACCESSORIES, COMPOSITE, RFI/EMI, ELECTRICAL, STRAIN RELIEF, 90??, SELF-LOCKING, CATEGORY 3C (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2021	SAE	0
3162	AS85049-109D	CONNECTOR ACCESSORIES, ELECTRICAL BACKSHELL, STRAIGHT, NON-SELF LOCKING AND SELF LOCKING, PRE-ATTACHED SHIELD TERMINATION (RFI/EMI), BOOT ACCOMMODATION, CATEGORY 3B (FOR MIL-DTL-83723 SERIES III, AS50151 CRIMP, AS95234, AS81703 SERIES III, AND MIL-DTL-264	2021	SAE	0
3163	AS85049-111D	CONNECTOR ACCESSORIES, ELECTRICAL BACKSHELL, 90 DEGREE, SELF LOCKING AND NON-SELF LOCKING, PRE-ATTACHED SHIELD TERMINATION (RFI/EMI), BOOT ACCOMMODATION, CATEGORY 3B (FOR MIL-DTL-83723 SERIES III, AS50151 CRIMP, AS95234, AS81703 SERIES III, AND MIL-DTL-26	2021	SAE	0
3164	AS85049-112D	CONNECTOR ACCESSORIES, ELECTRICAL BACKSHELL, STRAIGHT, SELF LOCKING AND NON-SELF LOCKING, PRE-ATTACHED SHIELD TERMINATION (RFI/EMI), BOOT ACCOMMODATION, CATEGORY 3B (FOR MIL-DTL-38999 SERIES I AND II CONNECTORS)	2021	SAE	0
3165	AS85049-114D	CONNECTOR ACCESSORIES, ELECTRICAL BACKSHELL, 90 DEGREE, SELF-LOCKING AND NON-SELF LOCKING, PRE-ATTACHED SHIELD TERMINATION (RFI/EMI), BOOT ACCOMMODATION, CATEGORY 3B (FOR MIL-DTL-38999 SERIES I AND II CONNECTORS)	2021	SAE	0
3166	AS85049-115D	CONNECTOR ACCESSORIES, ELECTRICAL BACKSHELL, STRAIGHT, SELF LOCKING AND NON-SELF LOCKING, PRE-ATTACHED SHIELD TERMINATION (RFI/EMI), BOOT ACCOMMODATION, CATEGORY 3B (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2021	SAE	0
3167	AS85049-117D	CONNECTOR ACCESSORIES, ELECTRICAL BACKSHELL, 90 DEGREE, SELF LOCKING AND NON-SELF LOCKING, PRE-ATTACHED SHIELD TERMINATION (RFI/EMI), BOOT ACCOMODATION, CATEGORY 3B FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS	2021	SAE	0
3168	AS85049-118D	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, STRAIGHT SELF-LOCKING, NON-SELF-LOCKING, CATEGORY 4B (FOR AS50151 CRIMP, AS95234, MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, AND MIL-DTL-83723 SERIES III CONNECTORS)	2021	SAE	0
3169	AS85049-127B	CONNECTOR ACCESSORIES, ELECTRICAL, BUSHING STRIP CATEGORY 7 (FOR USE WITH AS85049/118, /120, /121, /123, /124, /126)	2021	SAE	0
3170	AS85049-130C	CONNECTOR ACCESSORIES, ELECTRICAL GASKETING MATERIAL, CONDUCTIVE/NON-CONDUCTIVE, FLANGE MOUNT, CATEGORY 7	2021	SAE	0
3171	AS85049-131	CONNECTOR ACCESSORIES, FIBER OPTIC BACKSHELL, STRAIGHT, SELF-LOCKING CATEGORY 3B FOR MIL-DTL-38999 SERIES III & SAE AS5590/1 CONNECTORS	2021	SAE	0
3172	AS85049-132	CONNECTOR ACCESSORIES, FIBER OPTIC BACKSHELL, 45??, SELF-LOCKING CATEGORY 3B FOR MIL-DTL-38999 SERIES III & SAE AS5590/1 CONNECTORS	2021	SAE	0

3173	AS85049-133	CONNECTOR ACCESSORIES, FIBER OPTIC BACKSHELL, 90??, SELF-LOCKING CATEGORY 3B FOR MIL-DTL-38999 SERIES III & SAE AS5590/1 CONNECTORS	2021	SAE	0
3174	AS85049-134A	CONNECTOR ACCESSORIES, FIBER OPTIC BACKSHELLS, SEALING PLUG, CATEGORY 7	2021	SAE	0
3175	AS85049C	(R) Connector Accessories, Electrical General Specification For	2021	SAE	0
3176	AS85049F	Connector Accessories, Electrical General Specification for	2021	SAE	0
3177	AS85421C	Fittings, Tube, Fluid Systems, Separable, Beam Seal, 3000/4000 psi, General Specification for	2021	SAE	0
3178	AS85485-5B	CABLE, ELECTRIC, FILTER LINE, COMPONENT WIRE, TIN-COATED COPPER CONDUCTOR, RADIO FREQUENCY ABSORPTIVE, 150 ??C, 600-VOLT (Stabilized: Mar 2021)	2021	SAE	0
3179	AS85485-6B	CABLE, ELECTRIC, FILTER LINE, COMPONENT WIRE, SILVER-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, RADIO FREQUENCY ABSORPTIVE, 150 ??C, 600-VOLT (Stabilized: Mar 2021)	2021	SAE	0
3180	AS85485-7B	CABLE, ELECTRIC, FILTER LINE, UNSHIELDED, UNJACKETED, MULTIPLE-COMPONENT, RADIO FREQUENCY ABSORPTIVE, 150 ??C, 600-VOLT (Stabilized: Jul 2021)	2021	SAE	0
3181	AS85485-8B	CABLE, ELECTRIC, FILTER LINE, SHIELDED, JACKETED, RADIO FREQUENCY ABSORPTIVE, 150 ??C, 600-VOLT (Stabilized: Jun 2021)	2021	SAE	0
3182	AS85485-9B	CABLE, ELECTRIC, FILTER LINE, SMALL DIAMETER COMPONENT WIRE, TIN-COATED COPPER CONDUCTOR, RADIO FREQUENCY, ABSORPTIVE, 150 ??C, 600-VOLT (Stabilized: Jul 2021)	2021	SAE	0
3183	AS85485-10B	CABLE, ELECTRIC, FILTER LINE, SMALL DIAMETER, COMPONENT WIRE, SILVER-COATED HIGH-STENGTH COPPER ALLOY CONDUCTOR, RADIO FREQUENCY ABSORPTIVE, 150 ??C, 600-VOLT (Stabilized: Jun 2021)	2021	SAE	0
3184	AS85485-11B	CABLE, ELECTRIC, FILTER LINE, SMALL DIAMETER, UNSHIELDED, UNJACKETED, MULTIPLE-COMPONENT, RADIO FREQUENCY ABSORPTIVE, 150 ??C, 600-VOLT (Stabilized: Jul 2021)	2021	SAE	0
3185	AS85485-12B	CABLE, ELECTRIC, FILTER LINE, SMALL DIAMETER WIRE, SHIELDED, JACKETED, RADIO FREQUENCY ABSORPTIVE, 150 ??C, 600-VOLT (Stabilized: Jun 2021)	2021	SAE	0
3186	AS85485D	Cable, Electric, Filter Line, Radio Frequency Absorptive (Stabilized: Jun 2021)	2021	SAE	0
3187	AS85598	Bearings, Elastomeric General Specification for	2021	SAE	0
3188	AS90328A	(R) CABLE ASSEMBLY EXTERNAL ELECTRIC POWER, AIRCRAFT 115/200 VOLT, 400 HERTZ	2021	SAE	0
3189	AS90362A	CONNECTOR, RECEPTACLE, EXTERNAL ELECTRIC POWER, AIRCRAFT, 115/200 VOLT, 400 HERTZ	2021	SAE	0
3190	AS90387D	(R) WIRING INSTALLATION TOOLS FOR PLASTIC AND METAL TIEDOWN STRAPS	2021	SAE	0
3191	EIA-632A	Processes for Engineering a System	2021	SAE	0
3192	EIA-731-1A	Systems Engineering Capability Model	2021	SAE	0
3193	EIA-731-2A	Systems Engineering Capability Model Appraisal Method	2021	SAE	0
3194	HEB1D	Human Engineering - Principles and Practices (Stabilized: Apr 2021)	2021	SAE	0
3195	J44	(R) Service Brake System Performance Requirements - Snowmobiles	2021	SAE	0
3196	J45	Brake System Test Procedureâ Snowmobiles	2021	SAE	0
3197	J78	Steel Self-Drilling Tapping Screws	2021	SAE	0
3198	J175	Wheels - Impact Test Procedures - Road Vehicles	2021	SAE	0
3199	J192	Maximum Exterior Sound Level for Snowmobiles	2021	SAE	0
3200	J243	Methods of Tests for Automotive-Type Sealers, Adhesives, and Deadeners	2021	SAE	0
3201	J267	Wheels/Rims - Trucks - Test Procedures and Performance Requirements - January 1991	2021	SAE	0
3202	J278	Snowmobile Stop Lamp	2021	SAE	0
3203	J279	Snowmobile Tail Lamp (Rear Position Lamp)	2021	SAE	0
3204	J280	Snowmobile Headlamps	2021	SAE	0
3205	J288	Snowmobile Fuel Tanks	2021	SAE	0
3206	J292	Snowmobile and Snowmobile Cutter Lamps, Reflective Devices, and Associated Equipment	2021	SAE	0

3207	J300	Engine Oil Viscosity Classification	2021	SAE	0
3208	J318	Automotive Air Brake Line Couplers (Gladhands)	2021	SAE	0
3209	J328	WheelsPassenger Car and Light Truck Performance Requirements and Test Procedures	2021	SAE	0
3210	J409	Product Analysis - Permissible Variations from Specified Chemical Analysis of a Heat or Cast of Steel	2021	SAE	0
3211	J575	Test Methods and Equipment for Lighting Devices for Use on Vehicles Less than 2032 mm in Overall Width	2021	SAE	0
3212	J588	Turn Signal Lamps for Use on Motor Vehicles Less than 2032 mm in Overall Width	2021	SAE	0
3213	J673	Automotive Safety Glazing Materials	2021	SAE	0
3214	J694	(R) Disc Wheel and Hub or Drum Interface Dimensions - Truck and Bus	2021	SAE	0
3215	J826	Devices for Use in Defining and Measuring Vehicle Seating Accommodation	2021	SAE	0
3216	J876	(R) Wide Base Disc Wheels and Demountable Rims	2021	SAE	0
3217	J899	Operator¡ s Seat Dimensions for Off-Road Self-Propelled Work Machines, Standard	2021	SAE	0
3218	J968-1	Diesel Injection Pump Testing - Part 1: Calibrating Nozzle and Holder Assemblies	2021	SAE	0
3219	J968-2	Diesel Injection Pump Testing - Part 2: Orifice Plate Flow Measurement	2021	SAE	0
3220	J1075	Sound Measurement - Construction Site	2021	SAE	0
3221	J1095	Fatigue Test Procedures: Hubs and Wheels for Demountable Rims	2021	SAE	0
3222	J1096	Measurement of Exterior Sound Levels for Heavy Trucks Under Stationary Conditions	2021	SAE	0
3223	J1131	Performance Requirements for SAE J844 Nonmetallic Tubing and Fitting Assemblies Used in Automotive Air Brake Systems	2021	SAE	0
3224	J1161	Operational Sound Level Measurement Procedure for Snow Vehicles	2021	SAE	0
3225	J1166	(R) Sound Measurement-Off-Road Self-Propelled Work Machines Operator-Work Cycle	2021	SAE	0
3226	J1168	Motorcycle Bank Angle Measurement Procedure	2021	SAE	0
3227	J1231	(R) Formed Tube Ends for Hose Connections and Hose Fittings	2021	SAE	0
3228	J1272	Felling Head Terminology and Nomenclature (Stabilized Type)	2021	SAE	0
3229	J1282	Snowmobile Brake Control Systems	2021	SAE	0
3230	J1332	Rope Drum Rotation Indicating Device	2021	SAE	0
3231	J1462	External Automatic Brake Adjuster Test Procedure - Truck and Bus	2021	SAE	0
3232	J1523	(R) Metal to Metal Overlap Shear Strength Test for Automotive Type Adhesives	2021	SAE	0
3233	J1524	(R) Method of Viscosity Test for Automotive Type Adhesives, Sealers, and Deadeners, Recommended Practice	2021	SAE	0
3234	J1525	(R) Lap Shear Test for Automotive-Type Adhesives for Fiber Reinforced Plastic (FRP) Bonding	2021	SAE	0
3235	J1529	Overlap Shear Test for Automotive Type Sealant for Stationary Glass Bonding, Recommended Practice	2021	SAE	0
3236	J1532	(R) Transmission Oil Cooler Hose	2021	SAE	0
3237	J1535	(R) Performance Test for Windshield Defrosting Systems for Off-Road, Self-Propelled Work Machines	2021	SAE	0
3238	J1537	Validation Testing of Electric Fuel Pumps for Gasoline Fuel Injection Systems (Stabilized Type)	2021	SAE	0
3239	J1549	Diesel Fuel Injection Pump - Validation of Calibrating Nozzle Holder Assemblies	2021	SAE	0
3240	J1553	(R) Cross Peel Test for Automotive-Type Adhesives for Fiber- Reinforced Plastic (FRP) Bonding, Recommended Practice	2021	SAE	0
3241	J1615	Thread Sealants	2021	SAE	0
3242	J1623	(R) Off-Highway Vehicle Headlamps	2021	SAE	0
3243	J1634	Battery Electric Vehicle Energy Consumption and Range Test Procedure	2021	SAE	0
3244	J1654	Unshielded High Voltage Primary Cable	2021	SAE	0
3245	J1668	Diesel Engines - Fuel Injection Pump Testing	2021	SAE	0
3246	J1679	Peel Strength of Soft Trim Adhesives, Recommended Practice	2021	SAE	0

3247	J1698-1A	J1698-1A Pedestrian Protection EDR Output Data Definition Appendix to SAE J1698-1 Event Data Recorder â__ Output Data Definition	2021	SAE	0
3248	J1699-1	SAE J1850 Verification Test Procedures	2021	SAE	0
3249	J1699-3	(R) Vehicle OBD II Compliance Test Cases	2021	SAE	0
3250	J1700	Softening Point of Interior Trim Adhesives, Recommended Practice	2021	SAE	0
3251	J1705	Low Water Tolerant Brake Fluids	2021	SAE	0
3252	J1707	Service Maintenance of SAE J1703 and J1704 Brake Fluids in Motor Vehicle Brake Systems	2021	SAE	0
3253	J1715	(R) Hybrid Electric Vehicle (HEV) and Electric Vehicle (EV) Terminology	2021	SAE	0
3254	J1739	(R) Potential Failure Mode and Effects Analysis in Design (Design FMEA), Potential Failure Mode and Effects Analysis in Manufacturing and Assembly Processes (Process FMEA)	2021	SAE	0
3255	J1757-3	NULL	2021	SAE	0
3256	J1789	Self-Propelled Sweepers and Scrubbers Braking Performance	2021	SAE	0
3257	J1836	Overlap Shear Test for Sealant Adhesive Bonding of Automotive Glass Encapsulating Material to Body Opening, Recommended Practice	2021	SAE	0
3258	J1847	Abrasion Resistance Testing - Vehicle Exterior Graphics and Pin Striping, Recommended Practice	2021	SAE	0
3259	J1851	Induction Cure Test for Metal Bonding Adhesives, Recommended Practice	2021	SAE	0
3260	J1863	Coach Joint Fracture Test, Recommended Practice	2021	SAE	0
3261	J1864	Method for Evaluating Material Separation in Automotive Sealers under Pressure in Static Conditions, Recommended Practice	2021	SAE	0
3262	J1907	Peel Adhesion Test for Glass to Elastomeric Material for Automotive Glass Encapsulation, Recommended Practice	2021	SAE	0
3263	J1918	(R) Method for the Determination of Expansion and Water Absorption of Automotive Sealers	2021	SAE	0
3264	J1939-03	On Board Diagnostics Implementation Guide	2021	SAE	0
3265	J1939-22	CAN FD Data Link Layer	2021	SAE	0
3266	J1939-75	Application Layer - Generator Sets and Industrial	2021	SAE	0
3267	J1948	Cab Sleeper Occupant Restraint System Test	2021	SAE	0
3268	J1961	Accelerated Exposure of Automotive Exterior Materials Using a Solar Fresnel Reflector Apparatus	2021	SAE	0
3269	J1967	(R) Retroreflective Materials for Vehicle Conspicuity	2021	SAE	0
3270	J1969	Electrocoat Compatibilities of Automotive Sealers, Recommended Practice	2021	SAE	0
3271	J1979-2	E/E Diagnostic Test Modes: OBDonUDS	2021	SAE	0
3272	J2025	Method for Evaluating the Flow Properties of Pumpable Sealers, Recommended Practice	2021	SAE	0
3273	J2064	Coupled Automotive Refrigerant Air-Conditioning Hose Assemblies	2021	SAE	0
3274	J2087	Daytime Running Light	2021	SAE	0
3275	J2092	Testing of Wheelchair Lifts for Entry to or Exit from a Personally Licensed Vehicle	2021	SAE	0
3276	J2093	Design Considerations for Wheelchair Lifts for Entry to or Exit from a Personally Licensed Vehicle	2021	SAE	0
3277	J2100	Accelerated Environmental Testing for Bonded Automotive Assemblies, Recommended Practice	2021	SAE	0
3278	J2130-1	Identification of Self-Propelled Sweepers and Cleaning Equipment Part 1 - Machines with a Gross Vehicle Mass Greater than 5000 kg	2021	SAE	0
3279	J2130-2	Identification of Self-Propelled Sweepers and Cleaning Equipment Part 2â__Machines with a Gross Vehicle Mass Up to 5000 kg	2021	SAE	0
3280	J2175	Specifications for Low Carbon Cast Steel Shot	2021	SAE	0
3281	J2192	Recommended Testing Methods for Physical Protection of Wiring Harnesses	2021	SAE	0
3282	J2215	Surface Match Verification Method for Pressure Sensitive Adhesively Attached Components	2021	SAE	0
3283	J2289	Electric-Drive Battery Pack System: Functional Guidelines	2021	SAE	0

3284	J2301	Universal Joint End Yoke Connection (Earwork)	2021	SAE	0
3285	J2312	(R) Automatic Transmission Intake Filter Test Procedure	2021	SAE	0
3286	J2315	Wheel Nut Seat Strength	2021	SAE	0
3287	J2317	Tamper Resistance for Adjustable Parameters on Diesel Fuel Injection Pumps	2021	SAE	0
3288	J2360	(R) Automotive Gear Lubricants for Commercial and Military Use	2021	SAE	0
3289	J2370	Geometric Dimensions and Tolerancing for Curved Hose	2021	SAE	0
3290	J2387	Dimensions and Tolerances for Coolant System Hoses	2021	SAE	0
3291	J2426	(R) Occupant Restraint System Evaluation - Lateral Rollover System-Level Heavy Trucks	2021	SAE	0
3292	J2542	Self-Propelled Sweepers and Scrubbers Fuel Consumption of Non-Propulsion Auxiliary Engines	2021	SAE	0
3293	J2545	Test Procedures for Non-SAE Hydraulic Hoses	2021	SAE	0
3294	J2554	Engine Intake Air Water Separation Test Procedure	2021	SAE	0
3295	J2562	Biaxial Wheel Fatigue Test	2021	SAE	0
3296	J2567	Measurement of Exhaust Sound Levels of Stationary Snowmobiles2	2021	SAE	0
3297	J2610	Serial Data Communication Interface	2021	SAE	0
3298	J2641	Stationary Sound Testing of Snowmobiles, Procedure and Enforcement Issues	2021	SAE	0
3299	J2650	Performance Requirements for Light Emitting Diode (LED) Road Illumination Devices	2021	SAE	0
3300	J2673	Straight-Line Braking Test for Truck and Bus Tires	2021	SAE	0
3301	J2707	Wear Test Procedure on Inertia Dynamometer for Brake Friction Materials (Stabilized Type)	2021	SAE	0
3302	J2730	Dynamic Cleat Test with Perpendicular and Inclined Cleats	2021	SAE	0
3303	J2752	Personnel Protection - Compact Tool Carriers	2021	SAE	0
3304	J2784	FMVSS Inertia Dynamometer Test Procedure for Vehicles Below 4540 kg GVWR	2021	SAE	0
3305	J2836-4	Use Cases for Diagnostic Communication for Plug-in Electric Vehicles	2021	SAE	0
3306	J2836-6	NULL	2021	SAE	0
3307	J2847-3	(R) Communication for Plug-in Vehicles as a Distributed Energy Source	2021	SAE	0
3308	J2953-4	Plug-in Electrical Vehicle Charge Rate Reporting and Test Procedures	2021	SAE	0
3309	J3002	Disc and Drum Brake Dynamometer Low-Frequency Noise Test Procedure	2021	SAE	0
3310	J3011	Measurement and Characterization of Electronically Controlled All-Wheel Drive/Driveline Coupling Systems	2021	SAE	0
3311	J3016	(R) Taxonomy and Definitions for Terms Related to Driving Automation Systems for On-Road Motor Vehicles	2021	SAE	0
3312	J3021	Recommended Practice for Determining Material Properties of Li-Battery Cathode Active Materials	2021	SAE	0
3313	J3042	Measuring Properties of Li-Battery Electrolyte	2021	SAE	0
3314	J3062	Automotive Refrigerant Air-Conditioning Hose Requirements	2021	SAE	0
3315	J3063	Active Safety Systems Terms & Definitions	2021	SAE	0
3316	J3069	Adaptive Driving Beam	2021	SAE	0
3317	J3072	Interconnection Requirements for Onboard, Utility-Interactive Inverter Systems	2021	SAE	0
3318	J3078-2	NULL	2021	SAE	0
3319	J3078-5	Performance Test for Windshield Defrosting Systems for Off-Road, Self-Propelled Work Machines	2021	SAE	0
3320	J3079-1	Validation of Compressibility Test Systems for Friction Materials	2021	SAE	0
3321	J3096	Cooling System Non-Metallic Caps and Filler Necks - Threaded Construction	2021	SAE	0
3322	J3113	Principles and Process for Developing Icons for Electronic Displays	2021	SAE	0
3323	J3176	NULL	2021	SAE	0
3324	J3193	Fuel Cell Vehicle Thermal Management	2021	SAE	0

3325	J3197	Automated Driving System Data Logger	2021	SAE	0
3326	J3206	Taxonomy and Definition of Safety Principles for Automated Driving System (ADS)	2021	SAE	0
3327	J3214	NULL	2021	SAE	0
3328	J3216	Taxonomy and Definitions for Terms Related to Cooperative Driving Automation for On-Road Motor Vehicles	2021	SAE	0
3329	J3227	Terminology and Measurement Methodology for Determining Vehicle Overlap in Offset-Frontal Crashes	2021	SAE	0
3330	J3230-1	Kinematic Performance Metrics for Powered Standing Scooters	2021	SAE	0
3331	J4000	Identification and Measurement of Best Practice in Implementation of Lean Operation	2021	SAE	0
3332	JA3163	NULL	2021	SAE	0
3333	MA2005C	Tube Fittings, Aerospace Fluid Systems, Separable, for 24 Degree Cone, General Specification, Metric (ISO 7169)	2021	SAE	0
3334	MA3338A	BOLT, MACHINE-HEX HEAD, PD SHANK, LONG THREAD, AMS5662, METRIC	2021	SAE	0
3335	MA3341A	BOLT, MACHINE-SPLINE EXTENDED WASHER, FULL SHANK, LONG THREAD, AMS5731, METRIC	2021	SAE	0
3336	MA3342A	BOLT, MACHINE-SPLINE EXTENDED WASHER, FULL SHANK, DRILLED, LONG THREAD, AMS5731 SIMILAR TO UNS S66286, METRIC	2021	SAE	0
3337	MA3347A	BOLT, MACHINE-HEX HEAD-FULL SHANK, LONG THREAD, AMS5731, METRIC	2021	SAE	0
3338	MA3348A	BOLT, SPLINE DRIVE EXTENDED WASHER HEAD, PD SHANK, LONG THREAD, NICKEL ALLOY (UNS N07001), METRIC	2021	SAE	0
3339	MA3365A	BOLT, MACHINE - HEX HEAD, DRILLED, FULL SHANK, LONG THREAD, CORROSION RESISTANT STEEL (UNS S66286), METRIC	2021	SAE	0
3340	MA3366A	BOLT, MACHINE - SPLINE DRIVE EXTENDED WASHER, DRILLED HEAD, FULL SHANK, LONG THREAD, NICKEL ALLOY (UNS N07718), METRIC	2021	SAE	0
3341	MA3368A	BOLT, MACHINE-SPLINE EXTENDED WASHER, PD SHANK, LONG THREAD, DRILLED, NICKEL ALLOY (UNS N07718), METRIC	2021	SAE	0
3342	MA3369A	BOLT, MACHINE-HEX HEAD, DRILLED, PD SHANK, LONG THREAD, NICKEL ALLOY UNS N07718, METRIC	2021	SAE	0
3343	MA3371A	BOLT, SPLINE DRIVE EXTENDED WASHER HEAD, DRILLED, PD SHANK, LONG THREAD, NICKEL ALLOY UNS N07001, METRIC	2021	SAE	0
3344	MA3422B	NUT, PLAIN HEX - UNS S66286, SILVER PLATE, MJ THREAD, METRIC (Stabilized: May 2021)	2021	SAE	0
3345	MA3426B	NUT, CASTELLATED, HEX - UNS S66286, SILVER PLATE, MJ THREAD, METRIC (Stabilized: May 2021)	2021	SAE	0
3346	MA3428C	NUT, CASTELLATED, HEX - THIN, UNS S66286, SILVER PLATE, MJ THREAD, METRIC (Stabilized: May 2021)	2021	SAE	0
3347	MS1008	Lubricants, Industrial Oils and Related Products Type M (Metal Removal Fluids) Specification	2021	SAE	0
3348	SSB-1.005	Radiation Hardness Assurance	2021	SAE	0
3349	USCAR-12	Wiring Component Design Guidelines - Revision 3	2021	SAE	0
3350	USCAR-19	COAXIAL CABLE CONNECTOR INTERFACE SQUARE OUTER CONDUCTOR - Revision 1	2021	SAE	0
3351	USCAR-36	Dimensional and Performance Specification for After-Market Gasoline Engine Oil Filters	2021	SAE	0
3352	USCAR-44	Performance Specification for Automotive Wire Harness Retainer Clips	2021	SAE	0
3353	1007	Standard Practice for Habitability	2021	SAE	0
3354	AIR38C	Guide for the Design of Threaded Screw or Stud Type Electrical Equipment Terminations	2021	SAE	0
3355	AIR64C	Electrical and Electronic Equipment Cooling in Commercial Transports	2021	SAE	0
3356	AIR786C	Elastomer Compatibility Considerations Relative to Elastomer Selection	2021	SAE	0
3357	AIR825-1	Introduction to Oxygen Equipment for Aircraft	2021	SAE	0
3358	AIR825-3	This document has been replaced. View the most recent version.	2021	SAE	0
3359	AIR825-4A	Chemical Oxygen Systems	2021	SAE	0
3360	AIR825-14	Basic Aircraft Oxygen Systems Design	2021	SAE	0
3361	AIR1390A	Convenient Location of Oxygen Masks for Both the Crew and Passengers of Aircraft	2021	SAE	0

3362	AIR1903A	Overview and History of Aircraft Inerting Systems	2021	SAE	0
3363	AIR1939A	Aircraft Engine Life Cycle Cost Guide (Stabilized: Sep 2021)	2021	SAE	0
3364	AIR1957A	Heat Sinks for Airborne Vehicles	2021	SAE	0
3365	AIR4004A	Guide for Installation of Electrical Wire and Cable on Aircraft Landing Gear	2021	SAE	0
3366	AIR4023C	Aircraft Turbine Fuel Contamination History and Endurance Test Requirements	2021	SAE	0
3367	AIR4365B	115/200 Volt, 400 Hz Aircraft External Electrical Power Connector Contact Maintenance Procedures	2021	SAE	0
3368	AIR4566A	Crashworthy Landing Gear Design	2021	SAE	0
3369	AIR4985A	A Methodology for Quantifying the Performance of an Engine Monitoring System	2021	SAE	0
3370	AIR5909A	Prognostic Metrics for Engine Health Management Systems	2021	SAE	0
3371	AIR6829	Oxygen Considerations for High Elevation Airport Operations (HEAO)	2021	SAE	0
3372	AIR7358	Calculations and Background Information Used to Specify the Dimensions in AS6235	2021	SAE	0
3373	AIR7988	Impact of Alkali Metal-Based Runway De-Icing Fluids on Aircraft Electrical Systems	2021	SAE	0
3374	AMS2232H	(R) Tolerances Carbon Steel, Sheet, Strip, and Plate	2021	SAE	0
3375	AMS2245C	Tolerances Titanium and Titanium Alloy Extruded Bars, Rods, and Shapes	2021	SAE	0
3376	AMS2252E	Tolerances Low-Alloy Steel Sheet, Strip, and Plate	2021	SAE	0
3377	AMS2409H	Plating, Immersion Tin For Aluminum Alloys	2021	SAE	0
3378	AMS2414G	Plating, Lead	2021	SAE	0
3379	AMS2418K	Plating, Copper	2021	SAE	0
3380	AMS2431-7C	Peening Media Ceramic Shot	2021	SAE	0
3381	AMS2451-5C	Plating, Brush, Chromium Hard Deposit, Trivalent	2021	SAE	0
3382	AMS2630E	Inspection, Ultrasonic Product Over 0.5 Inch (12.7 mm) Thick	2021	SAE	0
3383	AMS2642F	Structural Examination of Titanium Alloys Etch-Anodize Inspection Procedure	2021	SAE	0
3384	AMS2647G	Fluorescent Penetrant Inspection Aircraft Structures and Engine Component Maintenance	2021	SAE	0
3385	AMS2759-7E	Carburizing and Heat Treatment of Carburizing Grade Steel Parts	2021	SAE	0
3386	AMS2814G	Packaging and Marking of Packages of Welding Wire Premium Quality	2021	SAE	0
3387	AMS2821	Salts, Heat-Treating (For Metals)	2021	SAE	0
3388	AMS2980-1B	Carbon Fiber Fabric and Epoxy Resin Wet Lay-Up Repair Material Part 1 - General Requirements	2021	SAE	0
3389	AMS2980-2B	Carbon Fiber Fabric and Epoxy Resin Wet Lay-up Repair Material Part 2 - Qualification Program	2021	SAE	0
3390	AMS2980-3B	Carbon Fiber Fabric and Epoxy Resin Wet Lay-Up Repair Material Part 3 ??? Purchasing Specification - Fabric	2021	SAE	0
3391	AMS2980-4B	Carbon Fiber Fabric and Epoxy Resin Wet Lay-Up Repair Material Part 4 - Purchasing Specification - Resin	2021	SAE	0
3392	AMS2980-5A	Carbon Fiber Fabric and Epoxy Resin Wet Lay-Up Repair Material Part 5 - Carbon Fiber Fabrics, Plain Weave, 193 g/m2, and Epoxy Resin	2021	SAE	0
3393	AMS2980B	Carbon Fiber Fabric and Epoxy Resin Wet Lay-Up Repair Material Part 0 - Introduction	2021	SAE	0
3394	AMS3065h	Compound, Corrosion Preventive Thin Film, Fingerprint Removing	2021	SAE	0
3395	AMS3075F	Compound, Corrosion-Preventive Hard Film, Hot Application	2021	SAE	0
3396	AMS3092B	Release Agent, for Use During Form-in-Place Gasket Preparation	2021	SAE	0
3397	AMS3100E	Adhesion Promoter for Polysulfide Sealing Compounds	2021	SAE	0
3398	AMS3217-3D	Test Slabs, Chloroprene (CR) 70 - 80	2021	SAE	0
3399	AMS3316A	Elastomer: Silicone Rubber (MQ/VMQ), Fiberglass Fabric Reinforced 65 to 75 Shore A Hardness	2021	SAE	0
3400	AMS3323B	Sponge, Fluorosilicone (FVM) Rubber Closed Cell (Stabilized: Aug 2021)	2021	SAE	0
3401	AMS3410K	Flux, Silver Brazing	2021	SAE	0
3402	AMS3411E	Flux, Silver Brazing High Temperature	2021	SAE	0

3403	AMS3412F	Flux, Aluminum Brazing For Torch or Furnace Brazing	2021	SAE	0
3404	AMS3415E	Flux, Aluminum Dip Brazing 1030 ??F (554 ??C) or Lower Liquidus	2021	SAE	0
3405	AMS3786	Elastomer: Nitrile Rubber (NBR) Synthetic Oil Resistant Sheets, 65 to 75 Type A Hardness for Products in Engine Oil Systems	2021	SAE	0
3406	AMS4068G	Aluminum Alloy, Drawn Seamless Tubing 6.3Cu - 0.30Mn - 0.18Zr - 0.10V - 0.06Ti (2219-T3511) Solution Heat Treated and Stress Relieved by Stretching	2021	SAE	0
3407	AMS4077J	Aluminum Alloy Sheet and Plate, Alclad One Side 4.4Cu - 1.5Mg - 0.60Mn (Clad One Side 2024-O) Annealed	2021	SAE	0
3408	AMS4096E	Aluminum Alloy Sheet and Plate, Alclad 6.3Cu - 0.30Mn - 0.18Zr - 0.10V - 0.06Ti (Alclad 2219-O) Annealed	2021	SAE	0
3409	AMS4182J	Aluminum Alloy, Wire 5.0Mg - 0.12Mn - 0.12Cr (5056-O) Annealed	2021	SAE	0
3410	AMS4190L	Aluminum Alloy, Welding Wire 5.2Si (4043)	2021	SAE	0
3411	AMS4205F	Aluminum Alloy, Plate 6.2Zn - 1.8Cu - 2.4Mg - 0.13Zr (7010-T7451) Solution Heat Treated, Stress Relieved, and Precipitation Heat Treated	2021	SAE	0
3412	AMS4208D	Aluminum Alloy Sheet 6.0Cu - 0.40Zr (2004-F) As Rolled	2021	SAE	0
3413	AMS4272A	Aluminum Alloy, Alclad Sheet and Plate (Alclad 2029-T8) 3.6Cu - 0.30Mn - 0.95Mg - 0.40Ag - 0.12Zr Solution Heat Treated, Cold Worked and Aged	2021	SAE	0
3414	AMS4364A	Aluminum Alloy, Plate, 7.9Zn - 1.8Cu - 2.0Mg - 0.10Zr (7099-T7651) Solution Heat Treated, Stress Relieved, and Overaged	2021	SAE	0
3415	AMS4366A	Aluminum Alloy, Extruded Profiles (2065-T84) 4.2Cu - 1.2Li - 0.52Mg - 0.32Mn - 0.32Ag - 0.1Zr Solution Heat Treated, Stress Relieved by Stretching and Artificially Aged	2021	SAE	0
3416	AMS4412B	Aluminum Alloy, Sheet 3.2Cu - 0.52Mg - 0.30Ag - 0.95 Li - 0.12Zr (2198-T8) Solution Heat Treated, Cold Worked, and Artificially Aged	2021	SAE	0
3417	AMS4415B	Aluminum Alloy Extrusions 8.9Zn - 2.2Cu - 2.2Mg - 0.15Zr (7136-T76511, -T76510) Solution Heat Treated, Stress-Relieved, Straightened, and Overaged	2021	SAE	0
3418	AMS4474B	Aluminum Alloy, Sheet and Plate 4.0Cu - 1.0Li - 0.40Mg - 0.35Ag - 0.13Zr (2195-T8) Solution Heat Treated, Cold Worked, and Artificially Aged	2021	SAE	0
3419	AMS4507J	Copper Alloy (Brass), Sheet, Strip, and Plate 70Cu - 30Zn Half Hard (H02)	2021	SAE	0
3420	AMS4590D	Extrusions, Nickel-Aluminum Bronze, Martensitic 78.5Cu ??? 10.5Al ??? 5.1Ni ??? 4.8Fe Quenched and Tempered (TQ50)	2021	SAE	0
3421	AMS4761C	Silver Alloy, Brazing Filler Metal 38Ag - 32Cu - 28Zn - 2.0Sn 1200 to 1330 ??F (649 to 721 ??C) Solidus-Liquidus Range	2021	SAE	0
3422	AMS4762C	Silver Alloy, Brazing Filler Metal 40Ag - 30Cu - 30Zn 1245 to 1340 ??F (674 to 727 ??C) Solidus-Liquidus Range	2021	SAE	0
3423	AMS4765G	Silver Alloy, Brazing Filler Metal 56Ag ??? 42Cu ??? 2.0Ni 1420 to 1640 ??F (771 to 893 ??C) Solidus-Liquidus Range	2021	SAE	0
3424	AMS4766J	Silver Alloy, Brazing Filler Metal 85Ag - 15Mn 1760 to 1780 ??F (960 to 971 ??C) Solidus-Liquidus Range	2021	SAE	0
3425	AMS4767H	Silver Alloy, Brazing Filler Metal 92.5Ag - 7.2Cu - 0.22Li 1435 to 1635 ??F (779 to 891 ??C) Solidus-Liquidus Range	2021	SAE	0
3426	AMS4773H	Silver Alloy, Brazing Filler Metal 60Ag - 30Cu - 10Sn 1115 to 1325 ??F (602 to 718 ??C) Solidus-Liquidus Range	2021	SAE	0
3427	AMS4774H	Silver Alloy Brazing Filler Metal 63Ag - 28.5Cu - 6.0Sn - 2.5Ni 1275 to 1475 ??F (691 to 802 ??C) Solidus-Liquidus Range	2021	SAE	0
3428	AMS4785K	Gold-Palladium-Nickel Alloy, Brazing Filler Metal, High Temperature 30Au - 34Pd - 36Ni 2075 to 2130 ??F (1135 to 1166 ??C) Solidus-Liquidus Range	2021	SAE	0
3429	AMS4786K	Gold-Palladium-Nickel Alloy, Brazing Filler Metal, High Temperature 70Au - 8.0Pd - 22Ni 1845 to 1915 ??F (1007 to 1046 ??C) Solidus-Liquidus Range	2021	SAE	0
3430	AMS4788C	Silver Alloy Brazing Filler Metal 50Ag - 28Zn - 20Cu - 2.0Ni 1220 to 1305 ??F (660 to 707 ??C) Solidus-Liquidus Range	2021	SAE	0
3431	AMS4915N	Titanium Alloy Sheet, Strip, and Plate 8Al - 1V - 1Mo Single Annealed	2021	SAE	0
3432	AMS4917K	Titanium Alloy Sheet, Strip, and Plate 13.5V - 11Cr - 3.0Al Solution Heat Treated	2021	SAE	0
3433	AMS4943M	Titanium Alloy, Hydraulic, Seamless Tubing 3.0Al - 2.5V Annealed	2021	SAE	0
3434	AMS4975P	Titanium Alloy, Bars, Wire, and Rings 6.0Al - 2.0Sn - 4.0Zr - 2.0Mo - 0.08Si Solution and Precipitation Heat Treated	2021	SAE	0

3435	AMS4976L	Titanium Alloy, Forgings 6.0Al - 2.0Sn - 4.0Zr - 2.0Mo - 08Si Solution and Precipitation Heat Treated	2021	SAE	0
3436	AMS5525L	Steel, Corrosion and Heat-Resistant, Sheet, Strip, and Plate 15Cr - 25.5Ni - 1.2Mo - 2.1Ti - 0.006B - 0.30V 1800 ??F (982 ??C) Solution Heat Treated	2021	SAE	0
3437	AMS5558J	Steel, Corrosion and Heat-Resistant, Welded Tubing 18Cr - 10.5Ni - 0.70Cb (Nb) (347) Thin Wall Solution Heat Treated	2021	SAE	0
3438	AMS5559K	Steel, Corrosion and Heat-Resistant, Welded Tubing 18Cr - 10.5Ni - 0.40Ti (SAE 30321) Thin Wall, Solution Heat Treated	2021	SAE	0
3439	AMS5561H	Steel, Corrosion and Heat-Resistant, Welded and Drawn or Seamless and Drawn Tubing 9.0Mn - 20Cr - 6.5Ni - 0.28N High-Pressure Hydraulic	2021	SAE	0
3440	AMS5562F	Steel, Corrosion and Heat Resistant, Seamless Tubing 9.0Mn - 20Cr - 6.5Ni - 0.28N Solution Heat Treated	2021	SAE	0
3441	AMS5563D	Steel, Corrosion Resistant, Seamless or Welded Tubing 19Cr - 9.5Ni (SAE 30304) Cold Drawn, 1/4 Hard Temper	2021	SAE	0
3442	AMS5566N	Steel, Corrosion Resistant, Seamless or Welded Hydraulic Tubing 19Cr - 10Ni (304) High Pressure, Cold Drawn	2021	SAE	0
3443	AMS5567G	Steel, Corrosion Resistant, Seamless or Welded Hydraulic Tubing 19Cr - 10Ni (304) Solution Heat Treated	2021	SAE	0
3444	AMS5569C	Steel, Corrosion and Heat Resistant, Seamless and Welded Hydraulic Tubing, 19Cr - 9.5Ni - 0.03C Max, Cold Drawn, 1/8 Hard Temper	2021	SAE	0
3445	AMS5573M	Steel, Corrosion and Heat-Resistant, Seamless Tubing 17Cr - 12Ni - 2.5Mo (SAE 30316) Solution Heat Treated	2021	SAE	0
3446	AMS5585J	Steel Alloy, Corrosion and Heat Resistant, Welded Tubing 32Fe - 21Cr - 20Ni - 20Co - 3Mo - 2.5W - 1.0Cb (Nb) - 0.15N Solution Heat Treated	2021	SAE	0
3447	AMS5587G	Nickel Alloy, Corrosion and Heat Resistant, Seamless Tubing 47.5Ni - 22Cr - 1.5Co - 9.0Mo - 0.60W - 18.5Fe Solution Heat Treated	2021	SAE	0
3448	AMS5593H	Nickel Alloy, Corrosion and Heat Resistant, Sheet, Strip, and Plate 45.5Ni - 25.5Cr - 3.2Co - 3.2Mo - 3.2W - 18.5Fe Solution Heat Treated	2021	SAE	0
3449	AMS5641J	Steel, Corrosion-Resistant, Bars, Wire, Forgings and Forging Stock 18.5Cr - 10Ni - 0.22Se (303Se) Free-Machining; for Swaging or Upsetting Solution Heat Treated	2021	SAE	0
3450	AMS5643W	Steel, Corrosion-Resistant, Bars, Wire, Forgings, Mechanical Tubing, and Rings 16Cr - 4.0Ni - 0.30Cb (Nb) - 4.0Cu Solution Heat Treated, Precipitation Hardenable	2021	SAE	0
3451	AMS5646R	Steel, Corrosion and Heat-Resistant, Bars, Wire, Forgings, Mechanical Tubing, Rings and Forging Stock 18Cr - 11Ni - 0.60Cb(Nb) (347) Solution Heat Treated	2021	SAE	0
3452	AMS5647L	Steel, Corrosion-Resistant, Bars, Wire, Forgings, Mechanical Tubing, Rings, and Forging Stock 19Cr - 9.5Ni Solution Heat Treated	2021	SAE	0
3453	AMS5659T	Steel, Corrosion Resistant, Bars, Wire, Forgings, Rings, and Extrusions 15Cr - 4.5Ni - 0.30Cb (Nb) - 3.5Cu Consumable Electrode Remelted Solution Heat Treated, Precipitation Hardenable	2021	SAE	0
3454	AMS5759N	Cobalt Alloy, Corrosion and Heat-Resistant, Bars, Forging Stock, Forgings, and Rings 52Co - 20Cr - 10Ni - 15W	2021	SAE	0
3455	AMS5772F	Cobalt Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 40Co - 22Cr - 22Ni - 14.5W - 0.07La Solution Heat Treated	2021	SAE	0
3456	AMS5776H	Steel, Corrosion and Heat-Resistant, Welding Wire 12.5Cr (SAE 51410)	2021	SAE	0
3457	AMS5778K	Nickel Alloy, Corrosion and Heat Resistant, Welding Wire 72Ni - 15.5Cr - 1.0Cb(Nb) - 2.4Ti - 0.70Al - 7.0Fe	2021	SAE	0
3458	AMS5787B	Alloy Welding Electrodes, Covered, Corrosion and Heat Resistant 63Ni - 5.0Cr - 24.5Mo - 5.5Fe (Stabilized: Nov 2021)	2021	SAE	0
3459	AMS5803H	Steel, Corrosion and Heat-Resistant, Welding Wire 16.4Cr - 4.8Ni - 0.22Cb (Nb) - 3.6Cu Consumable Electrode or Vacuum Induction Melted	2021	SAE	0
3460	AMS5831E	Iron-Nickel-Chromium-Cobalt Alloy, Corrosion and Heat-Resistant, Welding Wire, 29Fe - 22Cr - 21Ni - 18.5Co - 3.2Mo - 2.8W - 0.78Ta - 0.30Al - 0.05Zr - 0.05La - 0.20N	2021	SAE	0
3461	AMS5832J	Nickel Alloy, Corrosion and Heat Resistant, Welding Wire 52.5Ni - 19Cr - 3.0Mo - 5.1Cb(Nb) - 0.90Ti - 0.50Al - 18Fe Consumable Electrode or Vacuum Induction Melted	2021	SAE	0
3462	AMS5836E	Nickel Alloy, Corrosion and Heat-Resistant, Welding Wire 72Ni - 3.0Mn - 20Cr - 2.5Cb(Nb)	2021	SAE	0
3463	AMS5839D	Nickel Alloy, Corrosion and Heat-Resistant, Welding Wire 59Ni - 22Cr - 2.0Mo - 14W - 0.35Al	2021	SAE	0
3464	AMS5867C	Steel, Corrosion and Heat Resistant, Forgings 12.5Cr (410) Enhanced Fracture Toughness, Annealed	2021	SAE	0

3465	AMS5879E	Nickel Alloy, Corrosion and Heat-Resistant, Sheet, Strip, and Foil 62Ni - 21.5Cr - 9.0Mo - 3.7Cb (Nb) Cold Rolled and Annealed	2021	SAE	0
3466	AMS5887E	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Forgings, Rings, and Forging or Ring Stock 54Ni - 22Cr - 12.5Co - 9.0Mo - 1.2Al Consumable Electrode or Vacuum Induction Melted Annealed	2021	SAE	0
3467	AMS5895F	Steel, Corrosion and Heat-Resistant, Bars, Wire, Forgings, Mechanical Tubing, Rings and Forging Stock, 15Cr - 25.5Ni - 1.2Mo - 2.1Ti - 0.006B - 0.30V Consumable Electrode Melted, 1750 ??F (954 ??C) Solution Heat Treated, Welding Grade Precipitation Harden	2021	SAE	0
3468	AMS5897C	Steel, Corrosion and Heat-Resistant, Seamless or Welded Hydraulic Tubing 18.5Cr - 11Ni - 0.80Cb (Nb) (SAE 30347) Solution Heat Treated and Cold Drawn, 1/8 Hard Temper	2021	SAE	0
3469	AMS6255G	Steel Bars, Forgings, and Mechanical Tubing and Forging Stock 1.1Si - 1.45Cr - 1.0Mo - 0.08Al (0.16 - 0.22C) Double Vacuum Melted	2021	SAE	0
3470	AMS6265R	Steel, Bars, Forgings, Mechanical Tubing and Forging Stock 1.2Cr - 3.25Ni - 0.12Mo (0.07 - 0.13C) (9310) Vacuum Consumable Electrode Remelted	2021	SAE	0
3471	AMS6267K	Steel Bars, Forgings, and Mechanical Tubing and Forging Stock 1.2Cr - 3.25Ni - 0.12Mo (0.07 - 0.13C) (9310) Electroslag Remelted or Consumable Electrode Vacuum Remelted	2021	SAE	0
3472	AMS6304N	Low-Alloy Steel, Heat-Resistant, Bars, Forgings, Mechanical Tubing, and Forging Stock 0.95Cr - 0.55Mo - 0.30V (0.40 - 0.50C)	2021	SAE	0
3473	AMS6354G	Steel, Sheet, Strip, and Plate 0.75Si - 0.62Cr - 0.20Mo - 0.10Zr (0.10 - 0.17C) - UNS K11914	2021	SAE	0
3474	AMS6407L	Steel, Bars, Forgings, and Tubing 1.2Cr - 2.0Ni - 0.45Mo (0.27 - 0.33C)	2021	SAE	0
3475	AMS6409F	Steel, Bars, Forgings, Mechanical Tubing and Forging Stock 0.80Cr - 1.8Ni - 0.25Mo (0.38 - 0.43C) (SAE 4340) Special Aircraft Quality Cleanliness Normalized and Tempered	2021	SAE	0
3476	AMS6439F	Steel Sheet, Strip, and Plate 1.05Cr - 0.55Ni - 1.0Mo - 0.12V (0.42 - 0.48C) (D6AC) Consumable Electrode Vacuum Melted, Annealed	2021	SAE	0
3477	AMS6455M	Steel, Sheet, Strip, and Plate 0.95Cr - 0.22V (0.48 - 0.53C) (SAE 6150)	2021	SAE	0
3478	AMS6476F	Steel, Bars, Forgings, Mechanical Tubing and Forging Stock 0.50Cr - 0.12Mo (0.89 - 1.01C)	2021	SAE	0
3479	AMS6487M	Steel, Bars, Forgings, and Forging Stock 5.0Cr - 1.3Mo - 0.50V (0.38 - 0.43C) (H-11) Consumable Electrode Vacuum Re-Melted	2021	SAE	0
3480	AMS6516C	Steel, Bars and Forgings and Forging Stock 1Cr - 10Ni - 7Co - 2Mo - 1.3W - 0.1V - (0.28 - 0.32C) Vacuum Induction Melted, Vacuum Arc Remelted, Normalized and Annealed Precipitation Hardenable	2021	SAE	0
3481	AMS7010A	Laser Directed Energy Deposition Additive Manufacturing Process (L-DED)	2021	SAE	0
3482	AMS7020	Aluminum Alloy Powder 7.0Si - 0.55Mg - 0.12Ti	2021	SAE	0
3483	AMS7037	Steel, Corrosion and Heat-Resistant, Powder for Additive Manufacturing, 17Cr - 13Ni - 2.5Mo (316L)	2021	SAE	0
3484	AMS7289	Elastomer: Nitrile Rubber (NBR) Synthetic Oil Resistant Compression Seals, 65 to 75 Type A Hardness for Products in Engine Oil Systems	2021	SAE	0
3485	AMS7410	Rubber: Fluorocarbon Elastomer (FKM) Aircraft Engine Oil, Fuel and Hydraulic Fluid Resistant 70 to 80 Shore Type A Hardness Low Temperature Sealing Tg -47 ??F (-43.9 ??C) for Elastomeric Seals in Aircraft Engine, Fuel and Hydraulic Systems	2021	SAE	0
3486	AMS7488G	Rings, Flash Welded Aluminum and Aluminum Alloys	2021	SAE	0
3487	AMS7882D	Tungsten Carbide-Cobalt Chrome Powder Agglomerated and Sintered	2021	SAE	0
3488	AMS-QQ-N-290D	Nickel Plating (Electrodeposited)	2021	SAE	0
3489	AMS-S-83318D	Sealing Compound, Polysulfide Type, Low Temperature Curing, Quick Repair, Integral Fuel Tanks and Fuel Cell Cavities	2021	SAE	0
3490	AMS-STD-595A-A2	Colors Used in Government Procurement	2021	SAE	0
3491	ARP694D	Aerial Refueling Lights - Design Criteria	2021	SAE	0
3492	ARP958E	Electromagnetic Interference Measurement Antennas; Calibration Method	2021	SAE	0

3493	ARP1051C	Format, Text, and Numbering System for Preparing Specifications Covering Civil Aircraft Ground Support Equipment	2021	SAE	0
3494	ARP1052B	Selection Criteria for Internal Combustion Engines Used in Ground Support Equipment	2021	SAE	0
3495	ARP1134A	Adapter Interface - Turbine Engine Blade Moment Weighing Scale (Stabilized: Sep 2021)	2021	SAE	0
3496	ARP1234D	Static Axial O-Ring Seal Applications Without Anti-Extrusion Devices for Engine and Engine Control Systems	2021	SAE	0
3497	ARP1350A	(R) Procedure for Installation and Mounting of Single Hole Mount, Cylindrical, Electrical Connectors (For Pressure Differential Applications)	2021	SAE	0
3498	ARP1398A	Testing of Oxygen Equipment	2021	SAE	0
3499	ARP1702B	Defining and Measuring Factors Affecting Helicopter Turbine Engine Power Available	2021	SAE	0
3500	ARP1785C	Standard Codes for Outer Sleeving on Hose Assemblies (Stabilized: Oct 2021)	2021	SAE	0
3501	ARP1801A	(R) Measurement of Exterior Sound Level of Specialized Aircraft Ground Support Equipment	2021	SAE	0
3502	ARP1835A	Preparation for Delivery, General Requirements for Hose Assemblies (Stabilized: Oct 2021)	2021	SAE	0
3503	ARP1925B	Automated Brush Deburring	2021	SAE	0
3504	ARP1987-2A	Titles, Hose and Hose Assembly, SAE G-3D Subcommittee, Selection of (Stabilized: Oct 2021)	2021	SAE	0
3505	ARP1987B	Titles, SAE G-3 Committee Document, Selection of (Stabilized: Oct 2021)	2021	SAE	0
3506	ARP3050A	Suitable Test Sizes for O-ring Specifications	2021	SAE	0
3507	ARP4084B	(R) Aircraft Ground Service Connections Locations and Type	2021	SAE	0
3508	ARP4163	Balancing Machines: Tooling Design Criteria	2021	SAE	0
3509	ARP4259A	Metabolic Simulator Testing Systems for Aviation Breathing Equipment	2021	SAE	0
3510	ARP4293A	Life Cycle Cost - Techniques and Applications (Stabilized: Sep 2021)	2021	SAE	0
3511	ARP4294A	Data Formats and Practices for Life Cycle Cost Information (Stabilized: Sep 2021)	2021	SAE	0
3512	ARP4712A	Hand-Held Cabin Fire Extinguishers Transport Aircraft	2021	SAE	0
3513	ARP4776	Pallet/Container Loader Auto-Levelling Systems	2021	SAE	0
3514	ARP4835A	Recommended Design and Test Requirements for Hydraulic Thermal Expansion Relief Valves	2021	SAE	0
3515	ARP4940A	Application Guide for Aerospace Hydraulic Motors	2021	SAE	0
3516	ARP4946A	Recommended Design and Test Requirements for Hydraulic Check Valves	2021	SAE	0
3517	ARP5265C	Minimum Operational and Maintenance Responsibilities for Aircraft Tire Usage	2021	SAE	0
3518	ARP5776	Aircraft Flame Arrestor Installation Guidelines and Test Methods	2021	SAE	0
3519	ARP5910A	Ramp Markings	2021	SAE	0
3520	ARP6073	Webbing Service Life for Occupant Restraints	2021	SAE	0
3521	ARP6320A	Procedure for the Continuous Sampling and Measurement of Non-Volatile Particulate Matter Emissions from Aircraft Turbine Engines	2021	SAE	0
3522	ARP6390	Location of Crew and Passenger Oxygen Masks, Portable Oxygen System, and Protective Breathing Equipment	2021	SAE	0
3523	ARP6448A	Gaining Approval for Seats with Integrated Electronics in Accordance with AC 21-49 Section 7.b	2021	SAE	0
3524	ARP6461A	Guidelines for Implementation of Structural Health Monitoring on Fixed Wing Aircraft	2021	SAE	0
3525	ARP6812	Aircraft Brake Temperature Monitoring	2021	SAE	0
3526	ARP6984	Determination of Cost Benefits from Implementing a Blockchain Solution	2021	SAE	0
3527	ARP7490	Recommended Guidelines for the Specifications of Motor Control Electronics for Electrically Powered Actuators	2021	SAE	0
3528	ARP7987	Development, Verification, and Validation of a Thermal Model for Determining Current Derating Design Limits of Aerospace Wires and Wire Bundles	2021	SAE	0
3529	ARP8058A	Thermal Design and Performance of Airplane In-Flight Food Storage Cars	2021	SAE	0
3530	ARP8616	Balancing Machine Technology - Proper Use and Performance of Response Checks	2021	SAE	0
3531	ARP9114B	Direct Ship Guidance for Aerospace Companies	2021	SAE	0

3532	AS153K	HOSE ASSEMBLY, PTFE, CRES REINFORCED, 3000 PSI, 400 ??F, STRAIGHT TO STRAIGHT, FLARED, LIGHTWEIGHT	2021	SAE	0
3533	AS154J	HOSE ASSEMBLY, PTFE, CRES REINFORCED, 3000 PSI, 400 ??F, STRAIGHT TO 45??, FLARED, LIGHTWEIGHT	2021	SAE	0
3534	AS155J	HOSE ASSEMBLY, PTFE, CRES REINFORCED, 3000 PSI, 400 ??F, STRAIGHT TO 90??, FLARED, LIGHTWEIGHT	2021	SAE	0
3535	AS156J	HOSE ASSEMBLY, PTFE, CRES REINFORCED, 3000 PSI, 400 ??F, 45?? TO 45??, FLARED, LIGHTWEIGHT	2021	SAE	0
3536	AS157J	HOSE ASSEMBLY, PTFE, CRES REINFORCED, 3000 PSI, 400 ??F, 45?? TO 90??, FLARED, LIGHTWEIGHT	2021	SAE	0
3537	AS158J	HOSE ASSEMBLY, PTFE, CRES REINFORCED, 3000 PSI, 400 ??F, 90?? TO 90??, FLARED, LIGHTWEIGHT	2021	SAE	0
3538	AS567L	Safety Cable, Safety Wire, Key Washers, and Cotter Pins for Propulsion Systems, General Practices for Use of	2021	SAE	0
3539	AS861B	Minimum General Standards for Oxygen Systems	2021	SAE	0
3540	AS933E	FITTING, ADAPTER, UNION, FLARED TO BOSS	2021	SAE	0
3541	AS1046C	(R) Minimum Standard for Portable Gaseous, Oxygen Equipment	2021	SAE	0
3542	AS1099D	FITTING END, BULKHEAD FLARED TUBE, FOR SEAL RING, STANDARD DIMENSIONS FOR, DESIGN STANDARD	2021	SAE	0
3543	AS1224B	Continuous Flow Aviation Oxygen Masks (for Non-Transport Category Aircraft)	2021	SAE	0
3544	AS1561B	Stud, Locked in - Ring, Straight, Installation and Removal of	2021	SAE	0
3545	AS3094A	INSERT - CRES HELICAL COIL FINE THREAD, LOCKING (LOW FRICTION SYSTEMS) 1.5 DIA NOM LENGTH	2021	SAE	0
3546	AS3397B	NUT, SELF-LOCKING, DOUBLE HEXAGON, REDUCED ENVELOPE, AS7251 (UNS S66286)	2021	SAE	0
3547	AS3510C	CABLE, SAFETY, KIT, CORROSION AND HEAT RESISTANT STEEL, UNS S32100	2021	SAE	0
3548	AS3549A	(R) SLEEVE, REMOVABLE SELF-LOCKING NUT, UNS S30403	2021	SAE	0
3549	AS3569A	O-RING MOLDED FROM AMS7270 BUTADIENE-ACRYLONITRILE (NBR) RUBBER MATERIAL	2021	SAE	0
3550	AS3650B	BOLT, MACHINE - DOUBLE HEX HEAD, REDUCED SHANK, UNS N07718 - 185 KSI	2021	SAE	0
3551	AS4108-1A	T-BOLT, A-286, 1000 ??F	2021	SAE	0
3552	AS4108-2A	T-BOLT, A-286, 1000 ??F BUSHING HEAD	2021	SAE	0
3553	AS4108-3A	EYE BOLT, A-286 CRES, 1000 ??F	2021	SAE	0
3554	AS4108D	T-Bolt and Eye Bolt, A286 CRES, 1000 ??F Fatigue Rated	2021	SAE	0
3555	AS4506C	Bolts and Screws, Steel, UNS S66286 Tensile Strength 160 ksi, Procurement Specification	2021	SAE	0
3556	AS4716D	Gland Design, O-Ring and Other Seals	2021	SAE	0
3557	AS4775B	Aircraft Maintenance Jacks - General Requirements	2021	SAE	0
3558	AS4842-2C	Fittings, Flareless to Pipe Threaded, Fluid Connection	2021	SAE	0
3559	AS5185A	FITTING, ELBOW, 90??, PIPE TO HOSE	2021	SAE	0
3560	AS5186A	FITTING, ELBOW, 45??, PIPE TO HOSE	2021	SAE	0
3561	AS5190C	FITTING, ELBOW, 90??, INTERNAL STRAIGHT THREAD PORT	2021	SAE	0
3562	AS5191B	FITTING, ELBOW, 45??, INTERNAL STRAIGHT THREAD PORT	2021	SAE	0
3563	AS5192F	FITTING, TEE, INTERNAL STRAIGHT THREAD PORT	2021	SAE	0
3564	AS5258A	(R) Insulating Component, Molded, Electrical, Heat Shrinkable, Connector and Cable Accessory, Sealing Strain Relief, General Specification For	2021	SAE	0
3565	AS5382-1B	CABLE, FIBER OPTIC, MULTIMODE, 100/140/172 ??m GRADED INDEX, HERMETIC COATED, TIGHT BUFFER (Stabilized: Sep 2021)	2021	SAE	0
3566	AS5382-2B	CABLE, FIBER OPTIC, MULTIMODE, 100/140/172 ??m GRADED INDEX, NONHERMETIC, LOOSE TUBE (Stabilized: Sep 2021)	2021	SAE	0
3567	AS5382-3A	CABLE, FIBER OPTIC, SINGLE-MODE, 6/125/250 ??m, HERMETIC COATED, TIGHT BUFFER (Stabilized: Sep 2021)	2021	SAE	0

3568	AS5382-4B	CABLE, FIBER OPTIC, SINGLE-MODE, 4.6/125/450 ??m, HERMETIC COATED, TIGHT BUFFER (Stabilized: Sep 2021)	2021	SAE	0
3569	AS5382-5B	CABLE, FIBER OPTIC, MULTI-MODE, 50/125/450 ??m, GRADED INDEX, HERMETIC COATED, TIGHT BUFFER (Stabilized: Sep 2021)	2021	SAE	0
3570	AS5382-6B	CABLE, FIBER OPTIC, MULTI-MODE, 200/230/500 ??m, STEP INDEX, TIGHT BUFFER (Stabilized: Sep 2021)	2021	SAE	0
3571	AS5382B	Aerospace Cable, Fiber Optic (Stabilized: Sep 2021)	2021	SAE	0
3572	AS5728B	O-RING MOLDED FROM AMS7268 (SILICONE) MATERIAL	2021	SAE	0
3573	AS5781C	Retainers (Backup Rings), Hydraulic and Pneumatic, Polytetrafluoroethylene Resin, Single Turn, Scarf-Cut, For Use in AS4716 Glands	2021	SAE	0
3574	AS5900E	Standard Test Method for Aerodynamic Acceptance of AMS1424 and AMS1428 Aircraft Deicing/Anti-Icing Fluids	2021	SAE	0
3575	AS5969G	FITTING ASSEMBLY, UNION, AXIALLY SWAGED, HYDRAULIC 5080 PSI	2021	SAE	0
3576	AS6060A	JAUS Environment Sensing Service Set	2021	SAE	0
3577	AS6070-1B	CABLE, HIGH SPEED DATA QUAD, COPPER ALLOY, 100 OHM, 200 ??C, ETHERNET 10/100 BASE T	2021	SAE	0
3578	AS6072A	BUSHING, SLEEVE, PLAIN INNER BORE LINER	2021	SAE	0
3579	AS6170	Ice Melting Test Method for AMS1431 and AMS1435 Runway Deicing/Anti-Icing Products	2021	SAE	0
3580	AS6172	Ice Undercutting Test Method for AMS1431 and AMS1435 Runway Deicing/Anti-Icing Products	2021	SAE	0
3581	AS6203A	O-RING, MOLDED FROM AMS7379 RUBBER FOR USE WITH AS5202 PORTS	2021	SAE	0
3582	AS6211	Ice Penetration Test Method for AMS1431 and AMS1435 Runway Deicing/Anti-icing Products	2021	SAE	0
3583	AS6235B	Face Seal Gland Design, Static, O-Ring and Other Seals for Aerospace Hydraulic and Pneumatic Applications	2021	SAE	0
3584	AS6453A	Fire Containment Cover - Design, Performance, and Testing Requirements	2021	SAE	0
3585	AS6482	FITTING, TEE, BULKHEAD, FLARELESS ON THE SIDE, EXTERNAL SWAGE ON THE RUN, STANDARD AND REDUCER, HYDRAULIC, 3000 PSI	2021	SAE	0
3586	AS6507	Test Method and Limits for Bow Height of Aluminum Sheet Samples After Chemical Milling	2021	SAE	0
3587	AS6518A	Unmanned Systems (UxS) Control Segment (UCS) Architecture: UCS Architecture Model	2021	SAE	0
3588	AS6923	Portable Measuring Devices/Systems for Maintenance Troubleshooting of Aircraft Cabin and Flight Deck Air Quality Issues	2021	SAE	0
3589	AS6969B	Data Dictionary for Quantities Used in Cyber-Physical Systems	2021	SAE	0
3590	AS7456C	Studs, Steel, Low Alloy Heat Treated, Roll Threaded	2021	SAE	0
3591	AS7472B	Bolts and Screws, Steel, Corrosion Resistant 125000 psi Tensile Strength Roll Threaded	2021	SAE	0
3592	AS7479E	Bolts and Screws, Steel, UNS S66286 1650 ??F Solution Heat Treated Precipitation Heat Treated Before Roll Threaded	2021	SAE	0
3593	AS7482C	Studs, Steel, UNS S66286 Tensile Strength 130 ksi 1800 ??F Solution Heat Treated, Aged Before Roll Threading Procurement Specification	2021	SAE	0
3594	AS7489A	Standard Requirements for Aerospace Organic Coatings Applicator Certification	2021	SAE	0
3595	AS7766	Terms Used in Aerospace Metals Specifications	2021	SAE	0
3596	AS7928-1E	TERMINALS, LUG AND SPLICES, CONDUCTOR, CRIMP STYLE, COPPER TERMINAL, LUG, CRIMP STYLE, COPPER, INSULATED, RING TONGUE, FOR THIN WALL WIRE, TYPE II CLASS 1 FOR 105 ??C TOTAL CONDUCTOR TEMPERATURE	2021	SAE	0
3597	AS7928-2E	TERMINALS, LUG AND SPLICES, CONDUCTOR, CRIMP STYLE, COPPER, INSULATED, RECTANGULAR TONGUE, FOR THIN WALL WIRE, TYPE III, CLASS 1, FOR 105 ??C TOTAL CONDUCTOR TEMPERATURE (Stabilized: Aug 2021)	2021	SAE	0
3598	AS7928-6C	SPLICES, CONDUCTOR, CRIMP STYLE, ELECTRIC (PERMANENT, TYPE II, CLASS 1) FOR 150 ??C TOTAL CONDUCTOR TEMPERATURE	2021	SAE	0
3599	AS8025A	Passenger Oxygen Mask	2021	SAE	0
3600	AS8031A	Personal Protective Devices for Toxic and Irritating Atmospheres Air Transport Flight Deck (Sedentary) Crewmembers	2021	SAE	0

3601	AS8047	Performance Standard for Cabin Crew Portable Protective Breathing Equipment for Use During Aircraft Emergencies	2021	SAE	0
3602	AS8048A	Performance Standard for Passenger Smoke and Toxic Fumes Respiratory Protective Equipment (Stabilized: Sep 2021)	2021	SAE	0
3603	AS8438	Terminus, Fiber Optic, Harsh Environment, General Specification	2021	SAE	0
3604	AS9018	Aerospace ??? Customer Identified Major Quality Management System Nonconformity Other Party Collaborative Corrective Action Process	2021	SAE	0
3605	AS9283C	BOLT, MACHINE - HEXAGON HEAD, PD SHANK, BLACK OXIDE, STEEL UNS G87400, 125 KSI MIN, .1900-32 UNJF-3A	2021	SAE	0
3606	AS9284C	BOLT, MACHINE - HEXAGON HEAD, PD SHANK, BLACK OXIDE, STEEL UNS G87400, 125 KSI MIN, .2500-28 UNJF-3A	2021	SAE	0
3607	AS9285C	BOLT, MACHINE - HEXAGON HEAD, PD SHANK, BLACK OXIDE, STEEL UNS G87400, 125 KSI MIN, .3125-24 UNJF-3A	2021	SAE	0
3608	AS9286C	BOLT, MACHINE - HEXAGON HEAD, PD SHANK, BLACK OXIDE, STEEL UNS G87400, 125 KSI MIN, .3750-24 UNJF-3A	2021	SAE	0
3609	AS9292C	SCREW, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, PD SHANK, BLACK OXIDE, STEEL UNS G87400, 125 KSI MIN, .1380-40 UNJF-3A	2021	SAE	0
3610	AS9294C	BOLT, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, PD SHANK, BLACK OXIDE, STEEL UNS G87400, 125 KSI MIN, .1900-32 UNJF-3A	2021	SAE	0
3611	AS9296C	BOLT, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, PD SHANK, BLACK OXIDE, STEEL UNS G87400, 125 KSI MIN, .3125-24 UNJF-3A	2021	SAE	0
3612	AS9460B	RIVET, SOLID - 100?? FLUSH HEAD, AMS7235	2021	SAE	0
3613	AS9500C	BOLT, MACHINE ??? HEXAGON HEAD DRILLED, 1 HOLE, FULL SHANK, CRES, UNS S66286, 130 KSI MIN, .1900-32UNJF-3A	2021	SAE	0
3614	AS9501C	BOLT, MACHINE - HEXAGON HEAD, DRILLED, 1 HOLE, FULL SHANK CRES, UNS S66286, 130 KSI MIN, .2500-28 UNJF-3A	2021	SAE	0
3615	AS9502C	BOLT, MACHINE - HEXAGON HEAD, DRILLED, 1 HOLE, FULL SHANK, CRES, UNS S66286, 130 KSI MIN, .3125-24 UNJF-3A	2021	SAE	0
3616	AS9552D	BRACKET, FLAT, CRES UNS S32100	2021	SAE	0
3617	AS9560	BOLT, MACHINE - DOUBLE HEXAGON, EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, 130 KSI MIN, .4375-20 UNJF-3A	2021	SAE	0
3618	AS9561	BOLT, MACHINE - DOUBLE HEXAGON, EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, 130 KSI MIN, .5000-20UNJF-3A	2021	SAE	0
3619	AS9578	BOLT, MACHINE - DOUBLE HEXAGON, EXTENDED WASHER HEAD, DRILLED, PD SHANK, UNS S66286, SILVER PLATED, .4375-20UNJF-3A	2021	SAE	0
3620	AS9580	BOLT, MACHINE ??? DOUBLE HEXAGON, EXTENDED WASHER HEAD, DRILLED, PD SHANK, UNS S66286, SILVER PLATED, .5625-18UNJF-3A	2021	SAE	0
3621	AS9694	BOLT, MACHINE - DOUBLE HEXAGON, EXTENDED WASHER HEAD, PD SHANK, NICKEL ALLOY, UNS N07001, .1380-40UNJF-3A	2021	SAE	0
3622	AS9695	BOLT, MACHINE - DOUBLE HEXAGON, EXTENDED WASHER HEAD, PD SHANK, NICKEL ALLOY, UNS N07001, .1640-36 UNJF-3A	2021	SAE	0
3623	AS9699C	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, CORROSION AND HEAT RESISTANT NICKEL ALLOY (UNS N07001), 165 KSI MIN, .3750-24 UNJF-3A	2021	SAE	0
3624	AS9700	BOLT, MACHINE - DOUBLE HEXAGON, EXTENDED WASHER HEAD, PD SHANK, NICKEL ALLOY, UNS N07001, .4375-20 UNJF-3A	2021	SAE	0
3625	AS9703	SCREW, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, NICKEL ALLOY (UNS N07001), .1380-40 UNJF-3A	2021	SAE	0
3626	AS9704	SCREW, MACHINE ??? DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, NICKEL ALLOY (UNS N07001), .1640-36 UNJF-3A	2021	SAE	0

3627	AS9706	SCREW, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, NICKEL ALLOY (UNS N07001), .2500-28 UNJF-3A	2021	SAE	0
3628	AS9707	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, NICKEL ALLOY (UNS N07001), .3125-24 UNJF-3A	2021	SAE	0
3629	AS9709	SCREW, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, NICKEL ALLOY (UNS N07001), .4375-20 UNJF-3A	2021	SAE	0
3630	AS9713	SCREW, MACHINE - DOUBLE HEXAGON, EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATE NICKEL ALLOY (UNS N07001), .1640-36UNJF-3A	2021	SAE	0
3631	AS9717	BOLT, MACHINE - DOUBLE HEXAGON, EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATE, NICKEL ALLOY (UNS N07001), .3750-24UNJF-3A	2021	SAE	0
3632	AS9816B	BOLT, MACHINE - HEXAGON HEAD, DRILLED, 1 HOLE, PD SHANK, CORROSION RESISTANT STEEL (UNS S17400), .1900-32 UNJF-3A	2021	SAE	0
3633	AS21429C	BEARING, ROLLER, ANTIFRICTION, ROD END, EXTERNAL THREAD, SELF-ALIGNING, AIR FRAME, -67 ??F TO 350 ??F TYPE 1, HEAVY DUTY, SEALED	2021	SAE	0
3634	AS21431D	BEARING, ROLLER, SELF-ALIGNING. SINGLE ROW, ANTI-FRICTION, SEALED, -65 TO 350 ??F, TYPE I	2021	SAE	0
3635	AS21440C	BEARING, ROLLER, NEEDLE, TRACK ROLLER INTEGRAL STUD, SEALED, TYPE VIII ANTIFRICTION, INCH	2021	SAE	0
3636	AS21608B	Ferrule, Shield Terminating, Crimp Style	2021	SAE	0
3637	AS21924F	UNION, FLARELESS TUBE BULKHEAD AND UNIVERSAL	2021	SAE	0
3638	AS21980A	FERRULE, OUTER, UNINSULATED, SHIELD TERMINATING, TYPE I, TWO PIECE, CLASS I, FOR SHIELDED CABLES	2021	SAE	0
3639	AS21981A	FERRULE, INNER, UNINSULATED, SHIELD TERMINATING, TYPE I, TWO PIECE, CLASS I, FOR SHIELDED CABLES	2021	SAE	0
3640	AS22520-17A	CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION; FOR CRIMP TYPE REMOVABLE CONTACTS, ELECTRIC CONNECTORS (Stabilized: Nov 2021)	2021	SAE	0
3641	AS22520-18A	CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION; IN-SERVICE INSPECTION GAGES FOR AS22520/17 CRIMP TOOLS (Stabilized: Oct 2021)	2021	SAE	0
3642	AS22520-42A	CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION; IN-SERVICE INSPECTION GAGE FOR AS22520/41 CRIMP TOOLS (Stabilized: Oct 2021)	2021	SAE	0
3643	AS22759-13B	WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, FEP-PVF2, MEDIUM WEIGHT, TIN-COATED COPPER CONDUCTOR, 600 VOLT, ROHS (Stabilized: Aug 2021)	2021	SAE	0
3644	AS22759-14B	WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, FEP-PVF2, LIGHT WEIGHT, TIN-COATED COPPER CONDUCTOR, 600 VOLT, ROHS (Stabilized: Aug 2021)	2021	SAE	0
3645	AS22759-15B	WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, FEP-PVF2, LIGHT WEIGHT, SILVER-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600 VOLT, ROHS (Stabilized: Aug 2021)	2021	SAE	0
3646	AS22759-47B	WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, LOW FLUORIDE, LIGHTWEIGHT, 80 MICROINCH SILVER-COATED HIGH-STRENGTH COPPER ALLOY, 200 ??C, 600 VOLT, ROHS (Stabilized: Aug 2021)	2021	SAE	0
3647	AS22759-48B	WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED CROSSLINKED MODIFIED ETFE, LOW FLUORIDE, LIGHTWEIGHT, 80 MICROINCH SILVER-COATED COPPER, 200 ??C, 600 VOLT, ROHS (Stabilized: Sep 2021)	2021	SAE	0
3648	AS22759-49B	WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, LOW FLUORIDE, NORMAL WEIGHT, 80 MICROINCH SILVER-COATED HIGH-STRENGTH COPPER ALLOY, 200 ??C, 600 VOLT, ROHS (Stabilized: Sep 2021)	2021	SAE	0
3649	AS22759-50B	WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, LOW FLUORIDE, NORMAL WEIGHT, 80 MICROINCH SILVER-COATED COPPER 200 ??C, 600 VOLT, ROHS (Stabilized: Aug 2021)	2021	SAE	0
3650	AS22759-55A	WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSS LINKED MODIFIED ETFE, LIGHTWEIGHT, SILVER COATED, EXTRA HIGH STRENGTH COPPER ALLOY, 200 ??C, 600 VOLT, ROHS (Stabilized: Aug 2021)	2021	SAE	0
3651	AS22759-56A	WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSS-LINKED MODIFIED ETFE, NORMAL WEIGHT, SILVER COATED, EXTRA HIGH STRENGTH COPPER ALLOY, 200 ??C, 600 VOLT, ROHS (Stabilized: Aug 2021)	2021	SAE	0

3652	AS22759-57A	WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSS-LINKED MODIFIED ETFE, NORMAL WEIGHT, NICKEL COATED, EXTRA HIGH STRENGTH COPPER ALLOY, 200 ??C, 600 VOLT, ROHS (Stabilized: Aug 2021)	2021	SAE	0
3653	AS22759-58A	WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, LIGHTWEIGHT, NICKEL COATED, EXTRA HIGH STRENGTH COPPER ALLOY, 200 ??C, 600 VOLT, ROHS (Stabilized: Aug 2021)	2021	SAE	0
3654	AS22759-93A	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYMIDE INSULATED, LIGHT WEIGHT, SILVER COATED, EXTRA HIGH STRENGTH COPPER ALLOY, 200 ??C, 600 VOLT, ROHS	2021	SAE	0
3655	AS22759-94A	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYMIDE INSULATED, LIGHTWEIGHT, NICKEL COATED, EXTRA HIGH STRENGTH COPPER ALLOY, 260 ??C, 600 VOLT, ROHS	2021	SAE	0
3656	AS22759-95A	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYMIDE INSULATED, NORMAL WEIGHT, SILVER COATED, EXTRA HIGH STRENGTH COPPER ALLOY, 200 ??C, 600 VOLT, ROHS	2021	SAE	0
3657	AS22759-96A	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYMIDE INSULATED, NORMAL WEIGHT, NICKEL COATED, EXTRA HIGH STRENGTH COPPER ALLOY, 260 ??C, 600 VOLT, ROHS	2021	SAE	0
3658	AS22759-193A	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYMIDE INSULATED, SMOOTH SURFACE, LIGHT WEIGHT, SILVER COATED, EXTRA HIGH STRENGTH COPPER ALLOY, 200 ??C, 600 VOLTS ROHS	2021	SAE	0
3659	AS22759-194A	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYMIDE INSULATED, SMOOTH SURFACE, LIGHTWEIGHT, NICKEL COATED, EXTRA HIGH STRENGTH COPPER ALLOY, 260 ??C, 600 VOLTS, ROHS	2021	SAE	0
3660	AS22759-195A	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYMIDE INSULATED, SMOOTH SURFACE, NORMAL WEIGHT, SILVER COATED, EXTRA HIGH STRENGTH COPPER ALLOY, 200 ??C, 600 VOLTS, ROHS	2021	SAE	0
3661	AS22759-196A	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYMIDE INSULATED, SMOOTH SURFACE, NORMAL WEIGHT, NICKEL COATED, EXTRA HIGH STRENGTH COPPER ALLOY, 260 ??C, 600 VOLTS ROHS	2021	SAE	0
3662	AS25065B	FERRULE, FLEXIBLE CONDUIT, RADIO FREQUENCY SHIELDING (Stabilized: Nov 2021)	2021	SAE	0
3663	AS25066A	CONDUIT ASSEMBLY, NUT, FLEXIBLE, RADIO FREQUENCY SHIELDING (Stabilized: Nov 2021)	2021	SAE	0
3664	AS25067B	CONDUIT ASSEMBLY, FLEXIBLE, RADIO FREQUENCY SHIELDING (Stabilized: Nov 2021)	2021	SAE	0
3665	AS25183B	CONNECTOR, PLUG, ELECTRIC, POTTING SEAL, SOLDER CONTACT, AN TYPE	2021	SAE	0
3666	AS25226C	LINK, TERMINAL, CONNECTING	2021	SAE	0
3667	AS28778C	O-RING, STRAIGHT THREAD TUBE FITTING BOSS MOLDED FROM AMS-P-5510 RUBBER	2021	SAE	0
3668	AS29512C	HYDROCARBON FUEL RESISTANT, TUBE FITTING, O-RING MOLDED FROM AMS-P-5315 RUBBER	2021	SAE	0
3669	AS29513C	PACKING, PREFORMED, HYDROCARBON FUEL RESISTANT, "O" RING	2021	SAE	0
3670	AS29561C	O-RING MOLDED FROM AMS-R-7362 NITRILE RUBBER MATERIAL	2021	SAE	0
3671	AS29606B	Wire, Electrical, Stranded, Uninsulated Copper, Copper Alloy, or Aluminum, or Thermocouple Extension, General Specification for	2021	SAE	0
3672	AS31011A	(R) CONNECTOR, RECEPTACLE, ELECTRIC, CABLE CONNECTING, SOLDER CONTACTS, AN TYPE	2021	SAE	0
3673	AS31021C	CONNECTOR, RECEPTACLE, ELECTRIC, BOX MOUNTING, SOLDER CONTACTS, AN TYPE	2021	SAE	0
3674	AS31481A	(R) CONNECTOR, PLUG, ELECTRIC, CRIMP TYPE, LANYARD, PUSH-PULL COUPLING, SERIES 2 (CLASS E AND J)	2021	SAE	0
3675	AS34021E	CONNECTOR, RECEPTACLE, ELECTRIC, BOX MOUNTING, FRONT RELEASE, CRIMP CONTACT, AN TYPE	2021	SAE	0
3676	AS34041B	(R) CONNECTORS, RECEPTACLE, ELECTRIC, JAM NUT MOUNTING, FRONT RELEASE, CRIMP CONTACT, AN TYPE	2021	SAE	0
3677	AS34081A	CONNECTORS, PLUG, ELECTRIC, 90 DEGREE ASSEMBLY, CRIMP CONTACT AN TYPE	2021	SAE	0
3678	AS34091A	(R) CONNECTORS, PLUG, ELECTRIC, 45 DEGREES ASSEMBLY, CRIMP CONTACT, AN TYPE	2021	SAE	0
3679	AS34361A	(R) CONNECTOR, PLUG, ELECTRIC, SOLDER CONTACT, UTILITY	2021	SAE	0
3680	AS34511A	(R) CONNECTORS, RECEPTACLE, ELECTRIC, CABLE CONNECTING, REAR RELEASE, CRIMP CONTACT, AN TYPE	2021	SAE	0
3681	AS34521C	CONNECTOR, RECEPTACLE, ELECTRIC, BOX MOUNTING, REAR RELEASE, CRIMP CONTACT, AN TYPE	2021	SAE	0
3682	AS34561A	(R) CONNECTORS, PLUG, ELECTRICAL, REAR RELEASE, CRIMP CONTACT, AN TYPE	2021	SAE	0

3683	AS34641A	CONNECTOR, RECEPTACLE, ELECTRIC, CRIMP TYPE, JAM NUT MOUNTING, PUSH-PULL COUPLING, SERIES 3 (CLASS L AND E)	2021	SAE	0
3684	AS35051A	(R) COVER FOR USE WITH MS90362 EXTERNAL POWER RECEPTACLE	2021	SAE	0
3685	AS35769C	GASKET, METALLIC, ENCASED, ANNULAR, COPPER (Stabilized: Dec 2021)	2021	SAE	0
3686	AS39029-11C	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR AS81659 SERIES 2 CONNECTORS)	2021	SAE	0
3687	AS39029-12C	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR AS81659 SERIES 2 CONNECTORS)	2021	SAE	0
3688	AS39029-32C	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-DTL-26482 SERIES 1, MIL-DTL-26500 AND MIL-DTL-26518 CONNECTORS)	2021	SAE	0
3689	AS39029-74C	CONTACTS, ELECTRICAL CONNECTORS, PIN, SOLDER, REMOVABLE, SHIELDED, SIZE 12 (FOR MIL-DTL-83723 SERIES III CONNECTORS)	2021	SAE	0
3690	AS39029-123A	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR AS50151 SERIES AS340X1 CONNECTORS AND AS95234 CONNECTORS)	2021	SAE	0
3691	AS39029-124A	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR AS50151 SERIES AS340X1 CONNECTORS AND AS95234 CONNECTORS)	2021	SAE	0
3692	AS62403-440	NULL	2021	SAE	0
3693	AS62403-440AR	AMENDMENT RECORD No . AS62403-440Ì -AR for Drawing Standard No . AS62403-440Ì	2021	SAE	0
3694	AS81582-1A	CONNECTORS, ELECTRIC, BAYONET, COUPLING, UMBILICAL RECEPTACLE, JAM NUT MOUNTING, RFI SHIELDED, CRIMP CONTACT, CLASS E	2021	SAE	0
3695	AS81582-4A	CONNECTOR ADAPTER, RFI SHIELDED, CABLE TO ELECTRIC CONNECTOR	2021	SAE	0
3696	AS81582-5A	CONNECTOR ADAPTER, RIGHT ANGLE, RFI SHIELDED, ELECTRIC CONNECTOR TO ELECTRIC CONNECTOR	2021	SAE	0
3697	AS81659-71B	CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (DUAL INSERT, TYPE IV, CLASS 1 (???65 TO +125 ??C), SERIES 2, SHELL DESIGNATOR A, CLINCH NUT MOUNT)	2021	SAE	0
3698	AS81714-23B	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, ELECTRONIC, IN-LINE JUNCTIONS, INTEGRAL FUSE, SERIES I	2021	SAE	0
3699	AS81714-24B	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL ELECTRONIC IN-LINE JUNCTIONS, DOUBLE, INTEGRAL DIODE(S), SERIES I	2021	SAE	0
3700	AS81914-3C	TUBING, PLASTIC, FLEXIBLE, CONVOLUTED, HELICAL FLUORINATED ETHYLENE PROPYLENE (FEP) STANDARD CONVOLUTION	2021	SAE	0
3701	AS81914-10B	TUBING, PLASTIC, EXTRA FLEXIBLE, CONVOLUTED, HELICAL, PERFLUOROALKOXY (PFA) CLOSE CONVOLUTION	2021	SAE	0
3702	AS81969-6A	REMOVAL TOOLS, CONNECTOR, ELECTRICAL CONTACT (TYPE CR CONNECTOR) TYPE II, CLASS 1, COMPOSITION A (Stabilized: Oct 2021)	2021	SAE	0
3703	AS81969-9A	REMOVAL TOOL, CONNECTOR, ELECTRICAL CONTACT, TYPE II, CLASS 1, COMPOSITION A (Stabilized: Oct 2021)	2021	SAE	0
3704	AS83248-2A	O-RING MOLDED FROM AMS7259 MATERIAL	2021	SAE	0
3705	AS83461-1C	M83461 O-RING MOLDED FROM AMS-P-83461 RUBBER	2021	SAE	0
3706	AS83519D	Shield Termination, Solder Style, Insulated, Heat-Shrinkable, Environment Resistant General Specification for	2021	SAE	0
3707	AS85049-17D	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, STRAIGHT, SHIELD TERMINATION, CATEGORY 2B (FOR MIL-DTL-38999 SERIES I AND II CONNECTORS)	2021	SAE	0
3708	AS85049-18D	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, STRAIGHT, RFI/EMI, CATEGORY 2B (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2021	SAE	0
3709	AS85049-32C	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, 90??, SHIELDED TERMINATION, CATEGORY 3C (FOR MIL-DTL-38999 SERIES I AND II CONNECTORS)	2021	SAE	0

3710	AS85049-33C	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, SHIELDED TERMINATION, THREADED APAPTER, CATEGORY 7 (FOR MIL-DTL-38999 SERIES I AND II CONNECTORS)	2021	SAE	0
3711	AS85049-48E	CONNECTOR ACCESSORIES, ELECTRICAL STRAIN RELIEF, STRAIGHT, CATEGORY 4C (FOR MIL-DTL-24308 CONNECTORS)	2021	SAE	0
3712	AS85049-60D	CONNECTOR ACCESSORIES, ELECTRICAL, ADAPTER, SHRINK BOOT, CATEGORY 5 (FOR AS50151 CRIMP, AS95234, MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, AND MIL-DTL-83723 SERIES III CONNECTORS)	2021	SAE	0
3713	AS85049-64B	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, SPLIT, STRAIGHT, CATEGORY 4C (FOR MIL-DTL-38999 SERIES I AND II CONNECTORS) (Stabilized: Oct 2021)	2021	SAE	0
3714	AS85049-65B	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, SPLIT, 90 DEGREE, CATEGORY 4C (FOR MIL-DTL-38999 SERIES I AND II CONNECTORS) (Stabilized: Oct 2021)	2021	SAE	0
3715	AS85049-74A	CONNECTOR ACCESSORIES, ELECTRICAL, POTTING BOOT, CATEGORY 7 (FOR USE WITH AS85049/61 POTTING BOOT RING)	2021	SAE	0
3716	AS85049-75A	CONNECTOR ACCESSORIES, ELECTRICAL, POTTING BOOT, CATEGORY 7 (FOR USE WITH AS85049/58 POTTING BOOT RING)	2021	SAE	0
3717	AS85049-80D	CONNECTOR ACCESSORIES, ELECTRICAL, DUMMY CONTACT, SIZES 16, 12, AND 8, CATEGORY 7 (FOR MIL-DTL-38999 CONNECTORS)	2021	SAE	0
3718	AS85049-123D	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90?? SELF-LOCKING, AND NON-SELF-LOCKING, CATEGORY 4C (FOR MIL-DTL-38999 SERIES I AND II CONNECTORS)	2021	SAE	0
3719	AS85049-126D	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90?? SELF-LOCKING AND NON-SELF-LOCKING, CATEGORY 4C (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2021	SAE	0
3720	AS85049-138C	CONNECTOR ACCESSORIES, ELECTRICAL, CAP, DUST, PLASTIC, CATEGORY 9	2021	SAE	0
3721	AS95234A	Connectors, Electrical, Reverse Bayonet, General Specification for	2021	SAE	0
3722	AS126275D - AS126586D	STUD - STRAIGHT, CADMIUM PLATED, STEEL, SAE 8740, 125 KSI MIN, .3125-18UNS-3A X .3125-24 UNF-3A	2021	SAE	0
3723	AS151401D - AS151700D	STUD, STEPPED, 1.5 DIA ENGAGEMENT, CADMIUM PLATED, STEEL UNS G87400, .4375-14 UNS X .3750-24 UNF-3A	2021	SAE	0
3724	AS152901C - AS153200C	STUD, STEPPED, DRILLED 1.5 DIA ENGAGEMENT, CADMIUM PLATED, STEEL UNS G87400, .3125-18 UNS X .2500-28 UNF-3A	2021	SAE	0
3725	AS155301C - AS155600C	STUD, STEPPED, 2 DIA ENGAGEMENT, CADMIUM PLATED, STEEL UNS G87400, .3750-16 UNS X .3125-24 UNF-3A	2021	SAE	0
3726	AS155901C - AS156200C	STUD, STEPPED, 2 DIA ENGAGEMENT, CADMIUM PLATED, STEEL UNS G87400, .5000-13 UNS X .4375-20 UNF-3A	2021	SAE	0
3727	GEIA-STD-0006C	NULL	2021	SAE	0
3728	ISO 21434	Road Vehicles - Cybersecurity Engineering	2021	SAE	0
3729	J216	Motor Vehicle Glazingâ Electrical Circuits	2021	SAE	0
3730	J264	Vision Glossary	2021	SAE	0
3731	J284	Safety Alert Symbol for Agricultural, Construction and Industrial Equipment	2021	SAE	0
3732	J294	(R) Service Brake Structural Integrity Test Procedure-Vehicles over 4500 kg (10 000 lb) GVWR - January 1993	2021	SAE	0
3733	J323	Test Method for Determining Cold Cracking of Flexible Plastic Materials	2021	SAE	0
3734	J514-1	Metallic Connections for Fluid Power and General Use - Part 1: 37 Degree Flared Fittings	2021	SAE	0
3735	J516	Hydraulic Hose Fittings	2021	SAE	0
3736	J518-3	Hydraulic Flange Clamps, 2-Screw Flange Connection to be used with SAE J518-1(Code 61) Connections where Only Low Pressure is Required	2021	SAE	0
3737	J534	(R) Lubrication Fittings	2021	SAE	0
3738	J593	Backup Lamp (Reversing Lamp)	2021	SAE	0

3739	J595	(R) Directional Flashing Optical Warning Devices for Authorized Emergency, Maintenance, and Service Vehicles	2021	SAE	0
3740	J661	Brake Lining Quality Test Procedure (Stabilized Type)	2021	SAE	0
3741	J744	Hydraulic Pump and Motor Mounting and Drive Dimensions	2021	SAE	0
3742	J826-3	3D CAD for SAE J826 H-Point Machine	2021	SAE	0
3743	J845	(R) Optical Warning Devices for Authorized Emergency, Maintenance, and Service Vehicles	2021	SAE	0
3744	J881	(R) Lifting Crane Sheave and Drum Sizes	2021	SAE	0
3745	J917	Marine Push-Pull Control Cables	2021	SAE	0
3746	J999	Crane Boom Hoist Disengaging Device	2021	SAE	0
3747	J1113-26	Electromagnetic Compatibility Measurement Procedure for Vehicle Components - Immunity to AC Power Line Electric Fields	2021	SAE	0
3748	J1167	(R) Motorcycle Stop Lamp Switch	2021	SAE	0
3749	J1237	Metric Thread Rolling Screws	2021	SAE	0
3750	J1246	Measuring the Radius of Curvature of Convex Mirrors	2021	SAE	0
3751	J1273	Recommended Practices for Hydraulic Hose Assemblies	2021	SAE	0
3752	J1336	Hydraulic Cylinder Leakage Test	2021	SAE	0
3753	J1423	(R) Classification of Energy Conserving Engine Oil and Resource Conserving Engine Oil for Passenger Cars, Vans, Sport Utility Vehicles, and Light-Duty Trucks	2021	SAE	0
3754	J1468	(R) Oil Cooler Application Testing and Nomenclature	2021	SAE	0
3755	J1492	(R) Measurement of Light Vehicle Stationary Exhaust System Sound Level Engine Speed Sweep Method	2021	SAE	0
3756	J1503	Performance Test for Air-Conditioned, Heated, and Ventilated Off-Road, Self-Propelled Work Machines	2021	SAE	0
3757	J1513	External Automatic Slack Adjuster Performance Requirements	2021	SAE	0
3758	J1597	Laboratory Testing of Vehicle and Industrial Heat Exchangers for Pressure-Cycle Durability	2021	SAE	0
3759	J1598	Laboratory Testing of Vehicle and Industrial Heat Exchangers for Durability Under Vibration-Induced Loading	2021	SAE	0
3760	J1699-4	OBD-II Communications Anomaly List	2021	SAE	0
3761	J1715-2	(R) Battery Terminology	2021	SAE	0
3762	J1725	Structural Modification for Personally Licensed Vehicles to Meet the Transportation Needs of Persons with Disabilities	2021	SAE	0
3763	J1752-1	(R) Electromagnetic Compatibility Measurement Procedures for Integrated Circuits - Integrated Circuit EMC Measurement Procedures - General and Definitions	2021	SAE	0
3764	J1757-1	(R) Standard Metrology for Vehicular Displays	2021	SAE	0
3765	J1790	Self-Propelled Sweepers and Scrubbers Steering Requirements Single-Circuit Hydraulic Servo-Assisted Systems	2021	SAE	0
3766	J1793	Self-Propelled Sweepers and Scrubbers Tank and Hopper Capacity Rating	2021	SAE	0
3767	J1939-1	(R) On-Highway Equipment Control and Communication Network	2021	SAE	0
3768	J1939-21	Data Link Layer	2021	SAE	0
3769	J1939-74	Application-Configurable Messaging	2021	SAE	0
3770	J2198	(R) Glossary - Automatic Belt Tensioner	2021	SAE	0
3771	J2280	Ship Systems and Equipment - Fasteners - Selection and Identification Requirements, Standard	2021	SAE	0
3772	J2292	Combination Pelvic/Upper Torso (Type 2) Operator Restraint Systems for Off-Road Work Machines	2021	SAE	0
3773	J2316	Wheel Nut Seat System Test Procedures and Performance Requirements for Passenger Cars and Light Trucks	2021	SAE	0
3774	J2399	Adaptive Cruise Control (ACC) Operating Characteristics and User Interface	2021	SAE	0
3775	J2405	Low-Permeation Fuel Fill and Vent Tube	2021	SAE	0
3776	J2425	Steering Control Systems - Laboratory Test Procedure Heavy Trucks	2021	SAE	0
3777	J2432	Performance Testing of PK Section V-Ribbed Belts	2021	SAE	0

3778	J2464	(R) Electric and Hybrid Electric Vehicle Rechargeable Energy Storage System (RESS) Safety and Abuse Testing	2021	SAE	0
3779	J2474	Self Propelled Sweepers and Scrubbers Battery Run-Time	2021	SAE	0
3780	J2530	Aftermarket Wheelsâ Passenger Cars and Light Truckâ Performance Requirements and Test Procedures	2021	SAE	0
3781	J2602-1	LIN Network for Vehicle Applications	2021	SAE	0
3782	J2602-2	LIN Network for Vehicle Applications Conformance Test	2021	SAE	0
3783	J2602-3	File Structures for a Node Capability File (NCF)	2021	SAE	0
3784	J2603	(R) Recommended Practice for Powered Gas Brake Control Systems	2021	SAE	0
3785	J2604	Recommended Test Procedure for Powered Gas Brake Control Systems	2021	SAE	0
3786	J2690	Driveline Parking Brake Test Procedure for Medium Duty Vehicles	2021	SAE	0
3787	J2723	Engine Power Test Codeâ Engine Power and Torque Certification	2021	SAE	0
3788	J2790	(R) Test Method for Evaluating the Electrical Resistance of Coolant System Hose Covers	2021	SAE	0
3789	J2795	Power Cylinder Oil Consumption: Problem Solving	2021	SAE	0
3790	J2802	Blind Spot Monitoring System (BSMS): Operating Characteristics and User Interface	2021	SAE	0
3791	J2840	High Voltage Shielded and Jacketed Cable	2021	SAE	0
3792	J2845	R-1234yf [HFO-1234yf] and R-744 Technician Training for Service and Containment of Refrigerants Used in Mobile A/C Systems	2021	SAE	0
3793	J2848-3	Tire Pressure Systems - Management (CTIS) Type For Medium and Heavy Duty Highway Vehicles	2021	SAE	0
3794	J2892	Graphics - Based Service Information	2021	SAE	0
3795	J2926	Rollover Testing Methods	2021	SAE	0
3796	J2937	Linear Impact Procedure for Occupant Ejection Protection	2021	SAE	0
3797	J2962-3	Communication Transceivers Qualification Requirements - Ethernet	2021	SAE	0
3798	J2966	Guidelines for Aerodynamic Assessment of Medium and Heavy Commercial Ground Vehicles Using Computational Fluid Dynamics	2021	SAE	0
3799	J2978	Truck and Bus Coastdown Procedure	2021	SAE	0
3800	J2984	Identification of Transportation Battery Systems for Recycling Recommended Practice	2021	SAE	0
3801	J3061	Cybersecurity Guidebook for Cyber-Physical Vehicle Systems	2021	SAE	0
3802	J3107	Vacuum Excavation and Sewer Cleaning Equipment - Safety Requirements	2021	SAE	0
3803	J3117-2	NULL	2021	SAE	0
3804	J3349	NOx Tracking Parameter Accuracy	2021	SAE	0
3805	J4001	Implementation of Lean Operation User Manual	2021	SAE	0
3806	JA1000-1	Reliability Program Standard Implementation Guide	2021	SAE	0
3807	JA1000	Reliability Program Standard	2021	SAE	0
3808	MA2150-3A	CLAMP, LOOP STYLE, CUSHIONED, WITH WEDGE, HIGH TEMPERATURE, METRIC	2021	SAE	0
3809	MA3343A	BOLT, MACHINE - SPLINE DRIVE EXTENDED WASHER, FULL SHANK, LONG THREAD, AMS5662, METRIC	2021	SAE	0
3810	MA3353D	NUT, SELF LOCKING ??? SPLINE DRIVE, EXTENDED WASHER, UNS G87400, CADMIUM PLATE, MJ THREAD, METRIC (Stabilized: Oct 2021)	2021	SAE	0
3811	MA3398A	BOLT, MACHINE-HEX HEAD-DRILLED, PD SHANK, LONG THREAD, AMS5731, METRIC	2021	SAE	0
3812	MA3446B	BOLT, MACHINE - TEE HEAD, CHAMFERED CLASSIFICATION: 1210 MPA/730 ??C CLOSE TOL SHANK, UNS N07001, METRIC	2021	SAE	0
3813	MA4035A	Rings, Retaining - Spiral Wound, Uniform Section Corrosion Resistant, Procurement Specification for, Metric	2021	SAE	0
3814	MA4036A	Rings, Retaining - Tapered Width, Uniform Thickness Corrosion Resistant, Procurement Specification For, Metric	2021	SAE	0
3815	MA4070A	Pins, Procurement Specification for, Metric	2021	SAE	0

3816	MA4189A	SCREW, MACHINE, 100?? CSK, FLAT HEAD, OFFSET CRUCIFORM RECESS, FULL SHANK, UNS S66286, MJ THREAD, METRIC	2021	SAE	0
3817	MAP3439A	O-Ring Groove Design for Metric O-Ring Seals Used in Static Axial Compression Applications Specifically for Engine and Engine Control Systems	2021	SAE	0
3818	MAP3440A	O-Ring Groove Design for Metric O-Ring Seals Used in Static Radial Compression Applications Specifically for Engine and Engine Control Systems	2021	SAE	0
3819	1010	Standard Practice for Manpower and Personnel	2020	SAE	0
3820	AIR818E	Aircraft Instrument and Instrument System Standards: Wording Terminology, Phraseology, Environment and Design Standards For (Stabilized: Feb 2020)	2020	SAE	0
3821	AIR825-6A	On-Board Oxygen Generating Systems (Molecular Sieve)	2020	SAE	0
3822	AIR975B	Maintenance of Pitot-Static Systems of Transport Aircraft (Stabilized: Feb 2020)	2020	SAE	0
3823	AIR1059F	Oxygen Cylinder Quality, Serviceability, Maintenance Transfilling and Marking	2020	SAE	0
3824	AIR1075B	Barometry for Altimeter Calibration (Stabilized: Feb 2020)	2020	SAE	0
3825	AIR1263A	Tin Plated Solderless Terminal Lugs and Splices on Nickel Coated High Temperature Wire	2020	SAE	0
3826	AIR1296	Concurrent Design of Engines and Specifications of Starting System for Helicopters	2020	SAE	0
3827	AIR1404	DC Resistivity vs RF Impedance of EMI Gaskets	2020	SAE	0
3828	AIR1608B	Estimation of Total Error in Altimetry (Stabilized: Feb 2020)	2020	SAE	0
3829	AIR1615B	(R) Thesaurus for Fuel System Components	2020	SAE	0
3830	AIR1700A	Upper Frequency Measurement Boundary for Evaluation of Shielding Effectiveness in Cylindrical Systems	2020	SAE	0
3831	AIR4172	HELICOPTER ENGINE MOUNTING	2020	SAE	0
3832	AIR4416	Helicopter Turbine Engine Wash	2020	SAE	0
3833	AIR4465A	Design and Handling Guide Radio Frequency Absorptive Type Wire and Cables (Filter Line, AS85485)	2020	SAE	0
3834	AIR4567B	(R) Composite Electrical Connectors	2020	SAE	0
3835	AIR5060B	Electronic Engine Control Design Guide for Electromagnetic Environmental Effects	2020	SAE	0
3836	AIR5415B	(R) User's Manua l for Certification of Aircraft Electrica l/Electronic Systems for the I ndirect Effects of L ightning	2020	SAE	0
3837	AIR5747A	EMC Laboratory RF Radiated Emission Report for Passive Radio Frequency Identification (RFID) Tags (Stabilized: Feb 2020)	2020	SAE	0
3838	AIR5914	Landing Gear Fatigue Spectrum Development For Part 25 Aircraft	2020	SAE	0
3839	AIR6110	Contiguous Aircraft/System Development Process Example	2020	SAE	0
3840	AIR6160A	Magnesium Alloys in Aircraft Seats - Developments in Magnesium Alloy Flammability Testing (Stabilized: Jan 2020)	2020	SAE	0
3841	AIR6241A	Procedure for the Continuous Sampling and Measurement of Non-Volatile Particle Emissions from Aircraft Turbine Engines	2020	SAE	0
3842	AIR6258	Fiber Optic Sensors for Aerospace Applications	2020	SAE	0
3843	AIR6343	Design and Development of Rechargeable Lithium Battery Systems for Aerospace Applications	2020	SAE	0
3844	AIR6464	EUROCAE/SAE WG80/AE-7AFC Hydrogen Fuel Cells Aircraft Fuel Cell Safety Guidelines	2020	SAE	0
3845	AIR6501	Method for Modeling Line-of-Sight Blockage of Aircraft Noise	2020	SAE	0
3846	AIR6552-3	Network End-to-End Data Link Evaluation System Transceiver Health Monitoring	2020	SAE	0
3847	AIR6553	Measurement Uncertainty and Consumer Risk	2020	SAE	0
3848	AMS03-2C	Cleaning and Preparation of Metal Surfaces	2020	SAE	0
3849	AMS2315H	Determination of Delta Ferrite Content	2020	SAE	0
3850	AMS2412L	Plating, Silver Copper Strike, Low Bake	2020	SAE	0
3851	AMS2431-9	Peening Media Ceramic Shot, High Density	2020	SAE	0
3852	AMS2471J	Anodic Treatment of Aluminum Alloys Sulfuric Acid Process, Undyed Coating	2020	SAE	0

3853	AMS2472H	Anodic Treatment of Aluminum Alloys Sulfuric Acid Process, Dyed Coatings	2020	SAE	0
3854	AMS2473J	Chemical Film Treatment for Aluminum Alloys General Purpose Coating	2020	SAE	0
3855	AMS2759-3J	Heat Treatment Precipitation-Hardening Corrosion-Resistant, Maraging, and Secondary Hardening Steel Parts	2020	SAE	0
3856	AMS2759-5F	Heat Treatment Martensitic Corrosion-Resistant Steel Parts	2020	SAE	0
3857	AMS3020B	Oil, Reference, for ???L??? Stock Rubber Testing	2020	SAE	0
3858	AMS3046H	Magnetic Particles, Fluorescent Wet Method, Oil Vehicle, Aerosol Packaged	2020	SAE	0
3859	AMS3217-2D	Test Slabs, Acrylonitrile Butadiene (NBR-L) Low Acrylonitrile, 65 - 75	2020	SAE	0
3860	AMS3227J	Acrylonitrile Butadiene (NBR) Rubber Hot Oil and Coolant Resistant, Low Swell 55 - 65 (Stabilized: Jan 2020)	2020	SAE	0
3861	AMS3229K	Acrylonitrile Butadiene (NBR) Rubber Hot Oil Resistant, Low Swell 75 - 85 (Stabilized: Jan 2020)	2020	SAE	0
3862	AMS3239G	Butyl (IIR) Rubber Phosphate Ester Resident 85 - 95 (Stabilized: Jan 2020)	2020	SAE	0
3863	AMS4144G	Aluminum Alloy, Hand Forgings and Rolled Rings 6.3Cu - 0.30Mn - 0.18Zr - 0.10V - 0.06Ti (2219-T852/T851) Solution Heat Treated, Mechanically Stress Relieved, and Precipitation Heat Treated	2020	SAE	0
3864	AMS4215J	Aluminum Alloy, Castings 5.0Si - 1.2Cu - 0.50Mg (C355.0-T6) Solution and Precipitation Heat Treated	2020	SAE	0
3865	AMS4243C	Aluminum Alloy, Alclad Sheet 6.2Zn - 2.3Cu - 2.2Mg - 0.12Zr (Alclad 7050-T76) Solution Heat Treated and Overaged	2020	SAE	0
3866	AMS4324B	Aluminum Alloy, Extruded Rod, Bar and Profiles (7055-T74511) 8.0Zn - 2.3Cu - 2.0Mg - 0.16Zr Solution Heat Treated, Stress-Relieved, and Overaged	2020	SAE	0
3867	AMS4351A	Aluminum Alloy, Plate (7065-T7651) 7.7Zn - 2.1Cu - 1.65Mg - 0.10Zr Solution Heat Treated, Stress-Relieved, and Overaged	2020	SAE	0
3868	AMS4361A	Aluminum Alloy, Plate (7065-T7451) 7.7Zn - 2.1Cu - 1.65Mg - 0.10Zr Solution Heat Treated, Stress-Relieved, and Overaged	2020	SAE	0
3869	AMS4903D	Titanium Alloy Sheet, Strip, and Plate 6Al - 4V Solution Heat Treated	2020	SAE	0
3870	AMS4944M	Titanium Alloy Tubing, Seamless, Hydraulic 3.0Al - 2.5V Cold Worked, Stress Relieved	2020	SAE	0
3871	AMS4945H	Titanium Alloy Tubing, Seamless, Hydraulic 3Al - 2.5V, Controlled Contractile Strain Ratio Cold Worked, Stress Relieved	2020	SAE	0
3872	AMS4946F	Titanium Alloy Tubing, Seamless, Hydraulic 3Al - 2.5V, Texture Controlled Cold Worked, Stress Relieved	2020	SAE	0
3873	AMS4957G	Titanium Alloy, Round Bar and Wire 3Al - 8V - 6Cr - 4Mo - 4Zr Consumable Electrode Melted Solution Heat Treated and Cold Drawn	2020	SAE	0
3874	AMS4987F	Titanium Alloy, Forgings 10V - 2Fe - 3Al Consumable Electrode Melted, Single-Step Solution Heat Treated and Overaged 140 ksi (965 MPa) Tensile Strength	2020	SAE	0
3875	AMS5518N	Steel, Corrosion Resistant, Sheet and Strip 18Cr - 8Ni Cold Rolled, 150 ksi (1034 MPa) Tensile Strength	2020	SAE	0
3876	AMS5519P	Steel, Corrosion Resistant, Sheet and Strip 18Cr - 8Ni (SAE 30301) Cold Rolled, 185 ksi (1276 MPa) Tensile Strength	2020	SAE	0
3877	AMS5659-H1025B	Steel, Corrosion-Resistant, Bars, Wire, Forgings, Rings, and Extrusions 15Cr - 4.5Ni - 0.30Cb (Nb) - 3.5Cu Consumable Remelted, Solution and Precipitation Heat Treated (H1025)	2020	SAE	0
3878	AMS5715G	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 60.5Ni - 23Cr - 14Fe - 1.4Al Annealed	2020	SAE	0
3879	AMS5717J	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 45.5Ni - 25.5Cr - 3.2Mo - 3.2W - 18.5Fe Solution Heat Treated	2020	SAE	0
3880	AMS5771G	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 74Ni - 7.0Cr - 16.5Mo Solution Heat Treated	2020	SAE	0
3881	AMS5892C	Alloy, Sheet and Strip 42Fe - 37.5Ni - 14Co - 4.8Cb (Nb) - 1.6Ti Solution Heat Treated, Precipitation Hardenable Multiple Melted, High Temperature, Low Expansion	2020	SAE	0
3882	AMS5902D	Steel, Corrosion-Resistant, Sheet and Strip 18Cr - 8Ni (301) Cold Rolled, 3/4 Hard, 175 ksi (1207 MPa) Tensile Strength	2020	SAE	0
3883	AMS5911C	Steel, Corrosion-Resistant, Sheet and Strip 19Cr - 9.2Ni (304) Cold Rolled, 1/2 Hard, 150 ksi (1034 MPa) Tensile Strength	2020	SAE	0
3884	AMS5912C	Steel, Corrosion-Resistant, Sheet and Strip 19Cr - 9.2Ni (304) Cold Rolled, 3/4 Hard, 175 ksi (1207 MPa) Tensile Strength	2020	SAE	0
3885	AMS5913C	Steel, Corrosion-Resistant, Sheet and Strip 19Cr - 9.2Ni (304) Cold Rolled, Full Hard, 185 ksi (1276 MPa) Tensile Strength	2020	SAE	0
3886	AMS5929A	Steel, Corrosion-Resistant, Bars and Forgings 11.5Cr - 10Ni - 1.0Al - 0.5Ti - 1.0Cu - 1.0W Vacuum Induction Plus Vacuum Consumable Electrode Melted Solution Heat Treated, Precipitation Hardenable	2020	SAE	0

3887	AMS6396G	Steel Sheet, Strip, and Plate 0.80Cr - 1.8Ni - 0.25Mo (0.49 - 0.55C) Annealed	2020	SAE	0
3888	AMS6891-1	Carbon Fiber and Fiberglass Epoxy Prepreg Products with 350 ??F (177 ??C) Cure for Aerospace Applications: Type 35, Class 1, Grade 191	2020	SAE	0
3889	AMS6891-2	Carbon Fiber and Fiberglass Epoxy/Prepreg Products with 350 ??F (177 ??C) Cure for Aerospace Applications: Type 40, Class 1, Grade 196, Style 6K-PW	2020	SAE	0
3890	AMS6915C	Titanium Alloy Bars, Forgings and Forging Stock 7.0Al - 4.0Mo Annealed	2020	SAE	0
3891	AMS7200	Interior Decorative Clear Coating for Metal Surfaces	2020	SAE	0
3892	AMS7276J	Rubber: Fluorocarbon (FKM) High Temperature - Fluid Resistant Low Compression Set/70 to 80 Type A Hardness For Seals in Fuel Systems and Specific Engine Oil Systems	2020	SAE	0
3893	AMS-H-6875C	Heat Treatment of Steel Raw Materials	2020	SAE	0
3894	AMS-T-5066B	Tubing, Carbon Steel (1025) (Aircraft Quality)	2020	SAE	0
3895	ARP506B	High Temperature Insulated Terminal Lugs	2020	SAE	0
3896	ARP996A	Cooling Data for Turbine Engines in Helicopters	2020	SAE	0
3897	ARP1111A	Inspection of Worn Involute Splines (Stabilized: Feb 2020)	2020	SAE	0
3898	ARP1308D	Electrical Connectors for Aerospae, Shipboard, Ground Vehicles and Associated Equipment	2020	SAE	0
3899	ARP1383C	(R) Aerospace - Impulse Testing of Hydraulic Components	2020	SAE	0
3900	ARP4101-8A	Flight Deck Interior Doors for Transport Aircraft	2020	SAE	0
3901	ARP4102-12B	Approach to Landing Guidance System for Transport Aircraft	2020	SAE	0
3902	ARP4176A	Determination of Costs and Benefits from Implementing an Engine Health Management System	2020	SAE	0
3903	ARP5384	Specification Guide for Power Drive Units (PDUs)	2020	SAE	0
3904	ARP5448-5B	Plain Bearing No-Load Rotational Breakaway Torque Measurement	2020	SAE	0
3905	ARP5898A	Human Interface Criteria for Flight Deck Surface Operations Displays (Stabilized: Dec 2020)	2020	SAE	0
3906	ARP6283-1	In-Service Fiber Optic Inspection, Evaluation, and Cleaning, Best Practices, Expanded Beam Termini	2020	SAE	0
3907	ARP6283-2	In-Service Fiber Optic Inspection, Evaluation, and Cleaning, Best Practices, Multi-Fiber Push on Termini	2020	SAE	0
3908	ARP7355	Assessment of Elastomer Volume Swelling Behavior in Aero-Derived Gas Turbine Engine Lubricants - Short Duration Test	2020	SAE	0
3909	ARP7500	Minimization of High Temperature Oxidation, Aluminum Alloy Heat Treatment	2020	SAE	0
3910	AS1219A	Aircraft Oxygen Replenishment Coupling for Civil Transport Aircraft (Design Standard)	2020	SAE	0
3911	AS1709B	Coupling Assembly, Hydraulic Self Sealing, Quick Disconnect	2020	SAE	0
3912	AS3233B	BOLT, TEE HEAD - CHAMFERED, PD SHANK, NICKEL ALLOY, 165 KSI MIN UTS .2500-28 UNJF-3A	2020	SAE	0
3913	AS3235D	BOLT, TEE HEAD ??? CHAMFERED, PD SHANK NICKEL ALLOY (UNS N07001),165 KSI MIN UTS .3750-24 UNJF-3A	2020	SAE	0
3914	AS3252E	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, NICKEL ALLOY, UNS N07718, 185 KSI MIN, .3125-24 UNJF-3A	2020	SAE	0
3915	AS3254D	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, NICKEL ALLOY, UNS N07718, 185 KSI MIN, .4375-20 UNJF-3A	2020	SAE	0
3916	AS3256D	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, NICKEL ALLOY, UNS N07718, 185 KSI MIN, .5625-18 UNJF-3A	2020	SAE	0
3917	AS3409B	BOLT, TEE HEAD - AMS5662, CHAMFERED, PD SHANK, .1900-32 UNJF-3A (STRESS RUPTURE RESISTANT)	2020	SAE	0
3918	AS3570A	O-Ring Molded from AMS7274 Material	2020	SAE	0
3919	AS5000E	Fitting, Plug-in Union, Ring Locked, 24 Degree Cone, Fluid Connection, 5080 psi (35000 kPa), Specification for	2020	SAE	0
3920	AS5127-1D	Aerospace Standard Test Methods for Aerospace Sealants Two-Component Synthetic Rubber Compounds	2020	SAE	0
3921	AS5127-2C	Test Method for Aerospace Firewall Sealant Flame Penetration	2020	SAE	0
3922	AS5161C	FITTING, BOLT, FLUID PASSAGE	2020	SAE	0

3923	AS5197C	FITTING, TEE, FLARED TO PIPE ON SIDE	2020	SAE	0
3924	AS5562	Ice and Rain Minimum Qualification Standards for Pitot and Pitot-static Probes	2020	SAE	0
3925	AS5590-1A	CONNECTOR, FIBER OPTIC, CIRCULAR, ENVIRONMENT RESISTANT, REMOVEABLE TERMINI (Stabilized: Nov 2020)	2020	SAE	0
3926	AS5678B	Passive RFID Tags Intended for Airborne Equipment Use	2020	SAE	0
3927	AS5870	Thread Inspection Practices	2020	SAE	0
3928	AS6224-1	REPAIR SLEEVE, PRIMARY WIRE INSULATION DAMAGE, ELECTRIC, PERMANENT, ENVIRONMENT RESISTANT, 150 ??C MAXIMUM OPERATING TEMPERATURE	2020	SAE	0
3929	AS6271A	Halocarbon Clean Agent Hand-Held Fire Extinguisher	2020	SAE	0
3930	AS6469	FITTING, ELBOW 90??, BULKHEAD SEALING, EXTERNAL SWAGE TO FLARELESS	2020	SAE	0
3931	AS6474	FITTING, UNION, BULKHEAD SEALING, EXTERNAL SWAGE	2020	SAE	0
3932	AS6479-1	Splicer, Fusion, Fiber Optic, Aerospace, Explosion-Proof (Type I)	2020	SAE	0
3933	AS6479-2	Splicer, Fusion, Fiber Optic, Aerospace Non-Explosion-Proof (Type II)	2020	SAE	0
3934	AS7225B	Rivets, Carbon Steel Procurement Specification for	2020	SAE	0
3935	AS7251C	Nuts, Self-Locking, Steel, Corrosion and Heat Resistant High Strength, All Metal 1200 Ī°F Use, UNJ Thread Form	2020	SAE	0
3936	AS7447	FITTING ASSY, ELBOW, REDUCER, 90??, SWIVEL, BULKHEAD, REDUCED BODY, FLARELESS	2020	SAE	0
3937	AS7516C	MALE FERRULE, THREADLESS - FLEXIBLE, FIXED CAVITY, SELF-BONDING, BUTT WELDED	2020	SAE	0
3938	AS7768-1B	LIGHT, DESK, AIRCRAFT (Stabilized: Nov 2020)	2020	SAE	0
3939	AS7928-4C	TERMINALS, LUG AND SPLICES, CONDUCTOR, CRIMP STYLE, COPPER TERMINAL, LUG, INSULATED, RING TONGUE, BELL-MOUTHED, TYPE II, CLASS 1 (FOR 150 ??C TOTAL CONDUCTOR TEMPERATURE)	2020	SAE	0
3940	AS7928-12E	TERMINAL, LUG, CRIMP STYLE, COPPER, INSULATED, RING TONGUE, BELL-MOUTHED, TIN WHISKER RESISTANT, TYPE II, CLASS 1, (FOR 105 ??C TOTAL CONDUCTOR TEMPERATURE)	2020	SAE	0
3941	AS7928-13C	TERMINALS, LUG AND SPLICES, CONDUCTOR, CRIMP STYLE, COPPER TERMINAL, LUG, INSULATED, TIN WHISKER RESISTANT, RING TONGUE, BELL-MOUTHED, TYPE II, CLASS 1 (FOR 150 ??C TOTAL CONDUCTOR TEMPERATURE)	2020	SAE	0
3942	AS7974-1B	CONNECTOR, PLUG, AIRCRAFT EXTERNAL POWER, 115/200 VOLT, 400 HERTZ	2020	SAE	0
3943	AS8044A	Takeoff Performance Monitor (TOPM) System, Airplane, Minimum Performance Standard for (Stabilized: May 2020)	2020	SAE	0
3944	AS8791D	Hydraulic and Pneumatic Retainers (Backup Rings), Polytetrafluoroethylene (PTFE) Resin	2020	SAE	0
3945	AS9058D	Ring - Back-Up, Boss Connection, AMS3678/1 Material	2020	SAE	0
3946	AS9104-3A	Requirements for Aviation, Space, and Defense Auditor Training, Development, Competence, and Authentication	2020	SAE	0
3947	AS9724E	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, NICKEL ALLOY (UNS N07001) 165 KSI MIN, .2500-28 UNJF-3A	2020	SAE	0
3948	AS9770A	O-Ring Machined from AMS3650 Material	2020	SAE	0
3949	AS9771A	PACKING, PREFORMED - AMS3650, SEAL	2020	SAE	0
3950	AS9772A	O-Ring Machined from AMS3617 Material	2020	SAE	0
3951	AS9845C	PIN, STRAIGHT, HEADED, .2499 DIAMETER, CRES UNS S41800	2020	SAE	0
3952	AS9956B	Packing, Preformed (PTFE) - AMS3668, Seal	2020	SAE	0
3953	AS9967A	O-Ring Molded from AMS7273 Material	2020	SAE	0
3954	AS12810-5	AEROSPACE STANDARD No . AS1 281 0-839ī CLIP , SPRING , TENS ION , INNER	2020	SAE	0
3955	AS12810AR-5	AMENDMENT RECORD No . AS1 281 0-AR for Drawing Standard No . AS1 281 0 -839	2020	SAE	0
3956	AS22520-29	CRIMPING TOOLS, TYPE 1, HAND OR POWER ACTUATED, WIRE TERMINATION, PNEUMATIC TOOL, CONTACT WIRE BARREL SIZES 12 THROUGH 20	2020	SAE	0
3957	AS22520-44A	CRIMPING TOOL, TYPE II, WIRE HEATLESS TERMINATION, HAND ACTUATED, WIRE SIZES 26-12	2020	SAE	0

3958	AS22759-5A	WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, ABRASION RESISTANT EXTRUDED PTFE, SILVER-COATED COPPER CONDUCTOR, 600 VOLT, ROHS	2020	SAE	0
3959	AS22759-6A	WIRE, ELECTRIC, FLUOROCARBON-INSULATED, ABRASION RESISTANT EXTRUDED PTFE, NICKEL-COATED COPPER CONDUCTOR, 600 VOLT, ROHS	2020	SAE	0
3960	AS22759-7A	WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, ABRASION RESISTANT EXTRUDED PTFE MEDIUM WEIGHT, SILVER-COATED CONDUCTOR, 600 VOLT, ROHS	2020	SAE	0
3961	AS22759-8A	WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, ABRASION RESISTANT EXTRUDED PTFE MEDIUM WEIGHT, NICKEL-COATED COPPER CONDUCTOR, 600 VOLT, ROHS	2020	SAE	0
3962	AS22759-9A	WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, SILVER-COATED COPPER CONDUCTOR, 1,000 VOLT, ROHS	2020	SAE	0
3963	AS22759-10B	WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, NICKEL-COATED COPPER CONDUCTOR, 1000 VOLT, ROHS	2020	SAE	0
3964	AS22759-11A	WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, SILVER-COATED COPPER CONDUCTOR, 600 VOLT, ROHS	2020	SAE	0
3965	AS22759-12A	WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, NICKEL-COATED COPPER CONDUCTOR, 600 VOLT, ROHS	2020	SAE	0
3966	AS22759-20A	WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, SILVER-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 1,000-VOLT, ROHS	2020	SAE	0
3967	AS22759-21A	WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, NICKEL-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 1,000-VOLT, ROHS	2020	SAE	0
3968	AS22759-22A	WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, SILVER-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600 VOLT, ROHS	2020	SAE	0
3969	AS22759-23A	WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, NICKEL-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600 VOLT, ROHS	2020	SAE	0
3970	AS22759-32A	WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, LIGHTWEIGHT, TIN-COATED, COPPER, 150 ??C, 600 VOLT, ROHS	2020	SAE	0
3971	AS22759-33A	WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSS-LINKED MODIFIED ETFE, LIGHTWEIGHT, SILVER-COATED, HIGH-STRENGTH COPPER ALLOY, 200 ??C, 600 VOLT, ROHS	2020	SAE	0
3972	AS22759-44A	WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSS-LINKED MODIFIED ETFE, LIGHTWEIGHT, SILVER-COATED, COPPER, 200 ??C, 600 VOLT, ROHS	2020	SAE	0
3973	AS22759-45A	WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSS-LINKED MODIFIED ETFE, LIGHTWEIGHT, NICKEL-COATED, COPPER, 200 ??C, 600 VOLT, ROHS	2020	SAE	0
3974	AS22759-46A	WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSS-LINKED MODIFIED ETFE, LIGHTWEIGHT, NICKEL-COATED, HIGH STRENGTH COPPER ALLOY, 200 ??C, 600 VOLT, ROHS	2020	SAE	0
3975	AS22759-81C	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYMIDE INSULATED, LIGHT WEIGHT, SILVER COATED, HIGH STRENGTH OR ULTRA HIGH STRENGTH COPPER ALLOY, 200 ??C, 600 VOLT, ROHS	2020	SAE	0
3976	AS22759-82C	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYMIDE INSULATED, LIGHT WEIGHT, NICKEL COATED, HIGH STRENGTH OR ULTRA HIGH STRENGTH COPPER ALLOY, 260 ??C, 600 VOLT, ROHS	2020	SAE	0
3977	AS22759-91C	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYMIDE INSULATED, LIGHT WEIGHT, SILVER COATED, COPPER CONDUCTOR, 200 ??C, 600 VOLT, ROHS	2020	SAE	0
3978	AS22759-187C	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYIMIDE INSULATED, SMOOTH SURFACE, NORMAL WEIGHT, NICKEL-COATED COPPER CONDUCTOR, 260 ??C, 600 VOLTS ROHS	2020	SAE	0
3979	AS23053-12A	INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE POLYTETRAFLUOROETHYLENE	2020	SAE	0
3980	AS25520-5A	CRIMP ING TOOLS , TYPE 2 , TERM IN AL , HAND , WIRE TERM INAT ION , FOR COAXIAL , TWIN AXIAL , TRIAXIAL , SH IELDED CONTACTS AND FERRU LES , TERM INAL LUGS , SPL ICES AND END CAPS	2020	SAE	0
3981	AS25520-7	CRIMP ING TOOLS , TYPE 1 , TERM I NAL, HAND WIRE TERM INATION FOR WIRE BARREL S I ZES 1 6 AND SMALLER	2020	SAE	0

3982	AS29600-10A	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, RECEPTACLE, FLANGED (SERIES A)	2020	SAE	0
3983	AS29600-11A	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, RECEPTACLE, JAM NUT (SERIES A)	2020	SAE	0
3984	AS29600-12A	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, PLUG (SERIES A)	2020	SAE	0
3985	AS29600-20A	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, RECEPTACLE, FLANGED (SERIES B)	2020	SAE	0
3986	AS29600-21A	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, RECEPTACLE, JAM NUT (SERIES B)	2020	SAE	0
3987	AS29600-22A	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, PLUG (SERIES B)	2020	SAE	0
3988	AS29600-23A	CONTACTS, SOCKET, CRIMP REMOVABLE, CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, (FOR AS29600 SERIES B)	2020	SAE	0
3989	AS29600-24A	CONTACTS, PIN, CRIMP REMOVABLE ,CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, (SERIES B)	2020	SAE	0
3990	AS31421A	CONNECTORS, RECEPTACLE, ELECTRICAL, BOX MOUNTING, SOLDER CONTACT, HERMETIC, AN TYPE (Stabilized: Feb 2020)	2020	SAE	0
3991	AS31971B	GAGE PIN FOR SOCKET CONTACT ENGAGEMENT TEST	2020	SAE	0
3992	AS34241A	CONNECTOR, RECEPTACLE, ELECTRIC, CRIMP TYPE, WALL MOUNTING FLANGE, PUSH-PULL COUPLING, SERIES 3 (CLASS L AND E)	2020	SAE	0
3993	AS38386-4A	CATCH ASSEMBLY, AIR DUCT HOSE, GROUND COOLING	2020	SAE	0
3994	AS39029-1D	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR AS81714 TERMINAL JUNCTION SYSTEM)	2020	SAE	0
3995	AS39029-9C	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, THERMOCOUPLE, (FOR MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, MIL-DTL-83723 SERIES I AND III, AND MIL-DTL-83733 CONNECTORS)	2020	SAE	0
3996	AS39029-10C	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, THERMOCOUPLE (FOR MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, MIL-DTL-83723 SERIES I AND III, AND MIL-DTL-83733 CONNECTORS)	2020	SAE	0
3997	AS39029-17C	CONTACTS, ELECTRICAL CONNECTOR SOCKET, CRIMP REMOVABLE (FOR AS81511 SERIES 3 CONNECTORS)	2020	SAE	0
3998	AS39029-22E	CONTACTS, ELECTRICAL, CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR AS81714 TERMINAL JUNCTION SYSTEM SERIES II)	2020	SAE	0
3999	AS39029-27B	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, SIZE 12 (FOR MIL-DTL-38999 SERIES II CONNECTORS)	2020	SAE	0
4000	AS39029-28B	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED, SIZE 12 (FOR MIL-DTL-38999 SERIES I, II, III AND IV CONNECTORS)	2020	SAE	0
4001	AS39029-48A	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR MIL-DTL-22992 CLASS L CONNECTORS)	2020	SAE	0
4002	AS39029-49A	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-DTL-22992 CLASS L CONNECTORS)	2020	SAE	0
4003	AS39029-54B	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED (FOR MIL-DTL-26500 AND MIL-DTL-26518 CONNECTORS) (Stabilized: Sep 2020)	2020	SAE	0
4004	AS39029-63E	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-DTL-24308 CONNECTORS)	2020	SAE	0
4005	AS39029-71A	CONTACTS, ELECTRICAL CONNECTOR, PIN, REMOVABLE, SOLDERLESS WRAPPOST TERMINATION (FOR MIL-DTL-38999 SERIES I, II, III, AND IV, MIL-DTL-24308, MIL-DTL-83733, AND MIL-DTL-55302/69 CONNECTORS)	2020	SAE	0

4006	AS39029-72A	(R) CONTACTS, ELECTRICAL CONNECTOR, SOCKET, REMOVABLE, SOLDERLESS WRAPPOST TERMINATION (FOR MIL-DTL-38999 SERIES I, II, III, AND IV, MIL-DTL-24308, AND MIL-DTL-55302/68, /71, AND /75 CONNECTORS)	2020	SAE	0
4007	AS39029-75B	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, SIZE 12 (FOR MIL-DTL-38999 SERIES I, III, AND IV CONNECTORS)	2020	SAE	0
4008	AS39029-79A	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED (FOR MIL-DTL-28748/9 CONNECTORS)	2020	SAE	0
4009	AS39029-80A	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED (FOR MIL-DTL-28748/10 CONNECTORS)	2020	SAE	0
4010	AS39029-87A	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, THERMOCOUPLE (FOR MIL-DTL-38999 SERIES I, II, III, AND IV, MIL-DTL-24308, AND MIL-DTL-83733)	2020	SAE	0
4011	AS39029-88A	CONTACTS, ELECTRICAL CONNECTOR SOCKET, CRIMP REMOVABLE, THERMOCOUPLE (FOR MIL-DTL-38999 SERIES I, III, IV CONNECTORS)	2020	SAE	0
4012	AS39029-89A	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (THERMOCOUPLE FOR MIL-DTL-38999 SERIES II, MIL-DTL-83733, AND MIL-DTL-24308 CONNECTORS)	2020	SAE	0
4013	AS39029-92B	CONTACTS, ELECTRICAL CONNECTOR, SOCKET REMOVABLE (FOR MIL-PRF-6106 AND MIL-DTL-12883/40 AND /41 RELAY SOCKETS)	2020	SAE	0
4014	AS39029-102A	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, COAXIAL, SIZE 12 (FOR MIL-DTL-38999 SERIES I, II, III AND IV CONNECTORS)	2020	SAE	0
4015	AS39029-106C	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR MIL-DTL-38999 SERIES I, III, IV, MIL-DTL-55302 AND AS29600 SERIES A CONNECTORS)	2020	SAE	0
4016	AS39029-112D	CONTACT BUSHING, ELECTRICAL CONNECTOR CONTACT, WIRE BARREL	2020	SAE	0
4017	AS39029-117	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, ENGINE APPLICATION, (FOR MIL-DTL-38999 SERIES I, III, AND IV CONNECTORS)	2020	SAE	0
4018	AS39029-121	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, EXPANDED PERFORMANCE, SIZES 10, 12, 16, 20, 22 AND 23 (FOR MIL-DTL-38999 SERIES III CONNECTORS)	2020	SAE	0
4019	AS43300-4	AEROSPACE STANDARD No . AS43300-399ǐ BOLT, DOUBLE HEXAGON EXTENDED WASHER HEAD , DRILLED , .250 -28 UN J F-3A Heat Res isting Al loy Stee l to BS S 1 59 , S i lver Coated Th read on ly, C lass i fication Rm = 1 1 00 MPa (1 60 ,000 lbf/in ?) @ Amb i	2020	SAE	0
4020	AS43500AR-4	AMENDMENT RECORD No . AS43500ǐ -AR for Aerospace Standard No . AS43500-599 ǐ	2020	SAE	0
4021	AS51990C	RING, LOCK, SERRATED	2020	SAE	0
4022	AS51997C	RING, LOCK, SERRATED-HIGH STRENGTH	2020	SAE	0
4023	AS70001-1	AEROSPACE STANDARD No . AS70001 ǐ BOLT, EXTERNAL MORTORQ« SUPER, TENS ION HEAD , .250-28 to 1 . 375-1 2 UN JF-3A Heat Res isting N icke l Al loy (Incone l 71 8) C lass i fication Rm 1 51 0 MPa (220 ,000 lbf/in ?) @ Amb i en t Temperatu re up to a	2020	SAE	0
4024	AS81306-1C	BAND INSTALLATION TOOL, HAND, ONE-STEP, FOR AS85049/128 CONNECTOR ACCESSORY CABLE SHIELD TERMINATING BANDS	2020	SAE	0
4025	AS81511-1A	CONNECTOR, RECEPTACLE, FLANGE MOUNT, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, CRIMP TYPE CONTACTS AND ACCESSORIES (CLASS A, F, AND E - SERIES 2) (Stabilized: Jan 2020)	2020	SAE	0
4026	AS81511-3A	CONNECTOR, RECEPTACLE, JAM NUT MOUNT, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, CRIMP TYPE CONTACTS; AND ACCESSORIES (CLASS A, F, AND E - SERIES 2) (Stabilized: Jan 2020)	2020	SAE	0
4027	AS81511-5A	CONNECTOR, RECEPTACLE, CABLE CONNECTING ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT ENVIRONMENT RESISTING, CRIMP TYPE CONTACTS; AND ACCESSORIES (CLASS A, F, AND E - SERIES 2) (Stabilized: Jan 2020)	2020	SAE	0
4028	AS81511-6A	CONNECTOR, PLUG, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, CRIMP TYPE CONTACTS; AND ACCESSORIES (CLASS A, F, AND E - SERIES 2) (Stabilized: Jan 2020)	2020	SAE	0

4029	AS81511-15A	ACCESSORY, SEALING CONTACT, PLUG, CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING (SERIES 1 OR 2) (Stabilized: Jan 2020)	2020	SAE	0
4030	AS81511-20A	ACCESSORY, NUT, CONNECTOR MOUNTING, SLOTTED, HEXAGON, CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING (SERIES 1 OR 2) (Stabilized: Jan 2020)	2020	SAE	0
4031	AS81511-21A	CONNECTOR, RECEPTACLE, FLANGE MOUNT, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, CRIMP TYPE CONTACTS, CLASS A, F, AND E (SERIES 1) (Stabilized: Jan 2020)	2020	SAE	0
4032	AS81511-23A	CONNECTOR, RECEPTACLE, JAM NUT MOUNT, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, CRIMP TYPE CONTACTS, CLASS A, F, AND E (SERIES 1) (Stabilized: Jan 2020)	2020	SAE	0
4033	AS81511-25A	CONNECTOR, RECEPTACLE, CABLE CONNECTING, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, CRIMP TYPE CONTACTS (CLASS A, F, AND E - SERIES 1) (Stabilized: Jan 2020)	2020	SAE	0
4034	AS81511-26A	CONNECTOR, PLUG, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, CRIMP TYPE CONTACTS (CLASS A, F AND E - SERIES 1) (Stabilized: Jan 2020)	2020	SAE	0
4035	AS81511-41A	CONNECTOR, RECEPTACLE, FLANGE MOUNT, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, INDIVIDUAL RELEASE, CRIMP TYPE CONTACTS (CLASS A, F, AND W - SERIES 3)	2020	SAE	0
4036	AS81511-45A	CONNECTOR, RECEPTACLE, CABLE CONNECTING, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, INDIVIDUAL RELEASE, CRIMP TYPE CONTACTS (CLASS A, F, AND W - SERIES 3)	2020	SAE	0
4037	AS81511-46	CONNECTOR, PLUG, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, INDIVIDUAL RELEASE, CRIMP TYPE CONTACTS (CLASS A, F, AND W - SERIES 3)	2020	SAE	0
4038	AS81511-49A	CONNECTOR, RECEPTACLE, JAM NUT MOUNT, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, INDIVIDUAL RELEASE, CRIMP TYPE CONTACTS (CLASS A, F, AND W - SERIES 3)	2020	SAE	0
4039	AS81511-51A	CONNECTOR, RECEPTACLE, FLANGE MOUNT, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, INDIVIDUAL RELEASE, CRIMP TYPE CONTACTS (CLASS A, F, AND W - SERIES 4)	2020	SAE	0
4040	AS81511-53A	CONNECTOR, RECEPTACLE, JAM NUT MOUNT, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, INDIVIDUAL RELEASE, CRIMP TYPE CONTACTS (CLASS A, F, AND W - SERIES 4)	2020	SAE	0
4041	AS81511-55A	CONNECTOR, RECEPTACLE, CABLE CONNECTING, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, INDIVIDUAL RELEASE, CRIMP TYPE CONTACTS (CLASS A, F, AND W - SERIES 4)	2020	SAE	0
4042	AS81511-56	CONNECTOR, PLUG, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, INDIVIDUAL RELEASE, CRIMP TYPE CONTACTS (CLASS A, F, AND W - SERIES 4)	2020	SAE	0
4043	AS81714-69B	TERMINAL JUNCTION SYSTEM, BLOCK REMOVAL TOOLS, SERIES II	2020	SAE	0
4044	AS81714C	This document has been replaced. View the most recent version.	2020	SAE	0
4045	AS81969-12	INSTALLING AND REMOVAL TOOLS, CONNECTOR, ELECTRICAL CONTACT, TYPE III, CLASS 2, COMPOSITION A	2020	SAE	0
4046	AS81969-15	REMOVAL TOOLS, CONNECTOR, ELECTRICAL CONTACT, TYPE II, CLASS 2, COMPOSITION A	2020	SAE	0
4047	AS81969-16	INSTALLING AND REMOVAL TOOLS, CONNECTOR, ELECTRICAL CONTACT, TYPE III, CLASS 1, COMPOSITION B	2020	SAE	0
4048	AS81969-20	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE II, CLASS 1, COMPOSITION A	2020	SAE	0
4049	AS81969-21A	INSTALLING AND REMOVAL TOOLS, CONNECTOR, ELECTRICAL CONTACTS, INTERFACIAL SEAL, TYPE III, CLASS 1, COMPOSITION A	2020	SAE	0

4050	AS81969-22A	REMOVAL TOOLS, CONNECTOR, ELECTRICAL CONTACT (CRIMP REMOVABLE), TYPE II, CLASS 1, COMPOSITION A (Stabilized: Aug 2020)	2020	SAE	0
4051	AS81969-27	REMOVAL TOOLS, CONNECTOR, ELECTRICAL CONTACT, TYPE II, CLASS 1, COMPOSITION A	2020	SAE	0
4052	AS81969-28A	REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE II, CLASS 2, COMPOSITION C, REMOVAL TOOL ONLY	2020	SAE	0
4053	AS85049-41E	CONNECTOR ACCESSORIES, ELECTRICAL, NON-ENVIRONMENTAL, STRAIN RELIEF, STRAIGHT, CATEGORY 4C (FOR AS50151 SOLDER TYPE, V THREAD OF MS310X, CLASSES A, B, C, OR K CONNECTORS AND AS85049 ACCESSORIES)	2020	SAE	0
4054	AS85049-52F	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, NONENVIRONMENTAL, SELF-LOCKING AND NON-SELF-LOCKING, STRAIGHT, CATEGORY 4B (FOR AS50151 CRIMP, AS95234, MIL-DTL-26482) SERIES 2, AS81703 SERIES 3, AND MIL-DTL-83723 SERIES III CONNECTOR	2020	SAE	0
4055	AS85049-81B	CONNECTOR ACCESSORIES, ELECTRICAL, SEAL PLUG, SIZE 10, CATEGORY 7 (FOR MIL-DTL-38999 CONNECTORS)	2020	SAE	0
4056	AS85049-91D	CONNECTOR ACCESSORIES, COMPOSITE, ELECTRICAL, STRAIN RELIEF, STRAIGHT, SELF-LOCKING, CATEGORY 4C (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2020	SAE	0
4057	AS85049-92C	CONNECTOR ACCESSORIES, COMPOSITE, ELECTRICAL, STRAIN RELIEF, 90??, SELF-LOCKING, CATEGORY 4C (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2020	SAE	0
4058	AS85049-93C	CONNECTOR ACCESSORIES, ELECTRICAL, TERMINATION, SHIELD SPLIT SUPPORT RING, COMPOSITE, NONENVIRONMENTAL, STRAIGHT, CATEGORY 7	2020	SAE	0
4059	AS85049-143B	CONNECTOR ACCESSORIES, BACKSHELL, STRAIN RELIEF, CATEGORY 4C (FOR AS81714, SIZE 22, 20, AND 16 TERMINAL JUNCTION BLOCKS) (Stabilized: Sep 2020)	2020	SAE	0
4060	AS85049-149	CONNECTOR ACCESSORIES, ELECTRICAL BACKSHELL, EXTENDER, CATEGORY 7 (FOR USE ON MIL-DTL-38999/44 CONNECTORS)	2020	SAE	0
4061	AS85052-1B	CLAMP, LOOP, TUBE, 17-7PH, 275 ??F, FUEL AND PETROLEUM BASED HYDRAULIC FLUID RESISTANT	2020	SAE	0
4062	AS85052-2B	CLAMP, LOOP TUBE 17-7PH, CRES, 275 ??F, PHOSPHATE ESTER FLUID RESISTANT	2020	SAE	0
4063	AS85052-3B	CLAMP, LOOP, TUBE 17-7 PH CRES, 500 ??F	2020	SAE	0
4064	AS85052-4B	CLAMP SUPPORT, LOOP, CLAMP	2020	SAE	0
4065	AS85449-1A	CLAMP ASSEMBLY, SADDLE TYPE, CUSHIONED, FUEL AND PETROLEUM BASED HYDRAULIC FLUID	2020	SAE	0
4066	AS85449-2A	CLAMP ASSEMBLY, SADDLE TYPE, CUSHIONED, PHOSPHATE ESTER FLUID RESISTANT	2020	SAE	0
4067	AS85449-3A	CLAMP ASSEMBLY, SADDLE TYPE, CUSHIONED, HIGH TEMPERATURE	2020	SAE	0
4068	AS85449-4A	CLAMP ASSEMBLY, SADDLE TYPE, CUSHIONED, PTFE	2020	SAE	0
4069	AS85449-5A	CLAMP ASSEMBLY, SADDLE TYPE, CUSHIONED, FIRE RESISTANCE, LOW SMOKE DENSITY AND TOXICITY	2020	SAE	0
4070	AS85720-1B	FITTINGS, TUBE, FLUID SYSTEMS, SEPARABLE, HIGH PRESSURE, DYNAMIC BEAM SEAL, DESIGN STANDARD FOR MALE END	2020	SAE	0
4071	AS95234-6	CONNECTOR, PLUG, REVERSE BAYONET COUPLING	2020	SAE	0
4072	AS95234-9	CONNECTOR, PLUG, REVERSE BAYONET COUPLING, GROUNDING	2020	SAE	0
4073	AS115801C - AS115850C	(R) SCREW - FLAT FILLISTER, DRILLED HEAD, CADMIUM PLATED, STEEL UNS G87400, 125 KSI MIN	2020	SAE	0
4074	EIA-649-1A	(R) Configuration Management Requirements for Defense Contracts	2020	SAE	0
4075	EIA-933C	(R) Requirements for a COTS Assembly Management Plan	2020	SAE	0
4076	GEIA-STD-0009A	(R) Reliability Program Standard for Systems Design, Development, and Manufacturing	2020	SAE	0
4077	J47	(R) Maximum Sound Level Potential for Motorcycles	2020	SAE	0
4078	J49	Specification Definitions - Hydraulic Backhoes	2020	SAE	0
4079	J139	Ignition System Nomenclature and Terminology	2020	SAE	0

4080	J151	Pressure Relief for Cooling System	2020	SAE	0
4081	J164	Radiator Caps and Filler Necks	2020	SAE	0
4082	J167	Overhead Protection for Agricultural Tractors - Test Procedures and Performance Requirements	2020	SAE	0
4083	J182	Motor Vehicle Fiducial Marks and Three-dimensional Reference System	2020	SAE	0
4084	J183	(R) Engine Oil Performance and Engine Service Classification (Other than "Energy Conserving")	2020	SAE	0
4085	J198	Windshield Wiper Systems - Trucks, Buses, and Multipurpose Vehicles	2020	SAE	0
4086	J310	Automotive Lubricating Greases	2020	SAE	0
4087	J326	Nomenclature - Hydraulic Backhoes	2020	SAE	0
4088	J331	Sound Levels for Motorcycles	2020	SAE	0
4089	J332	Testing Machines for Measuring the Uniformity of Passenger Car and Light Truck Tires	2020	SAE	0
4090	J335	Multiposition Small Engine Exhaust System Fire Ignition Suppression	2020	SAE	0
4091	J342	Spark Arrester Test Procedure for Large Size Engines	2020	SAE	0
4092	J348	(R) Wheel Chocks	2020	SAE	0
4093	J350	Spark Arrester Test Procedure for Medium Size Engines	2020	SAE	0
4094	J360	Truck and Bus Grade Parking Performance Test Procedure	2020	SAE	0
4095	J365	Method of Testing Resistance to Scuffing of Trim Materials	2020	SAE	0
4096	J381	(R) Windshield Defrosting Systems Test Procedure and Performance Requirementsâ__Trucks, Buses, and Multipurpose Vehicles	2020	SAE	0
4097	J392	Motorcycle and Motor Driven Cycle Electrical System Maintenance of Design Voltage	2020	SAE	0
4098	J442	(R) Test Strip, Holder, and Gage for Shot Peening	2020	SAE	0
4099	J517	Hydraulic Hose	2020	SAE	0
4100	J531	Automotive Pipe, Filler, and Drain Plugs	2020	SAE	0
4101	J532	Automotive Straight Thread Filler and Drain Plugs	2020	SAE	0
4102	J533	(R) Flares for Tubing	2020	SAE	0
4103	J549	Preignition Rating of Spark Plugs	2020	SAE	0
4104	J551-1	Performance Levels and Methods of Measurement of Electromagnetic Compatibility of Vehicles, Boats (up to 15 m), and Machines (16.6 Hz to 18 GHz)	2020	SAE	0
4105	J551-15	Vehicle Electromagnetic Immunity - Electrostatic Discharge (ESD)	2020	SAE	0
4106	J560	Primary and Auxiliary Seven Conductor Electrical Connector for Truck-Trailer Jumper Cable	2020	SAE	0
4107	J578	Color Specification	2020	SAE	0
4108	J583	Front Fog Lamp	2020	SAE	0
4109	J584	Motorcycle Headlamps	2020	SAE	0
4110	J617	Engine Flywheel Housing and Mating Transmission Housing Flanges	2020	SAE	0
4111	J639	Safety Standards for Motor Vehicle Refrigerant Vapor Compression Systems	2020	SAE	0
4112	J700	Upper Coupler Kingpin Commercial Trailers and Semitrailers (Stabilized Type)	2020	SAE	0
4113	J738	Cutting Edge - Double Bevel Cross Sections	2020	SAE	0
4114	J846	Coding Systems for Identification of Fluid Conductors and Connectors	2020	SAE	0
4115	J973	Ignition System Measurements Procedure (Stabilized Type)	2020	SAE	0
4116	J990	Nomenclatureâ Industrial and Agricultural Mowers	2020	SAE	0
4117	J997	Spark Arrester Test Carbon	2020	SAE	0
4118	J1038	(R) Recommendations for Childrenĵ s Snowmobile, Recommended Practice	2020	SAE	0
4119	J1051	Force-Deflection Measurements of Cushioned Components of Seats for Off-Road Work Machines	2020	SAE	0

4120	J1067	Seven Conductor Cable - Truck and Bus	2020	SAE	0
4121	J1078	A Recommended Method of Analytically Determining the Competence of Hydraulic Telescopic Cantilevered Crane Booms	2020	SAE	0
4122	J1093	(R) Latticed Crane Boom Systems - Analytical Procedure, Information Report	2020	SAE	0
4123	J1101	Test Procedure for Parking Stability of Motorcycles	2020	SAE	0
4124	J1113-4	(R) Immunity to Radiated Electromagnetic Fields - Bulk Current Injection (BCI) Method	2020	SAE	0
4125	J1127	Low Voltage Battery Cable	2020	SAE	0
4126	J1128	Low Voltage Primary Cable	2020	SAE	0
4127	J1212	Fire Prevention on Forestry Machinery	2020	SAE	0
4128	J1232	Passenger and Light Truck Tire Traction Device Profile Determination and Classification	2020	SAE	0
4129	J1321	Fuel Consumption Test Procedure - Type II - Includes Access to Additional Content	2020	SAE	0
4130	J1361	Hot Plate Method for Evaluating Heat Resistance and Thermal Insulation Properties of Materials	2020	SAE	0
4131	J1374	Hydraulic Cylinder Rod Seal Endurance Test Procedure	2020	SAE	0
4132	J1379	ROLLING RESISTANCE MEASURMENT PROCEDR/TRK & BUS TIRE	2020	SAE	0
4133	J1380	THE MEASUREMENT OF HIGHWAY TRUCK AND BUS TIRE	2020	SAE	0
4134	J1559	(R) Determination of Effect of Solar Heating	2020	SAE	0
4135	J1609	Air Reservoir Capacity Performance Guide-Trucks and Buses	2020	SAE	0
4136	J1628	Technician Procedures for Refrigerant Leak Detection in Service of Mobile Air Conditioning Systems	2020	SAE	0
4137	J1678	Low Voltage Ultra Thin Wall Primary Cable	2020	SAE	0
4138	J1698-3	Event Data Recorder - Compliance Assessment	2020	SAE	0
4139	J1754-2	Hose Assemblies, Rubber, Hydraulic, Steel Wire Reinforced - Part 2: Ordering Information	2020	SAE	0
4140	J1754-3	Hose Assemblies, Hydraulic, J517 100R Series Hose - Part 3: Procurement and Ordering Information	2020	SAE	0
4141	J1787	Measurement of the Total Ash Content of Aviation Piston Engine Oils by a Calculation Method	2020	SAE	0
4142	J1796	Spectral Transmission Test	2020	SAE	0
4143	J1798-1	Recommended Practice for Performance Rating of Lead Acid and Nickel Metal Hydride Electric Vehicle Battery Modules	2020	SAE	0
4144	J1814	Operator Controls - Off-Road Machines	2020	SAE	0
4145	J1849	Emergency Vehicle Sirens (Stabilized Type)	2020	SAE	0
4146	J1865	Dimensional Compatibility for Commercial Vehicles Fitment of Complete Wheels in Drum Brake Applications - Truck and Bus	2020	SAE	0
4147	J1899	Lubricating Oil, Aircraft Piston Engine (Ashless Dispersant)	2020	SAE	0
4148	J1928	Devices Providing Backfire Flame Control for Gasoline Engines in Marine Applications	2020	SAE	0
4149	J1939-5	Marine Stern Drive and Inboard Spark-Ignition Engine On-Board Diagnostics Implementation Guide	2020	SAE	0
4150	J1939-71	Vehicle Application Layer	2020	SAE	0
4151	J1939-73	Application Layer - Diagnostics	2020	SAE	0
4152	J1939-76	SAE J1939 Functional Safety Communications Protocol	2020	SAE	0
4153	J1942-1	(R) Qualified Hoses for Marine Applications	2020	SAE	0
4154	J1966	Lubricating Oils, Aircraft Piston Engine (Non-Dispersant Mineral Oil)	2020	SAE	0
4155	J1987	Force and Movement Test Method	2020	SAE	0
4156	J1988	Residual Aligning Moment Test, Recommended Practice	2020	SAE	0
4157	J1994	Laboratory Testing of Vehicle and Industrial Heat Exchangers for Heat Transfer and Pressure Drop Performance	2020	SAE	0
4158	AIR171F	Glossary of Technical and Physiological Terms Related to Aerospace Oxygen Systems	2020	SAE	0
4159	AIR744D	Aerospace Auxiliary Power Sources	2020	SAE	0
4160	AIR787B	(R) Filter Element Cleaning Methods	2020	SAE	0

4161	AIR790D	(R) Considerations on Ice Formation in Aircraft and Engine Fuel Systems	2020	SAE	0
4162	AIR806B	Air Conditioning of Aircraft Cargo	2020	SAE	0
4163	AIR810E	Degradation Limits of MIL-PRF-5606, MIL-PRF-83282, and MIL-PRF-87257 Hydraulic Fluids Used in Hydraulic Test Stands	2020	SAE	0
4164	AIR825/6A	(R) On Board Oxygen Generating Systems (Molecular Sieve)	2020	SAE	0
4165	AIR1047E	A Guide for the Selection of Quick-Disconnect Couplings for Aerospace Fluid Systems	2020	SAE	0
4166	AIR1081A	House Noise-Reduction Measurements for Use in Studies of Aircraft Flyover Noise	2020	SAE	0
4167	AIR1093B	Numeral, Letter and Symbol Dimensions for Aircraft Instrument Displays	2020	SAE	0
4168	AIR1326A	Aircraft Fuel System Vapor-Liquid Ratio Parameter	2020	SAE	0
4169	AIR1363A	Four Wheel Drive Aircraft Tow Tractors - Factors for Design Consideration	2020	SAE	0
4170	AIR1418B	Flexure Fatigue Strength of Tube Fitting Joints	2020	SAE	0
4171	AIR1529B	Flexure Testing of Hydraulic Tubing Joints and Fittings by Planar Resonant Vibration (Free-Free Beam)	2020	SAE	0
4172	AIR1539C	(R) Environmental Control System Contamination	2020	SAE	0
4173	AIR1593A	Clamp Loads and Bending Stresses in Aircraft Tubing Installations	2020	SAE	0
4174	AIR1599A	Ground Equipment Rebuild Program	2020	SAE	0
4175	AIR1616B	(R) Self-Sealing Breakaway Valves for Crash-Resistant Aircraft Fuel Systems	2020	SAE	0
4176	AIR1666C	Performance Testing of Lubricant Filter Elements Utilized in Aircraft Power and Propulsion Lubrication Systems	2020	SAE	0
4177	AIR1672C	Practical Methods to Obtain Free-Field Sound Pressure Levels from Acoustical Measurements Over Ground Surfaces	2020	SAE	0
4178	AIR1673B	Aircraft Cargo Door Opening/Sill Details for Ground Support Equipment Interface	2020	SAE	0
4179	AIR1698B	Hose Assembly Identification Practices	2020	SAE	0
4180	AIR1749A	Aircraft Fuel System Pressure Definitions	2020	SAE	0
4181	AIR1898A	Maintenance of Batteries and Battery Charging and Servicing Facilities	2020	SAE	0
4182	AIR1935A	Methods of Controlling Distortion of Inlet Airflow During Static Acoustical Tests of Turbofan Engines and Fan Rigs	2020	SAE	0
4183	AIR4071A	Lubricants for Oxygen Use	2020	SAE	0
4184	AIR4160B	Alternatives to Cadmium Plating	2020	SAE	0
4185	AIR4286	Maintenance of Ground Support Equipment	2020	SAE	0
4186	AIR4364A	(R) Utilization of Battery-Powered Ground Support Equipment	2020	SAE	0
4187	AIR4394A	Vacuum Investment Cast PH13-8Mo Corrosion Resistant Steel	2020	SAE	0
4188	AIR4545A	(R) Method of Evaluating Pneumatic Ground Power Units	2020	SAE	0
4189	AIR4738B	(R) Hardness Testing of Elastomeric O-Rings	2020	SAE	0
4190	AIR4869A	Design Considerations for Enclosed Turbofan/Turbojet Engine Test Cells	2020	SAE	0
4191	AIR5026B	Test Cell Instrumentation	2020	SAE	0
4192	AIR5373A	(R) Fuels in Ground Support Equipment (Other Than Gasoline or Diesel)	2020	SAE	0
4193	AIR5387	Airport Electrical Power System Harmonics	2020	SAE	0
4194	AIR5552	Development and Qualification of Composite Landing Gears	2020	SAE	0
4195	AIR5567A	Test Method for Catalytic Carbon Brake Disk Oxidation	2020	SAE	0
4196	AIR5615A	Procedure for Determining the Dimensional Relationship of Rotating Components Coupled with Thrust Wires	2020	SAE	0
4197	AIR5651	History of Commercial Aircraft New Tire Qualification Testing	2020	SAE	0
4198	AIR5744	Aircraft Thermal Management System Engineering	2020	SAE	0
4199	AIR5871A	(R) Prognostics for Aerospace Propulsion Systems	2020	SAE	0
4200	AIR5917	Procedure for Measurement of Gaseous Emissions from Aircraft Gas Turbine Engines Using Fourier Transform Infrared Analysis	2020	SAE	0

4201	AIR5933	Oxygen Sensor Technologies	2020	SAE	0
4202	AIR6016	Description of High Lift Control Systems	2020	SAE	0
4203	AIR6112	A Guideline for Aerospace Platform Fiber Optic Expanded Beam Interconnect Technology	2020	SAE	0
4204	AIR6325	Fuel Level Point Sensing	2020	SAE	0
4205	AIR6334	A Guide to Extending Times Between Overhaul for Rotorcraft Power Train Transmissions Using Monitoring Data	2020	SAE	0
4206	AIR6345	Processing and Validating CFD Data for Estimating Inlet Dynamic Total-Pressure Distortion	2020	SAE	0
4207	AIR6441	Information on Parking Brake Systems	2020	SAE	0
4208	AIR6540A	Fundamentals in Wire Selection and Sizing for Aerospace Applications	2020	SAE	0
4209	AIR6552/3	Network End-to-End Data Link Evaluation System Transceiver Health Monitoring	2020	SAE	0
4210	AIR6808	Aerospace Vehicle Wiring, Lessons Learned	2020	SAE	0
4211	AIR6820A	Electrical Wiring Fuel Compatibility	2020	SAE	0
4212	AIR6825	Identification and Assessment of Damage to Composite Aircraft Structures Training Documen	2020	SAE	0
4213	AIR6892	Structural Health Monitoring Considerations and Guidance Specific to Rotorcraft	2020	SAE	0
4214	AIR6897	Battery Management Systems for Rechargeable Lithium Batteries Used in Aerospace Standards	2020	SAE	0
4215	AIR6904	Rationale, Considerations, and Framework for Data Interoperability for Health Management within the Aerospace Ecosystem	2020	SAE	0
4216	AIR6915	Human Factor Considerations in the Implementation of IVHM	2020	SAE	0
4217	AIR6966	Conducting Measurement Systems Analysis for Rotor Balancing Tasks	2020	SAE	0
4218	AIR7501	Aircraft Asset Lifecycle and Digital Data Standards Overview	2020	SAE	0
4219	AIR7999	Diagnostic and Prognostic Metrics for Aerospace Propulsion Health Management Systems	2020	SAE	0
4220	AIR8012	Prognostics and Health Management Guidelines for Electro-Mechanical Actuators	2020	SAE	0
4221	AMS1378B	Compound, Carbon Soil and Paint Remover Aircraft Turbine Engine Components Room Temperature Application	2020	SAE	0
4222	AMS1380B	Scale Conditioner, Alkaline Aircraft Turbine Engine Components	2020	SAE	0
4223	AMS1382B	Oxide Remover Compound, Acidic Aircraft Turbine Engine Components	2020	SAE	0
4224	AMS1383B	Oxide Conditioner, Alkaline Permanganate Aircraft Turbine Engine Components	2020	SAE	0
4225	AMS1384B	Acid, Inhibited Phosphoric Aircraft Turbine Engine Components Room Temperature Application	2020	SAE	0
4226	AMS1424R	Fluid, Aircraft Deicing/Anti-Icing, SAE Type I	2020	SAE	0
4227	AMS1526C	Cleaner for Aircraft Exterior Surfaces Water-Miscible, Pressure-Spraying Type	2020	SAE	0
4228	AMS1527D	Cleaner for Aircraft Exterior Surfaces Water-Miscible, Foam-On, Pressure-Spraying	2020	SAE	0
4229	AMS1528D	Cleaner for Aircraft Exterior Surfaces, Emulsion, Pressure-Spray Type	2020	SAE	0
4230	AMS1529D	Cleaner for Aircraft Exterior Surfaces Emulsion, Foam-On, Pressure-Spray Type	2020	SAE	0
4231	AMS1530C	Cleaner for Aircraft Exterior Surfaces, Wipe-On, Wipe-Off	2020	SAE	0
4232	AMS1531D	Cleaner for Aircraft Exterior Surfaces Wipe-On, Wipe-Off, Containing Suspended Abrasive Solids	2020	SAE	0
4233	AMS1625C	Desmutter, Aluminum Powdered	2020	SAE	0
4234	AMS1626C	Desmutter, Aluminum Liquid	2020	SAE	0
4235	AMS2242G	Tolerances Corrosion and Heat Resistant Steel, Iron Alloy, Titanium. And Titanium Alloy Sheet, Strip, and Plate	2020	SAE	0
4236	AMS2300M	Steel Cleanliness, Premium Aircraft-Quality Magnetic Particle Inspection Procedure	2020	SAE	0
4237	AMS2301L	Steel Cleanliness, Aircraft Quality Magnetic Particle Inspection Procedure	2020	SAE	0
4238	AMS2304C	Steel Cleanliness, Special Aircraft-Quality Magnetic Particle Inspection Procedure	2020	SAE	0
4239	AMS2400Y	Plating, Cadmium	2020	SAE	0
4240	AMS2403P	Plating, Nickel General Purpose	2020	SAE	0
4241	AMS2406P	Plating, Chromium Hard Deposit	2020	SAE	0

4242	AMS2417K	Plating, Zinc-Nickel Alloy	2020	SAE	0
4243	AMS2431/9	Peening Media Ceramic Shot, High Density	2020	SAE	0
4244	AMS2433D	(R) Plating, Nickel-Thallium-Boron or Nickel-Boron Electroless Deposition	2020	SAE	0
4245	AMS2448C	(R) Application of Tungsten Carbide Coatings on Ultra High Strength Steels High Velocity Oxygen / Fuel Process	2020	SAE	0
4246	AMS2453	Low Stress Grinding of Steel Parts Heat Treated to 180 ksi or Over, and Low Stress Grinding of Chrome Plating Applied to Steel Parts Heat Treated to 180 ksi or Over	2020	SAE	0
4247	AMS2461	Plating, Zinc-Nickel Alloy (12 to 16% Ni)	2020	SAE	0
4248	AMS2514B	Anodic Coating on Aluminum Alloys Sulfuric Acid Process, Resin-Sealed	2020	SAE	0
4249	AMS2546A	(R) Laser Peening	2020	SAE	0
4250	AMS2547	Electropolishing of Metallic Parts and Materials Using Computer Aided Engineering	2020	SAE	0
4251	AMS2629F	Fluid, Jet Reference	2020	SAE	0
4252	AMS2641D	Vehicle, Magnetic Particle Inspection Petroleum Base	2020	SAE	0
4253	AMS2644H	Inspection Material, Penetrant	2020	SAE	0
4254	AMS2750F	(R) Pyrometry	2020	SAE	0
4255	AMS2759/3J	Heat Treatment Precipitation-Hardening Corrosion-Resistant, Maraging, and Secondary Hardening Steel Parts	2020	SAE	0
4256	AMS2759/5F	Heat Treatment Martensitic Corrosion-Resistant Steel Parts	2020	SAE	0
4257	AMS2761	Heat Treatment of Steel Raw Materials	2020	SAE	0
4258	AMS2767A	Uphill Quenching of Aluminum Alloy Product	2020	SAE	0
4259	AMS2769D	Heat Treatment of Parts in a Vacuum	2020	SAE	0
4260	AMS2770R	Heat Treatment of Wrought Aluminum Alloy Parts	2020	SAE	0
4261	AMS2774F	Heat Treatment Nickel Alloy and Cobalt Alloy Parts	2020	SAE	0
4262	AMS2774G	Heat Treatment Nickel Alloy and Cobalt Alloy Parts	2020	SAE	0
4263	AMS3060B	Compound, Rust Inhibiting Aircraft Engine Components	2020	SAE	0
4264	AMS3212R	(R) Elastomer: Acrylonitrile Butadiene Rubber (NBR) Aromatic Fuel Resistant 55 to 65 Type _A_ Durometer Hardness For Products in: Aromatic and Aliphatic Fuel Systems	2020	SAE	0
4265	AMS3217/2D	(R) Test Slabs, Acrylonitrile Butadiene (NBR-L) Low Acrylonitrile, 65 - 75	2020	SAE	0
4266	AMS3226J	(R) Elastomer: Acrylonitrile Butadiene Rubber (NBR) Hot Oil and Coolant Resistant, Low Swell 45 to 55 Type _A_ Durometer Hardness for Products in Engine Oil Systems/Coolant Systems	2020	SAE	0
4267	AMS3248D	Ethylene Propylene (EPM) Rubber Phosphate Ester Resistant 55 - 65	2020	SAE	0
4268	AMS3265F	(R) Sealing Compound, Polysulfide (T) Rubber, Fuel Resistant, Non-Chromated Corrosion Inhibiting for Intermittent Use to 360 °F (182 °C)	2020	SAE	0
4269	AMS3345G	(R) Elastomer: Methyl Phenyl Vinyl Silicone (PVMQ) Very Low Temperature/Aircraft Piston Engine Oil Resistant High Strength/Tear Resistant 45 to 55 Durometer Type _A_ Hardness For Products in Aircraft Piston Engine Oil/Low Temperature Environments	2020	SAE	0
4270	AMS3347D	(R) Elastomer: Methyl/Methyl Vinyl Silicone (MQ/VMQ) High Temperature Resistant High Strength/Tear Resistant 45 to 55 Type _A_ Durometer Hardness	2020	SAE	0
4271	AMS3381B	Sealing Compound, Flame Resistant, Non-Silicone	2020	SAE	0
4272	AMS3387F	Hose, Aircraft Fueling, Acrylonitrile Butadiene (NBR) Rubber Textile Reinforced, Chloroprene Covered Noncollapsing	2020	SAE	0
4273	AMS3819D	(R) Cloths, Cleaning For Aircraft Primary and Secondary Structural Surfaces	2020	SAE	0
4274	AMS4025N	Aluminum Alloy, Sheet and Plate 1.0Mg - 0.60Si - 0.28Cu - 0.20Cr (6061-O) Annealed - UNS A96061	2020	SAE	0
4275	AMS4037R	Aluminum Alloy, Sheet and Plate 4.4Cu - 1.5Mg - 0.60Mn (2024; -T3 Flat Sheet, -T351 Plate) Solution Heat Treated - UNS A92024	2020	SAE	0
4276	AMS4082R	Aluminum Alloy, Seamless Drawn Tubing 1.0Mg - 0.60Si - 0.28Cu - 0.20Cr (6061-T6) Solution and Precipitation Heat Treated - UNS A96061	2020	SAE	0

4277	AMS4087J	Aluminum Alloy Tubing, Seamless, Drawn 4.4Cu - 1.5Mg - 0.60Mn (2024-O) Annealed - Composition similar to UNS A92024	2020	SAE	0
4278	AMS4089F	Aluminum Alloy, Plate 1.6Cu - 2.2Mg - 0.22Cr - 5.7Zn (7475-T7651) Solution Heat Treated, Stress Relieved by Stretching, and Precipitation Heat Treated - UNS A97475	2020	SAE	0
4279	AMS4090G	Aluminum Alloy, Plate 5.7Zn - 2.2Mg - 1.6Cu - 0.22Cr (7475-T651) Solution Heat Treated, Stress Relieved, and Precipitation Heat Treated - UNS A97475	2020	SAE	0
4280	AMS4117L	Aluminum Alloy, Rolled or Cold Finished, Bars, Rods, and Wire and Flash Welded Rings 1.0Mg - 0.60Si - 0.28Cu - 0.20Cr (6061; -T6, -T651) - UNS A96061	2020	SAE	0
4281	AMS4153M	Aluminum Alloy, Extrusions 4.5Cu - 0.85Si - 0.80Mn - 0.50Mg (2014-T6) Solution and Precipitation Heat Treated - UNS A92014	2020	SAE	0
4282	AMS4159F	Aluminum Alloy, Extrusions 7.7Zn - 2.4Mg - 1.6Cu - 0.16Cr (7049-T76511) Solution Heat Treated, Stress Relieved, Straightened, and Overaged - UNS A97049	2020	SAE	0
4283	AMS4160J	Aluminum Alloy, Extrusions 1.0Mg - 0.60Si - 0.28Cu - 0.20Cr (6061-O) Annealed - UNS A96061	2020	SAE	0
4284	AMS4161J	Aluminum Alloy, Extrusions 1.0Mg - 0.60Si - 0.28Cu - 0.20Cr (6061-T4) Solution Heat Treated and Naturally Aged	2020	SAE	0
4285	AMS4162F	Aluminum Alloy, Extrusions 6.3Cu - 0.30Mn - 0.18Zr - 0.10V - 0.06Ti (2219-T8511) Solution Treated, Stress Relief Stretched, Straightened, and Precipitation Heat Treated - UNS A92219	2020	SAE	0
4286	AMS4201G	Aluminum Alloy Plate 6.2Zn - 2.3Cu - 2.2Mg - 0.12Zr (7050-T7651) Solution Heat Treated, Stress Relieved, and Overaged - UNS A97050	2020	SAE	0
4287	AMS4205E	Aluminum Alloy, Plate 6.2Zn - 1.8Cu - 2.4Mg - 0.13Zr (7010-T7451) Solution Heat Treated, Stress Relieved, and Precipitation Heat Treated - UNS A97010	2020	SAE	0
4288	AMS4216C	Aluminum Alloy, Sheet 1.0Mg - 0.8Si - 0.8Cu - 0.50Mn (6013-T6) Solution Heat Treated and Artificially Aged - UNS A96013	2020	SAE	0
4289	AMS4287B	Aluminum Alloy, Extrusion 2.7Cu - 1.8Li - 0.7Zn - 0.3Mn - 0.3Mg - 0.08Zr (2099-T83) Solution Heat Treated, Stress Relieved by Stretching 1 to 4% and Aged - UNS A92099	2020	SAE	0
4290	AMS4310F	Aluminum Alloy, Rolled or Forged Rings 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (7075-T651, 7075-T652) Solution Heat Treated, Mechanically Stress Relieved, and Precipitation Heat Treated - UNS A97075	2020	SAE	0
4291	AMS4323D	Aluminum Alloy, Hand Forgings 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (7075-T7452) Solution Heat Treated, Stress Relieved, and Precipitation Heat Treated - UNS A97075	2020	SAE	0
4292	AMS4325A	Aluminum Alloy, Extruded Wide Panel Profiles (7150-T77511) 6.4Zn - 2.4Mg - 2.2Cu - 0.12Zr Solution Heat Treated, Stress-Relieved, Straightened and Overaged - UNS A97150	2020	SAE	0
4293	AMS4330D	Aluminum Alloy, Plate (2297-T87) 2.8Cu - 1.5Li - 0.30Mn - 0.12Zr Solution Heat Treated, Stretched, and Artificially Aged - UNS A92297	2020	SAE	0
4294	AMS4331A	Aluminum Alloy Extrusions 7.8Zn - 2.6Mg - 2.0Cu - 0.10Zr - (7068-T6511) Solution Heat Treated, Stress Relieved, and Precipitation Heat Treated	2020	SAE	0
4295	AMS4336B	Aluminum Alloy, Extruded Rod, Bar, and Profiles (7055-T76511) 8.0Zn - 2.3Cu - 2.0Mg - 0.16Zr Solution Heat Treated, Stress-Relieved, and Overaged - UNS A97055	2020	SAE	0
4296	AMS4336C	Aluminum Alloy, Extruded Rod, Bar, and Profiles (7055-T76511) 8.0Zn - 2.3Cu - 2.0Mg - 0.16Zr Solution Heat Treated, Stress-Relieved, and Overaged - UNS A97055	2020	SAE	0
4297	AMS4347E	Aluminum Alloy Sheet 1.0Mg - 0.8Si - 0.8Cu - 0.5Mn (6013-T4) Solution Heat Treated and Naturally Aged - UNS A96013	2020	SAE	0
4298	AMS4404B	Aluminum Alloy, Extruded Profiles (6056-T4511) 1.0Si - 0.90Mg - 0.80Cu - 0.60Mn - 0.40Zn Solution Heat Treated and Stress-Relieved by Stretching - UNS A96056	2020	SAE	0
4299	AMS4448	Aluminum Alloy, Plate (7160-T7351) 7.0Zn - 2.2Cu - 1.5Mg - 0.10Zr Solution Heat Treated, Stress Relieved, and Overaged	2020	SAE	0
4300	AMS4480A	Aluminum Alloy, Seamless Drawn Tubing 1.0Mg - 0.60Si - 0.28Cu - 0.20Cr (6061-T4) Solution Heat Treated and Naturally Aged - UNS A96061	2020	SAE	0
4301	AMS4483E	Magnesium Alloy Castings, Permanent Mold 10Al (AM100A-T6) Solution and Precipitation Heat Treated - UNS M10100	2020	SAE	0

4302	AMS4484L	Magnesium Alloy Castings, Permanent Mold 9.0Al - 2.0Zn (AZ92A-T6) Solution and Precipitation Heat Treated - UNS M11920	2020	SAE	0
4303	AMS4634D	Aluminum Bronze Bars, Rods, and Forgings 90.5Cu - 7.5Al - 1.9Si Stress Relieved - UNS C64200	2020	SAE	0
4304	AMS4897E	Titanium Alloy, Sheet and Strip 15Mo - 3.0AI - 2.8Cb - 0.20Si - UNS R58210	2020	SAE	0
4305	AMS4899E	Titanium Alloy, Sheet, Strip, and Plate 4.5AI - 3V - 2Fe - 2Mo Annealed - UNS R54700	2020	SAE	0
4306	AMS4907M	Titanium Alloy, Sheet, Strip, and Plate 6.0Al - 4.0V, Extra Low Interstitial Annealed - UNS R56401	2020	SAE	0
4307	AMS4909L	Titanium Alloy, Sheet, Strip, and Plate 5Al - 2.5Sn, Extra Low Interstitial Annealed - UNS R54521	2020	SAE	0
4308	AMS4921P	Titanium Bars, Wire, Forgings, and Rings Commercially Pure 70 ksi (483 MPa) Yield Strength - UNS R50700	2020	SAE	0
4309	AMS4924J	Titanium Alloy Bars, Forgings, and Rings 5Al - 2.5Sn, Extra Low Interstitial Annealed - UNS R54521	2020	SAE	0
4310	AMS4930L	Titanium Alloy Bars, Wire, Forgings, and Rings 6Al - 4V, Extra Low Interstitial Annealed - UNS R56401	2020	SAE	0
4311	AMS4952G	Titanium Alloy, Welding Wire 6AI - 2Sn - 4Zr - 2Mo - UNS R54620	2020	SAE	0
4312	AMS4955J	Titanium Alloy, Welding Wire 8Al - 1Mo - 1V - UNS R54810	2020	SAE	0
4313	AMS4956H	Titanium Alloy Welding Wire 6Al - 4V, Extra Low Interstitial Environment Controlled Packaging - UNS R56408	2020	SAE	0
4314	AMS4963E	Titanium Alloy, Bars, Wire, Forgings, and Rings 6.0Al - 4.0V Annealed, Heat Treatable, Modified Strength - UNS R56400	2020	SAE	0
4315	AMS4970L	Titanium Alloy Bars, Wire, and Forgings 7Al - 4Mo Solution and Precipitation Heat Treated - UNS R56740	2020	SAE	0
4316	AMS4973J	Titanium Alloy Forgings 8Al - 1Mo - 1V Solution Heat Treated and Stabilized - UNS R54810	2020	SAE	0
4317	AMS4982G	Titanium Alloy Wire 44.5 Cb - UNS R58450	2020	SAE	0
4318	AMS5022P	Steel, Bars, Forgings, and Tubing, Free-Cutting 0.14 - 0.20C (SAE 1117) - UNS G11170	2020	SAE	0
4319	AMS5024J	Steel, Bars, Forgings, and Tubing, Free-Cutting 1.5Mn (0.32 - 0.39C) (SAE 1137) - UNS G11370	2020	SAE	0
4320	AMS5036J	Steel Sheet and Strip, Aluminum Coated, Low Carbon	2020	SAE	0
4321	AMS5050L	Steel Tubing, Seamless 0.15 Carbon Maximum Annealed - UNS G10100	2020	SAE	0
4322	AMS5070K	Steel, Bars and Forgings 0.18 - 0.23C (SAE 1022) - UNS G10220	2020	SAE	0
4323	AMS5075G	Steel Tubing, Seamless 0.22 - 0.28C (SAE 1025) Cold Drawn and Stress Relieved - UNS G10250	2020	SAE	0
4324	AMS5500G	Steel, Corrosion-Resistant, Laminated, Sheet Surface Bonded - UNS S30200	2020	SAE	0
4325	AMS5524M	Steel, Corrosion and Heat-Resistant, Sheet, Strip and Plate 18Cr - 13Ni - 2.5Mo (SAE 30316) Solution Heat Treated - UNS S31600	2020	SAE	0
4326	AMS5544L	Nickel Alloy, Corrosion and Heat-Resistant, Sheet, Strip, and Plate 57Ni - 19.5Cr - 13.5Co - 4.2Mo - 3.0Ti - 1.4Al - 0.05Zr - 0.006B Consumable Electrode or Vacuum Induction Melted, Annealed - UNS N07001	2020	SAE	0
4327	AMS5616N	Steel, Corrosion and Heat-Resistant, Bars, Wire, Forgings, Mechanical Tubing, and Rings 13Cr - 2.0Ni - 3.0W Annealed - UNS S41800	2020	SAE	0
4328	AMS5622G	Steel, Corrosion-Resistant, Bars, Wire, Forgings, Mechanical Tubing, and Rings 16Cr - 4.0Ni - 0.30Cb - 4.0Cu Solution Heat Treated, Precipitation Hardenable Consumable Electrode Remelted - UNS S17400	2020	SAE	0
4329	AMS5659/H1025B	Steel, Corrosion-Resistant, Bars, Wire, Forgings, Rings, and Extrusions 15Cr - 4.5Ni - 0.30Cb (Nb) - 3.5Cu Consumable Remelted, Solution and Precipitation Heat Treated (H1025) - UNS S15500	2020	SAE	0
4330	AMS5660M	Nickel-Iron Alloy, Corrosion and Heat-Resistant, Bars and Forgings 12.5Cr - 42.5Ni - 6.0Mo - 2.7Ti - 0.015B - 34Fe Consumable Electrode Remelted or Vacuum Induction Melted Solution, Stabilization, and Precipitation Heat Treated - UNS N09901	2020	SAE	0
4331	AMS5667P	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 72Ni - 15.5Cr - 0.95Cb - 2.5Ti - 0.70Al - 7.0Fe Equalized, Precipitation Hardenable - UNS N07750	2020	SAE	0
4332	AMS5678G	Steel, Corrosion Resistant, Wire 17Cr - 7.1NI - 1.1Al Cold Drawn, Precipitation-Hardenable - UNS S17700	2020	SAE	0
4333	AMS5704L	Nickel Alloy, Corrosion and Heat Resistant, Forgings 57Ni - 19.5Cr - 13.5Co - 4.6Mo - 3.0Ti - 1.4Al - 0.05Zr - 0.006B Consumable Electrode or Vacuum Induction Melted 1825 to 1900 °F (996 to 1038 °C) Solution, Stabilization, and Precipitation Heat Treated	2020	SAE	0

4334	AMS5706N	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 57Ni - 19.5Cr - 13.5Co - 4.3Mo - 3.0Ti - 1.4Al - 0.006B - 0.05Zr Consumable Electrode or Vacuum Induction Melted 1825 to 1900 °F Solution Heat Treated - UNS N07001	2020	SAE	0
4335	AMS5711F	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 65Ni - 15.8Cr - 15.2Mo - 0.30Al - 0.05La Solution Heat Treated - UNS N06635	2020	SAE	0
4336	AMS5743K	Steel, Corrosion and Heat-Resistant, Bars and Forgings 15.5Cr - 4.5Ni - 2.9Mo - 0.10N Consumable Electrode Remelted Solution Heat Treated, Sub-Zero Cooled, Equalized, and Over-Tempered - UNS S35500	2020	SAE	0
4337	AMS5745G	Steel, Corrosion and Heat-Resistant, Bars and Forgings 16.5Cr - 4.5Ni - 2.9Mo - 0.10N Consumable Electrode Remelted Equalized and Over-Tempered - UNS S35000	2020	SAE	0
4338	AMS5764F	Steel, Corrosion-Resistant, Bars, Wire, Forgings, Extrusions, and Rings 5.0Mn - 22Cr - 12.5Ni - 2.2Mo - 0.20Cb - 0.30N - 0.20V Solution Heat Treated - UNS S20910	2020	SAE	0
4339	AMS5769G	Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings, 21Cr - 20Ni - 20Co - 3.0Mo - 2.5W - 1.0(Cb+Ta) - 0.15N - 32Fe Solution Heat Treated - UNS R30155	2020	SAE	0
4340	AMS5789E	Cobalt Alloy, Corrosion and Heat-Resistant, Welding Wire 54Co - 25.5Cr - 10.5Ni - 7.5W - UNS R30031	2020	SAE	0
4341	AMS5790E	Steel, Corrosion and Heat-Resistant, Welding Wire 20Cr - 10Ni - 0.75Cb High Ferrite Grade - UNS S34780	2020	SAE	0
4342	AMS5873G	Nickel Alloy, Corrosion and Heat Resistant, Sheet, Strip, and Plate 65Ni - 15.8Cr - 15.2Mo - 0.30Al - 0.05La Consumable Electrode Remelted, Solution Heat Treated - UNS N06635	2020	SAE	0
4343	AMS5878E	Nickel Alloy, Corrosion and Heat-Resistant, Sheet, Strip, and Plate 59Ni - 22Cr - 2Mo - 14W - 0.35AI - 0.03La Solution Heat Treated - UNS N06230	2020	SAE	0
4344	AMS5886D	Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 50Ni - 20Cr - 20Co - 5.8Mo - 2.2Ti - 0.45Al Consumable Electrode or Vacuum Induction Melted 2100 °F (1149 °C) Solution Heat Treated - UNS N07263	2020	SAE	0
4345	AMS5950D	Nickel Alloy, Corrosion and Heat-Resistant, Sheet and Strip 52.5Ni - 19Cr - 3.0Mo - 5.0Cb - 0.90Ti - 0.50Al - 18Fe Vacuum Induction and Consumable Electrode Melted Solution Heat Treated, Precipitation Hardenable - UNS N07719	2020	SAE	0
4346	AMS6250N	Steel Bars, Forgings, and Tubing 1.5Cr - 3.5Ni (0.07 - 0.13 C) (3310) - UNS K44910	2020	SAE	0
4347	AMS6263N	Steel Bars, Forgings, and Tubing 1.2Cr - 3.2Ni - 0.12Mo (0.11 - 0.17C) (9315) - UNS K44414	2020	SAE	0
4348	AMS6278F	Steel, Bars, Forgings, and Tubing 4.1Cr - 3.4Ni - 4.2Mo - 1.2V (0.11 - 0.15C) Premium Aircraft-Quality for Bearing Applications Double Vacuum Melted - UNS K91231	2020	SAE	0
4349	AMS6281K	Steel, Mechanical Tubing 0.50Cr - 0.55Ni - 0.20Mo (0.25 - 0.33C) (SAE 8630) - UNS G86300	2020	SAE	0
4350	AMS6282K	Steel Tubing, Mechanical 0.50Cr - 0.55Ni - 0.25Mo (0.33 - 0.38C) (SAE 8735) - UNS G87350	2020	SAE	0
4351	AMS6300H	Steel Bars and Forgings 0.25Mo (0.35 - 0.40C) (SAE 4037) - UNS G40370	2020	SAE	0
4352	AMS6312K	Steel Bars, Forgings, and Tubing 1.8Ni - 0.25Mo (0.38 - 0.43C) (4640) - UNS K22440	2020	SAE	0
4353	AMS6325L	Steel, Bars, and Forgings 0.50Cr - 0.55Ni - 0.25Mo (0.38 - 0.43C) (SAE 8740) Heat Treated, 105 ksi (724 MPa) Tensile Strength - UNS G87400	2020	SAE	0
4354	AMS6345E	Steel, Sheet, Strip, and Plate 0.95Cr - 0.20Mo (0.28 - 0.33C) (SAE 4130) Normalized or Otherwise Heat Treated - UNS G41300	2020	SAE	0
4355	AMS6350P	Steel Sheet, Strip, and Plate 0.95Cr - 0.20Mo (0.28 - 0.33C) (SAE 4130) - UNS G41300	2020	SAE	0
4356	AMS6351L	Steel, Sheet, Strip, and Plate 0.95Cr - 0.20Mo (0.28 - 0.33C) (SAE 4130) Spheroidized - UNS G41300	2020	SAE	0
4357	AMS6356J	Steel, Sheet, Strip, and Plate 0.95Cr - 0.20Mo - (0.30 - 0.35C) (4132) - UNS G41300	2020	SAE	0
4358	AMS6357M	Steel Sheet, Strip, and Plate 0.50Cr - 0.55Ni - 0.25Mo (0.33 - 0.38C) (8735) - UNS G87350	2020	SAE	0
4359	AMS6358L	Steel Sheet, Strip, and Plate 0.50Cr - 0.55Ni - 0.25Mo (0.38 - 0.43C) (SAE 8740) - UNS G87400	2020	SAE	0
4360	AMS6359L	Steel, Sheet, Strip, and Plate 0.80Cr - 1.8Ni - 0.25Mo (0.38 - 0.43C) (SAE 4340) - UNS G43406	2020	SAE	0
4361	AMS6370R	Steel, Bars, Forgings, and Rings 0.95Cr - 0.20Mo (0.28 - 0.33C) (SAE 4130) - UNS G41300	2020	SAE	0
4362	AMS6373J	Steel, Welded Tubing 0.95Cr - 0.20Mo (0.28 - 0.33C) (SAE 4130) - UNS G41300	2020	SAE	0
4363	AMS6374E	Steel Tubing, Seam-Free, Round 0.95Cr - 0.20Mo (0.28 - 0.33C) (SAE 4130) 95.0 ksi (655 MPa) Tensile Strength - UNS G41300	2020	SAE	0
4364	AMS6385L	Steel Sheet, Strip, and Plate, Low Alloy, Heat-Resistant 0.65Si - 1.25Cr - 0.50Mo - 0.25V (0.27 - 0.33C) - UNS K23015	2020	SAE	0

4365	AMS6395J	Steel Sheet, Strip, and Plate 0.95Cr - 0.20Mo - (0.38 - 0.43C) (SAE 4140) - UNS G41400	2020	SAE	0
4366	AMS6412P	Steel, Bars and Forgings 0.80Cr - 1.8Ni - 0.25Mo (0.35 - 0.40C) (4337) - UNS G43370	2020	SAE	0
4367	AMS6413N	Steel, Mechanical Tubing 0.80Cr - 1.8Ni - 0.25Mo (0.35 - 0.40C) (4337) - UNS G43370	2020	SAE	0
4368	AMS6437K	Steel, Sheet, Strip, and Plate 5.0Cr - 1.3Mo - 0.50V (0.38 - 0.43C) (H-11) - UNS T20811	2020	SAE	0
4369	AMS6447J	Steel, Bars, Forgings, and Tubing 1.4Cr (0.93-1.05C) (SAE 52100) Electroslag Remelted - UNS G52986	2020	SAE	0
4370	AMS6477D	Steel, Bars, Forgings, and Tubing 0.80Cr (0.90 - 1.03C) For Bearing Applications - UNS G51985	2020	SAE	0
4371	AMS6479E	Steel, Bars, Forgings, and Tubing 1.45Cr (0.93-1.05C) (SAE 52100) Special Aircraft-Quality Cleanliness - UNS G52986	2020	SAE	0
4372	AMS6533C	Steel, Welding Wire 2.0Cr - 10Ni - 14Co - 1.0Mo - (0.13 - 0.17C) Vacuum Melted, Environment Controlled Packaging - UNS K92571	2020	SAE	0
4373	AMS6543G	Steel, Bars and Forgings 2.0Cr - 10Ni - 8.0Co - 1.0Mo (0.10 - 0.14C) (HY-180) Double Vacuum Melted Solution Heat Treated, Marage Hardenable - UNS K91970	2020	SAE	0
4374	AMS6891	Carbon Fiber and Fiberglass Epoxy Prepreg Products with 350 °F (177 °C) Cure for Aerospace Applications	2020	SAE	0
4375	AMS6891/1	Carbon Fiber and Fiberglass Epoxy Prepreg Products with 350 °F (177 °C) Cure for Aerospace Applications: Type 35, Class 1, Grade 191	2020	SAE	0
4376	AMS6891/2	Carbon Fiber and Fiberglass Epoxy/Prepreg Products with 350 °F (177 °C) Cure for Aerospace Applications: Type 40, Class 1, Grade 196, Style 6K-PW	2020	SAE	0
4377	AMS6907C	Titanium Alloy Bars, Forgings, and Forging Stock 6.0Al - 2.0Sn - 4.0Zr - 6.0Mo Duplex Annealed - UNS R56260	2020	SAE	0
4378	AMS7007	Electron Beam Powder Bed Fusion Process	2020	SAE	0
4379	AMS7018	Aluminum Alloy Powder 10.0Si - 0.35Mg	2020	SAE	0
4380	AMS7021	Precipitation Hardenable Steel Alloy, Corrosion and Heat Resistant, Powder for Additive Manufacturing, 15.0Cr - 4.5Ni - 3.5Cu - 0.30Nb - UNS S15500	2020	SAE	0
4381	AMS7022	Binder Jet Additive Manufacturing (BJAM) Process	2020	SAE	0
4382	AMS7027	Electron Beam Directed Energy Deposition-Wire Additive Manufacturing Process (EB-DED-Wire)	2020	SAE	0
4383	AMS7201	Standard Contaminant for Testing Aerospace Cleaners	2020	SAE	0
4384	AMS7274K	(R) Rubber: Acrylonitrile-Butadiene (NBR) Engine Oil Resistance, 65 to 75 Hardness, for Seals in Aircraft Engine Oil Systems	2020	SAE	0
4385	AMS7310L	Rings, Piston, Cast Iron As Cast	2020	SAE	0
4386	AMS7379A	(R) Rubber: Fluorocarbon Elastomer (FKM) Low Temperature Sealing Tg -40 °F (-40 °C) 70 to 80 Type _A_ Hardness For Elastomeric Seals in Aircraft Engine Oil, Fuel and Hydraulics Systems	2020	SAE	0
4387	AMS7490R	Rings, Flash Welded Corrosion and Heat-Resistant Austenitic Steels, Austenitic-Type Iron, Nickel or Cobalt Alloys, or Precipitation-Hardenable Alloys	2020	SAE	0
4388	AMS7725F	Tungsten Heavy Alloy Shapes, Sintered, High Density	2020	SAE	0
4389	AMS7879G	Tungsten Carbide-Cobalt Powder	2020	SAE	0
4390	AMS7881B	Tungsten Carbide-Cobalt Powder Agglomerated and Sintered	2020	SAE	0
4391	AMS7882C	Tungsten Carbide-Cobalt Chrome Powder Agglomerated and Sintered	2020	SAE	0
4392	AMS7918A	Beryllium Aluminum Alloy Investment Castings 64.9Be - 30Al - 3Ag - 1Co - 0.75Ge As Cast	2020	SAE	0
4393	AMSH6875C	This document has been replaced. View the most recent version.	2020	SAE	0
4394	AMSSTD2154D	This document has been replaced. View the most recent version.	2020	SAE	0
4395	AMST5066B	Tubing, Carbon Steel (1025) (Aircraft Quality) (Stabilized: Jul 2020)	2020	SAE	0
4396	ARP175A	Temperature Measurement, Well Insert Type	2020	SAE	0
4397	ARP292D	(R) Environmental Control Systems for Rotorcraft	2020	SAE	0
4398	ARP416B	Directional Indicating System (Turbine Powered Subsonic Aircraft)	2020	SAE	0
4399	ARP419B	Automatic Pilot Installations	2020	SAE	0

4400	ARP426B	Compass System Installations	2020	SAE	0
4401	ARP490G	(R) Electrohydraulic Servovalves	2020	SAE	0
4402	ARP599D	Aerospace - Dynamic Test Method for Determining the Relative Degree of Cleanliness of the Downstream Side of Filter Elements	2020	SAE	0
4403	ARP780C	Environmental Systems Schematic Symbols	2020	SAE	0
4404	ARP785B	Procedure for the Determination of Particulate Contamination in Hydraulic Fluids by the Control Filter Gravimetric Procedure	2020	SAE	0
4405	ARP868D	(R) Method-Pressure Drop Tests for Fuel System Components	2020	SAE	0
4406	ARP921B	Flight Test Procedures for Static Pressure Systems Installed in Subsonic Transport Aircraft	2020	SAE	0
4407	ARP982D	Minimizing Stress-Corrosion Cracking in Wrought Titanium Alloy Products	2020	SAE	0
4408	ARP986D	(R) Guide for Qualification Testing of Aircraft Air Valves	2020	SAE	0
4409	ARP987B	(R) The Control of Excess Humidity in Avionics Cooling	2020	SAE	0
4410	ARP1061B	Altitude Alerting Devices and Systems	2020	SAE	0
4411	ARP1176B	(R) Oxygen System and Component Cleaning	2020	SAE	0
4412	ARP1232C	Gland Design Criteria and Dimensions for Static Radial O-Ring Seal Applications Without Anti-Extrusion Devices Specifically for Engine and Engine Control Systems	2020	SAE	0
4413	ARP1234C	Static Axial O-Ring Seal Applications Without Anti-Extrusion Devices for Engine and Engine Control Systems	2020	SAE	0
4414	ARP1315E	Safety Considerations for Airplane Lavatories	2020	SAE	0
4415	ARP1328D	Aircraft Ground Support Equipment - Wind Stability Determination	2020	SAE	0
4416	ARP1348B	Baggage/Cargo Trailer Requirements	2020	SAE	0
4417	ARP1400B	(R) Recommended Practices for Lubricating Oil Filters, General Aviation Reciprocating Engine (Piston Type) Aircraft	2020	SAE	0
4418	ARP1532B	(R) Aircraft Oxygen System Lines, Fabrication, Test, and Installation	2020	SAE	0
4419	ARP1554D	Vehicle Transport Unit Load Device (ULD)	2020	SAE	0
4420	ARP1796B	(R) Engine Bleed Air Systems for Aircraft	2020	SAE	0
4421	ARP1798B	Portable Emergency Lighting Systems for Flight Crew Members	2020	SAE	0
4422	ARP1816D	(R) Charger for Battery Powered Ground Support Equipment	2020	SAE	0
4423	ARP1817A	Battery Industrial, Lead-Acid Type, for Use in Electric Powered Ground Support Equipment	2020	SAE	0
4424	ARP1840B	Aircraft Engine Transport Devices	2020	SAE	0
4425	ARP1846B	Measurement of Far Field Noise from Gas Turbine Engines During Static Operation	2020	SAE	0
4426	ARP1892B	Electrical Connectors for Use in Battery Powered Ground Support Equipment	2020	SAE	0
4427	ARP1953B	(R) Acceptance Test Procedures and Standards to Ensure Clean Fuel System Components	2020	SAE	0
4428	ARP4024	Aircraft/Engine Fuel Pump Net Positive Suction Pressure Performance Test and Evaluation	2020	SAE	0
4429	ARP4028	Aircraft/Engine Fuel Pump Two Phase (Slugging Flow) Inlet Performance Test and Evaluation	2020	SAE	0
4430	ARP4033A	Pilot-System Integration	2020	SAE	0
4431	ARP4048	BALANCING MACHINES - DESCRIPTION AND EVALUATION HORIZONTAL, TWO-PLANE, HARD-BEARING TYPE FOR GAS TURBINE ROTORS	2020	SAE	0
4432	ARP4055A	Ground-Plane Microphone Configuration for Propeller-Driven Light-Aircraft Noise Measurement	2020	SAE	0
4433	ARP4102/12B	Approach to Landing Guidance System for Transport Aircraft	2020	SAE	0
4434	ARP4105C	(R) Abbreviations, Acronyms, and Terms for Use on the Flight Deck	2020	SAE	0
4435	ARP4107A	Aerospace Glossary for Human Factors Engineers	2020	SAE	0
4436	ARP4148C	Gas Turbine Engine Real Time Performance Model Presentation	2020	SAE	0
4437	ARP4153A	Human Interface Criteria for Collision Avoidance Systems in Transport Aircraft	2020	SAE	0

4438	ARP4155B	Human Interface Design Methodology for Integrated Display Symbology	2020	SAE	0
4439	ARP4402A	(R) Eddy Current Inspection of Open Fastener Holes in Aluminum Aircraft Structure	2020	SAE	0
4440	ARP4791B	Human Engineering Recommendations for Data Link Systems	2020	SAE	0
4441	ARP4834B	Aircraft Tire Retreading Practice - Bias and Radial	2020	SAE	0
4442	ARP4990B	Turbine Flowmeter Fuel Flow Calculations	2020	SAE	0
4443	ARP5007A	Development Process - Aerospace Fly-By-Wire Actuation System	2020	SAE	0
4444	ARP5056A	Flight Crew Interface Considerations in the Flight Deck Design Process for Part 25 Aircraft	2020	SAE	0
4445	ARP5119A	Location of and Display Symbology Requirements for Head-Down Electronic Flight Displays for Steep IMC Approaches	2020	SAE	0
4446	ARP5146	Assessment of Aircraft Wheel Sealing Systems	2020	SAE	0
4447	ARP5257B	Tire Overspeed Landing Test	2020	SAE	0
4448	ARP5293A	(R) Safety Considerations for Lasers Projected in the Navigable Airspace	2020	SAE	0
4449	ARP5364A	Human Factor Considerations in the Design of Multifunction Display Systems for Civil Aircraft	2020	SAE	0
4450	ARP5365A	Human Interface Criteria for Cockpit Display of Traffic Information	2020	SAE	0
4451	ARP5415B	(R) User s Manual for Certification of Aircraft Electrical/Electronic Systems for the Indirect Effects of Lightning	2020	SAE	0
4452	ARP5430A	Human Interface Criteria for Vertical Situation Awareness Displays	2020	SAE	0
4453	ARP5448/5B	(R) Plain Bearing No-Load Rotational Breakaway Torque Measurement	2020	SAE	0
4454	ARP5481A	Recommended Wheel Tie Bolt Preload Procedure	2020	SAE	0
4455	ARP5543A	Aircraft Wheel Inflation Valves Incorporating an Inflation Pressure Gauge	2020	SAE	0
4456	ARP5572A	(R) Control Measures for Laser Safety in the Navigable Airspace	2020	SAE	0
4457	ARP5580	Recommended Failure Modes and Effects Analysis (FMEA) Practices for Non-Automobile Applications	2020	SAE	0
4458	ARP5600	Disposition of Damaged Wheels Involved in Accidents/Incidents	2020	SAE	0
4459	ARP5621A	Electronic Display of Aeronautical Information (Charts)	2020	SAE	0
4460	ARP5644A	(R) Landing Gear Shock Absorption Testing of Civil Aircraft	2020	SAE	0
4461	ARP5647B	High Intensity Discharge Light Sources	2020	SAE	0
4462	ARP5941	Aerospace Fluid Power - Contamination Sensitivity - Considerations for Establishing Test Procedures for Flight Control Actuators	2020	SAE	0
4463	ARP6001B	(R) Aerospace - Passive Side Stick Unit General Requirements for Fly-by Wire Transport and Business	2020	SAE	0
4464	ARP6028A	(R) Configuration Control for Maintaining Correlation of Gas Turbine Engine Test Cells	2020	SAE	0
4465	ARP6137	Tire Pressure Monitoring Systems (TPMS) for Aircraft	2020	SAE	0
4466	ARP6157A	(R) Pressure-Viscosity Coefficient Measurement	2020	SAE	0
4467	ARP6217	Balancing Machines Description and Evaluation Vertical, Single-Plane, Non-Rotating Type for Gas Turbine Rotors	2020	SAE	0
4468	ARP6223	Oil Carbon Particulate Test	2020	SAE	0
4469	ARP6229	Fluoride Offgassing in Fluoropolymer Insulations	2020	SAE	0
4470	ARP6249	Hydraulic Pump Minimum Inlet Pressure Test	2020	SAE	0
4471	ARP6283/1	In-Service Fiber Optic Inspection, Evaluation, and Cleaning, Best Practices, Expanded Beam Termini	2020	SAE	0
4472	ARP6283/2	In-Service Fiber Optic Inspection, Evaluation, and Cleaning, Best Practices, Multi-Fiber Push on Termini	2020	SAE	0
4473	ARP6299	Procedure for Thermal Aging Test for Polyol Ester Gas Turbine Engine Lubricants	2020	SAE	0
4474	ARP6337	Design, Manufacturing, and Performance Standard for Composite Materials Used on Aircraft Seat Structures	2020	SAE	0
4475	ARP6344	Standard Test Procedure and Limit Value for Shutoff Surge Pressure for Fixed Pressure Fuel Dispensing Systems	2020	SAE	0
4476	ARP6537	Risk Mitigation for Pb-Free Solders Used Internally to Parts	2020	SAE	0
4477	ARP6905	Fire Containment Cover - Operation and Use	2020	SAE	0

4478	ARP6909	Methods for Determining the Seat Reference Point (SRP) and the Buttock Reference Point (BRP) for Seats in Transport Aircraft, Civil Rotorcraft, and General Aviation Aircraft	2020	SAE	0
4479	ARP6910	Rod End Locking Device Selection Criteria	2020	SAE	0
4480	ARP7495	Methods to Address Specific Issues Related to COTS Electronic Components in Airborne Electronic Hardware	2020	SAE	0
4481	ARP7503	Methods of Shield Termination for Two-Piece, Crimp-Style Ferrule on Shielded Cables	2020	SAE	0
4482	ARP8996	Comprehensibility Testing for Pictogram-Based Aircraft Signs and Placards	2020	SAE	0
4483	ARP81490B	Transmission Lines, Transverse Electromagnetic Mode	2020	SAE	0
4484	AS245C	(R) Water Solution Type Hand Fire Extinguisher	2020	SAE	0
4485	AS437B	Maximum-Allowable-Airspeed Instruments (Turbine Powered Subsonic Aircraft)	2020	SAE	0
4486	AS440B	Automatic Pilots (Turbine Powered Subsonic Aircraft)	2020	SAE	0
4487	AS568E	(R) Aerospace Size Standard for O-Rings	2020	SAE	0
4488	AS568F	Aerospace Size Standard for O-Rings	2020	SAE	0
4489	AS893F	FITTING, TEE, STANDARD AND REDUCER, FLARELESS TUBE TO PIPE ON SIDE, EXTERNAL THREAD	2020	SAE	0
4490	AS894D	FITTING, TEE, STANDARD AND REDUCER, FLARELESS TUBE TO PIPE ON RUN, EXTERNAL THREAD	2020	SAE	0
4491	AS895D	FITTING, ELBOW, 45°, STANDARD AND REDUCER, FLARELESS TUBE TO PIPE, EXTERNAL THREAD	2020	SAE	0
4492	AS896D	FITTING, NIPPLE, REDUCER, FLARELESS TUBE TO PIPE, EXTERNAL THREAD	2020	SAE	0
4493	AS897F	FITTING, ELBOW, 90°, STANDARD AND REDUCER, FLARELESS TUBE TO PIPE, EXTERNAL THREAD	2020	SAE	0
4494	AS1033G	(R) FITTING, TEE, STANDARD AND REDUCER, BULKHEAD ON RUN, FLARED	2020	SAE	0
4495	AS1034G	(R) FITTING, ELBOW, 90°, STANDARD AND REDUCER, FLARED	2020	SAE	0
4496	AS1035G	(R) FITTING, TEE, STANDARD AND REDUCER, FLARED	2020	SAE	0
4497	AS1036J	(R) FITTING, CROSS, STANDARD AND REDUCER, FLARED	2020	SAE	0
4498	AS1036K	FITTING, CROSS, STANDARD AND REDUCER, FLARED	2020	SAE	0
4499	AS1037H	(R) FITTING, UNION, STANDARD AND REDUCER, BULKHEAD, FLARED	2020	SAE	0
4500	AS1038H	FITTING, ELBOW, 90°, STANDARD AND REDUCER, BULKHEAD, FLARED	2020	SAE	0
4501	AS1039H	(R) FITTING, TEE, STANDARD AND REDUCER, BULKHEAD ON SIDE, FLARED	2020	SAE	0
4502	AS1040G	(R) FITTING, ELBOW, 45°, STANDARD AND REDUCER, BULKHEAD, FLARED	2020	SAE	0
4503	AS1182D	Standard Stock Removal Allowance Aircraft-Quality and Premium Aircraft-Quality Steel Bars and Mechanical Tubing	2020	SAE	0
4504	AS1248B	(R) Minimum Standard for Gaseous Oxygen Pressure Reducers	2020	SAE	0
4505	AS1424H	Hose Assemblies, Metal, Medium Pressure, High Temperature	2020	SAE	0
4506	AS1472B	Hose Assembly, Low Pressure, Potable Water	2020	SAE	0
4507	AS1501D	Hose, Air Duct, Flexible, Nonmetallic, Aircraft	2020	SAE	0
4508	AS1505B	(R) HOSE, AIR DUCT, FLEXIBLE, ANNULAR CONVOLUTED, SELF EXTINGUISHING	2020	SAE	0
4509	AS1576F	Fittings, Welded, Hydraulic, Titanium, Corrosion Resistant Steel and Nickel, 3000 psi Hydraulic	2020	SAE	0
4510	AS1814F	Terminology for Titanium Microstructures	2020	SAE	0
4511	AS1895E	(R) Coupling Assembly, V-Retainer, High Pressure High Temperature, Pneumatic Tube	2020	SAE	0
4512	AS3066C	NUT, SELF-LOCKING, DOUBLE HEXAGON, REDUCED ENVELOPE, AMS 7251	2020	SAE	0
4513	AS3067C	NUT, SELF-LOCKING, DOUBLE HEXAGON, REDUCED ENVELOPE, AS7251	2020	SAE	0
4514	AS3068B	NUT, SELF-LOCKING, DOUBLE HEXAGON, REDUCED ENVELOPE, AMS7251	2020	SAE	0
4515	AS3069A	NUT, SELF-LOCKING, DOUBLE HEXAGON, REDUCED ENVELOPE, AMS7251	2020	SAE	0
4516	AS3070A	NUT, SELF-LOCKING, DOUBLE HEXAGON, REDUCED ENVELOPE, AMS7251	2020	SAE	0
4517	AS3106B	SCREW, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, PD SHANK, CRES AMS5731(UNS S66286), .1640-36 UNJF-3A	2020	SAE	0

4518	AS3107B	BOLT, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, PD SHANK, CRES AMS5731 (UNS S66286), .1900-32 UNJF-3A	2020	SAE	0
4519	AS3108B	BOLT, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, PD SHANK, CRES AMS5731 (UNS S66286), .2500-28 UNJF-3A	2020	SAE	0
4520	AS3109B	BOLT, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, PD SHANK, CRES AMS5731 (UNS S66286), .3125-24 UNJF-3A	2020	SAE	0
4521	AS3110B	BOLT, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, PD SHANK, CRES AMS5731 (UNS S66286), .3750-24 UNJF-3A	2020	SAE	0
4522	AS3111B	BOLT, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, PD SHANK, CRES AMS5731(UNS S66826), .4375-20 UNJF-3A	2020	SAE	0
4523	AS3113B	BOLT, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, PD SHANK, CRES AMS5731 (UNS S66286), .5625-18 UNJF-3A	2020	SAE	0
4524	AS3116B	(R) BOLT, MACHINE - HEXAGON HEAD, DRILLED 6 HOLES, PD SHANK, AMS5731, UNS S66286, .3125-24 UNJF-3A	2020	SAE	0
4525	AS3117B	(R) BOLT, MACHINE - HEXAGON HEAD, DRILLED 6 HOLES, PD SHANK, AMS5731, UNS S66286, .375-24 UNJF-3A	2020	SAE	0
4526	AS3118B	(R) BOLT, MACHINE - HEXAGON HEAD, DRILLED 6 HOLES, PD SHANK, AMS5731, UNS S66286, .4375-20 UNJF-3A	2020	SAE	0
4527	AS3120B	BOLT, MACHINE - HEXAGON HEAD, DRILLED 6 HOLES, PD SHANK, UNS S66286, .5625-18 UNJF-3A	2020	SAE	0
4528	AS3139C	(R) STUD, STEPPED - 2.5 DIA ENGAGEMENT, PD SHANK, UNS S66286 .2500-28 UNJF-3A X .1900-32 UNJF-3A	2020	SAE	0
4529	AS3140C	STUD, STEPPED - 2.5 DIA ENGAGEMENT, PD SHANK, UNS S66286 .3125-24 UNJF-3A X .2500-28 UNJF-3A	2020	SAE	0
4530	AS3141C	STUD, STEPPED - 2.5 DIA ENGAGEMENT, PD SHANK, UNS S66286 .3750-24 UNJF-3A X .3125-24 UNJF-3A	2020	SAE	0
4531	AS3142C	STUD, STEPPED - 2.5 DIA ENGAGEMENT, PD SHANK, UNS S66286 .4375-20 UNJF-3A X .3750-24 UNJF-3A	2020	SAE	0
4532	AS3143C	STUD, STEPPED - 2.5 DIA ENGAGEMENT, PD SHANK, UNS S66286 .5000-20 UNJF-3A X .4375-20 UNJF-3A	2020	SAE	0
4533	AS3156B	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, CLOSE TOLERANCE SHANK, AMS4967, .190-32 UNJF-3A	2020	SAE	0
4534	AS3157B	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, CLOSE TOLERANCE SHANK, AMS4967, .250-28 UNJF-3A	2020	SAE	0
4535	AS3158B	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, CLOSE TOLERANCE SHANK, AMS4967, .3125-24 UNJF-3A	2020	SAE	0
4536	AS3160B	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, CLOSE TOLERANCE SHANK, AMS4967, .4375-20 UNJF-3A	2020	SAE	0
4537	AS3162B	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, CLOSE TOLERANCE SHANK, AMS4967, .5625-18 UNJF-3A	2020	SAE	0
4538	AS3163A	NUT, PLAIN - O.D. SLOTS, KEY WASHER LOCKED, LOW ALLOY STEEL (SAE 8740), AS8879	2020	SAE	0
4539	AS3167B	BOLT, MACHINE-DOUBLE HEX EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, CORROSION RESISTANT STEEL (UNS S17400), 140 KSI UTS MIN, .1900-32, UNJF-3A	2020	SAE	0
4540	AS3168B	BOLT, MACHINE-DOUBLE HEX EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, CORROSION RESISTANT STEEL (UNS S17400), 140 KSI UTS MIN, .2500-28, UNJF-3A	2020	SAE	0
4541	AS3169B	BOLT, MACHINE-DOUBLE HEX EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, CORROSION RESISTANT STEEL (UNS S17400), 140KSI UTS MIN, .3125-24, UNJF-3A	2020	SAE	0
4542	AS3180B	BOLT, MACHINE - DOUBLE HEX EXTENDED WASHER HEAD, DRILLED, CLOSE TOL SHANK, AMS5643 (UNS S17400), 140 KSI, .5625-18 UNJF-3A	2020	SAE	0
4543	AS3208A	PACKING, PREFORMED - AMS 7276 - SEAL	2020	SAE	0
4544	AS3209B	PACKING, PREFORMED - AMS7276, _O_ RING	2020	SAE	0
4545	AS3217C	RING, RETAINING-SPIRAL, INTERNAL LIGHT DUTY, CRES	2020	SAE	0

4546	AS3218C	RING, RETAINING-SPIRAL, EXTERNAL, LIGHT DUTY, CRES	2020	SAE	0
4547	AS3220B	(R) FITTING, SLEEVE, FLARED, ALUMINUM	2020	SAE	0
4548	AS3246E	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, NICKEL ALLOY, UNS N07718, 185 KSI MIN, .3750-24 UNJF-3A	2020	SAE	0
4549	AS3303B	BOLT, MACHINE - HEXAGON HEAD, PD SHANK, NICKEL ALLOY (UNS N07001), .1900-32 UNJF-3A	2020	SAE	0
4550	AS3307B	BOLT, MACHINE - HEXAGON HEAD, PD SHANK, NICKEL ALLOY (UNS N07001), .2500-28 UNJF-3A	2020	SAE	0
4551	AS3308B	BOLT, MACHINE - HEXAGON HEAD, PD SHANK, NICKEL ALLOY (UNS N07001), .3125-24 UNJF-3A	2020	SAE	0
4552	AS3319F	STUD - STRAIGHT, RING LOCKED, CORROSION AND HEAT RESISTANT STEEL (UNS S66286), .1900-24 UNJC X .1900-32 UNJF	2020	SAE	0
4553	AS3320F	STUD - STRAIGHT, RING LOCKED, CORROSION AND HEAT RESISTANT STEEL (UNS S66286), .2500-20 UNJC-3A X .2500-28 UNJF-3A	2020	SAE	0
4554	AS3321F	STUD - STRAIGHT, RING LOCKED, CORROSION AND HEAT RESISTANT STEEL (UNS S66286), .3125-18 UNJC X .3125-24 UNJF	2020	SAE	0
4555	AS3322F	STUD - STRAIGHT, RING LOCKED, CORROSION AND HEAT RESISTANT STEEL (UNS SS66286), .3750-16 UNJC X .3750-24 UNJF	2020	SAE	0
4556	AS3402B	BOLT, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, PD SHANK, NICKEL ALLOY (UNS N07001), .3125-24 UNJF-3A	2020	SAE	0
4557	AS3403B	BOLT, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, PD SHANK, NICKEL ALLOY (UNS N07001), .3750-24 UNJF-3A	2020	SAE	0
4558	AS3478E	(R) NUT, SELF-LOCKING, PLATE, TWO LUG, LOW HEIGHT, UNS S66286, CLASS: 125 KSI/800 °F	2020	SAE	0
4559	AS3479G	(R) NUT, SELF-LOCKING, PLATE, ONE LUG, FLOATING, LOW HEIGHT, UNS S66286, CLASS: 125 KSI/800 °F	2020	SAE	0
4560	AS3480E	(R) NUT, SELF-LOCKING, PLATE, ONE LUG, REDUCED RIVET SPACING, LOW HEIGHT, UNS S66286, CLASS: 125 KSI/800 °F	2020	SAE	0
4561	AS3481H	(R) NUT, SELF-LOCKING, PLATE, TWO LUG, FLOATING, REDUCED RIVET SPACING, LOW HEIGHT, UNS S66286, CLASS: 125 KSI/800 °F	2020	SAE	0
4562	AS3482E	(R) NUT, SELF-LOCKING, PLATE, SIDE BY SIDE, REDUCED RIVET SPACING, LOW HEIGHT, UNS S66286, CLASS: 125 KSI/800 °F	2020	SAE	0
4563	AS3483C	NUT, SELF LOCKING, HEXAGON, REGULAR HEIGHT, UNS S66286, CLASS: 125 KSI/800 °F	2020	SAE	0
4564	AS3485B	NUT, SELF-LOCKING, 12 POINT, REDUCED HEIGHT, SILVER PLATE, UNS S66286, CLASS 160 KSI/1200?F	2020	SAE	0
4565	AS3490A	STUD-STEPPED, 1.5 DIA ENGAGEMENT, .375-16 UNJC-3A MOD X .3125-24 UNJF-3A (UNS S66286)	2020	SAE	0
4566	AS3535C	NUT, SELF-LOCKING, SHANK, UNS N07001 SILVER PLATE, UNJ THREAD	2020	SAE	0
4567	AS3547B	ASSEMBLY NUT AND CLIP, REMOVABLE SELF-LOCKING NUT, UNS S66286, CLASS 160 KSI/1200 ?F	2020	SAE	0
4568	AS3551A	(R) O-Ring Molded from AMS7272 Butadiene-Acrylonitrile Rubber (NBR)	2020	SAE	0
4569	AS3563E	NUT, SELF-LOCKING, DOUBLE HEXAGON, SOLID FILM LUBRICATED, EXTENDED WRENCH PAD, 160 KSI, 800 °F, UNS S66286	2020	SAE	0
4570	AS3564F	NUT, SELF-LOCKING, DOUBLE HEXAGON, SOLID FILM LUBRICATED, COUNTERBORED, 160 KSI, 800 °F, UNS S66286	2020	SAE	0
4571	AS3565A	WASHER, FLAT, COUNTERSUNK UNS S66286	2020	SAE	0
4572	AS3581A	PACKING, PREFORMED - O-RING SEAL AMS7259	2020	SAE	0
4573	AS3584B	PIN AND PLUG, EXPANSION, SET OF PARTS CRES, 416 OR 416SE, LONG; STD AND .010 OVERSIZE DIAMETERS, UNS S41600/UNS S41623	2020	SAE	0
4574	AS3585B	(R) PIN AND PLUG, EXPANSION, SET OF PARTS CRES, 416 OR 416SE, STD AND .010 OVERSIZE DIAMETERS, SHORT, UNS S41600/UNS S41623	2020	SAE	0
4575	AS3586B	(R) PIN AND PLUG, EXPANSION, SET OF PARTS CRES, 303, LONG, UNS S30300	2020	SAE	0
4576	AS3587B	(R) PIN AND PLUG, EXPANSION, SET OF PARTS, STD AND .010 OVERSIZE DIAMETERS, CRES 303, SHORT, UNS S30300	2020	SAE	0

4577	AS3618A	(R) CABLE, SAFETY, FERRULE, ELONGATED CORROSION AND HEAT RESISTANT STEEL, UNS S32100	2020	SAE	0
4578	AS3619B	(R) CABLE, SAFETY, FERRULE, ELONGATED AND KITS NICKEL ALLOY, UNS N06600	2020	SAE	0
4579	AS3623A	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, COBALT-NICKEL ALLOY, UNS R30159, 260 KSI MIN	2020	SAE	0
4580	AS3651A	INSERT, SCREW THREAD, SHORT, SELF-LOCKING, KEY LOCKED, SELF-BROACHING KEYS, UNS S66286	2020	SAE	0
4581	AS3652A	INSERT, SCREW THREAD, SHORT, SELF-LOCKING, KEY LOCKED, OVERSIZE SELF-BROACHING KEYS, UNS S66286	2020	SAE	0
4582	AS3653A	INSERT, SCREW THREAD, LONG SELF-LOCKING, KEY LOCKED, SELF-BROACHING KEYS, UNS S66286	2020	SAE	0
4583	AS3654A	INSERT, SCREW THREAD, LONG, SELF-LOCKING, KEY LOCKED, OVERSIZE SELF-BROACHING KEYS, UNS S66286	2020	SAE	0
4584	AS3658B	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, COBALT-NICKEL ALLOY, UNS R30159, 260 KSI MIN	2020	SAE	0
4585	AS3659A	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, CLOSE TOLERANCE SHANK, COBALT-NICKEL ALLOY, UNS R30159, 260 KSI MIN	2020	SAE	0
4586	AS3661	BOLT, MACHINE, DOUBLE HEXAGON, EXTENDED WASHER HEAD , PD SHANK, NICKEL ALLOY, UNS N07718, 220 KSI MIN	2020	SAE	0
4587	AS3662	BOLT, MACHINE, DOUBLE HEXAGON, DRILLED, EXTENDED WASHER HEAD, PD SHANK, NICKEL ALLOY, UNS N07718, 220 KSI MIN	2020	SAE	0
4588	AS4059F	(R) Aerospace Fluid Power - Contamination Classification for Hydraulic Fluids	2020	SAE	0
4589	AS4088F	Aerospace Rod Scraper Gland Design Standard	2020	SAE	0
4590	AS4156C	(R) Color-Coded Incandescent Flange Base T-1 and T-1 3/4 Lamps for Voltage Identification	2020	SAE	0
4591	AS4209D	FITTING END ASSEMBLY, INTERNAL THREAD, RETAINED NUT, BEAM SEAL, DESIGN STANDARD	2020	SAE	0
4592	AS4373F	(R) Test Methods for Insulated Electric Wire	2020	SAE	0
4593	AS4393C	Nut, Self-Locking, UNS S66286, 1200 Ĩ°F, 160,000 psi, UNJ Thread	2020	SAE	0
4594	AS4407B	FITTING ASSEMBLY, ELBOW 90°, REDUCER AND NONREDUCER, INTERNAL FLARE TO FLARED TUBE	2020	SAE	0
4595	AS4492A	(R) Survivor Locator Lights	2020	SAE	0
4596	AS4828A	(R) Technical Manual Requirements for Ground Support Equipment	2020	SAE	0
4597	AS4841C	Fittings, 37 Degree Internal Flare, Fluid Connection, Procurement Specification	2020	SAE	0
4598	AS4842/2B	Fittings, Flareless to Pipe Threaded, Fluid Connection	2020	SAE	0
4599	AS4862B	(R) FITTING, PLUG, PIPE, EXTERNAL THREAD, HEX HEAD	2020	SAE	0
4600	AS4877J	Bolts and Screws, Nickel Alloy UNS N07718, Classification: 185 ksi/1200 °F Procurement Specification	2020	SAE	0
4601	AS5127/1D	(R) Aerospace Standard Test Methods for Aerospace Sealants Two-Component Synthetic Rubber Compounds	2020	SAE	0
4602	AS5127/2C	Test Method for Aerospace Firewall Sealant Flame Penetration	2020	SAE	0
4603	AS5131A	(R) TUBE END - BEADED, DESIGN STANDARD	2020	SAE	0
4604	AS5134C	(R) Aviation Visual Distress Signals (AVDS)	2020	SAE	0
4605	AS5160B	(R) FITTING, BOLT, FLARED	2020	SAE	0
4606	AS5167B	(R) FITTING, ADAPTER, FLARED, AIR PRESSURE GAUGE	2020	SAE	0
4607	AS5168C	(R) FITTING, PLUG, TUBE END, FLARED	2020	SAE	0
4608	AS5174F	FITTING, UNION AND REDUCER, FLARED	2020	SAE	0
4609	AS5176D	(R) FITTING, SLEEVE, FLARED	2020	SAE	0
4610	AS5194E	(R) FITTING, ADAPTER, STRAIGHT PIPE TO FLARED	2020	SAE	0
4611	AS5195D	(R) FITTING, ELBOW, 90°, FLARED TO PIPE	2020	SAE	0
4612	AS5196D	(R) FITTING, ELBOW, 45°, FLARED TO PIPE	2020	SAE	0

4613	AS5198D	(R) FITTING, TEE, FLARED TO PIPE ON RUN	2020	SAE	0
4614	AS5270A	(R) Bolts, Screws and Studs, Nickel Alloy, UNS N07718 Work-Strengthened, Tensile Strength 220 ksi Procurement Specification	2020	SAE	0
4615	AS5282B	Tool Steel Ring for Magnetic Particle Inspection	2020	SAE	0
4616	AS5392A	Health and Usage Monitoring System, Rotational System Indexing Sensor Specification	2020	SAE	0
4617	AS5393A	Health and Usage Monitoring System, Blade Tracker Interface Specification	2020	SAE	0
4618	AS5394A	Health and Usage Monitoring System Advanced Multipoint Interface Specification	2020	SAE	0
4619	AS5419/8A	WIRE, THERMOCOUPLE, SMOOTH SURFACE, FP/POLYIMIDE/FP INSULATED, NICKEL/CHROMIUM (KP); NICKEL/ALUMINUM/MANGANESE (KN) THERMOCOUPLE EXTENSION, LIGHT WEIGHT, 260 °C	2020	SAE	0
4620	AS5419/9A	WIRE, THERMOCOUPLE, SMOOTH SURFACE FP/POLYIMIDE/FP INSULATED, NICKEL/CHROMIUM (KP); NICKEL/ALUMINUM/MANGANESE (KN) THERMOCOUPLE EXTENSION, NORMAL WEIGHT, 260 °C	2020	SAE	0
4621	AS5419A	(R) Cable, Thermocouple Extension, Shielded and Unshielded	2020	SAE	0
4622	AS5419B	(R) Cable, Thermocouple Extension, Shielded and Unshielded	2020	SAE	0
4623	AS5449A	FITTING END, WELD RING, SHORT TAPERED, DESIGN STANDARD	2020	SAE	0
4624	AS5528D	Lubricant Application, Solid Film, Heat Cured, Corrosion Inhibiting	2020	SAE	0
4625	AS5528E	Lubricant Application, Solid Film, Heat Cured, Corrosion Inhibiting	2020	SAE	0
4626	AS5590/1A	CONNECTOR, FIBER OPTIC, CIRCULAR, ENVIRONMENT RESISTANT, REMOVEABLE TERMINI	2020	SAE	0
4627	AS5590B	Connectors, Fiber Optic, Advanced, Circular or Rectangular, Plug and Receptacle, Environment Resistant, Removable Termini/Contacts, General Specification For	2020	SAE	0
4628	AS5671	Design and Performance Criteria: Interior Passenger Stairways on Transport Category Airplanes	2020	SAE	0
4629	AS5684B	(R) JAUS Service Interface Definition Language	2020	SAE	0
4630	AS5767B	FITTING ASSEMBLY, TEE, FEMALE FLARELESS ON RUN, AXIALLY SWAGED, HYDRAULIC, 5080 PSI	2020	SAE	0
4631	AS5781B	(R) Retainers (Backup Rings), Hydraulic and Pneumatic, Polytetrafluoroethylene Resin, Single Turn, Scarf-Cut, For Use in AS4716 Glands	2020	SAE	0
4632	AS5782B	(R) Retainers (Backup Rings), Hydraulic and Pneumatic, Polytetrafluoroethylene Resin, Solid, Un-Cut, for Use in AS4716 Glands	2020	SAE	0
4633	AS5791B	FITTING ASSEMBLY, STRAIGHT, BULKHEAD FLARELESS, AXIALLY SWAGED, HYDRAULIC, 3000 PSI	2020	SAE	0
4634	AS5792D	FITTING ASSEMBLY, STRAIGHT, FEMALE FLARELESS, AXIALLY SWAGED, HYDRAULIC, 3000 PSI	2020	SAE	0
4635	AS5793B	FITTING ASSEMBLY, STRAIGHT, MALE FLARELESS, AXIALLY SWAGED, HYDRAULIC, 3000 PSI	2020	SAE	0
4636	AS5801B	FITTING ASSEMBLY, 90°, FEMALE FLARELESS, AXIALLY SWAGED, HYDRAULIC, 3000 PSI	2020	SAE	0
4637	AS5802B	FITTING ASSEMBLY, ELBOW, 90?, MALE FLARELESS, AXIALLY SWAGED, HYDRAULIC, 3000 PSI	2020	SAE	0
4638	AS5803B	FITTING ASSEMBLY, ELBOW, 45°, FEMALE FLARELESS, AXIALLY SWAGED, HYDRAULIC, 3,000 PSI	2020	SAE	0
4639	AS5804C	FITTING ASSEMBLY, TEE, FEMALE FLARELESS AND AXIALLY SWAGED ON THE RUN, AXIALLY SWAGED ON THE BRANCH, HYDRAULIC, 3000 PSI	2020	SAE	0
4640	AS5805B	FITTING ASSEMBLY, ELBOW, 90°, BULKHEAD FLARELESS, AXIALLY SWAGED, HYDRAULIC, 3000 PSI	2020	SAE	0
4641	AS5806B	FITTING ASSEMBLY, TEE, AXIALLY SWAGED ON THE RUN, FEMALE FLARELESS ON THE BRANCH, HYDRAULIC, 3000 PSI	2020	SAE	0
4642	AS5807C	FITTING ASSEMBLY, TEE, AXIALLY SWAGED ON THE RUN, MALE FLARELESS ON THE BRANCH HYDRAULIC, 3000 PSI	2020	SAE	0
4643	AS5808D	FITTING ASSEMBLY, TEE FEMALE FLARELESS AND AXIALLY SWAGE ON RUN, FEMALE FLARELESS ON THE BRANCH, HYDRAULIC, 3000 PSI	2020	SAE	0
4644	AS5809B	FITTING ASSEMBLY, TEE, FEMALE FLARELESS AND AXIALLY SWAGED ON THE RUN, MALE FLARELESS ON BRANCH, HYDRAULIC, 3000 PSI	2020	SAE	0
4645	AS5810C	FITTING ASSEMBLY, TEE, MALE FLARELESS ON THE RUN, AXIALLY SWAGED ON THE RUN AND THE BRANCH, HYDRAULIC, 3000 PSI	2020	SAE	0

4646	AS5860C	(R) Retainers (Backup Rings), Hydraulic and Pneumatic, Polytetrafluoroethylene Resin, Single Turn, Scarf-Cut, For Use in AS5857 Static Glands	2020	SAE	0
4647	AS5861B	(R) Retainers, (Backup Rings), Hydraulic and Pneumatic, Polytetrafluoroethylene Resin, Solid, Un-Cut, for Use in Static Glands to AS5857	2020	SAE	0
4648	AS5868D	FITTING ASSEMBLY, STRAIGHT, BULKHEAD FLARELESS, AXIALLY SWAGED, HYDRAULIC, 5080 PSI	2020	SAE	0
4649	AS5869G	FITTING ASSEMBLY, UNION, 3 HOLE FLANGE AXIALLY SWAGED, HYDRAULIC 5080 PSI	2020	SAE	0
4650	AS5900D	(R) Standard Test Method for Aerodynamic Acceptance of AMS1424 and AMS1428 Aircraft Deicing/Anti-Icing Fluids	2020	SAE	0
4651	AS5970D	FITTING ASSEMBLY, ELBOW, 90°, AXIALLY SWAGED, HYDRAULIC, 5080 PSI	2020	SAE	0
4652	AS5971D	FITTING ASSEMBLY, ELBOW, 45?, AXIALLY SWAGED, HYDRAULIC, 5080 PSI	2020	SAE	0
4653	AS5972H	FITTING ASSEMBLY, TEE AXIALLY SWAGED, HYDRAULIC, 5080 PSI	2020	SAE	0
4654	AS5973B	FITTING ASSEMBLY, CROSS, AXIALLY SWAGED, HYDRAULIC, 5080 PSI	2020	SAE	0
4655	AS5974F	FITTING ASSEMBLY, STRAIGHT, FEMALE FLARELESS, AXIALLY SWAGED, HYDRAULIC, 5080 PSI	2020	SAE	0
4656	AS5975D	FITTING ASSEMBLY, STRAIGHT, MALE FLARELESS, AXIALLY SWAGED, HYDRAULIC, 5080 PSI	2020	SAE	0
4657	AS5976C	FITTING ASSEMBLY, ELBOW, 90°, FEMALE FLARELESS, AXIALLY SWAGED, HYDRAULIC, 5080 PSI	2020	SAE	0
4658	AS5977C	FITTING ASSEMBLY, 90°, MALE FLARELESS, AXIALLY SWAGED, HYDRAULIC, 5080 PSI	2020	SAE	0
4659	AS5978C	FITTING ASSEMBLY, ELBOW 45°, FEMALE FLARELESS, AXIALLY SWAGED, HYDRAULIC, 5080 PSI	2020	SAE	0
4660	AS5979C	FITTING ASSEMBLY, ELBOW, 45°, MALE FLARELESS, AXIALLY SWAGED, HYDRAULIC, 5080 PSI	2020	SAE	0
4661	AS6021A	AS6021 Aerospace Fiber Optic Cable Assembly Drawing Specification	2020	SAE	0
4662	AS6040A	JAUS HMI Service Set	2020	SAE	0
4663	AS6070A	(R) Aerospace Cable, High Speed Data, Copper	2020	SAE	0
4664	AS6075B	FITTING, BOLT, FLARED, 37° SPHERICAL	2020	SAE	0
4665	AS6099B	FITTING, ELBOW, 90°, STANDARD AND REDUCER, FLARED, 37° SPHERICAL	2020	SAE	0
4666	AS6102B	FITTING, TEE, STANDARD AND REDUCER, BULKHEAD ON SIDE, FLARED, 37° SPHERICAL	2020	SAE	0
4667	AS6103B	FITTING, CROSS, STANDARD AND REDUCER, 37° SPHERICAL, FLARED	2020	SAE	0
4668	AS6104B	FITTING, ELBOW 45°, STANDARD AND REDUCER, 37° SPHERICAL, FLARED	2020	SAE	0
4669	AS6105B	FITTING, TEE, STANDARD AND REDUCER, 37° SPHERICAL, FLARED	2020	SAE	0
4670	AS6106B	FITTING ASSEMBLY, STRAIGHT, EXTENDED BULKHEAD SHANK, FLARELESS, AXIALLY SWAGED, HYDRAULIC, 5080 PSI	2020	SAE	0
4671	AS6107B	FITTING ASSEMBLY, STRAIGHT, EXTENDED BULKHEAD SHANK, FLARELESS, AXIALLY SWAGED, HYDRAULIC, 3000 PSI	2020	SAE	0
4672	AS6224	Wrap-Around Insulation Repair and Protection Sleeve, Permanent, Electric, Environment Resistant	2020	SAE	0
4673	AS6224/1	REPAIR SLEEVE, PRIMARY WIRE INSULATION DAMAGE, ELECTRIC, PERMANENT, ENVIRONMENT RESISTANT, 150 °C MAXIMUM OPERATING TEMPERATURE	2020	SAE	0
4674	AS6230A	FITTING, 37° INTERNAL FLARE TO TUBE WELD, STRAIGHT AND REDUCER	2020	SAE	0
4675	AS6231A	FITTING, ADAPTER, EXTERNAL THREAD, SPHERICAL, 37° FLARED TO INTEGRAL WELD RING	2020	SAE	0
4676	AS6286B	Aircraft Ground Deicing/Anti-Icing Training and Qualification Program - Effective Date: 8/1/2020	2020	SAE	0
4677	AS6322A	FITTING ASSEMBLY, EXTENDED UNION, AXIALLY SWAGED, HYDRAULIC, 5080 PSI	2020	SAE	0
4678	AS6342	Minimum Operational Performance Standard (MOPS) for Helicopter Hoist Systems	2020	SAE	0
4679	AS6470	TEE, STANDARD REDUCER, EXTERNAL SWAGE ON RUN, MALE FLARELESS ON SIDE, HYDRAULIC	2020	SAE	0
4680	AS6479	Splicer, Fusion, Fiber Optic, Aerospace	2020	SAE	0
4681	AS6483	FITTING, ADAPTER, STRAIGHT, EXTERNAL SWAGE TO FLANGE, FLARELESS	2020	SAE	0
4682	AS6512A	(R) Unmanned Systems (UxS) Control Segment (UCS) Architecture: Architecture Description	2020	SAE	0
4683	AS6513A	(R) Unmanned Systems (UxS) Control Segment (UCS) Architecture: Conformance Specification	2020	SAE	0

4684	AS6522A	(R) Unmanned Systems (UxS) Control Segment (UCS) Architecture: Architecture Technical Governance	2020	SAE	0
4685	AS6832	Counterfeit Materiel, Assuring Acquisition of Authentic and Conforming Fasteners	2020	SAE	0
4686	AS6870	Nondestructive Inspection Program Requirements for Aerospace Systems	2020	SAE	0
4687	AS6896	Aircraft Markings for Ground Support Equipment Alignment	2020	SAE	0
4688	AS6969A	(R) Data Dictionary for Quantities Used in Cyber Physical Systems - Includes Access to Additional Content	2020	SAE	0
4689	AS7228A	(R) Rivets, Steel, Corrosion Resistant 18Cr-9Ni, Solution Heat Treated, Procurement Specification for	2020	SAE	0
4690	AS7232B	Rivets, Solid and Tubular, Nickel Alloy Corrosion and Heat Resistant 74Ni - 15.5Cr - 8.0Fe Procurement Specification for	2020	SAE	0
4691	AS7252A	(R) Nuts, Self-Locking, Steel High Strength, All Metal 450 ¡°F Use, UN and UNJ Thread Form	2020	SAE	0
4692	AS7253C	(R) Nuts, Self-Locking, Nickel Alloy, UNS N07001 Classification: 180 ksi/1400 ¡°F Procurement Specification	2020	SAE	0
4693	AS7351B	CLAMP, LOOP TYPE BONDING	2020	SAE	0
4694	AS7378	Test Method for Condition in Container of Liquid Organic Coating Components	2020	SAE	0
4695	AS7468C	(R) Bolts, Cobalt-Chromium-Nickel Alloy UNS R30035, Tensile Strength 260 ksi, Procurement Specification	2020	SAE	0
4696	AS7473D	Bolts and Screws, Roll Threaded Procurement Specification for	2020	SAE	0
4697	AS7475E	(R) Bolts, Cobalt-Chromium-Nickel Alloy, UNS R30159, Tensile Strength 260 ksi, Procurement Specification	2020	SAE	0
4698	AS7477H	Bolts and Screws, Steel, UNS S66286 Tensile Strength 130 ksi, Procurement Specification	2020	SAE	0
4699	AS7511B	ASSEMBLED COUPLING ENVELOPE, THREADLESS - FLEXIBLE, FIXED CAVITY, CURRENT CARRYING, SELF BONDING, ENVELOPE DIMENSIONS	2020	SAE	0
4700	AS7514B	SLEEVE, THREADLESS - FLEXIBLE, FIXED CAVITY, CURRENT CARRYING, SELF BONDING	2020	SAE	0
4701	AS7515B	COUPLING ASSEMBLY, THREADLESS - FLEXIBLE, FIXED CAVITY, CURRENT CARRYING, SELF BONDING	2020	SAE	0
4702	AS7768/1B	LIGHT, DESK, AIRCRAFT	2020	SAE	0
4703	AS7928/4C	(R) TERMINALS, LUG AND SPLICES, CONDUCTOR, CRIMP STYLE, COPPER TERMINAL, LUG, INSULATED, RING TONGUE, BELL-MOUTHED, TYPE II, CLASS 1 (FOR 150 ¡°C TOTAL CONDUCTOR TEMPERATURE)	2020	SAE	0
4704	AS7928/12E	(R) TERMINAL, LUG, CRIMP STYLE, COPPER, INSULATED, RING TONGUE, BELL-MOUTHED, TIN WHISKER RESISTANT, TYPE II, CLASS 1, (FOR 105 °C TOTAL CONDUCTOR TEMPERATURE)	2020	SAE	0
4705	AS7928/13C	(R) TERMINALS, LUG AND SPLICES, CONDUCTOR, CRIMP STYLE, COPPER TERMINAL, LUG, INSULATED, TIN WHISKER RESISTANT, RING TONGUE, BELL-MOUTHED, TYPE II, CLASS 1 (FOR 150 °C TOTAL CONDUCTOR TEMPERATURE)	2020	SAE	0
4706	AS7974/1B	CONNECTOR, PLUG, AIRCRAFT EXTERNAL POWER, 115/200 VOLT, 400 HERTZ	2020	SAE	0
4707	AS7985	O-Ring Molded from AMS7601 Butyl Rubber	2020	SAE	0
4708	AS8002B	(R) Air Data Computer Minimum Performance Standard	2020	SAE	0
4709	AS8008A	Flight Director Equipment	2020	SAE	0
4710	AS8014A	Minimum Performance Standard Stall Warning Equipment	2020	SAE	0
4711	AS8049D	Performance Standard for Seats in Civil Rotorcraft, Transport Aircraft, and General Aviation Aircraft	2020	SAE	0
4712	AS8050	Connectors, Fiber Optic, Advanced, Circular, Modular or Rectangular, Plug and Receptacle, Harsh Environment, Removable Termini, General Specification for	2020	SAE	0
4713	AS8617	Balancing Machines - Verification Test Requirements	2020	SAE	0
4714	AS8660A	Silicone Compound NATO Code Number S-736	2020	SAE	0
4715	AS8662A	Knife, Hunting, Sheathed, Survival, Pilot s	2020	SAE	0
4716	AS8992	Fire Resistant Container Design, Performance, and Testing Requirements	2020	SAE	0
4717	AS8993	Coefficient of Friction Test Method for Aircraft Flooring and Walkway Surfaces	2020	SAE	0
4718	AS9104/3A	(R) Requirements for Aviation, Space, and Defense Auditor Training, Development, Competence, and Authentication	2020	SAE	0
4719	AS9112C	(R) BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, UNS S66286, 130 KSI, .3125-24 UNJF-3A	2020	SAE	0

4720	AS9385A	PACKING, PREFORMED, AMS7267, O-RING	2020	SAE	0
4721	AS9564C	SCREW, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, CRES UNS 266286, 130 KSI MIN, .1640-36 UNJF-3A	2020	SAE	0
4722	AS9565D	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, CRES UNS S66286, 130 KSI MIN .1900-32 UNJF-3A	2020	SAE	0
4723	AS9638B	BOLT, MACHINE - HEXAGON HEAD, PD SHANK, TITANIUM AMS4967 (UNS R56400), .500-20 UNJF-3A	2020	SAE	0
4724	AS9712B	SCREW, MACHINE - DOUBLE HEXAGON, EXTENDED WASHER HEAD, DRILLED, SILVER PLATED, NICKEL ALLOY (UNS N07001), .1380-40 UNJF-3A	2020	SAE	0
4725	AS9741C	(R) BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, CRES UNS S17400, 140 KSI MIN .1900-32 UNJF-3A	2020	SAE	0
4726	AS9741D	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, CRES UNS S17400, 140 KSI MIN .1900-32 UNJF-3A	2020	SAE	0
4727	AS9742B	(R) BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, CRES UNS S17400, 140 KSI MIN .2500-28 UNJF-3A	2020	SAE	0
4728	AS9751B	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, AMS4967 (TI 6AL-4V) .2500-28 UNJF-3A	2020	SAE	0
4729	AS9759B	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, AMS4967 (TI 6AL-4V), .1900-32 UNJF-3A	2020	SAE	0
4730	AS9783B	BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, CORROSION RESISTANT STEEL (UNS S17400), .1900-32 UNJF-3A	2020	SAE	0
4731	AS9784B	BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, CORROSION RESISTANT STEEL (UNS S17400), .2500-28 UNJF-3A	2020	SAE	0
4732	AS9785B	BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, CORROSION RESISTANT STEEL (UNS S17400), .3125-24 UNJF-3A	2020	SAE	0
4733	AS9786B	BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, CORROSION RESISTANT STEEL (UNS S17400), 140 KSI MIN UTS, .3750-24 UNJF-3A	2020	SAE	0
4734	AS9788B	BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, CORROSION RESISTANT STEEL (UNS S17400), 140 KSI MIN UTS, .5000-20 UNJF-3A	2020	SAE	0
4735	AS9790B	BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, CORROSION RESISTANT STEEL (UNS S17400), 140 KSI MIN UTS, .6250-18 UNJF-3A	2020	SAE	0
4736	AS9806B	BOLT, MACHINE - HEXAGON HEAD, PD SHANK, CORROSION RESISTANT STEEL (UNS S17400), 140 KSI UTS MIN, .2500-28 UNJF-3A	2020	SAE	0
4737	AS9808B	BOLT, MACHINE - HEXAGON HEAD, PD SHANK, CORROSION RESISTANT STEEL (UNS S17400) 140 KSI UTS MIN, .3750-24 UNJF-3A	2020	SAE	0
4738	AS9918B	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, STEEL SAE 8740, CADMIUM PLATED, 125 KSI MIN.UTS, .4375-20 UNJF-3A	2020	SAE	0
4739	AS9923C	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, CADMIUM PLATED, STEEL, (UNS G87400), 125 KSI MIN, .1900-32 UNJF-3A	2020	SAE	0
4740	AS9924C	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, CADMIUM PLATED, STEEL, UNS G87400, 125 KSI MIN, .2500-28 UNJF-3A	2020	SAE	0
4741	AS9947B	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, FULL SHANK, STEEL AMS6322, CADMIUM PLATED, .5625-18 UNJF-3A	2020	SAE	0
4742	AS9951	NUT, SPANNER-END SLOTS, CUPWASHER LOCKED ALLOY STEEL (UNS G87400) AS8879 THREADS	2020	SAE	0
4743	AS9952	WASHER, CUP, LOCK - EXPANDER NUT CORROSION AND HEAT RESISTANT STEEL, UNS S34700	2020	SAE	0
4744	AS9955B	(R) O-Ring Machined from AMS3668 Material	2020	SAE	0
4745	AS10051A	(R) Hubs, Conduit Connection, Standard Dimensions	2020	SAE	0
4746	AS10380A	(R) COUPLING INSTALLATIONS, STANDARD CONDUIT, ELECTRICAL	2020	SAE	0

4747	AS14272A	(R) CLAMP, LOOP, CUSHIONED, ELONGATED, METRIC	2020	SAE	0
4748	AS17143B	(R) TERMINAL, LUG, CRIMP STYLE, COPPER, INSULATED, RECTANGULAR TONGUE, TYPE II, CLASS 1 FOR 105 Ï°C TOTAL CONDUCTOR TEMPERATURE	2020	SAE	0
4749	AS17845A	SHIELD FOR USE WITH AS90362 EXTERNAL POWER RECEPTACLES	2020	SAE	0
4750	AS18276B	Lighting, Aircraft Interior, Installation of	2020	SAE	0
4751	AS20253B	PIN, HINGE CORROSION RESISTANT STEEL UNS S30200, UNS S30400, OR UNS S31600	2020	SAE	0
4752	AS21438D	(R) BEARING, ROLLER, NEEDLE, SINGLE ROW, HEAVY DUTY, TRACK ROLLER, SEALED, TYPE V ANTIFRICTION, INCH	2020	SAE	0
4753	AS22520/29	CRIMPING TOOLS, TYPE 1, HAND OR POWER ACTUATED, WIRE TERMINATION, PNEUMATIC TOOL, CONTACT WIRE BARREL SIZES 12 THROUGH 20	2020	SAE	0
4754	AS22520/44A	CRIMPING TOOL, TYPE II, WIRE HEATLESS TERMINATION, HAND ACTUATED, WIRE SIZES 26-12	2020	SAE	0
4755	AS22759/5A	(R) WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, ABRASION RESISTANT EXTRUDED PTFE, SILVERCOATED COPPER CONDUCTOR, 600 VOLT, ROHS	2020	SAE	0
4756	AS22759/6A	(R) WIRE, ELECTRIC, FLUOROCARBON-INSULATED, ABRASION RESISTANT EXTRUDED PTFE, NICKELCOATED COPPER CONDUCTOR, 600 VOLT, ROHS	2020	SAE	0
4757	AS22759/7A	(R) WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, ABRASION RESISTANT EXTRUDED PTFE MEDIUM WEIGHT, SILVER-COATED CONDUCTOR, 600 VOLT, ROHS	2020	SAE	0
4758	AS22759/8A	(R) WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, ABRASION RESISTANT EXTRUDED PTFE MEDIUM WEIGHT, NICKEL-COATED COPPER CONDUCTOR,600 VOLT, ROHS	2020	SAE	0
4759	AS22759/9A	(R) WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, SILVER-COATED COPPER CONDUCTOR, 1,000 VOLT, ROHS	2020	SAE	0
4760	AS22759/11A	(R) WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, SILVER-COATED COPPER CONDUCTOR, 600 VOLT, ROHS	2020	SAE	0
4761	AS22759/12A	(R) WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, NICKEL-COATED COPPER CONDUCTOR, 600 VOLT, ROHS	2020	SAE	0
4762	AS22759/13A	(R) WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, FEP-PVF2, MEDIUM WEIGHT, TIN-COATED COPPER CONDUCTOR, 600-VOLT, ROHS	2020	SAE	0
4763	AS22759/14A	(R) WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, FEP-PVF2, LIGHT WEIGHT, TIN-COATED COPPER CONDUCTOR, 600-VOLT, ROHS	2020	SAE	0
4764	AS22759/15A	(R) WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, FEP-PVF2, LIGHT WEIGHT, SILVER-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600-VOLT, ROHS	2020	SAE	0
4765	AS22759/20A	(R) WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, SILVER-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 1,000-VOLT, ROHS	2020	SAE	0
4766	AS22759/21A	(R) WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, NICKEL-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 1,000-VOLT, ROHS	2020	SAE	0
4767	AS22759/22A	(R) WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, SILVER-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600-VOLT, ROHS	2020	SAE	0
4768	AS22759/23A	(R) WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, NICKEL-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600-VOLT, ROHS	2020	SAE	0
4769	AS22759/32A	(R) WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, LIGHTWEIGHT, TIN-COATED, COPPER, 150 Ï°C, 600 VOLT, ROHS	2020	SAE	0
4770	AS22759/33A	(R) WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSS-LINKED MODIFIED ETFE, LIGHTWEIGHT, SILVER-COATED, HIGH-STRENGTH COPPER ALLOY, 200 Ï°C, 600 VOLT, ROHS	2020	SAE	0
4771	AS22759/44A	(R) WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSS-LINKED MODIFIED ETFE, LIGHTWEIGHT, SILVER-COATED, COPPER, 200 Ï°C, 600 VOLT, ROHS	2020	SAE	0
4772	AS22759/45A	(R) WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSS-LINKED MODIFIED ETFE, LIGHTWEIGHT, NICKEL-COATED, COPPER, 200 Ï°C, 600 VOLT, ROHS	2020	SAE	0

4773	AS22759/46A	(R) WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSS-LINKED MODIFIED ETFE, LIGHTWEIGHT, NICKEL-COATED, HIGH STRENGTH COPPER ALLOY, 200 Ī°C, 600 VOLT, ROHS	2020	SAE	0
4774	AS22759/49A	(R) WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, LOW FLUORIDE, NORMAL WEIGHT, 80 MICROINCH SILVER-COATED HIGH-STRENGTH COPPER ALLOY, 200 Ī°C, 600 VOLT, ROHS	2020	SAE	0
4775	AS22759/50A	(R) WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED CROSSLINKED MODIFIED ETFE, LOW FLUORIDE, NORMAL WEIGHT, 80 MICROINCH SILVER-COATED COPPER 200 Ī°C, 600 VOLT, ROHS	2020	SAE	0
4776	AS22759/81C	(R) WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYMIDE INSULATED, LIGHT WEIGHT, SILVER COATED, HIGH STRENGTH OR ULTRA HIGH STRENGTH COPPER ALLOY, 200 Ī°C, 600 VOLT, ROHS	2020	SAE	0
4777	AS22759/82C	(R) WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYIMIDE INSULATED, LIGHT WEIGHT, NICKEL COATED, HIGH STRENGTH OR ULTRA HIGH STRENGTH COPPER ALLOY, 260Ī°C, 600 VOLTS	2020	SAE	0
4778	AS22759/91C	(R) WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYMIDE INSULATED, LIGHT WEIGHT, SILVER COATED, COPPER CONDUCTOR, 200 Ī°C, 600 VOLT, ROHS	2020	SAE	0
4779	AS22759/187C	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYIMIDE INSULATED, SMOOTH SURFACE, NORMAL WEIGHT, NICKEL-COATED COPPER CONDUCTOR, 260 °C, 600 VOLTS ROHS	2020	SAE	0
4780	AS23053/12A	INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE POLYTETRAFLUOROETHYLENE	2020	SAE	0
4781	AS23190D	Wiring, Positioning, and Support Accessories	2020	SAE	0
4782	AS24466B	BEARING, ROLLER, NEEDLE-DOUBLE ROW, HEAVY DUTY, TRACK ROLLER, TYPE VI, ANTIFRICTION, INCH	2020	SAE	0
4783	AS25036E	(R) TERMINAL, LUG, CRIMP STYLE, COPPER, INSULATED, RING TONGUE, BELL-MOUTHED, TYPE II, CLASS 1 (FOR 105 Ī°C TOTAL CONDUCTOR TEMPERATURE)	2020	SAE	0
4784	AS25042F	COVER, ELECTRICAL AS50151 CONNECTOR, PLUG, AN TYPE	2020	SAE	0
4785	AS25043F	COVER, ELECTRICAL AS50151 CONNECTOR, RECEPTACLE, AN TYPE	2020	SAE	0
4786	AS25274C	(R) CAP, ELECTRICAL (WIRE END, CRIMP STYLE, TYPE II, CLASS 1) FOR 105 Ī°C TOTAL CONDUCTOR TEMPERATURE	2020	SAE	0
4787	AS25486B	(R) CONNECTOR, PLUG, ATTACHABLE, EXTERNAL ELECTRIC POWER, AIRCRAFT, 115/200 VOLT, 400 HERTZ	2020	SAE	0
4788	AS27640E	BEARING, BALL, AIRFRAME, ANTI-FRICTION, HEAVY DUTY	2020	SAE	0
4789	AS27643D	BEARING, BALL, AIRFRAME, ANTI-FRICTION, SELF-ALIGNING, DOUBLE ROW, HEAVY DUTY	2020	SAE	0
4790	AS28772C	(R) _D_ RING SEAL FOR SHOCK STRUTS MOLDED FROM MIL-P-25732 ACRYLONITRILE BUTADIENE (NBR) MATERIAL	2020	SAE	0
4791	AS28913C	BEARING, ROLLER, SELF-ALIGNING, DOUBLE ROW, AIRFRAME, ANTI-FRICTION, SEALED, TYPE II	2020	SAE	0
4792	AS28914C	(R) BEARING, ROLLER, SELF-ALIGNING, DOUBLE ROW AIRFRAME, ANTI-FRICTION, SEALED, TYPE III	2020	SAE	0
4793	AS29600/23A	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, CONTACTS, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-29600 SERIES B)	2020	SAE	0
4794	AS29600/24A	(R) CONTACTS, PIN, CRIMP REMOVABLE ,CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, (SERIES B)	2020	SAE	0
4795	AS29606A	Wire, Electrical, Stranded, Uninsulated Copper, Copper Alloy, or Aluminum, or Thermocouple Extension, General Specification for	2020	SAE	0
4796	AS31061C	CONNECTOR, PLUG, ELECTRIC, STRAIGHT, SOLDER CONTACTS, AN TYPE	2020	SAE	0
4797	AS33699B	(R) INSERT ARRANGEMENTS, ELECTRIC CONNECTOR, SHELL SIZE 7 (FOR AS81703 CONNECTORS)	2020	SAE	0
4798	AS33700B	(R) INSERT ARRANGEMENTS, ELECTRIC CONNECTOR, SHELL SIZE 12 (FOR AS81703 CONNECTORS)	2020	SAE	0
4799	AS33701B	(R) INSERT ARRANGEMENTS, ELECTRIC CONNECTOR, SHELL SIZE 19 (FOR AS81703 CONNECTORS)	2020	SAE	0
4800	AS33702B	INSERT ARRANGEMENTS, ELECTRIC CONNECTOR, SHELL SIZE 27 (FOR AS81703 CONNECTORS)	2020	SAE	0
4801	AS33703B	(R) INSERT ARRANGEMENTS, ELECTRIC CONNECTOR, SHELL SIZE 37 (FOR AS81703 CONNECTORS)	2020	SAE	0
4802	AS34671B	(R) CONNECTOR, PLUG, ELECTRIC, CRIMP TYPE, PUSH-PULL COUPLING, SERIES 3 (CLASS L AND E)	2020	SAE	0

4803	AS35061B	CONNECTOR, RECEPTACLE EXTERNAL ELECTRIC POWER, AIRCRAFT, 28 VOLT DC OPERATING POWER	2020	SAE	0
4804	AS36100C	Air Cargo Unit Load Devices - Performance Requirements and Test Parameters	2020	SAE	0
4805	AS38386/4A	CATCH ASSEMBLY, AIR DUCT HOSE, GROUND COOLING	2020	SAE	0
4806	AS39029/1D	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR AS81714 TERMINAL JUNCTION SYSTEM)	2020	SAE	0
4807	AS39029/9C	(R) CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, THERMOCOUPLE, (FOR MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, MIL-DTL-83723 SERIES I AND III, AND MIL-DTL-83733 CONNECTORS)	2020	SAE	0
4808	AS39029/10C	(R) CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, THERMOCOUPLE (FOR MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, MIL-DTL-83723 SERIES I AND III, AND MIL-DTL-83733 CONNECTORS)	2020	SAE	0
4809	AS39029/17C	(R) CONTACTS, ELECTRICAL CONNECTOR SOCKET, CRIMP REMOVABLE (FOR AS81511 SERIES 3 CONNECTORS)	2020	SAE	0
4810	AS39029/22D	CONTACTS, ELECTRICAL, CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR AS81714 TERMINAL JUNCTION SYSTEM SERIES II)	2020	SAE	0
4811	AS39029/22E	CONTACTS, ELECTRICAL, CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR AS81714 TERMINAL JUNCTION SYSTEM SERIES II)	2020	SAE	0
4812	AS39029/27B	(R) CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, SIZE 12 (FOR MIL-DTL-38999 SERIES II CONNECTORS)	2020	SAE	0
4813	AS39029/28B	(R) CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED, SIZE 12 (FOR MIL-DTL-38999 SERIES I, II, III AND IV CONNECTORS)	2020	SAE	0
4814	AS39029/48A	(R) CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR MIL-DTL-22992 CLASS L CONNECTORS)	2020	SAE	0
4815	AS39029/49A	(R) CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-DTL-22992 CLASS L CONNECTORS)	2020	SAE	0
4816	AS39029/54B	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED (FOR MIL-DTL-26500 AND MIL-DTL-26518 CONNECTORS) (Stabilized: Sep 2020)	2020	SAE	0
4817	AS39029/57B	(R) CONTACTS, ELECTRICAL CONNECTORS, SOCKET CRIMP REMOVABLE (FOR MIL-DTL-24308, MIL-DTL-38999 SERIES II, MIL-DTL-55302/68, /71, /72, /75 AND MIL-DTL-83733 CONNECTORS)	2020	SAE	0
4818	AS39029/63E	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-DTL-24308 CONNECTORS)	2020	SAE	0
4819	AS39029/71A	(R) CONTACTS, ELECTRICAL CONNECTOR, PIN, REMOVABLE, SOLDERLESS WRAPPOST TERMINATION (FOR MIL-DTL- 38999 SERIES I, II, III AND IV,MIL-DTL-24308, MIL-DTL-83733, AND MIL-DTL-55302/69 CONNECTORS)	2020	SAE	0
4820	AS39029/72A	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, REMOVABLE, SOLDERLESS WRAPPOST TERMINATION (FOR MIL-DTL-38999 SERIES I, II, III, AND IV,MIL-DTL-24308, AND MIL-DTL-55302/68, /71, AND /75 CONNECTORS)	2020	SAE	0
4821	AS39029/75B	(R) CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, SIZE 12 (FOR MIL-DTL-38999 SERIES I, III, AND IV CONNECTORS)	2020	SAE	0
4822	AS39029/92B	(R) CONTACTS, ELECTRICAL CONNECTOR, SOCKET, REMOVABLE (FOR MIL-PRF-6106 AND MIL-DTL-12883/40 AND /41 RELAY SOCKETS)	2020	SAE	0
4823	AS39029/102A	(R) CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, COAXIAL, SIZE 12 (FOR MIL-DTL-38999 SERIES I, II, III AND IV CONNECTORS)	2020	SAE	0
4824	AS39029/106C	(R) CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR MIL-DTL-38999 SERIES I, III, IV, MIL-DTL-55302 AND AS29600 SERIES A CONNECTORS)	2020	SAE	0
4825	AS39029/112D	(R) CONTACT BUSHING, ELECTRICAL CONNECTOR CONTACT, WIRE BARREL	2020	SAE	0
4826	AS39029/117	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, ENGINE APPLICATION, (FOR MIL-DTL-38999 SERIES I, III, AND IV CONNECTORS)	2020	SAE	0

4827	AS39029/121	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, EXPANDED PERFORMANCE, SIZES 10, 12, 16, 20, 22 AND 23 (FOR MIL-DTL-38999 SERIES III CONNECTORS)	2020	SAE	0
4828	AS39029/123	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR AS50151 SERIES AS340X1 CONNECTORS AND AS95234 ONNECTORS)	2020	SAE	0
4829	AS39029/124	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR AS50151 SERIES AS340X1 CONNECTORS AND AS95234 CONNECTORS)	2020	SAE	0
4830	AS50151E	Connectors, Electrical, Circular Threaded, AN Type, General Specification for	2020	SAE	0
4831	AS59158A	Tools, Inserting and Extracting Helical Coil Wire Screw Thread Inserts Inch and Spark Plug Sizes	2020	SAE	0
4832	AS81306/1C	BAND INSTALLATION TOOL, HAND, ONE-STEP, FOR AS85049/128 CONNECTOR ACCESSORY CABLE SHIELD TERMINATING BANDS	2020	SAE	0
4833	AS81511/41A	CONNECTOR, RECEPTACLE, FLANGE MOUNT, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, INDIVIDUAL RELEASE, CRIMP TYPE CONTACTS (CLASS A, F, AND W - SERIES 3)	2020	SAE	0
4834	AS81511/45A	CONNECTOR, RECEPTACLE, CABLE CONNECTING, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, INDIVIDUAL RELEASE, CRIMP TYPE CONTACTS (CLASS A, F, AND W - SERIES 3)	2020	SAE	0
4835	AS81511/49A	CONNECTOR, RECEPTACLE, JAM NUT MOUNT, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, INDIVIDUAL RELEASE, CRIMP TYPE CONTACTS (CLASS A, F, AND W - SERIES 3)	2020	SAE	0
4836	AS81511/51A	CONNECTOR, RECEPTACLE, FLANGE MOUNT, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, INDIVIDUAL RELEASE, CRIMP TYPE CONTACTS (CLASS A, F, AND W - SERIES 4)	2020	SAE	0
4837	AS81511/53A	CONNECTOR, RECEPTACLE, JAM NUT MOUNT, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, INDIVIDUAL RELEASE, CRIMP TYPE CONTACTS (CLASS A, F, AND W - SERIES 4)	2020	SAE	0
4838	AS81511/55A	CONNECTOR, RECEPTACLE, CABLE CONNECTING, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, INDIVIDUAL RELEASE, CRIMP TYPE CONTACTS (CLASS A, F, AND W - SERIES 4)	2020	SAE	0
4839	AS81714/69B	(R) TERMINAL JUNCTION SYSTEM, BLOCK REMOVAL TOOLS, SERIES II	2020	SAE	0
4840	AS81914	Tubing, Plastic, Flexible, Convoluted, Conduit, General Specification for	2020	SAE	0
4841	AS81969/4	REMOVAL TOOLS, CONNECTOR, ELECTRICAL CONTACT, (FORK TYPE, WRAP POST/CRIMP REMOVABLE) TYPE II, CLASS 1, COMPOSITION C	2020	SAE	0
4842	AS81969/5	INSTALLING TOOLS, CONNECTOR, ELECTRICAL CONTACT, (FORK TYPE, CRIMP REMOVABLE) TYPE I, CLASS 1, COMPOSITION A	2020	SAE	0
4843	AS81969/10	INSTALLING AND REMOVAL TOOLS, CONNECTOR, ELECTRICAL CONTACT, TYPE I AND II, CLASS 2, COMPOSITION B	2020	SAE	0
4844	AS81969/11	REMOVAL TOOLS, CONNECTOR, ELECTRICAL CONTACT, (FORK TYPE, WRAPPOST/CRIMP REMOVABLE) TYPE II, CLASS 1, COMPOSITION C	2020	SAE	0
4845	AS81969/12	INSTALLING AND REMOVAL TOOLS, CONNECTOR, ELECTRICAL CONTACT, TYPE III, CLASS 2, COMPOSITION A	2020	SAE	0
4846	AS81969/13	INSTALLING TOOLS, CONNECTOR, ELECTRICAL CONTACT, (TYPE CR) TYPE I, CLASS 1, COMPOSITION A	2020	SAE	0
4847	AS81969/15	REMOVAL TOOLS, CONNECTOR, ELECTRICAL CONTACT, TYPE II, CLASS 2, COMPOSITION A	2020	SAE	0
4848	AS81969/16	INSTALLING AND REMOVAL TOOLS, CONNECTOR, ELECTRICAL CONTACT, TYPE III, CLASS 1, COMPOSITION B	2020	SAE	0
4849	AS81969/20	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE II, CLASS 1, COMPOSITION A	2020	SAE	0
4850	AS81969/21A	INSTALLING AND REMOVAL TOOLS, CONNECTOR, ELECTRICAL CONTACTS, INTERFACIAL SEAL, TYPE III, CLASS 1, COMPOSITION A	2020	SAE	0

4851	AS81969/22A	REMOVAL TOOLS, CONNECTOR, ELECTRICAL CONTACT (CRIMP REMOVABLE), TYPE II, CLASS 1, COMPOSITION A	2020	SAE	0
4852	AS81969/25	INSTALLING AND REMOVAL TOOLS, CONNECTOR, ELECTRICAL CONTACT, TYPE III, CLASS 2, COMPOSITION C	2020	SAE	0
4853	AS81969/27	REMOVAL TOOLS, CONNECTOR, ELECTRICAL CONTACT, TYPE II, CLASS 1, COMPOSITION A	2020	SAE	0
4854	AS81969/28A	REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE II, CLASS 2, COMPOSITION C, REMOVAL TOOL ONLY	2020	SAE	0
4855	AS81969/43	REMOVAL TOOLS, SOCKET HEAD, ELECTRONIC COMPONENTS, TYPE II, CLASS 1, COMPOSITION C	2020	SAE	0
4856	AS85049/41E	CONNECTOR ACCESSORIES, ELECTRICAL, NON-ENVIRONMENTAL, STRAIN RELIEF, STRAIGHT, CATEGORY 4C (FOR AS50151 SOLDER TYPE, V THREAD OF MS310X, CLASSES A, B, C, OR K CONNECTORS AND AS85049 ACCESSORIES)	2020	SAE	0
4857	AS85049/52F	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, NONENVIRONMENTAL, SELF-LOCKING AND NON-SELF-LOCKING, STRAIGHT, CATEGORY 4B (FOR AS50151 CRIMP, AS95234, MIL-DTL-26482) SERIES 2, AS81703 SERIES 3, AND MIL-DTL-83723 SERIES III CONNECTOR	2020	SAE	0
4858	AS85049/81B	(R) CONNECTOR ACCESSORIES, ELECTRICAL, SEAL PLUG, SIZE 10, CATEGORY 7 (FOR MIL-DTL-38999 CONNECTORS)	2020	SAE	0
4859	AS85049/91D	(R) CONNECTOR ACCESSORIES, COMPOSITE, ELECTRICAL, STRAIN RELIEF, STRAIGHT, SELF-LOCKING, CATEGORY 4C (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2020	SAE	0
4860	AS85049/92C	(R) CONNECTOR ACCESSORIES, COMPOSITE, ELECTRICAL, STRAIN RELIEF, 90 DEGREES, SELF-LOCKING, CATEGORY 4C (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2020	SAE	0
4861	AS85049/93C	CONNECTOR ACCESSORIES, ELECTRICAL, TERMINATION, SHIELD SPLIT SUPPORT RING, COMPOSITE, NONENVIRONMENTAL, STRAIGHT, CATEGORY 7	2020	SAE	0
4862	AS85049/143B	CONNECTOR ACCESSORIES, BACKSHELL, STRAIN RELIEF, CATEGORY 4C (FOR AS81714, SIZE 22, 20, AND 16 TERMINAL JUNCTION BLOCKS)	2020	SAE	0
4863	AS85049/149	CONNECTOR ACCESSORIES, ELECTRICAL BACKSHELL, EXTENDER, CATEGORY 7 (FOR USE ON MIL-DTL-38999/44 CONNECTORS)	2020	SAE	0
4864	AS85052/1B	CLAMP, LOOP, TUBE, 17-7PH, 275 °F, FUEL AND PETROLEUM BASED HYDRAULIC FLUID RESISTANT	2020	SAE	0
4865	AS85052/2B	CLAMP, LOOP TUBE 17-7PH, CRES, 275 °F, PHOSPHATE ESTER FLUID RESISTANT	2020	SAE	0
4866	AS85052/3B	CLAMP, LOOP, TUBE 17-7 PH CRES, 500 °F	2020	SAE	0
4867	AS85052/4B	CLAMP SUPPORT, LOOP, CLAMP	2020	SAE	0
4868	AS85052B	(R) Clamp Assembly, Loop Type, Cushioned, General Specification for	2020	SAE	0
4869	AS85449/1A	CLAMP ASSEMBLY, SADDLE TYPE, CUSHIONED, FUEL AND PETROLEUM BASED HYDRAULIC FLUID	2020	SAE	0
4870	AS85449/2A	CLAMP ASSEMBLY, SADDLE TYPE, CUSHIONED, PHOSPHATE ESTER FLUID RESISTANT	2020	SAE	0
4871	AS85449/3A	CLAMP ASSEMBLY, SADDLE TYPE, CUSHIONED, HIGH TEMPERATURE	2020	SAE	0
4872	AS85449/4A	CLAMP ASSEMBLY, SADDLE TYPE, CUSHIONED, PTFE	2020	SAE	0
4873	AS85449/5A	CLAMP ASSEMBLY, SADDLE TYPE, CUSHIONED, FIRE RESISTANCE, LOW SMOKE DENSITY AND TOXICITY	2020	SAE	0
4874	AS85449B	(R) Clamp Assembly, Saddle Type, Cushioned, General Specification For	2020	SAE	0
4875	AS85720/1B	FITTINGS, TUBE, FLUID SYSTEMS, SEPARABLE, HIGH PRESSURE, DYNAMIC BEAM SEAL, DESIGN STANDARD FOR MALE END	2020	SAE	0
4876	AS95234A	Connectors, Electrical, Reverse Bayonet, General Specification for	2020	SAE	0
4877	AS115801C	SCREW - FLAT FILLISTER, DRILLED HEAD, CADMIUM PLATED, STEEL UNS G87400, 125 KSI MIN .1900-32 UNF-3A	2020	SAE	0
4878	DINSAESPEC91381	NULL	2020	SAE	0
4879	EIA649/1A	(R) Configuration Management Requirements for Defense Contracts	2020	SAE	0

4880	EIA933C	Requirements for a COTS Assembly Management Plan	2020	SAE	0
4881	GEIASTD0009 A	Reliability Program Standard for Systems Design, Development, and Manufacturing	2020	SAE	0
4882	HEB1C	Human Engineering - Principles and Practices	2020	SAE	0
4883	J1223	Marine Carburetors and Fuel Injection Throttle Bodies	2020	SAE	0
4884	J1269	Rolling Resistance Measurement Procedure for Passenger Car, Light Truck, and Highway Truck and Bus Tires	2020	SAE	0
4885	J1333	Hydraulic Cylinder Rod Corrosion Test, Recommended Practice	2020	SAE	0
4886	J1334	Hydraulic Cylinder Integrity Test	2020	SAE	0
4887	J1409	Air Brake Valves Test Procedure	2020	SAE	0
4888	J1410	Air Brake Valve - Performance Requirements	2020	SAE	0
4889	J1542	(R) Laboratory Testing of Vehicle and Industrial Heat Exchangers for Thermal Cycle Durability	2020	SAE	0
4890	J1939-17	CAN FD Physical Layer, 500 kbps/2 Mbps	2020	SAE	0
4891	J1942/1	QUALIFIED HOSES FOR MARINE APPLICATIONS	2020	SAE	0
4892	J2534-2	Optional Pass-Thru Features	2020	SAE	0
4893	J2540/2	ITIS Phrase Lists (International Traveler Information Systems)	2020	SAE	0
4894	J2598	Automotive Disc Brake Pad Natural Frequency and Damping Test	2020	SAE	0
4895	J2902	Air Disc Brake Actuator Test Procedure, Truck-Tractor, Bus and Trailer	2020	SAE	0
4896	J3039	Definition and Measurement of Power Transfer Unit Speed-Dependent Parasitic Loss	2020	SAE	0
4897	J3047	Recommendation for Acceptable Operating Parameters of Heated Automobile Seats in Order to Mitigate Occupant Injury	2020	SAE	0
4898	MA2010A	Packing, Preformed - O-Ring Seal Standard Sizes and Size Codes, Metric	2020	SAE	0
4899	MA2538	Gasket, Metal C-Ring Seal Nickel Alloy, Corrosion and Heat Resistant, Metric Procurement Specification For	2020	SAE	0
4900	MA3281C	INSERT, SCREW THREAD, HELICAL COIL, METRIC SERIES, FREE RUNNING, CRES, CADMIUM PLATED	2020	SAE	0
4901	MA3374E	Bolts and Screws, UNS S66286, Corrosion and Heat Resistant Steel, Procurement Specification, Metric	2020	SAE	0
4902	MA3379A	(R) STUD, STRAIGHT - 2.5 DIA ENGAGEMENT, A286 MJ METRIC 6 X 1 - 6 X 1	2020	SAE	0
4903	MA3424A	(R) NUT, PLAIN HEX - THIN, UNS S66286, SILVER PLATE, MJ THREAD, METRIC	2020	SAE	0
4904	MA3476A	(R) BOLT, MACHINE - SPLINE EXTENDED WASHER, FULL HEAD, PD SHANK, LONG THREAD, NICKEL ALLOY (UNS N07718) - METRIC	2020	SAE	0
4905	MA3512A	(R) BOLT, MACHINE - SPLINE DRIVE HD, CLOSE TOL FULL SHANK, UNS N07001, METRIC	2020	SAE	0
4906	MA4177A	NUT, SELF LOCKING - HEX EXTENDED WASHER UNS N07001, SILVER PLATE, MJ THD, METRIC	2020	SAE	0
4907	MA4187A	BOLT, MACHINE, SPLINE DRIVE, SPECIAL EXTENDED WASHER, REDUCED HEAD, PD SHANK, UNS N07718, METRIC	2020	SAE	0
4908	MA14272A	(R) CLAMP, LOOP, CUSHIONED, ELONGATED, METRIC	2020	SAE	0
4909	SAE1010	Standard Practice for Manpower and Personnel	2020	SAE	0
4910	SS/V2X/001	Security Specification through the Systems Engineering Process for SAE V2X Standards	2020	SAE	0
4911	J2031	HIGH TENSION IGNITION CABLE	2020	SAE	0
4912	J2039	Side Turn Signal Lamps for Long Vehicles	2020	SAE	0
4913	J2111	Headlamp Cleaners	2020	SAE	0
4914	J2115	(R) Air Brake Performance and Wear Test Code Commercial Vehicle Inertia Dynamometer	2020	SAE	0
4915	J2134	Luminous Reflectance in Safety Glazing Materials for Road Vehicles	2020	SAE	0
4916	J2174	Heavy-Duty Wiring Systems for Trailers 2032 mm or More in Width	2020	SAE	0
4917	J2222	Coiled Electrical Cable - Truck and Bus	2020	SAE	0

4918	J2230	Accelerated Exposure of Automotive Interior Trim Materials Using Outdoor Under-Glass Controlled Sun-Tracking Temperature and Humidity Apparatus, Standard;	2020	SAE	0
4919	J2263	Road Load Measurement Using Onboard Anemometry and Coastdown Techniques	2020	SAE	0
4920	J2288	Life Cycle Testing of Electric Vehicle Battery Modules	2020	SAE	0
4921	J2311	(R) Automatic Transmission Hydraulic Pump Test Procedure	2020	SAE	0
4922	J2318	Air Brake Actuator Test Performance Requirementsâ__ Truck and Bus	2020	SAE	0
4923	J2344	(R) Guidelines for Electric Vehicle Safety	2020	SAE	0
4924	J2384	Air Dryer Test Procedure	2020	SAE	0
4925	J2394	Seven Conductor Cable for ABS Power - Truck and Bus	2020	SAE	0
4926	J2403	(R) Medium/Heavy-Duty E/E Systems Diagnosis Nomenclature	2020	SAE	0
4927	J2417	Lift Capacity Calculation Method Knuckle-Boom Log Loaders and Certain Forestry Equipment	2020	SAE	0
4928	J2418	Occupant Restraint Dynamic System Evaluation - Frontal Impact Heavy Trucks	2020	SAE	0
4929	J2435	Welded Flash Controlled, SAE 1021 Carbon Steel Tubing, Normalized for Cold Forming, Welding and Brazing	2020	SAE	0
4930	J2467	Welded and Cold-Drawn, SAE 1021 Carbon Steel Tubing Normalized for Bending and Flaring	2020	SAE	0
4931	J2475	(R) Wheel End Assembly and Axle Spindle Interface Dimensions - Truck and Bus	2020	SAE	0
4932	J2540-2	ITIS Phrase Lists (International Traveler Information Systems)	2020	SAE	0
4933	J2549	Single Conductor Cable for Heavy-Duty Applicationsâ Truck and Bus	2020	SAE	0
4934	J2551-3	Recommended Practices for Fluid Conductor Carbon, Alloy and High Strength Low Alloy Steel Tubing Applications - Part 3: Procurement	2020	SAE	0
4935	J2568	Intrusion Resistance of Safety Glazing Systems for Road Vehicles	2020	SAE	0
4936	J2601	(R) Fueling Protocols for Light Duty Gaseous Hydrogen Surface Vehicles	2020	SAE	0
4937	J2612	Internal Combustion Enginesâ Piston Vocabulary	2020	SAE	0
4938	J2688	Parking Brake Control Identification - Vehicles with Hydraulic Brake Systems and Automatic Transmissions	2020	SAE	0
4939	J2691	15 Pole Connector Between Towing Vehicles and Trailers with 12 Volt Nominal Supply	2020	SAE	0
4940	J2697	Inverter Requirements for Class Eight Trucks - Truck and Bus	2020	SAE	0
4941	J2711	Recommended Practice for Measuring Fuel Economy and Emissions of Hybrid-Electric and Conventional Heavy-Duty Vehicles	2020	SAE	0
4942	J2719	Hydrogen Fuel Quality for Fuel Cell Vehicles	2020	SAE	0
4943	J2727	(R) Mobile Air Conditioning System Refrigerant Emission Charts for R-134a and R-1234yf	2020	SAE	0
4944	J2728-1	Heavy Vehicle Event Data Recorder (HVEDR) - Data and Triggers	2020	SAE	0
4945	J2728	Heavy Vehicle Event Data Recorder (HVEDR) Standard - Tier 1	2020	SAE	0
4946	J2732	Motor Vehicle Seat Dimensions	2020	SAE	0
4947	J2735	Dedicated Short Range Communications (DSRC) Message Set Dictionary	2020	SAE	0
4948	J2742	Combination 11 Conductors and 4 Pairs ECBS Cable	2020	SAE	0
4949	J2744	Requirements for Built-In Service Port for On Board Diagnostics	2020	SAE	0
4950	J2773	Standard for Refrigerant Risk Analysis for Mobile Air Conditioning Systems	2020	SAE	0
4951	J2788	HFC-134a (R-134a) Recovery/Recycle/Recharging Equipment for Mobile Air-Conditioning Systems	2020	SAE	0
4952	J2793	Fuel Dispensing Filter Test Methods	2020	SAE	0
4953	J2803	Dimension Compatibility for Commercial Vehicle Wheels to Air Disc Brake Calipers - Truck and Bus	2020	SAE	0
4954	J2805	Measurement of Noise Emitted by Accelerating Road Vehicles	2020	SAE	0
4955	J2807	Performance Requirements for Determining Tow-Vehicle Gross Combination Weight Rating and Trailer Weight Rating	2020	SAE	0
4956	J2825	Measurement of Exhaust Sound Pressure Levels of Stationary On-Highway Motorcycles	2020	SAE	0

4957	J2831	Development of Design and Engineering Recommendations for In-Vehicle Alphanumeric Messages	2020	SAE	0
4958	J2838	Full Adaptive Forward Lighting Systems	2020	SAE	0
4959	J2839	Heavy Duty High Speed Datalink Connector	2020	SAE	0
4960	J2847-6	Communication between Wireless Charged Vehicles and Wireless EV Chargers	2020	SAE	0
4961	J2883	Laboratory Measurement of Random Incidence Sound Absorption Tests Using a Small Reverberation Room	2020	SAE	0
4962	J2891	Auxiliary Power Unit Electrical Interface Requirements for Class Eight Trucks	2020	SAE	0
4963	J2911	(R) Procedure for Certification that Requirements for Mobile Air Conditioning System Components, Service Equipment, and Service Technician Training Meet SAE J Standards	2020	SAE	0
4964	J2912	Performance Requirements for R-134a and R-1234yf Refrigerant Diagnostic Identifiers (RDI) for Use with Mobile Air Conditioning Systems	2020	SAE	0
4965	J2940	Use of Model Verification and Validation in Product Reliability and Confidence Assessments	2020	SAE	0
4966	J2945-1A	Vehicle Level Validation Test Procedures for V2V Safety Communications	2020	SAE	0
4967	J2945-3	Requirements for Road Weather Applications	2020	SAE	0
4968	J2945-5	Service Specific Permissions and Security Guidelines for Connected Vehicle Applications	2020	SAE	0
4969	J2950	Recommended Practices (RP) for Shipping Transport and Handling of Automotive-Type Battery System - Lithium Ion	2020	SAE	0
4970	J2954	Wireless Power Transfer for Light-Duty Plug-In/ Electric Vehicles and Alignment Methodology	2020	SAE	0
4971	J2958	Report on Unmanned Ground Vehicle Reliability	2020	SAE	0
4972	J2975	Measurement of Copper and Other Elements in Brake Friction Materials	2020	SAE	0
4973	J2990-2	Hybrid and Electric Vehicle Safety Systems Information Report	2020	SAE	0
4974	J2992	FTIR Gas Analyzer Performance Evaluation / Qualification for Automotive Testing	2020	SAE	0
4975	J2998	Model Description Documentation Recommended Practice for Ground Vehicle System and Subsystem Simulation	2020	SAE	0
4976	J3005-2	Permanently or Semi-Permanently Installed Diagnostic Communication Devices Security Guidelines	2020	SAE	0
4977	J3006	Low-duty Inertia Dynamometer Hydraulic Brake Wear Test Procedures for Vehicles Above 4536 kg (10 000 lb) of GVWR	2020	SAE	0
4978	J3010	Registration and Conformity Assessment Process for Passenger Cars and Light Trucks Wheels	2020	SAE	0
4979	J3012	Storage Batteries for Start-Stop Operations	2020	SAE	0
4980	J3018	Guidelines for Safe On-Road Testing of SAE Level 3, 4, and 5 Prototype Automated Driving Systems (ADS)	2020	SAE	0
4981	J3030	Automotive Refrigerant Recovery/Recycling/Recharging Equipment Intended for use with Both R-1234yf and R-134a	2020	SAE	0
4982	J3067	Candidate Improvements to Dedicated Short Range Communications (DSRC) Message Set Dictionary [SAE J2735] Using Systems Engineering Methods	2020	SAE	0
4983	J3070	Power Cylinder Scuffing: Mechanisms	2020	SAE	0
4984	J3078-1	Off-Road Self-Propelled Work Machines Operator Enclosure Environment Part 1: Terms and Definitions	2020	SAE	0
4985	J3081	Heavy Vehicle Controls Prioritization and Conflict Resolution	2020	SAE	0
4986	J3094	Test Procedure for Internal Heat Exchangers of Mobile Air-Conditioning Systems with R-134a or R-1234yf Refrigerant	2020	SAE	0
4987	J3101	Hardware Protected Security for Ground Vehicles	2020	SAE	0
4988	J3105-1	Electric Vehicle Power Transfer System Using Conductive Automated Connection Devices Infrastructure-Mounted Pantograph (Cross-Rail) Connection	2020	SAE	0
4989	J3105-2	Electric Vehicle Power Transfer System Using Conductive Automated Connection Devices Vehicle-Mounted Pantograph (Bus-Up)	2020	SAE	0
4990	J3105-3	Electric Vehicle Power Transfer System Using Conductive Automated Connection Devices Enclosed Pin and Socket Connection	2020	SAE	0
4991	J3105	Electric Vehicle Power Transfer System Using Conductive Automated Connection Devices	2020	SAE	0
4992	J3119	Reliability, Maintainability, and Sustainability Terms and Definitions	2020	SAE	0
4993	J3122	Test Target Correlation - Radar Characteristics	2020	SAE	0

4994	J3152	Taxonomy and Guidelines for Design, Fabrication, and Installation of Brake NVH Fixtures for Inertia Dynamometer Testing	2020	SAE	0
4995	J3160	Recommended Practice for Improving Measurement Quality of Particle Number Counting Devices	2020	SAE	0
4996	J3173	Waste Heat Recovery System Thermal Management	2020	SAE	0
4997	J3178	Adhesives, Sealants, and Heat Transfer Materials in Battery Systems: A Primer on Materials, Applications, and End-Use Performance Requirements	2020	SAE	0
4998	J3198	Driver Drowsiness and Fatigue in the Safe Operation of Vehicles - Definition of Terms and Concepts	2020	SAE	0
4999	J3204	Aftermarket Composite Wheels Made of Matrix Material and Fiber Reinforcement Intended for Normal Highway Use - Test Procedures and Performance Requirements	2020	SAE	0
5000	J3300-1	Low Mu/Winter Driving Skill Certification	2020	SAE	0
5001	J3300-2	Trailer Towing Driving Skill Certification	2020	SAE	0
5002	J3300	Driving Level Skill Certification	2020	SAE	0
5003	SSB-1D	(R) Guidelines for Using Plastic Encapsulated Microcircuits and Semiconductors in Military, Aerospace, and Other Rugged Applications	2020	SAE	0
5004	TS 95-10	NULL	2020	SAE	0
5005	TS 96-6	TECHN ICAL SPEC IF ICATION No . TS96ī SAE ITC RECOMMENDATIONS FOR S IM ILAR METALL IC MATERIAL SPEC IF ICATIONS & STANDARDS	2020	SAE	0
5006	TS 260-6	NULL	2020	SAE	0
5007	USCAR-2	Performance Specification for Automotive Electrical Connector Systems - Revision 6	2020	SAE	0
5008	USCAR-6	STANDARD FOR D.C. BRUSH MOTOR - HVAC BLOWERS	2020	SAE	0
5009	USCAR-7	DEEMBRITTLEMENT VERIFICATION TEST - Revision 1	2020	SAE	0
5010	USCAR-10	Test for Evaluating the Torque-Tension Relationship of Both External an Internal Metric Threaded Fasteners - Revision 1	2020	SAE	0
5011	USCAR-11	Torque-Tension Testing and Evaluation of Fastener Finishes - Revision 1	2020	SAE	0
5012	USCAR-13	STANDARD FOR IN-TANK ELECTRIC FUEL PUMPS	2020	SAE	0
5013	USCAR-15	SPECIFICATION FOR TESTING AUTOMOTIVE LIGHT BULB SOCKETS - REVISION 3	2020	SAE	0
5014	USCAR-21	PERFORMANCE SPECIFICATION FOR CABLE-TO-TERMINAL ELECTRICAL CRIMPS - Revision 3	2020	SAE	0
5015	USCAR-32	NEW FINISH DEVELOPMENT DOCUMENT	2020	SAE	0
5016	USCAR-33	Specification for Testing Automotive LED Modules	2020	SAE	0
5017	USCAR-35	Test Procedures for Evaluating Bolt-Load Retention of Magnesium Alloys	2020	SAE	0
5018	USCAR-39	STANDARD FOR TIRE TRACEABILITY CONTENT AND FORMAT FOR THE RADIO-FREQUENCY IDENTIFICATION (RFID) TAG AND ASSOCIATED TIRE DATA SET	2020	SAE	0
5019	USCAR-40	Lead-Free Solder Validation Test Plan	2020	SAE	0
5020	USCAR-47	ERGONOMICS SPECIFICATION FOR MANUALLY SEATED FASTENERS	2020	SAE	0
5021	TS 95AR-10	AMENDM ENT RECORD No . TS95ī -AR for Technical Specification No . TS95ī	2020	SAE	0
5022	TS 96AR-6	AMENDM ENT RECORD No . TS96 ī -AR for Techn ica l Speci fication No . TS96 ī	2020	SAE	0
5023	TS 260AR-6	AMENDM ENT RECORD No . TS260 ī -AR for Techn ica l Speci fication No . TS260 ī	2020	SAE	0
5024	Security Specification th	Security Specification through the Systems Engineering Process for SAE V2X Standards	2020	SAE	0
5025	J2954	Wireless Power Transfer for Light-Duty Plug-In/ Electric Vehicles and Alignment Methodology	2019	SAE	0
5026	J2962-1	Communication Transceivers Qualification Requirements - LIN	2019	SAE	0
5027	J2962-2	Communication Transceivers Qualification Requirements - CAN	2019	SAE	0
5028	J2971	Truck and Bus Aerodynamic Device and Concept Terminology	2019	SAE	0
5029	J2974	Technical Information Report on Automotive Battery Recycling	2019	SAE	0

5030	J2983	Recommended Practice for Determining Material Properties of Li-Battery Separator	2019	SAE	0
5031	J2985	Definition and Measurement of Transfer Case Speed-Dependent Parasitic Loss	2019	SAE	0
5032	J2986	Brake Pads, Lining, Disc, and Drum Wear Measurements	2019	SAE	0
5033	J2990	Hybrid and EV First and Second Responder Recommended Practice	2019	SAE	0
5034	J3005-1	Permanently or Semi-Permanently Installed Diagnostic Communication Devices	2019	SAE	0
5035	J3018	Guidelines for Safe On-Road Testing of SAE Level 3, 4, and 5 Prototype Automated Driving Systems (ADS)	2019	SAE	0
5036	J3053	Heavy Duty Truck and Bus Electrical Circuit Performance Requirement for 12/24 Volt Electric Starter Motors	2019	SAE	0
5037	J3080	Inertia Dynamometer Rotor Crack Test Procedure for Air Disc Brakes	2019	SAE	0
5038	J3082	Auxiliary Two Conductor Electrical Power Connector for Truck-TrailerHigh Power Jumper Cable	2019	SAE	0
5039	J3093	Design and Performance Specifications for a Generic Buck Representing a Small Family Car Used in the Assessment of Pedestrian Dummy Whole Body Impact Response	2019	SAE	0
5040	J3094	Test Procedure for Internal Heat Exchangers of Mobile Air-Conditioning Systems with R-134a or R-1234yf Refrigerant	2019	SAE	0
5041	J3097	Standard for Safety Glazing Materials for Glazing Motor Vehicles and Motor Vehicle Equipment Operating on Land Highways - Safety Standard	2019	SAE	0
5042	J3106	Vacuum Excavation and Sewer Cleaning Equipment Classification and Nomenclature	2019	SAE	0
5043	J3112	A/C Compressor Oil Separator Effectiveness Test Standard	2019	SAE	0
5044	J3127	Welded, 304/304L Stainless Steel Tubing	2019	SAE	0
5045	J3128	Welded and Cold Drawn, 304/304L Stainless Steel Tubing	2019	SAE	0
5046	J3129	Seamless, 304/304L Stainless Steel Tubing	2019	SAE	0
5047	J3133	Motorcycle Terminology	2019	SAE	0
5048	J3134	Automated Driving System (ADS) Marker Lamp	2019	SAE	0
5049	J3135	High Strength, 304/304L Stainless Steel Tubing	2019	SAE	0
5050	J3143	Non-Metallic, Non-Reinforced Automotive Air-Conditioning Refrigerant Line Assembly Requirements	2019	SAE	0
5051	J3144	Fuel Tank Filler, Capless Closure	2019	SAE	0
5052	J3157	Active Safety Bicyclist Test Targets Recommendation	2019	SAE	0
5053	J3171	Identifying Automated Driving Systems-Dedicated Vehicles (ADS-DVs) Passenger Issues for Persons with Disabilities	2019	SAE	0
5054	J3174	Recommended Practice for an Engineering Analysis for A/C Efficiency Credits	2019	SAE	0
5055	J3175	Road Vehicles - Friction Materials - Finished Brake Pad Normalized Elastic Constant of Friction Material	2019	SAE	0
5056	J3194	Taxonomy and Classification of Powered Micromobility Vehicles	2019	SAE	0
5057	MA2111D	(R) FITTING ASSEMBLY, ADAPTER RING LOCKED PORT CONNECTION TO 8?30_ BEAM SEAL 28,000 KPA, METRIC	2019	SAE	0
5058	MA3274A	NUT _ SELF-LOCKING, CLINCH, SERRATED SHANK, 400 °C, DRY FILM COATED, UNS S66286, MJ THREAD, METRIC	2019	SAE	0
5059	MA3275A	(R) NUT - SELF-LOCKING, CLINCH, SERRATED SHANK, 650 °C, SILVER PLATED, UNS S66286, MJ THREAD, METRIC	2019	SAE	0
5060	MA3279D	INSERT, SCREW THREAD, HELICAL COIL, METRIC SERIES, FREE RUNNING, CRES, UNCOATED	2019	SAE	0
5061	MA3330D	INSERT, SCREW THREAD, HELICAL COIL, METRIC SERIES, SCREW LOCKING, CRES, DRY FILM LUBRICATED	2019	SAE	0
5062	MA3331D	INSERT, SCREW THREAD, HELICAL COIL, METRIC SERIES, SCREW LOCKING, CRES, CADMIUM PLATED	2019	SAE	0
5063	MA3352A	(R) O-Ring Molded from AMS7276 Material, Metric	2019	SAE	0
5064	MA3434A	(R) O-Ring Molded from AMS7273 Material, Metric	2019	SAE	0
5065	MA3442A	(R) O-Ring Molded from AMS7267 Material, Metric	2019	SAE	0
5066	MA3445A	(R) O-Ring Molded from AMS7287 Material, Metric	2019	SAE	0

5067	MA3513A	BOLT, MACHINE - SPLINE DRIVE, EXTENDED WASHER HEAD, PD SHANK, LONG THREAD, UNS N07001, METRIC	2019	SAE	0
5068	SAE6906	Standard Practice for Human Systems Integration	2019	SAE	0
5069	USCAR5-5	AVOIDANCE OF HYDROGEN EMBRITTLEMENT OF STEEL FASTENERS AND OTHER HARDENED OR SPRING STEEL PARTS FROM SURFACE COATING PROCESSES	2019	SAE	0
5070	USCAR39	STANDARD FOR TIRE TRACEABILITY CONTENT AND FORMAT FOR THE RADIO-FREQUENCY IDENTIFICATION (RFID) TAG AND ASSOCIATED TIRE DATA SET	2019	SAE	0
5071	AIR1108A	Groove Design - Metal Face Seal	2019	SAE	0
5072	AIR1168-1A	Thermodynamics of Incompressible and Compressible Fluid Flow	2019	SAE	0
5073	AIR1168-3A	(R) SAE Aerospace Applied Thermodynamics Manual Aerothermodynamic Systems Engineering and Design	2019	SAE	0
5074	AIR1329C	(R) Electrical Connectors and Wiring, Compatibility of	2019	SAE	0
5075	AIR1377B	Fire Test Equipment for Flexible Hose and Tube Assemblies	2019	SAE	0
5076	AIR1378C	Standard Words for Test Paragraphs for Tube Fittings and Tube Assemblies	2019	SAE	0
5077	AIR1379B	Prestressing (Autofrettaging) of Hydraulic Tubing Lines	2019	SAE	0
5078	AIR1397B	Clamp Material, Injection Molded	2019	SAE	0
5079	AIR1664A	Aircraft Flexible Tanks General Design and Installation Recommendations	2019	SAE	0
5080	AIR1752A	Aircraft Nosewheel Steering/Centering Systems	2019	SAE	0
5081	AIR1754B	Washer, Thermal Compensating, Metric Series	2019	SAE	0
5082	AIR1936A	Study of Wrenching Engagement on AS870C Double Hexagon (12 Point) Fasteners	2019	SAE	0
5083	AIR3276	Boss - Plug/Pin, Expansion Type Hole Preparation	2019	SAE	0
5084	AIR3277	Installation Procedures - Pin/Plug Expansion Type	2019	SAE	0
5085	AIR4165B	General Requirements for Powered Drive Units (PDUs) in Aircraft Cargo Systems	2019	SAE	0
5086	AIR4911A	Requirements Document for Sensor/Video Interconnect Subsystems with Rationale	2019	SAE	0
5087	AIR4964	Exposure Levels of UV Radiation in Nondestructive Inspection Processes	2019	SAE	0
5088	AIR5277B	Aerospace Fluid Power - Waste Reduction Practices for Used Phosphate Ester Aviation Hydraulic Fluid	2019	SAE	0
5089	AIR5372A	(R) Information on Brake-By-Wire (BBW) Brake Control Systems	2019	SAE	0
5090	AIR5436A	Test Cell Analytical Thrust Correction	2019	SAE	0
5091	AIR5509A	Using Engine Test Data to Model Engine Performance	2019	SAE	0
5092	AIR5662	Method for Predicting Lateral Attenuation of Airplane Noise	2019	SAE	0
5093	AIR5696A	Aerospace Fluid Power - FAA Regulatory History - Transport Airplane Hydraulic Systems	2019	SAE	0
5094	AIR5717	Mitigating Wire Insulation Damage During Processing and Handling	2019	SAE	0
5095	AIR5774	Composite Fuel Tanks, Fuel System Design Considerations	2019	SAE	0
5096	AIR5937	Information on Electric Brakes	2019	SAE	0
5097	AIR6151B	Torque, Threaded Application, Electrical Connector, Accessory and Terminal Board Installation	2019	SAE	0
5098	AIR6232	Aircraft Surface Coating Interaction with Aircraft Deicing/Anti-Icing Fluids	2019	SAE	0
5099	AIR6448A	Gaining Approval for Seats with Integrated Electronics in Accordance with AC21-49 Option 7b	2019	SAE	0
5100	AIR6552-1	Inline Optical Power Monitoring, Network End-to-End Data Link Evaluation System	2019	SAE	0
5101	AMS1379A	Compound, Alkaline Rust Remover Aircraft Turbine Engine Components	2019	SAE	0
5102	AMS1523B	Cleaner for Exterior Aircraft Surfaces Thickened or Gel-Type, Water-Base	2019	SAE	0
5103	AMS2231K	Tolerances Carbon Steel Bars	2019	SAE	0
5104	AMS2371L	Quality Assurance Sampling and Testing Corrosion and Heat-Resistant Steels and Alloys Wrought Products and Forging Stock	2019	SAE	0

5105	AMS2399C	Electroless Nickel-Boron Plating	2019	SAE	0
5106	AMS2408K	Plating, Tin	2019	SAE	0
5107	AMS2413F	Plating, Silver-Rhodium	2019	SAE	0
5108	AMS2422F	Plating, Gold	2019	SAE	0
5109	AMS2425F	Plating, Gold for Thermal Control	2019	SAE	0
5110	AMS2426E	Coating, Cadmium Vacuum Deposition	2019	SAE	0
5111	AMS2431-3E	Peening Media Conditioned Carbon Steel Cut Wire Shot, Regular Hardness (45 to 52 HRC) (AWCR)	2019	SAE	0
5112	AMS2431-4D	Peening Media Conditioned Stainless Steel Cut Wire Shot (AWS)	2019	SAE	0
5113	AMS2431-8C	Peening Media Conditioned Carbon Steel Cut Wire Shot, High Hardness (55 to 62 HRC) (AWCH)	2019	SAE	0
5114	AMS2437D	Coating, Plasma Spray Deposition	2019	SAE	0
5115	AMS2440C	Inspection of Ground, Chromium Plated Steel Parts	2019	SAE	0
5116	AMS2444A	(R) Coating, Titanium Nitride Physical Vapor Deposition	2019	SAE	0
5117	AMS2447D	Coating, Thermal Spray High Velocity Oxygen/Fuel Process	2019	SAE	0
5118	AMS2452	Superfinishing of HVOF Applied Tungsten Carbide Coatings	2019	SAE	0
5119	AMS2474E	Chemical Treatment for Aluminum Alloys Low Electrical Resistance Coating	2019	SAE	0
5120	AMS2475H	Protective Treatments Magnesium Alloys	2019	SAE	0
5121	AMS2517B	Dimer, Dichloro 2, 2 Para-Cyclophane	2019	SAE	0
5122	AMS2521D	Coating, Reflection-Reducing for Instrument Glasses	2019	SAE	0
5123	AMS2530A	Tungsten Disulfide Coating, Thin Lubricating Film, Binder-Less Impingement Applied	2019	SAE	0
5124	AMS2580A	Shot Peening, Ultrasonically Activated	2019	SAE	0
5125	AMS2585A	Shot Peening Media, Ultrasonically Activated	2019	SAE	0
5126	AMS2588	Ultrasonically Activated Needle Peen Forming	2019	SAE	0
5127	AMS2649D	Etch Inspection of High Strength Steel Parts	2019	SAE	0
5128	AMS2662	Brazing, Gold-Nickel Alloy Filler Metal	2019	SAE	0
5129	AMS2664F	BRAZING, SILVER For Use Up to 800 DEGREES F (427 DEGREES C)	2019	SAE	0
5130	AMS2675H	Brazing, Nickel Alloy Filler Metal.	2019	SAE	0
5131	AMS2678A	Furnace Brazing of Parts in a Vacuum Atmosphere	2019	SAE	0
5132	AMS2680C	Electron-Beam Welding For Fatigue Critical Applications	2019	SAE	0
5133	AMS2728C	Heat Treatment of Wrought Copper Beryllium Alloy Parts	2019	SAE	0
5134	AMS2753D	Liquid Salt Bath Ferritic Nitrocarburizing Non-Cyanide Bath	2019	SAE	0
5135	AMS2757C	Gaseous Nitrocarburizing	2019	SAE	0
5136	AMS2807B	Identification Carbon and Low-Alloy Steels, Corrosion and Heat-Resistant Steels and Alloys Sheet, Strip, Plate, and Aircraft Tubing	2019	SAE	0
5137	AMS2816W	Identification Welding Wire, Tab Marking Method	2019	SAE	0
5138	AMS2950-1	Paste Adhesive for Core Restoration Part 1 - General Requirements	2019	SAE	0
5139	AMS3055B	Petroleum Base Instrument Bearing Lubricant Viscosity 15	2019	SAE	0
5140	AMS3193F	Silicone Rubber Sponge Closed Cell, Medium, Extreme Low Temperature	2019	SAE	0
5141	AMS3194F	Silicone Rubber Sponge Closed Cell, Firm, Extreme Low Temperature	2019	SAE	0
5142	AMS3195H	Silicone Rubber Sponge Closed Cell, Medium	2019	SAE	0
5143	AMS3214M	Acrylonitrile Butadiene (NBR) Rubber Aromatic Fuel Resistant 35 - 45	2019	SAE	0
5144	AMS3215N	Acrylonitrile Butadiene (NBR) Rubber Aromatic Fuel Resistant 65 - 75	2019	SAE	0
5145	AMS3217-1C	(R) Test Slabs, Acrylonitrile Butadiene (NBR-H) Medium-High Acrylonitrile, 65 - 75	2019	SAE	0

5146	AMS3217-7B	(R) Test Slabs, High Strength, Fluorosilicone (FVMQ) 55 - 65	2019	SAE	0
5147	AMS3220H	Rubber, Synthetic General Purpose, Fluid Resistant 55 - 65	2019	SAE	0
5148	AMS3253B	Ethylene Propylene Rubber Phosphate Ester Resistant 65 - 75	2019	SAE	0
5149	AMS3260D	Ethylene-Propylene-Diene (EPDM) Rubber General Purpose 45 - 55	2019	SAE	0
5150	AMS3380E	Hose, Polytetrafluoroethylene TFE Fluorocarbon Resin Wire Braid Reinforced	2019	SAE	0
5151	AMS3386E	Hose, Aircraft Fueling, Acrylonitrile Butadiene (NBR) Rubber, Textile Reinforced, Chloroprene Covered, Collapsing	2019	SAE	0
5152	AMS3388E	Hose, Aircraft Fueling, Acrylonitrile Butadiene (NBR) Rubber Single Wire Braid Reinforced, Chloroprene Covered, Noncollapsing	2019	SAE	0
5153	AMS3389E	Hose, Aircraft Fueling, Acrylonitrile Butadiene (NBR) Rubber Double Wire Braid Reinforced, Chloroprene Covered, Noncollapsing	2019	SAE	0
5154	AMS3414F	Flux, Aluminum Welding	2019	SAE	0
5155	AMS3617F	Polyamide Type 6-6, Plastic Moldings and Extrusions	2019	SAE	0
5156	AMS3673D	Cloth, Glass, Aluminum Face, Silicone Rubber Back	2019	SAE	0
5157	AMS3681F	Adhesive, Electrically Conductive Silver-Filled Epoxy Resin	2019	SAE	0
5158	AMS3704B	Adhesive, Contact Polychloroprene (CR) Rubber, Resin Modified	2019	SAE	0
5159	AMS4143F	Aluminum Alloy Forgings and Rolled or Forged Rings 6.3Cu - 0.30Mn - 0.18Zr - 0.10V - 0.06Ti (2219-T6) Solution and Precipitation Heat Treated (Composition similar to UNS A92219)	2019	SAE	0
5160	AMS4204D	Aluminum Alloy, Plate 6.2Zn - 1.8Cu - 2.4Mg - 0.13Zr (7010-T7651) Solution Heat Treated, Stress Relieved, and Precipitation Heat Treated (Composition similar to UNS A97010)	2019	SAE	0
5161	AMS4257	Aluminum Alloy, Extrusion 3.7Cu - 1.15Li - 0.5Zn - 0.45Ag - 0.4Mg - 0.3Mn - 0.1Zr (2055-T84) Solution Heat Treated, Stress Relieved by Stretching 2% to 5% and Aged	2019	SAE	0
5162	AMS4274B	Aluminum Alloy, Alclad Sheet 4.4Cu - 1.5Mg - 0.60Mn (Alclad 2024-O) Annealed, Fine Grain (Composition similar to UNS A82024)	2019	SAE	0
5163	AMS4362H	Forgings, Magnesium Alloy 5.5Zn - 0.45Zr (ZK60A-T5) Precipitation Heat Treated (Composition similar to UNS M16600)	2019	SAE	0
5164	AMS4410A	Aluminum Alloy Plate (7081-T7451) 7.2Zn - 1.5Cu - 2.0Mg - 0.10Zr Solution Heat Treated, Stress Relieved and Overaged (Composition similar to UNS A97081)	2019	SAE	0
5165	AMS4411A	Aluminum Alloy Plate (7081-T7651) 7.2Zn - 1.5Cu - 2.0Mg - 0.10Zr Solution Heat Treated, Stress Relieved and Overaged (Composition similar to UNS A97081)	2019	SAE	0
5166	AMS4414	Aluminum Alloy, Hand Forgings 7.5Zn - 1.6Cu - 1.5Mg - 0.12Zr (7085-T7452) Solution Heat Treated, Compression Stress-Relieved, and Overaged - UNS A97085	2019	SAE	0
5167	AMS4426B	Castings, Sand, Magnesium Alloy 5.1Y - 3.0Re - 0.70Zr (WE54A - T6) Solution and Precipitation Heat Treated - UNS M18410	2019	SAE	0
5168	AMS4427D	Magnesium Alloy, Sand Castings 4.0Y - 2.3Nd - 0.7Zr (WE43B - T6) Solution and Precipitation Heat Treated (Composition similar to UNS M18432)	2019	SAE	0
5169	AMS4432	Aluminum Alloy, Plate (7160-T7451) 7.0Zn û 2.2Cu û 1.5Mg - 0.10Zr Solution Heat Treated, Stress Relieved, and Overaged (Composition similar to UNS A97160)	2019	SAE	0
5170	AMS4597A	Copper-Nickel-Tin Alloy, Bars and Rods 77Cu - 15Ni - 8Sn Solution Annealed, Cold Finished and Spinodal Hardened (TX TS) - UNS C72900	2019	SAE	0
5171	AMS4911R	Titanium Alloy, Sheet, Strip, and Plate 6Al - 4V Annealed (Composition similar to UNS R56400)	2019	SAE	0
5172	AMS4920G	Titanium Alloy, Forgings 6AI - 4V Alpha-Beta or Beta Processed, Annealed (Composition similar to UNS R56400)	2019	SAE	0
5173	AMS4932D	Titanium Alloy Sheet 6Al - 4V Driver Sheet (Composition similar to UNS R56400)	2019	SAE	0
5174	AMS5361G	Steel Castings, Sand and Centrifugal, Corrosion and Heat Resistant, 18.5Cr - 13.5Ni - 2.1Mo, Solution Heat Treated (Composition similar to UNS J93072)	2019	SAE	0
5175	AMS5365E	Steel Castings, Sand, Corrosion and Heat Resistant 24.5Cr - 20.5Ni Solution Heat Treated - UNS S92411	2019	SAE	0

5176	AMS5377G	Nickel Alloy, Corrosion and Heat-Resistant, Investment Castings 73Ni - 12Cr - 4.5Mo - 2.0Cb - 0.70Ti - 0.05C - 6.0Al - 0.010B - 0.10Zr Vacuum Cast, As-Cast - UNS N07713	2019	SAE	0
5177	AMS5380G	Cobalt Alloy, Corrosion and Heat-Resistant, Investment Castings 50.5Co - 26Cr - 15Ni - 6.0Mo As-Cast - UNS R30030	2019	SAE	0
5178	AMS5385H	Cobalt Alloy, Corrosion and Heat-Resistant, Investment Castings 62Co - 27Cr - 2.8Ni - 5.5Mo As-Cast - UNS R30021	2019	SAE	0
5179	AMS5388K	Nickel Alloy, Corrosion and Heat-Resistant, Investment Castings 53.3Ni - 16.5Cr - 17Mo - 4.5W - 5.8Fe - 0.40V (CW-12MW) As-Cast - UNS N10002	2019	SAE	0
5180	AMS5390G	Nickel Alloy, Corrosion and Heat-Resistant, Investment Castings 47.5Ni - 22Cr - 1.5Co - 9Mo - 0.60W - 18.5Fe (N-12MV) As-Cast - UNS N06002	2019	SAE	0
5181	AMS5391H	Nickel Alloy, Corrosion and Heat-Resistant, Investment Castings 73Ni - 0.14C - 13Cr - 4.5Mo - 2.3Cb (Nb) - 0.75Ti - 6.0Al - 0.010B - 0.10Zr Vacuum Cast, As-Cast - UNS N07713	2019	SAE	0
5182	AMS5396F	Nickel Alloy, Corrosion and Heat-Resistant, Investment Castings 65Ni - 28Mo - 5.5Fe - 0.40V (N-12MV) As-Cast - UNS N10001	2019	SAE	0
5183	AMS5521K	Steel, Corrosion and Heat-Resistant, Sheet, Strip, and Plate 25Cr - 20Ni (310S) Solution Heat Treated (Composition similar to UNS S31008)	2019	SAE	0
5184	AMS5523H	Steel, Corrosion and Heat-Resistant, Sheet, Strip, and Plate 23Cr - 13.5Ni (309S) Solution Heat Treated (Composition similar to UNS S30908)	2019	SAE	0
5185	AMS5572H	Steel, Corrosion and Heat-Resistant, Seamless Tubing 25Cr - 20Ni (SAE 30310S) Solution Heat Treated - UNS S31008	2019	SAE	0
5186	AMS5574F	Steel, Corrosion and Heat Resistant, Seamless Tubing 23Cr - 13.5Ni (309S) Solution Heat Treated - UNS S30908	2019	SAE	0
5187	AMS5589G	Nickel Alloy, Corrosion and Heat-Resistant, Seamless Tubing 52.5Ni - 19Cr - 3.0Mo - 5.1Cb (Nb) 0.90Ti - 0.50Al - 18Fe Consumable Electrode Remelted or Vacuum Induction Melted 1775 ?F (968 ?C) Solution Heat Treated (Composition similar to UNS N07718)	2019	SAE	0
5188	AMS5606F	Alloy, Corrosion and Heat-Resistant, Sheet, Strip, and Plate 41.5Ni - 16Cr - 37Fe - 2.9Cb - 1.8Ti Consumable Electrode or Vacuum Induction Melted 1750 ĵ°F (954 ĵ°C) Solution Heat Treated - UNS N09706	2019	SAE	0
5189	AMS5665P	Nickel Alloy, Corrosion and Heat Resistant, Bars, Forgings, and Rings 74Ni - 15.5Cr - 8.0Fe UNS N06600	2019	SAE	0
5190	AMS5755G	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 64Ni - 5.0Cr - 24.5Mo - 5.5Fe Solution Heat Treated - UNS N10004	2019	SAE	0
5191	AMS5758J	Alloy, Corrosion-Resistant, Bars 20Cr - 35Ni - 35Co - 10Mo Vacuum Induction Plus Consumable Electrode Vacuum Remelted Solution Heat Treated for Work Strengthening - UNS R30035	2019	SAE	0
5192	AMS5804H	Steel, Corrosion and Heat-Resistant, Welding Wire 15Cr - 25.5Ni - 1.3Mo - 2.2Ti - 0.006B - 0.30V - UNS S66286 and K66286	2019	SAE	0
5193	AMS5818C	Steel, Corrosion and Heat Resistant, Welding Wire 9.0Mn - 20Cr - 6.2Ni - 0.20N - UNS S21980	2019	SAE	0
5194	AMS5819A	Cobalt Alloy, Corrosion and Heat Resistant, Hardfacing Rod and Wire 62Co - 27Cr - 2.9Ni - 5.5Mo - UNS R30021	2019	SAE	0
5195	AMS5830C	Nickel-Iron Alloy, Corrosion and Heat-Resistant, Welding Wire 12.5Cr - 42.5Ni - 6.0Mo - 2.7Ti - 0.015B - 35Fe - UNS N09901	2019	SAE	0
5196	AMS5940D	Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 34Co - 3.0Cr - 28Ni - 3.0Cb(Nb) - 5.5Al - 0.008B - 25.5Fe Multiple Melted, High Temperature, Oxidation-Resistant, Low Expansion Solution Heat Treated, Precipitation-Hardenable - UNS R30783	2019	SAE	0
5197	AMS6400A	Forgings, Steel For Aircraft/Aerospace Equipment	2019	SAE	0
5198	AMS7320G	Rings, Sealing, Cast Leaded-Tin Bronze 80Cu - 16Sn - 5Pb As Cast (Composition similar to UNS C92800)	2019	SAE	0
5199	AMS7338A	Rubber: Butyl (IIR Abbreviation) Phosphate Ester Resistant 65 to 75 Hardness for Seals in Hydraulic Systems, etc.	2019	SAE	0
5200	AMS7493L	Rings, Flash Welded Ferritic and Martensitic Corrosion-Resistant Steels	2019	SAE	0
5201	AMS7717E	Nickel-Iron Alloy, Magnetic, Sheet and Strip 50Ni - 50Fe Annealed, Forming Grade - UNS K95000	2019	SAE	0
5202	AMS7718H	Nickel-Iron Alloy, Magnetic, Bars, Rods, Tubing, and Forgings 50Ni - 50Fe - UNS K95000	2019	SAE	0
5203	AMS7719E	Nickel-Iron Alloy, Magnetic, Sheet and Strip 50Ni - 50Fe Stamping Quality, Half-Hard Temper - UNS K95000	2019	SAE	0
5204	AMS7909D	Aluminum Beryllium, NNS Preforms Hot Isostatic Pressed 38Al - 62Be	2019	SAE	0
5205	AMS-C-6183B	Cork and Rubber Composition Sheet; for Aromatic Fuel and Oil Resistant Gaskets	2019	SAE	0

5206	AMS-DTL-23053-17B	Insulation Sleeving, Electrical, Heat Shrinkable, Flame Retarded, Modified Polyolefin, Flexible, Crosslinked FSC 5970	2019	SAE	0
5207	AMS-I-23053-2A	INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, POLYVINYL CHLORIDE, FLEXIBLE, CROSSLINKED AND NON-CROSSLINKED	2019	SAE	0
5208	AMS-I-23053-3A	INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, POLYVINYL CHLORIDE, SEMI RIGID, CROSSLINKED AND NON-CROSSLINKED	2019	SAE	0
5209	AMS-P-21600B	Paint System, Fluorescent, Removable, for Aircraft Application	2019	SAE	0
5210	AMS-QQ-A-200-3A	Aluminum Alloy 2024, Bar, Rod, Shapes, Tube, and Wire, Extruded A92024	2019	SAE	0
5211	AMS-QQ-A-200C	Aluminum Alloy, Bar, Rod, Shapes, Structural Shapes, Tube, and Wire, Extruded: General Specification for	2019	SAE	0
5212	AMS-S-8802E	(R) Sealing Compound, Fuel Resistant, Integral Fuel Tanks and Fuel Cell Cavities	2019	SAE	0
5213	ARP510B	Moment Weight of Turbine and Compressor Rotor Blades	2019	SAE	0
5214	ARP700C	High Strength Elevated Temperature Bolting Practice	2019	SAE	0
5215	ARP813C	(R) Maintainability Recommendations for Aircraft Wheel and Hydraulically Actuated Brake Design	2019	SAE	0
5216	ARP1185C	Flexure Testing of Hydraulic Tubing Joints and Fittings	2019	SAE	0
5217	ARP1202B	Balancing Machines, Dynamic, Ball Type Slave Bearings for Rotor Support	2019	SAE	0
5218	ARP1282B	(R) Survival Kit - Life Rafts and Slide/Rafts	2019	SAE	0
5219	ARP1354B	Individual Inflatable Life Preservers	2019	SAE	0
5220	ARP1482B	Recommendations for Fuel and Oil System Schematics	2019	SAE	0
5221	ARP1538B	(R) Arresting Hook Installation, Land-Based Aircraft	2019	SAE	0
5222	ARP1558	Interface Protection - Ground Equipment to Aircraft	2019	SAE	0
5223	ARP1595B	(R) Design and Verification of Aircraft Nose Wheel Steering Systems	2019	SAE	0
5224	ARP1786C	(R) Wheel Roll on Rim Criteria for Aircraft Applications	2019	SAE	0
5225	ARP4101-3A	(R) Crew Rest Facilities	2019	SAE	0
5226	ARP4102-10B	(R) Traffic Display and Collision Avoidance Systems	2019	SAE	0
5227	ARP4103A	(R) Flight Deck Lighting for Commercial Transport Aircraft	2019	SAE	0
5228	ARP4260B	Photometric and Colorimetric Measurement Procedures for Airborne Electronic Flat Panel Displays	2019	SAE	0
5229	ARP4266A	Hole Contour, Fluid Passage, Tube Fitting	2019	SAE	0
5230	ARP4296B	Drawing Interpretation and Standard Machining Practices, Couplings, Fittings and Hose Ends, Fluid Systems	2019	SAE	0
5231	ARP4404C	Aircraft Electrical Installations	2019	SAE	0
5232	ARP4822A	Night Vision Imaging System (NVIS) Compatible Illuminated Pushbutton Switches and Indicators	2019	SAE	0
5233	ARP4848A	Flaring (Swaging) and Removal of Shank Nuts	2019	SAE	0
5234	ARP4992B	Periodic Test for Processing Solutions	2019	SAE	0
5235	ARP5252A	(R) Emergency Portability of Slide/Rafts	2019	SAE	0
5236	ARP5290A	Laser Beam Divergence Measurements Techniques Comparison	2019	SAE	0
5237	ARP5298	Aircraft Fueling Adapter Wear Limits	2019	SAE	0
5238	ARP5448-9B	(R) Plain Bearing Lined Inside Diameter Plug Gaging	2019	SAE	0
5239	ARP5483-3B	Rolling Element Bearing Axial and Radial Internal Clearance	2019	SAE	0
5240	ARP5483-7B	Dynamic Radial Load Test, Track Roller Bearing	2019	SAE	0
5241	ARP5483-8B	Rolling Bearing Dynamic Radial Load Test	2019	SAE	0
5242	ARP5486	Air Cargo Pallets - Utilization Guidelines	2019	SAE	0
5243	ARP5614	Guidelines for Harness Critical Clamp Locator Marker Installation on Electrical Cable Assemblies	2019	SAE	0

5244	ARP5646A	Quality Program Guidelines for Deicing/Anti-Icing of Aircraft on the Ground	2019	SAE	0
5245	ARP5904	Airborne Icing Tankers	2019	SAE	0
5246	ARP6128	Unmanned Systems Terminology Based on the ALFUS Framework	2019	SAE	0
5247	ARP6167	Etching of Fluoropolymer Insulations	2019	SAE	0
5248	ARP6256	Magnesium Alloys in Aircraft Seats - Engineering Design and Fabrication Recommended Practices	2019	SAE	0
5249	ARP6262A	Basic Composite Repair Technician Certification Standard	2019	SAE	0
5250	ARP6265	Tire Burst Test Methodology	2019	SAE	0
5251	ARP6316A	Performance Standards for Oblique Facing Passenger Seats in Transport Aircraft	2019	SAE	0
5252	ARP6621	Predicting Photometric Degradation of Exterior Aircraft Lights	2019	SAE	0
5253	AS54A	TACHOMETER DRIVE - TYPE 1	2019	SAE	0
5254	AS462A	SHAFTS FOR BALL BEARING RETAINING SPANNER NUTS AND KEY WASHERS	2019	SAE	0
5255	AS506A	High Temperature Insulated Terminals & Splices	2019	SAE	0
5256	AS611F	Hose Assembly and Tubing, Polytetrafluoroethylene, Cleaning Methods for	2019	SAE	0
5257	AS707C	(R) Thermal Sensitive Inflation Pressure Release Devices for Tubeless Aircraft Wheels	2019	SAE	0
5258	AS871B	Manufacturing and Inspection Standards for Preformed Packings (O-Rings)	2019	SAE	0
5259	AS1050A	(R) DESIGN STANDARD, NUT, SELF-LOCKING, ACCESSORY MOUNTING	2019	SAE	0
5260	AS1072F	Sleeve, Hose Assembly, Fire Protection	2019	SAE	0
5261	AS1073B	SLEEVE HOSE ASSEMBLY, HEAT SHRINKABLE	2019	SAE	0
5262	AS1508A	Undercuts for Straight Screw Threads - Metric	2019	SAE	0
5263	AS1732F	BODY, COUPLING, RIGID, FIXED CAVITY, THREADED, FERRULE TYPE TUBE ENDS, TYPE I	2019	SAE	0
5264	AS1733F	BODY, COUPLING, RIGID, FIXED CAVITY, THREADED, FERRULE TYPE TUBE ENDS, TYPE II	2019	SAE	0
5265	AS2917-4	AEROSPACE STANDARD No . AS291 7Ī PLATE , MOD IF ICATION RECORD (Alum in ium wi th Moun ting Ho le Options)	2019	SAE	0
5266	AS2917AR-4	AMENDMENT RECORD No . AS291 7Ī -AR for Drawing S tandard No . AS291 7Ī	2019	SAE	0
5267	AS3062D	Bolts, Screws, and Studs, Screw Thread Requirements	2019	SAE	0
5268	AS3123B	PLUG, EXPANSION - ALUMINUM, 2024-T4 AND 2024-T351, SHORT; STD AND .010 OVERSIZE DIAMETERS, UNS A92024	2019	SAE	0
5269	AS3125C	PLUG, EXPANSION - CRES, 416 OR 416SE, LONG; STD AND .010 OVERSIZE DIAMETERS, UNS S41600/UNS S41623	2019	SAE	0
5270	AS3126C	PIN, EXPANSION - CRES, 416 OR 416SE, LONG, UNS S41600/UNS S41623	2019	SAE	0
5271	AS3127C	PLUG, EXPANSION - CRES, 416 OR 416SE, SHORT; STD AND .010 OVERSIZE DIAMETERS, UNS S41600/UNS S41623	2019	SAE	0
5272	AS3128C	PIN, EXPANSION - CRES, 416 OR 416SE, SHORT, UNS S41600/UNS S41623	2019	SAE	0
5273	AS3129C	PLUG, EXPANSION - CRES, 303, LONG, STD AND .010 OVERSIZE DIAMETERS, UNS S30300	2019	SAE	0
5274	AS3130C	PIN, EXPANSION - CRES, 303, LONG, UNS S30300	2019	SAE	0
5275	AS3131C	PLUG, EXPANSION - CRES, 303, SHORT; STD AND .010 OVERSIZE DIAMETERS, UNS S30300	2019	SAE	0
5276	AS3132C	PIN, EXPANSION - CRES, 303, SHORT, UNS S30300	2019	SAE	0
5277	AS3219B	Ring, Retaining, Spiral, Minimum Distortion, Dimensional and Acceptance Standard for	2019	SAE	0
5278	AS3262B	Nut, Self-Locking, Plate - 2 Lug, Floating, CBored, UNS S66286	2019	SAE	0
5279	AS3265A	WASHER - FLAT LOAD SPREADING, METRIC, AMS5525	2019	SAE	0
5280	AS3291A	NUT, SELF-LOCKING, DOUBLE HEXAGON, AMS5709 (UNS N07001), 180 KSI	2019	SAE	0
5281	AS3477B	NUT, SELF LOCKING - DOUBLE HEXAGON, EXTENDED WASHER, UNS S66286, SILVER PLATED, UNJ THREAD	2019	SAE	0

5282	AS3503	INSERT, SCREW THREAD, SELF LOCKING PLASTIC LOCKING DEVICE, SOLID FILM LUBRICATED, SELF-BROACHING KEYS, OVERSIZE UNS S66286	2019	SAE	0
5283	AS3506B	(R) Insert - Screw Thread, Thin Wall, Self-Locking, UNS N07718, Silver Plated, Class: 185 ksi/1025 ĩ°F, Procurement Specification	2019	SAE	0
5284	AS3507C	Insert - Thin Wall, Self-Locking Short and Long Length Installation and Removal of	2019	SAE	0
5285	AS3508A	INSERT - THIN WALL, SHORT AND LONG HOLE PREPARATION FOR	2019	SAE	0
5286	AS3544A	(R) STUD, LOCKED IN, KEY LOCKED, UNS S66286, 140 KSI/1200 ?F HEAVY-DUTY, SELF-BROACHING KEYS	2019	SAE	0
5287	AS3577A	PIN, SPRING - TUBULAR, COILED, STANDARD DUTY, UNS N07718	2019	SAE	0
5288	AS3580A	BOLT, MACHINE - DOUBLE HEX EXTENDED WASHER HEAD, PD SHANK, UNS N07718 - 185 KSI	2019	SAE	0
5289	AS3601A	NUT, FLOATING, SELF-LOCKING, ATTACHED RETENTION ELEMENT, 450 ĩ°F, 125 KSI FTU, UNS S66286	2019	SAE	0
5290	AS3602A	(R) NUT ELEMENT, ATTACHED RETENTION ELEMENT, 450 ĩ°F, 125 KSI FTU, UNS S66286	2019	SAE	0
5291	AS4372C	Performance Requirements for Wire, Electric, Insulated Copper or Copper Alloy	2019	SAE	0
5292	AS4389A	Nut - Self-Locking Clinch, Serrated Shank, Hole Preparation, Installation and Removal Procedures FSC 5310	2019	SAE	0
5293	AS4417A	(R) Nuts, Self-Locking, Alloy, Corrosion and Heat Resistant, High Strength, All Metal, Solid Film Lubricated, 1400 ĩ°F, Procurement Specification	2019	SAE	0
5294	AS4510-2A	(R) Fittings, Weld to Beam, Seal, Fluid Connection	2019	SAE	0
5295	AS4833A	Aircraft New Tire Standard - Bias and Radial	2019	SAE	0
5296	AS4892B	Insert, Screw Thread, Self-Locking, UNS S66286, Locked in, Key Locked Procurement Specification for FSC 5340	2019	SAE	0
5297	AS4950b	(R) Design and Performance Criteria Transport Aircraft Portable Megaphones	2019	SAE	0
5298	AS4976A	Insert, Screw Thread, Non-Locking, UNS S66286, Locked in, Key Locked Procurement Specification for FSC 5340	2019	SAE	0
5299	AS5133A	Nut, Floating, Attached Retention Element (A.R.E.) - Hole Dimensions and Installation Requirements	2019	SAE	0
5300	AS5259-1B	(R) CRIMPING TOOL AND ACCESSORIES, REMOTE CRIMP HEAD, HYDRAULIC, WIRE SIZE 8 TO 0000 FOR INSULATED AND UN-INSULATED CRIMP BARRELS	2019	SAE	0
5301	AS5259-6B	CRIMPING TOOL AND ACCESSORIES, INSPECTION GAGES, FOR AS5259 DIES	2019	SAE	0
5302	AS5259-7B	CRIMPING TOOL AND ACCESSORIES, DIES, WIRE SIZE 8 TO 0000 UN-INSULATED AND INSULATED CRIMP BARRELS	2019	SAE	0
5303	AS5261A	(R) Contact, Wire Barrel, Crimp Type	2019	SAE	0
5304	AS5276-1	Performance Standard for Child Restraint Systems in Transport Category Airplanes	2019	SAE	0
5305	AS5491D	Calculation of Electron Vacancy Number in Superalloys	2019	SAE	0
5306	AS5505A	Requirements for Accreditation of Testing Laboratories for Organic Coatings	2019	SAE	0
5307	AS5506-2	SAE Architecture Analysis and Design Language (AADL) Annex Volume 2: Annex B: Data Model Annex Annex D: Behavior Model Annex Annex F: ARINC653	2019	SAE	0
5308	AS5506-4	Architecture Analysis & Design Language (AADL) Annex F: AADL Annex for the FACETM Technical Standard Edition 3.0	2019	SAE	0
5309	AS5643-1A	(R) S400 Copper Media Interface Characteristics Over Extended Distances	2019	SAE	0
5310	AS5669A	(R) JAUS / SDP Transport Specification	2019	SAE	0
5311	AS5680B	Fuze Well Mechanical Interface	2019	SAE	0
5312	AS5752	Aerospace - Visual Inspection Standard for Elastomeric Sealing Elements Other than O-Rings	2019	SAE	0
5313	AS5756-4B	CABLE, ELECTRICAL, 600 VOLTS, PORTABLE, MULTICONDUCTOR, OZONE RESISTANT	2019	SAE	0
5314	AS5887	Insert, Screw Thread, Self-Locking, UNS S66286, Locked In, Key Locked Procurement Specification For	2019	SAE	0
5315	AS5942	Marking of Electrical Insulating Materials	2019	SAE	0
5316	AS5964B	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE CRES BRAID REINFORCED, 400 ?F, 5080 PSI FLARELESS, 45? ELBOW TO 45? ELBOW	2019	SAE	0

5317	AS5965B	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE CRES BRAID REINFORCED, 400 ?F, 5080 PSI FLARELESS, 45? ELBOW TO 90? ELBOW	2019	SAE	0
5318	AS5966B	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE CRES BRAID REINFORCED, 400 ?F, 5080 PSI FLARELESS, 90? ELBOW TO 90? ELBOW	2019	SAE	0
5319	AS6013B	HOSE ASSEMBLY, POLYTETRAFLUORETHYLENE, PARA ARAMID REINFORCED, 275 ?F, 4000 MAX PSI, FLARELESS, TITANIUM FITTINGS, STRAIGHT TO STRAIGHT	2019	SAE	0
5320	AS6014B	HOSE ASSEMBLY, POLYTETRAFLUOROTHYLENE, PARA ARAMID REINFORCED, 275 ?F, 4000 PSI MAX, FLARELESS, TITANIUM FITTINGS, STRAIGHT TO 45 DEGREE	2019	SAE	0
5321	AS6015B	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PARA ARAMID REINFORCED, 275 ?F, 4000 PSI MAX, FLARELESS, TITANIUM FITTINGS, STRAIGHT TO 90 DEGREES	2019	SAE	0
5322	AS6057A	(R) JAUS Manipulator Service Set	2019	SAE	0
5323	AS6070-8A	CABLE, LIGHTWEIGHT OPTIMIZED HIGH SPEED DATA QUAD, 110 OHM, 200 ?C	2019	SAE	0
5324	AS6091	JAUS Unmanned Ground Vehicle Service Set	2019	SAE	0
5325	AS6135A	Interface Standard, Airborne EO/IR Systems, Data	2019	SAE	0
5326	AS6165A	Interface Standard, Airborne EO/IR Systems, Maintenance and Test	2019	SAE	0
5327	AS6169A	AS6169: Interface Standard, Airborne EO/IR Systems, Mechanical	2019	SAE	0
5328	AS6173-1A	CUTTING TOOL (MINIATURE) ELECTRICAL, WIRE CUTTING, HAND ACTUATED, TYPE 1, WIRE SIZES 26 THROUGH 16	2019	SAE	0
5329	AS6224-2	REPAIR SLEEVE, LARGE WIRE/CABLE INSULATION DAMAGE, ELECTRIC, PERMANENT, ENVIRONMENT RESISTANT, 260 ?C MAXIMUM OPERATING TEMPERATURE, TYPE II	2019	SAE	0
5330	AS6286-1A	Processes Including Methods	2019	SAE	0
5331	AS6286-2A	Equipment	2019	SAE	0
5332	AS6286-3A	Fluids	2019	SAE	0
5333	AS6286-4A	Weather	2019	SAE	0
5334	AS6286-5A	Health, Safety and First Aid	2019	SAE	0
5335	AS6286-6A	Deicing/Anti-Icing Diagrams/No Spray Zones	2019	SAE	0
5336	AS6294-3	Requirements for Plastic Encapsulated Discrete Semiconductors in Space Applications	2019	SAE	0
5337	AS6294-4	Requirements for Plastic Encapsulated Discrete Semiconductors in Military and Avionics Applications	2019	SAE	0
5338	AS6450B	Lubricant Application, Solid Film, Heat Cured, Potable Water, Hydraulic, and Other Fluid Systems	2019	SAE	0
5339	AS6494	FITTING, TEE, SWIVEL NUT TO MALE FLARELESS ON RUN, EXTERNAL SWAGE ON SIDE	2019	SAE	0
5340	AS7245B	Inserts, Screw Thread, Helical Coil 19Cr-9.2Ni, Corrosion Resistant Steel, Procurement Specification for FSC 5340	2019	SAE	0
5341	AS7413A	Coupling Assemblies, Quick Disconnect, Automatic Shutoff	2019	SAE	0
5342	AS7431B	BRACKET, SUPPORT CLAMP	2019	SAE	0
5343	AS7928-11D	TERMINAL, LUG, CRIMP STYLE, COPPER, UNINSULATED, RING TONGUE, TIN WHISKER RESISTANT, TYPE I, CLASS I, FOR 150 ?C TOTAL CONDUCTOR TEMPERATURE	2019	SAE	0
5344	AS8091A	(R) Aircraft Jacking Pads Adapters and Sockets Design and Installation of	2019	SAE	0
5345	AS8690-699-4	AEROSPACE STANDARD No . AS8690 -699¡ WASHER, CUP , LOCK Unified sizes , Corrosion Resisting Steel , Unplated	2019	SAE	0
5346	AS8690AR-4	AMENDMENT RECORD No . AS8690¡ -AR for Drawing Standard No . AS8690 -699¡	2019	SAE	0
5347	AS9006B	Deliverable Aerospace Software Supplement for AS9100A Quality Management Systems - Aerospace - Requirements for Software (Based on AS9100A)	2019	SAE	0
5348	AS9245B	PIN, COTTER - CRES, UNS S32100, AS7211	2019	SAE	0
5349	AS9276B	(R) WASHER, KEY - 180 DEG, LOCKING, CRES, UNS S32100	2019	SAE	0
5350	AS9318B	RIVET, SOLID - 100? FLUSH HEAD, MONEL UNS N04400	2019	SAE	0

5351	AS9319B	RIVET, SOLID - UNIVERSAL HEAD, MONEL UNS N04400	2019	SAE	0
5352	AS9360C	NUT, PLAIN, HEXAGON - DRILLED, SILVER PLATED - UNS S66286, 130 KSI MIN	2019	SAE	0
5353	AS9361B	NUT, PLAIN, HEXAGON, CHECK, UNS S66286 130 KSI MIN	2019	SAE	0
5354	AS9374C	GASKET - METAL O-RING, .094 TUBE X .006 WALL, SILVER PLATED, CRES - UNS S32100	2019	SAE	0
5355	AS9390D	PIN, STRAIGHT, HEADLESS, DOWEL - CORROSION AND HEAT RESISTANT STEEL (UNS S66286), STANDARD AND OVERSIZE	2019	SAE	0
5356	AS9403A	RIVET, SOLID - UNIVERSAL HEAD, AMS5737	2019	SAE	0
5357	AS9549A	WASHER, FLAT - AMS5510	2019	SAE	0
5358	AS9581B	(R) WASHER, KEY - 90 DEG, LOCKING, CRES, UNS S32100	2019	SAE	0
5359	AS9582C	WASHER, KEY - 270 DEG, LOCKING, CRES, UNS S32100	2019	SAE	0
5360	AS9592C	BRACKET, ANGLE, 90?, CRES UNS S32100, .190 BOLT	2019	SAE	0
5361	AS9676B	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, CUP WASHER LOCKED, CRES, UNS S66286, 130 KSI MIN, .1900-32 UNJF-3A	2019	SAE	0
5362	AS9677B	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, CUP WASHER LOCKED, CRES, UNS S66286, 130 KSI MIN, .2500-28 UNJF-3A	2019	SAE	0
5363	AS9768	WASHER, FLAT, COUNTERSUNK CORROSION AND HEAT RESISTANT STEEL (UNS S66286)	2019	SAE	0
5364	AS9846B	PIN, STRAIGHT, HEADED, .3124 DIAMETER, UNS S41800	2019	SAE	0
5365	AS9847B	PIN, STRAIGHT, HEADED, .3749 DIAMETER, UNS S41800	2019	SAE	0
5366	AS9848B	PIN, STRAIGHT, HEADED, .49999 DIAMETER, UNS S41800	2019	SAE	0
5367	AS9880A	WASHER, CUP, LOCK - CRES AMS5510	2019	SAE	0
5368	AS10081B	TERMINAL SHANK-SWAGING, DIMENSIONS FOR	2019	SAE	0
5369	AS20708C	Synchros, General Specification fo	2019	SAE	0
5370	AS21428-1B	BEARING, BALL, AIRFRAME, ANTI-FRICTION, EXTRA LIGHT DUTY, PRECISION CORROSION RESISTANT NITROGEN STEEL (CREN)	2019	SAE	0
5371	AS22520-1B	CRIMPING TOOLS, TYPE I, TERMINAL, HAND, WIRE TERMINATION FOR WIRE BARREL SIZES 12 THROUGH 22 AND COAXIAL INNER CONTACTS	2019	SAE	0
5372	AS22520-4	CRIMPING TOOLS, TYPE II, CONTACT, ELECTRIC, HAND FOR SHIELDED OUTER CONTACTS	2019	SAE	0
5373	AS22520-6B	CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION; IN-SERVICE INSPECTION GAGES FOR TYPE II AS22520/5, /10, AND MIL-T-22520/32 (CANCEL) CRIMP TOOLS	2019	SAE	0
5374	AS22520-19A	CRIMPING TOOL, TYPE 2, TERMINAL, HAND, WIRE TERMINATION FOR SIZE 16 SHIELDED CONTACTS (OUTER CONTACT)	2019	SAE	0
5375	AS22520-20A	CRIMPING TOOL, TYPE 2, TERMINAL, HAND, WIRE TERMINATION FOR SIZE 16 SHIELDED CONTACTS (SHIELD CRIMP SLEEVE)	2019	SAE	0
5376	AS22520-21A	CRIMPING TOOL, TYPE 2, TERMINAL, HAND, WIRE TERMINATION FOR SIZE 12 SHIELDED CONTACTS (OUTER CONTACT)	2019	SAE	0
5377	AS22520-22A	CRIMPING TOOL, TYPE 2, TERMINAL, HAND, WIRE TERMINATION FOR SIZE 12 SHIELDED CONTACTS (SHIELD CRIMP SLEEVE)	2019	SAE	0
5378	AS22520-30	CRIMPING TOOLS, TERMINAL, HAND OR POWER ACTUATED, WIRE TERMINATION, ACCESSORY HARDWARE FOR AS22520/28 AND AS22520/29 TOOLS	2019	SAE	0
5379	AS22520-31	CRIMPING TOOL, TYPE 2, TERMINAL, HAND, FOR SHIELDED SIZE 12 OUTER CONTACTS	2019	SAE	0
5380	AS22520-48	CRIMP TOOLS, TYPE 1, HAND OR POWER ACTUATED, WIRE TERMINATION, HYDRAULIC TOOL FOR WIRE BARREL SIZES 0000 THROUGH 8	2019	SAE	0
5381	AS22759-16A	(R) WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED ETFE, MEDIUM WEIGHT, TIN-COATED COPPER CONDUCTOR, 600-VOLT, 150 ?C, ROHS	2019	SAE	0

5382	AS22759-17A	(R) WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED ETFE, MEDIUM WEIGHT, SILVER-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600-VOLT, 150 ?C, ROHS	2019	SAE	0
5383	AS22759-18A	(R) WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED ETFE, LIGHT WEIGHT, TIN-COATED COPPER CONDUCTOR, 600-VOLT, 150 ?, ROHS	2019	SAE	0
5384	AS22759-19A	(R) WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED ETFE, LIGHT WEIGHT, SILVER-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600-VOLT, 150 ?C, ROHS	2019	SAE	0
5385	AS22759-28B	WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, POLYIMIDE COATED, SILVER-COATED COPPER CONDUCTOR, 600-VOLT, ROHS	2019	SAE	0
5386	AS22759-29B	WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, POLYIMIDE COATED, NICKEL-COATED COPPER CONDUCTOR, 600-VOLT, ROHS	2019	SAE	0
5387	AS22759-30B	WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED EXTRUDED TFE, POLYIMIDE COATED, SILVER-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600-VOLT, ROHS	2019	SAE	0
5388	AS22759-31B	WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, POLYIMIDE COATED, NICKEL-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600-VOLT, ROHS	2019	SAE	0
5389	AS22759-180A	R) WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYIMIDE INSULATED, SMOOTH SURFACE, LIGHT WEIGHT, TIN-COATED COPPER CONDUCTOR, 150 ?C, 600 VOLTS ROHS	2019	SAE	0
5390	AS22759-181A	(R) WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYMIDE INSULATED, SMOOTH SURFACE, LIGHT WEIGHT, SILVER-COATED HIGH STRENGTH OR ULTRA HIGH STRENGTH COPPER ALLOY, 200 ?C, 600 VOLTS ROHS	2019	SAE	0
5391	AS22759-182A	(R) WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYMIDE INSULATED, SMOOTH SURFACE, LIGHT WEIGHT, NICKEL-COATED HIGH STRENGTH OR ULTRA HIGH STRENGTH COPPER ALLOY, 260 ?C, 600 VOLTS ROHS	2019	SAE	0
5392	AS22759-189A	(R) WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYIMIDE INSULATED, SMOOTH SURFACE, NORMAL WEIGHT, SILVER-COATED HIGH STRNGTH OR ULTRA HIGH STRENGTH COPPER ALLOY, 200 ?C, 600 VOLTS ROHS	2019	SAE	0
5393	AS22759-190A	(R) WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYIMIDE INSULATED, SMOOTH SURFACE, NORMAL WEIGHT, NICKEL-COATED HIGH STRNGTH OR ULTRA HIGH STRENGTH COPPER ALLOY, 260 ?C, 600 VOLTS ROHS	2019	SAE	0
5394	AS22759-191A	(R) WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYIMIDE INSULATED, SMOOTH SURFACE, LIGHT WEIGHT, SILVER-COATED COPPER CONDUCTOR, 200 ?C, 600 VOLTS ROHS	2019	SAE	0
5395	AS22759-192A	(R) WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYIMIDE INSULATED, SMOOTH SURFACE, LIGHT WEIGHT, NICKEL-COATED COPPER CONDUCTOR, 260 ?C, 600 VOLTS ROHS	2019	SAE	0
5396	AS23053-2A	INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, POLYVINYL CHLORIDE, SEMI RIGID, CROSSLINKED AND NON-CROSSLINKED	2019	SAE	0
5397	AS23053-3	INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, POLYVINYL CHLORIDE, SEMI RIGID, CROSSLINKED AND NON-CROSSLINKED	2019	SAE	0
5398	AS23053-17	INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, FLAME RETARDED, MODIFIED POLYOLEFIN, FLEXIBLE, CROSSLINKED	2019	SAE	0
5399	AS23190-4D	(R) MOUNTING HARDWARE, CUSHION CLAMP, METAL FOR CABLE HARNESS TYING AND SUPPORT, TYPE V, CLASS 1	2019	SAE	0
5400	AS24122A	WIRING HARNESS - EXTERNAL POWER, 115 VOLT AC, SINGLE PHASE	2019	SAE	0
5401	AS26574A	CIRCUIT BREAKER - TRIP-FREE, PUSH-PULL, 1/2 THRU 20 AMP, TYPE I	2019	SAE	0
5402	AS27195B	SEAL, BONDED, ALUMINIM ALLOY 6061-T6, AMS4027, MOLD IN GROOVE, NBR RUBBER, AMS-R-7362	2019	SAE	0
5403	AS27196C	SEAL, BONDED, 302 CORROSION RESISTANT STEEL, AMS5516, MOLD IN GROVE, FLUOROCARBON RUBBER, AMS7276	2019	SAE	0
5404	AS27197C	SEAL, BONDED, 302 CORROSION RESISTANT STEEL, AMS5516, MOLD IN GROOVE, SILICONE RUBBER, AMS7268	2019	SAE	0

5405	AS27198C	SEAL, BONDED, 302 CORROSION RESISTANT STEEL, AMS5516, MOLD IN GROOVE, FLUOROSILICONE RUBBER, MIL-DTL-25988	2019	SAE	0
5406	AS28775A	(R) PACKING, PREFORMED - MS28775 O-RING	2019	SAE	0
5407	AS31001B	CONNECTOR, RECEPTACLE, ELECTRIC, WALL MOUNTING, SOLDER CONTACTS, AN TYPE	2019	SAE	0
5408	AS31371B	(R) CONNECTOR, PLUG, ELECTRIC, SOLDER TYPE, PUSH-PULL COUPLING SERIES 1 (CLASS E, P, AND J)	2019	SAE	0
5409	AS33704	INSERT ARRANGEMENTS, ELECTRICAL CONNECTOR, SHELL SIZE 61 (FOR AS81703 CONNECTORS)	2019	SAE	0
5410	AS34541B	CONNECTORS, RECEPTACLE, ELECTRICAL, JAM NUT MOUNTING, REAR RELEASE CRIMP CONTACT, AN TYPE	2019	SAE	0
5411	AS39029-16B	(R) CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR AS81511 SERIES 4 CONNECTORS)	2019	SAE	0
5412	AS39029-37B	(R) CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-DTL-28748/10 CONNECTORS)	2019	SAE	0
5413	AS39029-45D	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR AS50151 SERIES AS34001 AND AS95234 CONNECTORS)	2019	SAE	0
5414	AS39029-47B	(R) CONTACTS, ELECTRICAL CONNECTOR, PIN CRIMP REMOVABLE (FOR AS81511 SERIES 1 & 2 CONNECTORS)	2019	SAE	0
5415	AS39029-64C	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR MIL-DTL-24308 CONNECTORS)	2019	SAE	0
5416	AS39029-69B	(R) CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, FOR AS85028 CONNECTORS	2019	SAE	0
5417	AS39029-93B	(R) CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR MIL-DTL-83527, CONNECTOR)	2019	SAE	0
5418	AS50861-1A	(R) WIRE, ELECTRICAL, POLYVINYL CHLORIDE INSULATED, POLYAMIDE JACKET, TIN-COATED COPPER CONDUCTOR, 600-VOLT, 105 ?C	2019	SAE	0
5419	AS50861-2A	R) WIRE, ELECTRICAL, POLYVINYL CHLORIDE INSULATED, PVC-GLASS-POLYAMIDE, TIN-COATED COPPER CONDUCTOR, 600-VOLT, 105 ?C	2019	SAE	0
5420	AS50861-7A	(R) WIRE, ELECTRICAL, POLYVINYL CHLORIDE INSULATED, POLYAMIDE JACKET, TIN-COATED COPPER CONDUCTOR, MEDIUM WEIGHT, 600-VOLT, 105 ?C	2019	SAE	0
5421	AS58091-1A	(R) CIRCUIT BREAKER, AIRCRAFT, TRIP-FREE PUSH PULL, TYPE I, DUAL SAFETY, -55 THRU +121 ?C	2019	SAE	0
5422	AS60491-1	SLEEVE, CHAFE-PROTECTION, WRAP-AROUND, SELF-CLOSING (-55 TO +200 ?C)	2019	SAE	0
5423	AS60491-2	SLEEVE, CHAFE-PROTECTION, WRAP-AROUND, SELF-CLOSING (-55? TO +260?C)	2019	SAE	0
5424	AS60491-3	SLEEVE, CHAFE-PROTECTION, EXPANDABLE (-55 TO +200 ?C)	2019	SAE	0
5425	AS60491-4	SLEEVE, CHAFE-PROTECTION, HIGH ABRASION EXPANDABLE (-55 TO +200 ?C)	2019	SAE	0
5426	AS60491-5	SLEEVE, CHAFE-PROTECTION, EXPANDABLE (-55 TO +240 ?C)	2019	SAE	0
5427	AS81044-13B	WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, SILVER-COATED HIGH STRENGTH COPPER ALLOY, LIGHT WEIGHT, 600-VOLT, 150 ?C	2019	SAE	0
5428	AS81511-13	ACCESSORY, F ADAPTER, ROTATABLE, CONNECTOR ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, TYPE 1, (SERIES 1 OR 2)	2019	SAE	0
5429	AS81511-14	ACCESSORY, ADAPTER, STRAIGHT, CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING	2019	SAE	0
5430	AS81511-16	ACCESSORY, CAP, PROTECTIVE LOCKING, CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIORNMENT RESISTING	2019	SAE	0
5431	AS81511-18	ACCESSORY, COVER, PROTECTIVE, RECEPTACLE, CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING (SERIES 1 OR 2)	2019	SAE	0
5432	AS81511-19	ACCESSORY, DUMMY STOWAGE RECEPTACLE, CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING (FOR SERIES 2 CONNECTORS)	2019	SAE	0
5433	AS81714-17B	(R) TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, BUSSING MODULES, FEEDBACK TYPE, SIZE 22D, SERIES I	2019	SAE	0

5434	AS81714-63D	(R) TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, GROUNDING MODULES, STUD AND FLANGE TYPE MOUNTING, SERIES II	2019	SAE	0
5435	AS81714-65A	(R) TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, WIRE IN-LINE JUNCTIONS, SERIES II	2019	SAE	0
5436	AS81790-1	CONNECTOR, RECEPTACLE, EXTERNAL ELECTRIC POWER, AIRCRAFT, 270 VDC, 90 KW	2019	SAE	0
5437	AS81914-1A	TUBING, PLASTIC, FLEXIBLE, CONVOLUTED HELICAL, POLYTETRAFLUOROETHYLENE (PTFE) STANDARD CONVOLUTIONS	2019	SAE	0
5438	AS81914-2B	TUBING, PLASTIC, EXTRA FLEXIBLE, CONVOLUTED HELICAL, POLYTETRAFLUOROETHYLENE (PTFE) CLOSE CONVOLUTIONS	2019	SAE	0
5439	AS81914-8B	TUBING, PLASTIC, FLEXIBLE, CONVOLUTED, ANNULAR POLYVINYLIDENE FLUORIDE (PVDF), THERMALLY STABILIZED, STANDARD CONVOLUTIONS	2019	SAE	0
5440	AS81969-1B	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE III, CLASS 2, COMPOSITION C	2019	SAE	0
5441	AS81969-3A	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE II, CLASS 1, COMPOSITION C	2019	SAE	0
5442	AS81969-17A	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE I, CLASS 1, COMPOSITION C	2019	SAE	0
5443	AS81969-19A	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE II, CLASS 1, COMPOSITION C	2019	SAE	0
5444	AS81969-33	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE I, CLASS 1, COMPOSITION A	2019	SAE	0
5445	AS81969-34	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE II, CLASS 1, COMPOSITION A (FOR MIL-DTL-28840 CONNECTORS)	2019	SAE	0
5446	AS83519-3A	SHIELD TERMINATION, SOLDER STYLE, INSULATED, HEAT-SHRINKABLE, ENVIRONMENT RESISTANT WITH PREINSTALLED BRAID, CLASS 1, NON-ROHS	2019	SAE	0
5447	AS83519-4	TERMINATION, SOLDER STYLE, INSULATED, HEAT-SHRINKABLE, ENVIRONMENT RESISTANT WITH MULTIPLE OPENING SEALANT, 150 ?C AND 200 ?C	2019	SAE	0
5448	AS83519-5A	SHIELD TERMINATION, SOLDER STYLE, INSULATED, HEAT-SHRINKABLE, ENVIRONMENT RESISTANT WITH PREINSTALLED BRAID, NI PLATED, CLASS 1, ROHS	2019	SAE	0
5449	AS85049-1B	(R) CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, CABLE SEALING, STRAIGHT, GROUNDING (WITHOUT STRAIN RELIEF), CATEGORY 1C (FOR AS50151 SOLDER TYPE, V THREAD OF AS310XX CLASSES A, B, C, OR K CONNECTORS, AS95234 CONNECTORS)	2019	SAE	0
5450	AS85049-2B	(R) CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, CABLE SEALING, STRAIGHT, CATEGORY 1C (FOR AS50151 SOLDER TYPE, V THREAD OF AS310XX CLASSES A, B, C, OR K CONNECTORS, AS95234 CONNECTORS)	2019	SAE	0
5451	AS85049-3D	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, CABLE SEALING, STRAIGHT, CATEGORY 1A (FOR MIL-DTL-22992 CONNECTORS, CLASSES C, J, AND R)	2019	SAE	0
5452	AS85049-4E	(R) CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, CABLE SEALING, STRAIGHT, SET-UP, CATEGORY 1A (FOR MIL-DTL-22992 CONNECTORS, CLASSES C, J, AND R)	2019	SAE	0
5453	AS85049-5D	(R) CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL CABLE SEALING, STRAIGHT, STEP-DOWN, CATEGORY 1A (FOR MIL-DTL-22992 CONNECTORS, CLASSES C, J, AND R)	2019	SAE	0
5454	AS85049-14C	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, STRAIGHT, NON-SELF-LOCKING AND SELF-LOCKING, CATEGORY 3B (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2019	SAE	0
5455	AS85049-15D	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 45?, NON-SELF-LOCKING AND SELF-LOCKING, CATEGORY 4C (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2019	SAE	0
5456	AS85049-16D	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90?, NON-SELF-LOCKING AND SELF-LOCKING, CATEGORY 4C (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2019	SAE	0

5457	AS85049-24D	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, 90?, SHIELD TERMINATION, CATEGORY 3A (FOR AS50151 CRIMP, AS95234, MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, AND MIL-DTL-83723 SERIES III CONNECTORS)	2019	SAE	0
5458	AS85049-27B	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, SELF-LOCKING AND NON-SELF-LOCKING, CATEGORY 3B (FOR MIL-DTL-38999 SERIES I AND II CONNECTORS)	2019	SAE	0
5459	AS85049-31B	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, NON-SELF-LOCKING AND SELF-LOCKING, CATEGORY 3B (FOR MIL-DTL-5015 CRIMP, MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, AND MIL-DTL-83723 SERIES III CONNECTORS)	2019	SAE	0
5460	AS85049-37C	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, SPLIT 90?, EMI/RFI SHIELDED TERMINATION, CATEGORY 3B (FOR MIL-DTL-38999 SERIES I AND II CONNECTORS)	2019	SAE	0
5461	AS85049-43B	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, NONENVIRONMENTAL, SELF-LOCKING AND NON-SELF-LOCKING, 45?, CATEGORY 4B (FOR MIL-DTL-5015 CRIMP, MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, AND MIL-DTL-83723 SERIES III CONNECTORS)	2019	SAE	0
5462	AS85049-50E	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90?, CATEGORY 4C (FOR MIL-DTL-24308 CONNECTORS)	2019	SAE	0
5463	AS85049-51F	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, NONENVIRONMENTAL, 90?, SELF-LOCKING AND NON-SELF-LOCKING CATEGORY 4B (FOR AS50151 CRIMP, AS95234, MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, AND MIL-DTL-83723 SERIES III CONNECTORS)	2019	SAE	0
5464	AS85049-56C	CONNECTOR ACCESSORIES, ELECTRICAL, STRAINRELIEF, STRAIGHT, CATEGORY 4C (MIL-DTL-38999 SERIES I AND II CONNECTORS)	2019	SAE	0
5465	AS85049-57E	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 45?, SELF-LOCKING AND NON-SELF-LOCKING, CATEGORY 4C (MIL-DTL-38999 SERIES I AND II CONNECTORS)	2019	SAE	0
5466	AS85049-59B	(R) CONNECTOR ACCESSORIES, ELECTRICAL, ADAPTER, SHRINK BOOT, CATEGORY 5 (FOR MIL-DTL-22992 CONNECTORS, CLASSES C, J, AND R)	2019	SAE	0
5467	AS85049-62C	CONNECTOR ACCESSORIES, ELECTRICAL ADAPTER, SHRINK BOOT, CATEGORY 5 (FOR MIL-DTL-38999 SERIES I AND II CONNECTORS)	2019	SAE	0
5468	AS85049-63E	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90?, SELF-LOCKING AND NON-SELF-LOCKING, CATEGORY 4C (MIL-DTL-38999 SERIES I AND II CONNECTORS)	2019	SAE	0
5469	AS85049-82D	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, STRAIGHT, SELF-LOCKING, SHIELD BAND TERMINATION (RFI/EMI), SHRINK SLEEVE ACCOMMODATION, CATEGORY 3B (FOR AS50151 CRIMP, MIL-DTL-26482 SERIES 2, AS81703 SERIES 3 AND MIL-DTL-83723 SERIES III CONNECTORS)	2019	SAE	0
5470	AS85049-83D	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, 45?, SELF LOCKING, SHIELD, BAND TERMINATION, (RFI/EMI), SHRINK SLEEVE ACCOMMODATION, CATEGORY 3B (FOR AS50151 CRIMP, AS95234, MIL-DTL 26482 SERIES 2, AS81703 SERIES 3 AND MIL-DTL-83723 SERIES III ONNECTORS)	2019	SAE	0
5471	AS85049-85D	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, STRAIGHT, SELF-LOCKING, SHIELD BAND TERMINATION (RFI/EMI), SHRINK BOOT ACCOMMODATION, CATEGORY 3B (FOR MIL-DTL-38999 SERIES I AND II CONNECTORS)	2019	SAE	0
5472	AS85049-86D	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, 45?, SELF-LOCKING, SHIELD BAND TERMINATION, (RFI/EMI), SHRINK SLEEVE ACCOMMODATION. CATEGORY 3B (FOR MIL-DTL-38999 SERIES I AND II CONNECTORS)	2019	SAE	0
5473	AS85049-87E	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, 90?, SELF-LOCKING, SHIELD BAND TERMINATION (RFI/EMI), SHRINK SLEEVE ACCOMMODATION, CATEGORY 3B (FOR MIL-DTL-38999 SERIES I AND II CONNECTORS)	2019	SAE	0
5474	AS85049-88E	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, STRAIGHT, SELF-LOCKING, SHIELD BAND TERMINATION (RFI/EMI), SHRINK BOOT ACCOMMODATION, CATEGORY 3B (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2019	SAE	0
5475	AS85049-89E	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, 45?, SELF-LOCKING, SHIELD BAND TERMINATION (RFI/EMI), SHRINK SLEEVE ACCOMMODATION, CATEGORY 3B (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2019	SAE	0

5476	AS85049-90E	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, 90?, SELF-LOCKING, SHIELD BAND TERMINATION, (RFI/EMI), SHRINK SLEEVE ACCOMMODATION, CATEGORY 3B (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2019	SAE	0
5477	AS85049-121B	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, STRAIGHT SELF-LOCKING, AND NON-SELF-LOCKING, CATEGORY 4C (FOR MIL-DTL-38999 SERIES I AND II CONNECTORS)	2019	SAE	0
5478	AS85049-128G	SHIELD BAND, CONNECTOR ACCESSORIES, ELECTRICAL BACKSHELL, CATEGORY 7 (FOR AS85048/82 - /90, /93, /109 - /117 ACCESSORIES)	2019	SAE	0
5479	AS85049-144B	CONNECTOR ACCESSORIES, ELECTRICAL BACKSHELL, STRAIGHT, NON-SELF LOCKING AND SELF LOCKING, MS ôV¤ THREAD, CATEGORY 3B (FOR MIL-DTL-83723 SERIES III, AS50151 SERIES II AND III, AS81703 SERIES III, MIL-DTL-26482 SERIES II AND AS95234 CONNECTORS)	2019	SAE	0
5480	AS85049-145B	CONNECTOR ACCESSORIES, ELECTRICAL BACKSHELL, 45?, NON-SELF LOCKING AND SELF LOCKING, MS ôV¤ THREAD, CATEGORY 3B (FOR MIL-DTL-83723 SERIES III, AS50151 SERIES II AND III, AS81703 SERIES III, MIL-DTL-26842 SERIES II AND AS95234 CONNECTORS)	2019	SAE	0
5481	AS85049-146B	CONNECTOR ACCESSORIES, ELECTRICAL BACKSHELL, 90? NON-SELF LOCKING AND SELF LOCKING, MS ôV¤ THREAD, CATEGORY 3B (FOR MIL-DTL-83723 SERIES III, AS50151 SERIES II & III, AS81703 SERIES III, MIL-DTL-26482 SERIES II AND AS95234 CONNECTORS)	2019	SAE	0
5482	AS85049-148	INDIVIDUAL SHIELD TERMINATION, CONNECTOR, ELECTRICAL (CATEGORY 9)	2019	SAE	0
5483	AS85049-150A	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, REPOSITIONABLE TO STRAIGHT, 45? AND 90?, ENVIRONMENTAL, CABLE SEALING, SHIELD TERMINATION, CATEGORY 1A, (FOR MIL-DTL-83723 SERIES III, AS50151 CRIMP, AS81703 SERIES 3, MIL-DTL-26482 SERIES 2, AND AS95234 C	2019	SAE	0
5484	AS85560-1C	BEARING, FIBER REINFORCED PLASTIC, SLEEVE, PLAIN, SELF-LUBRICATING, +250 ?F	2019	SAE	0
5485	AS85560-2C	BEARING, FIBER REINFORCED PLASTIC, SLEEVE, FLANGED, SELF-LUBRICATING, +250 ?F	2019	SAE	0
5486	AS95234-2	CONNECTOR, RECEPTACLE, SQUARE FLANGE, REVERSE BAYONET COUPLING, BOX MOUNT, FRONT, NO ACCESSORY THREAD	2019	SAE	0
5487	AS95234-3	CONNECTOR, RECEPTACLE, REVERSE BAYONET COUPLING, SQUARE FLANGE, BOX MOUNT, REAR, NO ACCESSORY THREAD	2019	SAE	0
5488	AS95234-4	CONNECTOR, RECEPTACLE, REVERSE BAYONET COUPLING, SQUARE FLANGE, PANEL MOUNT, FRONT, WITH ACCESSORY THREAD	2019	SAE	0
5489	AS95234-5	CONNECTOR, RECEPTACLE, REVERSE BAYONET COUPLING, SQUARE FLANGE, PANEL MOUNT, REAR, WITH ACCESSORY THREAD	2019	SAE	0
5490	AS95234-7	CONNECTOR, RECEPTACLE, REVERSE BAYONET COUPLING, JAM NUT	2019	SAE	0
5491	AS95234-8	CONNECTOR, RECEPTACLE, REVERSE BAYONET COUPLING, JAM NUT, WITH ACCESSORY THREADS	2019	SAE	0
5492	AS95234-10	PROTECTIVE COVER, CONNECTOR PLUG, REVERSE BAYONET COUPLING	2019	SAE	0
5493	AS95234-11	AEROSPACE STANDARD PROTECTIVE COVER, CONNECTOR RECEPTACLE, REVERSE BAYONET COUPLING	2019	SAE	0
5494	AS95234-12	CONNECTOR RECEPTACLE, REVERSE BAYONET COUPLING, DUMMY STOWAGE	2019	SAE	0
5495	AS95234-13	CONNECTOR RECEPTACLE, REVERSE BAYONET COUPLING, BULKHEAD FEED-THRU	2019	SAE	0
5496	AS123151B - AS123300B	RIVET, UNIVERSAL HEAD, HIGH TEMPREATURE, 347 CRES UNS S34700	2019	SAE	0
5497	AS123451C - AS123600C	RIVET, SOLID, 100? FLUSH HEAD, HIGH TEMPERATURE, 347 CRES, UNS S34700	2019	SAE	0
5498	AS123751C - AS123850C	PIN, COTTER - CRES, UNS S30200, AS7210	2019	SAE	0
5499	AS126881B - AS127192B	STUD - STRAIGHT, NECKED, .3750-16UNS X .3750-24UNF-3A	2019	SAE	0
5500	AS127193B - AS127492B	STUD - STRAIGHT, WAISTED, .4375-14 X .4375-20UNF-3A	2019	SAE	0

5501	AS128363B - AS128686B	STUD - STRAIGHT, DRILLED, .2500-20UNS X .2500-28UNF-3A	2019	SAE	0
5502	AS128687B - AS128998B	STUD - STRAIGHT, DRILLED, .3125-18UNS X .3125-24UNF-3A	2019	SAE	0
5503	AS129293B - AS129604B	(R) STUD - STRAIGHT, DRILLED, STEEL (SAE 8740), CADMIUM PLATED, .3750-16UNS X .3750-24UNF-3A	2019	SAE	0
5504	AS172321B - AS172370B	(R) NUT, SPANNER, AERONAUTICAL, UNS G41400	2019	SAE	0
5505	DIN SAE SPEC 91381	DIN SAE SPEC 91381	2019	SAE	0
5506	J96	Flashing Warning Lamp for Industrial Equipment	2019	SAE	0
5507	J107	Operator Controls and Displays on Motorcycles	2019	SAE	0
5508	J119	Fiberboard Crease Bending Test - January 1982	2019	SAE	0
5509	J138	Film Analysis Guides for Dynamic Studies of Test Subjects	2019	SAE	0
5510	J156	Fusible Links	2019	SAE	0
5511	J513	(R) Refrigeration Tube Fittings	2019	SAE	0
5512	J712	Industrial and Agricultural Disc Wheels	2019	SAE	0
5513	J717	Agricultural Tractor Auxiliary Power Take-Off Drives	2019	SAE	0
5514	J748	HYDRAULIC DIRECTIONAL CONTROL VALVES, 3000 PSI MAXIMUM	2019	SAE	0
5515	J839	Passenger Car Side Door Latch Systems, Recommended Practice	2019	SAE	0
5516	J879B	Motor Vehicle Seating Systems, Recommended Practice	2019	SAE	0
5517	J934	VEHICLE PASSENGER DOOR HINGE SYSTEMS	2019	SAE	0
5518	J966	Test Procedure for Measuring Passenger Car Tire Revolutions per Mile, Recommended Practice	2019	SAE	0
5519	J1142	TOWABILITY DESIGN CRITERIA-PASSENGER CARS	2019	SAE	0
5520	J1143	(R) TOWED VEHICLE/TOW EQUIPMENT ATTACHMENT TEST PROCEDURE - PASSENGER CARS, VANS, AND LIGHT DUTY TRUCKS	2019	SAE	0
5521	J1144	TOWED VEHICLE DRIVETRAIN TEST PROCEDURE - PASSENGER CARS	2019	SAE	0
5522	J1173	Size Classification and Characteristics of Glass Beads for Peening, Recommended Practice	2019	SAE	0
5523	J1260	Standard Oil Filter Test Oil	2019	SAE	0
5524	J1308	Fan Guard for Off-Road Machines	2019	SAE	0
5525	J1404	Service Brake Structural Integrity Requirements-Truck and Bus	2019	SAE	0
5526	J1476	Parking Brake Structural Integrity Test Procedure Vehicles Over 10 000 Pounds (4500 KG) GVWR, Recommended Practice	2019	SAE	0
5527	J1518	Three Point Hitch (Type A) Backhoe Personnel Protection	2019	SAE	0
5528	J1555	(R) Recommended Practice for Optimizing Automobile Damageability, Recommended Practice - October 1993	2019	SAE	0
5529	J1573	OEM Plastic Parts Repair	2019	SAE	0
5530	J1596	Automotive V-Ribbed Belt Drives and Test Methods, Recommended Practice	2019	SAE	0
5531	J1648	Protective Coatings for Fasteners	2019	SAE	0
5532	J1663	Truth-in-Labeling Standard for Navigation Map Databases, Standard	2019	SAE	0
5533	J1671	Outboard Mounted Brake Drum/Disc Wheel Hub Interface Dimensions - Commercial Vehicles	2019	SAE	0
5534	J1746	ISP-Vehicle Location Referencing Standard	2019	SAE	0
5535	J1760	Data Security Services	2019	SAE	0
5536	J1774	Design Guidelines for Fiberboard Materials	2019	SAE	0

5537	J1798	Recommended Practice for Performance Rating of Electric Vehicle Battery Modules	2019	SAE	0
5538	J1828	(R) Uniform Reference and Dimensional Guidelines for Collision Repair	2019	SAE	0
5539	J2047	(R) Tire Performance Terminology	2019	SAE	0
5540	J2066	Filter and Filter Element for Hydraulic System(s) Used on Manufacturing and Assembly Equipment, Standard	2019	SAE	0
5541	J2069	Recovery Attachment Points for Passenger Cars, Vans, and Light Trucks	2019	SAE	0
5542	J2122	NUMBERING SYSTEM FOR STANDARD DRILLS	2019	SAE	0
5543	J2123	(R) Numbering System for Taps, Recommended Practice	2019	SAE	0
5544	J2124	NUMBERING SYSTEM FOR REAMERS	2019	SAE	0
5545	J2184	(R) Vehicle Lift Points for Service Garage Lifting	2019	SAE	0
5546	J2191	Recommended Practice for Identification of Standardized Truck and Tractor Electrical Circuits	2019	SAE	0
5547	J2203	SAE 17.6 Cubic Inch Spark Plug Rating Engine	2019	SAE	0
5548	J2235	Paint and Trim Code Location	2019	SAE	0
5549	J2247	Truck Tractor Power Output for Trailer ABS	2019	SAE	0
5550	J2276	Numbering System for Multiple Diameter Cutting Tools, Recommended Practice	2019	SAE	0
5551	J2319	Low-Speed Impact Bumper System Test Procedure for Passenger Vehicles	2019	SAE	0
5552	J2342	Numbering Systems for End Mills	2019	SAE	0
5553	J2353	Data Dictionary for Advanced Traveler Information Systems (ATIS)	2019	SAE	0
5554	J2375	Selection of Adhesives for the Attachment of Exterior Aftermarket Accessories	2019	SAE	0
5555	J2376	New-Vehicle Collision Repair Information	2019	SAE	0
5556	J2379	Performance Engine Building Recommended Practices	2019	SAE	0
5557	J2431	Effects of Front-Mounted Accessories on Air Bag Sensors and Crashworthiness	2019	SAE	0
5558	J2440	Domestic Performance Torque Converter Manufacturing	2019	SAE	0
5559	J2450-1	SAE J2450 Supplemental Training Document	2019	SAE	0
5560	J2492	Considerations for Suspension Modification	2019	SAE	0
5561	J2512	Towing Equipment Ratings and Practices	2019	SAE	0
5562	J2535	Setting Preload in Heavy-Duty Wheel Bearings	2019	SAE	0
5563	J2621	Qualifying Aftermarket Two-Component Structural Foams	2019	SAE	0
5564	J2633	Wheel and Wheel Trim Weathering Testing for Paint Coatings	2019	SAE	0
5565	J2636	Corrosion Test Master Establishment	2019	SAE	0
5566	J2657	Tire Pressure Monitoring Systems for Light Duty Highway Vehicles	2019	SAE	0
5567	J2667	STRSW (Squeeze Type Resistance Spot Welding) Equipment Acceptance Criteria for the Collision Repair Industry	2019	SAE	0
5568	J2791	HFC-134a Refrigerant Electronic Leak Detectors, Minimum Performance Criteria	2019	SAE	0
5569	J2799	70 MPa Compressed Hydrogen Surface Vehicle Fueling Connection Device and Optional Vehicle to Station Communications	2019	SAE	0
5570	J3013	Friction Material Elastic Constants Determination through FRF Measurements and Optimization	2019	SAE	0
5571	J4003	H-Point Machine (HPM-II)â Procedure for H-Point Determinationâ Benchmarking Vehicle Seats	2019	SAE	0
5572	JA6097	Using a System Reliability Model to Optimize Maintenance Costs A Best Practices Guide	2019	SAE	0
5573	MA1518C	Bolts, Screws, and Nuts - External Wrenching, Metric Threads - Design Parameters for	2019	SAE	0
5574	MA1520B	Areas for Calculating Stress or Load Values for Metric MJ Externally Threaded Fasteners	2019	SAE	0
5575	MA1547A	Wrenches, Twelve Spline, Metric	2019	SAE	0
5576	MA1567C	Insert, Screw Thread, Helical Coil Metric Series, Standard Assembly Dimensions for	2019	SAE	0
5577	MA1586A	Wrench Configuration, 12 Spline Drive, Metric	2019	SAE	0

5578	MA1696B	Screw Threads, Metric Buttress - MJB Profile	2019	SAE	0
5579	MA1759B	Center Hole, Metric	2019	SAE	0
5580	MA3265A	WASHER - FLAT LOAD SPREADING METRIC, AMS5525	2019	SAE	0
5581	MA3380A	STUD, STRAIGHT - 2.5 DIA ENGAGEMENT, A286, MJ METRIC 7 X 1 - 7 X 1	2019	SAE	0
5582	MA3381A	STUD, STRAIGHT - 2.5 DIA ENGAGEMENT, A286, MJ METRIC 8 X 1 - 8 X 1	2019	SAE	0
5583	MA3382A	STUD, STRAIGHT - 2.5 DIA ENGAGEMENT, A286, MJ METRIC 10 X 1.25 - 10 X 1.25	2019	SAE	0
5584	MA3437A	SPACER, SLEEVE - FOR 5 MM BOLT, AMS4901 OR AMS4921, METRIC	2019	SAE	0
5585	MA3438A	SPACER, SLEEVE - FOR 6 MM BOLT, AMS4901 OR AMS4921, METRIC	2019	SAE	0
5586	MA3441A	WASHER-KEY, CUP LOCK, AMS5510, METRIC	2019	SAE	0
5587	MA3453A	WASHER, FLAT, AMS5525, METRIC	2019	SAE	0
5588	MA3574A	RIVET-SOLID, UNIVERSAL HEAD, AS7232 CORROSION AND HEAT RESISTANT NICKEL ALLOY, METRIC	2019	SAE	0
5589	MA4018A	PIN, STRAIGHT, HEADLESS, AMS5688, METRIC	2019	SAE	0
5590	MA4019A	PIN, STRAIGHT, HEADLESS AMS5732, METRIC	2019	SAE	0
5591	MA4020A	RING, RETAINING - EXTERNAL, TAPERED, TYPE I, CLASS 2 AMS5520, METRIC	2019	SAE	0
5592	MA4021A	RING, RETAINING - INTERNAL, TAPERED, TYPE I, CLASS 1 AMS5520, METRIC	2019	SAE	0
5593	MA4037B	WASHER, KEY - 90? LOCKING, CRES, UNS S32100, METRIC	2019	SAE	0
5594	MA4038C	WASHER, KEY - 180? LOCKING, CRES, UNS S32100, METRIC	2019	SAE	0
5595	MA4039B	WASHER, KEY - 270? LOCKING, CRES, UNS S32100, METRIC	2019	SAE	0
5596	MA4040B	WASHER, KEY - DUAL LOCKING POSITIONS, CRES, UNS S32100, METRIC	2019	SAE	0
5597	MA4045A	WASHER, CUP, LOCK - SPANNER NUT AMS5646, METRIC	2019	SAE	0
5598	MA4147A	BOLT, SPLINE DRIVE, EXTENDED WASHER, REDUCED SHANK, AMS5662 (UNS N07718) 1275 MPa UTS, METRIC	2019	SAE	0
5599	MA4284A	Areas for Calculating Stress or Load Values for Metric MJ Internally Threaded Fasteners	2019	SAE	0
5600	MA4811A	Insert - Thin Wall, Self-Locking, Metric Short and Long Length Installation and Removal of	2019	SAE	0
5601	MA4812A	INSERT - THIN WALL, METRIC SHORT AND LONG HOLE PREPARATION FOR	2019	SAE	0
5602	6906	Standard Practice for Human Systems Integration	2019	SAE	0
5603	EIA-649C	(R) Configuration Management Standard	2019	SAE	0
5604	EIA-748D	Earned Value Management Systems	2019	SAE	0
5605	GEIA-STD-0007C	(R) Logistics Product Data	2019	SAE	0
5606	GEIA-TB-0002A	System Configuration Management Implementation Template (Oriented for a U.S. Military Contract Environment)	2019	SAE	0
5607	TAHB 009A	(R) Reliability Program Handbook	2019	SAE	0
5608	TS 22-11	TECHN ICAL SPEC IF ICATION No . TS22ĵ MANUFACTURING SPEC IF ICATION FOR BOLTS 1 1 00 MPa (1 59 ,000 lbf/in ?) ULTIMATE TENS ILE STRENGTH M IN IMUM AT ROOM TEMPERATURE	2019	SAE	0
5609	TS 22AR-11	AMENDMENT RECORD No . TS22ĵ -AR for Techn ica l Spec No . TS22ĵ	2019	SAE	0
5610	TS 49-3	TECHN ICAL SPEC IF ICATION No . TS49ĵ ELASTOMERIC TORO IDAL SEALING RINGS (O-RINGS) Manu factu ring & Inspection S tandards for Aerospace App l ication	2019	SAE	0
5611	TS 49AR-3	AMENDMENT RECORD No . TS49ĵ -AR for Techn ica l Spec No . TS49ĵ	2019	SAE	0
5612	TS 108-6	TECHN ICAL SPEC IF ICATION No . TS1 08ĵ MANUFACTURING SPEC IF ICATION FOR STUDS , BOLTS & SCREWS (UN IF IED THREADS) Heat Res is ting Al loy S tee l BS S 1 59 C lass i fication Rm = 1 1 00 MPa (1 59 ,000 lbf/in 2) at Amb ien t Temperatu re | +450?	2019	SAE	0
5613	TS 108AR-6	AMENDMENT RECORD No . TS1 08ĵ -AR for Techn ical Speci fication No . TS1 08ĵ	2019	SAE	0

5614	TS 128-7	TECHN ICAL SPEC I F I C ATI ON N o . TS1 2 8ĵ ALL-M ETAL SE LF-LOC KI N G N U TS (U N J TH READ S) 1 1 00 M Pa (1 60 , 00 0 l bf/i n ?) M I N I M U M TE N S I LE S TREN G TH AT ROOM TEM PERATU RE	2019	SAE	0
5615	USCAR-5	AVOIDANCE OF HYDROGEN EMBRITTLEMENT OF STEEL - Revision 3	2019	SAE	0
5616	USCAR-8	GRAIN FLOW PATTERN FOR BOLTS AND SCREWS	2019	SAE	0
5617	AIR81E	Importance of Physical and Chemical Properties of Aircraft Hydraulic Fluids	2019	SAE	0
5618	AIR1168_1A	Thermodynamics of Incompressible and Compressible Fluid Flow	2019	SAE	0
5619	AIR1168_3A	(R) SAE Aerospace Applied Thermodynamics Manual Aerothermodynamic Systems Engineering and Design	2019	SAE	0
5620	AIR1351J	(R) Manufacturers Identification of Aerospace Electrical and Electronic Wiring Devices and Accessories	2019	SAE	0
5621	AIR1408B	(R) Aerospace Fuel System Specifications and Standards	2019	SAE	0
5622	AIR1490C	(R) Environmental Degradation of Textiles	2019	SAE	0
5623	AIR1707C	Patterns of O-Ring Failures	2019	SAE	0
5624	AIR4129A	Metallic Whiskers	2019	SAE	0
5625	AIR4487B	(R) Investigation of Silver-Plated Conductor Corrosion (Red Plague)	2019	SAE	0
5626	AIR5433C	Lubricating Characteristics and Typical Properties of Lubricants Used in Aviation Propulsion and Drive Systems	2019	SAE	0
5627	AIR5654A	(R) IEEE-1394b for Military and Aerospace Vehicles - Applications Handbook	2019	SAE	0
5628	AIR5713A	(R) In-Service Reliability Data of Continuously Active Ball Screw and Geared Flight Control Actuation Systems	2019	SAE	0
5629	AIR5885A	(R) Landing Gear Common Repair	2019	SAE	0
5630	AIR6168A	(R) Landing Gear Structural Health Monitoring	2019	SAE	0
5631	AIR6245	Perspectives on Integrating Structural Health Monitoring Systems into Fixed-Wing Military Aircraft	2019	SAE	0
5632	AIR6273	Terms, Definitions, and Acronyms Counterfeit Materiel or Electrical, Electronic, and Electromechanical Parts	2019	SAE	0
5633	AIR6355	Numerical Modeling Techniques for Jet Engine Test Cell Aerodynamics	2019	SAE	0
5634	AIR6443	Impact of Copper Contamination on the Thermal Stability of Jet Fuels	2019	SAE	0
5635	AIR6508	Supplemental Propulsion System Performance Station Designation	2019	SAE	0
5636	AIR6540	Fundamentals in Wire Selection and Sizing for Aerospace Applications	2019	SAE	0
5637	AIR6552_1	Inline Optical Power Monitoring, Network End-to-End Data Link Evaluation System	2019	SAE	0
5638	AIR6900	Applicable Aircraft Integrated Vehicle Health Management (IVHM) Regulations, Policy, and Guidance	2019	SAE	0
5639	AIR6918	Management of Change Considerations for Aero Gas Turbine Engine Lubricants Under AS5780	2019	SAE	0
5640	AIR7352	Additively Manufactured Component Substantiation	2019	SAE	0
5641	AIR7765	Considerations for Hydrogen Fuel Cells in Airborne Applications	2019	SAE	0
5642	AIR7975	Aircraft Fuel System Design Guidelines	2019	SAE	0
5643	AMS1533C	(R) Cleaner for Exterior Aircraft Surfaces Gel-Type, Solvent-Base	2019	SAE	0
5644	AMS2249J	Chemical Check Analysis Limits Titanium and Titanium Alloys	2019	SAE	0
5645	AMS2261L	Tolerances Nickel, Nickel Alloy, and Cobalt Alloy Bars, Rods, and Wire	2019	SAE	0
5646	AMS2262H	Tolerances Nickel, Nickel Alloy, and Cobalt Alloy Sheet, Strip, and Plate	2019	SAE	0
5647	AMS2280D	Trace Element Control Nickel Alloy Castings	2019	SAE	0
5648	AMS2310G	Qualification Sampling and Testing of Steels for Transverse Tensile Properties	2019	SAE	0
5649	AMS2360E	Room Temperature Tensile Properties of Castings	2019	SAE	0
5650	AMS2361E	Elevated Temperature Tensile Properties of Castings	2019	SAE	0
5651	AMS2362D	Stress-Rupture Properties of Castings	2019	SAE	0
5652	AMS2372H	Quality Assurance Sampling and Testing Carbon and Low-Alloy Steel Forgings	2019	SAE	0
5653	AMS2401K	Plating, Cadmium Low Hydrogen Content Deposit	2019	SAE	0
5654	AMS2402L	Plating, Zinc	2019	SAE	0

5655	AMS2411J	Plating, Silver for High Temperature Applications	2019	SAE	0
5656	AMS2429E	Plating, Bronze Nitriding Stop-off 90Cu - 10Sn	2019	SAE	0
5657	AMS2431 3E	Peening Media Conditioned Carbon Steel Cut Wire Shot, Regular Hardness (45 to 52 HRC) (AWCR)	2019	SAE	0
5658	AMS2431 4D	Peening Media Conditioned Stainless Steel Cut Wire Shot (AWS)	2019	SAE	0
5659	AMS2431 8C	Peening Media Conditioned Carbon Steel Cut Wire Shot, High Hardness (55 to 62 HRC) (AWCH)	2019	SAE	0
5660	AMS2451D	Plating, Brush General Requirements	2019	SAE	0
5661	AMS2470P	Anodic Treatment of Aluminum Alloys Chromic Acid Process	2019	SAE	0
5662	AMS2477D	Conversion Coating for Aluminum Alloys Low Electrical Resistance Coating	2019	SAE	0
5663	AMS2480J	Zinc Phosphate Treatment Paint Base	2019	SAE	0
5664	AMS2484C	Blackening Solution for Steel Touch-Up Method	2019	SAE	0
5665	AMS2488E	Anodic Treatment - Titanium and Titanium Alloys Solution pH 13 or Higher	2019	SAE	0
5666	AMS2525E	Graphite Coating, Thin Lubricating Film Impingement Applied	2019	SAE	0
5667	AMS2590B	Rotary Flap Peening of Metal Parts	2019	SAE	0
5668	AMS2628B	(R) Enhanced Ultrasonic Immersion Inspection for Titanium Alloy and other Metal Alloy Billets	2019	SAE	0
5669	AMS2644G	Inspection Material, Penetrant	2019	SAE	0
5670	AMS2759 1H	Heat Treatment of Carbon and Low-Alloy Steel Parts Minimum Tensile Strength Below 220 ksi (1517 MPa)	2019	SAE	0
5671	AMS2759 2J	Heat Treatment of Low-Alloy Steel Parts Minimum Tensile Strength 220 ksi (1517 MPa) and Higher	2019	SAE	0
5672	AMS2759 3H	Heat Treatment Precipitation-Hardening Corrosion-Resistant, Maraging, and Secondary Hardening Steel Parts	2019	SAE	0
5673	AMS2759 7D	Carburizing and Heat Treatment of Carburizing Grade Steel Parts	2019	SAE	0
5674	AMS2759G	Heat Treatment of Steel Parts General Requirements	2019	SAE	0
5675	AMS2769C	(R) Heat Treatment of Parts in a Vacuum	2019	SAE	0
5676	AMS2770P	Heat Treatment of Wrought Aluminum Alloy Parts	2019	SAE	0
5677	AMS3044G	Magnetic Particles, Fluorescent Wet Method, Dry Powder	2019	SAE	0
5678	AMS3045F	Magnetic Particles, Fluorescent Wet Method, Oil Vehicle, Ready-to-Use	2019	SAE	0
5679	AMS3046G	Magnetic Particles, Fluorescent Wet Method, Oil Vehicle, Aerosol Packaged	2019	SAE	0
5680	AMS3117A	Primer Zinc Molybdate	2019	SAE	0
5681	AMS3144A	(R) Primer, Anodic Electrodeposition for Aircraft Applications	2019	SAE	0
5682	AMS3204N	Rubber Synthetic Low-Temperature Resistant 25 - 35	2019	SAE	0
5683	AMS3217 1C	(R) Test Slabs, Acrylonitrile Butadiene (NBR-H) Medium-High Acrylonitrile, 65 - 75	2019	SAE	0
5684	AMS3217 7B	(R) Test Slabs, High Strength, Fluorosilicone (FVMQ) 55 - 65	2019	SAE	0
5685	AMS3222J	(R) Synthetic Rubber Hot Oil Resistant, High Swell 45 - 55	2019	SAE	0
5686	AMS3277K	(R) Sealing Compound, Polythioether Rubber Fast Curing for Integral Fuel Tanks and General Purpose, Intermittent Use to 360°F (182°C)	2019	SAE	0
5687	AMS3302J	(R) Elastomer: Silicone Rubber (MQ/VMQ) General Purpose 45 - 55 Durometer Type A Hardness	2019	SAE	0
5688	AMS3303L	(R) Elastomer: Silicone, Rubber (MQ/VMQ) General Purpose 55 - 65 Durometer Type "A" Hardness	2019	SAE	0
5689	AMS3304J	(R) Elastomer: Silicone, Rubber (MQ/VMQ) General Purpose 65 75 Durometer Type A Hardness	2019	SAE	0
5690	AMS3305K	(R) Elastomer: Silicone Rubber, (VMQ) General Purpose 75 85 Durometer Type A Hardness	2019	SAE	0
5691	AMS3306D	(R) Elastomer: Methyl/Methyl Vinyl Silicone, (MQ/MVQ) High Temperature/Gas Turbine Engine Oil/Phosphate Esther Hydraulic Fluid Resistant High Strength/High Tear/High Modulus 55 to 65 Type _A_ Hardness For Products in High Temperature Environments/Gas Turb	2019	SAE	0
5692	AMS3310A	(R) Elastomer: Silicone Rubber (MQ/VMQ) Flame Retardant, Low Smoke Density, Low Smoke Toxicity, High Strength, 65 - 75 Durometer Type A Hardness For Products in Pressurized Aircraft Compartment Interiors	2019	SAE	0

5693	AMS3320J	(R) Elastomer: Silicone (VMQ) Rubber Sheet, Glass Cloth Reinforced Heat and Weather Resistant 60 to 80 Type _A_ Durometer Hardness	2019	SAE	0
5694	AMS3327E	(R) Elastomer: Fluorosilicone Rubber (FVMQ) High Temperature, High Modulus, Fuel and Oil Resistant 70 - 80 Shore A Hardness For Products in Fuel Systems/Lubricating Oils	2019	SAE	0
5695	AMS3346H	Elastomer: Phenyl Methyl Vinyl Silicone (PVMQ) Low Temperature/Engine Oil Resistant High Strength/High Tear 55 to 65 Type A Hardness For Products in Aircraft Piston Engine Oil/Low Temperature Environments	2019	SAE	0
5696	AMS3374F	Sealing Compound Aircraft Firewall, Silicone	2019	SAE	0
5697	AMS3381A	Sealing Compound, Aircraft Firewall, Non-Silicone	2019	SAE	0
5698	AMS3604A	(R) Heat Resistant Aluminized Paint	2019	SAE	0
5699	AMS3741	Elastomer: Fluorosilicone Rubber (FVMQ) Fuel and Oil Resistant 75 - 85 Durometer Type _A_ Hardness For Products in Fuel Systems/Lubricating Oils	2019	SAE	0
5700	AMS3941	Rubber: Butyl (iir) Low Compression Set and Low Moisture/Gas Permeability 65 to 75 Type A Hardness for Applications Requiring Resistanceto Gasand/or Water Vapor Permeation	2019	SAE	0
5701	AMS4013H	Aluminum Sheet, Laminated Surface Bonded	2019	SAE	0
5702	AMS4041T	Aluminum Alloy, Sheet and Plate, Alclad 4.4Cu - 1.5Mg - 0.60Mn (2024, -T3 Sheet/-T351 Plate with 1-1/2% Alclad) Solution Heat Treated, Cold Worked and Naturally Aged - UNS A82024	2019	SAE	0
5703	AMS4063F	Aluminum Alloy, Clad One Side, Sheet 1.25Mn - 0.12Cu (No. 11-0 Brazing Sheet) Annealed - UNS A83003	2019	SAE	0
5704	AMS4064G	Aluminum Alloy, Clad Two Sides Sheet 1.25Mn - 0.12Cu (No. 12-0 Brazing Sheet) Annealed - UNS A83003	2019	SAE	0
5705	AMS4083M	Aluminum Alloy Tubing, Hydraulic, Seamless, Drawn, Round 1.0Mg - 0.60Si - 0.28Cu - 0.20Cr (6061-T6) Solution and Precipitation Heat Treated - UNS 96061	2019	SAE	0
5706	AMS4085F	Aluminum Alloy Sheet 5.7Zn - 2.2Mg - 1.6Cu - 0.22Cr (7475-T761) Solution Heat Treated and Overaged - UNS A97475	2019	SAE	0
5707	AMS4095E	Aluminum Alloy, Alclad Sheet and Plate 6.3Cu - 0.30Mn - 0.18Zr - 0.10V - 0.06Ti Alclad 2219-T31; Sheet, Solution Heat Treated and Cold Worked Alclad 2219-T351; Plate, Solution Heat Treated and Stress Relieved - UNS A82219	2019	SAE	0
5708	AMS4122M	Aluminum Alloy Bars, Rods, and Wire Rolled or Cold Finished, and Rings 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (7075-T6, 7075-T651) Solution and Precipitation Heat Treated - UNS A97075	2019	SAE	0
5709	AMS4124F	Aluminum Alloy, Rolled or Cold Finished Bars, Rods, and Wire 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (7075-T73, T7351) Solution Heat Treated, Stress Relieved by Stretching, and Overaged - UNS A97075	2019	SAE	0
5710	AMS4126D	Aluminum Alloy, Die and Hand Forgings and Rolled Rings 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (7075-T6) Solution and Precipitation Heat Treated - UNS A97075	2019	SAE	0
5711	AMS4127K	Aluminum Alloy, Forgings and Rolled or Forged Rings (6061-T6) Solution and Precipitation Heat Treated - UNS A96061	2019	SAE	0
5712	AMS4131E	Aluminum Alloy, Die and Hand Forgings 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (7075-T74) Solution Heat Treated and Aged - UNS A97075	2019	SAE	0
5713	AMS4132H	Aluminum Alloy, Die and Hand Forgings, Rolled Rings, and Forging Stock 2.3Cu - 1.6Mg - 1.1Fe - 1.0Ni - 0.18Si - 0.07Ti (2618-T61) Solution and Precipitation Heat Treated - UNS A92618	2019	SAE	0
5714	AMS4150N	Aluminum Alloy, Extrusions and Rings 1.0Mg - 0.60Si - 0.28Cu - 0.20Cr - (6061-T6) Solution and Precipitation Heat Treated - UNS A96061	2019	SAE	0
5715	AMS4152N	Aluminum Alloy Extrusions 4.4Cu - 1.5Mg - 0.60Mn (2024-T3) Solution Heat Treated and Cold Worked - UNS A92024	2019	SAE	0
5716	AMS4164J	Aluminum Alloy, Extrusions 4.4Cu - 1.5Mg - 0.60Mn (2024-T3510) Solution Heat Treated, Cold Worked, Stress-Relieved by Stretching, Unstraightened - UNS A92024	2019	SAE	0
5717	AMS4165J	Aluminum Alloy, Extrusions 4.4Cu _ 1.5Mg _ 0.60Mn (2024-T3511) Solution Heat Treated, Cold Worked, Stress-Relieved by Stretching, and Straightened - UNS A92024	2019	SAE	0
5718	AMS4172G	Aluminum Alloy, Extrusions 1.0Mg - 0.60Si - 0.28Cu - 0.20Cr (6061-T4511 or T4510) Solution Heat Treated and Stress Relieved by Stretching - UNS A96061	2019	SAE	0
5719	AMS4173G	Aluminum Alloy, Extrusions 1.0Mg - 0.60Si - 0.30Cu - 0.20Cr (6061-T6511 or T6510) Solution Heat Treated, Stress Relieved by Stretching, Straightened, and Precipitation Heat Treated - UNS A96061	2019	SAE	0
5720	AMS4185F	Filler Metal, Aluminum Brazing 12Si - UNS A94047	2019	SAE	0

5721	AMS4186E	Aluminum Alloy Bars, Rods, and Wire, Rolled or Cold Finished 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (7075-F) As Fabricated, or when specified, Annealed (7075-O) - UNS A97075	2019	SAE	0
5722	AMS4202E	Aluminum Alloy Plate 5.7Zn - 2.2Mg - 1.6Cu - 0.22Cr (7475-T7351) Solution Heat Treated, Stress Relieved by Stretching, and Precipitation Heat Treated - UNS A97475	2019	SAE	0
5723	AMS4214K	Castings, Aluminum Alloy Sand 5.0Si - 1.2Cu - 0.50Mg (355.0-T71) Solution Heat Treated and Overaged - UNS A03550	2019	SAE	0
5724	AMS4250C	Aluminum Alloy, Plate 8.1Zn - 2.3Mg - 1.0Cu - Zr (7449-T7651) Solution Heat Treated, Stress Relieved, and Overaged - UNS A97449	2019	SAE	0
5725	AMS4293A	Aluminum Alloy Extrusions 7.9Zn - 1.6Cu - 2.2Mg - 0.16Cr (7249-T76511) Solution Heat Treated, Stress-Relieved, Straightened, and Overaged	2019	SAE	0
5726	AMS4311F	Aluminum Alloy, Rolled or Forged Rings 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (7075-T7351, 7075-T7352) Solution Heat Treated, Mechanically Stress Relieved, and Precipitation Heat Treated - UNS A97075	2019	SAE	0
5727	AMS4316B	Aluminum Alloy, Alclad Sheet and Plate 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (7075; -T76 Sheet, -T7651 Plate) Solution and Precipitation Heat Treated - UNS R87075	2019	SAE	0
5728	AMS4317B	Aluminum Alloy, Extruded Bar, Rod, and Shapes 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr 7075-T76(51X) Solution Heat Treated and Overaged - UNS R97075	2019	SAE	0
5729	AMS4319C	Aluminum Alloy, Rolled or Cold Finished, Bars and Rods 12.2Si - 1.0Mg - 0.90Cu - 0.90Ni (4032-T651) Solution Heat Treated, Stress Relieved, Artificially Aged - UNS A94032	2019	SAE	0
5730	AMS4328B	Aluminum Alloy, Plate (2397-T87) 2.8Cu - 1.4Li - 0.30Mn - 0.12Zr - 0.10Zn Solution Heat Treated, Cold Worked, and Artificially Aged - UNS A92397	2019	SAE	0
5731	AMS4372A	Aluminum Alloy, Plate 3.5Cu - 1.0Li - 0.40Mg - 0.35Mn - 0.45Ag - 0.12Zr (2050-T34) Solution Heat Treated and Stress Relieved - UNS A92050	2019	SAE	0
5732	AMS4413B	Aluminum Alloy, Plate 3.5Cu - 1.0Li - 0.40Mg - 0.35Mn - 0.45Ag - 0.12Zr (2050-T84) Solution Heat Treated, Stress Relieved, and Artificially Aged - UNS A92050	2019	SAE	0
5733	AMS4423	Aluminum Alloy, Extrusions 4.4Cu - 1.5Mg - 0.60Mn (2024-T8511) Solution Heat Treated, Cold Worked, Stress-Relieved by Stretching, Precipitation Heat Treated, and Straightened	2019	SAE	0
5734	AMS4429B	Magnesium Alloy, Sand Castings 2.8Nd - 1.4Gd - 0.4Zn - 0.6Zr (EV31A - T6) Solution and Precipitation Heat Treated - UNS M12310	2019	SAE	0
5735	AMS4431	Magnesium Alloy, Direct Chill Strand Cast 2.8Nd - 1.4Gd - 0.4Zn - 0.6Zr (EV31A - T6) Solution and Precipitation Heat Treated - UNS M12310	2019	SAE	0
5736	AMS4442H	Magnesium Alloy, Sand Castings 3.2 Rare Earths - 2.5Zn - 0.70Zr (EZ33A-T5) Precipitation Heat Treated - UNS M12330	2019	SAE	0
5737	AMS4450	Aluminum Alloy, Extruded Profiles (2043-T85) 2.8Cu - 1.65Li - 0.35Mg - 0.1Zr Solution Heat Treated, Stress Relieved by Stretching, and Aged	2019	SAE	0
5738	AMS4452F	Magnesium Alloy, Investment Castings 8.7Al - 0.70Zn - 0.22Mn (AZ91C-T6) Solution and Precipitation Heat Treated - UNS M11914	2019	SAE	0
5739	AMS4453G	Magnesium Alloy, Investment Castings 9.0Al - 2.0Zn (AZ92A-T6) Solution and Precipitation Heat Treated - UNS M11920	2019	SAE	0
5740	AMS4455H	Magnesium Alloy, Investment Castings 10Al (AM100A-T6) Solution and Precipitation Heat Treated - UNS M10100	2019	SAE	0
5741	AMS4456A	Aluminum Alloy, Hand Forgings 8.0Zn - 1.0Cu - 1.6Mg - 0.12Zr (7037-T7452) Solution Heat Treated, Compression Stress Relieved, and Overaged - UNS A97037	2019	SAE	0
5742	AMS4469A	Aluminum Alloy Tubing, Seamless, Drawn 1.8 Cu - 1.0 Mg - 0.8 Si - 0.20 Cr Solution Heat Treated, Stress-Relieved by Stretching, and Aged (2013-T4511) - UNS A92013	2019	SAE	0
5743	AMS4481	Aluminum Alloy, Extrusions 4.4Cu - 1.5Mg - 0.60Mn (2024-T8510) Solution Heat Treated, Cold Worked, Stress-Relieved by Stretching, and Precipitation Heat Treated, Unstraightened - UNS A92024	2019	SAE	0
5744	AMS4491	Aluminum Alloy, Extrusions 4.4Cu _ 1.5Mg _ 0.60Mn (2024-T81) Solution Heat Treated, Cold Worked, and Precipitation Heat Treated - UNS A92024	2019	SAE	0
5745	AMS4505L	Copper Alloy (Brass), Sheet, Strip, and Plate 70Cu - 30Zn Annealed (OS035) - UNS C26000	2019	SAE	0
5746	AMS4533E	Copper-Beryllium Alloy, Bars and Rods 98Cu - 1.9Be Solution and Precipitation Heat Treated (TF00, formerly AT) - UNS C17200	2019	SAE	0

5747	AMS4534D	Copper-Beryllium Alloy, Bars and Rods 98Cu - 1.9Be Solution Heat Treated, Cold Worked, and Precipitation Heat Treated (TH04, formerly HT) - UNS C17200	2019	SAE	0
5748	AMS4554C	Brass Tubing, Seamless 66.5Cu - 33Zn - 0.45Pb Annealed - UNS C33000	2019	SAE	0
5749	AMS4611J	Brass, Naval, Bars and Rods 60.5Cu - 38.7Zn - 0.8Sn Half Hard (H02) - UNS C46400	2019	SAE	0
5750	AMS4650N	Copper-Beryllium Alloy, Bars, Rods, Shapes, and Forgings 98Cu - 1.9Be Solution Heat Treated TB00 (A) - UNS C17200	2019	SAE	0
5751	AMS4700E	Copper Wire, Bare High Purity - UNS C10100	2019	SAE	0
5752	AMS4713G	Brass, Wire 65Cu - 35Zn Eighth-Hard (H00) - UNS C27000	2019	SAE	0
5753	AMS4764G	Copper Alloy, Brazing Filler Metal 52.5Cu - 38Mn - 9.5Ni 1615 to 1700 °F (879 to 927 °C) Solidus-Liquidus Range - UNS C69950	2019	SAE	0
5754	AMS4778L	Nickel Alloy, Brazing Filler Metal 92Ni - 4.5Si - 3.1B 1800 to 1900 °F Solidus-Liquidus Range - UNS N99630	2019	SAE	0
5755	AMS4900R	Titanium Sheet, Strip, and Plate Commercially Pure Annealed, 55 ksi (379 MPa) Yield Strength - UNS R50550	2019	SAE	0
5756	AMS4901U	Titanium Sheet, Strip, and Plate Commercially Pure Annealed, 70.0 ksi (485 MPa) - UNS R50700	2019	SAE	0
5757	AMS4919J	Titanium Alloy Sheet, Strip, and Plate 6Al - 2Sn - 4Zr - 2Mo - 0.08Si Duplex Annealed - UNS R56420	2019	SAE	0
5758	AMS4926P	Titanium Alloy, Bars, Wire, and Rings 5Al - 2.5Sn Annealed, 110 ksi (758 MPa) Yield Strength - UNS R54520	2019	SAE	0
5759	AMS4930K	Titanium Alloy Bars, Wire, Forgings, and Rings 6Al - 4V, Extra Low Interstitial Annealed - UNS R56401	2019	SAE	0
5760	AMS4931G	Titanium Alloy Bars, Forgings, and Rings 6Al - 4V Extra Low Interstitial (ELI) Duplex Annealed, Fracture Toughness - UNS R56400	2019	SAE	0
5761	AMS4934H	Titanium Alloy, Extrusions and Flash Welded Rings 6Al - 4V Solution Heat Treated and Aged - UNS R56400	2019	SAE	0
5762	AMS4953H	Titanium Alloy Welding Wire 5Al - 2.5Sn - UNS R54520	2019	SAE	0
5763	AMS4964C	Titanium Alloy Bars, Wire, Forgings, and Rings 4.5Al - 3V - 2Fe - 2Mo Annealed	2019	SAE	0
5764	AMS4972J	Titanium Alloy Bars, Wire, and Rings 8Al - 1Mo - 1V Solution Heat Treated and Stabilized - UNS R54810	2019	SAE	0
5765	AMS4983G	Titanium Alloy, Forgings 10V - 2Fe - 3Al Consumable Electrode Melted, Single-Step Solution Heat Treated and Aged 180 ksi (1241 MPa) Tensile Strength - UNS R56410	2019	SAE	0
5766	AMS4984G	Titanium Alloy Forgings 10V - 2Fe - 3Al Consumable Electrode Melted, Solution Heat Treated and Aged 173 ksi (1193 MPa) Tensile Strength - UNS R56410	2019	SAE	0
5767	AMS4986F	Titanium Alloy, Forgings 10V - 2Fe - 3Al Consumable Electrode Melted, Single-Step Solution Heat Treated and Overaged 160 ksi (1103 MPa) Tensile Strength - UNS R56410	2019	SAE	0
5768	AMS4990D	Titanium Alloy Sheet, Strip, and Plate 6Al - 6V - 2Sn Solution Heat Treated and Aged - UNS R56620	2019	SAE	0
5769	AMS5028F	Steel, Welding Wire 1.05Cr - 0.55Ni - 1.0Mo - 0.07V (0.34 - 0.40C) (D6AC) Vacuum Melted, Environment-Controlled Packaging - UNS K23725	2019	SAE	0
5770	AMS5029E	Steel, Welding Wire 0.78Cr - 1.8Ni - 0.35Mo - 0.20V (0.33 - 0.38C)(4335 Mod) Vacuum Melted, Environment Controlled Packaging - UNS K33517	2019	SAE	0
5771	AMS5032H	Wire, Steel 0.18 - 0.23C (SAE 1020) Annealed - UNS G10200	2019	SAE	0
5772	AMS5044K	Steel, Sheet and Strip 0.15 Carbon, Maximum Half Hard Temper - UNS G10100	2019	SAE	0
5773	AMS5045K	Steel, Sheet and Strip 0.25 Carbon, Maximum Hard Temper - UNS G10200	2019	SAE	0
5774	AMS5120N	Steel Strip 0.68 - 0.80C (SAE 1074) - UNS G10740	2019	SAE	0
5775	AMS5121L	Sheet and Strip, Steel (0.90 - 1.04C) (SAE 1095) Annealed - UNS G10950	2019	SAE	0
5776	AMS5221F	Iron-Nickel Alloy Strip 49Fe - 5.3Cr - 42Ni - 2.5Ti - 0.55Al Solution Heat Treated - UNS N09902	2019	SAE	0
5777	AMS5223G	Iron-Nickel Alloy, Strip 49Fe - 5.3Cr - 42Ni - 2.5Ti - 0.55Al Solution Heat Treated, Cold Rolled, 10% Reduction - UNS N09902	2019	SAE	0
5778	AMS5342F	Steel, Corrosion-Resistant, Investment Castings 16Cr - 4.1Ni - 0.28Cb (Nb) - 3.2Cu Homogenization, Solution, and Precipitation Heat Treated (H1100) 130 ksi (896 MPa) Tensile Strength (17-4) - UNS J91280 and UNS J92200	2019	SAE	0
5779	AMS5343F	Steel, Corrosion-Resistant, Investment Castings 16Cr - 4.1Ni - 0.28Cb (Nb) - 3.2Cu Homogenization, Solution, and Precipitation Heat Treated (H1000) 150 ksi (1034 MPa) Tensile Strength (17-4) - UNS J92200 and UNS J92180	2019	SAE	0

5780	AMS5344G	Steel, Corrosion-Resistant, Investment Castings 16Cr - 4.1Ni - 0.28Cb - 3.2Cu Homogenization, Solution, and Precipitation Heat Treated (H900) 180 ksi (1241 MPa) Tensile Strength (17-4) - UNS J92180 and J92200	2019	SAE	0
5781	AMS5346D	Steel, Corrosion-Resistant, Investment Castings 15Cr - 4.6Ni - 0.22Cb (Nb) - 2.8Cu Solution and Precipitation Heat Treated (H925) 180 ksi (1241 MPa) Tensile Strength (15-5) - UNS J92110	2019	SAE	0
5782	AMS5347C	Steel, Corrosion-Resistant, Investment Castings 15Cr - 4.6Ni - 0.22Cb (Nb) - 2.8Cu Solution and Precipitation Heat Treated (H1000) 150 ksi (1034 MPa) Tensile Strength (15-5) - UNS J92110	2019	SAE	0
5783	AMS5349F	Steel, Corrosion-Resistant, Investment Castings 13Cr Free Machining; Hardened and Tempered - UNS J91161	2019	SAE	0
5784	AMS5357E	Steel, Corrosion-Resistant, Investment Castings 15Cr - 4.6Ni - 0.22Cb - 2.8Cu Solution Heat Treated, Precipitation Hardenable - UNS J92110	2019	SAE	0
5785	AMS5376H	Alloy, Corrosion and Heat Resistant, Investment Castings 30Fe - 21Cr - 20Ni - 20Co - 3.0Mo - 2.5W - 1.0Cb - 0.15N As Cast - UNS R30155	2019	SAE	0
5786	AMS5382K	Cobalt Alloy, Corrosion and Heat-Resistant, Investment Castings 54Co - 25.5Cr - 10.5Ni - 7.5W As-Cast - UNS R30031	2019	SAE	0
5787	AMS5412B	Steel Castings, Vacuum Melted, Vacuum Cast, Investment, Corrosion-Resistant 13Cr - 8.0Ni - 2.2Mo - 1.1Al (195 ksi (1344 MPa) Tensile Strength (Condition H1000) Homogenized, Solution, and Precipitation Heat Treated - UNS N13800	2019	SAE	0
5788	AMS5500F	Steel, Corrosion-Resistant, Laminated, Sheet Surface Bonded - UNS S30200	2019	SAE	0
5789	AMS5501F	Steel, Corrosion Resistant, Sheet, Strip, and Foil 19Cr - 9.5Ni (304) Cold Rolled, 125 ksi (862 MPa) Tensile Strength - UNS S30400	2019	SAE	0
5790	AMS5507H	Steel, Corrosion and Heat-Resistant, Sheet, Strip, and Plate 17Cr - 13Ni - 2.5Mo (316L) Solution Heat Treated - UNS S31603	2019	SAE	0
5791	AMS5511K	Steel, Corrosion-Resistant, Sheet, Strip, and Plate 19Cr - 9.5Ni (304L) Solution Heat Treated - UNS S30403	2019	SAE	0
5792	AMS5515N	Steel, Corrosion Resistant, Sheet, Strip, and Plate 18Cr - 8.5Ni (302) Solution Heat Treated, High Ductility - UNS S30200	2019	SAE	0
5793	AMS5516R	Steel, Corrosion-Resistant, Sheet, Strip, and Plate 18Cr - 9.0Ni (302) Solution Heat Treated - UNS S30200	2019	SAE	0
5794	AMS5525K	Steel, Corrosion and Heat-Resistant, Sheet, Strip, and Plate 15Cr - 25.5Ni - 1.2Mo - 2.1Ti - 0.006B - 0.30V 1800 °F (982 °C) Solution Heat Treated - UNS S66286	2019	SAE	0
5795	AMS5528J	Steel, Corrosion-Resistant, Sheet, Strip, and Plate 17Cr - 7.1Ni - 1.1Al Solution Heat Treated, Precipitation Hardenable - UNS S17700	2019	SAE	0
5796	AMS5529K	Steel, Corrosion Resistant, Sheet and Strip 17Cr - 7.1Ni - 1.1Al Solution Heat Treated and Cold Rolled, Precipitation Hardenable 0.0015 to 0.100 inch (0.038 to 2.54 mm) Nominal Thickness - UNS S17700	2019	SAE	0
5797	AMS5536P	Nickel Alloy, Corrosion and Heat-Resistant, Sheet, Strip, and Plate 47.5Ni - 22Cr - 1.5Co - 9.0Mo - 0.60W - 18.5Fe Solution Heat Treated - UNS N06002	2019	SAE	0
5798	AMS5541H	Nickel Alloy, Corrosion and Heat Resistant, Sheet and Strip 73Ni - 15.5Cr - 2.4Ti - 0.7Al - 7.0Fe Annealed - UNS N07722	2019	SAE	0
5799	AMS5542P	Nickel Alloy, Corrosion and Heat-Resistant, Sheet, Strip, and Plate 72Ni - 15.5Cr - 0.95Cb(Nb) - 2.5Ti - 0.70Al - 7.0Fe Annealed - UNS N07750	2019	SAE	0
5800	AMS5555F	Nickel Wire and Ribbon 99Ni - UNS N02205	2019	SAE	0
5801	AMS5577J	Steel, Corrosion and Heat Resistant, Welded Tubing 25Cr - 20Ni (SAE 30310) Solution Heat Treated - UNS S31008	2019	SAE	0
5802	AMS5582G	Nickel Alloy, Corrosion and Heat Resistant, Seamless Tubing 72Ni - 15.5Cr - 0.95Cb (Nb) - 2.5Ti - 0.70Al - 7.0Fe Solution Heat Treated, Precipitation Hardenable to 155 ksi (1069 MPa) Tensile Strength - UNS N07750	2019	SAE	0
5803	AMS5583F	Nickel Alloy, Corrosion and Heat-Resistant, Seamless Tubing 72Ni - 15.5Cr - 0.95Cb (Nb) - 2.5Ti - 0.70Al - 7.0Fe Vacuum Melted Solution Heat Treated, Precipitation Hardenable to 170 ksi (1172 MPa) Tensile Strength - UNS N07750	2019	SAE	0
5804	AMS5586H	Nickel Alloy, Corrosion and Heat-Resistant, Welded Tubing 57Ni - 19.5Cr - 13.5Co - 4.2Mo - 2.9Ti - 1.4Al - 0.006B - 0.08Zr Consumable Electrode Remelted or Vacuum Induction Melted, Annealed - UNS N07001	2019	SAE	0
5805	AMS5591L	Steel, Corrosion and Heat Resistant, Tubing, Seamless 12.5Cr (410) Annealed - UNS S41000	2019	SAE	0
5806	AMS5592G	Iron-Nickel Alloy, Corrosion and Heat Resistant, Sheet, Strip, and Plate 44Fe - 18.5Cr - 35Ni - 1.15Si Solution Heat Treated - UNS N08330	2019	SAE	0
5807	AMS5598F	Nickel Alloy, Corrosion and Heat-Resistant, Sheet, Strip, and Plate 72Ni - 15.5Cr - 0.95 (Cb (Nb) + Ta) - 2.5Ti - 0.70Al - 7.0Fe Consumable Electrode, Remelted or Vacuum Induction Melted, Solution Heat Treated, Precipitation-Hardenable - UNS N07750	2019	SAE	0

5808	AMS5600F	Steel, Corrosion-Resistant, Sheet Laminated, Edge Bonded - UNS S30200	2019	SAE	0
5809	AMS5605G	Nickel Alloy, Corrosion and Heat Resistant, Sheet, Strip, and Plate 41.5Ni - 16Cr - 37Fe - 2.9Cb (Nb) - 1.8Ti Consumable Electrode or Vacuum Induction Melted 1800 °F (982 °C) Solution Heat Treated - UNS N09706	2019	SAE	0
5810	AMS5607G	Nickel Alloy, Corrosion and Heat-Resistant, Sheet, Strip, and Plate 73Ni - 7.0Cr - 16.5Mo Solution Heat Treated - UNS N10003	2019	SAE	0
5811	AMS5609E	Steel, Corrosion and Heat Resistant, Bars, Wire, Forgings, Mechanical Tubing, and Rings 12Cr - 0.12Cb (Nb) (410 Modified) Ferrite Controlled, Annealed - UNS S41040	2019	SAE	0
5812	AMS5614F	Steel, Corrosion and Heat Resistant, Bars, Wire, and Forgings 12Cr - 0.50Mo Annealed - UNS S41025	2019	SAE	0
5813	AMS5627H	Steel, Corrosion and Heat-Resistant, Bars, Wire, Forgings, Mechanical Tubing, and Rings 17Cr (430) Annealed - UNS S43000	2019	SAE	0
5814	AMS5642M	Steel, Corrosion and Heat-Resistant, Bars, Wire, and Forgings 18Cr - 10.5Ni - 0.60Cb Free-Machining, Solution Heat Treated - UNS S34720 Type 1; UNS S34723 Type 2	2019	SAE	0
5815	AMS5653J	Steel, Corrosion and Heat-Resistant, Bars, Wire, Forgings, Tubing, and Rings 17Cr - 12Ni - 2.5Mo (0.030 Max C) (316L) Solution Heat Treated - UNS S31603	2019	SAE	0
5816	AMS5668K	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 72Ni - 15.5Cr - 7.0Fe - 2.5Ti - 1.0Cb (Nb) - 0.70Al 2100 °F (1149 °C) Solution and Precipitation Heat Treated - UNS N07750	2019	SAE	0
5817	AMS5671H	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 72Ni - 15.5Cr - 0.95Cb - 2.5Ti - 0.70Al - 7.0Fe Consumable Electrode or Vacuum Induction Melted 1800 °F (982 °C) Solution Heat Treated, Precipitation Hardenable - UNS N07750	2019	SAE	0
5818	AMS5686H	Steel, Corrosion Resistant, Rivet Wire, 18Cr - 11.5Ni (305) Solution Heat Treated - UNS S30500	2019	SAE	0
5819	AMS5688M	Steel, Corrosion Resistant, Wire 18Cr - 9.0Ni (302) Spring Temper - UNS S30200	2019	SAE	0
5820	AMS5708M	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Wire, Forgings, and Rings 58Ni - 19.5Cr - 13.5Co - 4.3Mo - 3.0Ti - 1.4Al - 0.05Zr - 0.006B Consumable Electrode or Vacuum Induction Melted 1975 °F (1079 °C) Solution Heat Treated - UNS N07001	2019	SAE	0
5821	AMS5709J	Nickel Alloy, Corrosion and Heat-Resistant, Bars and Forgings 58Ni - 19.5Cr - 13.5Co - 4.3Mo - 3.0Ti - 1.4Al - 0.05Zr - 0.006B Consumable Electrode or Vacuum Induction Melted 1975 °F (1079 °C) Solution, Stabilization, and Precipitation Heat Treated - UNS	2019	SAE	0
5822	AMS5733E	BARS AND FORGINGS 13.5CR - 26NI - 3MO - 1.8TI - UNS S66220	2019	SAE	0
5823	AMS5738E	Steel, Corrosion Resistant, Bars and Wire 18Cr - 9Ni (303F) Free Machining, High Yield Strength Solution Heat Treated and Cold Worked - UNS S30323	2019	SAE	0
5824	AMS5744F	Steel, Corrosion and Heat-Resistant, Bars and Forgings 15.5Cr - 4.5Ni - 2.9Mo - 0.10N Consumable Electrode Remelted Heat Treated, 170 ksi (1172 MPa) Tensile Strength - UNS S35500	2019	SAE	0
5825	AMS5754N	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 47.5Ni - 22Cr - 1.5Co - 9.0Mo - 0.60W - 18.5Fe Solution Heat Treated - UNS N06002	2019	SAE	0
5826	AMS5782H	Steel, Corrosion and Heat Resistant, Welding Wire 20.5Cr - 9.0Ni - 0.50Mo - 1.5W - 1.2Cb - 0.20Ti Vacuum Induction Melted - UNS S63197	2019	SAE	0
5827	AMS5833E	Cobalt Alloy, Corrosion and Heat-Resistant, Round Wire 20Cr - 15Ni - 40Co - 7.0Mo - 16Fe Solution Heat Treated and Cold Drawn - UNS R30003	2019	SAE	0
5828	AMS5834E	Cobalt Alloy, Corrosion and Heat-Resistant, Round Wire 20Cr - 15Ni - 40Co - 7.0Mo - 16Fe Vacuum Induction Plus Consumable Electrode Melted Solution Heat Treated, Cold Drawn, and Aged - UNS R30003	2019	SAE	0
5829	AMS5844J	Alloy, Corrosion-Resistant, Round Bars 20Cr - 35Ni - 35Co - 10Mo Vacuum Induction Plus Consumable Electrode Vacuum Remelted Solution Heat Treated and Work Strengthened - UNS R30035	2019	SAE	0
5830	AMS5845K	Alloy, Corrosion-Resistant, Round Bars 20Cr - 35Ni - 35Co - 10Mo Vacuum Induction Plus Consumable Electrode Vacuum Remelted Solution Heat Treated, Work Strengthened, and Aged - UNS R30035	2019	SAE	0
5831	AMS5853D	Steel, Corrosion and Heat-Resistant, Bars and Wire 15Cr - 25.5Ni - 1.2Mo - 2.1Ti - 0.006B - 0.30V Consumable Electrode Melted 1800 °F (982 °C) Solution Treated and Work-Strengthened 160 ksi (1103 MPa) Tensile Strength - UNS S66286	2019	SAE	0
5832	AMS5857D	Steel, Corrosion Resistant, Bars and Wire 19Cr - 10Ni (304) High Yield Strength Solution Heat Treated and Cold Worked - UNS S30400	2019	SAE	0

5833	AMS5868C	Steel, Corrosion-Resistant, Seamless and Welded Aircraft Tubing 19Cr - 9.5Ni (SAE 30304) Cold Drawn, 1/2 Hard Temper - UNS S30400	2019	SAE	0
5834	AMS5870F	Nickel Alloy, Corrosion and Heat-Resistant, Sheet, Strip, and Plate 60.5Ni - 23Cr - 14Fe - 0.35Ti - 1.4Al Solution Heat Treated - UNS N06601	2019	SAE	0
5835	AMS5872F	Nickel Alloy, Corrosion and Heat-Resistant, Sheet, Strip, and Plate 48Ni - 20Cr - 20Co - 5.9Mo - 2.2Ti - 0.45Al Consumable Electrode or Vacuum Induction Melted Solution Heat Treated - UNS N07263	2019	SAE	0
5836	AMS5891C	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 60Ni - 22Cr - 2.0Mo - 14W - 0.35Al - 0.03La Solution Heat Treated - UNS N06230	2019	SAE	0
5837	AMS5899C	Steel, Corrosion-Resistant, Bars, Wire, and Forgings 17Cr - 0.52Mo (0.95 - 1.20C) Powder Metallurgy Product, Hot Isostatically Pressed - UNS S44004	2019	SAE	0
5838	AMS5900C	Steel Bars, Forgings, and Mechanical Tubing, Corrosion Resistant 14Cr - 2.1Mo - 0.30Cb (Nb) - 1.0V (1.05 - 1.15C) Premium Aircraft Quality for Bearing Applications, Double Vacuum Melted - UNS S42800	2019	SAE	0
5839	AMS5914B	Nickel Alloy, Corrosion and Heat Resistant, Sheet, Strip, and Foil 52.5Ni - 19Cr - 3.0Mo - 5.0Cb - 0.90Ti - 0.50Al - 18Fe Consumable Electrode or Vacuum Induction Melted Precision Cold Rolled, Solution Heat Treated - UNS N07719	2019	SAE	0
5840	AMS5915A	Nickel Alloy, Corrosion and Heat-Resistant, Bars and Forgings, 57Ni - 20Cr - 10Co - 8.5Mo - 2.1Ti - 1.5Al - 0.005B, Vacuum Induction and Consumable Electrode Melted, Solution Heat Treated, Precipitation Heat Treatable - UNS N07208	2019	SAE	0
5841	AMS5922C	Steel, Corrosion-Resistant, Bars, and Forgings 10Cr - 5.5Ni - 14Co - 2Mo - 1W (0.19-0.23C) Vacuum Induction Melted, Vacuum Arc Remelted, Normalized, Annealed - UNS S10500	2019	SAE	0
5842	AMS5924	Nickel Alloy, Corrosion and Heat-Resistant, 47.5Ni - 22Cr - 1.5Co - 9.0Mo - 0.60W - 18.5Fe Powder for General Applications including Metal Injection Molding and Additive Manufacturing without Special Powder Manufacturing Controls (Composition similar to E	2019	SAE	0
5843	AMS5936D	Steel, Corrosion-Resistant, Bars, Wire, and Forgings 12Cr - 11Ni - 1.7Ti - 1Mo Vacuum Induction Plus Vacuum Consumable Electrode Remelted Solution Heat Treated, Precipitation Hardenable - UNS S46500	2019	SAE	0
5844	AMS5960A	Nickel Alloy, Corrosion and Heat Resistant Sheet, Strip, and Foil Ni - 18Cr - 2.8Mo - 5.5Cb (Nb) - 0.70Ti - 1.50Al - 10Fe - 9Co - 1W Vacuum Induction Melted and Consumable Electrode Remelted Solution Heat Treated - UNS N07818	2019	SAE	0
5845	AMS5966C	Nickel Alloy, Corrosion and Heat Resistant, Welding Wire 50Ni - 20Cr - 20Co - 5.9Mo - 2.2Ti - 0.45AI Consumable Electrode or Vacuum Induction Melted - UNS N07263	2019	SAE	0
5846	AMS6264M	Steel, Carburizing Grade, Bars, Forgings, and Tubing 1.2Cr - 3.2Ni - 0.12Mo (0.14 - 0.20C) (9317) - UNS K44414	2019	SAE	0
5847	AMS6299G	Steel Bars, Forgings, and Tubing, Carburizing 0.50Cr - 1.8Ni - 0.25Mo (0.17 - 0.23C) (SAE 4320H) - UNS H43200	2019	SAE	0
5848	AMS6378H	Steel Bars 1.0Cr - 0.20Mo - 0.45Se (0.39 - 0.48C) (4142H Modified) Die-Drawn, 130 ksi (896 MPa) Yield Strength Free Machining - UNS K11542	2019	SAE	0
5849	AMS6417J	Steel, Bars, Forgings, and Tubing 1.6Si - 0.82Cr - 1.8Ni - 0.40Mo - 0.08V (0.38 - 0.43C) Consumable Electrode Vacuum Remelted - UNS K44220	2019	SAE	0
5850	AMS6419J	Steel, Bars, Forgings, and Tubing 1.6Si - 0.82Cr - 1.8Ni - 0.40Mo - 0.08V (0.40 - 0.45C) Consumable Electrode Vacuum Remelted - UNS K44220	2019	SAE	0
5851	AMS6425E	Steel, Bars, Forgings, and Tubing 1.4Mn - 1.5Si - 0.30Cr - 1.8Ni - 0.40Mo (0.23 - 0.28C) Consumable Electrode Vacuum Melted - UNS K32550	2019	SAE	0
5852	AMS6433H	Steel, Sheet, Strip, and Plate 0.75Mn - 0.78Cr - 1.8Ni - 0.35Mo - 0.20V (0.33 - 0.38C) (4335 Mod) - UNS K33517	2019	SAE	0
5853	AMS6444N	Steel, Bars, Forgings, and Tubing 1.45Cr (0.93 - 1.05C) (SAE 52100) Premium Aircraft-Quality, Consumable Electrode Vacuum Remelted - UNS G52986	2019	SAE	0
5854	AMS6482B	Steel Bars, Forgings, and Tubing 1.5Si - 1.25Cr - 3.8Ni - 0.50Mo - 0.30V (0.40C) Vacuum Remelted Annealed - UNS K63835	2019	SAE	0
5855	AMS6498B	Steel Bars, Forgings, and Tubing, Nitriding 1.4Cr - 1.2Mo - 0.3V (0.29 - 0.36C) Double Vacuum Melted Premium Aircraft-Quality for Bearing Applications - UNS K23280	2019	SAE	0
5856	AMS6499B	Steel, Bars, Forgings, and Tubing 2.7Si - 0.85Cr - 1.8Ni - 0.4Mo - 0.2V - (0.37 - 0.44C) Double Vacuum Melted - UNS K54015	2019	SAE	0
5857	AMS6517B	Steel, Bars, and Forgings 3.5Cr - 9.5Ni - 18Co - 1.1Mo (0.13 - 0.17C) Double Vacuum Melted, Normalized, Annealed - UNS K93061	2019	SAE	0

5858	AMS6900C	Titanium Alloy Bars, Forgings and Forging Stock 5Al - 2.5Sn Annealed - UNS R54520	2019	SAE	0
5859	AMS6901C	Titanium Alloy Bars, Forgings, and Forging Stock 5Al - 2.5Sn, Extra Low Interstitial Annealed - UNS R54521	2019	SAE	0
5860	AMS6906C	Titanium Alloy Bars, Forgings, and Forging Stock 6.0Al - 2.0Sn - 4.0Zr - 6.0Mo Solution Heat Treated and Aged - UNS R56260	2019	SAE	0
5861	AMS6920D	Titanium Alloy Bars, Forgings and Forging Stock 3Al - 8V - 6Cr - 4Mo - 4Zr Solution Heat Treated - UNS R58640	2019	SAE	0
5862	AMS6921C	Titanium Alloy Bars, Forgings and Forging Stock 3Al - 8V - 6Cr - 4Mo - 4Zr Solution Heat Treated and Aged - UNS R58640	2019	SAE	0
5863	AMS6925C	Titanium Alloy Bars, Forgings and Forging Stock 13V - 11Cr - 3Al Solution Heat Treated - UNS R58010	2019	SAE	0
5864	AMS6926C	Titanium Alloy Bars, Forgings and Forging Stock 13V - 11Cr - 3Al Solution Heat Treated and Aged - UNS R58010	2019	SAE	0
5865	AMS6935C	Titanium Alloy Bars, Forgings and Forging Stock 6.0Al 6.0V 2.0Sn Solution Heat Treated and Aged - UNS R56620	2019	SAE	0
5866	AMS6936C	Titanium Alloy Bars, Forgings and Forging Stock 6Al - 6V - 2Sn Annealed - UNS R56620	2019	SAE	0
5867	AMS6940B	Titanium Alloy Bars, Forgings and Forging Stock 3.0Al - 2.5V Annealed - UNS R56320	2019	SAE	0
5868	AMS6947B	Titanium Alloy, Bars, Wire, Forgings, Rings, and Drawn Shapes 4Al - 2.5V -1.5 Fe Annealed, Heat Treatable - UNS R54250	2019	SAE	0
5869	AMS6948B	Titanium Alloy Bars, Wire, Forgings, Rings, and Drawn Shapes 4Al - 2.5V -1.5 Fe Annealed - UNS R54250	2019	SAE	0
5870	AMS6949A	Titanium Alloy, Sheet and Strip 4Al - 2.5V - 1.5Fe Electron Beam Single Melted.Annealed - UNS R54250	2019	SAE	0
5871	AMS7004	Titanium Alloy Preforms from Plasma Arc Directed Energy Deposition Additive Manufacturing on Substrate Ti-6Al-4V Stress Relieved	2019	SAE	0
5872	AMS7005	Wire Fed Plasma Arc Directed Energy Deposition Additive Manufacturing Process	2019	SAE	0
5873	AMS7008	Nickel Alloy, Corrosion and Heat-Resistant, Powder for Additive Manufacturing, 47.5Ni - 22Cr - 1.5Co - 9.0Mo - 0.60W - 18.5Fe - UNS N06002	2019	SAE	0
5874	AMS7012	Precipitation Hardenable Steel Alloy, Corrosion and Heat-Resistant Powder for Additive Manufacturing 16.0Cr - 4.0Ni - 4.0Cu - 0.30Nb - UNS S17400	2019	SAE	0
5875	AMS7013	Nickel Alloy, Corrosion and Heat-Resistant, Powder for Additive Manufacturing, 60Ni - 22Cr - 2.0Mo - 14W - 0.35Al - 0.03La - UNS N06230	2019	SAE	0
5876	AMS7014	Titanium Alloy, High Temperature Applications, Powder for Additive Manufacturing, Ti - 6.0Al - 2.0Sn - 4.0Zr - 2.0Mo - UNS R54620	2019	SAE	0
5877	AMS7100	Fused Filament Fabrication, Process Specification for	2019	SAE	0
5878	AMS7101	Fused Filament Fabrication, Material for	2019	SAE	0
5879	AMS7264B	(R) Rubber: Methyl Vinyl Silicone (MVQ) High Temperature Resistant, Low Compression Set 65 - 75 Type _A_ Hardness For Seals in a Static Application - Resistant to 500 °F (260 °C)	2019	SAE	0
5880	AMS7269C	(R) Rubber: Silicone Rubber (PVMQ) Low Outgassing, Low Temperature Resistant 45 - 55 Shore _A_ Hardness For Seals in Space and Vacuum Service	2019	SAE	0
5881	AMS7271K	(R) Rubber: Acrylonitrile-Butadiene Rubber (NBR) Fuel and Low Temperature Resistant 60 - 70 Type _A_ Hardness For Seals in Fuel Systems	2019	SAE	0
5882	AMS7601	Rubber: Butyl (IIR) Low Compression Set and Low Moisture/Gas Permeability 65 to 75 Type A Hardness for Seals in Desiccated or Other Systems Requiring Resistance to Gas and/or Water Vapor Permeation	2019	SAE	0
5883	AMSS8802E	(R) Sealing Compound, Fuel Resistant, Integral Fuel Tanks and Fuel Cell Cavities	2019	SAE	0
5884	ARP85G	Air Conditioning Systems for Subsonic Airplanes	2019	SAE	0
5885	ARP823F	Minimizing Stress-Corrosion Cracking in Wrought High-Strength Aluminum Alloy Products	2019	SAE	0
5886	ARP900C	(R) Methods for Evaluating Cryogenic Filters	2019	SAE	0
5887	ARP1070E	(R) Design and Testing of Antiskid Brake Control Systems for Total Aircraft Compatibility	2019	SAE	0
5888	ARP1161B	Crew Station Lighting - Commercial Aircraft	2019	SAE	0
5889	ARP1283C	(R) Cargo Compartment Lighting for Transport Category Aircraft and Rotorcraft	2019	SAE	0
5890	ARP1302A	(R) Filter Patch Testing Procedures for Aerospace Hydraulic Non-Rotating Equipment	2019	SAE	0

5891	ARP1897A	(R) Clamp Selection and Installation Guide	2019	SAE	0
5892	ARP1962B	(R) Training and Approval of Heat-Treating Personnel	2019	SAE	0
5893	ARP1971D	(R) Aircraft Deicing Vehicle - Self-Propelled	2019	SAE	0
5894	ARP4101_3A	(R) Crew Rest Facilities	2019	SAE	0
5895	ARP4102_10B	(R) Traffic Display and Collision Avoidance Systems	2019	SAE	0
5896	ARP4118B	(R) Isolation and Corrosion Protection of Dissimilar Materials, Carbon Composite Structure Repair	2019	SAE	0
5897	ARP4150A	(R) Procedure for Inspection of In-Service Airborne Accumulators for Corrosion and Damage	2019	SAE	0
5898	ARP4462B	(R) Barkhausen Noise Inspection for Detecting Grinding Burns in High Strength Steel Parts	2019	SAE	0
5899	ARP4895B	Flight Control Actuators - Dynamic Seals, Collection of Duty Cycle Data	2019	SAE	0
5900	ARP5021B	(R) Oxygen Cylinder Installation Guide	2019	SAE	0
5901	ARP5029B	Measurement Procedures for Short Pulse Width Strobe Anticollision Lights	2019	SAE	0
5902	ARP5150A	(R) Safety Assessment of Transport Airplanes in Commercial Service	2019	SAE	0
5903	ARP5151A	(R) Safety Assessment of General Aviation Airplanes and Rotorcraft in Commercial Service	2019	SAE	0
5904	ARP5448_9B	(R) Plain Bearing Lined Inside Diameter Plug Gaging	2019	SAE	0
5905	ARP5483_3B	Rolling Element Bearing Axial and Radial Internal Clearance	2019	SAE	0
5906	ARP5483_7B	Dynamic Radial Load Test, Track Roller Bearing	2019	SAE	0
5907	ARP5483_8B	Rolling Bearing Dynamic Radial Load Test	2019	SAE	0
5908	ARP5754	Electromechanical Actuators Specification Guide	2019	SAE	0
5909	ARP6175	Recommended Practice Regarding Commercial Aircraft Hydraulic System External Leakage	2019	SAE	0
5910	ARP6225A	Aircraft Tire Inspection - In-Service Removal Criteria	2019	SAE	0
5911	ARP6307A	New and Newly Retreaded Tire Appearance	2019	SAE	0
5912	ARP6336	Lighting Applications for Unmanned Aircraft Systems (UAS)	2019	SAE	0
5913	ARP6338A	(R) Process for Assessment and Mitigation of Early Wearout of Life-Limited Microcircuits	2019	SAE	0
5914	ARP6407	IVHM Design Guidelines	2019	SAE	0
5915	ARP6415	Use of Pb-Free Ball Grid Array Component Soldered Using SnPb Solder	2019	SAE	0
5916	ARP6481	Procedure for the Calculation of Non-Volatile Particulate Matter Sampling and Measurement System Losses and System Loss Correction Factors - Includes Access to Additional Content	2019	SAE	0
5917	ARP6883	Guidelines for Writing IVHM Requirements for Aerospace Systems	2019	SAE	0
5918	ARP7446	Vacuum Gauge Calibration	2019	SAE	0
5919	ARP60494	Touch Interactive Display Systems: Human Factors Considerations, System Design and Performance Guidelines	2019	SAE	0
5920	AS115J	(R) HOSE ASSEMBLY, PTFE, CRES REINFORCED, 3000 PSI, 400 °F, STRAIGHT TO STRAIGHT, FLARELESS, LIGHTWEIGHT	2019	SAE	0
5921	AS116J	(R) HOSE ASSEMBLY, PTFE, CRES REINFORCED, 3000 PSI, 400 °F, STRAIGHT TO 45°, FLARELESS, LIGHTWEIGHT	2019	SAE	0
5922	AS117J	(R) HOSE ASSEMBLY, PTFE, CRES REINFORCED, 3000 PSI, 400 °F, STRAIGHT TO 90°, FLARELESS, LIGHTWEIGHT	2019	SAE	0
5923	AS118J	(R) HOSE ASSEMBLY, PTFE, CRES REINFORCED, 3000 PSI, 400 °F, 45° TO 45°, FLARELESS, LIGHTWEIGHT	2019	SAE	0
5924	AS119J	(R) HOSE ASSEMBLY, PTFE, CRES REINFORCED, 3000 PSI, 400 °F, 45° TO 90°, FLARELESS, LIGHTWEIGHT	2019	SAE	0
5925	AS683E	Installation Procedures and Torques for Fluid Connections	2019	SAE	0
5926	AS916C	(R) Oxygen Flow Indication	2019	SAE	0
5927	AS930F	FITTING END, STRAIGHT THREAD, PORT CONNECTION, DESIGN STANDARD	2019	SAE	0
5928	AS1032G	FITTING, TEE, STANDARD AND REDUCER, BULKHEAD ON RUN, INTERNAL PORT ON RUN, FLARED	2019	SAE	0

5929	AS1197B	(R) Continuous Flow Oxygen Regulator	2019	SAE	0
5930	AS1300F	PORT - RING LOCKED FLUID CONNECTION TYPE STANDARD DIMENSIONS FOR	2019	SAE	0
5931	AS1495B	(R) Shaft Nut and Keywasher Installation Dimensions for	2019	SAE	0
5932	AS1620A	STUD, LOCKED IN - RING, STRAIGHT, HOLE PREPARATION FOR	2019	SAE	0
5933	AS1895 1F	COUPLING, V-RETAINER, SINGLE LATCH, TYPE I STANDARD PROFILE	2019	SAE	0
5934	AS1895 4F	COUPLING, V-RETAINER, SINGLE LATCH, TYPE II LOW PROFILE	2019	SAE	0
5935	AS1895 7G	SEAL, TYPE I & II STANDARD AND LOW PROFILE	2019	SAE	0
5936	AS1895 23B	HIGH CONFORMANCE SEAL, TYPE I & II STANDARD AND LOW PROFILE	2019	SAE	0
5937	AS1896B	Coupling Assembly, Self-Sealing, One Side Only, Hydraulic	2019	SAE	0
5938	AS2592A	Flap Assemblies, Rotary Flap Peening	2019	SAE	0
5939	AS3063C	Bolts, Screws, and Studs, Geometric Control Requirements	2019	SAE	0
5940	AS3080A	(R) INSERT - CRES HELICAL COIL FINE THREAD, STRAIGHT, STUD LOCKING, 1.5 DIA NOM LENGTH	2019	SAE	0
5941	AS3081A	(R) INSERT - CRES HELICAL COIL FINE THREAD, STRAIGHT, STUD LOCKING, 2 DIA NOM LENGTH	2019	SAE	0
5942	AS3082A	(R) INSERT - CRES HELICAL COIL FINE THREAD, STRAIGHT STUD LOCKING, 2.5 DIA NOM LENGTH	2019	SAE	0
5943	AS3083A	(R) INSERT - CRES HELICAL COIL FINE THREAD, STRAIGHT, STUD LOCKING, 3 DIA NOM LENGTH	2019	SAE	0
5944	AS3098A	(R) SCREW, MACHINE - HEXAGON HEAD, PD SHANK, CRES AMS5731 (UNS S66286), .164-36 UNJF-3A	2019	SAE	0
5945	AS3112B	BOLT, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, PD SHANK, CRES (UNS S66286), .5000-20 UNJF-3A	2019	SAE	0
5946	AS3119B	BOLT, MACHINE - HEXAGON HEAD, DRILLED 6 HOLES, PD SHANK, CRES (UNS S66286), .5000-20 UNJF-3A	2019	SAE	0
5947	AS3121B	PLUG, EXPANSION, ALUMINUM, 2024-T4 AND 2024-T351, LONG; STD AND .010 OVERSIZE DIAMETERS - UNS A92024	2019	SAE	0
5948	AS3122B	PIN, EXPANSION - ALUMINUM, 2024-T4 AND 2024-T351, LONG - UNS A92024	2019	SAE	0
5949	AS3124B	PIN, EXPANSION - ALUMINUM, 2024-T4 AND 2024-T351, SHORT, UNS A92024	2019	SAE	0
5950	AS3147B	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, AMS4967 (UNS R56400), 160 KSI, .1900-32 UNJF-3A	2019	SAE	0
5951	AS3148B	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, AMS4967 (UNS R56400), 160 KSI, .2500-28 UNJF-3A	2019	SAE	0
5952	AS3149B	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, AMS4967 (UNS R56400), 1600 KSI, .3125-24 UNJF-3A	2019	SAE	0
5953	AS3150B	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, AMS4967 (UNS R56400), 160 KSI .3750-24 UNJF-3A	2019	SAE	0
5954	AS3151B	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, AMS4967 (UNS R56400), 160 KSI, .4375-20 UNJF-3A	2019	SAE	0
5955	AS3152B	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, AMS4967 (UNS R56400), 160 KSI, .5000-20 UNJF-3A	2019	SAE	0
5956	AS3153B	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, AMS4967 (UNS R56400), 160 KSI, .5625-18, UNJF-3A	2019	SAE	0
5957	AS3174B	BOLT, MACHINE - DOUBLE HEX EXTENDED WASHER HEAD, DRILLED, CLOSE TOL SHANK, AMS5643 (UNS S17400), 140 KSI, .1900-32 UNJF-3A	2019	SAE	0
5958	AS3175B	BOLT, MACHINE - DOUBLE HEX EXTENDED WASHER HEAD, DRILLED, CLOSE TOL SHANK, AMS5643 (UNS S17400), 140 KSI, 2500-28 UNJF-3A	2019	SAE	0
5959	AS3176B	BOLT, MACHINE - DOUBLE HEX EXTENDED WASHER HEAD, DRILLED, CLOSE TOL SHANK, AMS5643 (UNS S17400), 140 KSI, .3125-24 UNJF-3A	2019	SAE	0
5960	AS3177B	BOLT, MACHINE - DOUBLE HEX EXTENDED WASHER HEAD, DRILLED, CLOSE TOL SHANK, AMS5643 (UNS S17400), 140 KSI, .3750-24 UNJF-3A	2019	SAE	0

5961	AS3178B	BOLT, MACHINE - DOUBLE HEX EXTENDED WASHER HEAD, DRILLED, CLOSE TOL SHANK, AMS5643 (UNS S17400), 140 KSI, .4375-20 UNJF-3A	2019	SAE	0
5962	AS3179B	BOLT, MACHINE - DOUBLE HEX EXTENDED WASHER HEAD, DRILLED, CLOSE TOL SHANK, AMS5643 (UNS S17400), 140 KSI, .5000-20 UNJF-3A	2019	SAE	0
5963	AS3217B	(R) RING, RETAINING-SPIRAL, INTERNAL LIGHT DUTY, CRES	2019	SAE	0
5964	AS3218B	(R) RING, RETAINING-SPIRAL, EXTERNAL, LIGHT DUTY, CRES	2019	SAE	0
5965	AS3228B	(R) RIVET - TUBULAR, COUNTERSUNK, AS7228	2019	SAE	0
5966	AS3232C	BOLT, TEE HEAD _ CHAMFERED, AMS5708 (UNS N07001), 165 KSI MIN UTS, .1900-32UNJF-3A	2019	SAE	0
5967	AS3234B	BOLT, TEE HEAD - CHAMFERED, PD SHANK NICKEL ALLOY (UNS N07001), 165 KSI MIN UTS .3125-24 UNJF-3A	2019	SAE	0
5968	AS3249D	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, NICKEL ALLOY, UNS N07718, 185 KSI MIN, .5625-18 UNJF-3A	2019	SAE	0
5969	AS3253D	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, NICKEL ALLOY, UNS N07718, 185 KSI MIN, .3750-24 UNJF-3A	2019	SAE	0
5970	AS3255D	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, NICKEL ALLOY, UNS N07718, 185 KSI MIN, .5000-20 UNJF-3A	2019	SAE	0
5971	AS3410C	BOLT, TEE HEAD - AMS5662, CHAMFERED, .2500-28 UNJF-3A (STRESS RUPTURE RESISTANT)	2019	SAE	0
5972	AS3412C	BOLT, TEE HEAD - AMS5662, CHAMFERED, .3750-24 UNJF-3A (STRESS RUPTURE RESISTANT)	2019	SAE	0
5973	AS3486E	(R) NUT, SELF-LOCKING, EXTENDED DOUBLE HEXAGON, REDUCED FLANGE, DRY FILM LUBE, UNS S66286, CLASS: 160 KSI/800 °F	2019	SAE	0
5974	AS3502A	INSERT, SCREW THREAD, SELF LOCKING PLASTIC LOCKING DEVICE, SOLID FILM LUBRICATED SELF-BROACHING KEYS, UNS S66286	2019	SAE	0
5975	AS3528A	(R) BOLT, SHEAR - DOUBLE HEX HEAD, UNS S66286 - 160 KSI	2019	SAE	0
5976	AS3529A	BOLT, SHEAR - DOUBLE HEX HEAD, DRILLED SHANK UNS S66286 - 160 KSI	2019	SAE	0
5977	AS3530B	BOLT, MACHINE - DOUBLE HEX EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, UNS S66286 - 160 KSI	2019	SAE	0
5978	AS3531B	BOLT, MACHINE - DOUBLE HEX EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, DRILLED HEAD, UNS S66286 - 160 KSI	2019	SAE	0
5979	AS3532A	BOLT, SHEAR _ DOUBLE HEX HEAD, DRILLED SHANK UNS N07718 _ 185 ksi	2019	SAE	0
5980	AS3543B	STUD, LOCKED IN, KEY LOCKED, UNS S66286, 140 KSI/1200 °F LIGHTWEIGHT, SELF-BROACHING KEYS	2019	SAE	0
5981	AS3545A	INSERT, SCREW THREAD, SELF-LOCKING, LOCKED IN, KEY LOCKED, HEAVY-DUTY, SELF-BROACHING KEYS, UNS S66286	2019	SAE	0
5982	AS3546B	INSERT, SCREW THREAD, SELF-LOCKING LOCKED IN, KEY LOCKED, EXTRA HEAVY DUTY, SELF-BROACHING KEYS, UNS S66286	2019	SAE	0
5983	AS3552B	(R) NUT, SELF-LOCKING, DOUBLE HEXAGON, SILVER PLATED, EXTENDED WRENCH PAD 180 KSI, 1400 °F, UNS N07001	2019	SAE	0
5984	AS3553B	(R) NUT, SELF-LOCKING, DOUBLE HEXAGON, SILVER PLATED, COUNTERBORED 180 KSI, 1400 °F, UNS N07001	2019	SAE	0
5985	AS3572A	(R) INSERT, SCREW THREAD, NON-LOCKING, LOCKED IN, KEY LOCKED, HEAVY-DUTY, SELF-BROACHING KEYS, UNS S66286	2019	SAE	0
5986	AS3574C	BOLT, SHEAR - DOUBLE HEX HEAD, UNS N07718 - 185 KSI	2019	SAE	0
5987	AS3588B	(R) PIN AND PLUG, EXPANSION, SET OF PARTS AL ALLOY 2024-T4 AND 2024-T351, SHORT; STD AND .010 OVERSIZE DIAMETERS, UNS A92024	2019	SAE	0
5988	AS3589C	(R) PIN AND PLUG, EXPANSION SET OF PARTS, AL ALLOY 2024-T4 AND 2024-T351, LONG; STD AND .010 OVERSIZE DIAMETERS (UNS A92024)	2019	SAE	0
5989	AS3655A	CABLE, SAFETY, NICKEL ALLOY, CORROSION RESISTANT - UNS N06625	2019	SAE	0

5990	AS4073B	(R) Air Cycle Air Conditioning Systems for Air Vehicles	2019	SAE	0
5991	AS4131C	ELBOW, 90°, REDUCER AND STANDARD, REDUCED BODY, FLARELESS	2019	SAE	0
5992	AS4132C	ELBOW, 90°, BULKHEAD, STANDARD AND REDUCER, REDUCED BODY, FLARELESS	2019	SAE	0
5993	AS4133D	TEE, STANDARD AND REDUCER, REDUCED BODY, FLARELESS	2019	SAE	0
5994	AS4134E	TEE, BULKHEAD ON RUN, STANDARD AND REDUCER, REDUCED BODY, FLARELESS	2019	SAE	0
5995	AS4135D	TEE, BULKHEAD ON SIDE, STANDARD AND REDUCER, REDUCED BODY, FLARELESS	2019	SAE	0
5996	AS4136D	CROSS, STANDARD AND REDUCER, REDUCED BODY, FLARELESS	2019	SAE	0
5997	AS4137D	FITTING ASSY, ELBOW, REDUCER, 45°, SWIVEL, REDUCED BODY, FLARELESS	2019	SAE	0
5998	AS4138D	FITTING ASSY, ELBOW, REDUCER, 90 Degrees, SWIVEL, REDUCED BODY, FLARELESS	2019	SAE	0
5999	AS4139D	FITTING ASSY, TEE, REDUCER, SWIVEL ON RUN, REDUCED BODY, FLARELESS	2019	SAE	0
6000	AS4140E	FITTING ASSY, TEE, REDUCER, SWIVEL ON SIDE, REDUCED BODY, FLARELESS	2019	SAE	0
6001	AS4141D	FITTING ASSY,CROSS, REDUCER, SWIVEL ON SIDE, REDUCED BODY, FLARELESS	2019	SAE	0
6002	AS4212B	(R) FITTING, UNION, REDUCER, BEAM SEAL	2019	SAE	0
6003	AS4223B	(R) FITTING, UNION, BULKHEAD BEAM SEAL	2019	SAE	0
6004	AS4227D	FITTING ASSEMBLY, ADAPTER, INTERNAL THREAD, BEAM SEAL TO INTEGRAL WELD RING	2019	SAE	0
6005	AS4228D	(R) FITTING, ADAPTER, EXTERNAL THREAD, BEAM SEAL TO INTEGRAL WELD RING	2019	SAE	0
6006	AS4229B	(R) FITTING, ADAPTER, BULKHEAD, EXTERNAL THREAD, BEAM SEAL TO INTEGRAL WELD RING	2019	SAE	0
6007	AS4230D	(R) FITTING, ELBOW, 45°, EXTERNAL THREAD, BEAM SEAL TO INTEGRAL WELD RING	2019	SAE	0
6008	AS4231D	(R) FITTING, ELBOW, 45°, BULKHEAD, EXTERNAL THREAD, BEAM SEAL TO INTEGRAL WELD RING	2019	SAE	0
6009	AS4232D	(R) FITTING, ELBOW, 90°, EXTERNAL THREAD, BEAM SEAL TO INTEGRAL WELD RING	2019	SAE	0
6010	AS4233D	(R) FITTING, ELBOW, 90°, BULKHEAD, EXTERNAL THREAD, BEAM SEAL TO INTEGRAL WELD RING	2019	SAE	0
6011	AS4323A	(R) NUT, RETAINED, FOR FLARED TUBE FITTINGS	2019	SAE	0
6012	AS4326A	(R) NUT, COUPLING	2019	SAE	0
6013	AS4410B	FITTING ASSEMBLY, TEE, REDUCER AND NONREDUCER, INTERNAL FLARE ON RUN, TO FLARED TUBE	2019	SAE	0
6014	AS4411B	FITTING ASSEMBLY, TEE, REDUCER AND NONREDUCER, INTERNAL FLARE ON SIDE TO FLARED TUBE	2019	SAE	0
6015	AS4510 2A	(R) Fittings, Weld to Beam, Seal, Fluid Connection	2019	SAE	0
6016	AS4510A	(R) Fittings, Weld, Fluid Connection, 5000 psi Maximum	2019	SAE	0
6017	AS4536D	Safety Cable Kit Procurement Specification and Requirement for Use	2019	SAE	0
6018	AS4683E	FITTING, ELBOW, 45°, REDUCER AND NON-REDUCER, BULKHEAD, FLARELESS AND SHORT FLARELESS	2019	SAE	0
6019	AS4787A	(R) Eddy Current Inspection of Circular Holes in Nonferrous Metallic Aircraft Engine Hardware	2019	SAE	0
6020	AS4792B	Water Conditioning Agents for Aqueous Magnetic Particle Inspection	2019	SAE	0
6021	AS4832A	(R) Gland Design: Nominal 3/8 Inch Cross Section for Compression-Type Seals	2019	SAE	0
6022	AS4897A	Hose Assembly, Polytetrafluoroethylene (PTFE), Low Pressure, 450 °F and Fireproof, Procurement Specification for	2019	SAE	0
6023	AS5168B	(R) FITTING, PLUG, TUBE END, FLARED	2019	SAE	0
6024	AS5169B	(R) FITTING, PORT PLUG AND BLEEDER	2019	SAE	0
6025	AS5170A	(R) FITTING, PLUG, PORT, STRAIGHT THREAD, O-RING SEAL	2019	SAE	0
6026	AS5172D	FITTING, ADAPTER, PORT, REDUCER	2019	SAE	0
6027	AS5178C	NUT, FITTING, BULKHEAD	2019	SAE	0
6028	AS5194D	FITTING, ADAPTER, STRAIGHT PIPE TO FLARED	2019	SAE	0
6029	AS5233B	(R) FITTING ASSEMBLY, CAP, FLARELESS	2019	SAE	0
6030	AS5234A	NUT, COUPLING, FLARELESS	2019	SAE	0

6031	AS5259_1B	(R) CRIMPING TOOL AND ACCESSORIES, REMOTE CRIMP HEAD, HYDRAULIC, WIRE SIZE 8 TO 0000 FOR INSULATED AND UN-INSULATED CRIMP BARRELS	2019	SAE	0
6032	AS5259_6B	CRIMPING TOOL AND ACCESSORIES, INSPECTION GAGES, FOR AS5259 DIES	2019	SAE	0
6033	AS5259_7B	CRIMPING TOOL AND ACCESSORIES, DIES, WIRE SIZE 8 TO 0000 UN-INSULATED AND INSULATED CRIMP BARRELS	2019	SAE	0
6034	AS5458C	HOSE ASSEMBLY, METAL - MEDIUM PRESSURE, FLARED, WELDED, STRAIGHT TO STRAIGHT	2019	SAE	0
6035	AS5459C	HOSE ASSEMBLY, METAL - MEDIUM PRESSURE, FLARED, WELDED, STRAIGHT TO 45°	2019	SAE	0
6036	AS5460C	HOSE ASSEMBLY, METAL - MEDIUM PRESSURE, FLARED, WELDED, STRAIGHT TO 90°	2019	SAE	0
6037	AS5461C	HOSE ASSEMBLY, METAL - MEDIUM PRESSURE, FLARED, WELDED, 45° TO 45°	2019	SAE	0
6038	AS5462C	HOSE ASSEMBLY, METAL - MEDIUM PRESSURE, FLARED, WELDED, 45° TO 90°	2019	SAE	0
6039	AS5463C	HOSE ASSEMBLY, METAL - MEDIUM PRESSURE, FLARED, WELDED, 90° TO 90°	2019	SAE	0
6040	AS5506_4	Architecture Analysis & Design Language (AADL) Annex F: AADL Annex for the FACETM Technical Standard Edition 3.0	2019	SAE	0
6041	AS5553C	(R) Counterfeit Electrical, Electronic, and Electromechanical (EEE) Parts; Avoidance, Detection, Mitigation, and Disposition	2019	SAE	0
6042	AS5620C	Titanium Hydraulic Tubing, Ti-3Al-2.5V Cold Worked and Stress Relieved, Up to 35000 kPa (5080 psi), Requirements for Qualification Testing and Control	2019	SAE	0
6043	AS5643_1A	(R) S400 Copper Media Interface Characteristics Over Extended Distances	2019	SAE	0
6044	AS5649A	(R) Wire and Cable Marking Process, UV Laser	2019	SAE	0
6045	AS5756B	(R) Cable, Power, Electrical, Portable General Specification For	2019	SAE	0
6046	AS5798A	(R) Aerospace Size Standard for Oversize O-Rings	2019	SAE	0
6047	AS5869F	FITTING ASSEMBLY, UNION, 3 HOLE FLANGE AXIALLY SWAGED, HYDRAULIC 5080 PSI	2019	SAE	0
6048	AS5901D	(R) Water Spray and High Humidity Endurance Test Methods for AMS1424 and AMS1428 Aircraft Deicing/Anti-Icing Fluids	2019	SAE	0
6049	AS5958G	Fittings, Axially Swaged Tube with Flareless Separable, Fluid System for Operating Pressures up to and Including 5080 psi (35000 kPa), Specification for	2019	SAE	0
6050	AS5960C	Hose Assembly, Polytetrafluoroethylene, Metallic Braid Reinforced, 5080 psi (35 000 kPa), 400 °F (204 °C), Aircraft Hydraulic Systems	2019	SAE	0
6051	AS5969F	FITTING ASSEMBLY, UNION, AXIALLY SWAGED, HYDRAULIC 5080 PSI	2019	SAE	0
6052	AS6034	CLAMP, LOOP TYPE SUPPORTHEAT RESISTANT AMS5599	2019	SAE	0
6053	AS6043C	FITTING, TEE, STANDARD AND REDUCER, BULKHEAD ON RUN, FLARELESS, PRECISION TYPE	2019	SAE	0
6054	AS6045C	FITTING, TEE, STANDARD AND REDUCER, FLARELESS, PRECISION TYPE	2019	SAE	0
6055	AS6046C	FITTING, CROSS, STANDARD AND REDUCER, FLARELESS, PRECISION TYPE	2019	SAE	0
6056	AS6048C	FITTING, ELBOW, 90°, STANDARD AND REDUCER, BULKHEAD, FLARELESS, PRECISION TYPE	2019	SAE	0
6057	AS6049B	FITTING, TEE, STANDARD AND REDUCER, BULKHEAD ON SIDE, FLARELESS, PRECISION TYPE	2019	SAE	0
6058	AS6070_8A	CABLE, LIGHTWEIGHT OPTIMIZED HIGH SPEED DATA QUAD, 110 OHM, 200 °C	2019	SAE	0
6059	AS6088	Verification Methods for AS5653 Network Terminal	2019	SAE	0
6060	AS6129A	Interface Standard, Airborne EO/IR Systems, Electrical	2019	SAE	0
6061	AS6173_1A	CUTTING TOOL (MINIATURE) ELECTRICAL, WIRE CUTTING, HAND ACTUATED, TYPE I, WIRE SIZES 26 THROUGH 16	2019	SAE	0
6062	AS6224_2	REPAIR SLEEVE, LARGE WIRE/CABLE INSULATION DAMAGE, ELECTRIC, PERMANENT, ENVIRONMENT RESISTANT, 260 °C MAXIMUM OPERATING TEMPERATURE, TYPE II	2019	SAE	0
6063	AS6279B	Standard Practice for Production, Distribution, and Procurement of Metal Stock	2019	SAE	0
6064	AS6285C	Aircraft Ground Deicing/Anti-Icing Processes	2019	SAE	0

6065	AS6286A	(R) Aircraft Ground Deicing/Anti-Icing Training and Qualification Program	2019	SAE	0
6066	AS6294_3	Requirements for Plastic Encapsulated Discrete Semiconductors in Space Applications	2019	SAE	0
6067	AS6294_4	Requirements for Plastic Encapsulated Discrete Semiconductors in Military and Avionics Applications	2019	SAE	0
6068	AS6462C	(R) AS5553B, Counterfeit Electrical, Electronic, and Electromechanical (EEE) Parts; Avoidance, Detection, Mitigation, and Disposition Verification Criteria	2019	SAE	0
6069	AS6495C	(R) CLAMP, STRAP, HIGH TEMPERATURE, RETAINING AMS5599	2019	SAE	0
6070	AS6506A	Fusion Splice for Aerospace Fiber Optic Cables	2019	SAE	0
6071	AS6817	Valve, Inflation, Aircraft Wheel	2019	SAE	0
6072	AS7470D	(R) Bolts and Screws, Steel, Corrosion and Moderate Heat Resistant Heat Treated, Roll Threaded	2019	SAE	0
6073	AS7510A	(R) Coupling Assembly, Threadless, Flexible, Self-Locking, Fixed Cavity, High Conductivity, Self-Bonding, Part Specification	2019	SAE	0
6074	AS7513A	(R) MALE FERRULE, THREADLESS, - FLEXIBLE, FIXED CAVITY, CURRENT CARRYING, SELF BONDING, SWAGED	2019	SAE	0
6075	AS7515A	COUPLING ASSEMBLY, THREADLESS - FLEXIBLE, FIXED CAVITY, CURRENT CARRYING, SELF BONDING	2019	SAE	0
6076	AS7516B	MALE FERRULE, THREADLESS - FLEXIBLE, FIXED CAVITY, SELF-BONDING, BUTT WELDED	2019	SAE	0
6077	AS7928_11D	TERMINAL, LUG, CRIMP STYLE, COPPER, UNINSULATED, RING TONGUE, TIN WHISKER RESISTANT, TYPE I, CLASS I, FOR 150 °C TOTAL CONDUCTOR TEMPERATURE	2019	SAE	0
6078	AS7928_15A	TERMINAL, LUG, CRIMP STYLE, COPPER, UNINSULATED, FLAG TONGUE, SIZES 22-10, TYPE I, CLASS I, FOR 150?C TOTAL CONDUCTOR TEMPERATURE	2019	SAE	0
6079	AS7928C	(R) Terminals, Lug: Splices, Conductor: Crimp Style, Copper, General Specification for	2019	SAE	0
6080	AS7949C	(R) Bearings, Ball, Airframe, Antifriction, General Standard for	2019	SAE	0
6081	AS7982	Static Seal Test Fixture and Procedure	2019	SAE	0
6082	AS8024	JAUS Autonomous Capabilities Service Set	2019	SAE	0
6083	AS8026B	Crewmember Demand Oxygen Mask for Transport Category Aircraft	2019	SAE	0
6084	AS8040C	(R) Heater and Accessories, Aircraft Internal Combustion Heat Exchanger Type	2019	SAE	0
6085	AS8443	CLAMP ASSEMBLY, SADDLE TYPE, CUSHIONED	2019	SAE	0
6086	AS8460	FITTING, UNION, REDUCER, BEAM SEAL, 5000 psi	2019	SAE	0
6087	AS8461	FITTING, UNION, BULKHEAD, BEAM SEAL, 5000 psi	2019	SAE	0
6088	AS8538	RECESS, INTERNAL, TORX PARALOBE DRIVE, DIMENSIONS OF RECESS AND GAGE	2019	SAE	0
6089	AS8539	BIT, INTERNAL RECESS DRIVER, TORX PARALOBE DRIVE, DIMENSIONS OF DRIVER AND GAGE	2019	SAE	0
6090	AS9131D	(R) Aerospace Series - Quality Management Systems - Nonconformity Data Definition and Documentation	2019	SAE	0
6091	AS9158A	(R) BOLT-MACHINE, DOUBLE HEXAGON, EXTENDED WASHER HEAD, PD SHANK, STEEL (SAE 8740), BLACK OXIDE, .2500-28 UNF-3A	2019	SAE	0
6092	AS9226B	WIRE - STEEL, CORROSION AND HEAT RESISTANT, SAFETY, 1800 °F	2019	SAE	0
6093	AS9308C	STUD, SHOULDERED, HEX, WRENCHING, DRILLED, STEEL UNS G87400, CAD, PLATED, 125 KSI MIN, .1900-32 UNF-3A X .1900-32 UNF-3A	2019	SAE	0
6094	AS9359B	NUT, CASTELLATED, HEXAGON, SILVER PLATED, CRES UNS S66286, 130 KSI MIN	2019	SAE	0
6095	AS9362B	(R) NUT, PLAIN, HEXAGON, CHECK - UNS S66286, 130 KSI MIN, SILVER PLATED	2019	SAE	0
6096	AS9363C	NUT, SLOTTED, HEXAGON, SHEAR - UNS S66286, 130 KSI MIN	2019	SAE	0
6097	AS9364B	NUT, SLOTTED, HEXAGON, SHEAR - SILVER PLATED, UNS S66286, 130 KSI MIN	2019	SAE	0
6098	AS9460A	(R) RIVET, SOLID - 100° FLUSH HEAD, AMS7235	2019	SAE	0
6099	AS9564B	(R) SCREW, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, CRES UNS 266286, 130 KSI MIN, .1640-36 UNJF-3A	2019	SAE	0

6100	AS9567D	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, CRES UNS S66286, 130 KSI MIN, .3125-24 UNJF-3A	2019	SAE	0
6101	AS9568F	BOLT, MACHINE _ DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, CRES UNS S66286, 130 KSI MIN, .3750-24 UNJF-3A	2019	SAE	0
6102	AS9575E	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, CORROSION AND HEAT RESISTANT STEEL, SIMILAR TO UNS S66286, 130 KSI MIN, .2500-28 UNJF-3A	2019	SAE	0
6103	AS9586C	(R) BOLT, MACHINE - HEXAGON, DRILLED, 6 HOLES, FULL SHANK, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, 130 KSI MIN, .3750-24 UNJF-3A	2019	SAE	0
6104	AS9631A	SCREW, MACHINE - HEXAGON HEAD, PD SHANK, TITANIUM AMS4967 (UNS R56400), .1380-40 UNJF-3A	2019	SAE	0
6105	AS9697E	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, CORROSION AND HEAT RESISTANT STEEL, UNS N07001, 165 KSI MIN, .2500-28 UNJF-3A	2019	SAE	0
6106	AS9723	BOLT, MACHINE - DOUBLE HEXAGON, EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, UNS N07001, 165 KSI, .1900-32 UNJF-3A	2019	SAE	0
6107	AS9725	BOLT, MACHINE - DOUBLE HEXAGON, EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, UNS N07001, 165 KSI, .3125-24 UNJF-3A	2019	SAE	0
6108	AS9726	BOLT, MACHINE - DOUBLE HEXAGON, EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, UNS N07001, 165 KSI, .3750-24 UNJF-3A	2019	SAE	0
6109	AS9727	BOLT, MACHINE - DOUBLE HEXAGON, EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, UNS N07001, 165 KSI, .4375-20 UNJF-3A	2019	SAE	0
6110	AS9750B	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, AMS4967 (TI 6AL - 4V), .1900-32 UNJF-3A	2019	SAE	0
6111	AS9885B	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, CORROSION AND HEAT RESISTANT STEEL, UNS S41800, 140 KSI MIN, .1900-32 UNJF-3A	2019	SAE	0
6112	AS9917B	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, STEEL AMS6322, CADMIUM PLATED, .3750-24 UNJF-3A	2019	SAE	0
6113	AS9964B	BOLT, MACHINE, HEXAGON HEAD, DRILLED, 6 HOLE, PD SHANK, STEEL AMS6322 (UNS G87400), CADMIUM PLATED, .6250-18 UNJF-3A	2019	SAE	0
6114	AS15002D	FITTING, LUBRICATION, HYDRAULIC, SURFACE CHECK, STRAIGHT THREADS, STEEL, TYPE II	2019	SAE	0
6115	AS18029D	COVER ASSEMBLY, ELECTRICAL, FOR MS27212 TERMINAL BOARD ASSEMBLY	2019	SAE	0
6116	AS18121A	(R) FERRULES, OUTER, INSULATED, SHIELD TERMINATING,TYPE II TWO-PIECE, CLASS I, FOR SHIELDED CABLE	2019	SAE	0
6117	AS18280G	(R) Fittings, 24° Cone Flareless, Fluid Connection, 3000 psi	2019	SAE	0
6118	AS20659G	TERMINAL, LUG, CRIMP STYLE, COPPER, UNINSULATED, RING TONGUE, TYPE I, CLASS 1, FOR 175 °C OR 260 °C TOTAL CONDUCTOR TEMPERATURE	2019	SAE	0
6119	AS21220C	(R) BEARING, ROLLER, ROD END, INTERNAL THREAD, SELF-ALIGNING, ANTI-FRICTION, AIRFRAME, HEAVY DUTY, TYPE II, -67 TO 350 °F, SEALED	2019	SAE	0
6120	AS21221B	(R) BEARING, ROLLER, ROD END, EXTERNAL THREAD, SELF-ALIGNING, ANTI-FRICTION, AIRFRAME, HEAVY DUTY, TYPE I, -67 TO 350 °F, SEALED	2019	SAE	0
6121	AS21223B	(R) BEARING, ROLLER, ROD END, EXTERNAL THREAD, SELF-ALIGNING, ANTI-FRICTION, AIRFRAME, HEAVY DUTY, TYPE I, -67° TO 350 °F, SEALED	2019	SAE	0
6122	AS21428_1B	BEARING, BALL, AIRFRAME, ANTI-FRICTION, EXTRA LIGHT DUTY, PRECISION CORROSION RESISTANT NITROGEN STEEL (CREN)	2019	SAE	0
6123	AS21428E	(R) BEARING, BALL, AIRFRAME ANTI-FRICTION, EXTRA LIGHT DUTY PRECISION	2019	SAE	0
6124	AS21431C	BEARING, ROLLER, SELF-ALIGNING.SINGLE ROW, ANTI-FRICTION, SEALED, -65 TO 350 °F, TYPE I	2019	SAE	0
6125	AS21439D	(R) BEARING, ROLLER, NEEDLE, DOUBLE ROW, HEAVY DUTY, TRACK ROLLER, SEALED, TYPE VI, INCH	2019	SAE	0
6126	AS21443C	BEARING, BALL, AIRFRAME ANTI-FRICTION, PULLEY	2019	SAE	0

6127	AS21447C	BEARING, ROLLER, NEEDLE, TRACK ROLLER, CROWN RADIUSED OD INTEGRAL STUD, TYPE VII ANTIFRICTION, INCH	2019	SAE	0
6128	AS21919B	CLAMP, LOOP TYPE, CUSHIONED SUPPORT	2019	SAE	0
6129	AS21924E	UNION, FLARELESS TUBE, BULKHEAD AND UNIVERSAL	2019	SAE	0
6130	AS22520_1B	CRIMPING TOOLS, TYPE I, TERMINAL, HAND, WIRE TERMINATION FOR WIRE BARREL SIZES 12 THROUGH 22 AND COAXIAL INNER CONTACTS	2019	SAE	0
6131	AS22520_2A	CRIMPING TOOLS, TYPE 1, TERMINAL, HAND, WIRE TERMINATION FOR WIRE BARREL SIZES 20 THROUGH 28	2019	SAE	0
6132	AS22520_6B	CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION; IN-SERVICE INSPECTION GAGES FOR TYPE II AS22520/5, /10, AND MIL-T-22520/32 (CANCEL) CRIMP TOOLS	2019	SAE	0
6133	AS22520_48	CRIMP TOOLS, TYPE 1, HAND OR POWER ACTUATED, WIRE TERMINATION, HYDRAULIC TOOL FOR WIRE BARREL SIZES 0000 THROUGH 8	2019	SAE	0
6134	AS22759_28B	WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, POLYIMIDE COATED, SILVER-COATED COPPER CONDUCTOR, 600-VOLT, ROHS	2019	SAE	0
6135	AS22759_29B	WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, POLYIMIDE COATED, NICKEL-COATED COPPER CONDUCTOR, 600-VOLT, ROHS	2019	SAE	0
6136	AS22759_30B	WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED EXTRUDED TFE, POLYIMIDE COATED, SILVER-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600-VOLT, ROHS	2019	SAE	0
6137	AS23053_2	INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, POLYVINYL CHLORIDE, SEMI RIGID, CROSSLINKED AND NON-CROSSLINKED	2019	SAE	0
6138	AS23053_3	INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, POLYVINYL CHLORIDE, SEMI RIGID, CROSSLINKED AND NON-CROSSLINKED	2019	SAE	0
6139	AS23053_17	INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, FLAME RETARDED, MODIFIED POLYOLEFIN, FLEXIBLE, CROSSLINKED	2019	SAE	0
6140	AS23053A	Insulation Sleeving, Electrical, Heat Shrinkable, General Specification for	2019	SAE	0
6141	AS24462B	BEARING, ROLLER, NEEDLE, SINGLE ROW, THIN SHELL TYPE II, ANTIFRICTION, INCH	2019	SAE	0
6142	AS24509B	(R) CIRCUIT BREAKER - AIRCRAFT, TRIP-FREE, TOGGLE, 5 THRU 15 AMP, TYPE I	2019	SAE	0
6143	AS25189B	TERMINAL, LUG, CRIMP STYLE, COPPER, UNINSULATED, FLAG TONGUE, SIZES 8-0000, TYPE I, CLASS I, FOR 150 ?C TOTAL CONDUCTOR TEMPERATURE	2019	SAE	0
6144	AS25226B	(R) LINK, TERMINAL, CONNECTING	2019	SAE	0
6145	AS25281D	CLAMP, LOOP, PLASTIC, WIRE SUPPORT	2019	SAE	0
6146	AS25435B	(R) TERMINAL-LUG, CRIMP STYLE, STRAIGHT TYPE, FOR ALUMINUM AIRCRAFT WIRE, CLASS 1	2019	SAE	0
6147	AS25481A	(R) Cable Assemblies, Electrical Power, for Portable Ground Support Test Equipment	2019	SAE	0
6148	AS27212D	TERMINAL BOARD ASSEMBLY, MOLDED-IN-STUD, ELECTRIC	2019	SAE	0
6149	AS27642D	BEARING, BALL, AIRFRAME, EXTRA LIGHT DUTY	2019	SAE	0
6150	AS27644D	BEARING, BALL, AIRFRAME, ANTI-FRICTION, DOUBLE ROW, HEAVY DUTY	2019	SAE	0
6151	AS27649E	BEARING, BALL, AIRFRAME, ANTIFRICTION, INTERMEDIATE DUTY	2019	SAE	0
6152	AS33201B	CIRCUIT BREAKER - AIRCRAFT, TRIP-FREE, PUSH-PULL, 1/2 THRU 20 AMPS, TYPE I -55 THRU +121 °C	2019	SAE	0
6153	AS33514E	FITTING END, STANDARD DIMENSIONS FOR FLARELESS TUBE CONNECTION AND GASKET SEAL	2019	SAE	0
6154	AS34591D	CONNECTOR, PLUG, ELECTRICAL, SELF-LOCKING, COUPLING NUT, REAR RELEASE, CRIMP CONTACT, AN TYPE	2019	SAE	0
6155	AS39029_45D	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR AS50151 SERIES AS34001 AND AS95234 CONNECTORS)	2019	SAE	0
6156	AS39029_64C	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR MIL-DTL-24308 CONNECTORS)	2019	SAE	0
6157	AS39029_101B	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-DTL-12883/44, MIL-DTL12883/45, MIL-DTL-12883/46, AND MIL-DTL-12883/52 RELAY)	2019	SAE	0

6158	AS50861_1A	(R) WIRE, ELECTRICAL, POLYVINYL CHLORIDE INSULATED, POLYAMIDE JACKET, TIN-COATED COPPER CONDUCTOR, 600-VOLT, 105 °C	2019	SAE	0
6159	AS50861_2A	(R) WIRE, ELECTRICAL, POLYVINYL CHLORIDE INSULATED, PVC-GLASS-POLYAMIDE, TIN-COATED COPPER CONDUCTOR, 600-VOLT, 105 °C	2019	SAE	0
6160	AS50861_7A	(R) WIRE, ELECTRICAL, POLYVINYL CHLORIDE INSULATED, POLYAMIDE JACKET, TIN-COATED COPPER CONDUCTOR, MEDIUM WEIGHT, 600-VOLT, 105 °C	2019	SAE	0
6161	AS50881G	(R) Wiring Aerospace Vehicle	2019	SAE	0
6162	AS60491_1	SLEEVE, CHAFE-PROTECTION, WRAP-AROUND, SELF-CLOSING (-55 TO +200 °C)	2019	SAE	0
6163	AS60491_2	SLEEVE, CHAFE-PROTECTION, WRAP-AROUND, SELF-CLOSING (-55° TO +260°C)	2019	SAE	0
6164	AS60491_3	SLEEVE, CHAFE-PROTECTION, EXPANDABLE (-55 TO +200 °C)	2019	SAE	0
6165	AS60491_4	SLEEVE, CHAFE-PROTECTION, HIGH ABRASION EXPANDABLE (-55 TO +200 °C)	2019	SAE	0
6166	AS60491_5	SLEEVE, CHAFE-PROTECTION, EXPANDABLE (-55 TO +240 °C)	2019	SAE	0
6167	AS60491A	Sleeve, Protection, for Cable and Harness Protection	2019	SAE	0
6168	AS81044_13B	WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, SILVER-COATED HIGH STRENGTH COPPER ALLOY, LIGHT WEIGHT, 600-VOLT, 150 °C	2019	SAE	0
6169	AS81044B	(R) Wire, Electrical, Crosslinked Polyalkene, Crosslinked Alkane-Imide Polymer, or Polyarlyene Insulated, Copper or Copper Alloy	2019	SAE	0
6170	AS81714_17B	(R) TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, BUSSING MODULES, FEEDBACK TYPE, SIZE 22D, SERIES I	2019	SAE	0
6171	AS81714_60C	(R) TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, BUSSING MODULES, FEEDBACK TYPE, SIZES 22-12, SERIES II	2019	SAE	0
6172	AS81714_61A	(R) TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, BUSSING MODULES, FEEDBACK TYPE, SIZE 22-16, SERIES II	2019	SAE	0
6173	AS81714_63D	(R) TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, GROUNDING MODULES, STUD AND FLANGE TYPE MOUNTING, SERIES II	2019	SAE	0
6174	AS81714_65A	(R) TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, WIRE IN-LINE JUNCTIONS, SERIES II	2019	SAE	0
6175	AS81914_8B	TUBING, PLASTIC, FLEXIBLE, CONVOLUTED, ANNULAR POLYVINYLIDENE FLUORIDE (PVDF), THERMALLY STABILIZED, STANDARD CONVOLUTIONS	2019	SAE	0
6176	AS81934C	(R) Bearings, Sleeve, Plain and Flanged, Self-Lubricating	2019	SAE	0
6177	AS81969_1B	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE III, CLASS 2, COMPOSITION C	2019	SAE	0
6178	AS81969_3A	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE II, CLASS 1, COMPOSITION C	2019	SAE	0
6179	AS81969_17A	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE I, CLASS 1, COMPOSITION C	2019	SAE	0
6180	AS81969_19A	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE II, CLASS 1, COMPOSITION C	2019	SAE	0
6181	AS85049_3D	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, CABLE SEALING, STRAIGHT, CATEGORY 1A (FOR MIL-DTL-22992 CONNECTORS, CLASSES C, J, AND R)	2019	SAE	0
6182	AS85049_14C	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, STRAIGHT, NON-SELF-LOCKING AND SELF-LOCKING, CATEGORY 3B (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2019	SAE	0
6183	AS85049_15D	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 45°, NON-SELF-LOCKING AND SELF-LOCKING, CATEGORY 4C (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2019	SAE	0
6184	AS85049_16D	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90°, NON-SELF-LOCKING AND SELF-LOCKING, CATEGORY 4C (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2019	SAE	0

6185	AS85049_24D	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, 90°, SHIELD TERMINATION, CATEGORY 3A (FOR AS50151 CRIMP, MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, AND MIL-DTL-83723 SERIES III CONNECTORS)	2019	SAE	0
6186	AS85049_37C	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, SPLIT 90°, EMI/RFI SHIELDED TERMINATION, CATEGORY 3B (FOR MIL-DTL-38999 SERIES I AND II CONNECTORS)	2019	SAE	0
6187	AS85049_50E	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90°, CATEGORY 4C (FOR MIL-DTL-24308 CONNECTORS)	2019	SAE	0
6188	AS85049_51F	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, NONENVIRONMENTAL, 90°, SELF-LOCKING AND NON-SELF-LOCKING CATEGORY 4B (FOR AS50151 CRIMP, AS95234, MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, AND MIL-DTL-83723 SERIES III CONNECTORS)	2019	SAE	0
6189	AS85049_56C	CONNECTOR ACCESSORIES, ELECTRICAL, STRAINRELIEF, STRAIGHT, CATEGORY 4C (MIL-DTL-38999 SERIES I AND II CONNECTORS)	2019	SAE	0
6190	AS85049_57E	No Title - CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 45°, SELF-LOCKING AND NON-SELF-LOCKING, CATEGORY 4C (MIL-DTL-38999 SERIES I AND II CONNECTORS)	2019	SAE	0
6191	AS85049_62C	CONNECTOR ACCESSORIES, ELECTRICAL ADAPTER, SHRINK BOOT, CATEGORY 5 (FOR MIL-DTL-38999 SERIES I AND II CONNECTORS)	2019	SAE	0
6192	AS85049_63E	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90°, SELF-LOCKING AND NON-SELF-LOCKING, CATEGORY 4C (MIL-DTL-38999 SERIES I AND II CONNECTORS)	2019	SAE	0
6193	AS85049_82D	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, STRAIGHT, SELF-LOCKING, SHIELD BAND TERMINATION (RFI/EMI), SHRINK SLEEVE ACCOMMODATION, CATEGORY 3B (FOR AS50151 CRIMP, MIL-DTL-26482 SERIES 2, AS81703 SERIES 3 AND MIL-DTL-83723 SERIES III CONNECTORS)	2019	SAE	0
6194	AS85049_83D	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, 45°, SELF LOCKING, SHIELD, BAND TERMINATION, (RFI/EMI), SHRINK SLEEVE ACCOMMODATION, CATEGORY 3B (FOR AS50151 CRIMP, AS95234, MIL-DTL 26482 SERIES 2, AS81703 SERIES 3 AND MIL-DTL-83723 SERIES III ONNECTORS)	2019	SAE	0
6195	AS85049_84D	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, 90°, SELFLOCKING, SHIELD BAND TERMINATION, (RFI/EMI), SHRINK SLEEVE ACCOMMODATION, CATEGORY 3B (FOR AS50151 CRIMP, AS95234, MIL-DTL- 26482 SERIES 2, AS81703 SERIES 3 AND MIL-DTL-83723 SERIES III CONNECTORS)	2019	SAE	0
6196	AS85049_85D	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, STRAIGHT, SELF-LOCKING, SHIELD BAND TERMINATION (RFI/EMI), SHRINK BOOT ACCOMMODATION, CATEGORY 3B (FOR MIL-DTL-38999 SERIES I AND II CONNECTORS)	2019	SAE	0
6197	AS85049_86D	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, 45°, SELF-LOCKING, SHIELD BAND TERMINATION, (RFI/EMI), SHRINK SLEEVE ACCOMMODATION.CATEGORY 3B (FOR MIL-DTL-38999 SERIES I AND II CONNECTORS)	2019	SAE	0
6198	AS85049_87E	(R) CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, 90°, SELF-LOCKING, SHIELD BAND TERMINATION (RFI/EMI), SHRINK SLEEVE ACCOMMODATION, CATEGORY 3B (FOR MIL-DTL-38999 SERIES I AND II CONNECTORS)	2019	SAE	0
6199	AS85049_88E	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, STRAIGHT, SELF-LOCKING, SHIELD BAND TERMINATION (RFI/EMI), SHRINK BOOT ACCOMMODATION, CATEGORY 3B (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2019	SAE	0
6200	AS85049_89E	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, 45°, SELF-LOCKING, SHIELD BAND TERMINATION (RFI/EMI), SHRINK SLEEVE ACCOMMODATION, CATEGORY 3B (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2019	SAE	0
6201	AS85049_90E	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, 90°, SELF-LOCKING, SHIELD BAND TERMINATION, (RFI/EMI), SHRINK SLEEVE ACCOMMODATION, CATEGORY 3B (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2019	SAE	0
6202	AS85049_121C	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, STRAIGHT SELF-LOCKING, AND NON-SELF-LOCKING, CATEGORY 4C (FOR MIL-DTL-38999 SERIES I AND II CONNECTORS)	2019	SAE	0
6203	AS85049_128G	SHIELD BAND, CONNECTOR ACCESSORIES, ELECTRICAL BACKSHELL, CATEGORY 7 (FOR AS85048/82 - /90, /93, /109 - /177 ACCESSORIES)	2019	SAE	0

6204	AS85049_144B	CONNECTOR ACCESSORIES, ELECTRICAL BACKSHELL, STRAIGHT, NON-SELF LOCKING AND SELF LOCKING, MS _V_ THREAD, CATEGORY 3B (FOR MIL-DTL-83723 SERIES III, AS50151 SERIES II AND III, AS81703 SERIES III, MIL-DTL-26482 SERIES II AND AS95234 CONNECTORS)	2019	SAE	0
6205	AS85049_145B	CONNECTOR ACCESSORIES, ELECTRICAL BACKSHELL, 45°, NON-SELF LOCKING AND SELF LOCKING, MS _V_ THREAD, CATEGORY 3B (FOR MIL-DTL-83723 SERIES III, AS50151 SERIES II & III, AS81703 SERIES III, MIL-DTL-26842 SERIES II AND AS95234 CONNECTORS)	2019	SAE	0
6206	AS85049_146B	CONNECTOR ACCESSORIES, ELECTRICAL BACKSHELL, 90° NON-SELF LOCKING AND SELF LOCKING, MS _V_ THREAD, CATEGORY 3B (FOR MIL-DTL-83723 SERIES III, AS50151 SERIES II & III, AS81703 SERIES III, MIL-DTL-26482 SERIES II AND AS95234 CONNECTORS)	2019	SAE	0
6207	AS85049_150A	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, REPOSITIONABLE TO STRAIGHT, 45° AND 90°, ENVIRONMENTAL, CABLE SEALING, SHIELD TERMINATION, CATEGORY 1A, (FOR MIL-DTL-83723 SERIES III, AS50151 CRIMP, AS81703 SERIES 3, MIL-DTL-26482 SERIES 2, AND AS95234 CONNE	2019	SAE	0
6208	AS85049E	(R) Connector Accessories, Electrical General Specification for	2019	SAE	0
6209	AS85560_1C	BEARING, FIBER REINFORCED PLASTIC, SLEEVE, PLAIN, SELF-LUBRICATING, +250 °F	2019	SAE	0
6210	AS85560_2C	BEARING, FIBER REINFORCED PLASTIC, SLEEVE, FLANGED, SELF-LUBRICATING, +250 °F	2019	SAE	0
6211	AS85560C	(R) Bearings, Fiber Reinforced Plastic, Sleeve, Plain and Flanged, Self-Lubricating; General Specification for	2019	SAE	0
6212	AS91601C	(R) BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, BLACK OXIDE, STEEL, UNS G87400, 125 KSI MIN, .3750-24 UNF-3A	2019	SAE	0
6213	EIA649C	(R) Configuration Management Standard	2019	SAE	0
6214	EIA748D	Earned Value Management Systems	2019	SAE	0
6215	GEIASTD0006B	Requirements for Using Robotic Hot Solder Dip to Replace the Finish on Electronic Piece Parts	2019	SAE	0
6216	GEIASTD0007C	(R) Logistics Product Data	2019	SAE	0
6217	J68	Tests for Snowmobile Switching Devices and Components	2019	SAE	0
6218	J92	Snowmobile Throttle Control Systems	2019	SAE	0
6219	J98	Personnel Protection for General Purpose Industrial Machines	2019	SAE	0
6220	J174	Torque-Tension Test Procedure for Steel Threaded Fasteners - Inch Series	2019	SAE	0
6221	J180	Electrical Charging Systems for Off Highway Work Machines	2019	SAE	0
6222	J192	Maximum Exterior Sound Level for Snowmobiles	2019	SAE	0
6223	J257	(R) Brake Rating Power Requirementsâ Truck and Bus	2019	SAE	0
6224	J277	Maintenance of Design Voltage - Snowmobile Electrical Systems	2019	SAE	0
6225	J283	Test Procedure for Measuring Hydraulic Lift Capacity on Agricultural Tractors Equipped with Three-point Hitch	2019	SAE	0
6226	J285	Dispenser Nozzle Spouts for Liquid Fuels Intended for Use with Spark Ignition and Compression Ignition Engines (Stabilized Type)	2019	SAE	0
6227	J306	Automotive Gear Lubricant Viscosity Classification	2019	SAE	0
6228	J312	Automotive Gasolines	2019	SAE	0
6229	J356	Welded Flash-Controlled Low-Carbon Steel Tubing Normalized for Bending, Double Flaring, and Beading	2019	SAE	0
6230	J369	Flammability of Polymeric Interior Materials - Horizontal Test Method	2019	SAE	0
6231	J375	Radius-Of-Load or Boom Angle Indicating Systems	2019	SAE	0
6232	J376	Load Indicating Devices in Lifting Crane Service	2019	SAE	0
6233	J442	(R) Test Strip, Holder, and Gage for Shot Peening	2019	SAE	0
6234	J516	Hydraulic Hose Fittings	2019	SAE	0
6235	J578	Color Specification	2019	SAE	0
6236	J636	V-Belts and Pulleys	2019	SAE	0

6237	J641	Hydrodynamic Drives Terminology	2019	SAE	0
6238	J647	(R) Automatic Transmissions - Schematic Diagrams	2019	SAE	0
6239	J745	Hydraulic Power Pump Test Procedure	2019	SAE	0
6240	J746	Hydraulic Motor Test Procedures	2019	SAE	0
6241	J827	High-Carbon Cast-Steel Shot	2019	SAE	0
6242	J829	Fuel Tank Filler Cap and Cap Retainer (Stabilized Type)	2019	SAE	0
6243	J845	(R) Optical Warning Devices for Authorized Emergency, Maintenance, and Service Vehicles	2019	SAE	0
6244	J866	Friction Coefficient Identification and Environmental Marking System for Brake Linings	2019	SAE	0
6245	J902	(R) Passenger Car Windshield Demisting and Defrosting Systems	2019	SAE	0
6246	J931	(R) Hydraulic Fluid Power Circuit Filtration - Application & Methods	2019	SAE	0
6247	J940	Glossary of Carbon Steel Sheet and Strip Terms, Information Report	2019	SAE	0
6248	J987	Lattice Boom Cranes - Method of Test	2019	SAE	0
6249	J1004	Glossary of Engine Cooling System Terms	2019	SAE	0
6250	J1062	Snowmobile Passenger Handgrips	2019	SAE	0
6251	J1087	(R) One-Way Clutches - Nomenclature and Terminology	2019	SAE	0
6252	J1109	Component Nomenclature - Articulated Log Skidder, Rubber-Tired	2019	SAE	0
6253	J1114	Fuel Tank Filler Cap and Cap Retainer Threaded (Stabilized Type)	2019	SAE	0
6254	J1117	Method of Measuring and Reporting the Pressure Differential-Flow Characteristics of a Hydraulic Fluid Power Valve, Recommended Practice	2019	SAE	0
6255	J1140	Filler Pipes and Openings of Motor Vehicle Fuel Tanks	2019	SAE	0
6256	J1177	Hydraulic Excavator Operator Controls	2019	SAE	0
6257	J1180	Telescopic Boom Length Indicating System	2019	SAE	0
6258	J1227	Assessing Cleanliness of Hydraulic Fluid Power Components and Systems	2019	SAE	0
6259	J1273	Recommended Practices for Hydraulic Hose Assemblies	2019	SAE	0
6260	J1282	Snowmobile Brake Control Systems	2019	SAE	0
6261	J1315	Off-Road Tire and Rim Selection and Application, Standard	2019	SAE	0
6262	J1320	Marine Electrical Switches	2019	SAE	0
6263	J1326	(R) Test Method for Measuring Wet Color Transfer Characteristics	2019	SAE	0
6264	J1337	(R) Off-Road Rim Maintenance Procedures and Service Precautions Diameter Code 20 and Larger	2019	SAE	0
6265	J1339	(R) Test Method for Measuring Performance of Engine Cooling Fans	2019	SAE	0
6266	J1352	Compression and Recovery of Insulation Paddings	2019	SAE	0
6267	J1360	Product Identification Numbering System of Off-Road Work Machines	2019	SAE	0
6268	J1388	Personnel Protection - Skid Steer Loaders	2019	SAE	0
6269	J1451	A Dictionary of Terms for the Dynamics and Handling of Single Track Vehicles (Motorcycles, Mopeds, and Bicycles)	2019	SAE	0
6270	J1453-1	Specification for O-Ring Face Seal Connectors: Part 1 - Tube Connection Details and Common Requirements for Performance and Tests	2019	SAE	0
6271	J1469	Air Brake Actuator Test Procedure, Truck-Tractor, Bus, and Trailers	2019	SAE	0
6272	J1493	Guarding of Starter System Energization	2019	SAE	0
6273	J1511	Steering for Off-Road, Rubber-Tired Machines - WITHDRAWN; NO LONGER AVAILABLE	2019	SAE	0
6274	J1533	Operator Enclosure Air Filter Element Test Procedure, Recommended Practice	2019	SAE	0
6275	J1561	(R) Laboratory Speed Test Procedure for Passenger Car Tires	2019	SAE	0
6276	J1633	Laboratory Speed Test Procedure for Light Truck Tires	2019	SAE	0

6277	J1645	(R) Fuel Systems and Components - Electrostatic Charge Mitigation	2019	SAE	0
6278	J1691	Plastic Motor Vehicle Safety Glazingâ Tolerances and Fabrication Details	2019	SAE	0
6279	J1703	Motor Vehicle Brake Fluid	2019	SAE	0
6280	J1704	Motor Vehicle Brake Fluid Based Upon Glycols, Glycol Ethers and the Corresponding Borates	2019	SAE	0
6281	J1726	Charge Air Cooler Internal Cleanliness, Leakage, and Nomenclature	2019	SAE	0
6282	J1729	Parking Brake Drawbar Pull Test Procedureâ Truck and Bus	2019	SAE	0
6283	J1730	ABS Excitor Ring Location Standardization	2019	SAE	0
6284	J1737	Test Procedure to Determine the Hydrocarbon Losses from Fuel Tubes, Hoses, Fittings, and Fuel Line Assemblies by Recirculation (Stabilized Type)	2019	SAE	0
6285	J1772	SAE Electric Vehicle and Plug in Hybrid Electric Vehicle Conductive Charge Coupler	2019	SAE	0
6286	J1801	Brake Effectiveness Marking for Brake Blocks-Truck and Bus	2019	SAE	0
6287	J1802	Brake Block Effectiveness Rating	2019	SAE	0
6288	J1835	Fastener Hardware for Wheels for Demountable Rims	2019	SAE	0
6289	J1889	(R) L.E.D. Signal and Marking Lighting Devices	2019	SAE	0
6290	J1939-2	Agricultural and Forestry Off-Road Machinery Control and Communication Network	2019	SAE	0
6291	J1939-73	Application Layer - Diagnostics	2019	SAE	0
6292	J1942	Hose and Hose Assemblies for Marine Applications	2019	SAE	0
6293	J1977	Braking Performance - Rubber-Tired, Self-Propelled Cranes	2019	SAE	0
6294	J1992	Wheels/Rims - Military Vehicles - Test Procedures and Performance Requirements	2019	SAE	0
6295	J1993	High-Carbon Cast-Steel Grit	2019	SAE	0
6296	J2032	(R) Ignition Cable Assemblies	2019	SAE	0
6297	J2081	Test Procedure for Determining the Resistance of Safety-Glazing Materials, of which One Surface is Plastic, to Simulated Weathering	2019	SAE	0
6298	J2186	E/E Data Link Security	2019	SAE	0
6299	J2202	(R) Heavy-Duty Wiring Systems for On-Highway Trucks	2019	SAE	0
6300	J2204	Tire Size Differential - Articulated Wheel Loader, Standard	2019	SAE	0
6301	J2221	(R) Standardized Symbols for Electrical Circuit Diagrams	2019	SAE	0
6302	J2227	International Tests and Specifications for Automotive Engine Oils	2019	SAE	0
6303	J2255	Antilock Brake Systems Energy Consumption Test Procedure for Air-Braked-Equipped Truck Tractors, Buses, Trailers, and Dollies, Recommended Practice	2019	SAE	0
6304	J2266	Location Referencing Message Specification (LRMS)	2019	SAE	0
6305	J2295M	FastenersPart StandardCap Screws, Hex Bolts, and Hex Nuts (Metric)	2019	SAE	0
6306	J2310	(R) Rectangular Cross Section Polymeric Sealing Rings	2019	SAE	0
6307	J2354	Message Sets for Advanced Traveler Information System (ATIS)	2019	SAE	0
6308	J2360	(R) Automotive Gear Lubricants for Commercial and Military Use	2019	SAE	0
6309	J2487	SAE No. 2 Friction Test Machine 3600 r/min Stepped Power Test	2019	SAE	0
6310	J2488	SAE No.2 Friction Test Machine 6000 r/min Stepped Power Test	2019	SAE	0
6311	J2490	(R) SAE No. 2 Friction Test Machine خ PVT Test	2019	SAE	0
6312	J2494-3	Performance Requirements for SAE J844 Non-metallic Air Brake Tubing and Push to Connect Fitting Assemblies Used in Vehicular Air Brake Systems	2019	SAE	0
6313	J2506	(R) Material Handler Nomenclature and Specifications	2019	SAE	0
6314	J2518	Lift Capacity Calculation Method Scrap and Material Handlers	2019	SAE	0

6315	J2523	Rolling Circumference Index Groups for Radial Tractor Drive Tires	2019	SAE	0
6316	J2534-2	(R) Optional Pass-Thru Features	2019	SAE	0
6317	J2534	Recommended Practice for Pass-Thru Vehicle Programming	2019	SAE	0
6318	J2539	Comparison of GATS Messages to SAE ATIS Standards	2019	SAE	0
6319	J2540-1	RDS Phrase Lists	2019	SAE	0
6320	J2540-3	National Names Phrase List	2019	SAE	0
6321	J2540	Messages for Handling Strings and Look-Up Tables in ATIS Standards	2019	SAE	0
6322	J2560	Forward Lighting Halogen Bulb Performance Requirements for Motor Vehicles	2019	SAE	0
6323	J2570	(R) Performance Specifications for Anthropomorphic Test Device Transducers	2019	SAE	0
6324	J2587	Optimized Fuel Tank Sender Closure	2019	SAE	0
6325	J2592	Carbon Steel Tubing for General Use - Understanding Nondestructive Testing for Carbon Steel Tubing	2019	SAE	0
6326	J2630	Converting ATIS Message Standards From ASN.1 to XML	2019	SAE	0
6327	J2663	Test Procedure to Measure Permeation of Elastomeric Hose or Tube by Weight Loss	2019	SAE	0
6328	J2696	Inboard Mounted Disc Brake Rotor/Disc Wheel Hub Interface Dimensions - Commercial Vehicles	2019	SAE	0
6329	J2709	Coolant Filter Test Procedure	2019	SAE	0
6330	J2740	General Motors UART Serial Data Communications	2019	SAE	0
6331	J2747	Hydraulic Pump Airborne Noise Bench Test	2019	SAE	0
6332	J2754	Volumetric Rating of Excavator Mounted, Bucket Linkage Operated Grapples	2019	SAE	0
6333	J2766	Life Cycle Analysis to Estimate the CO2-Equivalent Emissions from MAC Operation	2019	SAE	0
6334	J2772	Measurement of Passenger Compartment Refrigerant Concentrations Under System Refrigerant Leakage Conditions	2019	SAE	0
6335	J2782	Performance Specifications for a Midsize Male Pedestrian Research Dummy	2019	SAE	0
6336	J2806	Off-Vehicle Brake Testing for Service Brakes Over 10 000 lb GVWâ Air, Hydraulic, and Mechanical Actuation	2019	SAE	0
6337	J2817	Definition and Measurement of Torque Biasing Differentials	2019	SAE	0
6338	J2818	Keyword Protocol 1281	2019	SAE	0
6339	J2819	TP2.0 Vehicle Diagnostic Protocol	2019	SAE	0
6340	J2832	Welded Flash Controlled, High Strength (690 MPa Tensile Strength) Low Alloy Steel Hydraulic Tubing, Stress Relieved Annealed for Bending and Double Flaring	2019	SAE	0
6341	J2834	Ride Index Structure and Development Methodology	2019	SAE	0
6342	J2836-1	Use Cases for Communication Between Plug-in Vehicles and the Utility Grid	2019	SAE	0
6343	J2842	R-1234yf and R744 Design Criteria and Certification for OEM Mobile Air Conditioning Evaporator and Service Replacements	2019	SAE	0
6344	J2843	R-1234yf [HFO-1234yf] Recovery/Recycling/Recharging Equipment for Flammable Refrigerants for Mobile Air-Conditioning Systems	2019	SAE	0
6345	J2847-1	(R) Communication for Smart Charging of Plug-in Electric Vehicles using Smart Energy Profile 2.0	2019	SAE	0
6346	J2867	Laboratory Testing of Light Duty Vehicle Electric Cooling Fan Assemblies for Airflow Performance	2019	SAE	0
6347	J2881	Measurement of Aerodynamic Performance for Mass-Produced Cars and Light-Duty Trucks	2019	SAE	0
6348	J2888	R-1234yf Service Hose, Fittings and Couplers for Mobile Refrigerant Systems Service Equipment	2019	SAE	0
6349	J2894-1	Power Quality Requirements for Plug-In Electric Vehicle Chargers	2019	SAE	0
6350	J2901	Misfire Generator Functional Requirements	2019	SAE	0
6351	J2945_2	Dedicated Short Range Communications (DSRC) Performance Requirements for V2V Safety Awareness	2018	SAE	0
6352	AIR18B	Propeller Shaft Ends - Dual Rotation (Engine Supplied Bearing)	2018	SAE	0
6353	AIR26B	Number 70-90, 70L-90, 80-100, and 80L-100 Propeller Shaft Ends Dual Rotation (Propeller Supplied Bearing)	2018	SAE	0

6354	AIR65	Thermoelectric Circuits and the Performance of Several Aircraft Engine Thermocouples	2018	SAE	0
6355	AIR809B	Metal Dimensional Change with Temperature	2018	SAE	0
6356	AIR825-5A	Liquid Oxygen Systems	2018	SAE	0
6357	AIR825-12A	Oxygen System Integration and Performance Precautions	2018	SAE	0
6358	AIR825-13	Guide for Evaluating Combustion Hazards in Aircraft Oxygen Systems	2018	SAE	0
6359	AIR1083C	(R) Airborne Hydraulic and Control System Survivability for Military Aircraft	2018	SAE	0
6360	AIR1106B	(R) Some Factors Affecting Visibility of Aircraft Navigation and Anticollision Lights	2018	SAE	0
6361	AIR1243D	Anti Blow-By Design Practice for Cap Seals	2018	SAE	0
6362	AIR1276B	Aircraft Flashtube Anticollision Lighting Systems	2018	SAE	0
6363	AIR1316B	(R) Airline Tow Tractor - Baggage/Cargo Factors for Design Consideration	2018	SAE	0
6364	AIR1335B	Ramp De-Icing	2018	SAE	0
6365	AIR1336B	Ground Support Equipment Electrical Systems	2018	SAE	0
6366	AIR1392A	Oxygen System Maintenance Guide	2018	SAE	0
6367	AIR1471B	Torque Tightening Threaded Fasteners	2018	SAE	0
6368	AIR1758A	Limits and Fits - International Metric Tolerance System	2018	SAE	0
6369	AIR1854A	Battery Powered Aircraft Tow Tractors - Factors for Design Consideration	2018	SAE	0
6370	AIR3260	Identification of Standard Utility Parts - Bolts and Nuts	2018	SAE	0
6371	AIR4253B	(R) Description of Actuation Systems for Aircraft With Fly-By-Wire Flight Control Systems	2018	SAE	0
6372	AIR4508a	MIL-STD-1773 Users Handbook	2018	SAE	0
6373	AIR4766-1	Air Quality for Commercial Aircraft Cabin Particulate Contaminants	2018	SAE	0
6374	AIR4766	Air Quality for Commercial Aircraft Cabins	2018	SAE	0
6375	AIR4777C	Nondestructive Inspection (NDI) Methods Used During Production and Operation of Aircraft Wheels and Brakes	2018	SAE	0
6376	AIR4989A	Design Considerations for Enclosed Turboshaft Engine Test Cells	2018	SAE	0
6377	AIR5145A	Directory of Databases Part I - Whole Body Anthropometry Surveys	2018	SAE	0
6378	AIR5295A	(R) Design Considerations for Enclosed Turboprop Engine Test Cells	2018	SAE	0
6379	AIR5303	Infrasound Phenomenon in Engine Test Cells	2018	SAE	0
6380	AIR5314A	Introduction to Generic Open Architecture (GOA) Family of Documents	2018	SAE	0
6381	AIR5315A	Overview and Rationale for GOA Framework Standard	2018	SAE	0
6382	AIR5648A	(R) Fuel Versus Oxygen: Evaluations and Considerations	2018	SAE	0
6383	AIR5665B	(R) Architecture Framework for Unmanned Systems	2018	SAE	0
6384	AIR5666A	Icing Wind Tunnel Interfacility Comparison Tests	2018	SAE	0
6385	AIR5797A	Aircraft Tire Wear Profile Development and Execution for Laboratory Testing	2018	SAE	0
6386	AIR5829	Air in Aircraft Hydraulic Systems	2018	SAE	0
6387	AIR5926	White Paper to Support Supersession of MIL-S-8879C With AS8879C	2018	SAE	0
6388	AIR6004	Optical Networking Terminology	2018	SAE	0
6389	AIR6005	General Requirements for WDM Backbone Networks	2018	SAE	0
6390	AIR6006	Modeling and Simulation Capabilities for Aerospace WDM LAN Applications	2018	SAE	0
6391	AIR6031	Fiber Optic Cleaning	2018	SAE	0
6392	AIR6036	Passenger Hypoxia Protection Utilizing Oxygen Enriched Gas Mixtures	2018	SAE	0
6393	AIR6037A	Aircraft Exhaust Nonvolatile Particle Matter Measurement Method Development	2018	SAE	0
6394	AIR6113	Guidelines for Design of Digital Fiber Optic Link Loss Budget Methodology	2018	SAE	0

6395	AIR6133	Design and Safety Criteria for Passenger Boarding Stairways	2018	SAE	0
6396	AIR6218	Constructing Development Assurance Plan for Integrated Systems	2018	SAE	0
6397	AIR36106A	Air Cargo Unit Load Devices - Use of Airworthiness Reference Documents	2018	SAE	0
6398	AIR36108	AS36100 Background and Development Record	2018	SAE	0
6399	AMS03-14A	Electrodeposition of Chromium for Engineering Purposes	2018	SAE	0
6400	AMS03-17A	Electro-Deposition of Gold	2018	SAE	0
6401	AMS03-18A	Chromate Conversion Coatings (Chromate Filming Treatments) Grades: Standard and Brushing for Aluminum and Aluminum Alloys	2018	SAE	0
6402	AMS1320A	Remover, Decal Adhesive	2018	SAE	0
6403	AMS1370B	Compound, Rust Remover, Liquid Aircraft and Aerospace Components, Immersion Tank Method	2018	SAE	0
6404	AMS1376B	Remover, Epoxy Paint Acid-Type, Thickened	2018	SAE	0
6405	AMS1385A	Compound, Hot Carbon and Paint Remover Aircraft Turbine Engine Components	2018	SAE	0
6406	AMS1387B	Remover, Anti-Galling Compound Aircraft Turbine Engine Components Room Temperature Application	2018	SAE	0
6407	AMS1388A	Remover, Temporary Coating Alkaline Type, Water Base	2018	SAE	0
6408	AMS1500C	SOAP, LIQUID HAND Coconut-Oil Base	2018	SAE	0
6409	AMS1532D	Cleaner for Aircraft Exterior Surfaces Wipe-On, Wipe-Off, Emulsion-Type	2018	SAE	0
6410	AMS1537B	Cleaner, Alkaline Hot-Tank Type	2018	SAE	0
6411	AMS1539A	Cleaning Compound, Terpene Circuit Board Cleaner	2018	SAE	0
6412	AMS1540D	Cleaner, Thrust Reverser Water-Base	2018	SAE	0
6413	AMS1547A	Cleaner, Anodic, Electrolytic, Alkaline For Steel, Tank Type	2018	SAE	0
6414	AMS1630D	(R) Cleaner, Carpet Shampoo Type	2018	SAE	0
6415	AMS2175A	Castings, Classification and Inspection of	2018	SAE	0
6416	AMS2253F	Tolerances Carbon and Alloy Steel Tubing	2018	SAE	0
6417	AMS2415K	Plating, Lead and Indium	2018	SAE	0
6418	AMS2427D	Aluminum Coating Ion Vapor Deposition	2018	SAE	0
6419	AMS2431-5B	Peening Media Hardened Steel Peening Balls	2018	SAE	0
6420	AMS2442A	Magnetic Particle Acceptance Criteria for Parts	2018	SAE	0
6421	AMS2451-2B	Plating, Brush, Nickel Low Stress, Hard Deposit	2018	SAE	0
6422	AMS2451-9C	Plating, Brush, Zinc-Nickel Low Hydrogen Embrittlement	2018	SAE	0
6423	AMS2451-10B	Plating, Brush, Tin-Zinc Low Hydrogen Embrittlement	2018	SAE	0
6424	AMS2476C	Electrolytic Treatment for Magnesium Alloys Alkaline Type, Full Coat	2018	SAE	0
6425	AMS2478E	Anodic Treatment of Magnesium Alloys Acid Type, Full Coat	2018	SAE	0
6426	AMS2479D	Anodic Treatment of Magnesium Alloys Acid Type, Thin Coat	2018	SAE	0
6427	AMS2486E	Conversion Coating of Titanium Alloys Fluoride-Phosphate Type	2018	SAE	0
6428	AMS2515H	Polytetrafluoroethylene (PTFE) Resin Coating, Low Build, 370 to 400 ?C (698 to 752 ?F) Fusion	2018	SAE	0
6429	AMS2516F	Polytetrafluoroethylene (PTFE) Resin Coating, High Build, 370 to 400 ?C (698 to 752 ?F) Fusion	2018	SAE	0
6430	AMS2610	Pressure Testing, Gaseous Media Pressure as Specified	2018	SAE	0
6431	AMS2615F	Pressure Testing, Hydraulic Pressure as Specified	2018	SAE	0
6432	AMS2665H	Brazing, Silver For Use Up to 400 ï°F (204 ï°C)	2018	SAE	0
6433	AMS2667G	Brazing, Silver For Small Pressurized Fittings	2018	SAE	0
6434	AMS2672G	Brazing, Aluminum Torch or Furnace	2018	SAE	0
6435	AMS2673E	Brazing, Aluminum and Aluminum Alloys Molten Flux (Dip)	2018	SAE	0

6436	AMS2694C	(R) In-Process Welding of Castings	2018	SAE	0
6437	AMS2759-4D	(R) Heat Treatment Austenitic Corrosion-Resistant Steel Parts	2018	SAE	0
6438	AMS2759-6C	(R) Gas Nitriding of Low-Alloy Steel Parts	2018	SAE	0
6439	AMS2759-8B	(R) Ion Nitriding	2018	SAE	0
6440	AMS2759-9E	(R) Hydrogen Embrittlement Relief (Baking) of Steel Parts	2018	SAE	0
6441	AMS2759-10B	(R) Automated Gaseous Nitriding Controlled by Nitriding Potential	2018	SAE	0
6442	AMS2759-11A	(R) Stress Relief of Steel Parts	2018	SAE	0
6443	AMS2759-12B	(R) Automated Gaseous Nitrocarburizing Controlled by Potentials	2018	SAE	0
6444	AMS2759-13	Gaseous Nitrocarburizing	2018	SAE	0
6445	AMS2762C	Carburizing Carbon and Low-Alloy Steel Parts	2018	SAE	0
6446	AMS2768C	Heat Treatment of Magnesium Alloy Castings	2018	SAE	0
6447	AMS2806D	Identification Bars, Wire, Mechanical Tubing, and Extrusions, Carbon and Alloy Steels and Corrosion and Heat-Resistant Steels and Alloys	2018	SAE	0
6448	AMS2809A	Identification Titanium and Titanium Alloy Wrought Products	2018	SAE	0
6449	AMS2819C	Identification, Welding Wire Direct Color Code System	2018	SAE	0
6450	AMS3040D	Magnetic Particles, Nonfluorescent Dry Method	2018	SAE	0
6451	AMS3077A	Compound, Corrosion Preventive Soft Film, Thixotropic, Cold Application	2018	SAE	0
6452	AMS3237G	Butyl (IIR) Rubber Phosphate Ester Resistant 35 - 45	2018	SAE	0
6453	AMS3275D	Sheet, Acrylonitrile Butadiene (NBR) Rubber and Non-Asbestos Fiber Fuel and Oil Resistant	2018	SAE	0
6454	AMS3379	Sealing Compound, Polysulfide Rubber Preformed Strips for Sealing Removable Doors, Skins, and Panels	2018	SAE	0
6455	AMS3653G	Tubing, Electrical Insulation Standard Wall, Extruded Polytetrafluoroethylene (PTFE)	2018	SAE	0
6456	AMS3655D	Tubing, Electrical Insulation Thin Wall, Extruded Polytetrafluoroethylene (PTFE)	2018	SAE	0
6457	AMS3793-3D	Tape and Webbing, Textile. Para-Aramid Intermediate Modulus ? Inch (19 mm), 0.11 to 0.60 Ounces per Yard (3.4 to 18.6 g/m)	2018	SAE	0
6458	AMS3793D	Tape and Webbing, Textile, Para-Aramid Intermediate Modulus	2018	SAE	0
6459	AMS3799-1D	Webbing, Tubular, Low Modulus Aramid 9/16 (14) Wide, 1400 (6228) Breaking Strength	2018	SAE	0
6460	AMS3799-2D	Webbing, Tubular, Low Modulus Aramid 3/4 (19) Wide, 2300 (10 231) Breaking Strength	2018	SAE	0
6461	AMS3799-3D	Webbing, Tubular, Low Modulus Aramid 1 (25) Wide, 4000 (17 793) Breaking Strength	2018	SAE	0
6462	AMS3799-4D	Webbing, Tubular, Low Modulus Aramid 3-3/16 Wide, 2250 (10 008) Breaking Strength	2018	SAE	0
6463	AMS3799D	Webbing, Tubular, Low-Modulus Aramid-54	2018	SAE	0
6464	AMS3806G	Cloth, Airplane, Mercerized Cotton 80 Pounds Force (356 N) Breaking Strength	2018	SAE	0
6465	AMS4016M	Aluminum Alloy, Sheet and Plate 2.5Mg - 0.25Cr (5052-H32) Strain Hardened, Quarter-Hard, and Stabilized - UNS A95052	2018	SAE	0
6466	AMS4306C	Aluminum Alloy, Plate 6.4Zn - 2.4Mg - 2.2Cu - 0.12Zr (7150-T6151) Solution Heat Treated, Stress Relieved, and Aged - UNS A97150	2018	SAE	0
6467	AMS4376H	Plate, Magnesium Alloy 3.0Al - 1.0Zn - 0.20Mn (AZ31B-H26) Cold Rolled and Partially Annealed - UNS M11311	2018	SAE	0
6468	AMS4377J	Magnesium Alloy, Sheet and Plate 3.0Al - 1.0Zn 0.20Mn (AZ31B-H24) Cold Rolled, Partially Annealed - UNSM11311	2018	SAE	0
6469	AMS4382D	Magnesium Alloy, Plate, Extra Flat 3.0Al 1.0Zn 0.20Mn (AZ31B-0) Annealed - UNS M11311	2018	SAE	0
6470	AMS4530J	Copper-Beryllium Alloy Sheet, Strip, and Plate 98Cu - 1.9Be Solution Heat Treated (TB00) - UNS C17200	2018	SAE	0
6471	AMS4532H	Copper-Beryllium Alloy, Sheet and Strip 98Cu - 1.9Be Half Hard (TD02) - UNS C17200	2018	SAE	0
6472	AMS4595	Copper Nickel Tin Alloy Plate 77Cu 15Ni 8Sn Solution Annealed and Spinodal Hardened (TX 00) - UNS C72900	2018	SAE	0
6473	AMS4596B	Copper Nickel Tin Alloy, Bars and Rods 77Cu 15Ni 8Sn Solution Annealed and Spinodal Hardened (TX 00) - UNS C72900	2018	SAE	0

6474	AMS4640H	Aluminum Bronze, Bars, Rods, Shapes, Tubes, and Forgings 81.5Cu - 10.0Al - 4.8Ni - 3.0Fe Drawn and Stress Relieved (HR50) or Temper Annealed (TQ50) - UNS C63000	2018	SAE	0
6475	AMS4651C	Copper-Beryllium Alloy, Bars and Rods 98Cu - 1.9Be (CDA 172) Hard Temper (TD04) - UNS C17200	2018	SAE	0
6476	AMS4710H	Brass Wire, Tinned 65Cu - 35Zn Annealed (061) - UNS C27000	2018	SAE	0
6477	AMS4725F	Copper-Beryllium Alloy Wire 98Cu - 1.9Be Solution Heat Treated - UNS C17200	2018	SAE	0
6478	AMS4784G	Gold-Palladium-Nickel Alloy, Brazing Filler Metal, High Temperature 50Au - 25Pd - 25Ni 2015 to 2050 °F (1102 to 1121 °C) Solidus-Liquidus Range - UNS P00500	2018	SAE	0
6479	AMS4800F	Bearings, Babbitt 91Sn 4.5Sb 4.5Cu - UNS L13910	2018	SAE	0
6480	AMS4805F	Bearings, Sintered Metal Powder 89Cu - 10Sn Oil Impregnated	2018	SAE	0
6481	AMS4820F	Bearings, Leaded Copper 70Cu 28.5Pb Steel Back - UNS C98400	2018	SAE	0
6482	AMS4827F	Bearings, Leaded Bronze 80Cu 10Pb 10Sn Steel Back	2018	SAE	0
6483	AMS4880D	Aluminum Bronze Alloy, Centrifugal and Continuous-Cast Castings 81.5Cu - 10.3Al - 5.0Ni - 2.8Fe Quench Hardened and Temper Annealed (TQ50) - UNS C95510	2018	SAE	0
6484	AMS4881D	Nickel-Aluminum-Bronze, Martensitic, Sand, Centrifugal and Continuous Castings 78Cu - 11Al - 5.1Ni - 4.8Fe Quench Hardened and Temper Annealed - UNS C95520	2018	SAE	0
6485	AMS4890D	Copper-Beryllium Alloy Castings 97Cu - 2.1Be - 0.52Co - 0.28Si Solution Heat Treated (TB00) - UNS C82500	2018	SAE	0
6486	AMS4985E	Titanium Alloy, Investment Castings 6Al - 4V 130 UTS, 120 YS, 6% EL Hot Isostatically Pressed Anneal Optional or When Specified - UNS R56401	2018	SAE	0
6487	AMS4994A	Titanium Alloy Powdered Metal Products 6Al - 4V Hot Isostatically Pressed, Annealed - UNS R56400	2018	SAE	0
6488	AMS5340E	Steel, Corrosion Resistant, Investment Castings 14Cr - 4.25Ni - 2.25Mo - 0.25Cb - 3.25Cu Homogenization and Solution Heat Treated - UNS J92240	2018	SAE	0
6489	AMS5395D	Alloy Iron Castings, Ductile, Sand, Corrosion Resistant 22Ni (2.5 - 3.0C) As Cast - UNS F43030	2018	SAE	0
6490	AMS5399D	Nickel Alloy, Corrosion and Heat-Resistant, Investment Castings 52Ni - 19Cr - 11Co - 9.8Mo - 3.2Ti - 1.6Al - 0.006B Vacuum-Melted, Vacuum-Cast, Solution Heat Treated - UNS N07041	2018	SAE	0
6491	AMS5401C	Nickel Alloy, Corrosion and Heat-Resistant, Investment Castings 62Ni - 21.5Cr - 9.0Mo - 3.6Cb (Nb) Vacuum Melted, Vacuum Cast As Cast - UNS N26625	2018	SAE	0
6492	AMS5547H	Steel, Corrosion and Heat-Resistant, Sheet and Strip 15.5Cr - 4.5Ni - 2.9Mo - 0.10N Solution Heat Treated - UNS S35500	2018	SAE	0
6493	AMS5552H	Alloy, Corrosion and Heat-Resistant, Sheet, Strip, and Plate 46Fe 20.5Cr 32Ni 1.1Ti Annealed - UNS N08801	2018	SAE	0
6494	AMS5571J	Steel, Corrosion and Heat-Resistant, Seamless Tubing 18Cr - 10.5Ni - 0.70Cb (Nb) (347) Solution Heat Treated - UNS S34700	2018	SAE	0
6495	AMS5625E	Steel Bars, High Expansion 9.5Ni - 5.5Mn (0.55 - 0.65C) Cold Finished - UNS K91456	2018	SAE	0
6496	AMS5680J	Steel, Corrosion and Heat-Resistant, Welding Wire 18.5Cr - 11Ni - 0.40Cb (Nb) (SAE 30347) - UNS S34781	2018	SAE	0
6497	AMS5682E	Nickel Alloy, Corrosion and Heat-Resistant, Welding Wire 78Ni - 20Cr - UNS 06003	2018	SAE	0
6498	AMS5692E	Steel, Corrosion and Heat-Resistant, Welding Wire 19Cr - 12.5Ni - 2.5Mo - UNS S31680	2018	SAE	0
6499	AMS5731L	Steel, Corrosion and Heat-Resistant, Bars, Wire, Forgings, Tubing, and Rings 15Cr - 25.5Ni - 1.2Mo - 2.1Ti - 0.006B - 0.30V Consumable Electrode Melted, 1800 °F (982 °C) Solution Heat Treated - UNS S66286	2018	SAE	0
6500	AMS5732J	Steel, Corrosion and Heat-Resistant, Bars, Wire, Forgings, Tubing, and Rings 15Cr - 25.5Ni - 1.2Mo - 2.1Ti - 0.006B - 0.30V Consumable Electrode Melted 1800 °F (982 °C) Solution and Precipitation Heat Treated - UNS S66286	2018	SAE	0
6501	AMS5734K	Steel, Corrosion and Heat-Resistant, Bars, Wire, Forgings, and Tubing 15Cr - 25.5Ni - 1.2Mo - 2.1Ti - 0.006B - 0.30V Consumable Electrode Melted, 1650 °F (899 °C) Solution Heat Treated - UNS S66286	2018	SAE	0
6502	AMS5737P	Steel, Corrosion and Heat-Resistant, Bars, Wire, Forgings, and Tubing 15Cr - 25.5Ni - 1.2Mo - 2.1Ti - 0.006B - 0.30V Consumable Electrode Melted 1650 °F (899 °C) Solution and Precipitation Heat Treated - UNS S66286	2018	SAE	0
6503	AMS5792B	Powder, Plasma Spray 50 (88WC - 12Co) + 35 (70Ni - 16.5Cr - 4Fe - 4Si - 3.8B) + 15 (80Ni - 20A1) Three-Component Mixture	2018	SAE	0
6504	AMS5793B	Powder, Plasma Spray 95Ni - 5Al	2018	SAE	0

6505	AMS5797E	Cobalt Alloy, Corrosion and Heat-Resistant, Covered Welding Electrodes 51.5Co - 20Cr - 10Ni - 15W - UNS W73605	2018	SAE	0
6506	AMS5828G	Nickel Alloy, Corrosion and Heat Resistant, Welding Wire 57Ni - 19.5Cr - 13.5Co - 4.2Mo - 3.1Ti - 1.4Al - 0.006B Vacuum Induction Melted, Solution Heat Treated - UNS N07001	2018	SAE	0
6507	AMS5837G	Nickel Alloy, Corrosion and Heat-Resistant, Welding Wire 62Ni - 21.5Cr - 9.0Mo - 3.7Cb(Nb) - UNS N06625	2018	SAE	0
6508	AMS5874C	Alloy, Corrosion and Heat-Resistant, Sheet, Strip, and Plate 29Fe - 22Cr - 21Ni - 18.5Co - 3.2Mo - 2.8W - 0.78Ta - 0.30Al - 0.05Zr - 0.05La - 0.20N Solution Heat Treated - UNS R30556	2018	SAE	0
6509	AMS5877B	Iron Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 29Fe - 22Cr - 21Ni - 18.5Co - 3.2Mo - 2.8W - 0.78Ta - 0.30Al - 0.05La - 0.20N Solution Heat Treated - UNS R30556	2018	SAE	0
6510	AMS5931A	Steel, Bars, Wire, Forgings, Extrusions, Tubing, and Rings Wear, Galling, and Corrosion-Resistant 5.0Mn - 3.5Si - 16.5Cr - 5.0Ni - 0.14N Solution Heat Treated - UNS S20161	2018	SAE	0
6511	AMS5961A	Nickel Alloy, Corrosion and Heat-Resistant, Wire 74Ni - 15.5Cr - 8.0Fe Cold Reduced, Spring Temper - UNS N06600	2018	SAE	0
6512	AMS5964	Nickel Alloy, Corrosion and Heat-Resistant, Welding Wire Ni - 18Cr - 2.8Mo - 5.5Cb(Nb) - 0.70Ti - 1.50Al - 10Fe - 9Co - 1W Consumable Electrode Remelted or Vacuum Induction Melted - UNS N07818	2018	SAE	0
6513	AMS6387C	Steel, Carbon, Laminated Sheet, Surface Bonded	2018	SAE	0
6514	AMS6453D	Steel, Welding Wire 0.30Cr - 1.8Ni - 0.40Mo - (0.23 - 0.28C) Vacuum Melted, Environment Controlled Packaging - UNS K32550	2018	SAE	0
6515	AMS6474B	Forgings, Hardenable Steels and Corrosion-Resistant Steels Heat-Treated, Finished-Part Properties Short-Transverse Tensile Strength and Fracture Toughness	2018	SAE	0
6516	AMS6496B	Steel Bars, Forgings, and Tubing, Nitriding 1.4Cr 1.2Mo 0.3V (0.29 0.36C) Aircraft-Quality for Bearing Applications - UNS K23280	2018	SAE	0
6517	AMS7260E	Rings, Butadiene-Acrylonitrile (NBR) Rubber, Molded Fuel and Low Temperature Resistant 70 - 80	2018	SAE	0
6518	AMS7721D	Lead Alloy Sheet and Extrusions 93Pb - 6.5Sb - 0.50Sn As Fabricated - UNS L53131	2018	SAE	0
6519	AMS7847D	Tantalum Alloy Sheet, Strip, and Plate 90Ta - 10W - UNS R05255	2018	SAE	0
6520	AMS7848D	Tantalum Alloy, Bars and Rods 90Ta - 10W - UNS R05255	2018	SAE	0
6521	AMS7849E	Tantalum Sheet, Strip, and Plate Annealed - UNS R05210	2018	SAE	0
6522	AMS7902G	Beryllium Sheet and Plate 98Be - UNS R19801	2018	SAE	0
6523	AMS7904E	Beryllium Bars, Rods, Tubing, and Shapes High Ductility Grade	2018	SAE	0
6524	AMS7906D	Beryllium Bars, Rods, Tubing, and Shapes Standard Grade	2018	SAE	0
6525	AMS7907D	Beryllium Bars, Rods, Tubing, and Shapes Instrument Grade	2018	SAE	0
6526	AMS7910D	Beryllium Near-Net Preforms Standard Grade Cold Isostatic Pressed, Sintered	2018	SAE	0
6527	AMS7912D	Aluminum-Beryllium Alloy, Extrusions 38Al - 62Be Annealed	2018	SAE	0
6528	AMS7913D	Aluminum-Beryllium Alloy, Sheet and Plate 38Al - 62Be	2018	SAE	0
6529	AMS-A-22771D	Aluminum Alloy Forgings, Heat Treated	2018	SAE	0
6530	AMS-C-81562A	Coatings, Cadmium, Tin-Cadmium and Zinc (Mechanically Deposited)	2018	SAE	0
6531	AMS-DTL-22499-1B	SHIM STOCK, LAMINATED, ALUMINUM ALLOY	2018	SAE	0
6532	AMS-DTL-22499-3B	Shim Stock, Laminated, Cres	2018	SAE	0
6533	AMS-DTL-22499B	Shim Stock, Laminated	2018	SAE	0
6534	AMS-DTL-23053-1B	Insulation Sleeving, Electrical, Heat Shrinkable, Crosslinked Chlorinated Polyolefin, Flexible FSC 5970	2018	SAE	0
6535	AMS-DTL-23053-4B	Insulation Sleeving, Electrical, Heat Shrinkable, Polyolefin, Dual-Wall, Outer Wall Crosslinked FSC 5970	2018	SAE	0

6536	AMS-DTL-23053-5B	Insulation Sleeving, Electrical, Heat Shrinkable, Polyolefin, Flexible, Crosslinked FSC 5970	2018	SAE	0
6537	AMS-DTL-23053-6B	Insulation Sleeving, Electrical, Heat Shrinkable, Polyolefin, Semi-Rigid, Crosslinked FSC 5970	2018	SAE	0
6538	AMS-DTL-23053-7B	Insulation Sleeving, Electrical, Heat Shrinkable, Polyethylene Terephthalate, Non-Crosslinked FSC 5970	2018	SAE	0
6539	AMS-DTL-23053-8B	Insulation Sleeving, Electrical, Heat Shrinkable, Polyvinylidene Fluoride, Semi-Rigid, Crosslinked FSC 5970	2018	SAE	0
6540	AMS-DTL-23053-10B	Insulation Sleeving, Electrical, Heat Shrinkable, Silicone Rubber, Flexible FSC 5970	2018	SAE	0
6541	AMS-DTL-23053-11B	Insulation Sleeving, Electrical, Heat Shrinkable, Fluorinated Ethylene Propylene, Non-Crosslinked FSC 5970	2018	SAE	0
6542	AMS-DTL-23053-12B	Insulation Sleeving, Electrical, Heat Shrinkable, Polytetrafluoroethylene FSC 5970	2018	SAE	0
6543	AMS-DTL-23053-13B	Insulation Sleeving, Electrical, Heat Shrinkable, Fluoroelastomer, Flexible FSC 5970	2018	SAE	0
6544	AMS-DTL-23053-14B	Insulation Sleeving, Electrical, Heat Shrinkable, Ethylene-Tetrafluoroethylene Fluoropolymer, Semi-Rigid FSC 5970	2018	SAE	0
6545	AMS-DTL-23053-15B	Insulation Sleeving, Electrical, Heat Shrinkable, Polyolefin, Heavy-Wall, Coated, Flexible, Outer Wall Crosslinked FSC 5970	2018	SAE	0
6546	AMS-DTL-23053-16B	Insulation Sleeving, Electrical, Heat Shrinkable, Crosslinked, Elastomeric Polyolefin, Flexible FSC 5970	2018	SAE	0
6547	AMS-DTL-23053-18B	Insulation Sleeving, Electrical, Heat Shrinkable, Modified Fluoropolymer, Crosslinked FSC 5970	2018	SAE	0
6548	AMS-DTL-23053A	Insulation Sleeving, Electrical, Heat Shrinkable, General Specification For FSC 5970	2018	SAE	0
6549	AMS-M-3171	Magnesium Alloy, Processes for Pretreatment and Prevention of Corrosion on	2018	SAE	0
6550	AMS-P-81728C	Plating, Tin-Lead (Electrodeposited)	2018	SAE	0
6551	AMS-QQ-A-200-5B	Aluminum Alloy 5086, Bar, Rod, Shapes, Tube, and Wire, Extruded (Composition similar to UNS A95086)	2018	SAE	0
6552	AMS-QQ-A-200-13C	Aluminum Alloy 7178, Bar, Rod, Shapes, Tube, and Wire, Extruded UNS A97178	2018	SAE	0
6553	AMS-QQ-A-200-14B	Aluminum Alloy, Bar, Rod, Shapes, and Wire, Extruded, 7178-T76 Improved Exfoliation Resistance (Composition similar to UNS A97178)	2018	SAE	0
6554	AMS-QQ-A-225-5A	Aluminum Alloy, 2017, Bar, Rod, and Wire, Rolled, Drawn, or Cold Finished	2018	SAE	0
6555	AMS-QQ-A-225-6B	Aluminum Alloy, 2024, Bar, Rod, and Wire; Rolled, Drawn, or Cold Finished	2018	SAE	0
6556	AMS-QQ-A-225C	Aluminum and Aluminum Alloy, Bar, Rod, Wire, or Special Shapes; Rolled, Drawn, or Cold Finished; General Specification For - UNS A91100	2018	SAE	0
6557	AMS-QQ-A-250B	Aluminum and Aluminum Alloy, Plate and Sheet General Specification for	2018	SAE	0
6558	AMS-QQ-A-367E	Aluminum Alloy Forgings	2018	SAE	0
6559	AMS-WW-T-700-3B	Tube, Aluminum Alloy, Drawn, Seamless, 2024	2018	SAE	0
6560	AMS-WW-T-700-4B	Tube, Aluminum Alloy, Drawn, Seamless, 5052	2018	SAE	0

6561	AMS-WW-T-700-5B	Tube, Aluminum Alloy, Drawn, Seamless, 5086	2018	SAE	0
6562	AMS-WW-T-700-7B	Tube, Aluminum Alloy, Drawn, Seamless, 7075	2018	SAE	0
6563	AMS-WW-T-700B	Tube, Aluminum and Aluminum Alloy, Drawn, Seamless, General Specification for	2018	SAE	0
6564	ARP2C	Horsepower Correction Formulae	2018	SAE	0
6565	ARP89D	Aircraft Compartment Automatic Temperature Control Systems	2018	SAE	0
6566	ARP246D	Orientation of Engine Axis, Coordinate and Numbering Systems for Aircraft Gas Turbine Engines	2018	SAE	0
6567	ARP260E	Control Lever Connections (60^{1}° V Serrations)	2018	SAE	0
6568	ARP373C	Propeller Shaft Torque Ratings	2018	SAE	0
6569	ARP464	Mount - Thermocouple	2018	SAE	0
6570	ARP465B	Flange - Thermocouple	2018	SAE	0
6571	ARP485A	Temperature Measuring Devices Nomenclature	2018	SAE	0
6572	ARP502A	PROPELLER SHAFT ENDS - FLANGED SMALL AIRCRAFT ENGINE	2018	SAE	0
6573	ARP674D	Groove Design, Metal O-Ring Gasket	2018	SAE	0
6574	ARP676A	LEVER ENDS (INVOLUTE SERRATIONS)	2018	SAE	0
6575	ARP688B	Reusable Lock for Spanner Nuts	2018	SAE	0
6576	ARP690	Standard Exposed Junction Thermocouple for Controlled Conduction Errors in Measurement of Air or Exhaust Gas Temperature	2018	SAE	0
6577	ARP691	Recommended Ice Bath for Reference Junctions	2018	SAE	0
6578	ARP924B	Specification and Inspection of Glass for Integrally Lighted Aerospace Instruments	2018	SAE	0
6579	ARP926C	Fault/Failure Analysis Procedure - Use ARP4761 for Aircraft Safety Assessment	2018	SAE	0
6580	ARP953C	Stress Dome in Fasteners	2018	SAE	0
6581	ARP1340B	Periodic Surveillance Procedures for Horizontal Dynamic Balancing Machines	2018	SAE	0
6582	ARP1341B	Determining Decarburization and Carburization in Finished Parts of Carbon and Low-Alloy Steels	2018	SAE	0
6583	ARP1409C	(R) Aircraft On Board Weight and Balance System Requirements	2018	SAE	0
6584	ARP1515B	Threaded Fastener Protrusion Through Self-Locking Nuts	2018	SAE	0
6585	ARP1631A	Manufacturing Sequence for Fabrication of High-Strength Steel Parts 300M or 4340 Modified Low-Alloy Steels 270,000 psi (1860 MPa) Tensile Strength and Higher	2018	SAE	0
6586	ARP1755B	Effect of Cleaning Agents on Aircraft Engine Materials Stock Loss Test Method	2018	SAE	0
6587	ARP1834B	Fault/Failure Analysis For Digital Systems and Equipment - Use ARP 4761 for Aircraft Safety Assessment	2018	SAE	0
6588	ARP1862A	CLEANING EFFICIENCY OF TURBINE ENGINE GAS PATH CLEANERS Laboratory Test Method	2018	SAE	0
6589	ARP1902B	Bolt, Tee Head, Interface Surface, Dimensions for	2018	SAE	0
6590	ARP1923B	Qualification and Certification of Etch Inspectors	2018	SAE	0
6591	ARP2654	Ultrasonic Thickness Testing	2018	SAE	0
6592	ARP4087C	(R) Wing Inspection Lights - Design Criteria	2018	SAE	0
6593	ARP4146D	Coiled Tubing Titanium Alloy, Hydraulic Applications, Aerospace	2018	SAE	0
6594	ARP4955A	(R) Recommended Practice for Measurement of Static and Dynamic Characteristic Properties of Aircraft Tires	2018	SAE	0
6595	ARP4967B	(R) Night Vision Imaging Systems (NVIS) Integrally Illuminated Information Panels	2018	SAE	0
6596	ARP5316E	Storage of Elastomer Seals and Seal Assemblies Which Include an Elastomer Element Prior to Hardware Assembly	2018	SAE	0
6597	ARP5448-4	Plain Bearing Bond Integrity - Peelable Woven Fabric PTFE Liners	2018	SAE	0
6598	ARP5448-8A	Plain Spherical Bearing Radial and Axial Clearance Measurement	2018	SAE	0

6599	ARP5448B	Plain Bearing Test Methods	2018	SAE	0
6600	ARP5483-1A	Rolling Element Bearing No-Load Torque Test	2018	SAE	0
6601	ARP5483-4A	Rolling Element Test Method for Axial Limit and Fracture Load Testing	2018	SAE	0
6602	ARP5483-5A	Rolling Element Bearing Test Method for Radial Limit and Fracture Load Testing	2018	SAE	0
6603	ARP5483-6A	Rolling Element Bearing Test Method for Dimensional Stability	2018	SAE	0
6604	ARP5497A	Modification or Replacement of Components on Dynamically Certified Seat Systems	2018	SAE	0
6605	ARP5759	Acoustical Considerations for Engine Test Cells	2018	SAE	0
6606	ARP5764	Aerospace Active Inceptor Systems for Aircraft Flight and Engine Controls	2018	SAE	0
6607	ARP5783	Health and Usage Monitoring Metrics Monitoring the Monitor	2018	SAE	0
6608	ARP6152	Aircraft Tires Service Overload Capability	2018	SAE	0
6609	ARP6196	Gas Turbine Engine Test Facility Audit Process	2018	SAE	0
6610	ARP6227	JAUS Messaging over the OMG Data Distribution Service (DDS)	2018	SAE	0
6611	ARP9013-1A	Statistical Product Acceptance Requirements Using Isolated Lot Sampling Methods	2018	SAE	0
6612	ARP9013-2A	Statistical Product Acceptance Requirements Using Attribute or Variable Lot Acceptance Sampling Plans	2018	SAE	0
6613	ARP9013-3A	Statistical Product Acceptance Requirements Using Process Control Methods	2018	SAE	0
6614	ARP9013-4A	Statistical Product Acceptance Requirements Using Continuous Sampling, Skip-Lot Sampling, or Methods for Special Cases	2018	SAE	0
6615	ARP9013A	Statistical Product Acceptance Requirements	2018	SAE	0
6616	ARP36104A	Air Cargo Pallets and Nets Compatibility	2018	SAE	0
6617	AS1C	Altitude Graphs Aircraft Reciprocating Engine Performance	2018	SAE	0
6618	AS20D	Definitions, Aircraft Reciprocating Engine Performance	2018	SAE	0
6619	AS56D	LEVER ENDS - FUEL AND POWER CONTROL	2018	SAE	0
6620	AS82C	Screw Thread Form, American National, Modified (National Round - NR)	2018	SAE	0
6621	AS127E	PROPELLER SHAFT END, FLANGED TYPE - NO. 1, 2, 3, 4, 5, & 6	2018	SAE	0
6622	AS167B	Chart Humidity Indicator, Color Comparison	2018	SAE	0
6623	AS176D	Limits, Table of Limits and Lubrication Charts	2018	SAE	0
6624	AS177C	Operating Instructions for Aircraft Engines (Preparation of)	2018	SAE	0
6625	AS180B	PROPELLER HUB-SINGLE ROTATION	2018	SAE	0
6626	AS210	Definition of Commonly Used Day Types (Atmospheric Ambient Temperature Characteristics Versus Pressure Altitude)	2018	SAE	0
6627	AS269J	Identification of Material for AN, MS, and AS Engine and Propeller Standard Utility Parts and Also for Company Parts	2018	SAE	0
6628	AS307A	COVER, FLIGHT - GOVERNOR MOUNTING PAD	2018	SAE	0
6629	AS627D	HOSE ASSEMBLY, 3000 PSI, PTFE, FLARED, STRAIGHT TO STRAIGHT, HEAVYWEIGHT	2018	SAE	0
6630	AS628D	HOSE ASSEMBLY, 3000 PSI, PTFE, FLARED, STRAIGHT TO 45?, HEAVYWEIGHT	2018	SAE	0
6631	AS629D	HOSE ASSEMBLY, 3000 PSI, PTFE, FLARED, STRAIGHT TO 90?, HEAVYWEIGHT	2018	SAE	0
6632	AS630D	HOSE ASSEMBLY, 3000 PSI, PTFE, FLARED, 45? TO 45?, HEAVYWEIGHT	2018	SAE	0
6633	AS632D	HOSE ASSEMBLY, 3000 PSI, PTFE, FLARED, 90? TO 90?, HEAVYWEIGHT	2018	SAE	0
6634	AS644B	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE METAL BRAID, M,EDIUM PRESSURE, FLARED, 45ĵ° TO 90ĵ°	2018	SAE	0
6635	AS848A	ATTACHMENT POINTS, ENGINE, REMOTE TRIMMING MAIN FUEL CONTROL	2018	SAE	0
6636	AS880A	PROPELLER SHAFT END - FLANGED 4.250 (107.95) BOLT CIRCLE	2018	SAE	0
6637	AS903A	REMOTE TRIMMING ATTACHMENT FOR AIRCRAFT TURBINE ENGINE CONTROLS	2018	SAE	0
6638	AS919A	SHALLOW GROOVE SHAFTS AND LOCKING DEVICES FOR BEARING RETAINING SPANNER NUTS	2018	SAE	0

6639	AS1131C	Air and Air/Surface (Platform) Cargo Pallet Nets	2018	SAE	0
6640	AS1177B	Nondestructive Inspection Standards for Bolts and Screws	2018	SAE	0
6641	AS1214B	(R) Minimum Standards for Valve, High Pressure Oxygen, Line Shut Off, Manually Operated	2018	SAE	0
6642	AS1229D	Insert, Screw Thread, Helical Coil, Stud Locking, Performance Standard for	2018	SAE	0
6643	AS1310B	Faster Torque for Threaded Applications, Definitions Of	2018	SAE	0
6644	AS1325A	Wrench Configuration, 12 Lobed Drive	2018	SAE	0
6645	AS1337A	Selected Aerospace Diameter Pitch Combinations of Metric 60Ï° Screw Threads for Nuts and Bolts	2018	SAE	0
6646	AS1349B	Insert, Screw Thread, Helical Coil, Locking (Low Friction Systems), Performance Standard for	2018	SAE	0
6647	AS1414A	PROPELLER SHAFT END - FLANGED 5.125(130.175) BOLT CIRCLE	2018	SAE	0
6648	AS1560B	Modules and Basic Racks of Metric Spur and Helical Gears	2018	SAE	0
6649	AS1677D	(R) General Requirements for Noncertified Cargo/Baggage Containers	2018	SAE	0
6650	AS1730E	Coupling, Fuel, Rigid, Threaded Type	2018	SAE	0
6651	AS1773A	Fiber Optics Mechanization of a Digital Time Division Command/Response Multiplex Data Bus	2018	SAE	0
6652	AS1895-12E	FLANGE END, MALE, TYPE I STANDARD PROFILE, DESIGN STANDARD	2018	SAE	0
6653	AS1895-13E	FLANGE END, FEMALE, TYPE I STANDARD PROFILE DESIGN STANDARD	2018	SAE	0
6654	AS2094B	(R) Test Methods for Tube-Fitting Assemblies	2018	SAE	0
6655	AS2916-4	No . AS291 6Ï PLATE , SERIAL RECORD	2018	SAE	0
6656	AS2916AR-4	SAE INDUSTRY TECHNOLOG IES CONSORTIA AEROSPACE STANDARDS AND PART QUAL IF ICATION PROGRAM	2018	SAE	0
6657	AS3092A	(R) STUD - STRAIGHT, KEY LOCKED, CRES (SIMILAR TO UNS S66286) .3125-24 UNJF X .3125-24 UNJF	2018	SAE	0
6658	AS3100A	(R) BOLT, MACHINE - HEXAGON HEAD, PD SHANK, CRES AMS5731, .2500-28 UNJF-3A	2018	SAE	0
6659	AS3101A	(R) BOLT, MACHINE - HEXAGON HEAD, PD SHANK, CRES AMS5731, .3125-24 UNJF-3A	2018	SAE	0
6660	AS3104A	(R) BOLT, MACHINE - HEXAGON HEAD, PD SHANK, CRES AMS5731, .5000-20 UNJF-3A	2018	SAE	0
6661	AS3105A	(R) BOLT, MACHINE - HEXAGON HEAD, PD SHANK, CRES AMS5731, .5625-18 UNFJ-3A	2018	SAE	0
6662	AS3170A	BOLT, MACHINE - DOUBLE HEX EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, AMS5643 (UNS S17400), .3750-24, UNJF-3A	2018	SAE	0
6663	AS3171A	BOLT, MACHINE - DOUBLE HEX EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, AMS5643 (UNS S17400), .4375-20, UNJF-3A	2018	SAE	0
6664	AS3172A	BOLT, MACHINE - DOUBLE HEX EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, AMS5643 (UNS S17400), 140 KSI, .5000-20, UNJF-3A	2018	SAE	0
6665	AS3173A	BOLT, MACHINE - DOUBLE HEX EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, AMS5643 (UNS S17400), 140 KSI, .5625-18, UNJF-3A	2018	SAE	0
6666	AS3221C	COVER ENGINE ACCESSORY DRIVE, SQUARE, 2.653 BOLT CIRCLE, AMS4490 (UNS M11910)	2018	SAE	0
6667	AS3222D	COVER ENGINE ACCESSORY DRIVE, SQUARE, 5.000 BOLT CIRCLE, AMS4490 (UNS M11910)	2018	SAE	0
6668	AS3223C	COVER - ENGINE ACCESSORY DRIVE, ROUND, 5.000 BOLT CIRCLE, AMS4490 (UNS M11910)	2018	SAE	0
6669	AS3224C	COVER - ENGINE ACCESSORY DRIVE, ROUND, 8.000 BOLT CIRCLE, AMS4490 (UNS M11910)	2018	SAE	0
6670	AS3225D	Cover - Engine Accessory Drive, Round, 10.000 Bolt Circle, AMS 4490 - UNS M11910	2018	SAE	0
6671	AS3272A	(R) NUT - SELF-LOCKING, CLINCH, SERRATED SHANK, 700 Ï°F, DRY FILM COATED, UNS S66286, UNJ THREAD	2018	SAE	0
6672	AS3273A	(R) NUT - SELF-LOCKING, CLINCH, SERRATED SHANK, 1200 Ï°F, SILVER PLATED, UNS S66286, UNJ THREAD	2018	SAE	0
6673	AS3435	SPACER, SLEEVE - FOR .190 INCH BOLT, AMS4901 OR AMS4921	2018	SAE	0
6674	AS3436	SPACER, SLEEVE - FOR .250 INCH BOLT, AMS4901 OR AMS4921	2018	SAE	0

6675	AS3472A	RING, RETAINING - INTERNAL, SPIRAL WOUND HEAVY AND MEDIUM DUTY, UNS S66286	2018	SAE	0
6676	AS3509B	CABLE, SAFETY, KIT, NICKEL ALLOY, UNS N0660	2018	SAE	0
6677	AS3511B	CABLE, SAFETY, KIT, CORROSION RESISTANT STEEL, UNS S30400	2018	SAE	0
6678	AS3542A	COVER - TYPE XVI, XVII-C, D, E, AND F ENGINE ACCESSORY DRIVE	2018	SAE	0
6679	AS3566A	(R) NUT, SELF-LOCKING, CASTELLATED, PREVAILING TORQUE, UNS G41300 OR UNS G43400, UNJ 16 PITCH THREAD FORM	2018	SAE	0
6680	AS3568A	SCREW, DRIVE, ROUND HEAD, TYPE U AMS5504 (UNS S41000)	2018	SAE	0
6681	AS3578	PACKING, PREFORMED O-RING SEAL AMS7271	2018	SAE	0
6682	AS3582	PACKING, PREFORMED O-RING SEAL AMS3304	2018	SAE	0
6683	AS3616	NUT, SELF-LOCKING, DOUBLE HEXAGON REDUCED FLANGE, SOLID FILM LUBE COUNTERBORED 180 KSI, 1400 ï°F, UNS N07001	2018	SAE	0
6684	AS4194A	Sheet and Strip Surface Finish Nomenclature	2018	SAE	0
6685	AS4568C	HOSE ASSEMBLY, PTFE, PARA-ARAMID REINFORCED, STANDARD DUTY, 3000 PSI, 275 ï°F, TITANIUM FITTINGS, FLARELESS, STRAIGHT TO STRAIGHT	2018	SAE	0
6686	AS4569D	HOSE ASSEMBLY, PTFE, PARA-ARAMID REINFORCED, STANDARD DUTY, 3000 PSI, 275 â_°F, TITANIUM FITTINGS, FLARELESS, STRAIGHT TO 45â °	2018	SAE	0
6687	AS4570C	HOSE ASSEMBLY, PTFE, PARA-ARAMID REINFORCED, STANDARD DUTY, 3000 PSI, 275 ï°F, TITANIUM FITTINGS, FLARELESS, STRAIGHT TO 90ï°	2018	SAE	0
6688	AS4572C	HOSE ASSEMBLY, PTFE, PARA-ARAMID REINFORCED, STANDARD DUTY, 3000 PSI, 275 ï°F, TITANIUM FITTINGS, FLARELESS, 45ï° TO 45ï°	2018	SAE	0
6689	AS4573C	HOSE ASSEMBLY, PTFE, PARA-ARAMID REINFORCED, STANDARD DUTY, 3000 PSI, 275 ï°F, TITANIUM FITTINGS, FLARELESS, 90ï° TO 90ï°	2018	SAE	0
6690	AS4575B	HOSE ASSEMBLY, PTFE, PARA-ARAMID REINFORCED, STANDARD DUTY, 3000 PSI, 275 â_°F, TITANIUM FITTINGS, BEAM SEAL, STRAIGHT TO 45â °	2018	SAE	0
6691	AS4576B	HOSE ASSEMBLY, PTFE, PARA-ARAMID REINFORCED, STANDARD DUTY, 3000 PSI, 275 ï°F, TITANIUM FITTINGS, BEAM SEAL, STRAIGHT TO 90ï°	2018	SAE	0
6692	AS4577B	HOSE ASSEMBLY, PTFE, PARA-ARAMID REINFORCED, STANDARD DUTY, 3000 PSI, 275 ï°F, TITANIUM FITTINGS, BEAM SEAL, 45ï° TO 45ï°	2018	SAE	0
6693	AS4578B	HOSE ASSEMBLY, PTFE, PARA-ARAMID REINFORCED, STANDARD DUTY, 3000 PSI, 275 â_°F, TITANIUM FITTINGS, BEAM SEAL, 45â ° TO 90â °	2018	SAE	0
6694	AS4579B	HOSE ASSEMBLY, PTFE, PARA-ARAMID REINFORCED, STANDARD DUTY, 3000 PSI, 275 â_°F, TITANIUM FITTINGS, BEAM SEAL, 90â ° TO 90â °	2018	SAE	0
6695	AS4580A	HOSE ASSEMBLY, PTFE, PARA-ARAMID REINFORCED, STANDARD DUTY, 4000 PSI, 275 â_°F, TITANIUM FITTINGS, FLARELESS, STRAIGHT TO STRAIGHT	2018	SAE	0
6696	AS4581A	HOSE ASSEMBLY, PTFE, PARA-ARAMID REINFORCED, STANDARD DUTY, 4000 PSI, 275 â_°F, TITANIUM FITTINGS, FLARELESS, STRAIGHT TO 45â °	2018	SAE	0
6697	AS4582A	Hose Assembly, PTFE, Para-Aramid Reinforced, Standard Duty, 4000 PSI, 275 Degree F, Titanium Fittings, Flareless, Straight to 90 Degree	2018	SAE	0
6698	AS4583A	Hose Assembly, PTFE, Para-Aramid Reinforced, Standard Duty, 4000 PSI, 275 Degree F, Titanium Fittings, Flareless, 45 Degree T0 90 Degree	2018	SAE	0
6699	AS4584A	Hose Assembly, PTFE, Para-Aramid Reinforced, Standard Duty, 4000 PSI, 275 Degrees F, Titanium Fittings, Flareless, 45 Degree to 45 Degreee	2018	SAE	0
6700	AS4585A	Hose Assembly, PTFE, Para-Aramid Reinforced, Standard Duty, 4000 PSI, 275 Degree F, Titanium Fittings, Flareless, 90 Degree to 90 Degreee	2018	SAE	0
6701	AS4587A	HOSE ASSEMBLY, PTFE, PARA-ARAMID REINFORCED, STANDARD DUTY, 4000 PSI, 275 â_°F, TITANIUM FITTINGS, BEAM SEAL, STRAIGHT TO 45â °	2018	SAE	0

6702	AS4588A	HOSE ASSEMBLY, PTFE, PARA-ARAMID REINFORCED, STANDARD DUTY, 4000 PSI, 275 â_°F, TITANIUM FITTINGS, BEAM SEAL, STRAIGHT TO 90â °	2018	SAE	0
6703	AS4589A	HOSE ASSEMBLY, PTFE, PARA-ARAMID REINFORCED, STANDARD DUTY, 4000 PSI, 275 Ï°F, TITANIUM FITTINGS, BEAM SEAL, 45Ï° TO 45Ï°	2018	SAE	0
6704	AS4590A	HOSE ASSEMBLY, PTFE, PARA-ARAMID REINFORCED, STANDARD DUTY, 4000 PSI, 275 â_°F, TITANIUM FITTINGS, BEAM SEAL, 45â ° TO 90â °	2018	SAE	0
6705	AS4591A	HOSE ASSEMBLY, PTFE, PARA-ARAMID REINFORCED, STANDARD DUTY, 4000 PSI, 275 â_°F, TITANIUM FITTINGS, BEAM SEAL, 90â ° TO 90â °	2018	SAE	0
6706	AS4723	Insert, Screw Thread, Self-Locking, UNS S66286, Key Locked, Plastic Self Locking Device, Solid Film Lubricant Procurement Specification For	2018	SAE	0
6707	AS4724	Studs and Inserts, Locked In, Self-Broaching Keys - Hole Dimensions and Installation Requirements	2018	SAE	0
6708	AS4831A	Software Interfaces for Ground-Based Monitoring Systems	2018	SAE	0
6709	AS4891	Stud, Locked In, Key Locked, UNS S66286, Classification: 140 ksi Procurement Specification For	2018	SAE	0
6710	AS4893A	Generic Open Architecture (GOA) Framework	2018	SAE	0
6711	AS4958A	Performance, Nut, Self-Locking, Castellated, Prevailing Torque, UNJ 16 Pitch Thread Form	2018	SAE	0
6712	AS4959A	Bolts and Screws, Steel, UNS S66286 Tensile Strength 140 ksi 1650 Ï°F Solution Heat Treatment Aged Before Fillet and Thread Rolling Procurement Specification	2018	SAE	0
6713	AS4983	Spring Pins, Tubular, Coiled Corrosion Resistant Nickel Base Alloy Procurement Specification For	2018	SAE	0
6714	AS5054A	Areas for Calculating Stress or Load Values for Externally and Internally Threaded Fasteners	2018	SAE	0
6715	AS5377	Nut, Self-Locking, 0.7500 thru 1.5000 Thread Sizes, UNS S66286, 160,000 psi, 800 Ï°F, UNJ Thread - Procurement Specification	2018	SAE	0
6716	AS5395	Health and Usage Monitoring System Data Interchange Specification	2018	SAE	0
6717	AS5405-1	Mechanical Splice, Fiber Optic, Crimp and Cleave, for Aerospace Simplex Cable	2018	SAE	0
6718	AS5419-1A	WIRE, THERMOCOUPLE, HIGH TEMPERATURE AND FIRE RESISTANT LIGHT WEIGHT, SMALL DIAMETER NICKEL/CHROMIUM (KP); NICKEL/ALUMINUM/MANGANESE (KN) THERMOCOUPLE EXTENSION, 260 ?C	2018	SAE	0
6719	AS5419-2A	WIRE, THERMOCOUPLE, FLUOROPOLYMER INSULATED, ABRASION RESISTANT, EXTRUDED PTFE NICKEL/CHROMIUM (KP); NICKEL/ALUMINUM/MANGANESE (KN) THERMOCOUPLE EXTENSION MEDIUM WEIGHT, 260 ?C	2018	SAE	0
6720	AS5419-3A	WIRE, THERMOCOUPLE, FLUOROPOLYMER INSULATED, EXTRUDED TFE NICKEL/CHROMIUM (KP); NICKEL/ALUMINUM/MANGANESE (KN) THERMOCOUPLE EXTENSION, 260 ?C	2018	SAE	0
6721	AS5419-4A	WIRE, THERMOCOUPLE, CROSSLINKED POLYALKENE INSULATED NICKEL/CHROMIUM (KP); NICKEL/ALUMINUM/MANGANESE (KN) THERMOCOUPLE EXTENSION, LIGHT WEIGHT, 150 ?C	2018	SAE	0
6722	AS5419-5A	WIRE, THERMOCOUPLE, FLUOROPOLYMER INSULATED, EXTRUDED TFE NICKEL/CHROMIUM (KP); NICKEL/ALUMINUM/MANGANESE (KN) THERMOCOUPLE EXTENSION, 260 ?C	2018	SAE	0
6723	AS5419-6A	WIRE, THERMOCOUPLE, FP/POLYIMIDE/FP INSULATED, NICKEL/CHROMIUM (KP); NICKEL/ALUMINUM/MANGANESE (KN) THERMOCOUPLE EXTENSION, LIGHT WEIGHT, 260 ?C	2018	SAE	0
6724	AS5419-7A	WIRE, THERMOCOUPLE, FP/POLYIMIDE/FP INSULATED, NICKEL/CHROMIUM (KP); NICKEL/ALUMINUM/MANGANESE (KN) THERMOCOUPLE EXTENSION, NORMAL WEIGHT, 260 ?C	2018	SAE	0
6725	AS5447	Acceptance Criteria for Nuts - Magnetic Particle, Fluorescent Penetrant, and Visible Penetrant Examination	2018	SAE	0
6726	AS5603A	(R) Digital Fiber Optic Link Loss Budget Methodology for Aerospace Platforms	2018	SAE	0
6727	AS5659	WDM LAN Standard	2018	SAE	0
6728	AS5692-3	ARC FAULT CIRCUIT BREAKER - AIRCRAFT, TRIP FREE, 1 TO 20 AMP, TYPE I	2018	SAE	0
6729	AS5692-4	ARC FAULT CIRCUIT BREAKER - AIRCRAFT, TRIP FREE, 25 TO 35 AMP, TYPE 1	2018	SAE	0
6730	AS5750A	Loss Budget Specification for Fiber Optic Links	2018	SAE	0
6731	AS5768-1E	TOOL, STRIPPER, MANUALLY ACTUATED, ELECTRICAL INSULATION, ROUND WIRE, SIZE 10 TO 30	2018	SAE	0

6732	AS5768-2C	TOOL, STRIPPER, MANUALLY ACTUATED, SMALL GRIP, ELECTRICAL INSULATION, ROUND WIRE, SIZE 16 TO 30	2018	SAE	0
6733	AS5768	Tool, Stripper, Electrical Insulation, General Specification For	2018	SAE	0
6734	AS5878	Nut, Self-Locking, Nickel Alloy, UNS N07001, 1400 ĵ°F, 180,000 psi, UNJ Thread Procurement Specification	2018	SAE	0
6735	AS5896	Certified Containers for Lower Deck Compartments	2018	SAE	0
6736	AS6173-2A	CUTTING TOOL, ELECTRICAL, WIRE CUTTING WITH GRIPPING TEETH, HAND ACTUATED, TYPE I, WIRE SIZES 26 THROUGH 10	2018	SAE	0
6737	AS6173-3	CUTTING TOOL, ELECTRICAL, WIRE CUTTING WITH CURVED JAWS, HAND ACTUATED, TYPE I, WIRE SIZES 26 THROUGH 1/0	2018	SAE	0
6738	AS6294-2	Requirements for Plastic Encapsulated Microcircuits in Military and Avionics Applications	2018	SAE	0
6739	AS6369-1A	(R) COUPLING, SHEET METAL, 40? V-BAND, WIDE, STANDARD LATCH	2018	SAE	0
6740	AS6456	Aerospace Analog Fiber Optic Link	2018	SAE	0
6741	AS7205	Spring Pins, Tubular, Carbon Steel, Procurement Specification for	2018	SAE	0
6742	AS7207	Spring Pins, Tubular, Slotted Corrosion and Moderate Heat Resistant Steel Procurement Specification for	2018	SAE	0
6743	AS7210A	Pins, Cotter, Steel, Corrosion Resistant UNS S30200 Procurement Specification for	2018	SAE	0
6744	AS7211A	Pins, Cotter, Steel, Corrosion and Heat Resistant UNS S32100 Procurement Specification	2018	SAE	0
6745	AS7222A	Aluminum Rivets, UNS A92117 2.5Cu - 0.3Mg (2117-T4) Procurement Specification	2018	SAE	0
6746	AS7229	Rivets, Steel, Corrosion and Heat Resistant 18Cr - 10.5Ni - 0.70(Cb+Ta) Solution Heat Treated Procurement Specification For	2018	SAE	0
6747	AS7233	Rivets, Solid, UNS N04400, Corrosion Resistant 67Ni - 31Cu Procurement Specification for	2018	SAE	0
6748	AS7234	Rivets, Blind, Corrosion Resistant Alloy 67Ni - 31Cu Procurement Specification For	2018	SAE	0
6749	AS7235	Rivets, UNS S66286, Steel, Corrosion and Heat Resistant, 80 ksi Shear Strength, Procurement Specification for	2018	SAE	0
6750	AS7236	Rivets, Alloy, Corrosion and Heat Resistant 52Co-20Cr-10Ni-15W Solution Heat Treated Procurement Specification For	2018	SAE	0
6751	AS7237	Rivets, Nickel Alloy, Corrosion and Heat Resistant 47.5Ni-22Cr-1.5Co-9.0Mo-0.60W-18.5Fe Solution Heat Treated Procurement Specification For	2018	SAE	0
6752	AS7246	Inserts, Screw Threads, Helical Coil 72Ni-15.5Cr-0.95(Cb+Ta)-2.5Ti-0.70Al-7.0Fe Corrosion and Heat Resistant Alloy Procurement Specification For	2018	SAE	0
6753	AS7250D	(R) Nuts, Self-Locking, Steel, Corrosion and Heat Resistant High Strength, All Metal 1200 ĵ°F Use, UN Thread Form	2018	SAE	0
6754	AS7283C	Gaskets, Type XX Engine Accessory Drive Corrosion Resistant Steel Screen Reinforced Controlled Performance	2018	SAE	0
6755	AS7325C	Gasket, Metal O-Ring Corrosion and Heat Resistant Steel Procurement Specification for	2018	SAE	0
6756	AS7330	Rings, Retaining - Spiral Wound, Uniform Section Corrosion Resistant Steel Procurement Specification For	2018	SAE	0
6757	AS7928-7A	(R) TERMINAL LUG AND SPLICES, CONDUCTOR, CRIMP STYLE, COPPER, TERMINAL LUG, CRIMP STYLE, COPPER, UNINSULATED, RING TONGUE TYPE I, CLASS 1 FOR 175 ?C TOTAL CONDUCTOR TEMPERATURE	2018	SAE	0
6758	AS7974-2A	CABLE ASSEMBLY, EXTERNAL POWER, AIRCRAFT 115/200 VOLT, 400 HERTZ POWER DISTRIBUTION FLIGHT LINE (FOR A/E 24A-166A)	2018	SAE	0
6759	AS7997A	Motors, Aircraft Hydraulic, Constant Displacement General Specification for	2018	SAE	0
6760	AS8027	Crew Member Oxygen Regulators, Demand	2018	SAE	0
6761	AS8879D	Screw Threads - UNJ Profile, Inch Controlled Radius Root with Increased Minor Diameter - Best Copy Available	2018	SAE	0
6762	AS8991A	GASKET, FUSELAGE LIGHT COVER SCREW	2018	SAE	0
6763	AS9141C	GASKET - METAL O-RING, .035 TUBE X .006 WALL, CRES - UNS S32100	2018	SAE	0
6764	AS9142C	GASKET - METAL O-RING, .062 TUBE X .006 WALL, CRES - UNS S32100	2018	SAE	0
6765	AS9144C	GASKET TYPE XX ENGINE ACCESSORY DRIVE	2018	SAE	0
6766	AS9202C	GASKET METAL O-RING, .062 TUBE X .010 WALL, CRES - UNS S32100	2018	SAE	0

6767	AS9203C	GASKET - METAL O-RING, .094 TUBE X .006 WALL, CRES - UNS S32100	2018	SAE	0
6768	AS9204C	GASKET - METAL O-RING, .094 TUBE X .010 WALL, CRES - UNS S32100	2018	SAE	0
6769	AS9205C	GASKET - METAL O-RING, .125 TUBE X .010 WALL, CRES - UNS S32100	2018	SAE	0
6770	AS9357B	(R) NUT, PLAIN, HEXAGON, SILVER PLATED, UNS S66286 130 KSI MIN	2018	SAE	0
6771	AS9371C	GASKET - METAL O-RING, .035 TUBE X .006 WALL, SILVER PLATED, CRES - UNS S32100	2018	SAE	0
6772	AS9372C	GASKET - METAL O-RING, .062 TUBE X .006 WALL, SILVER PLATED, CRES - UNS S32100	2018	SAE	0
6773	AS9373C	GASKET - METAL O-RING, .062 TUBE X .010 WALL, SILVER PLATED, CRES - UNS S32100	2018	SAE	0
6774	AS9375C	GASKET - METAL O-RING, .094 TUBE X .010 WALL, SILVER PLATED, CRES - UNS S32100	2018	SAE	0
6775	AS9376C	GASKET - METAL O-RING, .125 TUBE X .010 WALL, SILVER PLATED CRES - UNS S32100	2018	SAE	0
6776	AS9379A	PLUG, EXPANSION - AMS5510	2018	SAE	0
6777	AS9380A	PLUG, EXPANSION - AMS 4003	2018	SAE	0
6778	AS9389A	PIN, STRAIGHT, HEADLESS - AMS5735, LOCK	2018	SAE	0
6779	AS9432B	BOLT, TEE HEAD, CHAMFERED - CRES, UNS S66286, 130 KSI MIN, .1900-32 UNJF-3A	2018	SAE	0
6780	AS9433B	BOLT, TEE HEAD, CHAMFERED - CRES, UNS S66286, 130 KSI MIN, .2500-28 UNJF-3A	2018	SAE	0
6781	AS9434B	BOLT, TEE HEAD, CHAMFERED - CRES, UNS S66286, 130 KSI MIN, .3125-24 UNJF-3A	2018	SAE	0
6782	AS9462B	PIN, STRAIGHT, HEADED, .124 DIAMETER, CRES, UNS S66286	2018	SAE	0
6783	AS9463B	PIN, STRAIGHT, HEADED, .186 DIAMETER, CRES, UNS S66286	2018	SAE	0
6784	AS9464D	PIN, STRAIGHT, HEADED, .248 DIAMETER, CRES, UNS S66286	2018	SAE	0
6785	AS9465B	PIN, STRAIGHT, HEADED, .311 DIAMETER, CRES, UNS S66286	2018	SAE	0
6786	AS9466B	PIN, STRAIGHT, HEADED, .373 DIAMETER, CRES, UNS S66286	2018	SAE	0
6787	AS9467B	PIN, STRAIGHT, HEADED, .436 DIAMETER, CRES, UNS S66286	2018	SAE	0
6788	AS9468A	PIN, STRAIGHT, HEADED .497 DIAMETER, AMS5735	2018	SAE	0
6789	AS9486A	PIN, STRAIGHT, HEADLESS - AMS5132, LOCK	2018	SAE	0
6790	AS9492B	BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, 130 KSI MIN, .3750-24 UNJF-3A	2018	SAE	0
6791	AS9593C	Bracket, Angle, 90ï°, CRES AMS 5510, 190 x .250 Bolt	2018	SAE	0
6792	AS9595B	BRACKET, ANGLE, 90ï°, CRES UNS S32100, .190 X .375 BOLT	2018	SAE	0
6793	AS9600B	BRACKET, ANGLE, 90ï°, CORROSION AND HEAT RESISTANT STEEL UNS S41000, .190 BOLT	2018	SAE	0
6794	AS9601B	BRACKET, ANGLE, 90ï°, CRES UNS S41000, .190 X .250 BOLT	2018	SAE	0
6795	AS9602B	BRACKET, ANGLE, 90ï°, CRES UNS S41000, .190 X .312 BOLT	2018	SAE	0
6796	AS9603B	BRACKET, ANGLE, 90ï°, CRES UNS S41000, .190 X .375 BOLT	2018	SAE	0
6797	AS9714A	(R) BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, DRILLED, SILVER PLATED, CORROSION AND HEAT RESISTANT NICKEL ALLOY UNS N07001, .190-32 UNJF-3A	2018	SAE	0
6798	AS9841A	KEY, WOODRUFF - CHAMFERED CRES AMS5640	2018	SAE	0
6799	AS9842A	(R) PIN, STRAIGHT, HEADED, .0937 DIAMETER, UNS S41800	2018	SAE	0
6800	AS9843B	PIN, STRAIGHT, HEADED, .1249 DIAMETER, UNS S41800	2018	SAE	0
6801	AS9844B	PIN, STRAIGHT, HEADED, .1874 DIAMETER, UNS S41800	2018	SAE	0
6802	AS9881B	(R) NUT, PLAIN, HEXAGON, CADMIUM PLATED, UNS G87400, 125 KSI MIN	2018	SAE	0
6803	AS9882B	(R) NUT, PLAIN, HEXAGON - DRILLED, CADMIUM PLATED - UNS G87400, 125 KSI MIN	2018	SAE	0
6804	AS9887A	BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK AMS5616, .3125-24 UNJF-3A	2018	SAE	0
6805	AS9966	PACKING, PREFORMED AMS7273, SEAL	2018	SAE	0

6806	AS14274A	PIN, QUICK RELEASE, POSITIVE LOCKING, "L" HANDLE, SINGLE ACTION, DETENT WRENCH/SAFETY PIN (SLOTTED)	2018	SAE	0
6807	AS16721	INSERT ARRANGEMENTS, AS81582 CONNECTORS, UMBILICAL	2018	SAE	0
6808	AS17184C	SCREW, EXTERNALLY RELIEVED BODY, (SYNCHRO), CRES (UNS S30200 OR UNS S30300)	2018	SAE	0
6809	AS20005A	DRIVE - TYPE XV ENGINE ACCESSORY - DESIGN STANDARD FOR	2018	SAE	0
6810	AS20010A	DRIVE TYPE XX ENGINE ACCESSORY - DESIGN STANDARD FOR	2018	SAE	0
6811	AS20760-766-3	AEROSPACE STANDARD No . AS20760-766¡ RING , RETAIN ING Metric Series Corros ion Res i sting Stee l , Uncoated	2018	SAE	0
6812	AS20760AR-3	SAE INDUSTRY TECHNOLOG IES CONSORTIA AEROSPACE STANDARDS AND PART QUALIF ICAT ION PROGRAM	2018	SAE	0
6813	AS22227C	Bearing, Ball, Annular, Generator, and Motor Generator	2018	SAE	0
6814	AS22520-39A	(R) CRIMPING TOOL, TERMINAL, HAND, ACTUATED, WIRE TERMINATION, IN-SERVICE INSPECTION GAGE FOR AS22520/5, /37, /38, AND /44 CRIMP TOOLS	2018	SAE	0
6815	AS22520-46	CRIMPING TOOLS, TYPE 1, TERMINAL, HAND, WIRE TERMINATION FOR MINIATURE CO-AXIAL AND TRI-AXIAL INNER CONTACTS	2018	SAE	0
6816	AS22520-47	CRIMPING TOOL, TERMINAL, HAND ACTUATED, WIRE TERMINATION, TYPE II, FOR FLAG SHAPE LUG TERMINAL SIZES 22-10	2018	SAE	0
6817	AS22520	Crimping Tools, Wire Termination, General Specification For	2018	SAE	0
6818	AS22759-51B	WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, LOW FLUORIDE, LIGHTWEIGHT, SILVER-COATED HIGH STRENGTH COPPER ALLOY, 200 ?C, 600 VOLT, ROHS	2018	SAE	0
6819	AS22759-52B	WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, LOW FLUORIDE, LIGHTWEIGHT, SILVER-COATED COPPER, 200 ?C, 600 VOLT, ROHS	2018	SAE	0
6820	AS22759-53B	WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, LOW FLUORIDE, NORMAL WEIGHT, SILVER-COATED HIGH STRENGTH COPPER ALLOY, 200 ?C, 600 VOLT, ROHS	2018	SAE	0
6821	AS22759-54B	WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, LOW FLUORIDE, NORMAL WEIGHT, SILVER-COATED COPPER, 200 ?C, 600 VOLT, ROHS	2018	SAE	0
6822	AS23053-1A	INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, CROSSLINKED CHLORINATED POLYOLEFIN, FLEXIBLE	2018	SAE	0
6823	AS23053-4A	INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, POLYOLEFIN 1/, DUAL-WALL, OUTER WALL CROSSLINKED	2018	SAE	0
6824	AS23053-5A	(R) INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, POLYOLEFIN, FLEXIBLE, CROSSLINKED	2018	SAE	0
6825	AS23053-10A	INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, SILICONE RUBBER, FLEXIBLE	2018	SAE	0
6826	AS23190-3B	STRAPS, CLAMPS, AND MOUNTING HARDWARE, PLASTIC AND METAL FOR CABLE HARNESS TYING AND SUPPORT STRAP, TIE DOWN, ADJUSTABLE, CORROSION RESISTANT STEEL, TYPE VI, CLASS 1	2018	SAE	0
6827	AS25109A	Engines, Aircraft, Reciprocating, General Specification For	2018	SAE	0
6828	AS25436B	TERMINAL-LUG, CRIMP STYLE, 90¡° UPRIGHT TYPE, FOR ALUMINUM AIRCRAFT WIRE, CLASS 1	2018	SAE	0
6829	AS25438B	TERMINAL-LUG, CRIMP STYLE, RIGHT ANGLE TYPE, FOR ALUMINUM AIRCRAFT WIRE, CLASS 1	2018	SAE	0
6830	AS26070-5	No . AS26070-074¡ RETAINER, NUT & BOLT, WITH RIVET HOLES (Heat & Corros ion Res isting S tee l)	2018	SAE	0
6831	AS26070AR-5	SAE INDUSTRY TECHNOLOG IES CONSORTIA AEROSPACE STANDARDS AND PART QUALIF ICATION PROGRAM	2018	SAE	0
6832	AS27194C	SEAL, BONDED, ALUMINUM ALLOY 6061-T6, AMS4027, MOLD IN GROOVE, NBR RUBBER, AMS-P-5315	2018	SAE	0
6833	AS33221A	GASKET, CONDUCTIVE, MIL-C-81511 ELECTRICAL CONNECTORS, JAM NUT MOUNT	2018	SAE	0
6834	AS34801A	TOOL, CONNECTOR ASSEMBLY; FOR MIL-C-5015 CONNECTORS	2018	SAE	0
6835	AS39029-5E	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, MIL-DTL-83723 SERIES I AND III, MIL-DTL-83733 CONNECTORS, MIL-DTL-12883/40, AND /41 RELAY SOCKETS)	2018	SAE	0

6836	AS39029-25B	(R) CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED (FOR MIL-DTL-26482 SERIES 1 CONNECTORS)	2018	SAE	0
6837	AS39029-26B	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED (FOR MIL-DTL-26482 SERIES 1 CONNECTORS)	2018	SAE	0
6838	AS39029-33C	(R) CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR AS81511 SERIES 1 CONNECTORS)	2018	SAE	0
6839	AS39029-36B	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR MIL-DTL-28748/9 CONNECTORS)	2018	SAE	0
6840	AS39029-44D	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR AS50151 SERIES AS34001 AND AS95234 CONNECTORS)	2018	SAE	0
6841	AS39029-46B	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-C-81511 SERIES 2 CONNECTORS)	2018	SAE	0
6842	AS39029-56B	CONTACTS, ELECTRICAL CONNECTOR, SOCKET CRIMP REMOVABLE (FOR MIL-DTL-38999 SERIES I, III, AND IV CONNECTORS)	2018	SAE	0
6843	AS39029-58C	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR MIL-DTL-38999 SERIES I, II, III, AND IV, AND MIL-DTL-55302/69 AND MIL-DTL-83733 CONNECTORS)	2018	SAE	0
6844	AS39029-70C	CONTACT, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, FOR AS85028 CONNECTORS	2018	SAE	0
6845	AS39029-76C	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED, SIZE 16 (FOR MIL-DTL-38999 SERIES I, II, III, IV CONNECTORS AND 50 OHM CABLE)	2018	SAE	0
6846	AS39029-77C	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, SIZE 16 (FOR MIL-DTL-38999 SERIES I, III, AND IV CONNECTORS)	2018	SAE	0
6847	AS39029-78C	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, SIZE 16 (FOR MIL-DTL-38999 SERIES II CONNECTORS)	2018	SAE	0
6848	AS39029-90C	(R) CONTACT, ELECTRICAL CONNECTOR, CONCENTRIC TWINAX, PIN, SIZE 8	2018	SAE	0
6849	AS39029-91C	CONTACT, ELECTRICAL CONNECTOR, CONCENTRIC TWINAX, SOCKET, SHIELDED, SIZE 8	2018	SAE	0
6850	AS39029-122A	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, EXPANDED PERFORMANCE, SIZES 10, 12, 16, 20, 22, AND 23 (FOR MIL-DTL-38999 SERIES III CONNECTORS)	2018	SAE	0
6851	AS50861-4A	Wire, Electrical, Polyvinyl Chloride Insulated, Nylon Jacket, Tin-Coated Copper Conductor, 3000-Volt, 105 ?C	2018	SAE	0
6852	AS50861-6A	Wire, Electrical, Polyvinyl Chloride Insulated, Polyvinylidene Fluoride Jacket, Silver-Coated Copper Alloy Conductor, 600-Volt, 110?C FSC 6145	2018	SAE	0
6853	AS50861B	Wire, Electric, Polyvinyl Chloride Insulated, Copper or Copper Alloy	2018	SAE	0
6854	AS62350-2	AEROSPACE STANDARD No . AS62350ĭ NUT, UN ION -FEMALE , METRIC P IPE SERIES (Corros ion Res is ting S tee l , Unp lated)	2018	SAE	0
6855	AS62350AR-2	SAE INDUSTRY TECHNOLOG IES CONSORTIA AEROSPACE STANDARDS AND PART QUAL IF ICATION PROGRAM	2018	SAE	0
6856	AS65000-4	No . AS65000ĭ BOLT, SHEAR, 1 00? COUNTERSUNK REDUCED HEAD , SP IRAL DRIVE , UN JF THREADS (VARIOUS MATERIALS & F IN ISHES)	2018	SAE	0
6857	AS65000AR-4	SAE INDUSTRY TECHNOLOG IES CONSORT IA AEROSPACE STANDARDS AND PART QUALIF ICATION PROGRAM	2018	SAE	0
6858	AS65010	AEROSPACE STANDARD No . AS6501 0ĭ BOLT, 1 00? COUNTERSUNK, SP IRAL DRIVE , UN JF THREADS (Various Materia ls & F in ishes)	2018	SAE	0
6859	AS70000	BOLT, EXTERNAL MORTORQ« SUPER EXTENDED WASHER HEAD , PD SHANK, . 1 64-32 UN JC to .500-20 UN J F-3A H eat Res is ting N icke l Al loy (Incone l « 71 8) , Unp lated , C lass i fication Rm = 1 275 MPa (1 85,000 lbf/in ?) @ Amb ien t Temperatu re / +65	2018	SAE	0
6860	AS70000-AR	No . AS70000ĭ -AR for Drawing S tandard No . AS70000ĭ	2018	SAE	0
6861	AS70054	BOLT, EXTERNAL MORTORQ« SUPER EXTENDED WASHER HEAD , PD SHANK, . 1 64-32 UN JC to .500 -20 UN JF-3A H eat Res is ting N icke l Al loy (Waspa loy«) , Unp lated , C lass i fication Rm = 1 21 0 MPa (1 75,000 lbf/in ?) @ Amb ien t Temperatu re / +760?C	2018	SAE	0

6862	AS81306-2A	BAND INSTALLATION TOOL, HAND, TWO STEP TERMINAL, FOR AS85049/128 CONNECTOR ACCESSORY CABLE SHIELD TERMINATION BANDS	2018	SAE	0
6863	AS81714-14A	TERMINAL JUNCTION SYSTEM, RACK ASSEMBLY, TRACK FEEDTHRU TYPE, LIGHT WEIGHT, SERIES I	2018	SAE	0
6864	AS81714-15A	TERMINAL JUNCTION SYSTEM, GROUNDED STUD, SERIES I	2018	SAE	0
6865	AS81714-16A	TERMINAL JUNCTION SYSTEM, RACK ASSEMBLY, TRACK, FEEDBACK TYPE, LIGHT WEIGHT, SERIES I	2018	SAE	0
6866	AS81714-18A	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, MODULES, ELECTRONIC, FEEDBACK TYPE, SIZE 20, SERIES I	2018	SAE	0
6867	AS81714-19A	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, MODULES, ELECTRONIC, FEEDBACK TYPE, SIZE 16, SERIES I	2018	SAE	0
6868	AS81714-20A	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, MODULES, ELECTRONIC, FEEDBACK TYPE, SIZE 12, SERIES I	2018	SAE	0
6869	AS81714-22A	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, ELECTRONIC, IN-LINE JUNCTION, INTEGRAL RESISTOR, SERIES I	2018	SAE	0
6870	AS81714-25A	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, MODULES, ELECTRONIC, FEEDBACK TYPE, SIZE 20-1, SERIES I	2018	SAE	0
6871	AS81714-26A	(R) TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, MODULES, ELECTRONIC, DIODE, FEEDBACK TYPE, SIZE 20 SERIES I	2018	SAE	0
6872	AS81714-30A	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, MODULES, ELECTRONIC, FEEDBACK TYPE, SIZES 20-3, 20-4, 20-5 VERTICAL MOUNTING WITH INTEGRAL BRACKET, BLOCK MOUNTING, SERIES I	2018	SAE	0
6873	AS81714-31A	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, MODULES, FEEDBACK TYPE, SIZES 20-6, 20-7, 20-8 HORIZONTAL MOUNTING WITH INTEGRAL BRACKET, SERIES I	2018	SAE	0
6874	AS81714-67A	(R) TERMINAL JUNCTION SYSTEM, RACK ASSEMBLY, TRACK, FEEDBACK TYPE, SERIES II	2018	SAE	0
6875	AS81824-8	SPLICE, IN-LINE, ELECTRIC, CRIMP, NI/CU, ENVIRONMENTAL, HEAT-SHRINKABLE SLEEVE (175 ?C), 1 X 3 SEALANT OPENING	2018	SAE	0
6876	AS81824-10	SPLICE, IN-LINE, ELECTRIC, CRIMP, NI/CU, ENVIRONMENTAL, HEAT-SHRINKABLE SLEEVE (175 ?C), 3 X 3 SEALANT OPENING	2018	SAE	0
6877	AS81824-13	SPLICE, STUB, ELECTRIC, PERMANENT, CRIMP STYLE, NICKEL/COPPER, INSULATED, ENVIRONMENT RESISTANT, 175 ?C MAX	2018	SAE	0
6878	AS81969-18	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE I, CLASS 1, COMPOSITION C	2018	SAE	0
6879	AS81969-39	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE III, CLASS 2, COMPOSITION B	2018	SAE	0
6880	AS82819-1	BEARINGS, PLAIN, SELF-ALIGNING, SELFLUBRICATING, 300 CPM (13 FPM) OSCILLATION, -65 TO +160 ?F, LINERS LESS THAN .015 INCH THICK	2018	SAE	0
6881	AS82819	Bearings, Plain, Self-Aligning, Self-Lubricating, 300 cpm Oscillation (13 fpm), -65 to +160 ï°F (-54 to +71 ï°C), Liners Less Than 0.015 inches	2018	SAE	0
6882	AS83819-1	BEARINGS, PLAIN, SELF-ALIGNING, SELFLUBRICATING, 1400 CPM (15 FPM) OSCILLATION, -65 TO +160 ?F (-54 TO +71 ?C)	2018	SAE	0
6883	AS83819	Bearings, Plain, Self-Aligning, Self-Lubricating, 1400 cpm (15 fpm), Oscillation, -65 to +160 ï°F (-54 to +71 ï°C)	2018	SAE	0
6884	AS85049-11D	(R) CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, CABLE SEALING, STRAIGHT, CATEGORY 1A (FOR AS50151 CRIMP, AS95234, MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, AND MIL-DTL-83723 SERIES III CONNECTORS)	2018	SAE	0
6885	AS85049-69D	CONNECTOR ACCESSORIES, ELECTRICAL, ADAPTER, SHRINKBOOT, CATEGORY 5 (MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2018	SAE	0
6886	AS85049-103D	(R) CONNECTORS, ACCESSORIES, COMPOSITE, RFI/EMI, ELECTRICAL, STRAIN RELIEF, STRAIGHT, SELF-LOCKING, CATEGORY 3C (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2018	SAE	0

6887	AS85049-124E	(R) CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELEIF, STRAIGHT SELF-LOCKING, AND NON-SELF-LOCKING CATEGORY 4C (FOR MIL-DTL-3899 SERIES III AND IV CONNECTORS)	2018	SAE	0
6888	AS85049-139C	BUSHING, CABLE CLAMP TO CABLE, TELESCOPING FOR AS85049 CABLE CLAMPS CATEGORY 9	2018	SAE	0
6889	AS85049-147A	ONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, EXTENDED, STRAIGHT SELF-LOCKING, CATEGORY 4C (FOR MIL-DTL3-38999 SERIES III AND IV CONNECTORS)	2018	SAE	0
6890	AS85049-152A	CONNECTOR ACCESSORIES, ELECTRICAL, RFI/EMI, STRAIN RELIEF, 45?, SELF-LOCKING, CATEGORY 3C (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2018	SAE	0
6891	AS85352A	Inflator Assembly and Gage Elements, Pneumatic Pressure, Remote Control, Direct Reading	2018	SAE	0
6892	AS87132	Lubricant, Cetyl Alcohol, 1-Hexadecanol, Application to Fasteners	2018	SAE	0
6893	AS91641B	PIN, STRAIGHT, HEADLESS, OVERSIZE, STEEL, UNS G10950	2018	SAE	0
6894	AS95234-1	CONNECTOR RECEPTACLE, BAYONET COUPLING, IN LINE	2018	SAE	0
6895	AS100007D	GASKET TYPE XIX ENGINE ACCESSORY DRIVE	2018	SAE	0
6896	AS116913C - AS116924C	SCREW - OVAL FILLISTER, DRILLED HEAD, CADMIUM PLATED, STEEL UNS K00802, .1120-40 UNC - 2A	2018	SAE	0
6897	AS122676C - AS122774C	PIN, STRAIGHT, HEADLESS, STEEL UNS G10950	2018	SAE	0
6898	AS123601C - AS123750C	RIVET, SOLID, 100? FLUSH HEAD, NICKEL ALLOY UNS N06600	2018	SAE	0
6899	AS124951 - AS125100	RIVET - 100? COUNTERSUNK HEAD, CORROSION RESISTANT STEEL	2018	SAE	0
6900	AS125401 - AS125550	RIVET - UNIVERSAL HEAD, CORROSION RESISTANT STEEL	2018	SAE	0
6901	AS172201A - AS172235A	WASHER, KEY - SINGLE, BEARING RETAINING, AMS 8350 (ASG)	2018	SAE	0
6902	AS172271A - AS172320A	WASHER, KEY - SINGLE, AMS 6350 (ASG)	2018	SAE	0
6903	J115	Safety Signs	2018	SAE	0
6904	J125	Elevated Temperature Properties of Cast Irons	2018	SAE	0
6905	J415	Definitions of Heat Treating Terms	2018	SAE	0
6906	J459	Bearing and Bushing Alloys	2018	SAE	0
6907	J864	Surface Hardness Testing with Files	2018	SAE	0
6908	J1113-11	Immunity to Conducted Transients on Power Leads	2018	SAE	0
6909	J1147	Welding, Brazing, and Soldering - Materials and Practices	2018	SAE	0
6910	J1277	(R) Method for Assessing the Cleanliness Level of New Hydraulic Fluid	2018	SAE	0
6911	J1467	(R) Clip Fastener Fitting	2018	SAE	0
6912	J1614	Wiring Distribution Systems for Construction, Agricultural, and Off-Road Work Machines	2018	SAE	0
6913	J1887	Automotive Compacted Graphite Iron Castings	2018	SAE	0
6914	J2118	Braking Performance - Rubber-Tired Asphalt Pavers	2018	SAE	0
6915	J2494-4	Cartridge Cavity	2018	SAE	0
6916	J2628	Conducted ImmunityDesign Margins and Characterization	2018	SAE	0
6917	J2704	Tire Normal Force/Deflection and Gross Footprint Dimension Test	2018	SAE	0
6918	J2718	Test for Tire Quasi-Static Longitudinal Force versus Longitudinal Displacement and Quasi-Static Lateral Force versus Lateral Force	2018	SAE	0
6919	MA1370	Screw Threads - MJ Profile, Metric	2018	SAE	0

6920	MA1421A	Aerospace Selected Diameter-Pitch Combinations of Metric 60Ì° Screw Threads for Shaft or Bearing Retaining Screw Threads	2018	SAE	0
6921	MA1508	Undercuts for Straight Screw Threads - Metric	2018	SAE	0
6922	MA1549A	Wrenching Configuration, 12 Spline, For Metric Threaded Fasteners	2018	SAE	0
6923	MA1566B	Gaging Practice and Gage Requirements for MJ Metric Screw Threads	2018	SAE	0
6924	MA1568A	Nut, Self Locking - UNS S66286, 425Ì°C & 650Ì°C, 1100 MPa, MJ Thread, Procurement Specification For, Metric	2018	SAE	0
6925	MA1937A	Nut, Hex, Free Running, Procurement Specification For, Metric	2018	SAE	0
6926	MA2536A	GASKET, METAL C-RING, FACE SEAL, INTERNAL PRESSURE, UNS N07750, SILVER PLATED, METRIC	2018	SAE	0
6927	MA2537A	Groove Design, Metal C-Ring Gasket, Face Type Internal Pressure, Metric	2018	SAE	0
6928	MA3259B	PIN, COTTER - CRES, UNS S32100, AS7211 METRIC SERIES	2018	SAE	0
6929	MA3266A	NUT, SELF-LOCKING SPLINE DRIVE, EXTENDED WASHER UNS S66286, SILVER PLATE, MJ THREAD, METRIC	2018	SAE	0
6930	MA3280C	INSERT, SCREW THREAD, HELICAL COIL, METRIC SERIES, FREE RUNNING, CRES, DRY FILM LUBRICATED	2018	SAE	0
6931	MA3286C	(R) BOLT, MACHINE - HEXAGON HEAD, PD SHANK, MJ THREAD, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, 900 MPA MIN, METRIC	2018	SAE	0
6932	MA3287A	BOLT, MACHINE-SPLINE EXTENDED WASHER, PD SHANK LONG THREAD, AMS5731, METRIC	2018	SAE	0
6933	MA3288A	NUT, PLAIN HEX UNS S66286, MJ THREAD, METRIC	2018	SAE	0
6934	MA3344A	NUT, PLAIN HEX - THIN, UNS S66286 MJ THREAD, METRIC	2018	SAE	0
6935	MA3349A	NUT, SELF LOCKING - REDUCED HEX DRIVE, UNS S66286, SILVER PLATE, MJ THREAD, METRIC	2018	SAE	0
6936	MA3350A	NUT, CASTELLATED, HEX - UNS S66286, MJ THREAD, METRIC	2018	SAE	0
6937	MA3351	NUT, SPLINE DRIVE - EXTENDED WASHER, CUPWASHER LOCK, UNS S66286, SILVER PLATE, MJ THREAD, METRIC	2018	SAE	0
6938	MA3376C	Bolts & Screws, UNS G87400 Tensile Strength 860 MPa & 1000 MPa Procurement Specification, Metric	2018	SAE	0
6939	MA3377C	Bolts and Screws, Nickel Alloy UNS N07718, Tensile Strength 1275 MPa Procurement Specification, Metric	2018	SAE	0
6940	MA3378D	Bolts and Screws, UNS N07001 Tensile Strength 1210 MPa, Thread and Fillet Radius Rolled Before Aging, Procurement Specification, Metric	2018	SAE	0
6941	MA3450A	RETAINER, NUT AND BOLT, CUP LOCK, 5 MM AND 6 MM, AMS5510, METRIC	2018	SAE	0
6942	MA3454B	COVER - ENGINE ACCESSORY DRIVE, SQUARE, 127.28 BC, METRIC AMS4424 (UNS M11630) OR AMS4484	2018	SAE	0
6943	MA3471A	GASKET ENGINE ACCESSORY DRIVE SQUARE, 127.28 BC, METRIC	2018	SAE	0
6944	MA4016A	RING, RETAINING - EXTERNAL, SPIRAL WOUND, HEAVY AND MEDIUM DUTY CRES, METRIC	2018	SAE	0
6945	MA4017A	RING, RETAINING - INTERNAL, SPIRAL WOUND, HEAVY AND MEDIUM DUTY CRES, METRIC	2018	SAE	0
6946	MA4029A	RING, RETAINING - INTERNAL, BEVELED, TAPERED, TYPE II, CLASS 1, AMS 5520, METRIC	2018	SAE	0
6947	MA4030A	RING, RETAINING - EXTERNAL, REINFORCED E-RING, TYPE I CLASS 3, AMS 5520, METRIC	2018	SAE	0
6948	MA4044A	NUT, SPANNER - END SLOTS, CUPWASHER LOCKED, UNS S66286, SILVER PLATED, MJ THREAD, METRIC	2018	SAE	0
6949	MA4368A	Nut, Plain, Round - Spanner Wrenching, Shaft Mounted, UNS S66286, Procurement Specification For, Metric	2018	SAE	0
6950	MA5405-1B	SPLICE, FIBER OPTIC, AEROSPACE INTER-CONNECT, GRADED INDEX 100/140/172 CABLE SIZE	2018	SAE	0
6951	MA5405-2A	SPLICE, FIBER OPTIC, AEROSPACE INTER-CONNECT (MIL-PRF-29504 TERMINI)	2018	SAE	0
6952	MA5405B	Splices, Fiber Optics, For Aerospace Inter-Connection Systems	2018	SAE	0
6953	MA7211A	Pins, Cotter, Steel, Corrosion and Heat Resistant UNS S32100, Metric Procurement Specification For	2018	SAE	0
6954	9990-1	Transmitted Enhanced Loran (eLoran) Signal Standard for Tri-State Pulse Position Modulation	2018	SAE	0
6955	9990-2	Transmitted Enhanced Loran (eLoran) Signal Standard for 9th Pulse Modulation	2018	SAE	0
6956	9990	Transmitted Enhanced Loran (eLoran) Signal Standard	2018	SAE	0

6957	GEIA-STD-0005-3A	Performance Testing for Aerospace and High Performance Electronic Interconnects Containing Pb-free Solder and Finishes - Formerly TechAmerica GEIA-STD-0005-3-REV A	2018	SAE	0
6958	GEIA-STD-0010A	(R) Standard Best Practices for System Safety Program Development and Execution	2018	SAE	0
6959	MAP 1753B	Hole Sizes, Recommended for Metric Fasteners on Propulsion Equipment	2018	SAE	0
6960	MS 1000	Lubricants, Industrial Oils, and Related Products - Classification	2018	SAE	0
6961	MS 1003	Lubricants, Industrial Oils, and Related Products Type D Compressor Oils - Specification	2018	SAE	0
6962	MS 1006	Lubricants, Industrial Oils, and Related Products Type F Lubricant for Spindle Bearings, and Associated Clutches - Specification	2018	SAE	0
6963	MS 1007	Lubricants, Industrial Oils, and Related Products Type G Slideway Lubricants - Specification	2018	SAE	0
6964	MS 1009	Lubricants, Industrial Oils, and Related Products Type P Pneumatic Tool Oils - Specification	2018	SAE	0
6965	MS 1010	Lubricants, Industrial Oils, and Related Products - Type T Turbine Oils - Specification	2018	SAE	0
6966	MS 1011	Lubricants, Industrial Oils, and Related Products - Type X (Greases) - Specification	2018	SAE	0
6967	RS751-1	No . RS751 ï USER GU IDE FOR SAE ITC MANUFACTURING ROUTE (FLOW CHART)	2018	SAE	0
6968	SYWD-0001	So You Want to Design Aircraft: Robots on the Floor	2018	SAE	0
6969	SYWD-0002	Other SAE I n terna t iona l Books of I n terest : Composi te Materia ls Handbook: Volumes 1 -6 A l so referred to a s CM H -1 7 (PRODUCT CODE : R -422 .SET6) Add i tive Manu facturing of Aerospace Composi te Structures: Fabrication and Rel iabi l	2018	SAE	0
6970	TS 200-45	No . TS200ï QUALIF IED MANUFACTURERS FOR SAE ITC AEROSPACE INDUSTRY STANDARD PARTS (AS , AGS AND ESC SERIES)	2018	SAE	0
6971	TS 200AR-45	AMENDMENT RECORD No . TS200ï -AR for Techn ica l Speci fication No . TS200ï	2018	SAE	0
6972	TSC 47-012-04	No . TSC47-01 2ï POLYTETRAFLUOROETHYLENE (PTFE) HOSE ASSEMBLIES (WIRE RE INFORCED) FOR MED IUM AND H IGH PRESSURE FLU ID SYSTEMS IN AIRCRAFT	2018	SAE	0
6973	TSC 47-017-01	Cover Sheeted DEF STAN No . TSC47-01 7ï ADAPTORS AND SEALS FOR P IPE CONNECTIONS TO AIRCRAFT P ITOT/STATIC INSTRUMENTS AND ASSOC IATED EQU IPMENT	2018	SAE	0
6974	TSC 47-022-01	Cover Sheeted DEF STAN No . TSC47-022ï END F ITTINGS FOR HOSE ASSEMBL IES METRIC	2018	SAE	0
6975	TSC 47-023-01	Cover Sheeted DEF STAN No . TSC47-023ï BEAD PROF ILE FOR AIRCRAFT P IP ING AND DUCTING (FLEXIBLE CONNECTIONS)	2018	SAE	0
6976	TSC 47-025-01	Cover Sheeted DEF STAN No . TSC47-025ï P IPEL INES AND P IPE COUPLINGS FOR AIRCRAFT FLU ID SYSTEMS (METRIC)	2018	SAE	0
6977	AMS4107G	Aluminum Alloy Die Forgings (7050-T74) Solution Heat Treated and Overaged - UNS A97050	2018	SAE	0
6978	AS118H	(R) HOSE ASSEMBLY, PTFE, CRES REINFORCED, 3000 PSI, 400 ï°F, 45ï° TO 45ï°, FLARELESS, LIGHTWEIGHT	2018	SAE	0
6979	J2042	(R) Clearance, Sidemarker, and Identification Lamps for On-Road Vehicles 2032 mm or More in Overall Width	2018	SAE	0
6980	AS1376E	(R) ALTERNATE DIMENSIONS, CENTER BODY SECTION, SHAPE FLUID FITTING, DESIGN STANDARD	2018	SAE	0
6981	AIR4938C	(R) Composite and Bonded Structure Technician/Specialist Training Document	2018	SAE	0
6982	AS7232A	(R) Rivets, Solid and Tubular, Nickel Alloy Corrosion and Heat Resistant 74Ni - 15.5Cr - 8.0Fe Procurement Specification For	2018	SAE	0
6983	ARP5890B	(R) Guidelines for Preparing Reliability Assessment Plans for Electronic Engine Controls	2018	SAE	0
6984	AS22759/51B	WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, LOW FLUORIDE, LIGHTWEIGHT, SILVER-COATED HIGH STRENGTH COPPER ALLOY, 200 ï°C, 600 VOLT, ROHS	2018	SAE	0
6985	AS94900A	(R) Vehicle Management Systems - Flight Control Function, Design, Installation and Test of Piloted Military Aircraft, General Specification For	2018	SAE	0
6986	1001	Integrated Project Processes for Engineering a System	2018	SAE	0
6987	AMS5893C	Iron-Nickel Alloy, Bars, Forgings, and Rings 42Fe - 37.5Ni - 14Co - 4.8 (Cb + Ta)(Nb + Ta) - 1.6Ti Solution Heat Treated, Short-Time Precipitation Hardenable Multiple Melted, High Temperature, Low Expansion - UNS N19909	2018	SAE	0

6988	J1757-2	Standard - Optical System HUD for Automotive	2018	SAE	0
6989	ARP6287	Environmental Degradation of Composite Materials	2018	SAE	0
6990	AS4214B	(R) FITTING, CAP ASSEMBLY, BEAM SEAL, HYDRAULIC	2018	SAE	0
6991	J3023	R134a Refrigerant Charge Determination Test Method	2018	SAE	0
6992	9990/1	Transmitted Enhanced Loran (eLoran) Signal Standard for Tri-State Pulse Position Modulation	2018	SAE	0
6993	AMS5780F	Steel, Corrosion and Heat-Resistant, Welding Wire 15.5Cr - 4.5Ni - 2.9Mo - 0.10N - UNS S35500	2018	SAE	0
6994	AMS5398H	Steel, Corrosion-Resistant, Sand and Centrifugal Castings 16Cr - 4.1Ni - 0.22Cb (Nb) - 2.8Cu Solution Heat Treated - UNS J92200	2018	SAE	0
6995	J2931/7	(R) Security for Plug-In Electric Vehicle Communications	2018	SAE	0
6996	J89	Dynamic Cushioning Performance Criteria for Snowmobile Seats	2018	SAE	0
6997	AMS5850E	Steel, Corrosion and Heat-Resistant, Honeycomb Core Resistance Welded, Square Cell	2018	SAE	0
6998	AS4808C	(R) FITTING ASSEMBLY, ELBOW, 45°, BEAM SEAL, RETAINED NUT	2018	SAE	0
6999	AMS2759/8B	(R) Ion Nitriding	2018	SAE	0
7000	AS5751	Design and Operating Requirements of the Onboard Aircraft Refueling System and Associated Ground Refueling Equipment Interface	2018	SAE	0
7001	AIR5771A	The Measurement of Engine Thrust in an Altitude Test Facility	2018	SAE	0
7002	J2082	(R) Cooling Flow Measurement Techniques	2018	SAE	0
7003	AS3216C	RING, RETAINING-SPIRAL, EXTERNAL, HEAVY DUTY, CRES (UNS S30200)	2018	SAE	0
7004	AS3096A	(R) INSERT CRES HELICAL COIL FINE THREAD, LOCKING (LOW FRICTION SYSTEMS) 2.5 DIA NOM LENGTH	2018	SAE	0
7005	AS3250D	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, NICKEL ALLOY, UNS N07718, 185 KSI MIN, .1900-32 UNJF-3A	2018	SAE	0
7006	ARP5107C	Guidelines for Time-Limited-Dispatch (TLD) Analysis for Electronic Engine Control Systems	2018	SAE	0
7007	AMS4085E	Aluminum Alloy Sheet 5.7Zn - 2.2Mg - 1.6Cu - 0.22Cr (7475-T761) Solution Heat Treated and Overaged - UNS A97475	2018	SAE	0
7008	AMS6308F	Steel, Bars and Forgings 0.90Si - 1.0Cr - 2.0Ni - 3.2Mo - 2.0Cu - 0.10V (0.07 - 0.13C) Vacuum Arc or Electroslag Remelted - UNS K71040	2018	SAE	0
7009	AS6095A	FITTING, 37° SPHERICAL FLARED, CONNECTOR, MULTIPLE FLUID PRESSURE LINE, TEE	2018	SAE	0
7010	AS6094A	FITTING, 37° SPHERICAL FLARED, CONNECTOR, MULTIPLE FLUID PRESSURE LINE, 45°	2018	SAE	0
7011	AS6810	Requirements for Accreditation Bodies when Accrediting Test Laboratories Performing Detection of Suspect/Counterfeit in Accordance with AS6171 General Requirements and the Associated Test Method	2018	SAE	0
7012	AMS3085B	Fluid, Reference for Testing AS5780 HPC Class (Polyol) Resistant Material (Also known as Eastman Reference Oil 300)	2018	SAE	0
7013	J1113-1	Electromagnetic Compatibility Measurement Procedures and Limits for Components of Vehicles, Boats (up to 15 m), and Machines (Except Aircraft) (16.6 Hz to 18 GHz)	2018	SAE	0
7014	AMS1450B	(R) Disinfectant (Insecticide), Aircraft	2018	SAE	0
7015	AMS5702E	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 41.5Ni - 16Cr - 37Fe - 2.9Cb (Nb) - 1.8Ti Consumable Electrode Remelted or Vacuum Induction Melted 1750 °F (954 °C) Solution Heat Treated - UNS N09706	2018	SAE	0
7016	AS81714/21A	(R) TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, ELECTRONIC IN-LINE JUNCTIONS, DIODE, SERIES I	2018	SAE	0
7017	AMS6549A	Steel Bars, Forgings, and Tubing 1.0Cr - 3.2Ni - 0.2Mo (0.12 - 0.17C) Premium Aircraft-Quality Double Vacuum Melted - UNS K43214	2018	SAE	0
7018	AMS4907L	Titanium Alloy, Sheet, Strip, and Plate 6.0Al - 4.0V, Extra Low Interstitial Annealed - UNS R56401	2018	SAE	0
7019	J3120	Sound Level Determination for Snowmobiles under Typical Trail Operating Conditions	2018	SAE	0
7020	AIR6245	Perspectives on Integrating Structural Health Monitoring Systems into Fixed-Wing Military Aircraft	2018	SAE	0
7021	AS85049/139C	BUSHING, CABLE CLAMP TO CABLE, TELESCOPING FOR AS85049 CABLE CLAMPS CATEGORY 9	2018	SAE	0

7022	AMS4950E	Titanium Alloy, Bars, Wire, Forgings, and Rings 6.0Al - 4.0V Solution Heat Treated and Aged Modified Strength - UNS R56400	2018	SAE	0
7023	AS14102E	(R) BEARING, PLAIN, SELF-LUBRICATING, SELF-ALIGNING, LOW SPEED, WIDE, CHAMFERED RACE, -65 TO +325ï°F	2018	SAE	0
7024	AS4478C	HOSE ASSEMBLY, LINED SILICONE, 125 PSI, FLARELESS, POTABLE WATER, STRAIGHT MALE TO STRAIGHT MALE	2018	SAE	0
7025	AMS4402A	Aluminum Alloy, Extruded Profiles (2024-T432) 4.4Cu - 1.5Mg - 0.6Mn Annealed, Stretch Formed, Solution Heat Treated and Stress Relieved by Stretching - UNS A92027	2018	SAE	0
7026	AS6490	FITTING, ELBOW, 45ï°, EXTERNAL SWAGE	2018	SAE	0
7027	AMS2759F	(R) Heat Treatment of Steel Parts General Requirements	2018	SAE	0
7028	J1939	(R) Serial Control and Communications Heavy Duty Vehicle Network - Top Level Document	2018	SAE	0
7029	AS6048B	FITTING, ELBOW, 90 DEGREE, STANDARD AND REDUCER, BULKHEAD, FLARELESS, PRECISION TYPE	2018	SAE	0
7030	AS5134B	(R) Aviation Visual Distress Signals (AVDS)	2018	SAE	0
7031	AS5405	Mechanical Splice for Aerospace Fiber Optic Cables	2018	SAE	0
7032	AS3530A	BOLT, MACHINE - DOUBLE HEX EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, UNS S66286 - 160 KSI	2018	SAE	0
7033	AS3573B	(R) INSERT, SCREW THREAD, NON-LOCKING, LOCKED IN, KEY LOCKED, EXTRA HEAVY-DUTY, SELF-BROACHING KEYS, UNS S66286	2018	SAE	0
7034	AMS5650G	Steel, Corrosion and Heat-Resistant, Bars, Wire, Forgings, Mechanical Tubing, and Rings 23Cr - 13.5Ni (309S) Solution Heat Treated - UNS S30908	2018	SAE	0
7035	AS1043H	SAFETY WIRE HOLES, HEX, FITTING, LOCATION OF, DESIGN STANDARD	2018	SAE	0
7036	AIR6906	Impulse Towing Loads	2018	SAE	0
7037	AMS4989D	Titanium Alloy Sheet, Strip, and Plate 3Al - 2.5V Annealed - UNS R56320	2018	SAE	0
7038	J3136	Low-Temperature Coolant Circuit Nomenclature and Applications	2018	SAE	0
7039	AS9567C	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, CRES UNS S66286, 130 KSI MIN, .3125-24 UNJF-3A	2018	SAE	0
7040	AMS6511B	Steel, Maraging, Bars, Forgings, Tubing, and Rings 18Ni - 8.5Co - 3.2Mo - 0.20Ti - 0.10Al Double Vacuum Melted, Annealed - UNS K92710	2018	SAE	0
7041	AMS3325G	(R) Fluorosilicone Rubber (FVMQ) Fuel and Oil Resistant 55 65 Durometer Type â__Aâ__ Hardness For Products in Fuel Systems / Lubrication Oils	2018	SAE	0
7042	AS8440	FITTING, PLUG, BEAM SEAL, HYDRAULIC, 5000 PSI	2018	SAE	0
7043	J1817	(R) Long-Stroke Air-Brake Actuator Marking	2018	SAE	0
7044	AMS5610P	Steel, Corrosion and Heat-Resistant, Bars, Wire, and Forgings 12.5Cr - Low Carbon (SAE 51416, 51416Se) Free-Machining - UNS S41600 and UNS S41623	2018	SAE	0
7045	AMS4256C	Aluminum Alloy, Clad Two Sides Sheet 0.6Mg - 0.35Si - 0.28Cu (No. 22 Brazing Sheet) As Fabricated - UNS A86951	2018	SAE	0
7046	AMS6471J	Steel, Nitriding, Bars, Forgings, and Tubing 1.6Cr - 0.35Mo - 1.13Al (0.38 - 0.43C) (135 Mod) Consumable Electrode Vacuum Melted - UNS K24065	2018	SAE	0
7047	AMS3224A	Nitrile-Butadiene Rubber Fuel, Fire, and Ozone Resistant 65 75	2018	SAE	0
7048	AS51992C	STUD, LOCKED-IN RING, SERRATED, HIGH STRENGTH	2018	SAE	0
7049	AS3411D	BOLT, TEE HEAD - AMS5662, CHAMFERED, .3125-24 UNJF-3A (STRESS RUPTURE RESISTANT)	2018	SAE	0
7050	AMS6459F	Steel, Welding Wire 1.0Cr - 1.0Mo - 0.12V (0.18 - 0.23C) Vacuum Melted - UNS K22720	2018	SAE	0
7051	J2551-1	(R) Recommended Practices for Fluid Conductor Carbon, Alloy and High Strength Low Alloy Steel Tubing Applications-Part 1: Design and Fabrication	2018	SAE	0
7052	AS157H	HOSE ASSEMBLY, PTFE, CRES REINFORCED, 3000 PSI, 400 ï°F, 45 DEGREE TO 90 DEGREE, FLARED, LIGHTWEIGHT	2018	SAE	0

7053	AS9715C	BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, DRILLED, SILVER PLATED, CORROSION AND HEAT RESISTANT NICKEL ALLOY, .2500-28 UNJF-3A	2018	SAE	0
7054	AMS4369	Aluminum Alloy, Discontinuously Reinforced Extruded Bar, Rod, Wire and Shapes (2124A/SiC/25p (0.7 ج m) (T1P)	2018	SAE	0
7055	AS3248D	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, NICKEL ALLOY, UNS N07718, 185 KSI MIN, .5000-20 UNJF-3A	2018	SAE	0
7056	AMS4255D	Aluminum Alloy, Clad One Side Sheet 0.6Mg - 0.35Si - 0.28Cu (No. 21 Brazing Sheet) As Fabricated - UNS A86951	2018	SAE	0
7057	AMS2810H	Identification and Packaging Elastomeric Products	2018	SAE	0
7058	AS119H	(R) HOSE ASSEMBLY, PTFE, CRES REINFORCED, 3000 PSI, 400 ÎºF, 45Î° TO 90Î°, FLARELESS, LIGHTWEIGHT	2018	SAE	0
7059	AMS5643V	Steel, Corrosion-Resistant, Bars, Wire, Forgings, Mechanical Tubing, and Rings 16Cr - 4.0Ni - 0.30Cb (Nb) - 4.0Cu Solution Heat Treated, Precipitation Hardenable - UNS S17400	2018	SAE	0
7060	AS8010D	Aviatorâ s Breathing Oxygen Purity Standard	2018	SAE	0
7061	AMS2643F	(R) Structural Examination of Titanium Alloys Chemical Etch Inspection Procedure	2018	SAE	0
7062	AMS6527F	Steel, Bars and Forgings 2.0Cr - 10Ni - 14Co - 1.0Mo (0.15 - 0.19C) Vacuum Melted, Normalized and Overaged - UNS K92571	2018	SAE	0
7063	J1674	(R) Early Acquisition and Preservation of Information in a Motor Vehicle Crash	2018	SAE	0
7064	ARP6025	Duty Cycle Considerations for Electrohydrostatic Actuators	2018	SAE	0
7065	AS22759/53B	WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, LOW FLUORIDE, NORMAL WEIGHT, SILVER-COATED HIGH STRENGTH COPPER ALLOY, 200 Î°C, 600 VOLT, ROHS	2018	SAE	0
7066	AIR7521	Measurement Data and Reference Values for Compounds Potentially Found in Aircraft Engine Bleed Air	2018	SAE	0
7067	AS6062A	(R) JAUS Mission Spooling Service Set	2018	SAE	0
7068	AMS6365L	Steel Tubing, Seamless 0.95Cr - 0.20Mo (0.33 - 0.38C) (SAE 4135) Normalized or Stress Relieved - UNS G41350	2018	SAE	0
7069	J2742	Combination 11 Conductors and 2 Pairs ECBS Cable	2018	SAE	0
7070	AMS2451/9C	Plating, Brush, Zinc-Nickel Low Hydrogen Embrittlement	2018	SAE	0
7071	AS4470C	HOSE ASSEMBLY, LINED SILICONE, 125 PSI, FLARELESS, POTABLE WATER, STRAIGHT TO 45Î°	2018	SAE	0
7072	9990/2	Transmitted Enhanced Loran (eLoran) Signal Standard for 9th Pulse Modulation	2018	SAE	0
7073	AMS5808D	Steel, Corrosion and Heat-Resistant, Welding Wire 19Cr - 13Ni - 2.5Mo High Ferrite Grade, Trace Element Controlled	2018	SAE	0
7074	AMS5859E	Steel, Corrosion Resistant, Sheet, Strip, and Plate 15Cr - 6.5Ni - 0.75Mo - 0.30Cb - 1.5Cu Consumable Electrode Melted, Solution Heat Treated Precipitation Hardenable - UNS S45000	2018	SAE	0
7075	AMS7003	Laser Powder Bed Fusion Process	2018	SAE	0
7076	AMS6360P	Steel Tubing, Seamless 0.95Cr - 0.20Mo (0.28 - 0.33C) (SAE 4130) Normalized or Stress Relieved - UNS G41300	2018	SAE	0
7077	AS4809D	(R) FITTING ASSEMBLY, TEE, BEAM SEAL, RETAINED NUT ON RUN	2018	SAE	0
7078	AMS2759/10B	(R) Automated Gaseous Nitriding Controlled by Nitriding Potential	2018	SAE	0
7079	AS5768/1E	TOOL, STRIPPER, MANUALLY ACTUATED, ELECTRICAL INSULATION, ROUND WIRE, SIZE 10 TO 30	2018	SAE	0
7080	AIR5464A	(R) Metal Clad Fibers for Electrical Shielding and Harness Overbraid	2018	SAE	0
7081	J2789	(R) Inertia Calculation for Single-Ended Inertia-Dynamometer Testing	2018	SAE	0
7082	AS3251D	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, NICKEL ALLOY, UNS N07718, 185 KSI MIN, .2500-28 UNJF-3A	2018	SAE	0
7083	AIR7484	Guidance on the Impact of Fuel Properties on Fuel System Design and Operation	2018	SAE	0
7084	J1939-31	(R) Network Layer	2018	SAE	0
7085	AS3625B	(R) NUT, SELF-LOCKING, DOUBLE HEXAGON, REDUCED ENVELOPE, UNS S66286 SILVER PLATED THREADS ONLY	2018	SAE	0
7086	AS3090A	STUD - STRAIGHT, KEY LOCKED, CRES UNS S66286 .1900-32 UNJF X .1900-32 UNJF	2018	SAE	0
7087	AMS4211C	Aluminum Alloy, Plate 6.2Zn - 1.9Cu - 2.1Mg - 0.10Zr (7040-T7451) Solution Heat Treated, Stress Relieved, and Overaged - UNS A97040	2018	SAE	0

7088	AMS6348E	Steel, Bars 0.95Cr - 0.20Mo (0.28 to 0.33C) (SAE 4130) Normalized - UNS G41300	2018	SAE	0
7089	AS21429B	(R) BEARING, ROLLER, ANTIFRICTION, ROD END, EXTERNAL THREAD, SELF-ALIGNING, AIR FRAME, -67 Ï°F TO 350 Ï°F TYPE 1, HEAVY DUTY, SEALED	2018	SAE	0
7090	AMS4417C	Castings, Sand, Magnesium Alloy 1.5Ag - 2.1Di - 0.08Cu - 0.70Zr (EQ21 - T6) Solution and Precipitation Heat Treated - UNS M18330	2018	SAE	0
7091	AMS3238J	Butyl (IIR) Rubber Phosphate Ester Resistant 65 75	2018	SAE	0
7092	AMS1535D	(R) Cleaner, Transparent Plastic	2018	SAE	0
7093	AMS5714E	Alloy Bars, Forgings, and Rings, Corrosion and Heat-Resistant 73Ni - 15.5Cr - 2.5Ti - 0.70Al - 7.0Fe Precipitation-Hardenable - UNS N07722	2018	SAE	0
7094	J1953	Brake-Stroke Indicator Design Guideline for Cam or Disc Air-Brake Actuators	2018	SAE	0
7095	AMS6294K	Steel Bars and Forgings, Carburizing 1.8Ni - 0.25Mo (0.17 - 0.22C) (SAE 4620) - UNS G46200	2018	SAE	0
7096	AS85049/146A	CONNECTOR ACCESSORIES, ELECTRICAL BACKSHELL, 90Ï° NON-SELF LOCKING AND SELF LOCKING, MS â__Vâ__ THREAD, CATEGORY 3B (FOR MIL-DTL-83723 SERIES III, AS50151 SERIES II & III, AS81703 SERIES III, MIL-DTL-26482 SERIES II AND AS95234 CONNECTORS)	2018	SAE	0
7097	AMS6551A	Steel Bars, Forgings and Tubing 1.75Cr - 4.0Ni - 0.5Mo - (0.35 - 0.40C) Premium Aircraft Quality Consumable Electrode Vacuum Remelted - UNS K57034	2018	SAE	0
7098	AMS5636G	Steel, Corrosion-Resistant, Bars and Wire 18Cr - 9.0Ni (302) Solution Heat Treated and Cold Drawn 100 ksi (689 MPa) Tensile Strength - UNS S30200	2018	SAE	0
7099	AMS2251J	(R) Tolerances Low-Alloy Steel Bars	2018	SAE	0
7100	AMS2759/9E	Hydrogen Embrittlement Relief (Baking) of Steel Parts	2018	SAE	0
7101	AS4800C	HOSE ASSEMBLY, LINED SILICONE, 125 PSI, FIXED CAVITY COUPLING, POTABLE WATER, STRAIGHT FEMALE TO 45Ï° FEMALE	2018	SAE	0
7102	J175	Wheels - Lateral Impact Test Procedure - Road Vehicles	2018	SAE	0
7103	AMS5800G	Nickel Alloy, Corrosion and Heat-Resistant, Welding Wire 54Ni - 19Cr - 11Co - 10Mo - 3.2Ti - 1.5Al - 0.006B Vacuum Induction Melted - UNS N07041	2018	SAE	0
7104	AS14103F	(R) BEARING, PLAIN, SELF-LUBRICATING, SELF-ALIGNING, LOW SPEED, WIDE, GROOVED RACE, -65 TO +325Ï°F	2018	SAE	0
7105	AS4704D	HOSE ASSEMBLY, LINED SILICONE, 125 PSI, FIXED CAVITY COUPLING, POTABLE WATER, STRAIGHT MALE TO STRAIGHT MALE	2018	SAE	0
7106	AMS4406A	Aluminum Alloy, Centrifugal Castings 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (709.0-T61) Hot Isostatically Pressed, Solution and Precipitation Heat Treated - UNS A07090	2018	SAE	0
7107	AS7469B	(R) Bolts and Screws, UNS N07041 Nickel Alloy, Corrosion and Heat Resistant, 155 ksi, Procurement Specification	2018	SAE	0
7108	AMS4332A	Aluminum Alloy, Extruded Profiles (7349-T76511) 8.1Zn - 1.7Cu - 2.2Mg - 0.16Zr Solution Heat Treated, Stress-Relieved, and Overaged	2018	SAE	0
7109	ARP6318	Verification of Discrete and Packaged Photonic Device Technology Readiness	2018	SAE	0
7110	AS6049A	FITTING, TEE, STANDARD AND REDUCER, BULKHEAD ON SIDE, FLARELESS, PRECISION TYPE	2018	SAE	0
7111	AS22759/52B	WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, LOW FLUORIDE, LIGHTWEIGHT, SILVER-COATED COPPER, 200 Ï°C, 600 VOLT, ROHS	2018	SAE	0
7112	AS5586A	General Requirements for Hydraulic System Reservoirs	2018	SAE	0
7113	AS5405/1	Mechanical Splice, Fiber Optic, Crimp and Cleave, for Aerospace Simplex Cable	2018	SAE	0
7114	AS4108C	T-Bolt and Eye Bolt, A286 CRES, 1000 Ï°F Fatigue Rated	2018	SAE	0
7115	AIR5883A	Landing Gear Shock Struts Bearing Selection	2018	SAE	0
7116	AS4877H	Bolts and Screws, Nickel Alloy UNS N07718, Classification: 185 ksi/1200 Ï°F Procurement Specification	2018	SAE	0
7117	AS4696C	FITTING, SLEEVE, FLARELESS, NONREDUCER AND REDUCER, SHORT ACORN TO WELD TUBE END	2018	SAE	0
7118	AS7928/15	TERMINAL, LUG, UNINSULATED, FLAG TYPE, CRIMP STYLE, COPPER, SIZE 22-10, CLASS I	2018	SAE	0

7119	AS9356C	NUT, PLAIN, HEXAGON, UNS S66286	2018	SAE	0
7120	AMS5694K	Steel, Corrosion and Heat-Resistant, Welding Wire 27Cr - 21.5Ni - UNS S31080	2018	SAE	0
7121	AMS2431D	Peening Media General Requirements	2018	SAE	0
7122	AS1895/4E	(R) COUPLING, V-RETAINER, SINGLE LATCH, TYPE II LOW PROFILE	2018	SAE	0
7123	AMS2449A	Grinding of HVOF Sprayed Tungsten Carbide Coatings Applied to High Strength Steels	2018	SAE	0
7124	AS6213A	FITTING, ADAPTER, PORT, REDUCER, 37 DEGREE SPHERICAL, FLARED	2018	SAE	0
7125	AMS6532H	Steel, Bars and Forgings 3.1Cr - 11.5Ni - 13.5Co - 1.2Mo (0.21 - 0.25C) Vacuum Melted, Normalized and Overaged Precipitation Hardenable - UNS K92580	2018	SAE	0
7126	AS7473C	Bolts and Screws, Roll Threaded Procurement Specification For	2018	SAE	0
7127	AS9568E	BOLT, MACHINE DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, CRES UNS S66286, 130 KSI MIN, .3750-24 UNJF-3A	2018	SAE	0
7128	AMS6544E	Steel, Plate 2.0Cr - 10Ni - 8.0Co - 1.0Mo (0.10 - 0.14C) (HY-180) Double Vacuum Melted, Solution Heat Treated - UNS K91970	2018	SAE	0
7129	AS27641D	BEARING, BALL, AIRFRAME, ANTI-FRICTION, INTERMEDIATE DUTY	2018	SAE	0
7130	AMS5654G	Steel, Corrosion and Heat Resistant, Bars, Wire, Forgings, Mechanical Tubing, and Rings 18Cr - 11Ni - 0.60Cb (Nb) (347) Premium Aircraft Quality, Consumable Electrode Melted Solution Heat Treated - UNS S34700	2018	SAE	0
7131	AMS4299A	Aluminum Alloy, Plate (7449-T7951) 8.1Zn - 1.8Cu - 2.3Mg Solution Heat Treated, Stress Relieved, and Overaged - UNS A97449	2018	SAE	0
7132	AMS6472G	Steel, Bars and Forgings, Nitriding 1.6Cr - 0.35Mo - 1.1Al (0.38 - 0.43C) (135 Mod) Hardened and Tempered, 112 ksi (772 MPa) Tensile Strength - UNS K24065	2018	SAE	0
7133	AMS4134G	Aluminum Alloy, Die Forgings 4.4Cu - 0.85Si - 0.80Mn - 0.50Mg (2014-T4) Solution Heat and Naturally Aged - UNS A92014	2018	SAE	0
7134	AMS4911P	Titanium Alloy, Sheet, Strip, and Plate 6Al - 4V Annealed - UNS R56400	2018	SAE	0
7135	AS85049/124E	(R) CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELEIF, STRAIGHT SELF-LOCKING, AND NON-SELF-LOCKING CATEGORY 4C (FOR MIL-DTL-3899 SERIES III AND IV CONNECTORS)	2018	SAE	0
7136	AS4210E	(R) FITTING, TEE, BEAM SEAL	2018	SAE	0
7137	J2551-2	(R) Recommended Practices for Fluid Conductor Carbon, Alloy and High Strength Low Alloy Steel Tubing Applications-Part 2: General Specifications and Performance Requirements	2018	SAE	0
7138	AS158H	HOSE ASSEMBLY, PTFE, CRES REINFORCED, 3000 PSI, 400 Ï°F, 90 DEGREE TO 90 DEGREE, FLARED, LIGHTWEIGHT	2018	SAE	0
7139	AS85049/11D	(R) CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, CABLE SEALING, STRAIGHT, CATEGORY 1A (FOR AS50151 CRIMP, AS95234, MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, AND MIL-DTL-83723 SERIES III CONNECTORS)	2018	SAE	0
7140	AMS2759/12B	(R) Automated Gaseous Nitrocarburizing Controlled by Potentials	2018	SAE	0
7141	AMS4379	Aluminum Alloy, Discontinuously Reinforced Extruded Bar, Rod, Wire and Shapes (2124A/SiC/25p (3 خ m) (T1P)	2018	SAE	0
7142	AS3534B	NUT, SELF-LOCKING, SHANK, UNS S66286 SILVER PLATE ON THREAD ONLY, UNJ THREAD	2018	SAE	0
7143	AMS4340G	Aluminum Alloy, Extrusions 6.2Zn - 2.3Cu - 2.2Mg - 0.12Zr (7050-T76511) Solution Heat Treated, Stress Relieved, Straightened, and Overaged - UNS A97050	2018	SAE	0
7144	AMS4002A	Aluminum Alloy Tubing, Seamless, Drawn 1.8Cu - 1.0Mg - 0.8Si - 0.20Cr Solution Heat Treated, Stress-Relieved by Stretching, and Aged (2013-T6511) - UNS A92013	2018	SAE	0
7145	AMS4217J	Aluminum Alloy, Castings 7.0Si - 0.32Mg (356.0-T6) Solution and Precipitation Heat Treated - UNS A03560	2018	SAE	0
7146	AS120H	(R) HOSE ASSEMBLY, PTFE, CRES REINFORCED, 3000 PSI, 400 Ï°F, 90Ï° TO 90Ï°, FLARELESS, LIGHTWEIGHT	2018	SAE	0
7147	J2717	(R) Tests to Define Tire Size (Geometry), Mass, and Inertias	2018	SAE	0
7148	AMS6952	Titanium Alloy, Forgings 5.8Al - 4.0Sn - 3.5Zr - 2.8Mo - 0.7Nb - 0.35Si - 0.06C Solution and Precipitation Heat Treated - UNS R56443	2018	SAE	0

7149	AS22759/54B	WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, LOW FLUORIDE, NORMAL WEIGHT, SILVER-COATED COPPER, 200 j°C, 600 VOLT, ROHS	2018	SAE	0
7150	J594	Reflex Reflectors	2018	SAE	0
7151	AS13006	Process Control Methods	2018	SAE	0
7152	AS8030	Requirements for an Electronic Materials and Processes Management Plan	2018	SAE	0
7153	AMS6490J	Steel Bars, Forgings, and Tubing 4.0Cr - 4.2Mo - 1.0V (0.77 - 0.85C) (M-50) Premium Aircraft-Quality for Bearing Applications Consumable Electrode Vacuum Melted - UNS T11350	2018	SAE	0
7154	J3138	Diagnostic Link Connector Security	2018	SAE	0
7155	AMS4147E	Aluminum Alloy Forgings 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (7075-T7352) Solution Heat Treated, Stress Relieved by Compression, and Overaged - UNS A97075	2018	SAE	0
7156	AS4471C	HOSE ASSEMBLY, LINED SILICONE, 125 PSI, FLARELESS, POTABLE WATER, STRAIGHT TO 90j°	2018	SAE	0
7157	J2579	(R) Standard for Fuel Systems in Fuel Cell and Other Hydrogen Vehicles	2018	SAE	0
7158	AMS-A-81596A	Aluminum Foil for Sandwich Construction	2018	SAE	0
7159	AMS5876E	Cobalt Alloy, Corrosion and Heat-Resistant, Strip 20Cr - 15Ni - 40Co - 7.0Mo - 16Fe Vacuum Induction Plus Consumable Electrode Remelted Solution Heat Treated and Cold Rolled - UNS R30003	2018	SAE	0
7160	AMS5875D	Cobalt Alloy, Corrosion and Heat-Resistant, Strip 20Cr - 15Ni - 40Co - 7.0Mo - 16Fe Solution Heat Treated, Cold Rolled, and Aged Vacuum Induction Plus Vacuum Consumable Electrode Melted - UNS R30003	2018	SAE	0
7161	AMS7002	Process Requirements for Production of Metal Powder Feedstock for Use in Additive Manufacturing of Aerospace Parts	2018	SAE	0
7162	AMS6428L	Steel, Bars, Forgings, and Tubing 0.78Cr - 1.8Ni - 0.35Mo - 0.20V (0.32 - 0.38C) (4335 Mod) - UNS K33517	2018	SAE	0
7163	AS6093A	FITTING, 37j° SPHERICAL FLARED, CONNECTOR, MULTIPLE FLUID PRESSURE LINE, 90j°	2018	SAE	0
7164	AMS2759/13	Gaseous Nitrocarburizing	2018	SAE	0
7165	AS5768/2C	TOOL, STRIPPER, MANUALLY ACTUATED, SMALL GRIP, ELECTRICAL INSULATION, ROUND WIRE, SIZE 16 TO 30	2018	SAE	0
7166	AMS2404J	Plating, Electroless Nickel	2018	SAE	0
7167	AS9494B	BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, 130 KSI MIN, .5000-20 UNJF-3A	2018	SAE	0
7168	SAE9990	Transmitted Enhanced Loran (eLoran) Signal Standard	2018	SAE	0
7169	AS7471H	Bolts and Screws, Nickel Alloy, UNS N07001 Tensile Strength 165 ksi, Corrosion and Heat Resistant Procurement Specification	2018	SAE	0
7170	AMS4249B	Aluminum Alloy Castings 7.0Si - 0.58Mg - 0.15Ti - 0.06Be (D357.0-T6) Solution and Precipitation Heat Treated (Requiring Fatigue and Fracture Toughness Testing) - UNS A43570	2018	SAE	0
7171	AMS6454F	Steel, Sheet, Strip, and Plate 1.8Ni - 0.80Cr - 0.25Mo (0.38 - 0.43C) (SAE 4340) Vacuum Consumable Electrode Remelted - UNS G43406	2018	SAE	0
7172	AS6105A	FITTING, TEE, STANDARD AND REDUCER, 37j° SPHERICAL, FLARED	2018	SAE	0
7173	AS3531A	BOLT, MACHINE - DOUBLE HEX EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, DRILLED HEAD, UNS S66286 - 160 KSI	2018	SAE	0
7174	AS81714/60A	(R) TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, BUSSING MODULES, FEEDBACK TYPE, SERIES II	2018	SAE	0
7175	AMS5768L	Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 21Cr - 20Ni - 20Co - 3.0Mo - 2.5W - 1.0Cb - 0.15N - 31Fe Solution and Precipitation Heat Treated - UNS R30155	2018	SAE	0
7176	AMS4904D	Titanium Alloy Sheet, Strip, and Plate 6Al - 4V Solution Heat Treated and Aged - UNS R56400	2018	SAE	0
7177	AMS5354G	Steel, Corrosion and Heat Resistant, Investment Castings 13Cr - 2.0Ni - 3.0W Hardened and Tempered to 32 - 38 HRC - UNS J91631	2018	SAE	0
7178	AMS6556A	Steel, Bars, Wire, and Forgings 8V - 4Cr - 4W - 3Mo (2.45 - 2.55C) Powder Metallurgy Product Hot Isostatically Pressed - UNS T11453	2018	SAE	0

7179	AMS5637J	Steel, Corrosion Resistant, Bars and Wire 18Cr - 9.0Ni (302) Solution Heat Treated, Cold Drawn and Stress Relieved 125 ksi (862 MPa) Tensile Strength - UNS S30200	2018	SAE	0
7180	AMS4780G	Manganese Alloy, Brazing Filler Metal 66Mn - 16Ni - 16Co - 0.80B 1770 to 1875 ¡°F (966 to 1024 ¡°C) Solidus-Liquidus Range - UNS M26800	2018	SAE	0
7181	AS4801C	HOSE ASSEMBLY, LINED SILICONE, 125 PSI, FIXED CAVITY COUPLING, POTABLE WATER, STRAIGHT FEMALE TO 90¡° FEMALE	2018	SAE	0
7182	AMS5801G	Cobalt Alloy, Corrosion and Heat-Resistant, Welding Wire 39Co - 22Cr - 22Ni - 14.5W - 0.07La - UNS R30188	2018	SAE	0
7183	AS14104E	(R) BEARING, PLAIN, SELF-LUBRICATING, SELF-ALIGNING, LOW SPEED, NARROW, CHAMFERED RACE, -65 TO +325¡°F	2018	SAE	0
7184	AS4705D	HOSE ASSEMBLY, LINED SILICONE, 125 PSI, FIXED CAVITY COUPLING, POTABLE WATER, STRAIGHT MALE TO 45¡° MALE	2018	SAE	0
7185	AMS6953	Titanium Alloy Sheet 6Al 4Sn 3Nb 0.5Mo 0.3Si, Duplex Annealed - UNS R56643	2018	SAE	0
7186	AS INDEX	Aerospace Standards Index - 2018	2018	SAE	0
7187	AS50151D	Connectors, Electrical, Circular Threaded, AN Type, General Specification For	2018	SAE	0
7188	AMS4616G	Silicon Bronze Bars, Rods, Forgings, and Tubing 92Cu - 3.2Si - 2.8Zn - 1.5Fe Stress Relieved - UNS C65620	2018	SAE	0
7189	AS27640D	BEARING, BALL, AIRFRAME, ANTI-FRICTION, HEAVY DUTY	2018	SAE	0
7190	AS6141A	FITTING, UNION AND REDUCER, FLARELESS, PRECISION TYPE	2018	SAE	0
7191	J34	Exterior Sound Level Measurement Procedure for Recreational Motorboats	2018	SAE	0
7192	AS6506	Fusion Splice for Aerospace Fiber Optic Cables	2018	SAE	0
7193	AMS2700F	Passivation of Corrosion Resistant Steels	2018	SAE	0
7194	AS5652A	10 Megabit/sec Network Configuration Digital Time Division Command/Response Multiplex Data Bus	2018	SAE	0
7195	AS1895/22C	(R) COUPLING, V-RETAINER, DOUBLE LATCH, TYPE I STANDARD PROFILE	2018	SAE	0
7196	AMS4348E	Core, Honeycomb, Aluminum Alloy, Corrosion Inhibited For Sandwich Construction 5052, 350 (177)	2018	SAE	0
7197	AMS1451C	Disinfectant, Aircraft for Use in Cargo Compartments	2018	SAE	0
7198	AS9559E	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, UTS 130 KSI MIN, .3750-24 UNJF-3A	2018	SAE	0
7199	AS508361B	(R) Wire, Electric, Polyvinyl Chloride Insulated, Copper or Copper Alloy	2018	SAE	0
7200	AS4847B	Shank Nuts, Captive Blind Fastener, Mating Retaining Flange, Design Standard For	2018	SAE	0
7201	AS14237B	(R) BUSHING, SLEEVE PLAIN, PRESS FIT, REAM TYPE	2018	SAE	0
7202	AMS5703E	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 41.5Ni - 16Cr - 37Fe - 2.9Cb - 1.8Ti Consumable Electrode or Vacuum Induction Melted 1750 ¡°F (954 ¡°C) Solution, Stabilization, and Precipitation Heat Treated - UNS N09706	2018	SAE	0
7203	AIR6064	Reverse Thrust	2018	SAE	0
7204	AS931D	FITTING, ADAPTER, UNION, FLARELESS TO BOSS	2018	SAE	0
7205	AS6260	Verification Methods for AS5653 Network Controller, Network Terminal, and Switch Physical Layer	2018	SAE	0
7206	AMS2506E	Coating of Fasteners Aluminum Filled, Ceramic Bonded Coating	2018	SAE	0
7207	AS9138	Aerospace Series - Quality Management Systems Statistical Product Acceptance Requirements	2018	SAE	0
7208	AS24586C	SPRING, HELICAL, EXTENSION: FOR LOADS BELOW 30 POUNDS	2018	SAE	0
7209	ARP6538	Dynamic Modeling of Aerospace Systems (DyMAS)	2018	SAE	0
7210	J1939DA	J1939 Digital Annex - See Also SAE J1939; Includes Access to Additional Content	2018	SAE	0
7211	AMS4232D	Aluminum Alloy Extrusions 2.7Cu - 2.2Li - 0.12Zr (2090-T86) Solution Heat Treated, Cold Worked, and Precipitation Heat Treated - UNS A92090	2018	SAE	0
7212	AMS5805J	Steel, Corrosion and Heat Resistant, Welding Wire 15Cr - 25.5Ni - 1.2Mo - 2.1Ti - 0.004B - 0.30V Vacuum Induction Melted, Environment Controlled Packaging - UNS S66286	2018	SAE	0

7213	MA3374D	Bolts and Screws, UNS S66286, Corrosion and Heat Resistant Steel, Procurement Specification, Metric	2018	SAE	0
7214	AMS4372	Aluminum Alloy, Plate 3.5Cu - 1.0Li - 0.40Mg - 0.35Mn - 0.45Ag - 0.12Zr (2050-T34) Solution Heat Treated and Stress Relieved - UNS A92050	2018	SAE	0
7215	AMS6932C	Titanium Alloy Bars, Forgings and Forging Stock 6.0Al 4.0V Extra Low Interstitial Annealed - UNS R56401	2018	SAE	0
7216	AMS2477B	Conversion Coating for Aluminum Alloys Low Electrical Resistance Coating	2018	SAE	0
7217	AMS4247C	Aluminum Alloy, Hand Forgings 7.7Zn - 2.4Mg - 1.6Cu - 0.16Cr (7049-T7352) Solution Heat Treated, Stress Relieved by Compression, and Precipitation Heat Treated - UNS A97049	2018	SAE	0
7218	J1939-21	(R) Data Link Layer	2018	SAE	0
7219	AIR1412D	Designing for Long Life with Elastomers	2018	SAE	0
7220	AS4211E	(R) FITTING, CROSS, BEAM SEAL	2018	SAE	0
7221	AMS6515B	Steel, Maraging, Bars, Forgings, Tubing, and Rings 18.5Ni - 12.0Co - 4.9Mo - 1.40Ti - 0.10Al Double Vacuum Melted, Annealed - UNS K93540	2018	SAE	0
7222	J2551-3	(R) Recommended Practices for Fluid Conductor Carbon, Alloy and High Strength Low Alloy Steel Tubing Applications - Part 3: Procurement	2018	SAE	0
7223	AS1895/1E	(R) COUPLING, V-RETAINER, SINGLE LATCH, TYPE I STANDARD PROFILE	2018	SAE	0
7224	AS4299B	Rings, Retaining - Spiral Wound, Uniform Section Corrosion and Heat Resistant, UNS S66286	2018	SAE	0
7225	AMS5112N	Carbon Steel, Wire Spring Quality Music Wire 0.70 - 1.00C Cold Drawn - UNS G10900	2018	SAE	0
7226	AMS5082H	Steel Tubing, Seamless 0.31 - 0.38C (SAE 1035) Stress Relieved - UNS G10350	2018	SAE	0
7227	AMS5848E	Steel, Corrosion-Resistant, Bars, Wire, Forgings, Extrusions, Tubing, and Rings Wear and Galling Resistant 8.0Mn - 4.0Si - 17Cr - 8.5Ni - 0.13N Solution Heat Treated - UNS S21800	2018	SAE	0
7228	AMS5590G	Nickel Alloy, Corrosion and Heat-Resistant, Seamless Tubing 52.5Ni - 19Cr - 3.0Mo - 5.1Cb (Nb) - 0.90Ti - 0.50Al - 18Fe Consumable Electrode or Vacuum Induction Melted 1950 Ï°F (1066 Ï°C) Solution Heat Treated - UNS N07718	2018	SAE	0
7229	AMS4341G	Aluminum Alloy, Extrusions 6.2Zn - 2.3Cu - 2.2Mg - 0.12Zr (7050-T73511) Solution Heat Treated, Stress Relieved by Stretching, Straightened, and Overaged - UNS A97050	2018	SAE	0
7230	AMS4017L	Aluminum Alloy Sheet and Plate 2.5Mg - 0.25Cr (5052-H34) Strain-Hardened, Half-Hard, and Stabilized - UNS A95052	2018	SAE	0
7231	AMS4225E	Aluminum Alloy, Heat-Resistant, Castings 5.0Cu - 1.5Ni - 0.25Mn - 0.25Sb - 0.25Co - 0.20Ti - 0.20Zr (203.0-T6) Solution Heat Treated and Precipitation Heat Treated - UNS A02030	2018	SAE	0
7232	AS6098A	FITTING, TEE, STANDARD AND REDUCER, BULKHEAD ON RUN, INTERNAL ON SIDE, FLARED, 37Ï° SPHERICAL	2018	SAE	0
7233	J2731	Low Speed Enveloping Test with Perpendicular and Inclined Cleats	2018	SAE	0
7234	AMS4015M	Aluminum Alloy, Sheet and Plate 2.5Mg - 0.25Cr (5052-O) Annealed - UNS A95052	2018	SAE	0
7235	ARP4853D	(R) Design Specification for Towbarless Tow Vehicles	2018	SAE	0
7236	AMS5617K	Steel, Corrosion-Resistant, Bars, Wire, and Forgings 12Cr - 8.5Ni - 1.2Ti - 2.0Cu Vacuum Induction Plus Vacuum Consumable Electrode Melted Solution Heat Treated, Precipitation Hardenable - UNS S45500	2018	SAE	0
7237	AMS7735E	Alloy Wire, Round 35Pd - 30Ag - 14Cu - 10Au - 10Pt - 0.85Zn Solution Heat Treated - UNS P03300	2018	SAE	0
7238	AS3505C	INSERT - THIN WALL, LONG, SELF-LOCKING, 1025 Ï°F, SILVER PLATED ON INTERNAL SURFACES ONLY, UNS N07718, UNJ THREAD	2018	SAE	0
7239	AS81703B	(R) Connectors, Electric, Circular, Miniature, Rack and Panel or Push-Pull Coupling, Environment Resisting	2018	SAE	0
7240	ARP6903A	Guide for Achieving Plating/Finishing Compatibility with Connectors and Accessories used in Electrical Wiring Interconnect Systems (EWIS)	2018	SAE	0
7241	AMS5553H	Nickel, Sheet and Strip Low (0.02 max) Carbon Annealed - UNS N02201	2018	SAE	0
7242	AS22520/47	CRIMPING TOOL, TERMINAL, HAND ACTUATED, WIRE TERMINATION, TYPE II, FOR FLAG SHAPE LUG TERMINAL SIZES 22-10	2018	SAE	0
7243	AIR1828C	(R) Guide to Engine Lubrication System Monitoring	2018	SAE	0
7244	AMS6492B	Steel Bars, Forgings, and Tubing 1.0Cr 3.25Ni 0.40Mo (0.17 0.22C) Aircraft Quality - UNS K41910	2018	SAE	0

7245	AS39029/73B	(R) CONTACTS, ELECTRICAL CONNECTORS, SOCKET, SOLDER, REMOVABLE, SHIELDED, SIZE 12 (FOR MIL-DTL-83723 SERIES III AND MIL-DTL-83527 CONNECTORS)	2018	SAE	0
7246	AMS4177E	Core, Flexible Honeycomb, Aluminum Alloy For Sandwich Construction 5056, 350 (177)	2018	SAE	0
7247	AS4472C	HOSE ASSEMBLY, LINED SILICONE, 125 PSI, FLARELESS, POTABLE WATER, 45ï° TO 45ï°	2018	SAE	0
7248	J2833	(R) Welded and Cold-Drawn, High Strength (690 MPa Tensile Strength) Low Alloy Steel Hydraulic Tubing, Stress Relieved Annealed for Bending, Flaring, Cold Forming and Brazing	2018	SAE	0
7249	AMS6303J	Steel Bars and Forgings, Low Alloy, Heat-Resistant 0.65Si - 1.25Cr - 0.50Mo - 0.85V (0.25 - 0.30C) - UNS K22770	2018	SAE	0
7250	AMS5905C	Steel, Corrosion-Resistant, Sheet and Strip 18Cr - 9.0Ni (302) Cold Rolled, 3/4 Hard, 175 ksi (1207 MPa) Tensile Strength - UNS S30200	2018	SAE	0
7251	AMS2759/1F	(R) Heat Treatment of Carbon and Low-Alloy Steel Parts Minimum Tensile Strength Below 220 ksi (1517 MPa)	2018	SAE	0
7252	AMS6429J	Steel Bars, Forgings, Tubing, and Rings 0.78Cr - 1.8Ni - 0.35Mo - 0.20V (0.33 - 0.38C) (4335 Mod) Consumable Electrode Vacuum Melted - UNS K33517	2018	SAE	0
7253	AS7516A	MALE FERRULE, THREADLESS FLEXIBLE, FIXED CAVITY, SELF-BONDING, BUTT WELDED	2018	SAE	0
7254	AMS4967M	Titanium Alloy, Bars, Wire, Forgings, and Rings 6.0Al - 4.0V Annealed, Heat Treatable - UNS R56400	2018	SAE	0
7255	AS22520/46	CRIMPING TOOLS, TYPE I, HAND, WIRE, TERMINATION FOR WIRE BARREL SIZE 10 POWER CONTACTS	2018	SAE	0
7256	AS9496B	(R) BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, 130 KSI MIN, .6250-18 UNJF-3A	2018	SAE	0
7257	AMS4775K	Nickel Alloy, Brazing Filler Metal 73Ni - 0.75C - 4.5Si - 14Cr - 3.1B - 4.5Fe 1790 ï°F (977 ï°C) Solidus to 1970 ï°F (1077 ï°C) Liquidus - UNS N99600	2018	SAE	0
7258	AS9358B	NUT, PLAIN, CASTELLATED, HEXAGON - UNS S66286, 130 KSI MIN	2018	SAE	0
7259	AMS4338B	Aluminum Alloy, Extrusions 4.0Cu - 1.3Mg - 0.60Mn (2026-T3511) Solution Heat Treated and Stress Relieved by Stretching - UNS A92026	2018	SAE	0
7260	J164	(R) Radiator Caps and Filler Necks	2018	SAE	0
7261	AMS4942G	Titanium Tubing, Seamless Annealed, 40.0 ksi (275 MPa) Yield Strength - UNS R50400	2018	SAE	0
7262	AS5194C	(R) FITTING, ADAPTER, STRAIGHT PIPE TO FLARED	2018	SAE	0
7263	J2403DA	Digital Annex of Medium/Heavy-Duty E/E Systems Diagnosis Nomenclature - See Also SAE J2403; Includes Access to Additional Content	2018	SAE	0
7264	ARP1247E	(R) Aircraft Ground Support Equipment General Requirements	2018	SAE	0
7265	AMS5360G	Steel, Corrosion and Heat-Resistant, Investment Castings 17Cr - 13Ni - 1.9Mo Solution Heat Treated - UNS J92951	2018	SAE	0
7266	AMS6557A	Steel, Bars, Wire, and Forgings 9V - 5.25Cr - 1.3Mo (1.80 - 1.95C) Powder Metallurgy Product Hot Isostatically Pressed - UNS T11409	2018	SAE	0
7267	J2794	Power Cylinder Oil Consumption: Transport Mechanisms	2018	SAE	0
7268	AMS5027G	Steel, Welding Wire 1.05Cr - 0.55Ni - 1.0Mo - 0.08V (0.26 - 0.32C) Vacuum Melted, Environment-Controlled Packaging - UNS K22925	2018	SAE	0
7269	AMS5512M	Steel, Corrosion and Heat-Resistant, Sheet, Strip, and Plate 18Cr - 10.5Ni - 0.80Cb (SAE 30347) Solution Heat Treated - UNS S34700	2018	SAE	0
7270	ARP1322C	(R) Overpressurization Release Devices	2018	SAE	0
7271	AS4802D	HOSE ASSEMBLY, LINED SILICONE, 125 PSI, FIXED CAVITY COUPLING, POTABLE WATER, STRAIGHT MALE TO 45 DEGREES FEMALE	2018	SAE	0
7272	AMS4277B	Aluminum Alloy, Sheet 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (7075-O) Annealed, Fine Grained - UNS A97075	2018	SAE	0
7273	AMS3058A	(R) Grease: Wide Temperature Range Lithium or Lithium Complex Thickened for Aircraft Wheel Bearings	2018	SAE	0
7274	AMS5838F	Nickel Alloy, Corrosion and Heat-Resistant, Welding Wire 65Ni - 16Cr - 15Mo - 0.30Al - 0.06La - UNS N06635	2018	SAE	0
7275	AS14101E	(R) BEARING, PLAIN, SELF-LUBRICATING, SELF-ALIGNING, LOW SPEED, NARROW, GROOVED RACE, -65 TO +325ï°F	2018	SAE	0

7276	AS4706D	HOSE ASSEMBLY, LINED SILICONE, 125 PSI, FIXED CAVITY COUPLING, POTABLE WATER, STRAIGHT MALE TO 90ï° MALE	2018	SAE	0
7277	J1842	Disc Wheel Hub/Spoke Wheel and Axle Interface Dimensions - Truck and Bus	2018	SAE	0
7278	AMS4991F	Titanium Alloy Castings, Investment 6Al - 4V Hot Isostatic Pressed, Anneal Optional - UNS R56401	2018	SAE	0
7279	AS27646D	(R) BEARING, BALL, AIRFRAME, ANTI-FRICTION, EXTRA LIGHT DUTY	2018	SAE	0
7280	J2980	(R) Considerations for ISO 26262 ASIL Hazard Classification	2018	SAE	0
7281	J1279	Snowmobile Drive Mechanisms	2018	SAE	0
7282	AMS4633B	Bronze, Aluminum Silicon, Rods, Bars, and Forgings 90Cu - 7.0Al - 1.8Si Drawn and Stress Relieved (HR50) - UNS C64200	2018	SAE	0
7283	AS6041A	(R) FITTING, TEE, STANDARD AND REDUCER, BULKHEAD ON RUN, INTERNAL PORT ON SIDE, FLARELESS, PRECISION TYPE	2018	SAE	0
7284	AS9490B	BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, 130 KSI MIN, .2500-28 UNJF-3A	2018	SAE	0
7285	AS1895/20C	(R) COUPLING, V-RETAINER, DOUBLE LATCH, TYPE II LOW PROFILE	2018	SAE	0
7286	AS7474D	(R) Bolts and Screws, Steel, Corrosion Resistant, UNS S17400 Tensile Strength 140 ksi Procurement Specification	2018	SAE	0
7287	MA1784A	Spacers and Washers, Procurement Specification for, Metric	2018	SAE	0
7288	J575	Test Methods and Equipment for Lighting Devices for Use on Vehicles Less than 2032 mm in Overall Width	2018	SAE	0
7289	AS85720B	(R) Fittings, Tube, Fluid Systems, Separable, High Pressure Beam Seal, 5000/8000 psi, General Specification For	2018	SAE	0
7290	AS23053/1A	INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, CROSSLINKED CHLORINATED POLYOLEFIN, FLEXIBLE	2018	SAE	0
7291	AS5780D	Specification for Aero and Aero-Derived Gas Turbine Engine Lubricants	2018	SAE	0
7292	AS22759D	(R) Wire, Electrical, Fluoropolymer-Insulated, Copper or Copper Alloy	2018	SAE	0
7293	AMS5898B	Steel, Corrosion Resistant, Bars, Wire, and Forgings 15.2Cr - 1.0Mo - 0.40N - (0.28 - 0.34C) Consumable Electrode Melted Under Pressure	2018	SAE	0
7294	AS3159B	BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HD, DRILLED, CLOSE TOLERANCE SHANK, TI ALLOY, UNS R56400, 160 KSI MIN .3750-24, UNJF-3A	2018	SAE	0
7295	AS9724D	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, CORROSION AND HEAT RESISTANT STEEL, UNS N07001, 165 KSI MIN, .2500-28 UNJF-3A	2018	SAE	0
7296	AMS4945G	Titanium Alloy Tubing, Seamless, Hydraulic 3Al - 2.5V, Controlled Contractile Strain Ratio Cold Worked, Stress Relieved - UNS R56320	2018	SAE	0
7297	AS85421B	(R) Fittings, Tube, Fluid Systems, Separable, Beam Seal, 3000/4000 psi, General Specification For	2018	SAE	0
7298	AS6171A	Test Methods Standard; General Requirements, Suspect/Counterfeit, Electrical, Electronic, and Electromechanical Parts - Includes Access to Additional Content	2018	SAE	0
7299	AS85049/145A	CONNECTOR ACCESSORIES, ELECTRICAL BACKSHELL, 45ï°, NON-SELF LOCKING AND SELF LOCKING, MS â__Vâ__ THREAD, CATEGORY 3B (FOR MIL-DTL-83723 SERIES III, AS50151 SERIES II & III, AS81703 SERIES III, MIL-DTL-26842 SERIES II AND AS95234 CONNECTORS)	2018	SAE	0
7300	AS598A	(R) Aerospace Microscopic Sizing and Counting of Particulate Contamination for Fluid Power Systems	2018	SAE	0
7301	AMS4459B	Aluminum Alloy, Extrusion 2.7Cu - 1.8Li - 0.7Zn - 0.3Mn - 0.3Mg - 0.08Zr (2099-T81) Solution Heat Treated, Stress Relieved by Stretching 1 to 3% and Aged	2018	SAE	0
7302	AS8034C	(R) Minimum Performance Standard for Airborne Multipurpose Electronic Displays	2018	SAE	0
7303	AS6468	FITTING ASSEMBLY, 45ï° ELBOW, EXTERNAL SWAGE TO FEMALE FLARELESS, HYDRAULIC	2018	SAE	0
7304	AS6285A	Aircraft Ground Deicing/Anti-Icing Processes	2018	SAE	0
7305	AMS4407A	Aluminum Alloy, Plate (7056-T7651) 9.1Zn - 1.6Cu - 1.9Mg Solution Heat Treated, Stress Relieved, and Overaged - UNS A97056	2018	SAE	0
7306	AMS6945C	Titanium Alloy, Single Melt, Sheet, Strip, and Plate 6Al - 4V Annealed - UNS R56400	2018	SAE	0

7307	J2468	(R) High-Preload Deflection and Compressibility Test Procedures for Friction Materials	2018	SAE	0
7308	AIR1364B	(R) Age Control of Age Sensitive Elastomeric Materials	2018	SAE	0
7309	AMS4373	Aluminum Alloy, Rolled, Drawn or Cold Finished Bar, Rod, and Wire 4.0Cu - 0.70Mn - 0.60Mg - 0.50Si (2017; -O or when ordered -F) - UNS A92017	2018	SAE	0
7310	AIR4782B	Hydrant Valve and Coupler Historical Background	2018	SAE	0
7311	AS4220D	(R) FITTING, ELBOW, 45Ï°, BEAM SEAL BULKHEAD	2018	SAE	0
7312	AIR5913A	(R) Landing Gear Component Heat Damage	2018	SAE	0
7313	AMS1424P	Fluid, Aircraft Deicing/Anti-Icing, SAE Type I	2018	SAE	0
7314	ARP5908A	(R) Landing Gear Servicing	2018	SAE	0
7315	AMS5933A	Steel, Corrosion Resistant Bars and Forgings 12.5Cr - 1.0Ni - 15.5Co - 2.0Mo Vacuum Induction Plus Vacuum Consumable Electrode Remelted	2018	SAE	0
7316	AMS5747E	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 72Ni - 15.5Cr - 0.95Cb(Nb) - 2.5Ti - 0.70Al - 7.0Fe 1800 Ï°F (982 Ï°C) Solution Heat Treated, Precipitation Hardenable - UNS N07750	2018	SAE	0
7317	AMS5620H	Steel, Corrosion and Heat-Resistant, Bars, Wire, and Forgings 13Cr (0.30 - 0.40C) (420F, 420FSe) Free-Machining Grade - UNS S42020 (Type 2); S42023 (Type 1)	2018	SAE	0
7318	AMS4343F	Aluminum Alloy, Extrusions 7.7Zn - 2.4Mg - 1.6Cu - 0.16Cr (7149-T73511) Solution Heat Treated, Stress Relieved by Stretching, and Overaged - UNS A97149	2018	SAE	0
7319	AMS4101F	Aluminum Alloy, Plate 4.4Cu - 1.5Mg - 0.60Mn (2124-T851) Solution Heat Treated, Stretched, and Precipitation Heat Treated - UNS A92124	2018	SAE	0
7320	AS6099A	FITTING, ELBOW, 90Ï°, STANDARD AND REDUCER, FLARED, 37Ï° SPHERICAL	2018	SAE	0
7321	AS8533	FITTING ASSEMBLY, TEE, BEAM SEAL, RETAINED NUT ON SIDE, 5000 PSI	2018	SAE	0
7322	AMS4276B	Aluminum Alloy, Sheet 4.4Cu - 1.5Mg - 0.60Mn (2024-O) Annealed, Fine Grained - UNS A92024	2018	SAE	0
7323	AMS5661G	Nickel-Iron Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 42.5Ni - 12.5Cr - 5.8Mo - 2.9Ti - 0.015B - 35Fe Consumable Electrode or Vacuum Induction Melted Solution, Stabilization, and Precipitation Heat Treated - Composition similar to UNS	2018	SAE	0
7324	AS7454C	(R) Bolts and Screws, Steel, Low Alloy, Heat Resistant 135000 psi Tensile Strength, Normalized and Tempered, Roll Threaded	2018	SAE	0
7325	AMS7707E	Iron, Commercially Pure, Bar, Sheet, Strip, and Plate Hot Rolled, Unannealed - UNS K00095	2018	SAE	0
7326	AS23053/10A	INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, SILICONE RUBBER, FLEXIBLE	2018	SAE	0
7327	AMS6493B	Steel Bars, Forgings, and Tubing 1.0Cr - 3.25Ni - 0.40Mo (0.17 - 0.22C) Electroslag Remelted or Consumable Electrode Vacuum Remelted Premium Aircraft-Quality - UNS K41910	2018	SAE	0
7328	J3163	SURFACE TRANSPORTATION RECOMMENDED PRACTICE	2018	SAE	0
7329	J2836	Instructions for Using Plug-In Electric Vehicle (PEV) Communications, Interoperability and Security Documents	2018	SAE	0
7330	AMS4178F	Core, Flexible Honeycomb, Aluminum Alloy, Treated for Sandwich Construction 5052, 350 (177)	2018	SAE	0
7331	AS4473C	HOSE ASSEMBLY, LINED SILICONE, 125 PSI, FLARELESS, POTABLE WATER, 45Ï° TO 90Ï°	2018	SAE	0
7332	J3016	(R) Taxonomy and Definitions for Terms Related to Driving Automation Systems for On-Road Motor Vehicles	2018	SAE	0
7333	ARP6503	Cabin Crew Rest Facilities	2018	SAE	0
7334	AMS4040P	Aluminum Alloy, Sheet and Plate, Alclad 4.4Cu - 1.5Mg - 0.60Mn (2024-O with 1 Ï % Alclad); Annealed - UNS A82024	2018	SAE	0
7335	AMS5919B	Cobalt-Nickel Alloy, Corrosion and Heat-Resistant, Round Bars 19Cr - 36Co - 25Ni - 7.0Mo - 0.50Cb (Nb) - 2.9Ti - 0.20Al - 9.0Fe Vacuum Induction Plus Vacuum Consumable Electrode Melted Solution Heat Treated and Work Strengthened, Modified Strength - UNS R	2018	SAE	0
7336	ARP6283	In-Service Fiber Optic Inspection, Evaluation and Cleaning, Best Practices, Physical Contact Termini	2018	SAE	0
7337	AMS7322G	Rings, Sealing, Cast Tin Bronze 80Cu - 19Sn As Cast - UNS C91300	2018	SAE	0
7338	AS8528	FITTING, TEE, BEAM SEAL, 5000 PSI	2018	SAE	0

7339	AMS5773F	Steel, Corrosion-Resistant, Bars, Wire, Forgings, Mechanical Tubing, and Rings 15Cr - 6.5Ni - 0.75Mo - 0.30 Cb (Nb) - 1.5Cu Consumable Electrode Remelted, Solution Heat Treated Precipitation Hardenable - UNS S45000	2018	SAE	0
7340	AS39029/33C	(R) CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR AS81511 SERIES 1 CONNECTORS)	2018	SAE	0
7341	JA6268	Design & Run-Time Information Exchange for Health-Ready Components	2018	SAE	0
7342	J2964	Low Speed Continuous Slip SAE No. 2 خ PVT Procedure	2018	SAE	0
7343	J3142	Thermal Flow Control Valve Nomenclature and Application	2018	SAE	0
7344	AMS4776J	Nickel Alloy, Brazing Filler Metal 73Ni - 4.5Si - 14Cr - 3.1B - 4.5Fe (Low Carbon) 1790 ï°F (977 ï°C) Solidus to 1970 ï°F (1077 ï°C) Liquidus Range - UNS N99610	2018	SAE	0
7345	AS9491B	(R) BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, 130 KSI MIN, .3125-24 UNJF-3A	2018	SAE	0
7346	AMS5925B	Steel, Corrosion-Resistant, Bars, Wire, and Forgings 15.5Cr - 1.8Mo - 0.20N (0.37 - 0.45C) Electroslag Remelted - UNS S42025	2018	SAE	0
7347	ARP5794A	Centrifugal Aircraft Fuel Pump Requirements, Design and Testing, Aerospace Standard	2018	SAE	0
7348	J2032	(R) Ignition Cable Assemblies	2018	SAE	0
7349	AS9577B	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, UNS S66286, SILVER PLATED, .3750-24 UNJF-3A	2018	SAE	0
7350	J2614	(R) Welded and Cold-Drawn, High Strength (500 MPa Tensile Strength) Hydraulic Tubing, for Bending, Flaring, Cold Forming, Welding and Brazing	2018	SAE	0
7351	AMS5364D	Steel, Corrosion and Heat-Resistant, Investment Castings 19.5Cr - 10.5Ni - 0.65Cb (CF-8C) Solution Heat Treated - UNS J92710	2018	SAE	0
7352	AMS6558A	Steel, Bars, Wire, and Forgings 10.5Mo - 6W - 3.75Cr - 2V (1.25 - 1.40C) Powder Metallurgy Product Hot Isostatically Pressed - UNS T11362	2018	SAE	0
7353	J2796	(R) Power Cylinder Oil Consumption: Methods of Measurements	2018	SAE	0
7354	J2247	Truck Tractor Power Output for Trailer ABS	2018	SAE	0
7355	ARP4462A	Barkhausen Noise Inspection for Detecting Grinding Burns in High Strength Steel Parts	2018	SAE	0
7356	AMS6362H	Steel Tubing, Seamless 0.95Cr - 0.20Mo (0.28 - 0.33C) (SAE 4130) 150 ksi (1034 MPa) Tensile Strength - UNS G41300	2018	SAE	0
7357	AS4803D	HOSE ASSEMBLY, LINED SILICONE, 125 PSI, FIXED CAVITY COUPLING, POTABLE WATER, STRAIGHT MALE TO 90 DEGREES FEMALE	2018	SAE	0
7358	AMS4779K	Nickel Alloy, Brazing Filler Metal 94Ni - 3.5Si - 1.8B 1800 ï°F (982 ï°C) Solidus, 1950 ï°F (1066 ï°C) Liquidus - UNS N99640	2018	SAE	0
7359	MA1943B	Nuts, Self-Locking, UNS N07001 730 ï°C, 1100 MPa, and 1210 MPa Procurement Specification for, Metric	2018	SAE	0
7360	AMS3334F	Silicone Rubber Extreme Low-Temperature Resistant 35 - 45	2018	SAE	0
7361	AMS6270R	Steel, Bars, Forgings, and Tubing 0.50Cr - 0.55Ni - 0.20Mo (0.13 - 0.18C) (SAE 8615) - UNS G86150	2018	SAE	0
7362	AS4796D	HOSE ASSEMBLY, LINED SILICONE, 125 PSI, FIXED CAVITY COUPLING, POTABLE WATER, STRAIGHT FEMALE TO STRAIGHT MALE	2018	SAE	0
7363	AIR6219	Development of Atmospheric Neutron Single Event Effects Analysis for Use in Safety Assessments	2018	SAE	0
7364	AS8532	FITTING, UNION, BEAM SEAL, 5000 PSI	2018	SAE	0
7365	J3068	Electric Vehicle Power Transfer System Using a Three-Phase Capable Coupler	2018	SAE	0
7366	J1928	Devices Providing Backfire Flame Control for Gasoline Engines in Marine Applications	2018	SAE	0
7367	AS6045B	(R) FITTING, TEE, STANDARD AND REDUCER, FLARELESS, PRECISION TYPE	2018	SAE	0
7368	J2713	Direct Injection Gasoline Fuel Injector Characterization	2018	SAE	0
7369	AMS2451/2B	Plating, Brush, Nickel Low Stress, Hard Deposit	2018	SAE	0
7370	AS39029/44D	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR AS50151 SERIES AS34001 AND AS95234 CONNECTORS)	2018	SAE	0

7371	AS33731A	(R) STRIP, MOUNTING, NUT INSULATING, FOR AS27212 TERMINAL BOARD	2018	SAE	0
7372	AMS5906C	Steel, Corrosion Resistant, Sheet Strip 18Cr - 9.0Ni (SAE 30302) Cold Rolled, Full Hard, 185 ksi (1276 MPa) Tensile Strength - UNS S30200	2018	SAE	0
7373	AMS4078K	Aluminum Alloy Sheet and Plate 5.6Zn 2.5Mg-1.6Cu-0.23Cr 7075: (-T73 Sheet, -T7351 Plate) Solution Heat Treated and Overaged - UNS A97075	2018	SAE	0
7374	AS3245D	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, NICKEL ALLOY, UNS N07718, 185 KSI MIN, .3125-24 UNJF-3A	2018	SAE	0
7375	AS23190/3B	STRAPS, CLAMPS, AND MOUNTING HARDWARE, PLASTIC AND METAL FOR CABLE HARNESS TYING AND SUPPORT STRAP, TIE DOWN, ADJUSTABLE, CORROSION RESISTANT STEEL, TYPE VI, CLASS 1	2018	SAE	0
7376	AMS4992C	Casting, Structural Investment, Titanium Alloy 6Al - 4V Hot Isostatically Pressed - UNS R56401	2018	SAE	0
7377	AS85049/152A	CONNECTOR ACCESSORIES, ELECTRICAL, RFI/EMI, STRAIN RELIEF, 45ï°, SELF-LOCKING, CATEGORY 3C (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2018	SAE	0
7378	AMS6322R	Steel Bars, Forgings, and Rings 0.50Cr 0.55Ni 0.25Mo (0.38 0.43C) (SAE 8740) - UNS G87400	2018	SAE	0
7379	AS9566B	(R) BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, CRES UNS S66286, 130 KSI MIN .2500-28 UNJF-3A	2018	SAE	0
7380	J3151	Relating Experimental Drive Distraction and Driving Performance Metrics to Crash Involvement - Definitions of Terms and Concepts	2018	SAE	0
7381	AS85049/3C	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, CABLE SEALING, STRAIGHT, CATEGORY 1A (FOR MIL-DTL-22992 CONNECTORS, CLASSES C, J, AND R)	2018	SAE	0
7382	J2963	Summary of Stop Lamp-Related Federal Motor Vehicle Safety Standards and NHTSA Interpretations, Relative to ATC, Stability Control Interventions, Engine Retarders/Exhaust Brakes	2018	SAE	0
7383	AMS4478A	Aluminum Alloy, Sheet and Plate, Alclad 4.4Cu - 1.5Mg - 0.60Mn (Alclad 2024, -T81 Sheet, -T851 Plate) Solution Heat Treated, Cold Worked and Artificially Aged - UNS A82024	2018	SAE	0
7384	AS6472	FITTING, UNION, BULKHEAD, EXTERNAL SWAGE, HYDRAULIC	2018	SAE	0
7385	AS85049/103D	(R) CONNECTORS, ACCESSORIES, COMPOSITE, RFI/EMI, ELECTRICAL, STRAIN RELIEF, STRAIGHT, SELF-LOCKING, CATEGORY 3C (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2018	SAE	0
7386	AMS4898E	Titanium Alloy, Sheet 6Al - 2Sn - 2Zr - 2Mo - 2Cr - 0.15Si Annealed - UNS R56222	2018	SAE	0
7387	AMS4446D	Magnesium Alloy, Sand Castings 8.7Al - 0.70Zn - 0.26Mn (AZ91E-T6) Solution and Precipitation Heat Treated - UNS M11919	2018	SAE	0
7388	AS4221D	(R) FITTING, ELBOW, 90ï°, BEAM SEAL BULKHEAD	2018	SAE	0
7389	AS6969	Data Dictionary for Quantities Used in Cyber Physical Systems - Includes Access to Additional Content	2018	SAE	0
7390	AMS5334J	Steel, Investment Castings 0.50Cr - 0.55Ni - 0.20Mo (0.25 - 0.35C) (SAE 8630 Mod) Normalized and Tempered - UNS J13042	2018	SAE	0
7391	AMS3201M	Butadiene Acrylonitrile (NBR) Rubber Dry Heat Resistant 35 - 45	2018	SAE	0
7392	AMS5937A	Steel, Corrosion-Resistant, Bars, Wire, and Forgings 12Cr - 11Ni - 2Mo - 1.5Al - 0.3Ti Vacuum Induction Plus Vacuum Consumable Electrode Melted Solution Heat Treated, Precipitation Hardenable	2018	SAE	0
7393	AIR6908	Impact Characteristics of Seat Back Mounted IFE Monitors - Basis for ARP6330	2018	SAE	0
7394	AMS5932C	Steel, Corrosion and Heat-Resistant, Bars, Forgings and Mechanical Tubing 14.5Cr - 2.3Ni - 12.5Co - 4.0Mo - 0.60V - 0.03Cb(Nb) Carburizing, Premium Aircraft-Quality, Double Vacuum Melted - UNS S42640	2018	SAE	0
7395	AMS5796F	Cobalt Alloy, Corrosion and Heat-Resistant, Welding Wire 52Co - 20Cr - 10Ni - 15W - UNS R30605	2018	SAE	0
7396	AS39029/122A	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, EXPANDED PERFORMANCE, SIZES 10, 12, 16, 20, 22 AND 23 (FOR MIL-DTL-38999 SERIES III CONNECTORS)	2018	SAE	0
7397	AMS4344F	Aluminum Alloy, Extrusions 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (7175-T73511) Solution Heat Treated, Stress Relieved by Stretching, Straightened, and Overaged - UNS A97175	2018	SAE	0
7398	AIR1594D	Plain Bearing Selection for Landing Gear Applications	2018	SAE	0

7399	AMS4157E	Aluminum Alloy Extrusions 7.7Zn - 2.4Mg - 1.6Cu - 0.16Cr (7049-T73511) Solution Heat Treated, Stress Relieved, and Overaged - UNS A97049	2018	SAE	0
7400	AS6102A	FITTING, TEE, STANDARD AND REDUCER, BULKHEAD ON SIDE, FLARED, 37ï° SPHERICAL	2018	SAE	0
7401	6857	Requirements for a Terrestrial Based Positioning, Navigation, and Timing (PNT) System to Improve Navigation Solutions and Ensure Critical Infrastructure Security	2018	SAE	0
7402	AS8534	FITTING ASSEMBLY, ELBOW, 90ï°, BEAM SEAL, RETAINED NUT, 5000 PSI	2018	SAE	0
7403	AMS4408A	Aluminum Alloy, Plate (7140-T7651) 6.6Zn - 1.8Cu - 2.0Mg - 0.10Zr Solution Heat Treated, Stress Relieved, and Overaged - UNS A97140	2018	SAE	0
7404	AS6475	FITTING ASSEMBLY, 90ï° ELBOW, EXTERNAL SWAGE TO FEMALE FLARELESS, HYDRAULIC	2018	SAE	0
7405	AMS5670G	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 72Ni - 15.5Cr - 0.95Cb(Nb) - 2.5Ti - 0.70Al - 7.0Fe 1800 ï°F (982 ï°C) Solution Heat Treated, Precipitation-Hardenable - UNS N07750	2018	SAE	0
7406	AS7511A	(R) ASSEMBLED COUPLING ENVELOPE, THREADLESS - FLEXIBLE, FIXED CAVITY, CURRENT CARRYING, SELF BONDING, ENVELOPE DIMENSIONS	2018	SAE	0
7407	ARP7488	Peening Design and Process Control Guidelines	2018	SAE	0
7408	AS70991C	(R) Terminals: Lug and Splice, Crimp Style, Aluminum, for Aluminum Aircraft Wire	2018	SAE	0
7409	AMS6519E	Steel, Maraging, Bars, Forgings, Tubing, and Rings 19Ni - 3.0Mo - 1.4Ti - 0.10Al Premium Aircraft Quality Double Vacuum Melted, Annealed - UNS K92150	2018	SAE	0
7410	AMS4349E	Core, Honeycomb, Aluminum Alloy, Corrosion Inhibited For Sandwich Construction 5056, 350 (177)	2018	SAE	0
7411	AS4474C	HOSE ASSEMBLY, LINED SILICONE, 125 PSI, FLARELESS, POTABLE WATER, 90ï° TO 90ï°	2018	SAE	0
7412	AMS4120S	Aluminum Alloy, Rolled or Cold Finished Bars, Rods, and Wire 4.4Cu - 1.5Mg - 0.60Mn (2024) Solution Heat Treated and Naturally Aged (T4) Solution Heat Treated, Cold Worked, and Naturally Aged (T351) - UNS A92024	2018	SAE	0
7413	AMS5920B	Cobalt-Nickel Alloy, Corrosion and Heat-Resistant, Round Bars 19Cr - 36Co - 25Ni - 7.0Mo - 0.50Cb (Nb) - 2.9Ti - 0.20Al - 9.0Fe Vacuum Induction Plus Vacuum Consumable Electrode Melted Solution Heat Treated, Work Strengthened and Aged, Modified Strength -	2018	SAE	0
7414	AMS2759/3G	(R) Heat Treatment Precipitation-Hardening Corrosion-Resistant, Maraging, and Secondary Hardening Steel Parts	2018	SAE	0
7415	ARP6320	Procedure for the Continuous Sampling and Measurement of Non-Volatile Particulate Matter Emissions from Aircraft Turbine Engines - Includes Access to Additional Content	2018	SAE	0
7416	AS6042A	FITTING, TEE, STANDARD AND REDUCER, BULKHEAD AND INTERNAL PORT ON RUN, FLARELESS, PRECISION TYPE	2018	SAE	0
7417	ARP1947C	Dendrite Arm Spacing of Structural Aircraft Quality D357 Aluminum Alloy Castings, Determination and Acceptance of	2018	SAE	0
7418	AS8529	FITTING, ELBOW, 45ï°, BEAM SEAL BULKHEAD, 5000 PSI	2018	SAE	0
7419	AMS6346C	Steel Bars 0.95Cr - 0.20Mo (0.28 to 0.33C) (SAE 4130) Hardened and Tempered, 125 Ksi (862 MPa) Tensile Strength - UNS G41300	2018	SAE	0
7420	AMS1536C	Cleaner for Aircraft Components Cold Tank Type, Solvent-Base	2018	SAE	0
7421	AS85049/89D	(R) CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, 45ï°, SELF-LOCKING, SHIELD BAND TERMINATION (RFI/EMI), SHRINK SLEEVE ACCOMMODATION, CATEGORY 3B (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2018	SAE	0
7422	AMS3025E	Polyalkylene Glycol Heat Treat Quenchant	2018	SAE	0
7423	AMS4777J	Nickel Alloy, Brazing Filler Metal 82Ni - 4.5Si - 7.0Cr - 3.1B - 3.0Fe 1780 ï°F (971 ï°C) Solidus to 1830 ï°F (999 ï°C) Liquidus Range - UNS N99620	2018	SAE	0
7424	AS25027B	LIGHT ASSEMBLY, COCKPIT, FIXED	2018	SAE	0
7425	AMS3052A	(R) Grease, Aircraft, General Purpose, Low Temperature Range, Lithium Thickened	2018	SAE	0
7426	ARP4715A	Induction Hardening of Steel Components	2018	SAE	0
7427	AS3626B	(R) NUT, SELF-LOCKING, DOUBLE HEXAGON, REDUCED ENVELOPE, UNS S66286, COUNTERBORED SILVER PLATED THREADS ONLY	2018	SAE	0
7428	J2989	Handling and Packaging of Materials and Components for Emissions Testing	2018	SAE	0

7429	AMS5517M	Steel, Corrosion Resistant, Sheet and Strip 18Cr - 8Ni (301) Cold Rolled, 125 ksi (862 MPa) Tensile Strength - UNS S30100	2018	SAE	0
7430	AS51989C	STUD, LOCKED IN-RING LOCKED, SERRATED	2018	SAE	0
7431	AS6043B	FITTING, TEE, STANDARD AND REDUCER, BULKHEAD ON RUN, FLARELESS, PRECISION TYPE	2018	SAE	0
7432	AMS5370E	Steel, Corrosion and Heat-Resistant, Investment Castings 19Cr - 9.5Ni (CF-3) Solution Heat Treated - UNS J92620	2018	SAE	0
7433	AMS6559A	Steel, Bars, Wire, and Forgings 9.75V - 5.25Cr - 1.3Mo (2.40 - 2.55C) Powder Metallurgy Product Hot Isostatically Pressed - UNS T30111	2018	SAE	0
7434	AIR6319	ATP360 An Air Carrier First Officer Training Program	2018	SAE	0
7435	MA3329D	(R) INSERT, SCREW THREAD, HELICAL COIL, METRIC SERIES, SCREW LOCKING, CRES, UNCOATED	2018	SAE	0
7436	AS5148A	(R) Assembly, Installation, and Torque for Flareless and Straight Thread Fluid Fittings and Tube Assemblies	2018	SAE	0
7437	AMS3337F	Silicone (PVMQ) Rubber Extreme-Low-Temperature Resistant 65 - 75	2018	SAE	0
7438	AMS6272N	Steel Bars, Forgings, and Tubing 0.50Cr - 0.55Ni - 0.20Mo (0.15 - 0.20C) (SAE 8617) - UNS G86170	2018	SAE	0
7439	AS4797D	HOSE ASSEMBLY, LINED SILICONE, 125 PSI, FIXED CAVITY COUPLING, POTABLE WATER, STRAIGHT FEMALE TO 45Ï° MALE	2018	SAE	0
7440	AMS2630D	(R) Inspection, Ultrasonic Product Over 0.5 Inch (12.7 mm) Thick	2018	SAE	0
7441	AMS3021F	Fluid, Reference for Testing Di-Ester (Polyol) Resistant Material	2018	SAE	0
7442	AS21441C	(R) BEARING, ROLLER, NEEDLE, TRACK ROLLER, INTEGRAL HEAVY STUD, TYPE IX, ANTIFRICTION, INCH	2018	SAE	0
7443	AMS1428K	(R) Fluid, Aircraft Deicing/Anti-Icing, Non-Newtonian (Pseudoplastic), SAE Types II, III, and IV	2018	SAE	0
7444	AIR5317A	(R) A Guide to APU Health Management	2018	SAE	0
7445	AMS4965M	Titanium Alloy, Bars, Wire, Forgings, and Rings 6.0Al - 4.0V Solution Heat Treated and Aged - UNS R56400	2018	SAE	0
7446	J1939-1	(R) On-Highway Equipment Control and Communication Network	2018	SAE	0
7447	AS153J	HOSE ASSEMBLY, PTFE, CRES REINFORCED, 3000 PSI, 400 Ï°F, STRAIGHT TO STRAIGHT, FLARED, LIGHTWEIGHT	2018	SAE	0
7448	AS6050A	(R) FITTING, ELBOW, 45Ï°, STANDARD AND REDUCER, BULKHEAD, FLARELESS, PRECISION TYPE	2018	SAE	0
7449	ARP488F	Exits and Their Operation - Air Transport Cabin Emergency	2018	SAE	0
7450	ARP5526E	(R) Aircraft Seat Design Guidance and Clarifications	2018	SAE	0
7451	J3045	(R) Truck and Bus Lane Departure Warning Systems Test Procedure and Minimum Performance Requirements	2018	SAE	0
7452	J814	(R) Coolants for Internal Combustion Engines	2018	SAE	0
7453	AS39029/5E	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, MIL-DTL-83723 SERIES I AND III, MIL-DTL-83733 CONNECTORS, MIL-DTL-12883/40, AND /41 RELAY SOCKETS)	2018	SAE	0
7454	AMS6408E	Steel, Hotwork Tool, Bars and Forgings 5.25Cr 1.5Mo 1.0V (0.35-0.45C) (H-13) Electroslag Remelted (ESR) or Consumable Electrode Vacuum Arc Remelted (VAR) Annealed - UNS T20813	2018	SAE	0
7455	AS3504C	INSERT - THIN WALL, SHORT, SELF-LOCKING, 1025 Ï°F, SILVER PLATED ON INTERNAL SURFACES ONLY, UNS N07718, UNJ THREAD	2018	SAE	0
7456	T-135	Electric Flight Technology: The Unfolding of a New Future	2018	SAE	0
7457	AS33671G	STRAP, TIEDOWN, ELECTRICAL COMPONENTS, ADJUSTABLE, SELF-CLINCHING, PLASTIC, TYPE I, CLASS 1	2018	SAE	0
7458	AMS6290K	Steel, Bars and Forgings, Carburizing 1.8Ni - 0.25Mo (0.11 - 0.17C) (SAE 4615) - UNS G46150	2018	SAE	0
7459	AS25226A	(R) Link, Terminal, Connecting	2018	SAE	0
7460	AIR1362D	Aerospace Hydraulic Fluids Physical Properties	2018	SAE	0
7461	AS115H	HOSE ASSEMBLY, PTFE, CRES REINFORCED, 3000 PSI, 400 Ï°F, STRAIGHT TO STRAIGHT, FLARELESS, LIGHTWEIGHT	2018	SAE	0

7462	J1698-1	(R) Event Data Recorder - Output Data Definition	2018	SAE	0
7463	AS85049/144A	CONNECTOR ACCESSORIES, ELECTRICAL BACKSHELL, STRAIGHT, NON-SELF LOCKING AND SELF LOCKING, MS â__Vâ__ THREAD, CATEGORY 3B (FOR MIL-DTL-83723 SERIES III, AS50151 SERIES II & III, AS81703 SERIES III, MIL-DTL-26482 SERIES II AND AS95234 CONNECTORS)	2018	SAE	0
7464	AMS4378	Aluminum Alloy, Plate (7160-T7651) 7.0Zn - 2.2Cu - 1.5Mg - 0.10Zr Solution Heat Treated, Stress Relieved, and Overaged	2018	SAE	0
7465	AMS6382R	Steel, Bars, Forgings, and Rings 0.95Cr - 0.20Mo (0.38 - 0.43C) (SAE 4140) Annealed - UNS G41400	2018	SAE	0
7466	AMS2451/10B	Plating, Brush, Tin-Zinc Low Hydrogen Embrittlement	2018	SAE	0
7467	AS9633B	(R) BOLT, MACHINE - HEXAGON HEAD, PD SHANK, TITANIUM AMS4967 (UNS R56400), .190-32 UNJF-3A	2018	SAE	0
7468	AS85049/4D	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, CABLE SEALING, STRAIGHT, SET-UP, CATEGORY 1A (FOR MIL-DTL-22992 CONNECTORS, CLASSES C, J, AND R)	2018	SAE	0
7469	AMS5504N	Steel, Corrosion and Heat-Resistant, Sheet, Strip, and Plate 12.5Cr (SAE 51410) Annealed - UNS S41000	2018	SAE	0
7470	J1452	Trailer Grade Parking Performance Test Procedure	2018	SAE	0
7471	AMS4902L	Titanium Sheet, Strip, and Plate Commercially Pure Annealed 40.0 ksi (276 MPa) Yield Strength - UNS R50400	2018	SAE	0
7472	AS5127C	(R) Aerospace Standard Test Methods for Aerospace Sealants Methods for Preparing Aerospace Sealant Test Specimens	2018	SAE	0
7473	AMS5604J	Steel, Corrosion Resistant, Sheet, Strip, and Plate 16.5Cr - 4.0Ni - 4.0Cu - 0.30Cb Solution Heat Treated, Precipitation Hardenable - UNS S17400	2018	SAE	0
7474	AMS4918P	Titanium Alloy, Sheet, Strip, and Plate 6Al - 6V - 2Sn Annealed - UNS R56620	2018	SAE	0
7475	AS4222B	(R) FITTING, UNION, BEAM SEAL	2018	SAE	0
7476	AIR5690A	(R) Rationale for Replacement of Pyrotechnic Signaling Devices in Survival Kits on Transport Category Aircraft Life Rafts and Slide-Rafts	2018	SAE	0
7477	AS81714/14A	(R) TERMINAL JUNCTION SYSTEM, RACK ASSEMBLY, TRACK FEEDTHRU TYPE, LIGHT WEIGHT, SERIES I	2018	SAE	0
7478	USCAR-45	PERFORMANCE SPECIFICATION FOR WELDED WIRE-TO-WIRE SPLICES	2018	SAE	0
7479	AS4984B	Coating Requirements for Aerospace Hand Tools	2018	SAE	0
7480	AMS3202N	Butadiene Acrylonitrile (NBR) Rubber Dry Heat Resistant 55 - 65	2018	SAE	0
7481	AMS6361G	Steel Tubing, Seamless 0.95Cr - 0.20Mo (0.28 - 0.33C) (SAE 4130) 125 ksi (862 MPa) Tensile Strength - UNS G41300	2018	SAE	0
7482	ARP4553B	(R) Self-Displacing Hydraulic Accumulator	2018	SAE	0
7483	ARP693E	(R) Landing and Taxiing Lights - Design Criteria for Installation	2018	SAE	0
7484	AMS5860G	Steel, Corrosion-Resistant, Sheet, Strip, and Plate 12Cr - 8.5Ni - 0.30Cb - 1.1Ti - 2.0Cu Multiple Melted, Solution Heat Treated, Precipitation Hardenable - UNS S45500	2018	SAE	0
7485	J3162	Heavy Duty OBD IUMPR Data Collection Tool Process	2018	SAE	0
7486	AMS4405C	Aluminum Alloy, Alclad Sheet (6156-T4) 1.0Si - 0.90Cu - 0.60Mn - 0.90Mg Solution Heat Treated and Naturally Aged - UNS AA6156	2018	SAE	0
7487	AMS4194E	Aluminum Alloy, Sheet and Plate, Alclad 4.4Cu - 1.5Mg - 0.60Mn (2024 -T361 Sheet/Plate with 1Ï_% Alclad) Solution Heat Treated, 6% Cold Worked and Naturally Aged - UNS A82024	2018	SAE	0
7488	AS6103A	FITTING, CROSS, STANDARD AND REDUCER, 37Ï° SPHERICAL, FLARED	2018	SAE	0
7489	AS8536	FITTING ASSEMBLY, ELBOW, 45Ï°, BEAM SEAL, RETAINED NUT, 5000 PSI	2018	SAE	0
7490	AMS5689G	Steel, Corrosion and Heat Resistant, Wire 18Cr - 10.5Ni - 0.40Ti (321) Solution Heat Treated - UNS S32100	2018	SAE	0
7491	AS6489	FITTING ASSEMBLY, TEE, EXTERNAL SWAGE ON RUN, FEMALE FLARELESS ON BRANCH, HYDRAULIC	2018	SAE	0
7492	AMS5903C	Steel, Corrosion-Resistant, Sheet, Strip, and Plate 18Cr - 9.0Ni (SAE 30302) Cold Rolled, 1/4 Hard, 125 ksi (862 MPa) Tensile Strength - UNS S30200	2018	SAE	0
7493	AS8531	FITTING, ELBOW, 90Ï°, BEAM SEAL BULKHEAD, 5000 PSI	2018	SAE	0
7494	AMS2410L	Plating, Silver Nickel Strike, High Bake	2018	SAE	0

7495	AS85049/69D	CONNECTOR ACCESSORIES, ELECTRICAL, ADAPTER, SHRINKBOOT, CATEGORY 5 (MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2018	SAE	0
7496	AS23053/5A	(R) INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, POLYOLEFIN, FLEXIBLE, CROSSLINKED	2018	SAE	0
7497	J2945/2	Dedicated Short Range Communications (DSRC) Performance Requirements for V2V Safety Awareness	2018	SAE	0
7498	AMS4470B	Aluminum Alloy, Plate (7085-T7451) 7.5Zn - 1.6Cu - 1.5Mg - 0.12Zr Solution Heat Treated, Stress-Relieved, and Overaged - UNS A97085	2018	SAE	0
7499	AS4475C	HOSE ASSEMBLY, LINED SILICONE, 125 PSI, FLARELESS, POTABLE WATER, STRAIGHT MALE TO STRAIGHT FEMALE	2018	SAE	0
7500	J649	Automatic Transmission Functions - Terminology	2018	SAE	0
7501	AMS4326A	Aluminum Alloy, 2013, Extruded Bar, Rod, and Profiles 1.0 Mg - 0.80 Si - 1.8 Cu - 0.20 Cr (2013 -T6511) Solution Heat Treated, Stress-Relieved by Stretching, and Aged - UNS A92013	2018	SAE	0
7502	AMS6324K	Steel Bars, Forgings, and Tubing 0.65Cr - 0.70Ni - 0.25Mo (0.38 - 0.43C) (8740 Modified) - UNS K11640	2018	SAE	0
7503	AMS2759/4D	(R) Heat Treatment Austenitic Corrosion-Resistant Steel Parts	2018	SAE	0
7504	AS6044B	FITTING, ELBOW, 90 DEGREE, STANDARD AND REDUCER, FLARELESS, PRECISION TYPE	2018	SAE	0
7505	1002	U.S. National Grid Standard	2018	SAE	0
7506	AS8530	FITTING, CROSS, BEAM SEAL, 5000 PSI	2018	SAE	0
7507	AMS6475L	Steel, Nitriding, Bars, Forgings, and Tubing 1.1Cr - 3.5Ni - 0.25Mo - 1.2Al (0.21 - 0.26C) - UNS K52355	2018	SAE	0
7508	AMS4842F	Castings, Leaded Bronze, Sand and Centrifugal 80Cu - 10Sn - 9.5Pb As Cast - UNS C93700	2018	SAE	0
7509	AMS4462A	Aluminum Alloy, Sheet and Plate, Alclad 4.4Cu - 1.5Mg - 0.60Mn (Alclad 2024, -T3 Sheet, -T351 Plate) Solution Heat Treated, Cold Worked and Naturally Aged - UNS A82024	2018	SAE	0
7510	AMS1435D	(R) Liquid Runway Deicing/Anti-Icing Product	2018	SAE	0
7511	AMS5674F	Steel, Corrosion and Heat Resistant, Wire 18Cr - 11.5Ni - 0.70Cb (Nb) (347) Solution Heat Treated - UNS S34700	2018	SAE	0
7512	AMS3374E	(R) Sealing Compound Aircraft Firewall, Silicone	2018	SAE	0
7513	AS33202	CIRCUIT BREAKER - AIRCRAFT, TRIP-FREE, PUSH-PULL, BLADE TERMINAL, 1 THROUGH 25 AMPS, TYPE I -55 THROUGH +121 Ï°C	2018	SAE	0
7514	AMS3301J	(R) Elastomer: Silicone Rubber (MQ/VMQ) General Purpose 35 45 Durometer Type â Aâ Hardness	2018	SAE	0
7515	AS5002D	(R) FITTING, ELBOW, 90Ï°, BEAM SEAL, 5000 PSI	2018	SAE	0
7516	AMS5631F	Steel, Corrosion-Resistant, Bars and Forgings 17Cr (0.60 - 0.75C) (SAE 51440A) - UNS S44002	2018	SAE	0
7517	AMS5811E	Steel, Corrosion and Heat Resistant, Welding Wire 15Cr - 30Ni - 1.2Mo - 2.2Ti - 0.25Al - 0.001B - 0.030V (0.01 - 0.03C) Vacuum Induction Melted, Environment Controlled Packaging	2018	SAE	0
7518	ARP711C	(R) Illuminated Signs	2018	SAE	0
7519	AMS3041F	Magnetic Particles, Nonfluorescent Wet Method, Oil Vehicle, Ready-to-Use	2018	SAE	0
7520	AMS5907C	Steel, Corrosion and Heat Resistant, Sheet, Strip, and Plate 17Cr - 12Ni - 2.5Mo (SAE 30316) Cold Rolled, 1/4 Hard, 125 ksi (862 MPa) Tensile Strength - UNS S31600	2018	SAE	0
7521	AMS6560A	Steel Bars, Wire and Forgings 10Co - 7Mo - 6V - 6W - 4Cr (2.2 - 2.4C) Premium Aircraft-Quality for Bearing Applications Inert Gas Atomized and Hot Isostatically Pressed Consolidated - UNS T61301	2018	SAE	0
7522	J2185	Life Test for Heavy-Duty Storage Batteries (Lead Acid Type only)	2018	SAE	0
7523	AS5172C	FITTING, ADAPTER, PORT, REDUCER	2018	SAE	0
7524	ARP6307	New and Newly Retreaded Tire Appearance	2018	SAE	0
7525	AMS4094D	Aluminum Alloy, Sheet and Plate, Alclad 6.3Cu - 0.30Mn - 0.18Zr - 0.10V - 0.06Ti Alclad 2219-T81 Sheet Solution Heat Treated, Cold Worked, and Precipitation Heat Treated Alclad 2219-T851 Plate Solution Heat Treated, Stress Relieved, and Precipitation Heat	2018	SAE	0
7526	AMS6340C	Steel Bars, Forgings, and Tubing 0.88Cr - 1.8Ni - 0.42Mo - 0.08V (0.28 - 0.33C) (4330 Mod) Consumable Electrode Vacuum Remelted - UNS K23080	2018	SAE	0

7527	AS4798D	HOSE ASSEMBLY, LINED SILICONE, 125 PSI, FIXED CAVITY COUPLING, POTABLE WATER, STRAIGHT FEMALE TO 90ï° MALE	2018	SAE	0
7528	AMS2632B	(R) Inspection, Ultrasonic, of Thin Materials 0.50 Inch (12.7 mm) and Under in Cross-Sectional Thickness	2018	SAE	0
7529	ARP4902C	Design of Aircraft Deicing Facilities	2018	SAE	0
7530	AMS1431E	(R) Solid Runway Deicing/Anti-Icing Product	2018	SAE	0
7531	AMS4345C	Aluminum Alloy, Extrusions 6.4Zn - 2.4Mg - 2.2Cu - 0.12Zr (7150-T77511) Solution Heat Treated, Stress-Relieved, Straightened, and Overaged - UNS A97150	2018	SAE	0
7532	AMS2416M	Plating, Nickel-Cadmium Diffused	2018	SAE	0
7533	J2005	Stationary Sound Level Measurement Procedure for Recreational Motorboats	2018	SAE	0
7534	AS154H	HOSE ASSEMBLY, PTFE, CRES REINFORCED, 3000 PSI, 400 ï°F, STRAIGHT TO 45ï°, FLARED, LIGHTWEIGHT	2018	SAE	0
7535	AS3215B	(R) RING, RETAINING-SPIRAL, INTERNAL, HEAVY DUTY, CRES (UNS S30200)	2018	SAE	0
7536	AS85049/147A	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, EXTENDED, STRAIGHT SELF-LOCKING, CATEGORY 4C (FOR MIL-DTL3-38999 SERIES III AND IV CONNECTORS)	2018	SAE	0
7537	MA3279C	(R) INSERT, SCREW THREAD, HELICAL COIL, METRIC SERIES, FREE RUNNING, CRES, UNCOATED	2018	SAE	0
7538	AS81714/26A	(R) TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, MODULES, ELECTRONIC, DIODE, FEEDBACK TYPE, SIZE 20 SERIES I	2018	SAE	0
7539	AMS6411J	Steel Bars, Forgings, and Tubing 0.88Cr 1.8Ni 0.42Mo 0.08V (0.28 0.33C) (4330 Mod) Consumable Electrode Remelted - UNS K23080	2018	SAE	0
7540	J646	(R) Planetary Gears - Terminology	2018	SAE	0
7541	AS6294/2	Requirements for Plastic Encapsulated Microcircuits in Military and Avionics Applications	2018	SAE	0
7542	AMS6946D	Titanium Alloy, Sheet, Strip, and Plate 4Al - 2.5V - 1.5Fe Annealed - UNS R54250	2018	SAE	0
7543	AS33681D	STRAP, TIEDOWN, ELECTRICAL COMPONENTS, IDENTIFICATION, ADJUSTABLE, SELF-CLINCHING, PLASTIC, TYPE II, CLASS 1	2018	SAE	0
7544	AMS6352L	Steel Sheet, Strip, and Plate 0.95Cr - 0.20Mo (0.33 - 0.38C) (SAE 4135) - UNS G41350	2018	SAE	0
7545	AS3095A	(R) INSERT - CRES HELICAL COIL FINE THREAD, LOCKING (LOW FRICTION SYSTEMS) 2 DIA NOM LENGTH	2018	SAE	0
7546	AMS4674H	Nickel - Copper Alloy, Corrosion-Resistant, Bars and Forgings 67Ni - 30Cu - 0.04S Free Machining - UNS N04405	2018	SAE	0
7547	AS1895/23A	(R) HIGH CONFORMANCE SEAL, TYPE I & II STANDARD AND LOW PROFILE	2018	SAE	0
7548	J1843	Accelerator Pedal Position Sensor for Use with Electronic Controls in Medium- and Heavy-Duty Vehicle Applications-Truck and Bus	2018	SAE	0
7549	AMS7819E	Molybdenum Alloy Bars 0.48Ti - 0.09Zr - 0.02C Arc Cast, Stress Relieved - UNS R03640	2018	SAE	0
7550	AMS4252C	Aluminum Alloy, Plate 6.4Zn - 2.4Mg - 2.2Cu - 0.12Zr (7150-T7751) Solution Heat Treated, Stress Relieved, and Overaged - UNS A97150	2018	SAE	0
7551	AS34591C	CONNECTOR, PLUG, ELECTRICAL, SELF-LOCKING, COUPLING NUT, REAR RELEASE, CRIMP CONTACT, AN TYPE	2018	SAE	0
7552	AS85049/5C	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL CABLE SEALING, STRAIGHT, STEP-DOWN, CATEGORY 1A (FOR MIL-DTL-22992 CONNECTORS, CLASSES C, J, AND R)	2018	SAE	0
7553	AMS5505F	Steel, Corrosion and Heat Resistant, Sheet, Strip, and Plate 12Cr (SAE 51410 Modified) Ferrite Controlled, Annealed - UNS S41000	2018	SAE	0
7554	J1495	Test Procedure for Battery Flame Retardant Venting Systems	2018	SAE	0
7555	AMS4937E	Titanium Alloy, Extrusions and Flash Welded Rings 6Al - 6V - 2Sn Beta Extruded Plus Annealed, Heat Treatable - UNS R56620	2018	SAE	0
7556	J45	Brake System Test Procedure - Snowmobiles	2018	SAE	0
7557	AMS5687N	Nickel Alloy, Corrosion and Heat-Resistant, Wire 74Ni - 15.5Cr - 8.0Fe Annealed - UNS N06600	2018	SAE	0
7558	AMS5366F	Steel, Corrosion and Heat-Resistant, Investment Castings 25Cr - 20Ni (CK-20) As-Cast - UNS J94211	2018	SAE	0

7559	AS4224D	(R) FITTING ASSEMBLY, TEE, BEAM SEAL, RETAINED NUT ON SIDE	2018	SAE	0
7560	AMS2759/6C	(R) Gas Nitriding of Low-Alloy Steel Parts	2018	SAE	0
7561	AMS7000	Laser-Powder Bed Fusion (L-PBF) Produced Parts, Nickel Alloy, Corrosion and Heat-Resistant, 62Ni - 21.5Cr - 9.0Mo - 3.65Nb Stress Relieved, Hot Isostatic Pressed and Solution Annealed - UNS N06625	2018	SAE	0
7562	AS23053/4A	INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, POLYOLEFIN 1/, DUAL-WALL, OUTER WALL CROSSLINKED	2018	SAE	0
7563	AMS3205N	Synthetic Rubber Low-Temperature Resistant 45 - 55	2018	SAE	0
7564	AMS6491F	Steel Bars, Forgings, and Tubing 4.1Cr - 4.2Mo - 1.0V (0.80 - 0.85C) (M-50) Premium Aircraft-Quality for Bearing Applications, Double Vacuum Melted - UNS T11350	2018	SAE	0
7565	ARP6330	Methods to Evaluate Impact Characteristics of Seat Back Mounted IFE Monitors	2018	SAE	0
7566	AMS6905C	Titanium Alloy Bars, Forgings and Forging Stock 6.0Al - 2.0Sn - 4.0Zr - 2.0Mo Duplex Annealed - UNS R54620	2018	SAE	0
7567	AMS3158D	Solution, Fluorescent Penetrant Water Base for LOX (Liquid Oxygen) Compatibility	2018	SAE	0
7568	AMS4461B	Aluminum Alloy, Sheet and Plate, Alclad 4.4Cu - 1.5Mg - 0.60Mn (Alclad 2024-O, Sheet and Plate) Annealed; or when specified, â As Fabricatedâ (2024-F) - UNS A82024	2018	SAE	0
7569	AS116H	(R) HOSE ASSEMBLY, PTFE, CRES REINFORCED, 3000 PSI, 400 Ï°F, STRAIGHT TO 45Ï°, FLARELESS, LIGHTWEIGHT	2018	SAE	0
7570	AS6104A	FITTING, ELBOW 45Ï°, STANDARD AND REDUCER, 37Ï° SPHERICAL, FLARED	2018	SAE	0
7571	AS4370F	NUT, FITTING, RETAINED	2018	SAE	0
7572	MA3375D	(R) Studs, Corrosion and Heat Resistant Steel, UNS S66286 Tensile Strength 900 MPa, Procurement Specification, Metric	2018	SAE	0
7573	AMS5697G	Steel, Corrosion-Resistant, Wire 19Cr - 9.5Ni (SAE 30304) Solution Heat Treated - UNS S30400	2018	SAE	0
7574	AMS5904C	Steel, Corrosion-Resistant, Sheet and Strip 18Cr - 9.0Ni (SAE 30302) Cold Rolled, 1/2 Hard, 150 ksi (1034 MPa) Tensile Strength - UNS S30200	2018	SAE	0
7575	AS8535	FITTING ASSEMBLY, TEE, BEAM SEAL, RETAINED NUT ON RUN, 5000 PSI	2018	SAE	0
7576	AMS6547A	Steel Bars, Forgings, and Tubing 1.0Cr - 3.2Ni - 0.2Mo (0.12 - 0.17C) Aircraft-Quality - UNS K43214	2018	SAE	0
7577	AMS4248D	Aluminum Alloy Hand Forgings and Rolled Rings 1.0Mg - 0.60Si - 0.28Cu - 0.20Cr (6061-T652) Solution Heat Treated, Stress Relief Compressed, and Precipitation Heat Treated - UNS A96061	2018	SAE	0
7578	J631	(R) Radiator Nomenclature	2018	SAE	0
7579	J1939-16	(R) Automatic Baud Rate Detection Process	2018	SAE	0
7580	AMS4600A	Aluminum Alloy, Sheet and Plate 6.3Cu - 0.30Mn - 0.06Ti - 0.10V - 0.18Zr Solution Heat Treated, Cold Worked (8%) and Naturally Aged (2219 -T37) - UNS A92219	2018	SAE	0
7581	AS4476C	HOSE ASSEMBLY, LINED SILICONE, 125 PSI, FLARELESS, POTABLE WATER, STRAIGHT MALE TO 45Ï° FEMALE	2018	SAE	0
7582	J3080	Inertia Dynamometer Rotor Crack Test Procedure for Air Disc Brakes	2018	SAE	0
7583	AMS4339B	Aluminum Alloy, Rolled or Cold Finished Bars and Rods 4.4Cu - 1.5Mg - 0.60Mn (2024-T851) Solution Heat Treated, Cold Worked, and Artificially Aged - UNS A92024	2018	SAE	0
7584	AMS6930F	Titanium Alloy Bars, Forgings and Forging Stock 6.0Al - 4.0V Solution Heat Treated and Aged - UNS R56400	2018	SAE	0
7585	AMS2759/5E	(R) Heat Treatment Martensitic Corrosion-Resistant Steel Parts	2018	SAE	0
7586	AS6046B	FITTING, CROSS, STANDARD AND REDUCER, FLARELESS, PRECISION TYPE	2018	SAE	0
7587	AMS5545G	Nickel Alloy, Corrosion and Heat-Resistant, Sheet, Strip, and Plate 54Ni 19Cr 11Co 9.8Mo 3.2Ti 1.5Al 0.006B Vacuum Induction and Consumable Electrode Melted, Solution Heat Treatable Precipitation Heat Treated - UNS N07041	2018	SAE	0
7588	AMS4978H	Titanium Alloy Bars, Wire, Forgings, and Rings 6Al - 6V - 2Sn Annealed - UNS R56620	2018	SAE	0
7589	AMS4210L	Aluminum Alloy, Castings 5.0Si - 1.2Cu - 0.50Mg (355.0-T51) Precipitation Heat Treated - UNS A03550	2018	SAE	0
7590	ARP5061A	(R) Guidelines for Testing and Support of Aerospace, Fiber Optic, Inter-Connect Systems	2018	SAE	0
7591	ARP6252	Integrated Rudder and Brake Pedal Unit, General Requirements for Fly-By Wire Transport and Business Aircraft	2018	SAE	0

7592	AS6075A	FITTING, BOLT, FLARED, 37ï° SPHERICAL	2018	SAE	0
7593	AS5003D	(R) FITTING, TEE, BEAM SEAL, BULKHEAD ON RUN, 5000 PSI	2018	SAE	0
7594	AMS5632J	Steel, Corrosion-Resistant, Bars, Wire, and Forgings 17Cr - 0.50Mo (0.95 - 1.20C) (SAE 51440F) Free-Machining, Annealed - UNS S44020 (Type I) or UNS S44023 (Type II)	2018	SAE	0
7595	AMS8660	Silicone Compound NATO Code Number S-736	2018	SAE	0
7596	ARP4285A	(R) Aerospace - Evaluation of Particulate Contamination in Hydraulic Fluid - Membrane Procedure	2018	SAE	0
7597	ARP5143A	(R) Vacuum Bagging of Thermosetting Composite and Metalbond Repairs	2018	SAE	0
7598	AMS3042F	Magnetic Particles, Nonfluorescent Wet Method, Dry Powder	2018	SAE	0
7599	AMS5910C	Steel, Corrosion-Resistant, Sheet, Strip, and Plate 19Cr - 9.2Ni (304) Cold Rolled, 125 ksi (862 MPa) Tensile Strength - UNS S30400	2018	SAE	0
7600	ARP1311D	Landing Gear Structures and Mechanisms	2018	SAE	0
7601	AMS6448M	Steel, Bars, Forgings, and Tubing 0.95Cr - 0.22V (0.48 - 0.53C) (SAE 6150) - UNS G61500	2018	SAE	0
7602	J3103	Benchmark H-Point Procedure	2018	SAE	0
7603	AS5503B	(R) HOSE ASSEMBLY, LINED SILICONE, 125 PSI, FLARELESS TO FIXED CAVITY, POTABLE WATER	2018	SAE	0
7604	AS4088E	(R) Aerospace Rod Scraper Gland Design Standard	2018	SAE	0
7605	AMS5514H	Steel, Corrosion Resistant, Sheet, Strip, and Plate 18Cr - 11.5Ni (305) Solution Heat Treated - UNS S30500	2018	SAE	0
7606	AMS4095D	Aluminum Alloy, Alclad Sheet and Plate 6.3Cu - 0.30Mn - 0.18Zr - 0.10V - 0.06Ti Alclad 2219-T31; Sheet, Solution Heat Treated and Cold Worked Alclad 2219-T351; Plate, Solution Heat Treated and Stress Relieved - UNS A82219	2018	SAE	0
7607	AMS6427N	Steel Bars, Forgings, and Tubing 0.88Cr - 1.8Ni - 0.42Mo - 0.08V (0.28 - 0.33C) (4330 Mod) - UNS K23080	2018	SAE	0
7608	AMS7731D	Gold Wire and Ribbon 99.97Au Annealed - UNS P00020	2018	SAE	0
7609	AMS2759/2H	Heat Treatment of Low-Alloy Steel Parts Minimum Tensile Strength 220 ksi (1517 MPa) and Higher	2018	SAE	0
7610	ARP6852C	Methods and Processes for Evaluation of Aerodynamic Effects of SAE-Qualified Aircraft Ground Deicing/Anti-Icing Fluids	2018	SAE	0
7611	AS22759/87D	(R) WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYIMIDE INSULATED, NORMAL WEIGHT, NICKEL COATED, COPPER CONDUCTOR, 260 ï°C, 600 VOLT ROHS	2018	SAE	0
7612	J2909	Light Vehicle Dry & Wet Stopping Distance Test Procedure	2018	SAE	0
7613	AS155H	HOSE ASSEMBLY, PTFE, CRES REINFORCED, 3000 PSI , 400 ï°F, STRAIGHT TO 90ï°, FLARED, LIGHTWEIGHT	2018	SAE	0
7614	AS9554E	SCREW, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, 130 KSI MIN, .1380-40 UNJF-3A	2018	SAE	0
7615	AMS4297B	Aluminum Alloy Sheet 4.4Cu - 1.5Mg - 0.60Mn (2024; -T4 Flat Sheet) Solution Heat Treated, High Formability - UNS A92024	2018	SAE	0
7616	AMS2430U	Shot Peening	2018	SAE	0
7617	AMS2466C	Hard Anodic Coating of Magnesium Alloys	2018	SAE	0
7618	J1383	(R) Performance Requirements for Motor Vehicle Headlamps	2018	SAE	0
7619	J1436	(R) Requirements for Engine Cooling System Filling, Deaeration, and Drawdown Tests	2018	SAE	0
7620	ARP5571C	(R) Gas Turbine Engine Performance Presentation and Nomenclature For Object-Oriented Computer Programs	2018	SAE	0
7621	AS12500	Corrosion Prevention and Deterioration Control in Electronic Components and Assemblies	2018	SAE	0
7622	AS81824E	Splice, Electric, Crimp, Copper, Environment Resistant	2018	SAE	0
7623	AMS6539A	Steel Bars, Forgings, and Tubing 1.7Cr - 3.8Ni - 0.3Mo (0.32 - 0.38C) Aircraft-Quality - UNS K54532	2018	SAE	0
7624	AS4799C	HOSE ASSEMBLY, LINED SILICONE, 125 PSI, FIXED CAVITY COUPLING, POTABLE WATER, STRAIGHT FEMALE TO STRAIGHT FEMALE	2018	SAE	0
7625	AMS5383F	Nickel Alloy, Corrosion and Heat-Resistant, Investment Castings 52.5Ni - 19Cr - 3.0Mo - 5.1Cb(Nb) - 0.90Ti - 0.60Al - 18Fe Vacuum Melted Homogenization and Solution Heat Treated - UNS N07718	2018	SAE	0
7626	AIR4923A	(R) Bolts and Screws, Aerospace Engine - Materials, Procurement Specifications and Properties	2018	SAE	0

7627	AS4213B	(R) FITTING, PLUG, BEAM SEAL, HYDRAULIC	2018	SAE	0
7628	AMS5788G	Cobalt Alloy, Corrosion and Heat-Resistant, Hard Facing Rods and Wire 62Co - 29Cr - 4.5W - 1.2C - UNS R30006	2018	SAE	0
7629	J153	(R) Operator Precautions	2018	SAE	0
7630	AMS5506G	Steel, Corrosion and Heat Resistant, Sheet, Strip, and Plate 13Cr (0.30 - 0.40C) (420) Annealed - UNS S42000	2018	SAE	0
7631	AMS4988D	Titanium Alloy Sheet, Strip, and Plate 6Al - 6V - 2Sn Solution Heat Treated - UNS R56620	2018	SAE	0
7632	J2691	15 Pole Connector Between Towing Vehicles and Trailers with 12 Volt Nominal Supply	2018	SAE	0
7633	ARP6001A	Aerospace - Passive Side Stick Unit General Requirements for Fly by Wire Transport and Business	2018	SAE	0
7634	J49	Specification Definitions - Hydraulic Backhoes	2018	SAE	0
7635	AMS5368E	Steel, Corrosion-Resistant, Investment Casings 15Cr - 4.0Ni - 2.3Mo - 0.09N Solution Heat Treated - UNS J92001	2018	SAE	0
7636	AS4807D	(R) FITTING ASSEMBLY, ELBOW, 90Ī°, BEAM SEAL, RETAINED NUT	2018	SAE	0
7637	AMS2759/7C	(R) Carburizing and Heat Treatment of Carburizing Grade Steel Parts	2018	SAE	0
7638	AMS7001	Nickel Alloy, Corrosion and Heat-Resistant, Powder for Additive Manufacturing, 62Ni - 21.5Cr - 9.0Mo - 3.65Nb - UNS N06625	2018	SAE	0
7639	AS25487B	(R) CONNECTOR, PLUG, ATTACHABLE EXTERNAL ELECTRIC POWER, AIRCRAFT, 28 VOLT DC, JET STARTING	2018	SAE	0
7640	AS3093A	STUD - STRAIGHT, KEY LOCKED, CRES (UNS S66286) .3750-24 UNJF X .3750-24 UNJF	2018	SAE	0
7641	AS5698A	(R) Space Power Standard	2018	SAE	0
7642	AS3247D	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, NICKEL ALLOY, UNS N07718, 185 KSI MIN, .4375-20 UNJF-3A	2018	SAE	0
7643	ARP6408	External Hydraulic Fluid Leakage Definition for Landing Gear Shock Absorbers	2018	SAE	0
7644	AMS6910C	Titanium Alloy Bars, Forgings and Forging Stock 8Al - 1Mo - 1V Duplex Annealed - UNS R54810	2018	SAE	0
7645	AMS4041S	Aluminum Alloy, Sheet and Plate, Alclad 4.4Cu - 1.5Mg - 0.60Mn (2024, -T3 Sheet/-T351 Plate with 1Ī_% Alclad) Solution Heat Treated, Cold Worked and Naturally Aged - UNS A82024	2018	SAE	0
7646	AS117H	(R) HOSE ASSEMBLY, PTFE, CRES REINFORCED, 3000 PSI, 400 Ī°F, STRAIGHT TO 90Ī°, FLARELESS, LIGHTWEIGHT	2018	SAE	0
7647	AS7514A	SLEEVE, THREADLESS - FLEXIBLE, FIXED CAVITY, CURRENT CARRYING, SELF BONDING	2018	SAE	0
7648	AS3071C	Acceptance Criteria - Magnetic Particle, Fluorescent Penetrant, and Contrast Dye Penetrant Inspection	2018	SAE	0
7649	AMS5700G	Steel, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 13.5Cr - 13.5Ni - 0.35Mo - 2.2W Annealed - UNS S66009	2018	SAE	0
7650	AS81714/24A	(R) TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL ELECTRONIC IN-LINE JUNCTIONS, DOUBLE, INTEGRAL DIODE(S), SERIES I	2018	SAE	0
7651	AS27212B	(R) TERMINAL BOARD ASSEMBLY, MOLDED-IN-STUD, ELECTRIC	2018	SAE	0
7652	AMS6548A	Steel Bars, Forgings, and Tubing 1.0Cr - 3.2Ni - 0.2Mo (0.12 - 0.17C) Premium Aircraft-Quality Electroslag Remelted or Consumable Electrode Vacuum Remelted - UNS K43214	2018	SAE	0
7653	AMS4482A	Cast Aluminum Alloy Composite 4.6 Cu 3.4Ti 1.4B 0.75Ag 0.27Mg (A205.0/TiB2/3p-T7P) Sand Cast, Solution and Precipitation Heat Treated	2018	SAE	0
7654	J3089	Characterization of On-Board Vehicular Hydrogen Sensors	2018	SAE	0
7655	AIR512G	Aircraft Cabin Illumination	2018	SAE	0
7656	AS25488B	(R) CONNECTOR, PLUG, ATTACHABLE EXTERNAL ELECTRIC POWER, AIRCRAFT, 28 VOLT DC, OPERATING POWER	2018	SAE	0
7657	AMS4930J	Titanium Alloy Bars, Wire, Forgings, and Rings 6Al - 4V, Extra Low Interstitial Annealed - UNS R56401	2018	SAE	0
7658	AS4477C	HOSE ASSEMBLY, LINED SILICONE, 125 PSI, FLARELESS, POTABLE WATER, STRAIGHT MALE TO 90Ī° FEMALE	2018	SAE	0
7659	AMS4342F	Aluminum Alloy, Extrusions 6.2Zn - 2.3Cu - 2.2Mg - 0.12Zr (7050-T74511) Solution Heat Treated, Stress Relieved, Straightened, and Overaged - UNS A97050	2018	SAE	0

7660	AS6369/1A	(R) COUPLING, SHEET METAL, 40Ï° V-BAND, WIDE, STANDARD LATCH	2018	SAE	0
7661	AMS2759/11A	(R) Stress Relief of Steel Parts	2018	SAE	0
7662	AS6047C	FITTING, UNION, STANDARD AND REDUCER, BULKHEAD, FLARELESS, PRECISION TYPE	2018	SAE	0
7663	AS1300E	PORT - RING LOCKED FLUID CONNECTION TYPE STANDARD DIMENSIONS FOR	2018	SAE	0
7664	J2705	Tire Quasi-Static Envelopment of Triangular/Step Cleats Test	2018	SAE	0
7665	AS3097A	(R) INSERT - CRES HELICAL COIL FINE THREAD, LOCKING (LOW FRICTION SYSTEMS) 3 DIA NOM LENGTH	2018	SAE	0
7666	ARP6881	Guidelines for the Use and Installation of Bonded Cable Harness Supports	2018	SAE	0
7667	AMS5402D	Nickel Alloy, Corrosion and Heat-Resistant, Investment Castings 62Ni - 21.5Cr - 9.0Mo - 3.6Cb (Nb) As Cast - UNS N26010	2018	SAE	0
7668	AS6092A	FITTING, 37Ï° SPHERICAL FLARED, CONNECTOR, MULTIPLE FLUID PRESSURE LINE, 75Ï°	2018	SAE	0
7669	AS5004D	(R) FITTING, TEE, BEAM SEAL, BULKHEAD ON SIDE, 5000 PSI	2018	SAE	0
7670	AMS5635G	Steel, Corrosion-Resistant, Bars, Wire, and Forgings 18Cr - 9Ni - 0.21Pb (303Pb) Free-Machining, Solution Heat Treated - UNS S30360	2018	SAE	0
7671	AIR5719A	(R) Teaching Points for a Class on â Critical Issues in Composite Maintenance, Repair and Overhaulâ	2018	SAE	0
7672	J2907	(R) Performance Characterization of Electrified Powertrain Motor-Drive Subsystem	2018	SAE	0
7673	AMS3043E	Magnetic Particles, Nonfluorescent, Wet Method, Oil Vehicle, Aerosol Packaged	2018	SAE	0
7674	ARP6378	Guidance on Mitigation Strategies Against Laser Illumination Effects	2018	SAE	0
7675	AMS6463F	Wire, Steel Welding 18.5Ni - 8.5Co - 5.2Mo - 0.72Ti - 0.10Al (Marage 300) Vacuum Melted, Environment Controlled Packaging - UNS K93130	2018	SAE	0
7676	AS8439	FITTING, CAP ASSEMBLY, BEAM SEAL, HYDRAULIC, 5000 PSI	2018	SAE	0
7677	AS39029/74B	(R) CONTACTS, ELECTRICAL CONNECTORS, PIN, SOLDER, REMOVABLE, SHIELDED, SIZE 12 (FOR MIL-DTL-83723 SERIES III AND MIL-DTL-83527 CONNECTORS)	2018	SAE	0
7678	AMS5576L	Steel, Corrosion and Heat-Resistant, Welded Tubing 18Cr 10.5Ni 0.40Ti (321) Solution Heat Treated - UNS S32100	2018	SAE	0
7679	AMS4250B	Aluminum Alloy, Plate 8.1Zn - 2.3Mg - 1.0Cu - Zr (7449-T7651) Solution Heat Treated, Stress Relieved, and Overaged - UNS A97449	2018	SAE	0
7680	AMS6470P	Steel, Nitriding, Bars, Forgings and Tubing 1.6Cr - 0.35Mo - 1.13Al (0.38 - 0.43C) (135 Mod) - UNS K24065	2018	SAE	0
7681	AMS3200L	Butadiene Acrylonitrile (NBR) Rubber Petroleum-Base Hydraulic Fluid Resistant 55 - 65	2018	SAE	0
7682	AS1650F	Coupling Assembly, Threadless, Flexible, Fixed Cavity, Self-Bonding, Procurement Specification	2018	SAE	0
7683	AS3229B	(R) RIVET - TUBULAR, UNIVERSAL, AS7228	2018	SAE	0
7684	AMS6468F	Steel, Welding Wire 1.0Cr - 10Ni - 3.8Co - 0.45Mo - 0.08V (0.14 - 0.17C) Vacuum Melted, Environment Controlled Packaging - UNS K91461	2018	SAE	0
7685	J3124	Industry Review of xEV Battery Size Standards	2018	SAE	0
7686	AS156H	HOSE ASSEMBLY, PTFE, CRES REINFORCED, 3000 PSI, 400 Ï°F, 45Ï° TO 45Ï°, FLARED, LIGHTWEIGHT	2018	SAE	0
7687	AS9556E	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, 130 KSI MIN, .1900-32 UNJF-3A	2018	SAE	0
7688	AMS4314E	Aluminum Alloy Rings, Rolled or Forged 4.5Cu - 0.85Si - 0.80Mn - 0.50Mg (2014-T651, 2014-T652) Solution Heat Treated, Mechanically Stress Relieved, and Precipitation Heat Treated - UNS A92014	2018	SAE	0
7689	AMS4123K	Aluminum Alloy, Rolled or Cold Finished Bars and Rods (7075-T651) Solution and Precipitation Heat Treated - UNS A97075	2018	SAE	0
7690	AMS2487B	Anodic Treatment of Titanium and Titanium Alloys Solution pH 12.4 Maximum	2018	SAE	0
7691	AIR4250C	(R) Electronic Engine Control Specifications and Standards	2018	SAE	0
7692	AIR6820	Electrical Wiring Fuel Compatibility	2018	SAE	0
7693	AMS1631D	(R) Cleaner, Carpet Water Extraction Type	2018	SAE	0

7694	AMS3654E	Tubing, Electrical Insulation Light Wall, Extruded Polytetrafluoroethylene (PTFE)	2018	SAE	0
7695	AMS4418J	Magnesium Alloy, Sand Castings 2.5Ag - 2.1Di - 0.70Zr (QE22A-T6) Solution and Precipitation Heat Treated (Composition similar to UNS M18220)	2018	SAE	0
7696	AMS4421	Aluminum Alloy, Extrusions 4.4Cu - 1.5Mg - 0.60Mn (2024-O) Annealed (Composition similar to UNS A92024)	2018	SAE	0
7697	AMS4439H	Magnesium Alloy, Sand Castings 4.2Zn - 1.2 Rare Earths - 0.7Zr (ZE41A-T5) Precipitation Heat Treated (Composition similar to UNS M16410)	2018	SAE	0
7698	AMS4470C	Aluminum Alloy, Plate (7085-T7451) 7.5Zn - 1.6Cu - 1.5Mg - 0.12Zr Solution Heat Treated, Stress-Relieved, and Overaged (Composition similar to UNS A97085)	2018	SAE	0
7699	AMS4914G	Titanium Alloy Cold Rolled Sheet and Strip 15V - 3Al - 3Cr - 3Sn Solution Heat Treated (Composition similar to UNS R58153)	2018	SAE	0
7700	AMS5612K	Steel, Corrosion and Heat-Resistant, Bars, Wire, Forgings, Mechanical Tubing, and Rings, 12Cr Ferrite Controlled, Annealed (Composition similar to UNS S41001)	2018	SAE	0
7701	AMS5649H	Steel, Corrosion and Heat-Resistant, Bars, Wire, and Forgings 18Cr - 13Ni - 2.1Mo Free Machining Solution Heat Treated (Composition similar to UNS J92200)	2018	SAE	0
7702	AMS5651K	Steel, Corrosion and Heat-Resistant, Bars, Wire, Forgings, Mechanical Tubing, and Rings 25Cr - 20Ni (310) Solution Heat Treated (Composition similar to UNS S31008)	2018	SAE	0
7703	AMS6292K	Steel Bars and Forgings, Carburizing 1.8Ni - 0.25Mo (0.15 - 0.20C) (SAE 4617) (Composition similar to UNS G46170)	2018	SAE	0
7704	AMS6497B	Steel Bars, Forgings, and Tubing, Nitriding 1.4Cr - 1.2Mo - 0.3V (0.29 - 0.36C) Electroslag Remelted or Consumable Electrode Vacuum Remelted Premium Aircraft-Quality for Bearing Applications (Composition similar to UNS K23280)	2018	SAE	0
7705	AMS7908E	Beryllium Near-Net Preforms Standard Grade Hot Isostatic Pressed	2018	SAE	0
7706	AMSP81728C	Plating, Tin-Lead (Electrodeposited)	2018	SAE	0
7707	ARP4418B	(R) Procedure for Sampling and Measurement of Aircraft Propulsion Engine and APU Generated Contaminants in Bleed Air	2018	SAE	0
7708	ARP5015B	(R) Ground Equipment - 400 Hertz Ground Power Performance Requirements	2018	SAE	0
7709	ARP5414B	(R) Aircraft Lightning Zone	2018	SAE	0
7710	ARP6366	Fiber Optic Sensor Specification Guidelines for Aerospace Applications	2018	SAE	0
7711	ARP6917	Evaluation of Gas Turbine Engine Lubricant Compatibility with Elastomer Slabs - Long Duration Test	2018	SAE	0
7712	AS631D	HOSE ASSEMBLY, 3000 PSI, PTFE, FLARED, 45? TO 90?, HEAVYWEIGHT	2018	SAE	0
7713	AS1339J	Hose Assembly, Polytetrafluoroethylene, Metallic Reinforced, 3000 psi, 400 ?F, Lightweight, Hydraulic and Pneumatic	2018	SAE	0
7714	AS1946F	Hose Assembly, Polytetrafluoroethylene, Metallic Reinforced, Up to 1500 psi and 450 ?F, Hydraulic and Pneumatic	2018	SAE	0
7715	AS3091A	(R) STUD - STRAIGHT, KEY LOCKED, CRES SIMILAR TO UNS S66286 .2500-28 UNJF X .2500-28 UNJF	2018	SAE	0
7716	AS3099A	(R) BOLT, MACHINE - HEXAGON HEAD, PD SHANK, CRES AMS 5731, .190-32 UNJF-3A	2018	SAE	0
7717	AS3102A	(R) BOLT, MACHINE - HEXAGON HEAD, PD, SHANK, CRES AMS5731, .3750-24 UNFJ-3A	2018	SAE	0
7718	AS3103A	(R) BOLT, MACHINE - HEXAGON HEAD, PD SHANK, CRES AMS5731, .4375-20 UNJF-3A	2018	SAE	0
7719	AS6173A	(R) Cutting Tools, Wire, Electrical, General Specification for	2018	SAE	0
7720	AS9493B	(R) BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, 130 KSI MIN, .4375-20 UNJF-3A	2018	SAE	0
7721	AS21440B	(R) BEARING, ROLLER, NEEDLE, TRACK ROLLER INTEGRAL STUD, SEALED, TYPE VIII ANTIFRICTION, INCH	2018	SAE	0
7722	AS23053_11A	INSULATION SLEEVING, ELECTRICAL, HEAT-SHRINKABLE FLUORINATED ETHYLENE PROPYLENE, NON-CROSSLINKED	2018	SAE	0
7723	AS24463D	BEARING, ROLLER, NEEDLE-SINGLE ROW, HEAVY DUTY, SELF-ALIGNING, TYPE III, ANTIFRICTION, INCH	2018	SAE	0
7724	AS39029_58C	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR MIL-DTL-38999 SERIES I, II, III, AND IV, AND MIL-DTL-55302/69 AND MIL-DTL-83733 CONNECTORS)	2018	SAE	0

7725	AS39029_70C	CONTACT, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, FOR AS85028 CONNECTORS	2018	SAE	0
7726	AS39029_77C	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, SIZE 16 (FOR MIL-DTL-38999 SERIES I, III, AND IV CONNECTORS)	2018	SAE	0
7727	AS39029_90C	(R) CONTACT, ELECTRICAL CONNECTOR, CONCENTRIC TWINAX, PIN, SIZE 8	2018	SAE	0
7728	AS39029_91C	(R) CONTACT, ELECTRICAL CONNECTOR, CONCENTRIC TWINAX, SOCKET, SHIELDED, SIZE 8	2018	SAE	0
7729	AS49011B	ROD END - THREADED, AIRCRAFT	2018	SAE	0
7730	AS85049_48D	(R) CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, STRAIGHT, CATEGORY 4C (FOR MIL-DTL-24308 CONNECTORS)	2018	SAE	0
7731	J10	Automotive and Off-Highway Air Brake Reservoir Performance and Identification Requirementsâ Truck and Bus	2018	SAE	0
7732	J20-1	Coolant Hose	2018	SAE	0
7733	J20-2	Coolant Hoseâ Normal Service Type Convoluted, Wire Support Hose	2018	SAE	0
7734	J75	Motor Vehicle Brake Fluid Container Compatibility	2018	SAE	0
7735	J266	Steady-State Directional Control Test Procedures for Passenger Cars and Light Trucks	2018	SAE	0
7736	J326	Nomenclature - Hydraulic Backhoes	2018	SAE	0
7737	J345	WET OR DRY PAVEMENT PASSENGER CAR TIRE PEAK AND LOCKED WHEEL BRAKING TRACTION	2018	SAE	0
7738	J359	Infrared Testing	2018	SAE	0
7739	J378	Marine Propulsion System Wiring	2018	SAE	0
7740	J405	(R) Chemical Compositions of SAE Wrought Stainless Steels	2018	SAE	0
7741	J417	Hardness Tests and Hardness Number Conversions	2018	SAE	0
7742	J419	Methods of Measuring Decarburization	2018	SAE	0
7743	J420	Magnetic Particle Inspection	2018	SAE	0
7744	J421	CLEANLINESS RATING OF STEELS BY THE MAGNETIC PARTICLE METHOD	2018	SAE	0
7745	J422	Microscopic Determination of Inclusions in Steels	2018	SAE	0
7746	J425	Electromagnetic Testing by Eddy Current Methods	2018	SAE	0
7747	J426	Liquid Penetrant Test Methods	2018	SAE	0
7748	J427	Penetrating Radiation Inspection	2018	SAE	0
7749	J428	Ultrasonic Inspection	2018	SAE	0
7750	J431	(R) Automotive Gray Iron Castings	2018	SAE	0
7751	J435	(R) Automotive Steel Castings	2018	SAE	0
7752	J437	Selection and Heat Treatment of Tool and Die Steels	2018	SAE	0
7753	J438	Tool and Die Steels	2018	SAE	0
7754	J439	Sintered Carbide Tools	2018	SAE	0
7755	J451	Aluminum Alloys - Fundamentals	2018	SAE	0
7756	J452	General Information - Chemical Compositions, Mechanical and Physical Properties of SAE Aluminum Casting Alloys	2018	SAE	0
7757	J454	(R) GENERAL DATA ON WROUGHT ALUMINUM ALLOYS	2018	SAE	0
7758	J460	Bearing Bushing Alloys Chemical Composition of SAE Bearing and Bushing Alloys	2018	SAE	0
7759	J461	Wrought and Cast Copper Alloys	2018	SAE	0
7760	J462	Cast Copper Alloys	2018	SAE	0
7761	J463	Wrought Copper and Copper Alloys	2018	SAE	0
7762	J465	Magnesium Casting Alloys	2018	SAE	0
7763	J466	Magnesium Wrought Alloys	2018	SAE	0
7764	J467B	Special Purpose Alloys ("Superalloys")	2018	SAE	0

7765	J468	Zinc Alloy Ingot and Die Casting Compositions	2018	SAE	0
7766	J470	Wrought Nickel and Nickel-Related Alloys	2018	SAE	0
7767	J471	Sintered Powder Metal Parts: Ferrous	2018	SAE	0
7768	J473	Solders	2018	SAE	0
7769	J502	Woodruff Keys	2018	SAE	0
7770	J503	Woodruff Key Slots and Keyways	2018	SAE	0
7771	J530	Automotive Pipe Fittings	2018	SAE	0
7772	J635	Fan Hub Bolt Circles and Pilot Holes	2018	SAE	0
7773	J643	(R) Hydrodynamic Drive Test Code	2018	SAE	0
7774	J643	(R) Hydrodynamic Drive Test Code	2018	SAE	0
7775	J775	(R) Engine Poppet Valve Information Report	2018	SAE	0
7776	J836	Automotive Metallurgical Joining, Information Report	2018	SAE	0
7777	J848	Fifth Wheel Kingpin, Heavy-Duty - Commercial Trailers and Semitrailers (Stabilized Type)	2018	SAE	0
7778	J918	Passenger Car Tire Performance Requirements and Test Procedures, Standard	2018	SAE	0
7779	J960	(R) Marine Control Cable Connection - Engine Clutch Lever	2018	SAE	0
7780	J961	(R) Marine Control Cable Connection - Engine Throttle Lever	2018	SAE	0
7781	J965	Abrasive Wear, Information Report	2018	SAE	0
7782	J986	Sound Level for Passenger Cars and Light Trucks	2018	SAE	0
7783	J993	Alloy and Temper Designation Systems for Aluminum, Standard;	2018	SAE	0
7784	J1098	Tonne Kilometer Per Hour Application	2018	SAE	0
7785	J1099	Technical Report on Low Cycle Fatigue Properties Ferrous and Non-Ferrous of Materials	2018	SAE	0
7786	J1111	Component Nomenclature - Skidder-Grapple	2018	SAE	0
7787	J1124	Glossary of Terms Related to Fluid Filters and Filter Testing	2018	SAE	0
7788	J1191	High Tension Ignition Cable Assemblies - Marine	2018	SAE	0
7789	J1205	Performance Requirements for Snap-In Tubeless Tire Valves	2018	SAE	0
7790	J1206	(R) Methods for Testing Snap-In Tubeless Tire Valves	2018	SAE	0
7791	J1242	Acoustic Emission Test Methods, Information Report	2018	SAE	0
7792	J1267	Leakage Testing, Information Report;	2018	SAE	0
7793	J1306	(R) Motorcycle Auxiliary Front Lamps	2018	SAE	0
7794	J1353	Nomenclature - Clam Bunk Skidder	2018	SAE	0
7795	J1362	(R) Graphical Symbols for Operator Controls and Displays on Off-Road Self-Propelled Work Machines	2018	SAE	0
7796	J1434	Wrought Aluminum Applications Guidelines, Information Report;	2018	SAE	0
7797	J1470	(R) Measurement of Noise Emitted by Accelerating Highway Vehicles	2018	SAE	0
7798	J1547	Electromagnetic Susceptibility Procedures for Common Mode Injection (1 - 400 MHz), Module Testing	2018	SAE	0
7799	J1574-1	Measurement of Vehicle and Suspension Parameters for Directional Control Studies	2018	SAE	0
7800	J1574-2	Steel, Corrosion-Resistant, Bars, Wire, Forgings, Mechanical Tubing, and Rings 16Cr - 4.0Ni - 0.30Cb (Nb) - 4.0Cu Solution Heat Treated, Precipitation Hardenable	2018	SAE	0
7801	J1667	Snap-Acceleration Smoke Test Procedure for Heavy-Duty Diesel Powered Vehicles, Recommended Practice	2018	SAE	0
7802	J1684	Test Method for Evaluating the Electrochemical Resistance of Coolant System Hoses and Materials	2018	SAE	0
7803	J1698-2	(R) Event Data Recorder - Retrieval Tool Protocol	2018	SAE	0
7804	J1733	(R) Sign Convention for Vehicle Crash Testing	2018	SAE	0

7805	J1748	Methods for Determining Physical Properties of Polymeric Materials Exposed to Hydrocarbon Fuels or Their Surrogates and Their Blends with Oxygenated Additives	2018	SAE	0
7806	J1755	Guidelines for Usage of Stainless Steel and Bimetal for Exterior Automotive Bright Trim, Recommended Practice	2018	SAE	0
7807	J1812	Function Performance Status Classification for EMC Immunity Testing	2018	SAE	0
7808	J1939-15	Physical Layer, 250 Kbps, Un-Shielded Twisted Pair (UTP)	2018	SAE	0
7809	J1939-76	SAE J 1 939 Functiona l Safety Commun ica tions Protoco l	2018	SAE	0
7810	J1942 1	Qualified Hoses for Marine Applications	2018	SAE	0
7811	J1942-1	(R) Qualified Hoses for Marine Applications	2018	SAE	0
7812	J1952	All-Wheel Drive Systems Classification	2018	SAE	0
7813	J1970	(R) Shoreline Sound Level Measurement Procedure for Recreational Motorboats	2018	SAE	0
7814	J2059	All-Wheel-Drive Drivetrain Schematic Symbol Standards	2018	SAE	0
7815	J2188	Commercial Truck and Bus SAE Recommended Procedure for Vehicle Performance Prediction and Charting	2018	SAE	0
7816	J2275	Internal Combustion Enginesâ Piston Ring-Grooves	2018	SAE	0
7817	J2343	Recommended Practice for LNG Medium and Heavy-Duty Powered Vehicles	2018	SAE	0
7818	J2371	Clamping Force Test Procedure	2018	SAE	0
7819	J2403	(R) Medium/Heavy-Duty E/E Systems Diagnosis Nomenclature	2018	SAE	0
7820	J2403	(R) Medium/Heavy-Duty E/E Systems Diagnosis Nomenclature	2018	SAE	0
7821	J2406	Recommended Practices for CNG Powered Medium and Heavy-Duty Trucks	2018	SAE	0
7822	J2408	Clutch Requirements for High-Torque Truck and Bus Engines	2018	SAE	0
7823	J2409	(R) Strain-Life Fatigue Data File Format	2018	SAE	0
7824	J2477	Automotive Austempered Ductile (Nodular) Iron Castings (ADI)	2018	SAE	0
7825	J2486	Tension Indicating Washer Tightening Method for Fasteners	2018	SAE	0
7826	J2582	Automotive Ductile Iron Castings for High Temperature Applications	2018	SAE	0
7827	J2609	Multi-Dimensional Thermal Properties of Insulated Heat Shield Material Systems	2018	SAE	0
7828	J2623	Standard Rainflow File Format	2018	SAE	0
7829	J2645	Liquefied Natural Gas (LNG) Vehicle Metering and Dispensing Systemsâ Truck and Bus	2018	SAE	0
7830	J2649	Strain-Life Overload Fatigue Data File Format	2018	SAE	0
7831	J2659	Test Method to Measure Fluid Permeation of Polymeric Materials by Speciation	2018	SAE	0
7832	J2665	Test Procedure to Measure the Fuel Permeability of Materials by the Cup Weight Loss Method	2018	SAE	0
7833	J2666	Hose Gauge Evaluation Procedure	2018	SAE	0
7834	J2684	FMVSS 105 Inertia Brake Dynamometer Test Procedure for vehicles above 4 540 kg GVWR	2018	SAE	0
7835	J2698	Primary Single Phase Nominal 120 VAC Wiring Distribution Assembly Design - Truck and Bus	2018	SAE	0
7836	J2699	Liquefied Natural Gas (LNG) Vehicle Fuel	2018	SAE	0
7837	J2711	Recommended Practice for Measuring Fuel Economy and Emissions of Hybrid-Electric and Conventional Heavy-Duty Vehicles	2018	SAE	0
7838	J2758	Determination of the Maximum Available Power from a Rechargeable Energy Storage System on a Hybrid Electric Vehicle	2018	SAE	0
7839	J2801	Comprehensive Life Test for 12 V Automotive Storage Batteries	2018	SAE	0
7840	J2816	Guide for Reliability Analysis Using the Physics-of-Failure Process	2018	SAE	0
7841	J2904	Power Cylinder Friction: Mechanisms	2018	SAE	0
7842	J2928	Brake Rotor Thermal Cracking Procedure for Vehicles Below 4 540 kg GVWR	2018	SAE	0
7843	J2931-7	(R) Secu ri ty for P lug - I n E lectric Veh ic le Comm un icat ions	2018	SAE	0

7844	J2973	Fuel Components and Systems Leak Tightness Specifications and Test Practices (or Methods)	2018	SAE	0
7845	J3006	Low-duty Inertia Dynamometer Hydraulic Brake Wear Test Procedures for Vehicles Above 4536 kg (10 000 lb) of GVWR	2018	SAE	0
7846	J3014	Highly Accelerated Failure Test (HAFT) for Automotive Lamps with LED Assembly	2018	SAE	0
7847	J3104	E lectric Motors for Drive l ine Actuation S tandard Term ino log y, Test Parameters , and Eq u ipmen t Req u i remen ts	2018	SAE	0
7848	AMS5643V	Steel, Corrosion-Resistant, Bars, Wire, Forgings, Mechanical Tubing, and Rings 16Cr - 4.0Ni - 0.30Cb (Nb) - 4.0Cu Solution Heat Treated, Precipitation Hardenable - UNS S17400	2018	SAE	0
7849	AS6048B	FITTING, ELBOW, 90 DEGREE, STANDARD AND REDUCER, BULKHEAD, FLARELESS, PRECISION TYPE	2018	SAE	0
7850	AMS2810H	Identification and Packaging Elastomeric Products	2018	SAE	0
7851	AS4108C	T-Bolt and Eye Bolt, A286 CRES, 1000 Ī°F Fatigue Rated	2018	SAE	0
7852	AMS-A-81596A	Aluminum Foil for Sandwich Construction	2018	SAE	0
7853	AS7473C	Bolts and Screws, Roll Threaded Procurement Specification For	2018	SAE	0
7854	AMS4002A	Aluminum Alloy Tubing, Seamless, Drawn 1.8Cu - 1.0Mg - 0.8Si - 0.20Cr Solution Heat Treated, Stress-Relieved by Stretching, and Aged (2013-T6511) - UNS A92013	2018	SAE	0
7855	AS6049A	FITTING, TEE, STANDARD AND REDUCER, BULKHEAD ON SIDE, FLARELESS, PRECISION TYPE	2018	SAE	0
7856	AS6141A	FITTING, UNION AND REDUCER, FLARELESS, PRECISION TYPE	2018	SAE	0
7857	AMS4348E	Core, Honeycomb, Aluminum Alloy, Corrosion Inhibited For Sandwich Construction 5052, 350 (177)	2018	SAE	0
7858	AS9138	Aerospace Series - Quality Management Systems Statistical Product Acceptance Requirements	2018	SAE	0
7859	AMS5553H	Nickel, Sheet and Strip Low (0.02 max) Carbon Annealed - UNS N02201	2018	SAE	0
7860	AIR1412D	Designing for Long Life with Elastomers	2018	SAE	0
7861	AMS4017L	Aluminum Alloy Sheet and Plate 2.5Mg - 0.25Cr (5052-H34) Strain-Hardened, Half-Hard, and Stabilized - UNS A95052	2018	SAE	0
7862	AS5652A	10 Megabit/sec Network Configuration Digital Time Division Command/Response Multiplex Data Bus	2018	SAE	0
7863	AS6041A	(R) FITTING, TEE, STANDARD AND REDUCER, BULKHEAD ON RUN, INTERNAL PORT ON SIDE, FLARELESS, PRECISION TYPE	2018	SAE	0
7864	AS7474D	(R) Bolts and Screws, Steel, Corrosion Resistant, UNS S17400 Tensile Strength 140 ksi Procurement Specification	2018	SAE	0
7865	AIR4782B	Hydrant Valve and Coupler Historical Background	2018	SAE	0
7866	AMS7707E	Iron, Commercially Pure, Bar, Sheet, Strip, and Plate Hot Rolled, Unannealed - UNS K00095	2018	SAE	0
7867	AMS4101F	Aluminum Alloy, Plate 4.4Cu - 1.5Mg - 0.60Mn (2124-T851) Solution Heat Treated, Stretched, and Precipitation Heat Treated - UNS A92124	2018	SAE	0
7868	ARP6283	In-Service Fiber Optic Inspection, Evaluation and Cleaning, Best Practices, Physical Contact Termini	2018	SAE	0
7869	J2614	(R) Welded and Cold-Drawn, High Strength (500 MPa Tensile Strength) Hydraulic Tubing, for Bending, Flaring, Cold Forming, Welding and Brazing	2018	SAE	0
7870	AS6045B	(R) FITTING, TEE, STANDARD AND REDUCER, FLARELESS, PRECISION TYPE	2018	SAE	0
7871	J2964	Low Speed Continuous Slip SAE No. 2 خ PVT Procedure	2018	SAE	0
7872	ARP7488	Peening Design and Process Control Guidelines	2018	SAE	0
7873	AMS4157E	Aluminum Alloy Extrusions 7.7Zn - 2.4Mg - 1.6Cu - 0.16Cr (7049-T73511) Solution Heat Treated, Stress Relieved, and Overaged - UNS A97049	2018	SAE	0
7874	ARP6320	Procedure for the Continuous Sampling and Measurement of Non-Volatile Particulate Matter Emissions from Aircraft Turbine Engines - Includes Access to Additional Content	2018	SAE	0
7875	AS6042A	FITTING, TEE, STANDARD AND REDUCER, BULKHEAD AND INTERNAL PORT ON RUN, FLARELESS, PRECISION TYPE	2018	SAE	0
7876	AMS3025E	Polyalkylene Glycol Heat Treat Quenchant	2018	SAE	0
7877	AS6043B	FITTING, TEE, STANDARD AND REDUCER, BULKHEAD ON RUN, FLARELESS, PRECISION TYPE	2018	SAE	0
7878	T-135	Electric Flight Technology: The Unfolding of a New Future	2018	SAE	0

7879	AMS5604J	Steel, Corrosion Resistant, Sheet, Strip, and Plate 16.5Cr - 4.0Ni - 4.0Cu - 0.30Cb Solution Heat Treated, Precipitation Hardenable - UNS S17400	2018	SAE	0
7880	AMS4194E	Aluminum Alloy, Sheet and Plate, Alclad 4.4Cu - 1.5Mg - 0.60Mn (2024 -T361 Sheet/Plate with 1ï_% Alclad) Solution Heat Treated, 6% Cold Worked and Naturally Aged - UNS A82024	2018	SAE	0
7881	AS6050A	(R) FITTING, ELBOW, 45ï°, STANDARD AND REDUCER, BULKHEAD, FLARELESS, PRECISION TYPE	2018	SAE	0
7882	AS6044B	FITTING, ELBOW, 90 DEGREE, STANDARD AND REDUCER, FLARELESS, PRECISION TYPE	2018	SAE	0
7883	J2185	Life Test for Heavy-Duty Storage Batteries (Lead Acid Type only)	2018	SAE	0
7884	AMS5687N	Nickel Alloy, Corrosion and Heat-Resistant, Wire 74Ni - 15.5Cr - 8.0Fe Annealed - UNS N06600	2018	SAE	0
7885	ARP5143A	(R) Vacuum Bagging of Thermosetting Composite and Metalbond Repairs	2018	SAE	0
7886	AMS2466C	Hard Anodic Coating of Magnesium Alloys	2018	SAE	0
7887	AS6047C	FITTING, UNION, STANDARD AND REDUCER, BULKHEAD, FLARELESS, PRECISION TYPE	2018	SAE	0
7888	AMS4462A	Aluminum Alloy, Sheet and Plate, Alclad 4.4Cu - 1.5Mg - 0.60Mn (Alclad 2024, -T3 Sheet, -T351 Plate) Solution Heat Treated, Cold Worked and Naturally Aged - UNS A82024	2018	SAE	0
7889	AMS4978H	Titanium Alloy Bars, Wire, Forgings, and Rings 6Al - 6V - 2Sn Annealed - UNS R56620	2018	SAE	0
7890	AS6046B	FITTING, CROSS, STANDARD AND REDUCER, FLARELESS, PRECISION TYPE	2018	SAE	0
7891	AMS2487B	Anodic Treatment of Titanium and Titanium Alloys Solution pH 12.4 Maximum	2018	SAE	0
7892	AS4683D	FITTING, ELBOW, 45ï°, REDUCER AND NON-REDUCER, BULKHEAD, FLARELESS AND SHORT FLARELESS	2017	SAE	0
7893	ARP4014A	AIRCRAFT TURBINE ENGINE PNEUMATIC COMPONENT CONTAMINATED AIR ENDURANCE TEST	2017	SAE	0
7894	AS9558D	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, UTS 130 KSI MIN, .3125-24 UNJF-3A	2017	SAE	0
7895	AS22759/187B	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYIMIDE INSULATED, SMOOTH SURFACE, NORMAL WEIGHT, NICKEL-COATED COPPER CONDUCTOR, 260 ï°C, 600 VOLTS ROHS	2017	SAE	0
7896	AS9732B	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, CRES AMS5643, .1900-32 UNJF-3A	2017	SAE	0
7897	AS3243D	BOLT, MACHINE DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, NICKEL ALLOY, UNS N07718, 185 KSI UTS MIN, .1900-32 UNJF-3A	2017	SAE	0
7898	AS6332	Aircraft Ground Deicing/Anti-icing Quality Management	2017	SAE	0
7899	CMH-17-5A	Composite Materials Handbook Volume 5 - Ceramic Matrix Composites	2017	SAE	0
7900	J3098	Front Decorative Lamp	2017	SAE	0
7901	AMS3218D	(R) Elastomer: Fluorocarbon (FKM) Rubber High-Temperature-Fluid Resistant Low Compression Set 85 to 95	2017	SAE	0
7902	J587	License Plate Illumination Devices (Rear Registration Plate Illumination Devices)	2017	SAE	0
7903	AS22759/186B	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYMIDE INSULATED, SMOOTH SURFACE, NORMAL WEIGHT, SILVER-COATED COPPER CONDUCTOR, 200 ï°C, 600 VOLTS ROHS	2017	SAE	0
7904	AS9579C	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, 130 KSI MIN, .5000-20 UNJF-3A	2017	SAE	0
7905	ARP9107A	(R) Direct Delivery Authorization Guidance for Aerospace Companies	2017	SAE	0
7906	AMS6430J	Steel, Bars, Forgings, Tubing, and Rings 0.75Mn - 0.78Cr - 1.8Ni - 0.35Mo - 0.20V (0.32 - 0.38C) (4335 Modified) - UNS K33517	2017	SAE	0
7907	J2999	Determination of the Effective Projected Luminous Lens Area (EPLLA) by Design Analysis	2017	SAE	0
7908	AMS4928W	Titanium Alloy Bars, Wire, Forgings, Rings, and Drawn Shapes 6Al - 4V Annealed - UNS R56400	2017	SAE	0
7909	J313	(R) Diesel Fuels	2017	SAE	0
7910	AS123301 THRU AS123450D	RIVET, SOLID, UNIVERSAL HEAD, NICKEL ALLOY, UNS N06600	2017	SAE	0
7911	AS1339H	Hose Assembly, Polytetrafluoroethylene, Metallic Reinforced, 3000 psi, 400 ï°F, Lightweight, Hydraulic and Pneumatic	2017	SAE	0

7912	AS31031B	CONNECTOR, RECEPTACLE, ELECTRIC, POTTING SEAL, SOLDER CONTACT AN TYPE	2017	SAE	0
7913	AMS6407K	Steel, Bars, Forgings, and Tubing 1.2Cr - 2.0Ni - 0.45Mo (0.27 - 0.33C) - UNS K33020	2017	SAE	0
7914	AS39029/30C	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR AS50151 AS345XX SERIES AND MIL-DTL-83723 SERIES II CONNECTORS)	2017	SAE	0
7915	AS5929B	BEARING, ROLLER, NEEDLE, TRACK-ROLLER, CROWN RADIUSED OD, INTEGRAL STUD, TYPE VII, ANTI-FRICTION, CORROSION RESISTANT NITROGEN (CREN) STEEL AND CORROSION RESISTANT (CRES) STEEL, INCH	2017	SAE	0
7916	AS9734B	BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, PD SHANK, CRES AMS5643, .3125-24 UNJF-3A	2017	SAE	0
7917	AMS5337E	Steel, Maraging, Investment Castings 18.5Ni - 9.0Co - 5.0Mo - 0.70Ti - 0.12Al Vacuum Melted Homogenized, Overaged, and Solution Heat Treated - UNS J93150	2017	SAE	0
7918	J576	(R) Plastic Material or Materials for Use in Optical Parts Such as Lenses and Reflex Reflectors of Motor Vehicle Lighting Devices	2017	SAE	0
7919	AIR6504	Procedure for the Calculation of non-volatile Particulate Matter Sampling and Measurement System Penetration Functions and System Loss Correction Factors - Includes Access to Additional Content	2017	SAE	0
7920	AS6009A	JAUS Mobility Service Set	2017	SAE	0
7921	AS20659F	(R) TERMINAL, LUG, CRIMP STYLE, COPPER, UNINSULATED, RING TONGUE, TYPE I, CLASS 1, FOR 175 ¡°C OR 260 ¡°C TOTAL CONDUCTOR TEMPERATURE	2017	SAE	0
7922	AMS5350K	Steel, Corrosion and Moderate Heat-Resistant, Investment Castings 12.5Cr (410) Hardened and Tempered - UNS J91152	2017	SAE	0
7923	AS478P	Identification Marking Methods	2017	SAE	0
7924	PT-187	The Electrification of Civil Aircraft and the Evolution of Energy Storage - To Purchase Call 1-800-854-7179 USA/Canada or 303-397-7956 Worldwide	2017	SAE	0
7925	J1335	Hydraulic Cylinder No-Load Friction Test	2017	SAE	0
7926	J1355	Test Method for Measuring Thickness of Resilient Insulating Paddings	2017	SAE	0
7927	AS27643/1A	BEARING, BALL, AIRFRAME, ANTI-FRICTION, SELF-ALIGNING, DOUBLE ROW, HEAVY DUTY, CORROSION RESISTANT NITROGEN STEEL (CREN)	2017	SAE	0
7928	AMS5862M	Steel, Corrosion-Resistant, Sheet, Strip, and Plate 15Cr - 4.5Ni - 0.30Cb (Nb) - 3.5Cu Consumable Electrode Remelted, Solution Heat Treated Precipitation-Hardenable - UNS S15500	2017	SAE	0
7929	J2836/4	Use Cases for Diagnostic Communication for Plug-in Electric Vehicles	2017	SAE	0
7930	AMS5357D	Steel, Corrosion-Resistant, Investment Castings 15Cr - 4.6Ni - 0.22Cb - 2.8Cu Solution Heat Treated, Precipitation Hardenable - UNS J92110	2017	SAE	0
7931	ARP4058B	(R) General Specification Guide for Mechanical Geared Rotary Actuators	2017	SAE	0
7932	AMS3050/8	Performance Specification Anti-Seize Thread Compound, High Temperature - â Graphite+Aluminumâ Only	2017	SAE	0
7933	AMS4268A	Aluminum Alloy, Sheet and Plate 4.4Cu - 1.5Mg - 0.60Mn; (2024-T81 Sheet, -T851 Plate) Solution Heat Treated, Cold Worked and Artificially Aged - UNS A92024	2017	SAE	0
7934	AMS4368	Aluminum Alloy, Discontinuously Reinforced Hot Isostatically Pressed Shapes 6061B/SiC/40p (3ج m) (T1P)	2017	SAE	0
7935	AS83519/6	SHIELD TERMINATION, SOLDER STYLE, INSULATED, HEATSHRINKABLE, ENVIRONMENT RESISTANT FOR CABLES HAVING NI PLATED SHIELDS, 200 ¡°C, ROHS, CLASS I	2017	SAE	0
7936	AS21911D	(R) TEE, BULKHEAD, FLARELESS TUBE, INTERNAL THREAD ON RUN	2017	SAE	0
7937	AS81659/37B	CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, CRIMP CONTACTS, (TRIPLE INSERT, TYPE II, CLASS 1, (-65 ¡°C TO +125 ¡°C), SERIES 2, SHELL DESIGNATOR A)	2017	SAE	0
7938	AMS3329C	(R) Elastomer: Fluorosilicone Rubber (FVMQ) Fuel and Oil Resistant, High Strength 45 55 Shore A Hardness For Products in Fuel Systems / Lubricating Oils	2017	SAE	0
7939	AS4671C	FITTING, TEE, SHORT FLARELESS	2017	SAE	0
7940	J343	Test and Test Procedures for SAE 100R Series Hydraulic Hose and Hose Assemblies	2017	SAE	0
7941	AS5385D	Cargo Restraint Straps - Design Criteria and Testing Methods	2017	SAE	0

7942	J1192	Performance of Audible Warning Devices (Horns) for Motorcycles	2017	SAE	0
7943	ARP5718B	Qualifications Required for SAE Type II/III/IV Aircraft Deicing/Anti-Icing Fluid	2017	SAE	0
7944	AS21442B	(R) BEARING, ROLLER, NEEDLE, TRACK ROLLER, SEALED, TYPE X, ANTIFRICTION, INCH	2017	SAE	0
7945	AS85049/90D	(R) CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, 90°, SELF-LOCKING, SHIELD BAND TERMINATION, (RFI/EMI), SHRINK SLEEVE ACCOMMODATION, CATEGORY 3B (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2017	SAE	0
7946	AS81306/1B	BAND INSTALLATION TOOL, HAND, ONE-STEP, FOR AS85049/128 CONNECTOR ACCESSORY CABLE SHIELD TERMINATING BANDS	2017	SAE	0
7947	AMS4893D	Alloy Castings, Corrosion and Heat-Resistant 66Ni - 29Cu - 4.0Si Solution Treated - UNS N04019	2017	SAE	0
7948	J1393	(R) Heavy Duty Vehicle Cooling Test Code	2017	SAE	0
7949	J2926	Rollover Testing Methods	2017	SAE	0
7950	AS81714/12B	(R) TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, WIRE IN-LINE JUNCTIONS, DOUBLE, SERIES I	2017	SAE	0
7951	AIR1419C	(R) Inlet Total-Pressure-Distortion Considerations for Gas-Turbine Engines	2017	SAE	0
7952	J1701M	(R) Torque-Tension Tightening for Metric Series Fasteners	2017	SAE	0
7953	AS5316	Storage of Elastomer Seals and Seal Assemblies Which Include an Elastomer Element Prior to Hardware Assembly	2017	SAE	0
7954	AMS4443H	Magnesium Alloy, Sand Castings 4.5Zn - 0.75Zr (ZK51A-T5) Precipitation Heat Treated - UNS M16510	2017	SAE	0
7955	AS81659/9B	CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE ENVIRONMENT RESISTANT, CRIMP CONTACTS, DOUBLE INSERT, TYPE II, CLASS 1 (-65 °C TO +125 °C), SERIES 1, SHELL DESIGNATOR A	2017	SAE	0
7956	AS22759/83D	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYMIDE INSULATED, NORMAL WEIGHT, SILVER COATED, COPPER CONDUCTOR, 200 °C, 600 VOLT, ROHS	2017	SAE	0
7957	AMS3216H	(R) Elastomer: Fluorocarbon (FKM) Rubber High-Temperature - Fluid Resistant Low Compression Set 70 to 80	2017	SAE	0
7958	AS14238D	(R) BUSHING, SLEEVE FLANGED, PRESS FIT, REAM TYPE	2017	SAE	0
7959	AS81659/39B	CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (TRIPLE INSERT, TYPE II, CLASS 1 (-65 °C TO +125 °C), SERIES 2, SHELL DESIGNATOR A)	2017	SAE	0
7960	J1939-05	Marine Stern Drive and Inboard Spark-Ignition Engine On-Board Diagnostics Implementation Guide	2017	SAE	0
7961	J2945	Dedicated Short Range Communication (DSRC) Systems Engineering Process Guidance for SAE J2945/X Documents and Common Design Concepts	2017	SAE	0
7962	J840	Test Procedures for Shear Strength of Automotive Brake Pads and Brake Lining Assemblies	2017	SAE	0
7963	J443	(R) Procedures for Using Standard Shot Peening Almen Test Strip	2017	SAE	0
7964	AS9705D	BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, DRILLED, CORROSION AND HEAT RESISTANT NICKEL ALLOY, .1900-32 UNJF-3A	2017	SAE	0
7965	AMS4966R	Titanium Alloy, Forgings 5Al - 2.5Sn Annealed, 110 ksi (758 MPa) Yield Strength - UNS R54520	2017	SAE	0
7966	AS4666C	FITTING, ELBOW, 45°, BULKHEAD, SHORT FLARELESS	2017	SAE	0
7967	AMS5410C	Nickel Alloy, Corrosion and Heat Resistant, Investment Castings 61Ni - 16Cr - 8.5Co - 1.8Mo - 2.6W - 0.85Cb (Nb) - 3.4Ti - 1.8Ta - 3.4Al - 0.010B - 0.05Zr Vacuum Melted, Vacuum Cast As Cast, or Solution Treated, or Solution and Precipitation Hardened	2017	SAE	0
7968	AS1002J	FITTING, TEE, STANDARD AND REDUCER, BULKHEAD AND INTERNAL PORT ON RUN, FLARELESS	2017	SAE	0
7969	AS4686D	FITTING, ELBOW, 90°, REDUCER, BULKHEAD, FLARELESS AND SHORT FLARELESS	2017	SAE	0
7970	AS21926C	(R) ELBOW, 90° UNIVERSAL, FLARELESS TUBE, LOW PROFILE	2017	SAE	0
7971	J1754-1	Hose Assemblies, Rubber, Hydraulic, Steel Wire Reinforced - Part 1: Procurement Document	2017	SAE	0
7972	AMS4958E	Titanium Alloy Bars and Rods 3Al - 8V - 6Cr - 4Mo - 4Zr Consumable Electrode Melted Solution Heat Treated and Centerless Ground or Peeled and Polished - UNS R58640	2017	SAE	0
7973	J765	Crane Load Stability Test Code	2017	SAE	0
7974	J2452	Stepwise Coastdown Methodology for Measuring Tire Rolling Resistance	2017	SAE	0

7975	AS5179C	NUT, FITTING, PORT	2017	SAE	0
7976	J2613	(R) Welded Flash Controlled, High Strength (500 MPa Tensile Strength) Hydraulic Tubing, for Bending, Double Flaring, Cold Forming, Welding, and Brazing	2017	SAE	0
7977	AS81714/1B	(R) TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, BUSSING MODULES, FEEDBACK TYPE, SIZE 22, SERIES I	2017	SAE	0
7978	AS25042D	COVER, ELECTRICAL AS50151 CONNECTOR, PLUG, AN TYPE	2017	SAE	0
7979	AMS4976K	Titanium Alloy, Forgings 6.0Al - 2.0Sn - 4.0Zr - 2.0Mo - 08Si Solution and Precipitation Heat Treated - UNS R54620	2017	SAE	0
7980	J1342	Test Method for Determining Power Consumption of Engine Cooling Fan Drive Systems	2017	SAE	0
7981	AMS3050/7	Performance Specification Anti-Seize Thread Compound, High Temperature - â Copper+Graphite+Aluminumâ Only	2017	SAE	0
7982	T-132	Commercial Aviation and Cyber Security: A Critical Intersection	2017	SAE	0
7983	AS81714/4A	(R) TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, BUSSING MODULES, FEEDBACK TYPE, SIZE 12, SERIES I	2017	SAE	0
7984	AMS6528D	Steel, Bars 0.95Cr - 0.20Mo (0.28 - 0.33C) (SAE 4130) Special Aircraft Quality Cleanliness Normalized - UNS G41300	2017	SAE	0
7985	AS4677C	FITTING, TEE, BULKHEAD ON RUN, BOSS ON SIDE, SHORT FLARELESS	2017	SAE	0
7986	AS100C	FITTING, CROSS, SHORT FLARELESS	2017	SAE	0
7987	AIR6297	Method to Calculate Behind Start of Takeoff Roll Noise Level Adjustments	2017	SAE	0
7988	AMS2451/3C	Plating, Brush, Nickel Low Stress, Low-Hardness Deposit	2017	SAE	0
7989	AS81969/30A	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE II, CLASS 2, COMPOSITION C, FOR UNWIRED CONTACTS	2017	SAE	0
7990	J3088	Active Safety System Sensors	2017	SAE	0
7991	AMS2482E	Hard Anodic Coating on Aluminum Alloys Polytetrafluoroethylene (PTFE)-Impregnated or Codeposited	2017	SAE	0
7992	AMS4915M	Titanium Alloy Sheet, Strip, and Plate 8Al - 1V - 1Mo Single Annealed - UNS R54810	2017	SAE	0
7993	AMS4553D	Brass, Seamless, Tubing 85Cu - 15Zn Annealed (O61)	2017	SAE	0
7994	AMS6950	Titanium Alloy Bars, Forgings, and Forging Stock 4Al - 2.5V - 1.5 Fe Single Hearth Melted, Annealed	2017	SAE	0
7995	ARP6157	WAM Pressure-Viscosity Coefficient Measurement	2017	SAE	0
7996	AMS6327L	Steel Bars and Forgings 0.50Cr - 0.55Ni - 0.25Mo (0.38 - 0.43C) (SAE 8740) Heat Treated, 125 ksi (862 MPa) Tensile Strength - UNS G87400	2017	SAE	0
7997	J1113-12	(R) Electrical Interference by Conduction and Coupling - Capacitive and Inductive Coupling via Lines Other than Supply Lines	2017	SAE	0
7998	AS4227C	FITTING ASSEMBLY, ADAPTER, INTERNAL THREAD, BEAM SEAL TO INTEGRAL WELD RING	2017	SAE	0
7999	AS6414A	Manufacturing Processing Requirements for Molded Elastomer Components Used in Aerospace Applications	2017	SAE	0
8000	ARP4912C	(R) Design Recommendations for Spare Seals in Landing Gear Shock Struts	2017	SAE	0
8001	AMS2420E	Plating of Aluminum for Solderability Zinc Immersion Pre-Treatment Process	2017	SAE	0
8002	AS9575D	(R) BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, 130 KSI MIN, .2500-28 UNJF-3A	2017	SAE	0
8003	J1772	SAE Electric Vehicle and Plug in Hybrid Electric Vehicle Conductive Charge Coupler	2017	SAE	0
8004	J2932	Air Disc Brake Actuator Test Requirements	2017	SAE	0
8005	AS81714/3A	(R) TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, BUSSING MODULES, FEEDBACK TYPE, SIZE 16 SERIES I	2017	SAE	0
8006	AMS2355M	Quality Assurance, Sampling and Testing Aluminum Alloys and Magnesium Alloy Wrought Products (Except Forging Stock), and Rolled, Forged, or Flash Welded Rings	2017	SAE	0
8007	AS81582/2B	(R) CONNECTOR, PLUG, ELECTRIC, BAYONET COUPLING, LANYARD RELEASE, RFI SHIELDED, CRIMP-TYPE CONTACTS, CLASS E	2017	SAE	0
8008	AS5659/4	Physical Layer Specification	2017	SAE	0

8009	AS4663C	FITTING, UNION, SHORT FLARELESS	2017	SAE	0
8010	AMS4467B	Aluminum Alloy, Sheet and Plate, Alclad 4.4Cu 1.5Mg 0.60Mn (Alclad 2024, -T861 Sheet & Plate) Solution Heat Treated, 6% Cold Worked and Artificially Aged - UNS A82024	2017	SAE	0
8011	AS4668C	FITTING, ELBOW, 90ï°, SHORT FLARELESS	2017	SAE	0
8012	AMS3284C	(R) Sealing Compound, Low Adhesion, for Removable Panels and Fuel Tank Inspection Plates	2017	SAE	0
8013	AMS2249H	Chemical Check Analysis Limits Titanium and Titanium Alloys	2017	SAE	0
8014	R-198	Brake Design and Safety - To Purchase Call 1-800-854-7179 USA/Canada or 303-397-7956 Worldwide	2017	SAE	0
8015	AMS4975N	Titanium Alloy, Bars, Wire, and Rings 6.0Al - 2.0Sn - 4.0Zr - 2.0Mo - 0.08Si Solution and Precipitation Heat Treated - UNS R54620	2017	SAE	0
8016	AS81659/72B	CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (DUAL INSERT, TYPE IV, CLASS 1, (-65 ï°C TO +125 ï°C), SERIES 2, SHELL DESIGNATOR A, FLOAT MOUNTING)	2017	SAE	0
8017	AS18280F	(R) Fittings, 24ï° Cone Flareless, Fluid Connection, 3000 psi	2017	SAE	0
8018	J3116	Active Safety Pedestrian Test Mannequin Recommendation	2017	SAE	0
8019	ARP1231B	Gland Design, Elastomeric O-Ring Seals, General Considerations	2017	SAE	0
8020	AMS3050/6	Performance Specification Anti-Seize Thread Compound, High Temperature - â Nickel+Graphiteâ Only	2017	SAE	0
8021	AS6449C	Solid Film Lubricant	2017	SAE	0
8022	AMS5333G	Steel, Investment Castings 0.50Cr - 0.55Ni - 0.25Mo (0.11 - 0.17C) (SAE 8615) Normalized - UNS J11442	2017	SAE	0
8023	AS39029/91B	(R) CONTACT, ELECTRICAL CONNECTOR, CONCENTRIC TWINAX, SOCKET, SHIELDED, SIZE 8	2017	SAE	0
8024	AMS6523H	Steel, Sheet, Strip, and Plate 0.75Cr - 9.0Ni - 4.5Co - 1.0Mo - 0.09V (0.17 - 0.23C) Vacuum Consumable Electrode Melted, Annealed - UNS K91472	2017	SAE	0
8025	AS4675B	TEE ASSEMBLY, RETAINED NUT ON SIDE, SHORT FLARELESS	2017	SAE	0
8026	J2564	(R) Automotive Stability Enhancement Systems	2017	SAE	0
8027	ARP5758A	(R) Trend Analysis for Maintaining Correlation of Gas Turbine Engine Test Cells	2017	SAE	0
8028	AS5259/3B	(R) CRIMPING TOOL AND ACCESSORIES, HAND OPERATED, DIE TYPE, WIRE SIZES 8 TO 00 UN-INSULATED AND INSULATED CRIMP BARRELS	2017	SAE	0
8029	AMS2431/1F	Peening Media (ASR) Cast Steel Shot, Regular Hardness (45 to 52 HRC)	2017	SAE	0
8030	J183	(R) Engine Oil Performance and Engine Service Classification (Other than "Energy Conserving")	2017	SAE	0
8031	ARP6216	EWIS Wiring Insulation Breakdown Testing	2017	SAE	0
8032	J1939-73	(R) Application Layer - Diagnostics	2017	SAE	0
8033	AS81714/29A	(R) TERMINAL JUNCTION SYSTEM, BRACKET, BLOCK MOUNTING, SERIES I	2017	SAE	0
8034	AS5506/3	Architecture Analysis and Design Language (AADL) Annex D: Behavior Model Annex	2017	SAE	0
8035	AS9555D	SCREW, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, UTS 130 KSI MIN, .1640-36 UNJF-3A	2017	SAE	0
8036	AS90708B	RING, RETAINING, EXTERNAL, INTERLOCKING	2017	SAE	0
8037	USCAR-23-1	Road Vehicles - 60 V and 600 V Single Core (ISO/Metric) Cables - Dimensions, Test Methods and Requirements	2017	SAE	0
8038	AS5420G	Hose Assembly, Heated, 125 psig, Lined Silicone, Potable Water, Procurement Specification	2017	SAE	0
8039	USCAR-44	Performance Specification for Automotive Wire Harness Retainer Clips	2017	SAE	0
8040	AS6369/3	FLANGE END, SOLID, WIDE, DESIGN STANDARD	2017	SAE	0
8041	AS1003J	FITTING, TEE, STANDARD AND REDUCER, BULKHEAD ON RUN, FLARELESS	2017	SAE	0
8042	AS5443B	WRENCHING ELEMENT, SPLINE DRIVE - DIMENSIONS FOR	2017	SAE	0
8043	ARP5945A	(R) Endurance Time Test Procedures for SAE Type I Aircraft Deicing/Anti-Icing Fluids	2017	SAE	0
8044	AS1708G	FITTING END, INTERNAL FLARE, DESIGN STANDARD	2017	SAE	0
8045	AMS3213M	Acrylonitrile Butadiene (NBR) Rubber Aromatic Fuel Resistant 75 - 85	2017	SAE	0

8046	ARP5305A	(R) Structural Design and Construction Considerations for Enclosed Turbofan/Turbojet Engine Test Cells	2017	SAE	0
8047	AIR5867	Assessment of the Inlet/Engine Total Temperature Distortion Problem	2017	SAE	0
8048	J759	Lighting Identification Code	2017	SAE	0
8049	AS101A	(R) CROSS ASSEMBLY, RETAINED NUT, SHORT FLARELESS	2017	SAE	0
8050	AS4665C	FITTING, ADAPTER, UNION AND REDUCER, SHORT FLARELESS TO BOSS	2017	SAE	0
8051	ARP1804B	Electric Baggage/Cargo Tractor	2017	SAE	0
8052	AMS2222K	Tolerances Copper and Copper Alloy Sheet, Strip, and Plate	2017	SAE	0
8053	AS7974/5A	CABLE ASSEMBLY, EXTERNAL ELECTRIC POWER, AIRCRAFT, SINGLE-JACKETED 270 VDC, 90 KW	2017	SAE	0
8054	AS4200B	FITTING ASSEMBLY, ADAPTER RING LOCKED PORT CONNECTION TO BEAM SEAL 8000 PSI	2017	SAE	0
8055	AMS4206C	Aluminum Alloy, Plate (7055-T7751) 8.0Zn - 2.3Cu - 2.0Mg - 0.16Zr Solution Heat Treated, Stress Relieved, and Overaged - UNS A97055	2017	SAE	0
8056	AS4684D	FITTING ASSEMBLY, ELBOW, 45ï°, FLARELESS AND SHORT FLARELESS, REDUCER, RETAINED NUT	2017	SAE	0
8057	AS4685C	FITTING, ELBOW, 90ï°, REDUCER FLARELESS AND SHORT FLARELESS	2017	SAE	0
8058	AS1010H	FITTING, ELBOW, 45 DEGREE, STANDARD AND REDUCER, BULKHEAD, FLARELESS	2017	SAE	0
8059	ARP60493	Guide to Civil Aircraft Electromagnetic Compatibility (EMC)	2017	SAE	0
8060	AS81659/66B	CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE,CRIMP CONTACTS, (SINGLE INSERT, TYPE IV, CLASS 1,(-65 ï°C TO +125 ï°C), SERIES 2, SHELL DESIGNATOR A)	2017	SAE	0
8061	AMS2631E	(R) Ultrasonic Inspection Titanium and Titanium Alloy Bar, Billet and Plate	2017	SAE	0
8062	AMS4375M	Sheet and Plate, Magnesium Alloy 3.0Al - 1.0Zn - 0.20Mn (AZ31B-O) Annealed and Recrystallized - UNS M11311	2017	SAE	0
8063	J2938	(R) LED Light Sources Tests and Requirements Standard	2017	SAE	0
8064	AIR5742A	Packaging and Transportation of Oxygen Equipment	2017	SAE	0
8065	AMS-STD-2154C	Inspection, Ultrasonic, Wrought Metals, Process for	2017	SAE	0
8066	AMS4337B	Aluminum Alloy, Extruded Profiles (7055-T77511) 8.0Zn - 2.3Cu - 2.0Mg - 0.16Zr Solution Heat Treated, Stress Relieved, and Overaged - UNS A97055	2017	SAE	0
8067	AS85485B	(R) Cable, Electric, Filter Line, Radio Frequency Absorptive	2017	SAE	0
8068	ARP6807	Guide for Identification of Terminal Lugs in Electrical Wiring Interconnect Systems (EWIS)	2017	SAE	0
8069	ARP4386D	(R) Terminology and Definitions for Aerospace Fluid Power, Actuation and Control Technologies	2017	SAE	0
8070	AS85049/120C	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90ï° SELF-LOCKING AND NON-SELF-LOCKING, CATEGORY 4B (FOR AS50151 CRIMP, AS95234, MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, AND MIL-DTL-83723 SERIES III CONNECTORS)	2017	SAE	0
8071	AS9733B	BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, PD SHANK, CRES AMS 5643, .2500-28 UNJF-3A	2017	SAE	0
8072	AS9212C	BOLT, MACHINE - STEEL, DIFFUSED NICKEL-CADMIUM PLATED, DOUBLE HEXAGON EXTENDED WASHER-HEAD, UNS K14675, 195 KSI MIN, .4375-20 UNJF-3A	2017	SAE	0
8073	AMS4329B	Aluminum Alloy, Plate (7085-T7651) 7.5Zn - 1.6Cu - 1.5Mg - 0.12Zr Solution Heat Treated, Stress-Relieved, and Overaged - UNS A97085	2017	SAE	0
8074	AS9895B	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, DRILLED, CORROSION RESISANT STEEL (UNS S41800), .2500-28 UNJF-3A	2017	SAE	0
8075	USCAR-12	ELECTRICAL CONNECTOR DESIGN CRITERIA - Revision 4	2017	SAE	0
8076	SRP-004	Clean Snowmobile Challenge - 3: Refinement of Production Engines and New Control Strategies - To Purchase Call 1-800-854-7179 USA/Canada or 303-397-7956 Worldwide	2017	SAE	0
8077	ARP5595B	(R) Cargo Restraint Straps - Utilization Guidelines	2017	SAE	0
8078	AS81714/5A	(R) TERMINAL JUNCTION SYSTEM, RACK ASSEMBLY, TRACK FEEDBACK TYPE, SERIES I	2017	SAE	0

8079	AS6369/2	FLANGE, SHEET METAL, WIDE	2017	SAE	0
8080	J2899	Brake Adjustment Limit for Air Brake Actuators	2017	SAE	0
8081	AMS4434N	Magnesium Alloy Castings, Sand 9.0Al - 2.0Zn (AZ92-T6) Solution and Precipitation Heat Treated - UNS M11920	2017	SAE	0
8082	J1237	Metric Thread Rolling Screws	2017	SAE	0
8083	AS81659B	Connectors, Electrical, Rectangular Crimp Contacts General Specification For	2017	SAE	0
8084	AMS2428	Plating, Cobalt-Phosphorus, Nanocrystalline	2017	SAE	0
8085	ARP4763	Aerospace - General Requirements for Hydraulic Relief Valves	2017	SAE	0
8086	AS5714A	Minimum Performance Standard for Parts 23, 27, and 29 Aircraft Wheels, Brakes, and Wheel and Brake Assemblies	2017	SAE	0
8087	PT-182	Integrated Vehicle Health Management - System of Systems Integration - To Purchase Call 1-800-854-7179 USA/Canada or 303-397-7956 Worldwide	2017	SAE	0
8088	AMS4464A	Aluminum Alloy Plate (2624-T351) 4.1Cu - 1.4Mg - 0.6Mn Solution Heat Treated, Cold Worked and Naturally Aged - UNS A92624	2017	SAE	0
8089	J2908	Vehicle Power Test for Electrified Powertrains	2017	SAE	0
8090	J1536	Two-Stroke-Cycle Engine Oil Fluidity/Miscibility Classification	2017	SAE	0
8091	AS81659/62B	CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (DUAL INSERT, TYPE III, CLASS 1, (-65 Ï°C TO +125 Ï°C), SERIES 2, SHELL DESIGNATOR A)	2017	SAE	0
8092	AMS79-015	Compound, Cleaning Gel for Aircraft Surfaces	2017	SAE	0
8093	AMS5046E	Carbon Steel, Sheet, Strip, and Plate (SAE 1020 and 1025) - UNS G10200 and G10250	2017	SAE	0
8094	J645	Automotive Transmission Terminology	2017	SAE	0
8095	AMS3050/5	Performance Specification Anti-Seize Thread Compound, High Temperature - PTFE Only	2017	SAE	0
8096	AS9574C	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, 130 KSI MIN, .1900-32 UNJF-3A	2017	SAE	0
8097	AMS4981H	Titanium Alloy Bars, Wire, and Forgings 6.0Al - 2.0Sn - 4.0Zr - 6.0Mo Solution and Precipitation Heat Treated - UNS R56260	2017	SAE	0
8098	AS1895/7F	SEAL, TYPE I & II STANDARD AND LOW PROFILE	2017	SAE	0
8099	ARP6253A	(R) LEDs and Aircraft Applications	2017	SAE	0
8100	ARP4005C	Selection and Application of Electro-Mechanical Relays for Proper Performance	2017	SAE	0
8101	AS21914D	(R) CAP, PRESSURE SEAL, FLARELESS TUBE FITTING	2017	SAE	0
8102	J393	(R) Nomenclature - Wheels, Hubs, and Rims for Commercial Vehicles	2017	SAE	0
8103	AS22759/185B	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYIMIDE INSULATED, SMOOTH SURFACE, NORMAL WEIGHT, TIN-COATED COPPER CONDUCTOR, 150 Ï°C, 600 VOLTS ROHS	2017	SAE	0
8104	AS9576D	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, 130 KSI MIN, .3125-24 UNJF-3A	2017	SAE	0
8105	ARP1705C	Coaxial Test Procedure to Measure the RF Shielding Characteristics of EMI Gasket Materials	2017	SAE	0
8106	ARP991C	(R) Position and Anticollision Lights - Fixed-Wing Aircraft	2017	SAE	0
8107	AMS4979J	Titanium Alloy, Bars, Wire, Forgings, and Rings 6Al - 6V - 2Sn Solution and Precipitation Heat Treated - UNS R56620	2017	SAE	0
8108	AS81659/70B	CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (DUAL INSERT, TYPE IV, CLASS 1, (-65 Ï°C TO +125 Ï°C), SERIES 2, SHELL DESIGNATOR A)	2017	SAE	0
8109	J2664	Trailer Sway Response Test Procedure	2017	SAE	0
8110	AS7510	Coupling Assembly, Threadless, Flexible, Self-Locking, Fixed Cavity, High Conductivity, Self-Bonding, Part Specification	2017	SAE	0
8111	AS5242C	FITTING, ELBOW, 45Ï°, BULKHEAD, FLARELESS TO FLARED	2017	SAE	0
8112	AS13004	Process Failure Mode and Effects Analysis (PFMEA) and Control Plans	2017	SAE	0
8113	AS4664D	FITTING, UNION, BULKHEAD, SHORT FLARELESS	2017	SAE	0
8114	AMS4352J	Magnesium Alloy, Extrusions 5.5Zn - 0.45Zr (ZK60A-T5) Precipitation Heat Treated - UNS M16600	2017	SAE	0

8115	AS85049_150	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, REPOSITIONABLE TO STRAIGHT, 45ï° AND 90ï°, ENVIRONMENTAL, CABLE SEALING, SHIELD TERMINATION, CATEGORY 1A, (FOR MIL-DTL-83723 SERIES III, AS50151 CRIMP, AS81703 SERIES 3, MIL-DTL-26482 SERIES 2, AND AS95234 CON	2017	SAE	0
8116	AMS6456E	Steel, Welding Wire 0.80Cr - 1.8Ni - 0.25Mo (0.35 - 0.40C) (SAE 4340 Mod) Vacuum Melted, Environment-Controlled Packaging - UNS G43370	2017	SAE	0
8117	AS6324	Verification of New Conductor Alloys for AS29606 Conductors Qualification	2017	SAE	0
8118	AS35051A	(R) COVER FOR USE WITH MS90362 EXTERNAL POWER RECEPTACLE	2017	SAE	0
8119	AIR1059E	Oxygen Cylinder Quality, Serviceability, Maintenance Transfilling and Marking	2017	SAE	0
8120	AS4670B	ELBOW ASSEMBLY, 90ï°, RETAINER NUT, SHORT FLARELESS	2017	SAE	0
8121	AS4680C	FITTING, UNION, REDUCER, SHORT FLARELESS AND FLARELESS TO BOSS	2017	SAE	0
8122	AMS4917J	Titanium Alloy Sheet, Strip, and Plate 13.5V - 11Cr - 3.0Al Solution Heat Treated - UNS R58010	2017	SAE	0
8123	AMS6381J	Steel, Mechanical Tubing 0.95Cr - 0.20Mo (0.38 - 0.43C) (SAE 4140) - UNS G41400	2017	SAE	0
8124	ARP4822A	Night Vision Imaging System (NVIS) Compatible Illuminated Pushbutton Switches and Indicators	2017	SAE	0
8125	AS34501C	(R) CONNECTORS, RECEPTACLE, ELECTRICAL, WALL MOUNTING, REAR RELEASE, CRIMP CONTACT, AN TYPE	2017	SAE	0
8126	AS5230D	FITTING, UNION AND REDUCER, FLARELESS	2017	SAE	0
8127	ARP5485B	(R) Endurance Time Test Procedures for SAE Type II/III/IV Aircraft Deicing/Anti-Icing Fluids	2017	SAE	0
8128	AS22759/184B	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYIMIDE INSULATED, SMOOTH SURFACE, NORMAL WEIGHT, NICKEL-COATED COPPER CONDUCTOR, 260 ï°C, 600 VOLTS ROHS	2017	SAE	0
8129	AS9573C	SCREW, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, 130 KSI MIN, .1640-36 UNJF-3A	2017	SAE	0
8130	ARP594F	(R) Fuel Pump Thermal Safety Design	2017	SAE	0
8131	AMS4941G	Titanium Tubing, Welded 40 ksi (276 MPa) Yield Strength - UNS R50400	2017	SAE	0
8132	AS81659/68B	CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (SINGLE INSERT, TYPE IV, CLASS 1, (-65 ï°C TO +125 ï°C), SERIES 2, SHELL DESIGNATOR A, FLOAT MOUNTING)	2017	SAE	0
8133	J3109	PWM HVAC Blower Controller and BLDC Motor Controller Efficiency Assessment	2017	SAE	0
8134	AS5958F	(R) Fittings, Axially Swaged Tube with Flareless Separable, Fluid System for Operating Pressures up to and Including 5080 psi (35000 kPa), Specification for	2017	SAE	0
8135	J1706	Production, Handling, and Dispensing of SAE J1703 Motor Vehicle Brake Fluids and J1704 Borate Ester Based Brake Fluids	2017	SAE	0
8136	AMS5540P	Nickel Alloy, Corrosion and Heat-Resistant, Sheet, Strip, and Plate 74Ni - 15.5Cr - 8.0Fe Annealed - UNS N06600	2017	SAE	0
8137	ARP5283B	Nose Gear Towbarless Tow Vehicle Basic Test Requirements	2017	SAE	0
8138	J1939-84	(R) OBD Communications Compliance Test Cases for Heavy Duty Components and Vehicles	2017	SAE	0
8139	AS81714/11A	(R) TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, WIRE IN-LINE JUNCTIONS, SINGLE, SERIES I	2017	SAE	0
8140	AIR6211A	(R) Ice Penetration Test Method for Runways and Taxiways Deicing/Anti-Icing Chemicals	2017	SAE	0
8141	AMS6931D	Titanium Alloy Bars, Forgings and Forging Stock 6.0Al - 4.0V Annealed - UNS R56400	2017	SAE	0
8142	AS9557E	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, UTS 130 KSI MIN, .2500-28 UNJF-3A	2017	SAE	0
8143	AS3242D	BOLT, MACHINE DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, NICKEL ALLOY, UNS N07718, 185 KSI MIN, .5625-18 UNJF-3A	2017	SAE	0
8144	AS25043D	COVER, ELECTRICAL AS50151 CONNECTOR, RECEPTACLE, AN TYPE	2017	SAE	0
8145	SRP-003	Clean Snowmobile Challenge - 2: The Revival of the 2-stroke Engine and Studying Flex Fuel Engines - To Purchase Call 1-800-854-7179 USA/Canada or 303-397-7956 Worldwide	2017	SAE	0

8146	AMS4475B	Aluminum Alloy, Coiled Sheet, Alclad 4.4Cu 1.5Mg 0.60Mn (Alclad 2024; -T4 Coiled Sheet) Solution Heat Treated - UNS A82024	2017	SAE	0
8147	AS39029/90B	(R) CONTACT, ELECTRICAL CONNECTOR, CONCENTRIC TWINAX, PIN, SIZE 8	2017	SAE	0
8148	EIA-STD-4899C	(R) Requirements for an Electronic Components Management Plan	2017	SAE	0
8149	J2704	Tire Normal Force/Deflection and Gross Footprint Dimension Test	2017	SAE	0
8150	ARP6539	Validation and Verification Process Steps for Monitors Development in Complex Flight Control and Related Systems	2017	SAE	0
8151	AMS3255B	(R) Sealing Tape, Sheet, or Gasket, Polytetrafluoroethylene, Expanded (EPTFE) Oil and Water Resistant	2017	SAE	0
8152	AS4681C	FITTING, UNION, REDUCER/EXPANDER BULKHEAD, FLARELESS AND SHORT FLARELESS	2017	SAE	0
8153	AIR6130A	Cadmium Plate Cyclic Corrosion Test	2017	SAE	0
8154	AMS3217/8A	Test Slabs, Fluoroelastomer (FKM), 70-80 Hardness, for Improved Gas Turbine Engine Oil Compatibility	2017	SAE	0
8155	AMS6516B	Steel, Bars and Forgings 1Cr 10Ni 7Co 2Mo 1.3W 0.1V (0.28 0.32C) Vacuum Induction Melted, Vacuum Arc Remelted, Normalized and Annealed Precipitation Hardenable - UNS K91973	2017	SAE	0
8156	AMS4035M	Aluminum Alloy, Sheet and Plate 4.4Cu - 1.5Mg - 0.60Mn (2024-0) Annealed; or when specified, â__As Fabricatedâ__ (2024-F) - UNS A92024	2017	SAE	0
8157	AMS6371L	Steel, Mechanical Tubing 0.95Cr - 0.20Mo (0.28 - 0.33C) (SAE 4130) - UNS G41300	2017	SAE	0
8158	AS85049_153	CONNECTOR ACCESSORIES, ELECTRICAL, RFI/EMI, STRAIN RELIEF, 90 DEGREE, SELF-LOCKING, CATEGORY 3C (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2017	SAE	0
8159	AS81714/10A	(R) TERMINAL JUNCTION SYSTEM, RACK ASSEMBLY, TRACK FEED THRU TYPE, SERIES	2017	SAE	0
8160	AMS6450K	Steel, Spring Wire 0.95Cr - 0.22V (0.48 - 0.53C) (SAE 6150) Annealed and Cold Drawn - UNS G61500	2017	SAE	0
8161	AS4672D	FITTING, TEE, BULKHEAD ON RUN, SHORT FLARELESS	2017	SAE	0
8162	AS92001C	NUT, HEXAGON, DRILLED, BOSS CONNECTION, ALUMINUM UNS A92014	2017	SAE	0
8163	J1699-2	(R) Test Cases for OBD-II Scan Tools and I/M Test Equipment	2017	SAE	0
8164	AS85049/128F	SHIELD BAND, CONNECTOR ACCESSORIES, ELECTRICAL BACKSHELL, CATEGORY 7 (FOR AS85048/82 - /90, /93, /109 - /117 ACCESSORIES)	2017	SAE	0
8165	AS5178B	NUT, FITTING, BULKHEAD	2017	SAE	0
8166	AMS79-017	Compound, Cleaning, Foaming, for Aircraft Surfaces	2017	SAE	0
8167	AS81659/33B	CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, CRIMP CONTACTS, (DUAL INSERT, TYPE II, CLASS 1, (-65 j°C TO +125 j°C), SERIES 2, SHELL DESIGNATOR A)	2017	SAE	0
8168	J1390	Engine Cooling Fan Structural Analysis	2017	SAE	0
8169	AS21919A	(R) CLAMP, LOOP TYPE, CUSHIONED SUPPORT	2017	SAE	0
8170	AMS3050/4	Performance Specification Anti-Seize Thread Compound, High Temperature - Molybdenum Disulphide; Graphite Only	2017	SAE	0
8171	AMS2647F	Fluorescent Penetrant Inspection Aircraft and Engine Component Maintenance	2017	SAE	0
8172	AS7477G	Bolts and Screws, Steel, UNS S66286 Tensile Strength 130 ksi, Procurement Specification	2017	SAE	0
8173	R-443	Vehicle Battery Fires: Why They Happen and How They Happen - To Purchase Call 1-800-854-7179 USA/Canada or 303-397-7956 Worldwide	2017	SAE	0
8174	AMS2545	Controlled Pneumatic Needle Peening, Straightening and Forming	2017	SAE	0
8175	AS21912D	(R) TEE, FLARELESS TUBE WITH BULKHEAD ON RUN	2017	SAE	0
8176	AS1008J	FITTING, ELBOW, 90 DEGREE, STANDARD AND REDUCER, BULKHEAD, FLARELESS	2017	SAE	0
8177	ARP5483B	Rolling Element Bearing Test Methods	2017	SAE	0
8178	AS4694C	FITTING ASSEMBLY, CAP, HOLLOW END, ACORN, SHORT FLARELESS	2017	SAE	0
8179	AMS4463A	Aluminum Alloy, Plate (7255-T7751) 8.0Zn - 2.3Cu - 2.0Mg - 0.12Zr Solution Heat Treated, Stress Relieved, and Overaged	2017	SAE	0

8180	AS39029/4C	(R) CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, MIL-DTL-83723 SERIES I AND III, AND MIL-DTL-83733 CONNECTORS)	2017	SAE	0
8181	J3008	Sealed Trailer Tow Connector	2017	SAE	0
8182	AS4669C	FITTING, ELBOW, 90ï°, BULKHEAD, SHORT FLARELESS	2017	SAE	0
8183	ARP5637A	Design and Maintenance Considerations for Aircraft Exterior Lighting Plastic Lenses	2017	SAE	0
8184	AMS3721	Tape for Organic Coatings Adhesion Testing	2017	SAE	0
8185	J1699-3	(R) Vehicle OBD II Compliance Test Cases	2017	SAE	0
8186	AMS6372N	Steel, Mechanical Tubing 0.95Cr 0.20Mo (0.33 0.38C) (SAE 4135) - UNS G41350	2017	SAE	0
8187	ARP4168B	Night Vision Goggle (NVG) Compatible Light Sources	2017	SAE	0
8188	AS1007K	FITTING, UNION, STANDARD AND REDUCER, BULKHEAD, FLARELESS	2017	SAE	0
8189	J2718	Test for Tire Quasi-Static Longitudinal Force versus Longitudinal Displacement and Quasi-Static Lateral Force versus Lateral Force	2017	SAE	0
8190	AS85049/126D	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90ï° SELF-LOCKING AND NON-SELF-LOCKING, CATEGORY 4C (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2017	SAE	0
8191	AMS3681E	Adhesive, Electrically Conductive Silver-Filled Epoxy Resin	2017	SAE	0
8192	AS4674B	TEE ASSEMBLY, RETAINED NUT ON RUN, SHORT FLARELESS	2017	SAE	0
8193	J2087	Daytime Running Light	2017	SAE	0
8194	AIR5691A	(R) Guidance for the Design and Installation of Fuel Quantity Indicating Systems	2017	SAE	0
8195	ARP1328C	Aircraft Ground Support Equipment - Wind Stability Determination	2017	SAE	0
8196	AMS4403A	Aluminum Alloy, Die Forgings 7.5Zn - 1.6Cu - 1.5Mg - 0.12Zr (7085-T7452) Solution Heat Treated, Compression Stress-Relieved, and Overaged - UNS A97085	2017	SAE	0
8197	AMS6501E	Steel, Maraging, Welding Wire 18Ni - 8.0Co - 4.9Mo - 0.40Ti - 0.10Al Vacuum Induction Melted, Environment Controlled Packaging - UNS K92890	2017	SAE	0
8198	AMS4601A	Aluminum Alloy, Sheet and Plate 6.3Cu - 0.30Mn - 0.06Ti - 0.10V - 0.18Zr Solution Heat Treated, Cold Worked and Naturally Aged (2219 -T31/-T351) - UNS A92219	2017	SAE	0
8199	AS81714/7A	(R) TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, BUSSING MODULES, FEED THRU TYPE, SIZE 20, SERIES I	2017	SAE	0
8200	AS6171/2A	(R) Techniques for Suspect/Counterfeit EEE Parts Detection by External Visual Inspection, Remarking and Resurfacing, and Surface Texture Analysis Using SEM Test Methods	2017	SAE	0
8201	AS6922	NUT, SELF-LOCKING, SHANK, 1400ï°F, 180 KSI NICKEL ALLOY (UNS N07001) SILVER PLATED THREADS ONLY, UNJ THREAD	2017	SAE	0
8202	J1402	Automotive Air Brake Hose and Hose Assemblies	2017	SAE	0
8203	AS3241D	BOLT, MACHINE DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, NICKEL ALLOY, UNS N07718, 185 KSI MIN, .5000-20 UNJF-3A	2017	SAE	0
8204	AS3418B	BOLT, MACHINE, DOUBLE HEX, EXT WASHER HEAD, CLOSE TOL. SHANK, UNS N07718, 185 KSI MIN, .2500-28UNJF-3A (STRESS RUPTURE RESISTANT)	2017	SAE	0
8205	AS5188C	FITTING, ELBOW, 90ï°, BULKHEAD, HOSE	2017	SAE	0
8206	AMS2380G	Approval and Control of Premium-Quality Titanium Alloys	2017	SAE	0
8207	J995	Mechanical and Material Requirements for Steel Nuts	2017	SAE	0
8208	SRP-002	Clean Snowmobile Challenge - 1: The Early Years, 4-Stroke Engines Make Their Debut - To Purchase Call 1-800-854-7179 USA/Canada or 303-397-7956 Worldwide	2017	SAE	0
8209	AMS4269A	Aluminum Alloy, Sheet and Plate 4.4Cu - 1.5Mg - 0.60Mn; (2024-T361), Solution Heat Treated and Cold Worked - UNS A92024	2017	SAE	0
8210	AS6369	Coupling Assembly, V-Band Sheet Metal Wide Flange, Pneumatic Tube	2017	SAE	0
8211	J3117	Un-shielded Balanced Single Twisted Pair Ethernet Cable	2017	SAE	0

8212	J2396	(R) Definitions and Experimental Measures Related to the Specification of Driver Visual Behavior Using Video Based Techniques	2017	SAE	0
8213	AS24466A	(R) BEARING, ROLLER, NEEDLE-DOUBLE ROW, HEAVY DUTY, TRACK ROLLER, TYPE VI, ANTIFRICTION, INCH	2017	SAE	0
8214	AS1004G	(R) FITTING, ELBOW, 90Ī°, STANDARD AND REDUCER, FLARELESS	2017	SAE	0
8215	AS4692F	FITTING ASSEMBLY, TEE, FLARELESS AND SHORT FLARELESS, REDUCER, RETAINED NUT ON SIDE	2017	SAE	0
8216	AMS4296C	Aluminum Alloy, Alclad Sheet and Plate 4.3Cu - 1.4Mg - 0.60Mn (Alclad 2524-T3) Solution Heat Treated and Cold Worked - UNS A82524	2017	SAE	0
8217	AMS4044N	Aluminum Alloy, Sheet and Plate 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr Annealed (7075-O) or when specified, "As Fabricated" (7075-F) - UNS A97075	2017	SAE	0
8218	AS4673C	FITTING, TEE, BULKHEAD ON SIDE, SHORT FLARELESS	2017	SAE	0
8219	J1204	(R) Wheels - Recreational and Utility Trailer Fatigue Test Procedure and Performance Requirements	2017	SAE	0
8220	ARP378D	Passenger Reading Lights	2017	SAE	0
8221	AMS2434E	Plating, Tin-Zinc Alloy	2017	SAE	0
8222	J442	(R) Test Strip, Holder, and Gage for Shot Peening	2017	SAE	0
8223	AS4688C	FITTING, TEE, REDUCER, FLARELESS AND SHORT FLARELESS	2017	SAE	0
8224	ARP6385	Aircraft Fuel Pump Mechanical and Electrical Safety Design	2017	SAE	0
8225	AMS6302K	Low-Alloy Steel, Heat-Resistant, Bars, Forgings, and Tubing 0.65Si - 1.25Cr - 0.50Mo - 0.25V (0.28 - 0.33C) - UNS K23015	2017	SAE	0
8226	AMS4954K	Titanium Alloy, Welding Wire 6Al - 4V - UNS R56402	2017	SAE	0
8227	AMS2451/6B	Plating, Brush Copper General Purpose	2017	SAE	0
8228	J33	(R) Snowmobile Definitions and Nomenclature - General	2017	SAE	0
8229	AMS4350N	Magnesium Alloy, Extrusions 6.5A1 - 0.95Zn (AZ61A-F) As Extruded - UNS M11610	2017	SAE	0
8230	AMS6424G	Steel Bars, Forgings, and Tubing 0.80Cr - 1.8Ni - 0.25Mo (0.49 - 0.55C) - UNS K22950	2017	SAE	0
8231	AS13001A	(R) Delegated Product Release Verification Training Requirements	2017	SAE	0
8232	AIR6364	Test Facility Shakedown and Commissioning	2017	SAE	0
8233	AS21909E	(R) TEE, BULKHEAD AND UNIVERSAL, FLARELESS TUBE	2017	SAE	0
8234	AMS6951	Titanium Alloy, Sheet 5Al - 4V - 0.75Mo - 0.5Fe Annealed - UNS R54100	2017	SAE	0
8235	AS22759/88D	(R) WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYMIDE INSULATED, NORMAL WEIGHT, TIN COATED, COPPER CONDUCTOR, 150 Ī°C, 600 VOLT, ROHS	2017	SAE	0
8236	AMS4485A	Magnesium Alloy, Extrusions 4.0Y - 2.25Nd - 0.5Zr (WE43C - T5) Precipitation Heat Treated - UNS M18434	2017	SAE	0
8237	AMS5596M	Nickel Alloy, Corrosion and Heat-Resistant, Sheet, Strip, Foil and Plate 52.5Ni - 19Cr - 3.0Mo - 5.1Cb (Nb) - 0.90Ti - 0.50Al - 18Fe Consumable Electrode Remelted or Vacuum Induction Melted 1775 Ī°F (968 Ī°C) Solution Heat Treated - UNS N07718	2017	SAE	0
8238	AS81659/67B	CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE,CRIMP CONTACTS, (SINGLE INSERT, TYPE IV, CLASS 1,(-65 Ī°C TO +125 Ī°C), SERIES 2, SHELL DESIGNATOR A, CLINCH NUT MOUNTING)	2017	SAE	0
8239	J2765	Procedure for Measuring System COP [Coefficient of Performance] of a Mobile Air Conditioning System on a Test Bench	2017	SAE	0
8240	AS4682C	FITTING, ELBOW, 45Ī°, REDUCER, FLARELESS AND SHORT FLARELESS	2017	SAE	0
8241	AS7512	COUPLING COMPONENTS, THREADLESS - FLEXIBLE, FIXED CAVITY, CURRENT CARRYING, SELF BONDING KIT OF PARTS	2017	SAE	0
8242	AMS4905F	Titanium Alloy, Damage-Tolerant Grade Plate 6Al - 4V Beta Annealed - UNS R56400	2017	SAE	0
8243	AS81659/35B	CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (DUAL INSERT, TYPE II, CLASS 1, (-65 Ī°C TO +125 Ī°C), SERIES 2, SHELL DESIGNATOR A)	2017	SAE	0
8244	AS81714/9A	(R) TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, BUSSING MODULES, FEED THRU TYPE, SIZE 12, SERIES I	2017	SAE	0

8245	AS7112/3A	Nadcap Requirements for Couplings and Formed Sheet Metal Components	2017	SAE	0
8246	AS5756/7A	CABLE, LOW INDUCTANCE, 270 VOLT DC	2017	SAE	0
8247	AS14227D	LOCK, ROD END, IMPROVED STRENGTH, NAS LUG	2017	SAE	0
8248	AS4691G	FITTING ASSEMBLY, TEE, FLARELESS AND SHORT FLARELESS, REDUCER, RETAINED NUT ON RUN	2017	SAE	0
8249	AS85421/4D	FITTING, TEE, REDUCER AND NON-REDUCER, BEAM SEAL, 3000/4000 PSI, MALE ON RUN, SWIVEL NUT ON BRANCH	2017	SAE	0
8250	AMS3050/3	Performance Specification Anti-Seize Thread Compound, High Temperature - Nickel Only	2017	SAE	0
8251	J2725	(R) Road Vehicles - Friction Materials - Elastic Properties Measurements	2017	SAE	0
8252	J852	Front Cornering Lamps for Use on Motor Vehicles	2017	SAE	0
8253	AMS5825H	Steel, Corrosion-Resistant, Welding Wire 16.4Cr - 4.8Ni - 0.22Cb(Nb) - 3.6Cu - UNS S17480	2017	SAE	0
8254	J1979	(R) E/E Diagnostic Test Modes	2017	SAE	0
8255	AS5259/8	CRIMPING TOOL AND ACCESSORIES, 18VDC BATTERY ELECTRIC, PORTABLE HYDRAULIC, WIRE SIZE 8 TO 00 UN-INSULATED, AND SIZE 8 THROUGH 2 INSULATED CRIMP BARRELS	2017	SAE	0
8256	AS1055E	Fire Testing of Flexible Hose, Tube Assemblies, Coils, Fittings, and Similar System Components	2017	SAE	0
8257	AMS4558H	Brass, Seamless Tubing 66.5Cu - 31.5Zn - 1.6Pb Drawn Temper (H58) - UNS C33200	2017	SAE	0
8258	AMS4712G	Copper Alloy, Wire 65Cu - 35Zn Annealed (O61) - UNS C27000	2017	SAE	0
8259	J2911	(R) Procedure for Certification that Requirements for Mobile Air Conditioning System Components, Service Equipment, and Service Technician Training Meet SAE J Standards	2017	SAE	0
8260	AS20218B	(R) BEARING, BALL, ANTI-FRICTION, AIRFRAME	2017	SAE	0
8261	AS4716C	(R) Gland Design, O-ring and Other Seals	2017	SAE	0
8262	J2855	SAE Instrumented Arm Userâ s Manual	2017	SAE	0
8263	J517	(R) Hydraulic Hose	2017	SAE	0
8264	AS27646/1A	BEARING, BALL, AIRFRAME, ANTI-FRICTION, EXTRA LIGHT DUTY, CORROSION RESISTANT NITROGEN STEEL (CREN)	2017	SAE	0
8265	J2840	(R) High Voltage Shielded and Jacketed Cable	2017	SAE	0
8266	AMS6349E	Steel Bars 0.95Cr - 0.20Mo (0.38 to 0.43C) (SAE 4140) Normalized - UNS G41400	2017	SAE	0
8267	AMS4315A	Aluminum Alloy Sheet and Plate 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr 7075: (-T76 Sheet, -T7651 Plate) Solution and Precipitation Heat Treated - UNS R97075	2017	SAE	0
8268	J1161	(R) Operational Sound Level Measurement Procedure for Snowmobiles	2017	SAE	0
8269	AMS4892D	Alloy Castings, Corrosion and Heat-Resistant 66Ni - 29Cu - 4.0Si As Cast - UNS N04019	2017	SAE	0
8270	AMS4031J	Aluminum Alloy, Sheet and Plate 6.3Cu - 0.30Mn - 0.18Zr - 0.10V - 0.06Ti (2219-0) Annealed or when specified, â__As Fabricatedâ (2219-F) - UNS A92219	2017	SAE	0
8271	AMS4951J	Titanium Welding Wire Commercially Pure Environment Controlled Packaging - UNS R50120	2017	SAE	0
8272	AS85421/10D	FITTING, ADAPTER, BEAM SEAL, 3000/4000 PSI, MALE TO FLARELESS	2017	SAE	0
8273	AS1006G	FITTING, CROSS, STANDARD AND REDUCER, FLARELESS	2017	SAE	0
8274	AMS5336J	Steel, Investment Castings 0.95Cr - 0.20Mo (0.25 - 0.35C) (4130 Mod) Normalized or Normalized and Tempered - UNS J13046	2017	SAE	0
8275	AIR902A	(R) Determination of Distance from Ground Observer to Aircraft for Acoustic Tests	2017	SAE	0
8276	AIR5919B	Alternatives to Cadmium Plating	2017	SAE	0
8277	J306	Automotive Gear Lubricant Viscosity Classification	2017	SAE	0
8278	J747	(R) Control Valve Test Procedure	2017	SAE	0
8279	AS102C	FITTING, CROSS, REDUCER, FLARELESS AND SHORT FLARELESS	2017	SAE	0
8280	AMS6320P	Steel Bars, Forgings, and Rings 0.50Cr - 0.55Ni - 0.25Mo (0.33 - 0.38C) (8735) - UNS G87350	2017	SAE	0

8281	AMS7875F	Powder, Chromium Carbide Plus Nickel-Chromium Alloy 75Cr3C2 + 25 (80Ni - 20Cr Alloy)	2017	SAE	0
8282	J1525	(R) Lap Shear Test for Automotive-Type Adhesives for Fiber Reinforced Plastic (FRP) Bonding	2017	SAE	0
8283	AMS5951A	Nickel Alloy, Corrosion and Heat-Resistant, Sheet, Strip, and Plate 57Ni - 20Cr - 10Co - 8.5Mo - 2.1Ti - 1.5Al - 0.005B Vacuum Induction and Consumable Electrode Melted, Solution Heat Treated Precipitation Heat Treatable - UNS N07208	2017	SAE	0
8284	AS85049/151	CONNECTOR ACCESSORIES, ELECTRICAL, RFI/EMI, STRAIN RELIEF, STRAIGHT, SELF-LOCKING, CATEGORY 3C (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2017	SAE	0
8285	AS5259/6A	(R) CRIMPING TOOL AND ACCESSORIES, INSPECTION GAGES, FOR AS5259 DIES	2017	SAE	0
8286	AS1005H	FITTING, TEE, STANDARD AND REDUCER, FLARELESS	2017	SAE	0
8287	AS24465A	(R) BEARING, ROLLER, NEEDLE-SINGLE ROW, HEAVY DUTY, TRACK ROLLER, TYPE V, ANTIFRICTION, INCH	2017	SAE	0
8288	J2854	Users Guide for the Six Month Old Infant Dummy (CRABI)	2017	SAE	0
8289	AS154701 THRU AS155000B	STUD - STEPPED, 2 DIA ENGAGEMENT .2500-20UNS X .1900-32UNF-3A	2017	SAE	0
8290	AS7220 REV A	(R) Aluminum Rivets, UNS A91100, 99Al (1100-H14) - FSC 5320	2017	SAE	0
8291	AMS4916L	Titanium Alloy Sheet, Strip, and Plate 8Al - 1Mo - 1V Duplex Annealed - UNS R54810	2017	SAE	0
8292	AMS2259F	Chemical Check Analysis Limits Wrought Low-Alloy and Carbon Steels	2017	SAE	0
8293	AMS6317K	Steel Bars and Forgings 1.8Ni - 0.25Mo (0.38 - 0.43C) (4640) Heat Treated, 125 ksi (862 MPa) Tensile Strength - UNS K22440	2017	SAE	0
8294	AS7515	COUPLING ASSEMBLY, THREADLESS - FLEXIBLE, FIXED CAVITY, CURRENT CARRYING, SELF BONDING	2017	SAE	0
8295	AIR5872A	Aerospace Hydraulic Pump Controls	2017	SAE	0
8296	AS27644/1A	BEARING, BALL, AIRFRAME, ANTI-FRICTION, DOUBLE ROW, HEAVY DUTY, CORROSION RESISTANT NITROGEN STEEL (CREN)	2017	SAE	0
8297	AIR5301A	(R) Installed Outdoor Engine Testing	2017	SAE	0
8298	AS5830A	Coupling Assembly, Threadless, Flexible, Fixed Cavity, Current Carrying, Self-Bonding, Procurement Specification	2017	SAE	0
8299	AS21906D	(R) CROSS, FLARELESS TUBE	2017	SAE	0
8300	PT-181	Additive Manufacturing of Aerospace Composite Structures: Fabrication and Reliability - To Purchase Call 1-800-854-7179 USA/Canada or 303-397-7956 Worldwide	2017	SAE	0
8301	J3052	Brake Hydraulic Component Flow Rate Measurement for High Differential Pressure (>5 bar)	2017	SAE	0
8302	AMS3382D	(R) Elastomer: Tetrafluoroethylene/Propylene (FEPM) Hydraulic Fluid and Synthetic Oil Resistant 75 to 90 Hardness	2017	SAE	0
8303	AS22759/85D	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYMIDE INSULATED, NORMAL WEIGHT, TIN COATED COPPER CONDUCTOR, 150 Î°C, 600 VOLT, ROHS	2017	SAE	0
8304	AS4468G	Hose Assembly, 125 psi, Lined Silicone, Potable Water, Procurement Specification	2017	SAE	0
8305	AS6495B	CLAMP, STRAP, HIGH TEMPERATURE, RETAINING AMS5599	2017	SAE	0
8306	AMS5442B	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings Ni - 18Cr - 2.8Mo - 5.5Cb(Nb) - 0.70Ti - 1.50Al - 10Fe - 9Co - 1W Consumable Electrode Remelted or Vacuum Induction Melted 1775 Î°F (968 Î°C) Solution and Precipitation Heat Treated - U	2017	SAE	0
8307	AS81659/64B	CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE,CRIMP CONTACTS, (QUADRUPLE INSERT, TYPE III, CLASS 1,(-65 Î°C TO +125 Î°C), SERIES 2, SHELL DESIGNATOR A)	2017	SAE	0
8308	AS22759/188B	(R) WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYIMIDE INSULATED, SMOOTH SURFACE, NORMAL WEIGHT, TIN-COATED COPPER CONDUCTOR, 150 Î°C, 600 VOLTS ROHS	2017	SAE	0
8309	ARP1621C	(R) ULD for Aircraft Transportation of Horses	2017	SAE	0
8310	AMS4477A	Aluminum Alloy, Coiled Sheet 4.4Cu - 1.5Mg - 0.60Mn (2024-T4) Solution Treated - UNS A82024	2017	SAE	0
8311	AS81714/8A	(R) TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, BUSSING MODULES, FEED THRU TYPE, SIZE 16, SERIES I	2017	SAE	0

8312	J1052	Motor Vehicle Driver and Passenger Head Position	2017	SAE	0
8313	AS3209A	(R) PACKING, PREFORMED - AMS7276, O RING	2017	SAE	0
8314	AS22759/3A	(R) WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, TFE-GLASS-TFE, MEDIUM WEIGHT, NICKEL-COATED COPPER CONDUCTOR, 600-VOLT, ROHS	2017	SAE	0
8315	AS5620B	Titanium Hydraulic Tubing, Ti-3Al-2.5V Cold Worked and Stress Relieved, Up to 35000 kPa (5080 psi), Requirements for Qualification Testing and Control	2017	SAE	0
8316	AS4689D	FITTING, TEE, REDUCER, BULKHEAD ON RUN, FLARELESS AND SHORT FLARELESS	2017	SAE	0
8317	MA2113C	(R) ADAPTER, ASSEMBLY - PORT CONNECTION RING LOCKED TO 60¦° FLARELESS TUBE END, METRIC	2017	SAE	0
8318	AS8017D	Minimum Performance Standard for Anticollision Light Systems	2017	SAE	0
8319	AMS3050/2	Performance Specification Anti-Seize Thread Compound, High Temperature - Aluminum Only	2017	SAE	0
8320	AMS6323M	Steel, Mechanical Tubing 0.50Cr - 0.55Ni - 0.25Mo (0.38 - 0.43C) (SAE 8740) - UNS G87400	2017	SAE	0
8321	J1400	(R) Laboratory Measurement of the Airborne Sound Barrier Performance of Flat Materials and Assemblies	2017	SAE	0
8322	AMS4940C	Titanium Sheet, Strip, and Plate Commercially Pure Annealed, 25.0 ksi (172 MPa) Yield Strength - UNS R50250	2017	SAE	0
8323	J1510	Lubricants for Two-Stroke-Cycle Gasoline Engines	2017	SAE	0
8324	AS4676C	FITTING, TEE, BULKHEAD AND BOSS ON RUN, SHORT FLARELESS	2017	SAE	0
8325	AMS5537J	Cobalt Alloy, Corrosion and Heat-Resistant, Sheet, Strip, Foil, and Plate 52Co - 20Cr - 10Ni - 15W Solution Heat Treated - UNS R30605	2017	SAE	0
8326	J948	Test Method for Determining Resistance to Abrasion of Automotive Bodycloth, Vinyl, and Leather, and the Snagging of Automotive Bodycloth	2017	SAE	0
8327	AIR4844C	Composites and Metal Bonding Glossary	2017	SAE	0
8328	AMS6512H	Steel, Maraging, Bars, Forgings, Tubing, and Rings 18Ni - 7.8Co - 4.9Mo - 0.40Ti - 0.10Al Consumable Electrode Vacuum Melted, Annealed - UNS K92890	2017	SAE	0
8329	AMS2451/4D	Plating, Brush, Cadmium Corrosion Protective, Low Hydrogen Embrittlement	2017	SAE	0
8330	AMS2629E	Fluid, Jet Reference	2017	SAE	0
8331	AMS4935L	Titanium Alloy Extrusions and Flash Welded Rings 6Al - 4V Annealed Beta Processed - UNS R56400	2017	SAE	0
8332	AS85049/88D	(R) CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, STRAIGHT, SELF-LOCKING, SHIELD BAND TERMINATION (RFI/EMI), SHRINK BOOT ACCOMMODATION, CATEGORY 3B (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2017	SAE	0
8333	AS21925D	(R) ELBOW, 90¦° UNIVERSAL, FLARELESS TUBE, HIGH PROFILE	2017	SAE	0
8334	AS100026 THRU AS100035B	(R) SAFETY WIRE - CRES AS5685 (UNS S30500)	2017	SAE	0
8335	AS22759/4A	(R) WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, TFE-GLASS-FEP, MEDIUM WEIGHT, SILVER-COATED COPPER CONDUCTOR, 600-VOLT	2017	SAE	0
8336	AMS5338H	Steel, Investment Castings 0.95Cr - 0.20Mo (0.35 - 0.45C) (4140 Mod) Normalized or Normalized and Tempered - UNS J14046	2017	SAE	0
8337	AS81582C	Connectors, Electrical, Bayonet Coupling, Environment Resisting, Umbilical, General Specification For	2017	SAE	0
8338	AS81306A	(R) Wiring Installation Tools for Bands and Tiedown Straps	2017	SAE	0
8339	AMS5532H	Iron Alloy, Corrosion and Heat-Resistant, Sheet, Strip, and Plate 30Fe - 21Cr - 20Ni - 20Co - 3.0Mo - 2.5W - 1.0Cb(Nb) - 0.15N Solution Heat Treated - UNS R30155	2017	SAE	0
8340	J820	Crane Hoist Line Speed and Power Test Procedure	2017	SAE	0
8341	PT-183	Managing Aerospace Projects - To Purchase Call 1-800-854-7179 USA/Canada or 303-397-7956 Worldwide	2017	SAE	0
8342	AMS6328N	Steel, Bars, Forgings, and Tubing 0.50Cr - 0.55Ni - 0.25Mo (0.48 to 0.53C) (8750) - UNS K13550	2017	SAE	0
8343	AMS4365	Aluminum Alloy, Plate, 7.9Zn 1.2Cu - 2.1Mg - 0.10Zr (7097-T7651) Solution Heat Treated, Stress Relieved, and Overaged	2017	SAE	0

8344	AMS5930B	Steel, Corrosion-Resistant, Bars and Forgings 13.0Cr - 2.5Ni - 5.5Co - 2.0Mo - 0.60V (0.05 - 0.09C) Vacuum Induction Plus Vacuum Consumable Electrode Melted - UNS S42670	2017	SAE	0
8345	AS83519_7	SHIELD TERMINATION, SOLDER STYLE, INSULATED, HEATSHRINKABLE, ENVIRONMENT RESISTANT WITH PRE INSTALLED LEADS FOR CABLES HAVING TIN OR SILVER PLATED SHIELDS (CLASS I)	2017	SAE	0
8346	ARP5297B	(R) Recommended Qualification Tests for Halogen Miniature Lamps Less Than 35 Watts for Aircraft Applications	2017	SAE	0
8347	AMS3050/9	Performance Specification Anti-Seize Thread Compound, High Temperature - â Graphite+Calcium Fluorideâ Only	2017	SAE	0
8348	AMS6457E	Steel, Welding Wire 0.95Cr - 0.20Mo (0.28 - 0.33C) (SAE 4130) Vacuum Melted, Environment Controlled Packaging - UNS K13147	2017	SAE	0
8349	AS1009K	(R) FITTING, TEE, STANDARD AND REDUCER, BULKHEAD ON SIDE, FLARELESS	2017	SAE	0
8350	AIR6189	Design, Calibration, and Test Methods for Turbine Engine Icing Test Facilities	2017	SAE	0
8351	AS81714/6A	(R) TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, BUSSING MODULES, FEED THRU TYPE, SIZE 22, SERIES I	2017	SAE	0
8352	J1942-1	Qualified Hoses for Marine Applications	2017	SAE	0
8353	AS85421/16D	FITTING, TEE, BEAM SEAL, 3000/4000 PSI, BULKHEAD ON RUN, MALE ENDS	2017	SAE	0
8354	AS85049/21D	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, CATEGORY 3B (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2017	SAE	0
8355	AS81659/43B	CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (QUADRUPLE INSERT, TYPE II, CLASS 1 (-65 Ï°C TO +125 Ï°C), SERIES 2, SHELL DESIGNATOR A)	2017	SAE	0
8356	AMS3330C	(R) Elastomer: Fluorosilicone (FVMQ) Rubber Fuel and Oil Resistant 45 55 For Products in Fuel Systems/Lubricating Oils	2017	SAE	0
8357	AS3564E	NUT, SELF-LOCKING, DOUBLE HEXAGON, SOLID FILM LUBRICATED, COUNTERBORED, 160 KSI, 800 Ï°F, UNS S66286	2017	SAE	0
8358	AS4283C	(R) Handles and Attachments for Hand Socket Wrenches	2017	SAE	0
8359	AMS4612K	Brass, Naval, Bars and Rods 60.5Cu - 38.5Zn - 0.75Sn Hard Temper (H04) - UNS C46400	2017	SAE	0
8360	AS81659/65B	CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, CRIMP CONTACTS, (SINGLE INSERT, TYPE IV, CLASS 1, (-65 Ï°C TO +125 Ï°C), SERIES 2, SHELL DESIGNATOR A)	2017	SAE	0
8361	AMS4466A	Aluminum Alloy, Sheet and Plate, Alclad 4.4Cu - 1.5Mg - 0.60Mn (Alclad 2024, -T361 Sheet & Plate) Solution Heat Treated, 6% Cold Worked and Naturally Aged - UNS A82024	2017	SAE	0
8362	J2954	(R) Wireless Power Transfer for Light-Duty Plug-In/Electric Vehicles and Alignment Methodology	2017	SAE	0
8363	J1965	(R) Road Vehicles - Wheels for Commercial Vehicles and Multipurpose Passenger Vehicles - Fixing Nuts - Test Methods	2017	SAE	0
8364	J3087	Automatic Emergency Braking (AEB) System Performance Testing	2017	SAE	0
8365	AMS6280M	Steel Bars, Forgings, and Rings 0.50Cr - 0.55Ni - 0.20Mo (0.28 - 0.33C) (SAE 8630) - UNS G86300	2017	SAE	0
8366	AS7513	MALE FERRULE, THREADLESS, - FLEXIBLE, FIXED CAVITY, CURRENT CARRYING, SELF BONDING, SWAGED	2017	SAE	0
8367	AS39029/103B	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, COAXIAL, SIZE 12 (FOR MIL-DTL-38999 SERIES I, III AND IV CONNECTORS)	2017	SAE	0
8368	AIR5479B	(R) Environmentally Compliant Processes for Landing Gear	2017	SAE	0
8369	J2675	Combined Cornering and Braking Test for Truck and Bus Tires	2017	SAE	0
8370	AS6316	Performance Standards for Oblique Facing Passenger Seats in Transport Aircraft	2017	SAE	0
8371	TU-003	Advances in Electric Propulsion - To Purchase Call 1-800-854-7179 USA/Canada or 303-397-7956 Worldwide	2017	SAE	0
8372	AS25189A	(R) TERMINAL, LUG, FLAG TYPE, CRIMP STYLE, COPPER, CLASS I	2017	SAE	0
8373	AMS3331C	(R) Elastomer: Fluorosilicone Rubber (FVMQ) Fuel and Oil Resistant 65 75 Shore A Hardness For Products in Fuel Systems/Lubricating Oils	2017	SAE	0
8374	AS22759/84D	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYMIDE INSULATED, NORMAL WEIGHT, NICKEL COATED, COPPER CONDUCTOR, 260 Ï°C, 600 VOLT, ROHS	2017	SAE	0
8375	AS1001J	FITTING, TEE, STANDARD AND REDUCER, BULKHEAD ON RUN, INTERNAL PORT ON SIDE, FLARELESS	2017	SAE	0

8376	AS6315	WRENCHING CONFIGURATION EXTERNAL MORTORQ™ SUPER SPIRAL BOLT HEAD	2017	SAE	0
8377	AMS2451/13A	Plating, Brush, Silver	2017	SAE	0
8378	AS81659/63B	CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE,CRIMP CONTACTS, (TRIPLE INSERT, TYPE III, CLASS 1,(-65 °C TO +125 °C), SERIES 2, SHELL DESIGNATOR A)	2017	SAE	0
8379	AS22759/183B	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYMIDE INSULATED, SMOOTH SURFACE, NORMAL WEIGHT, SILVERCOATED COPPER CONDUCTOR, 200 °C, VOLTS ROHS	2017	SAE	0
8380	AMS2375E	Control of Forgings Requiring First Article Approval	2017	SAE	0
8381	AMS4971L	Titanium Alloy, Bars, Wire, Forgings, and Rings 6Al - 6V - 2Sn Annealed, Heat Treatable - UNS R56620	2017	SAE	0
8382	AS81659/41B	CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (DUAL INSERT, TYPE II, CLASS 1, (-65 °C TO +125 °C), SERIES 2, SHELL DESIGNATOR A)	2017	SAE	0
8383	AS4157B	Coupling Assemblies, Hydraulic, Self-Sealing, Quick Disconnect 8000 Pounds Per Square Inch, Gage	2017	SAE	0
8384	AMS4193D	Aluminum Alloy Sheet and Plate 4.4Cu - 1.5Mg - 0.60Mn (2024-T861) Solution Heat Treated, Cold Worked, and Precipitation Heat Treated - UNS A92024	2017	SAE	0
8385	AMS4490K	Magnesium Alloy Castings, Die 9.0Al - 0.70Zn (AZ91D, Temper F) As Cast - UNS M11916	2017	SAE	0
8386	AS21910E	TEE, BULKHEAD, FLARELESS TUBE, INTERNAL THREAD ON SIDE	2017	SAE	0
8387	AS6089	Verification Methods for AS5653 Network Controller	2017	SAE	0
8388	AMS6514J	Steel, Maraging, Bars, Forgings, Tubing, and Rings 18.5Ni - 9.0Co - 4.9Mo - 0.65Ti - 0.10Al Consumable Electrode Vacuum Melted, Annealed	2017	SAE	0
8389	AMS6330J	Steel Bars, Forgings, and Tubing 0.65Cr - 1.25Ni (0.33 - 0.38C) - UNS K22033	2017	SAE	0
8390	AS81714/2A	(R) TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, BUSSING MODULES, FEEDBACK TYPE, SIZE 20 SERIES I	2017	SAE	0
8391	J2591	Limited Adaptive Forward Lighting System	2017	SAE	0
8392	AS22759/2A	(R) WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, PTFE AND PTFE-COATED GLASS, NICKEL-COATED COPPER CONDUCTOR, 600-VOLT	2017	SAE	0
8393	AS4678D	NUT, BULKHEAD, SHORT FLARELESS	2017	SAE	0
8394	AMS5826E	Steel, Corrosion and Heat-Resistant, Welding Wire 15Cr - 5.1Ni - 0.30Cb(Nb) - 3.2Cu - UNS S15500	2017	SAE	0
8395	AS29600B	Connectors, Electrical, Circular, Miniature, Composite, High Density, Quick Coupling, Environment Resistant, Removable Crimp Contacts Associated Hardware, General Specification For	2017	SAE	0
8396	AS5498A	(R) Minimum Operational Performance Specification for Inflight Icing Detection Systems	2017	SAE	0
8397	AS4690D	FITTING, TEE, REDUCER, BULKHEAD ON SIDE, FLARELESS AND SHORT FLARELESS	2017	SAE	0
8398	AMS3050/1	Performance Specification Anti-Seize Thread Compound, High Temperature - Copper Only	2017	SAE	0
8399	J1634	Battery Electric Vehicle Energy Consumption and Range Test Procedure	2017	SAE	0
8400	AIR4174A	(R) A Guide to Aircraft Power Train Monitoring	2017	SAE	0
8401	AMS5568H	Steel, Corrosion and Heat Resistant, Welded Tubing 17Cr - 7.1Ni - 1.1Al Solution Heat Treated, Precipitation-Hardenable - UNS S17700	2017	SAE	0
8402	AMS2431/2F	Peening Media (ASH) Cast Steel Shot, High Hardness (55 to 62 HRC)	2017	SAE	0
8403	AS81659/29B	CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, CRIMP CONTACTS (SINGLE INSERT, TYPE II, CLASS 1, (-65 °C TO +125 °C), SERIES 2, SHELL DESIGNATOR A)	2017	SAE	0
8404	AMS4163F	Aluminum Alloy, Extrusions 6.3Cu - 0.30Mn - 0.18Zr - 0.10V - 0.06Ti (2219-T3511) Solution Heat Treated, Stress-Relieved by Stretching, and Straightened - UNS A92219	2017	SAE	0
8405	J2638	(R) Fifth Wheel and Gooseneck Attachment Performance Up to 13608/kg (30000/lb) Trailer Weight	2017	SAE	0
8406	AMS4993F	Titanium Alloy, Blended Powder Compacts, Sintered 6Al - 4V - UNS R56400	2017	SAE	0
8407	ARP712C	(R) Galley Lighting	2017	SAE	0
8408	AS81659/69B	CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, CRIMP CONTACTS, (DUAL INSERT, TYPE IV, CLASS 1, (-65 TO +125 °C), SERIES 2, SHELL DESIGNATOR A)	2017	SAE	0

8409	AIR5451A	(R) A Guide to Landing Gear System Integration	2017	SAE	0
8410	AMS2451/11B	Plating, Brush, Cobalt	2017	SAE	0
8411	AS150F	(R) Hose Assembly, Type Classifications of, Basic Performance and Fire Resistance	2017	SAE	0
8412	ARP6207	Qualifications Required for SAE Type I Aircraft Deicing/Anti-Icing Fluids	2017	SAE	0
8413	AS5969E	FITTING ASSEMBLY, UNION, AXIALLY SWAGED, HYDRAULIC 5080 PSI	2017	SAE	0
8414	AS103C	FITTING ASSEMBLY, CROSS, FLARELESS AND SHORT FLARELESS, REDUCER, RETAINED NUT	2017	SAE	0
8415	AS6294/1	Requirements for Plastic Encapsulated Microcircuits in Space Applications	2017	SAE	0
8416	AMS2451/12A	Plating, Brush, Tin	2017	SAE	0
8417	AS81659/31B	CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (SINGLE INSERT, TYPE II, CLASS 1, (-65 ï°C TO +125 ï°C), SERIES 2, SHELL DESIGNATOR A)	2017	SAE	0
8418	AS22759/86D	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYMIDE INSULATED, NORMAL WEIGHT, SILVER COATED, COPPER CONDUCTOR, 200 ï°C, 600 VOLT, ROHS	2017	SAE	0
8419	AIR5565	Historical Design Information of Aircraft Landing Gear and Control Actuation Systems	2017	SAE	0
8420	AMS4251B	Aluminum Alloy Sheet 2.7Cu - 2.2Li - 0.12Zr (2090-T83) Solution Heat Treated, Cold Worked, and Precipitation Heat Treated - UNS A92090	2017	SAE	0
8421	AS31081B	(R) CONNECTORS, PLUG, ELECTRIC, SOLDER CONTACT, 90ï°, AN TYPE	2017	SAE	0
8422	AS3326B	(R) NUT, SELF-LOCKING-CAPTIVE WASHER, STEEL	2017	SAE	0
8423	AMS4416B	Aluminum Alloy, Extruded Profiles (2196-T8511) 2.9Cu - 1.7Li - 0.4Mg - 0.4Ag - 0.10Zr Solution Heat Treated, Stress Relieved by Stretching and Artificially Aged - UNS A92196	2017	SAE	0
8424	AS21905D	TEE, FLARELESS TUBE	2017	SAE	0
8425	J2858	Hybrid III Ten-Year-Old Child Dummy Users Manual	2017	SAE	0
8426	AMS5707N	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 57Ni - 19.5Cr - 13.5Co - 4.3Mo - 3.0Ti - 1.4Al - 0.05Zr - 0.006B Consumable Electrode Remelted or Vacuum Induction Melted 1825 to 1900 ï°F (996 to 1038 ï°C) Solution, Stabilization, and	2017	SAE	0
8427	ARP5483/2A	(R) Rolling Element Bearing Hardness Test	2017	SAE	0
8428	R-452	Chassis Dynamometer Testing - To Purchase Call 1-800-854-7179 USA/Canada or 303-397-7956 Worldwide	2017	SAE	0
8429	AS22759/1A	(R) WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, PTFE AND PTFE-COATED GLASS, SILVER-COATED COPPER CONDUCTOR, 600 VOLT, ROHS	2017	SAE	0
8430	J2527	(R) Performance Based Standard for Accelerated Exposure of Automotive Exterior Materials Using a Controlled Irradiance Xenon-Arc Apparatus	2017	SAE	0
8431	AS4667B	ELBOW ASSEMBLY, 45ï°, RETAINED NUT, SHORT FLARELESS	2017	SAE	0
8432	AS4687E	FITTING ASSEMBLY, ELBOW, 90ï°, FLARELESS AND SHORT FLARELESS, REDUCER, RETAINED NUT	2017	SAE	0
8433	AMS3050	Performance Specification Anti-Seize Thread Compound, High Temperature	2017	SAE	0
8434	AS9696F	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, CORROSION AND HEAT RESISTANT ALLOY, UNS N07001, 165 KSI MIN, .1900-32 UNJF-3A	2017	SAE	0
8435	AS81765 7A	INSULATING COMPONENTS, MOLDED, ELECTRICAL, HEAT SHRINKABLE FLUOROPOLYMER COMPOSITE, SEMI-RIGID, CROSSLINKED	2017	SAE	0
8436	AS81765A	Insulating Components, Molded, Electrical, Heat Shrinkable, General Specification For	2017	SAE	0
8437	AS81914 10B	TUBING, PLASTIC, EXTRA FLEXIBLE, CONVOLUTED, HELICAL, PERFLUOROALKOXY (PFA) CLOSE CONVOLUTION	2017	SAE	0
8438	AS81914 3C	TUBING, PLASTIC, FLEXIBLE, CONVOLUTED, HELICAL FLUORINATED ETHYLENE PROPYLENE (FEP) STANDARD CONVOLUTION	2017	SAE	0
8439	AS81914.3C	TUBING, PLASTIC, FLEXIBLE, CONVOLUTED, HELICAL FLUORINATED ETHYLENE PROPYLENE (FEP) STANDARD CONVOLUTION	2017	SAE	0

8440	AS81969 1A	(R) INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE III, CLASS 2, COMPOSITION C	2017	SAE	0
8441	AS81969 30	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE II, CLASS 2, COMPOSITION C, FOR UNWIRED CONTACTS	2017	SAE	0
8442	AS81969.30	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE II, CLASS 2, COMPOSITION C, FOR UNWIRED CONTACTS	2017	SAE	0
8443	AS85049 123D	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90? SELF-LOCKING, AND NON-SELF-LOCKING, CATEGORY 4C (FOR MIL-DTL-38999 SERIES I AND II CONNECTORS)	2017	SAE	0
8444	AS85049 138B	(R) CONNECTOR ACCESSORIES, ELECTRICAL, CAP, DUST, PLASTIC, CATEGORY 9	2017	SAE	0
8445	AS85049 18D	R) CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, STRAIGHT, RFI/EMI, CATEGORY 2B (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2017	SAE	0
8446	AS85049 41D	(R) CONNECTOR ACCESSORIES, ELECTRICAL, NON-ENVIRONMENTAL, STRAIN RELIEF, STRAIGHT, CATEGORY 4C (FOR AS50151 SOLDER TYPE, V THREAD OF MS310X, CLASSES A, B, C, OR K CONNECTORS AND AS85049 ACCESSORIES)	2017	SAE	0
8447	AS85049 51E	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, NONENVIRONMENTAL, 90?, SELF-LOCKING AND NON-SELF-LOCKING CATEGORY 4B (FOR AS50151 CRIMP, AS95234, MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, AND MIL-DTL-83723 SERIES III CONNECTORS)	2017	SAE	0
8448	AS85049 52E	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, NONENVIRONMENTAL, SELF-LOCKING AND NON-SELF-LOCKING, STRAIGHT, CATEGORY 4B (FOR AS50151 CRIMP, AS95234, MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, AND MIL-DTL-83723 SERIES III CONNECTOR	2017	SAE	0
8449	AS85049 60D	(R) CONNECTOR ACCESSORIES, ELECTRICAL, ADAPTER, SHRINK BOOT, CATEGORY 5 (FOR AS50151 CRIMP, AS95234, MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, AND MIL-DTL-83723 SERIES III CONNECTORS)	2017	SAE	0
8450	AS85049 62B	(R) CONNECTOR ACCESSORIES, ELECTRICAL ADAPTER, SHRINK BOOT, CATEGORY 5 (FOR MIL-DTL-38999 SERIES I AND II CONNECTORS)	2017	SAE	0
8451	AS85049 80D	(R) CONNECTOR ACCESSORIES, ELECTRICAL, DUMMY CONTACT, SIZES 16, 12 AND 8, CATEGORY 7 (FOR MIL-DTL-38999 CONNECTORS)	2017	SAE	0
8452	AS85049 86C	(R) CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, 45?, SELF-LOCKING, SHIELD BAND TERMINATION, (RFI/EMI), SHRINK SLEEVE ACCOMMODATION. CATEGORY 3B (FOR MIL-DTL-38999 SERIES I AND II CONNECTORS)	2017	SAE	0
8453	AS85049 87D	(R) CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, 90?, SELF-LOCKING, SHIELD BAND TERMINATION (RFI/EMI), SHRINK SLEEVE ACCOMMODATION, CATEGORY 3B (FOR MIL-DTL-38999 SERIES I AND II CONNECTORS)	2017	SAE	0
8454	AS85049.80D	(R) CONNECTOR ACCESSORIES, ELECTRICAL, DUMMY CONTACT, SIZES 16, 12 AND 8, CATEGORY 7 (FOR MIL-DTL-38999 CONNECTORS)	2017	SAE	0
8455	AS85049.86C	(R) CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, 45?, SELF-LOCKING, SHIELD BAND TERMINATION, (RFI/EMI), SHRINK SLEEVE ACCOMMODATION. CATEGORY 3B (FOR MIL-DTL-38999 SERIES I AND II CONNECTORS)	2017	SAE	0
8456	AMS2451 14	Plating, Brush, Nickel-Tungsten Low Hydrogen Embrittlement	2017	SAE	0
8457	AMS2451 1B	Plating, Brush, Nickel General Purpose	2017	SAE	0
8458	AMS2451 4C	Plating, Brush, Cadmium Corrosion Protective, Low Hydrogen Embrittlement	2017	SAE	0
8459	AMS2451 5B	Plating, Brush, Chromium Hard Deposit, Trivalent	2017	SAE	0
8460	AMS2451 7B	Plating, Brush, Nickel Low Stress, Medium-Hardness Deposit	2017	SAE	0
8461	AMS2451 8B	Plating, Brush, Non-Cyanide Silver General Purpose	2017	SAE	0
8462	AMS2465D	Disilicide Diffusion Coating of Molybdenum and Molybdenum Alloys Pack Cementation Method	2017	SAE	0
8463	AS91101C	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, UNS S66286, 130 KSI MIN, .1900-32 UNJF-3A	2017	SAE	0

8464	AS91111C	BOLT, MACHINE DOUBLE HEXAGON EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK UNS S66286, 130 KSI MIN, .2500-28 UNJF-3A	2017	SAE	0
8465	AS9115A	(R) Quality Management Systems - Requirements for Aviation, Space, and Defense Organizations - Deliverable Software (Supplement to 9100:2016)	2017	SAE	0
8466	AS9146	Foreign Object Damage (FOD) Prevention Program - Requirements for Aviation, Space, and Defense Organizations	2017	SAE	0
8467	AS9394A	(R) STRAP, RETAINING-MULTIPLE TUBE, AMS5510	2017	SAE	0
8468	AS9397B	(R) BOLT, TEE HEAD - CADMIUM PLATED, STEEL, UNS G87400, 125 KSI MIN, CHAMFERED, .1900-32 UNJF-3A	2017	SAE	0
8469	AS9398C	(R) BOLT, TEE HEAD, CHAMFERED CADMIUM PLATED, STEEL, UNS G87400, 125 KSI MIN, .2500-28 UNJF-3A	2017	SAE	0
8470	AS9399B	(R) BOLT, TEE HEAD - CADMIUM PLATED, STEEL, UNS G87400, 125 KSI MIN, CHAMFERED, .3125-24 UNJF-3A	2017	SAE	0
8471	AMS2503G	Black Finishing Low Baking Enamel	2017	SAE	0
8472	AS9583C	BOLT, MACHINE HEXAGON HEAD, DRILLED, 6 HOLES, FULL SHANK, UNS S66286, 130 KSI MIN, .1900-32 UNJF-3A	2017	SAE	0
8473	AS9585C	BOLT, MACHINE HEXAGON HEAD, DRILLED, 6 HOLES, FULL SHANK, UNS S66286, 130 KSI MIN, .3125-24 UNJF-3A	2017	SAE	0
8474	AS9594B	(R) BRACKET, ANGLE, 90ĩ°, CRES UNS S32100, .190 X .312 BOLT	2017	SAE	0
8475	AS9716B	(R) BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, DRILLED, SILVER PLATED, CORROSION AND HEAT RESISTANT STEEL, .3125-24 UNJF-3A	2017	SAE	0
8476	AS976A	COUPLING - CLAMP, GROOVE V-BAND 6.400, 9.400, 11.400 FLANGE OD	2017	SAE	0
8477	AS9821A	(R) BOLT, MACHINE - HEXAGON HEAD, DRILLED, 1 HOLE, PD SHANK, AMS5643, .500-20 UNJF-3A	2017	SAE	0
8478	AS9955A	(R) PACKING, PREFORMED - AMS3668, O RING	2017	SAE	0
8479	GEIA-STD-0003A	(R) Long Term Storage of Electronic Devices - Formerly TechAmerica GEIA-STD-0003	2017	SAE	0
8480	J1085(2)	(R) Test for Dynamic Properties of Elastomeric Isolators, Recommended Practice	2017	SAE	0
8481	AS31821B	COVER, PROTECTIVE, ELECTRONIC CONNECTOR, PLUG, PUSH-PULL COUPLING	2017	SAE	0
8482	AS31831A	COVER, PROTECTIVE, ELECTRIC CONNECTOR, RECEPTACLE, PUSH-PULL COUPLING	2017	SAE	0
8483	AS3231B	(R) RIVET - TUBULAR, UNIVERSAL	2017	SAE	0
8484	AS3236D	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, NICKEL ALLOY, UNS N07718, 185 KSI MIN, .1900-32 UNJF-3A	2017	SAE	0
8485	AS3238D	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, NICKEL ALLOY UNS N07718, 185 KSI MIN, .3125-24 UNJF-3A	2017	SAE	0
8486	AS3239E	BOLT, MACHINE DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, NICKEL ALLOY UNS N07718, 185 KSI MIN, .3750-24 UNJF-3A	2017	SAE	0
8487	AS3240D	BOLT, MACHINE DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, NICKEL ALLOY, UNS N07718, 185 KSI MIN, .4375-20 UNJF-3A	2017	SAE	0
8488	AMS03-2A	Cleaning and Preparation of Metal Surfaces	2017	SAE	0
8489	AMS03-3A	Protection of Aluminum Alloys by Sprayed Metal Coatings	2017	SAE	0
8490	AMS03-4A	The Pre-Treatment and Protection of Steel Items of Specified Maximum Tensile Strength Exceeding 1450 MPa	2017	SAE	0
8491	AS34021E	CONNECTOR, RECEPTACLE, ELECTRIC, BOX MOUNTING, FRONT RELEASE, CRIMP CONTACT, AN TYPE	2017	SAE	0
8492	AS3411C	BOLT, TEE HEAD - AMS5662, CHAMFERED, .3125-24 UNJF-3A (STRESS RUPTURE RESISTANT)	2017	SAE	0
8493	AS3416B	BOLT, MACHINE ĩ_ HEXAGON HEAD, PD SHANK UNS NO7718, 185 KSI MIN, .3750-24 UNJF-3A (STRESS RUPTURE RESISTANT)	2017	SAE	0
8494	AS3417B	BOLT, MACHINE, DOUBLE HEX, EXTENDED WASHER HEAD, CLOSE TOL. SHANK, UNS N07718, 185 KSI MIN .1900-32 UNJF-3A (STRESS RUPTURE RESISTANT)	2017	SAE	0

8495	AS3419C	BOLT, MACHINE,DOUBLE HEX, EXT WASHER HEAD, CLOSE TOL. SHANK, UNS N07718, 185 KSI MIN .3125-24 UNJF-3A (STRESS RUPTURE RESISTANT)	2017	SAE	0
8496	AS3420B	BOLT, MACHINE, DOUBLE HEX, EXTENDED WASHER HEAD, CLOSE TOL. SHANK, UNS N07718, 185 KSI MIN .3750-24 UNJF-3A (STRESS RUPTURE RESISTANT)	2017	SAE	0
8497	AS34521C	CONNECTOR, RECEPTACLE, ELECTRIC, BOX MOUNTING, REAR RELEASE, CRIMP CONTACT, AN TYPE	2017	SAE	0
8498	AS34641A	(R) CONNECTOR, RECEPTACLE, ELECTRIC, CRIMP TYPE, JAM NUT MOUNTING, PUSH-PULL COUPLING, SERIES 3 (CLASS L AND E)	2017	SAE	0
8499	AS36102B	Air Cargo Unit Load Devices - Testing Methods	2017	SAE	0
8500	AS3611B	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, COBALT-NICKEL ALLOY UNS R30159, 260 KSI MIN	2017	SAE	0
8501	AS39029 11B	(R) CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR AS81659 SERIES 2 CONNECTORS)	2017	SAE	0
8502	AS39029 12B	(R) CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR AS81659 SERIES 2 CONNECTORS)	2017	SAE	0
8503	AS39029 31C	(R) CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR MIL-DTL-26482 SERIES 1, MIL-DTL-26500 AND MIL-DTL-26518 CONNECTORS)	2017	SAE	0
8504	AS39029 32C	(R) CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-DTL-26482 SERIES 1, MIL-DTL-26500 AND MIL-DTL-26518 CONNECTORS)	2017	SAE	0
8505	AS39029 45C	(R) CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR AS50151 SERIES AS34001 AND AS95234 CONNECTORS)	2017	SAE	0
8506	AS39029 5D	NULL	2017	SAE	0
8507	AMS1428 1	Fluid, Aircraft Deicing/Anti-Icing, Non-Newtonian (Pseudoplastic), SAE Types II, III, and IV Glycol (Conventional and Non-Conventional) Based	2017	SAE	0
8508	AMS1428 2	Fluid, Aircraft Deicing/Anti-Icing, Non-Newtonian (Pseudoplastic), SAE Types II, III, and IV Non-Glycol Based	2017	SAE	0
8509	AS39029D	(R) Contacts, Electrical Connector, General Specification For	2017	SAE	0
8510	AS4007A	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PTFE, METAL BRAID, MEDIUM PRESSURE, BEAM SEAL, STRAIGHT TO 45Ï°	2017	SAE	0
8511	AS4008A	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PTFE, METAL BRAID, MEDIUM PRESSURE, BEAM SEAL, STRAIGHT TO 90Ï°	2017	SAE	0
8512	AS4009A	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PTFE, METAL BRAID, MEDIUM PRESSURE, BEAM SEAL, 45â ° TO 45â °	2017	SAE	0
8513	AS4010A	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PTFE, METAL BRAID, MEDIUM PRESSURE, BEAM SEAL, 45â ° TO 90â °	2017	SAE	0
8514	AS4011A	HOSE ASSEMBLY, POLYETRAFLUOROETHYLENE, PTFE, METAL BRAID, MEDIUM PRESSURE, BEAM SEAL, 90â ° TO 90â °	2017	SAE	0
8515	AMS1428J	Fluid, Aircraft Deicing/Anti-Icing, Non-Newtonian (Pseudoplastic), SAE Types II, III, and IV	2017	SAE	0
8516	AS4074B	Linear Token Passing Multiplex Data Bus	2017	SAE	0
8517	AS4108B	T-Bolt and Eye Bolt, A286 CRES, 1000 Ï°F Fatigue Rated	2017	SAE	0
8518	AS4536C	Safety Cable Kit Procurement Specification and Requirement for Use	2017	SAE	0
8519	AS4726A	Nuts, Self-Locking, UNS S66286 Classification: 220 ksi/850 Ï°F Procurement Specification	2017	SAE	0
8520	AS47643	Verification Methods for MIL-STD-1760E Aircraft Station Interfaces	2017	SAE	0
8521	AS4775B	(R) Aircraft Maintenance Jacks - General Requirements	2017	SAE	0
8522	AS4786B	Driver Drills, Battery Powered	2017	SAE	0
8523	AS4841B	Fittings, 37Ï° Internal Flare, Fluid Connection, Procurement Specification	2017	SAE	0
8524	AS4877F	Bolts and Screws, Nickel Alloy UNS N07718, Classification: 185 ksi/1200 Ï°F Procurement Specification	2017	SAE	0
8525	AS5175A	(R) NUT, COUPLING, FLARED	2017	SAE	0

8526	AS5187A	(R) FITTING, ELBOW, 45Ī°, BULKHEAD, HOSE	2017	SAE	0
8527	AS5189A	(R) FITTING, ADAPTER, HOSE	2017	SAE	0
8528	AS5259 7A	CRIMPING TOOL AND ACCESSORIES, DIES, WIRE SIZE 8 TO 0000 UN-INSULATED AND INSULATED CRIMP BARRELS	2017	SAE	0
8529	AS5355 1B	COUPLINGS, CLAMP, GROOVED, V-BAND, 1.75 TO 14.25 FLANGE OD (-65 TO 800 ?F)	2017	SAE	0
8530	AS5355 2B	COUPLINGS, CLAMP, GROOVED, V-BAND, 1.75 TO 6.25 FLANGE OD (-65 TO 250 ?F)	2017	SAE	0
8531	AS5355 3B	COUPLINGS, CLAMP, GROOVED, V-BAND, 1.75 TO 14.25 FLANGE OD (-65 TO 1200 ?F)	2017	SAE	0
8532	AS5506C	(R) Architecture Analysis & Design Language (AADL)	2017	SAE	0
8533	AS5551B	Fitting Assembly 24Degree Cone Flareless per AS5827, 5080 psi, Port Connection Port Preparation, Installation and Removal of AS5550 and AS5865	2017	SAE	0
8534	AS5609A	(R) Aircraft/Store Common Interface Control Document Format Standard	2017	SAE	0
8535	AS5714	Minimum Performance Standard for Parts 23, 27, and 29 Aircraft Wheels, Brakes, and Wheel and Brake Assemblies	2017	SAE	0
8536	AS5869E	FITTING ASSEMBLY, UNION, 3 HOLE FLANGE AXIALLY SWAGED, HYDRAULIC 5080 PSI	2017	SAE	0
8537	AS5951D	Hose Assembly, Polytetrafluoroethylene, Para-Aramid Reinforced, 5080 psi (35000 kPa), 275 Ī°F (135 Ī°C), Aircraft Hydraulic Systems	2017	SAE	0
8538	AS5972G	FITTING ASSEMBLY, TEE AXIALLY SWAGED, HYDRAULIC, 5080 PSI	2017	SAE	0
8539	AS6023	Active and Battery Assisted Passive Tags Intended for Aircraft Use	2017	SAE	0
8540	AS6070 1A	(R) CABLE, HIGH SPEED DATA QUAD, 24 AWG COPPER ALLOY, 100 OHM, 200 ?C, ETHERNET 10/100 BASE T	2017	SAE	0
8541	AS6070 3A	(R) CABLE, HIGH SPEED DATA QUAD, 24 AWG COPPER ALLOY, 110 OHM, 200 ?C	2017	SAE	0
8542	AS6070 4A	(R) CABLE, 4 PAIR 24 AWG COPPER ALLOY, SHIELDED, 100 OHM, 150 ?C ETHERNET 1000 BASE T	2017	SAE	0
8543	AS6070 5A	CABLE, HIGH PERFORMANCE, 4 PAIR, SHIELDED, 100 OHM, 200 ?C, ETHERNET 1000 BASE T	2017	SAE	0
8544	AS6070.1A	(R) CABLE, HIGH SPEED DATA QUAD, 24 AWG COPPER ALLOY, 100 OHM, 200 ?C, ETHERNET 10/100 BASE T	2017	SAE	0
8545	AS6070.3A	(R) CABLE, HIGH SPEED DATA QUAD, 24 AWG COPPER ALLOY, 110 OHM, 200 ?C	2017	SAE	0
8546	AS6070.4A	(R) CABLE, 4 PAIR 24 AWG COPPER ALLOY, SHIELDED, 100 OHM, 150 ?C ETHERNET 1000 BASE T	2017	SAE	0
8547	AMS2368D	Sampling and Testing of Wrought Titanium Raw Material Except Forgings and Forging Stock	2017	SAE	0
8548	AS614D	Hose Assembly, Polytetrafluoroethylene, Metallic Reinforced, 4000 psi, 400 Ī°F, Heavy Duty, Hydraulic and Pneumatic	2017	SAE	0
8549	AS6174 1	Compliance Verification Matrix (VM) Slash Sheet for AS6174A, Counterfeit Materiel; Assuring Acquisition of Authentic and Conforming Materiel	2017	SAE	0
8550	AS6305	DIMENSIONS AND GAGING MORTORQĪ SPIRAL DRIVE INTERNAL RECESS	2017	SAE	0
8551	AS6383	FITTING ASSEMBLY, REDUCER WITH SOLID FILM LUBRICANT, RING LOCKED PORT CONNECTION TO BEAM SEAL 4000 PSI AND 5000 PSI /8/	2017	SAE	0
8552	AS6416	Bolts, Screws, Studs, and Nuts, Definitions for Design, Testing and Procurement	2017	SAE	0
8553	AS6471	FITTING ASSEMBLY, TEE, FEMALE FLARELESS TO EXTERNAL SWAGE ON RUN, EXTERNAL SWAGE ON BRANCH, HYDRAULIC	2017	SAE	0
8554	AS6554A	(R) Cargo Stopper Devices	2017	SAE	0
8555	AS6858	Installation of Fuel Cell Systems in Large Civil Aircraft	2017	SAE	0
8556	AS7460C	Bolts and Screws, Titanium Alloy 6.0Al - 4.0V Procurement Specification For	2017	SAE	0
8557	AS7478D	Bolts and Screws, Steel, UNS S66286 Classification: 130 ksi/1200 Ī°F 1800 Ī°F Solution Heat Treated, Aged After Roll Threaded Procurement Specification for	2017	SAE	0
8558	AS7489	Standard Requirements for Aerospace Organic Coatings Applicator Certification	2017	SAE	0
8559	AMS2418J	Plating, Copper	2017	SAE	0

8560	AS81582 9B	CONNECTORS, ELECTRICAL, BAYONET COUPLING, ENVIRONMENT RESISTING, UMBILICAL, CAPS, PROTECTIVE	2017	SAE	0
8561	AS81659 53B	ONNECTORS, ELECTRICAL, RECTANGULAR, PLUG ENVIRONMENT RESISTANT, CRIMP CONTACTS, TRIPLE INSERT, TYPE II, CLASS 1 (-65 ?C TO +125 ?C), SERIES 2, SHELL DESIGNATOR B	2017	SAE	0
8562	AS81659 56B	CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE ENVIRONMENT RESISTANT, CRIMP CONTACTS, TRIPLE INSERT, TYPE II, CLASS 2 (-65 ?C TO +200 ?C), SERIES 2, SHELL DESIGNATOR B	2017	SAE	0
8563	AS81659 57B	CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG ENVIRONMENT RESISTANT, CRIMP CONTACTS, QUADRUPLE INSERT, TYPE II, CLASS 1 (-65 ?C TO +125?C), SERIES 2, SHELL DESIGNATOR B	2017	SAE	0
8564	AS81659 58B	CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG ENVIRONMENT RESISTANT, CRIMP CONTACTS, QUADRUPLE INSERT, TYPE II, CLASS 2 (-65 ?C TO +200 ?C), SERIES 2, SHELL DESIGNATOR B	2017	SAE	0
8565	AS81659 71B	(R) CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (DUAL INSERT, TYPE IV, CLASS 1 (-65 TO +125 ?C), SERIES 2, SHELL DESIGNATOR A, CLINCH NUT MOUNT)	2017	SAE	0
8566	AS81765 1A	INSULATING COMPONENTS, MOLDED,ELECTRICAL, HEAT SHRINKABLE POLYOLEFIN,CROSSLINKED, SEMI-RIGID AND FLEXIBLE	2017	SAE	0
8567	AS81765 2A	INSULATING COMPONENTS, MOLDED, ELECTRICAL, HEAT SHRINKABLE POLYCHLOROPRENE, FLEXIBLE, CROSSLINKED	2017	SAE	0
8568	AS81765 3A	INSULATING COMPONENTS, MOLDED, ELECTRICAL, HEAT SHRINKABLE SILICONE RUBBER, FLEXIBLE, CROSSLINKED	2017	SAE	0
8569	AS81765 4A	INSULATING COMPONENTS, MOLDED, ELECTRICAL, HEAT SHRINKABLE FLUOROELASTOMER, FLEXIBLE, CROSSLINKED	2017	SAE	0
8570	AS81765 6A	INSULATING COMPONENTS, MOLDED, ELECTRICAL, HEAT SHRINKABLE FLUOROPOLYMER, SEMI-RIGID, CROSSLINKED	2017	SAE	0
8571	AIR34B	Penalties IN Performance of Three-Phase, Four-Wire, 400-Cycle Motors Caused by the Opening of One Phase	2017	SAE	0
8572	AIR805D	Jet Blast Windshield Rain Removal Systems for Commercial Transport Aircraft	2017	SAE	0
8573	AIR825-2	Effects of Acute Altitude Exposure in Humans: Requirements for Physiological Protection	2017	SAE	0
8574	AIR825-8	Continuous Flow Oxygen Systems	2017	SAE	0
8575	AIR825-9	Demand Oxygen Systems	2017	SAE	0
8576	AIR825-10A	Protective Breathing Equipment for Flight Deck and Cabin Crew Members	2017	SAE	0
8577	AIR825-11A	Closed-Cycle Protective Breathing Devices	2017	SAE	0
8578	AIR857A	Speed Variation of D-C Motors	2017	SAE	0
8579	AIR1168-10A	Thermophysical Characteristics of Working Fluids and Heat Transfer Fluids	2017	SAE	0
8580	AIR1213A	Radioisotope Power Systems	2017	SAE	0
8581	AIR1489C	(R) Aerospace Landing Gear Systems Terminology	2017	SAE	0
8582	AIR1703A	In-Flight Thrust Determination	2017	SAE	0
8583	AIR1871C	(R) Lessons Learned from Developing, Implementing, and Operating a Health Management System for Propulsion and Drive Train Systems	2017	SAE	0
8584	AIR1904B	Tire Spray Suppression - Airplane Design and Consideration for	2017	SAE	0
8585	AIR4077	Mechanical Switch Usage for Landing Gear Applications	2017	SAE	0
8586	AIR4246D	(R) Contaminants for Aircraft Turbine Engine Fuel System Component Testing	2017	SAE	0
8587	AIR4358	Steering Effect of Tilted, Free-Swiveling Nose Gears	2017	SAE	0
8588	AIR4403B	(R) Selection, Testing, Lubrication, and Sealing of Single Row Tapered Roller Bearings for Aerospace Wheel Applications	2017	SAE	0
8589	AIR4543-1A	Aerospace Hydraulics and Actuation Lessons Learned	2017	SAE	0
8590	AIR4653	Flight Management Systems Review	2017	SAE	0
8591	AIR4894	Landing Gear Stability	2017	SAE	0
8592	AIR4951	Test Cell Thrust Measurement	2017	SAE	0

8593	AIR5388	Unique Wheel and Brake Designs	2017	SAE	0
8594	AIR5709A	SAE AE-7 High Temperature Components Survey, 2005	2017	SAE	0
8595	AIR6027A	Considerations for Safe Store Operation on Manned and Unmanned Vehicles	2017	SAE	0
8596	AIR6190	Provisions of Medical Oxygen for Aircraft Occupants	2017	SAE	0
8597	AIR6197	Site Selection Considerations for New Re-Located Gas Turbine Engine Test Facilities	2017	SAE	0
8598	AIR6202	Test Cell Mass Fuel Flow Measurement Using Coriolis Flow Meters	2017	SAE	0
8599	AMS03-9A	Electro-Deposition of Silver	2017	SAE	0
8600	AMS03-11A	Phosphate Treatment of Iron and Steel	2017	SAE	0
8601	AMS03-19A	Electro-Deposition of Cadmium	2017	SAE	0
8602	AMS03-20A	Electro-Deposition of Zinc	2017	SAE	0
8603	AMS03-25A	Sulfuric Acid Anodizing of Aluminum and Aluminum Alloys	2017	SAE	0
8604	AMS03-27A	Electro-Deposition of Nickel for Engineering Purposes	2017	SAE	0
8605	AMS03-28PT1A	Physical Vapor Deposition of Metals: Physical Vapor Deposition of Aluminum for Protection Against Corrosion	2017	SAE	0
8606	AMS03-28PT2A	Physical Vapor Deposition of Metals: Physical Vapor Deposition of Cadmium for Protection Against Corrosion	2017	SAE	0
8607	AMS03-28PT3A	Physical Vapor Deposition of Metals: Physical Vapor Deposition of Titanium Nitride for Surface Protection	2017	SAE	0
8608	AMS1428-1	Fluid, Aircraft Deicing/Anti-Icing, Non-Newtonian (Pseudoplastic), SAE Types II, III, and IV Glycol (Conventional and Non-Conventional) Based	2017	SAE	0
8609	AMS1428-2	Fluid, Aircraft Deicing/Anti-Icing, Non-Newtonian (Pseudoplastic), SAE Types II, III, and IV Non-Glycol Based	2017	SAE	0
8610	AMS1548B	Cleaner, Turbine Engine Gas Path Solvent Emulsion Type	2017	SAE	0
8611	AMS1551A	Cleaner, Turbine Engine Gas Path Aqueous Type	2017	SAE	0
8612	AMS2221G	Tolerances Copper and Copper Alloy Bars and Rods	2017	SAE	0
8613	AMS2223H	Tolerances Copper and Copper Alloy Seamless Tubing	2017	SAE	0
8614	AMS2224G	Tolerances Copper and Copper Alloy Wire	2017	SAE	0
8615	AMS2263E	Tolerances Nickel, Nickel Alloy, and Cobalt Alloy Tubing	2017	SAE	0
8616	AMS2269F	Chemical Check Analysis Limits Nickel, Nickel Alloys, and Cobalt Alloys	2017	SAE	0
8617	AMS2376E	Qualification, Approval, and Control of Premium-Quality Forgings Alloy Steels and Heat-Treatable Corrosion and Heat Resistant Steels and Alloys	2017	SAE	0
8618	AMS2407F	(R) Plating, Chromium, Porous	2017	SAE	0
8619	AMS2431-1F	Peening Media (ASR) Cast Steel Shot, Regular Hardness (45 to 52 HRC)	2017	SAE	0
8620	AMS2431-2F	Peening Media (ASH) Cast Steel Shot, High Hardness (55 to 62 HRC)	2017	SAE	0
8621	AMS2435H	Coating, Tungsten Carbide-Cobalt Coating, Detonation Process	2017	SAE	0
8622	AMS2451-3C	Plating, Brush, Nickel Low Stress, Low-Hardness Deposit	2017	SAE	0
8623	AMS2451-6B	Plating, Brush Copper General Purpose	2017	SAE	0
8624	AMS2451-11B	Plating, Brush, Cobalt	2017	SAE	0
8625	AMS2510F	Engine Gray Finishing Low Baking	2017	SAE	0
8626	AMS2550F	Treatment of Sheet Metal Parts Corrosion-Resistant Steel	2017	SAE	0
8627	AMS2633D	Ultrasonic Inspection Centrifugally-Cast, Corrosion-Resistant Steel Tubular Cylinders	2017	SAE	0
8628	AMS2685F	Welding, Tungsten Arc, Inert Gas (GTAW Method)	2017	SAE	0
8629	AMS2690D	Parallel Gap Welding Microelectronic Interconnections to Thin Film Substrates	2017	SAE	0
8630	AMS2804D	Identification Castings	2017	SAE	0

8631	AMS2813G	Packaging and Marking of Packages of Welding Wire Standard Method	2017	SAE	0
8632	AMS3050-1	Performance Specification Anti-Seize Thread Compound, High Temperature - Copper Only	2017	SAE	0
8633	AMS3050-2	Performance Specification Anti-Seize Thread Compound, High Temperature û Aluminum Only	2017	SAE	0
8634	AMS3050-3	Performance Specification Anti-Seize Thread Compound, High Temperature û Nickel Only	2017	SAE	0
8635	AMS3050-4	Performance Specification Anti-Seize Thread Compound, High Temperature û Molybdenum Disulphide; Graphite Only	2017	SAE	0
8636	AMS3050-5	Performance Specification Anti-Seize Thread Compound, High Temperature - PTFE Only	2017	SAE	0
8637	AMS3050-6	Performance Specification Anti-Seize Thread Compound, High Temperature - Nickel+Graphite Only	2017	SAE	0
8638	AMS3050-7	Performance Specification Anti-Seize Thread Compound, High Temperature û Copper+Graphite+Aluminum Only	2017	SAE	0
8639	AMS3050-8	Performance Specification Anti-Seize Thread Compound, High Temperature - Graphite+Aluminum Only	2017	SAE	0
8640	AMS3050-9	Performance Specification Anti-Seize Thread Compound, High Temperature - Graphite+Calcium Fluoride Only	2017	SAE	0
8641	AMS3056C	Lubricant, Instrument Bearing, Petroleum Base Viscosity 35	2017	SAE	0
8642	AMS3079C	Compound, Corrosion-Preventive, Soft Film, Hot Application	2017	SAE	0
8643	AMS3217-4C	Test Slabs, Fluoroelastomer (FKM) 65 - 75	2017	SAE	0
8644	AMS3217-8A	Test Slabs, Fluoroelastomer (FKM), 70-80 Hardness, for Improved Gas Turbine Engine Oil Compatibility	2017	SAE	0
8645	AMS3242H	(R) Chloroprene (CR) Rubber Weather Resistant 75 - 85	2017	SAE	0
8646	AMS3731-10C	POTTING COMPOUND, EPOXY Bisphenol A-Type Unfilled, Room Temperature Cure, Semiflexible	2017	SAE	0
8647	AMS4009C	Aluminum Alloy Foil 1.0Mg - 0.6Si - 0.30Cu - 0.20Cr (6061-0) Annealed - UNS A96061	2017	SAE	0
8648	AMS4021H	Aluminum Alloy, Alclad Sheet and Plate, 1.0Mg - 0.60Si - 0.28Cu - 0.20Cr (Alclad 6061-0) Annealed - UNS A86061	2017	SAE	0
8649	AMS4029L	Aluminum Alloy Sheet and Plate (2014; -T6 Sheet, -T651 Plate) Solution and Precipitation Heat Treated - UNS A92014	2017	SAE	0
8650	AMS4036L	Aluminum Alloy Sheet and Plate, Alclad One Side 4.4Cu - 1.5Mg - 0.60Mn Alclad One Side 2024 and 1-1/2% Alclad One Side 2024-T3 Sheet; 1-1/2% Alclad One Side 2024-T351 Plate - UNS A82024	2017	SAE	0
8651	AMS4046G	Aluminum Alloy Sheet and Plate, Alclad One Side 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (Alclad One Side 7075; -T6 Sheet - T651 Plate) Solution and Precipitation Heat Treated - UNS A87075	2017	SAE	0
8652	AMS4084E	Aluminum Alloy Sheet 5.7Zn - 2.2Mg - 1.6Cu - 0.22Cr (7475-T61) Solution and Precipitation Heat Treated - UNS A97475	2017	SAE	0
8653	AMS4148F	Aluminum Alloy Die Forgings (7175-T66) Solution and Precipitation Heat Treated - UNS A97175	2017	SAE	0
8654	AMS4200C	Aluminum Alloy Plate 7.7Zn - 2.4Mg - 1.6Cu - 0.16Cr (7049-T7351) Solution Heat Treated, Stress Relieved, and Precipitation Heat Treated - UNS A97049	2017	SAE	0
8655	AMS4203C	Aluminum Alloy, Plate 6.2Zn - 1.8Cu - 2.4Mg - 0.13Zr (7010-T7351) Solution Heat Treated, Stress Relieved, and Precipitation Heat Treated - UNS A97010	2017	SAE	0
8656	AMS4207C	Aluminum Alloy Sheet, Alclad 5.7Zn - 2.2Mg - 1.6Cu - 0.22Cr (7475-T61) Solution and Precipitation Heat Treated - UNS A87475	2017	SAE	0
8657	AMS4254C	Aluminum Alloy, Aramid Fiber Reinforced, Laminated Sheet 4.4Cu - 1.5Mg - 0.6Mn (2024-T3) 3, 5, 7, or 9 Ply	2017	SAE	0
8658	AMS4258B	Laminated Sheet, Aluminum Alloy, Aramid Fiber Reinforced 5.7Zn - 2.2Mg - 1.6Cu - 0.22Cr (Alclad, One Side 7475-T761) 5 or 7 Ply	2017	SAE	0
8659	AMS4266B	Aluminum Alloy, Sheet 6.5Fe - 1.3Si - 0.60V (8022-H112) Powder Metallurgy Product, Strain Hardened - UNS 98022	2017	SAE	0
8660	AMS4275E	CASTINGS, PERMANENT MOLD 6.2Sn - 1Cu - 1Ni Stress Relieved	2017	SAE	0
8661	AMS4279B	Aluminum Alloy, Alclad Sheet 4.4Cu - 1.5Mg - 0.60Mn (2024-T4 Flat Sheet) Solution Heat Treated, High Formability - UNS A82024	2017	SAE	0
8662	AMS4300D	Boron-Aluminum Composite Sheet 50 v/o 5.6B, 6061-0, For Diffusion Bonding	2017	SAE	0
8663	AMS4302C	Aluminum Alloy, Laminated Sheet, Aramid Fiber Reinforced 5.7Zn - 2.2Mg - 1.6Cu - 0.22Cr (7475-T761) 3, 5, 7, or 9 Ply	2017	SAE	0
8664	AMS4305	Aluminum Alloy, Extruded Profiles (7449-T79511) 8.1Zn - 1.8Cu - 2.2Mg - 0.16Zr Solution Heat Treated, Stress Relieved, and Overaged - UNS A97449	2017	SAE	0
8665	AMS4401A	Aluminum Alloy Plate (7140-T7451) 6.6Zn - 1.8Cu - 2.0Mg - 0.10Zr Solution Heat Treated, Stress Relieved and Overaged - UNS A97140	2017	SAE	0

8666	AMS4420P	Magnesium Alloy Castings, Sand 6Al - 3Zn (AZ63A-F) As Cast - UNS M11630	2017	SAE	0
8667	AMS4425D	Magnesium Alloy Castings, Sand 5.8Zn - 2.5RE - 0.70Zr (ZE63-T6) Solution and Precipitation Heat Treated - UNS M16630	2017	SAE	0
8668	AMS4444E	Magnesium Alloy Castings, Sand 6.0Zn - 0.80Zr (ZK61A-T5) Precipitation Heat Treated - UNS M16610	2017	SAE	0
8669	AMS4468	Aluminum Alloy, Plate 5.0Cu - 0.4Mn - 0.5Mg - 0.4Ag (2139-T84) Solution Heat Treated, Cold Worked, and Artificially Aged - UNS A92139	2017	SAE	0
8670	AMS4500J	Copper, Sheet, Strip, and Plate Soft Annealed - UNS C11000	2017	SAE	0
8671	AMS4602D	Copper Bars, Rods, and Shapes Oxygen-Free, Hard Temper (HO4) - UNS C10200	2017	SAE	0
8672	AMS4614H	Brass Forgings, Free Cutting 60Cu - 2.0Pb - 37.5Zn As Forged (M10) - UNS C37700	2017	SAE	0
8673	AMS4631F	Aluminum Bronze Rods, Bars, and Forgings 90.5Cu - 7.5Al - 1.95: Stress Relieved	2017	SAE	0
8674	AMS4740D	Copper Powder 99.0 Cu, Minimum As Fabricated	2017	SAE	0
8675	AMS4870F	Aluminum Bronze, Centrifugal and Chill Castings 85Cu - 11Al - 3.6Fe As Cast - UNS C95420	2017	SAE	0
8676	AMS4922C	Titanium Alloy, Seamless, Hydraulic Tubing 15V - 3.0Cr - 3.0Al - 3.0Sn Cold Worked and Precipitation Heat Treated - UNS R58153	2017	SAE	0
8677	AMS4938A	Forgings, Titanium Alloys Heat-Treated, Finished-Part Properties: Short-Traverse Tensile, Fracture Toughness, and Longitudinal Time-Dependent-Tension	2017	SAE	0
8678	AMS5030K	Steel, Welding Wire 0.06 Carbon, Maximum - UNS K00606	2017	SAE	0
8679	AMS5031G	Welding Electrodes, Covered, Steel 0.07 - 0.15C - UNS W06013	2017	SAE	0
8680	AMS5042N	Steel, Sheet and Strip 0.15 Carbon, Maximum Forming Grade	2017	SAE	0
8681	AMS5061H	Steel, Low Carbon Bars, and Wire 0.08 - 0.20 - UNS K00802	2017	SAE	0
8682	AMS5062J	Steel, Low Carbon Bars, Forgings, Tubing, Sheet, Strip, and Plate 0.25 Carbon, Maximum - UNS K02508	2017	SAE	0
8683	AMS5115J	Wire, Carbon Steel 0.60 - 0.75C Hardened and Tempered	2017	SAE	0
8684	AMS5122K	Steel Strip (0.90 - 1.04C) (SAE 1095) Hard Temper - UNS G10950	2017	SAE	0
8685	AMS5315E	Ductile (Nodular) Iron Castings, Sand 60000 psi (415 MPa) Tensile Strength Ferritize Annealed - UNS F33101	2017	SAE	0
8686	AMS5316E	Ductile (Nodular) Iron Castings, Sand 80,000 psi (550 MPa) Tensile Strength As Cast - UNS F34100	2017	SAE	0
8687	AMS5328E	Steel Castings, Investment 0.80Cr - 1.8Ni - 0.35Mo (0.28 - 0.36C) (SAE 4330 Modified) Annealed - UNS J23260	2017	SAE	0
8688	AMS5676F	Nickel Alloy, Corrosion and Heat-Resistant, Welding Wire 80Ni - 20Cr - UNS N06003	2017	SAE	0
8689	AMS5784E	Steel, Corrosion and Heat-Resistant, Welding Wire 29Cr - 9.5Ni - UNS S64299	2017	SAE	0
8690	AMS5802E	Iron-Nickel Alloy, Corrosion and Heat-Resistant, Welding Wire 41Fe - 37.5Ni - 14Co - 4.8Cb (Nb) - 1.5Ti Vacuum Melted, Low Expansion - UNS N19907	2017	SAE	0
8691	AMS5821G	Steel, Corrosion-Resistant, Welding Wire 12Cr (SAE 51410 Modified) Ferrite Control Grade - UNS S41081	2017	SAE	0
8692	AMS5823E	Steel, Corrosion and Heat Resistant, Welding Wire 11.8Cr - 2.8Ni - 1.6Co - 1.8Mo - 0.32V - UNS S41780	2017	SAE	0
8693	AMS5840E	Steel, Corrosion and Heat Resistant, Welding Wire 13Cr - 8.0Ni - 2.3Mo - 1.1Al Vacuum Melted - UNS S13889	2017	SAE	0
8694	AMS5917	Metal Injection Molded Nickel Based Alloy 718 Parts Hot Isostatically Pressed, Solutioned and Aged	2017	SAE	0
8695	AMS5918	Cobalt Alloy, Corrosion and Heat Resistant, Bars 62Co-28Cr-6Mo Warm-Worked	2017	SAE	0
8696	AMS6452E	Steel, Welding Wire 0.95Cr - 0.20Mo (0.38 - 0.43C) Vacuum Melted, Environment Controlled Packaging - UNS G41400	2017	SAE	0
8697	AMS6465E	Wire, Steel Welding 2.0Cr - 10Ni - 8.0Co - 1.0Mo - 0.02Al - 0.06V (0.10 - 0.14C) (HY-180) Vacuum Melted, Environment Controlled Packaging - UNS K91971	2017	SAE	0
8698	AMS6466G	Steel, Corrosion-Resistant, Welding Wire 5.2Cr 0.55Mo - UNS S50280	2017	SAE	0
8699	AMS6529D	Steel, Bars 0.95Cr - 0.20Mo (0.38 - 0.43C) (SAE 4140) Special Aircraft-Quality Cleanliness Normalized - UNS G41400	2017	SAE	0
8700	AMS7258B	Rings, Sealing, Butadiene-Acrylonitrile (NBR) Rubber Fuel Resistant, Low Shrinkage 65 - 75	2017	SAE	0
8701	AMS7266B	Rings, Sealing, Fluorocarbon Rubber General Purpose, High Temperature, Fuel and Oil Resistant 65 - 75	2017	SAE	0
8702	AMS7301J	Steel, Highly-Stressed Springs 0.95Cr - 0.20V (0.48 - 0.53C) (SAE 6150) Case Hardened - UNS G61500	2017	SAE	0

8703	AMS7311H	Piston Rings, Centrifugally-Case Alloyed Iron 0.50Mo - 0.50Cu	2017	SAE	0
8704	AMS7445E	Balls, Steel, Corrosion-Resistant 17Cr Annealed - UNS S44002, S44003, S44004	2017	SAE	0
8705	AMS7464D	Bolts and Screws, Steel, Low-Alloy Heat Resistant 222,000 psi (1517 MPa) Tensile Strength Hardened and Tempered, Roll Threaded	2017	SAE	0
8706	AMS7496K	Rings, Flash Welded Carbon and Low-Alloy Steels	2017	SAE	0
8707	AMS7510-1C	Magnets, Rare-Earth/Cobalt, Permanent Samarium-Cobalt, 33/67 - 15 (119) 250	2017	SAE	0
8708	AMS7510-2C	Magnets, Rare-Earth/Cobalt, Permanent Samarium-Cobalt, 33/67 - 18 (143) 250	2017	SAE	0
8709	AMS7510C	Magnets, Rare-Earth/Cobalt, Permanent Powder-Metallurgy Product	2017	SAE	0
8710	AMS7850E	Columbium (Niobium) Sheet, Strip, and Foil - UNS R04211	2017	SAE	0
8711	AMS7851D	Columbium (Niobium) Alloy Foil, Sheet, Strip, and Plate 10W - 2.5Zr Recrystallized - UNS R04271	2017	SAE	0
8712	AMS7852C	Columbium (Niobium) Alloy Sheet, Strip, and Plate, 10Hf - 1.0Ti - UNS R04295	2017	SAE	0
8713	AMS7855D	Columbium (Niobium) Alloy Bars, Rods, and Wire 10W - 2.5Zr Recrystallized - UNS R04271	2017	SAE	0
8714	AMS7857C	Columbium (Niobium) Alloy Bars, Rods, and Extrusions 10Hf - 1.0Ti, Recrystallization Annealed - UNS R04295	2017	SAE	0
8715	AMS-A-21180C	Aluminum-Alloy Castings, High Strength	2017	SAE	0
8716	AMS-DTL-22499-2B	SHIM STOCK, LAMINATED, BRASS	2017	SAE	0
8717	AMS-M-5202B	Magnesium Alloys , Anodic Treatment of	2017	SAE	0
8718	AMS-M-7866B	Molybdenum Disulfide, Technical, Lubrication Grade	2017	SAE	0
8719	AMS-M-45202B	Magnesium Alloys, Anodic Treatment of	2017	SAE	0
8720	AMS-QQ-A-200-4C	Aluminum Alloy 5083, Bar, Rod, Shapes, Tube, and Wire, Extruded A95083	2017	SAE	0
8721	AMS-QQ-A-200-6C	Aluminum Alloy 5454, Bar, Rod, Shapes, Tube, and Wire, Extruded UNS A95454	2017	SAE	0
8722	AMS-QQ-A-200-7C	Aluminum Alloy 5456, Bar, Rod, Shapes, Tube, and Wire, Extruded A95456	2017	SAE	0
8723	AMS-QQ-A-225-4A	Aluminum Alloy, 2014, Bar, Rod, Wire and Special Shapes, Rolled, Drawn, or Cold Finished A92014	2017	SAE	0
8724	AMS-QQ-W-428-1B	Wire, Steel, High Carbon, Round, Type I	2017	SAE	0
8725	AMS-QQ-W-428-2B	Wire, Steel, High Carbon, Round, Type III	2017	SAE	0
8726	AMS-QQ-W-428B	Wire, Steel, Carbon, (High Carbon, Round, For Mechanical Springs, General Purpose)	2017	SAE	0
8727	AMS-R-25988A	Rubber, Fluorosilicone Elastomer, Oil-and-Fuel-Resistant, Sheets, Strips, Molded Parts, and Extruded Shapes	2017	SAE	0
8728	AMS-S-6758B	Steel, Chrome-Molybdenum (4130) Bars and Reforging Stock (Aircraft Quality)	2017	SAE	0
8729	ARP147E	(R) Environmental Control Systems Terminology	2017	SAE	0
8730	ARP497B	Precision Control Motors 400 Cycles	2017	SAE	0
8731	ARP584D	Coiled Tubing - Corrosion Resistant Steel, Hydraulic Applications, Aerospace	2017	SAE	0
8732	ARP798B	Design Criteria for White Incandescent Lighted Aerospace Instruments	2017	SAE	0
8733	ARP826A	Electrical Computing Resolvers	2017	SAE	0
8734	ARP1107C	Tail Bumpers for Piloted Aircraft	2017	SAE	0
8735	ARP1109B	Dynamic Testing Systems for Oxygen Breathing Equipment	2017	SAE	0

8736	ARP1210E	Gas Turbine Engine Interface Test Data Reduction Computer Programs	2017	SAE	0
8737	ARP1420C	Gas Turbine Engine Inlet Flow Distortion Guidelines	2017	SAE	0
8738	ARP1575C	Surface Preparation and Priming of Aluminum Alloy Parts for High Durability Structural Adhesive Bonding Hand Applied Phosphoric Acid Anodizing	2017	SAE	0
8739	ARP1616B	Self-Sealing Breakaway Valves for Crash-Resistant Aircraft Fuel and Oil Systems	2017	SAE	0
8740	ARP1876C	Weldability Test for Weld Filler Metal Wire	2017	SAE	0
8741	ARP1928A	Torque Recommendations for Attaching Electrical Wiring Devices to Terminal Boards or Blocks, Studs, Posts, etc.	2017	SAE	0
8742	ARP4101-5A	Aircraft Circuit Breaker and Fuse Arrangement	2017	SAE	0
8743	ARP4102-3	Flight Deck Tire Pressure Monitoring System (TPMS)	2017	SAE	0
8744	ARP4252B	Instrumental Methods of Determining Surface Cleanliness	2017	SAE	0
8745	ARP4287A	(R) Supplemental Oxygen Devices with Automatic or Manual Presentation	2017	SAE	0
8746	ARP4729A	Document for 270 Voltage Direct Current (270 V DC) System	2017	SAE	0
8747	ARP4737J	Aircraft Deicing/Anti-Icing Methods	2017	SAE	0
8748	ARP5285B	(R) Towbarless Towing Vehicle Operating Procedure	2017	SAE	0
8749	ARP5319	Impregnation of Dry Fabric and Ply Lay-Up	2017	SAE	0
8750	ARP5366	Autopilot, Flight Director, and Autothrust Systems	2017	SAE	0
8751	ARP5448-2	Plain Bearing High Speed Oscillation Test	2017	SAE	0
8752	ARP5448-6A	(R) Plain Spherical Bearing Conformity Examination	2017	SAE	0
8753	ARP5483-2A	(R) Rolling Element Bearing Hardness Test	2017	SAE	0
8754	ARP5507	Aircraft Tire-to-Wheel Performance Characteristics	2017	SAE	0
8755	ARP5542A	(R) Hand Held Aircraft Tire Inflation Pressure Gauges	2017	SAE	0
8756	ARP5777	Maintenance and Inspection Procedures for Acme Screw Assemblies	2017	SAE	0
8757	ARP5812	Actuators, Linear Mechanical, General Specification Guide	2017	SAE	0
8758	ARP5862	Shipping Caps, Covers and Plugs	2017	SAE	0
8759	ARP6068	Gas Turbine Engine Test Facility Vibration Measurement	2017	SAE	0
8760	ARP6161	Flight Compartment Glare	2017	SAE	0
8761	ARP6179	Evaluation of Gas Turbine Engine Lubricant Compatibility with Elastomer O-Rings	2017	SAE	0
8762	ARP9009A	Aerospace Contract Clauses	2017	SAE	0
8763	ARP9162A	Aerospace Operator Self-Verification Programs	2017	SAE	0
8764	AS1066B	(R) Minimum Standards for Valve, High Pressure Oxygen, Cylinder Shut Off, Manually Operated	2017	SAE	0
8765	AS1225A	Oxygen System Fill/Check Valve	2017	SAE	0
8766	AS1356	Life Rafts	2017	SAE	0
8767	AS1633E	HOSE ASSEMBLY, CONVOLUTED, POLYTETRAFLUOROETHYLENE, METALLIC REINFORCED CONDUCTIVE, FLARELESS, STRAIGHT TO STRAIGHT	2017	SAE	0
8768	AS1634E	HOSE ASSEMBLY, CONVOLUTED, POLYTETRAFLUOROETHYLENE, METALLIC REINFORCED CONDUCTIVE, FLARELESS, STRAIGHT TO 45°	2017	SAE	0
8769	AS1635E	HOSE ASSEMBLY, CONVOLUTED, POLYTETRAFLUOROETHYLENE, METALLIC REINFORCED CONDUCTIVE, FLARELESS, STRAIGHT TO 90°	2017	SAE	0
8770	AS1636E	HOSE ASSEMBLY, CONVOLUTED, POLYTETRAFLUOROETHYLENE, METALLIC REINFORCED CONDUCTIVE, FLARELESS, 45° TO 45°	2017	SAE	0
8771	AS1637E	HOSE ASSEMBLY, CONVOLUTED, POLYTETRAFLUOROETHYLENE, METALLIC REINFORCED CONDUCTIVE, FLARELESS, 45° TO 90°	2017	SAE	0

8772	AS1638E	HOSE ASSEMBLY, CONVOLUTED, POLYTETRAFLUOROETHYLENE, METALLIC REINFORCED CONDUCTIVE, FLARELESS, 90¡° TO 90¡°	2017	SAE	0
8773	AS1831A	Electrical Power, 270 V DC, Aircraft, Characteristics and Utilization of	2017	SAE	0
8774	AS3244C	(R) BOLT, MACHINE DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, NICKEL ALLOY, UNS N07718, 185 KSI MIN UTS, .2500-28 UNJF-3A	2017	SAE	0
8775	AS4111A	Validation Test Plan for the Digital Time Division Command/Response Multiplex Data Bus Remote Terminals	2017	SAE	0
8776	AS4112A	Production Test Plan for the Digital Time Division Command/Response Multiplex Data Bus Remote Terminals	2017	SAE	0
8777	AS4113A	Validation Test Plan for the Digital Time Division Command/Response Multiplex Data Bus Bus Controllers	2017	SAE	0
8778	AS4114A	Production Test Plan for the Time Division Command/Response Multiplex Data Bus Bus Controllers	2017	SAE	0
8779	AS4115A	TEST PLAN FOR THE DIGITAL TIME DIVISION COMMAND/RESPONSE MULTIPLEX DATA BUS SYSTEM	2017	SAE	0
8780	AS4116A	Test Plan for the Digital Time Division Command/Response Multiplex Data Bus Bus Monitors	2017	SAE	0
8781	AS4117A	Test Plan for The Digital Time Division Command/Response Multiplex Data Bus Couplers, Terminators, and Data Bus Cables	2017	SAE	0
8782	AS4262B	Aircraft Ground Air Conditioning Service Connection	2017	SAE	0
8783	AS4270A	Validation Methods for MIL-STD-1760 Mission Stores	2017	SAE	0
8784	AS4764A	Validation Methods for MIL-STD-1760 Aircraft Station Interfaces	2017	SAE	0
8785	AS4851A	Relative Thermal Life and Temperature Index for Insulated Electric Wire	2017	SAE	0
8786	AS5017	Air Filling Valves	2017	SAE	0
8787	AS5235C	FITTING, SLEEVE, COUPLING, FLARELESS	2017	SAE	0
8788	AS5259-3B	(R) CRIMPING TOOL AND ACCESSORIES, HAND OPERATED, DIE TYPE, WIRE SIZES 8 TO 0000 UN-INSULATED AND INSULATED CRIMP BARRELS	2017	SAE	0
8789	AS5259-4	CRIMPING TOOL AND ACCESSORIES, REMOTE CRIMP HEAD, HYDRAULIC, WIRE SIZE 8 TO 00 UN-INSULATED AND 8 THRU 2 INSULATED CRIMP BARRELS	2017	SAE	0
8790	AS5259-5	CRIMPING TOOL AND ACCESSORIES, HAND OPERATED, LIGHTWEIGHT, DIE TYPE, WIRE SIZE 8 TO 00 UN-INSULATED AND 8 THRU 2 INSULATED CRIMP BARRELS	2017	SAE	0
8791	AS5259-8	CRIMPING TOOL AND ACCESSORIES, 18VDC BATTERY ELECTRIC, PORTABLE HYDRAULIC, WIRE SIZE 8 TO 00 UN-INSULATED, AND SIZE 8 THROUGH 2 INSULATED CRIMP BARRELS	2017	SAE	0
8792	AS5304	Standard Specification for Turbine Flowmeters	2017	SAE	0
8793	AS5355-1B	COUPLINGS, CLAMP, GROOVED, V-BAND, 1.75 TO 14.25 FLANGE OD (-65 TO 800 ?F)	2017	SAE	0
8794	AS5355-2B	COUPLINGS, CLAMP, GROOVED, V-BAND, 1.75 TO 6.25 FLANGE OD (-65 TO 250 ?F)	2017	SAE	0
8795	AS5355-3B	COUPLINGS, CLAMP, GROOVED, V-BAND, 1.75 TO 14.25 FLANGE OD (-65 TO 1200 ?F)	2017	SAE	0
8796	AS5356B	Coupling, Fuel Line, Flexible, 125 psi General Specification for	2017	SAE	0
8797	AS5371A	Reference Standards Notched Shims for Magnetic Particle Inspection	2017	SAE	0
8798	AS5389	Pallet Lift Truck and Container Fork Pocket Interface	2017	SAE	0
8799	AS5506-3	Architecture Analysis and Design Language (AADL) Annex D: Behavior Model Annex	2017	SAE	0
8800	AS5659-4	Physical Layer Specification	2017	SAE	0
8801	AS5756-1A	CABLE, POWER, ELECTRICAL, 600 VOLTS, PORTABLE, SINGLE CONDUCTOR, NON-OZONE RESISTANT	2017	SAE	0
8802	AS5778	Covers, Aircraft Components, General Requirements for	2017	SAE	0
8803	AS5857A	Gland Design, O-ring and Other Elastomeric Seals, Static Applications	2017	SAE	0
8804	AS5944	Slings, Aircraft, General Specification for	2017	SAE	0
8805	AS6054	Drum, Metal - Shipping and Storage	2017	SAE	0
8806	AS6055	Drum, Metal Reusable, Shipping and Storage (Cap. from 88 to 510 Cubic Inches)	2017	SAE	0
8807	AS6070-3A	(R) CABLE, HIGH SPEED DATA QUAD, 24 AWG COPPER ALLOY, 110 OHM, 200 ?C	2017	SAE	0

8808	AS6070-4A	(R) CABLE, 4 PAIR 24 AWG COPPER ALLOY, SHIELDED, 100 OHM, 150 ?C ETHERNET 1000 BASE T	2017	SAE	0
8809	AS6070-5A	CABLE, HIGH PERFORMANCE, 4 PAIR, SHIELDED, 100 OHM, 200 ?C, ETHERNET 1000 BASE T	2017	SAE	0
8810	AS6171-2A	(R) Techniques for Suspect/Counterfeit EEE Parts Detection by External Visual Inspection, Remarking and Resurfacing, and Surface Texture Analysis Using SEM Test Methods	2017	SAE	0
8811	AS6174-1	Compliance Verification Matrix (VM) Slash Sheet for AS6174A, Counterfeit Materiel; Assuring Acquisition of Authentic and Conforming Materiel	2017	SAE	0
8812	AS6294-1	Requirements for Plastic Encapsulated Microcircuits in Space Applications	2017	SAE	0
8813	AS6369-2	FLANGE, SHEET METAL, WIDE	2017	SAE	0
8814	AS6369-3	FLANGE END , SOLID , WIDE , DES IGN STANDARD	2017	SAE	0
8815	AS7001A	National Aerospace and Defense Contractors Accreditation Program (Nadcap) Program Description	2017	SAE	0
8816	AS7002A	National Aerospace and Defense Contractors Accreditation Program (Nadcap) Rules for Implementation	2017	SAE	0
8817	AS7003E	Nadcap Program Requirements	2017	SAE	0
8818	AS7106-1A	National Aerospace and Defense Contractors Accreditation Program Requirements for the Control of Deliverable Production Software	2017	SAE	0
8819	AS7106-2B	National Aerospace and Defense Contractors Accreditation Program Requirements for Corrective Action and Disposition System for Nonconforming Material	2017	SAE	0
8820	AS7106-3A	National Aerospace and Defense Contractors Accreditation Program Quality Assurance Program Requirements - Procurement	2017	SAE	0
8821	AS7106-5A	National Aerospace and Defense Contractors Accreditation Program Self-Release Agreements - Requirements	2017	SAE	0
8822	AS7106A	National Aerospace and Defense Contractors Accreditation Program (Nadcap) Quality Program Requirements	2017	SAE	0
8823	AS7107A	National Aerospace and Defense Contractors Accreditation Program Inspection System Requirements	2017	SAE	0
8824	AS7109-1B	Nadcap Requirements for Thermal Spray	2017	SAE	0
8825	AS7109-2B	Nadcap Requirements for Vapor Deposited Coatings	2017	SAE	0
8826	AS7109-3B	Nadcap Requirements for Diffusion Coating Processes	2017	SAE	0
8827	AS7109-4B	Nadcap Requirements for Stripping of Coated Material	2017	SAE	0
8828	AS7109-5B	Nadcap Requirements for Coating Evaluation Laboratory Practices	2017	SAE	0
8829	AS7109-6B	Nadcap Requirements for Plating of Coated Parts	2017	SAE	0
8830	AS7109-7B	Nadcap Requirements for Heat Treating for Suppliers of Coatings	2017	SAE	0
8831	AS7112-1A	National Aerospace and Defense Contractors Accreditation Program Hose Manufacturing Requirements	2017	SAE	0
8832	AS7112-2A	National Aerospace and Defense Contractors Accreditation Program Requirements for Fittings and Other Machined Components	2017	SAE	0
8833	AS7112-3A	Nadcap Requirements for Couplings and Formed Sheet Metal Components	2017	SAE	0
8834	AS7112-4A	National Aerospace and Defense Contractors Accreditation Program Requirements for Hose/Tube Assembly	2017	SAE	0
8835	AS7112A	National Aerospace and Defense Contractors Accreditation Program Requirements for Fluid System Components	2017	SAE	0
8836	AS7113A	National Aerospace and Defense Contractors Accreditation Program Requirements for Fastener Manufacturing	2017	SAE	0
8837	AS7115A	National Aerospace and Defense Contractors Accreditation Program Requirements for Elastomer Seals	2017	SAE	0
8838	AS7200-1B	National Aerospace and Defense Contractors Accreditation Program (NADCAP) Audit and Inspection Procedures and Checklists for the Sealant Manufacturers Accreditation Program	2017	SAE	0
8839	AS7201A	National Aerospace and Defense Contractors Accreditation Program (NADCAP) Requirements for Accreditation of Pass-Thru Distributors	2017	SAE	0
8840	AS7202A	National Aerospace and Defense Contractors Accreditation Program (NADCAP) Requirements for Accreditation of Value Added Distributors	2017	SAE	0
8841	AS7974-5A	CABLE ASSEMBLY, EXTERNAL ELECTRIC POWER, AIRCRAFT, SINGLE-JACKETED 270 VDC, 90 KW	2017	SAE	0

8842	AS8020	MINIMUM PERFORMANCE STANDARDS FOR ENGINE DRIVEN D.C. GENERATORS/STARTER-GENERATORS AND ASSOCIATED VOLTAGE REGULATORS	2017	SAE	0
8843	AS8033	Nickel Cadmium Vented Rechargeable Aircraft Batteries (Non-Sealed, Maintainable Type)	2017	SAE	0
8844	AS8059	Carry-On Portable Oxygen Concentrators	2017	SAE	0
8845	AS9017	Control of Aviation Critical Safety Items	2017	SAE	0
8846	AS9104B	Requirements for Aerospace Quality Management System Certification/Registrations Programs	2017	SAE	0
8847	AS9316B	SCREW, MACHINE - HEXAGON HEAD, SLOTTED, FULL SHANK, ALLOY STEEL, UNS K14675, 135 KSI MIN, .1900-32 UNS-3A	2017	SAE	0
8848	AS9916A	(R) BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, STEEL AMS6322, CADMIUM PLATED, .3125-24 UNJF-3A	2017	SAE	0
8849	AS12980-984	No . AS1 2980ů984ĭ RETAINER , NUT & BOLT, WITH R IVET HOLES (HEAT & CORROS ION RES ISTING STEEL)	2017	SAE	0
8850	AS12980AR-6	MENDMENT RECORD No . AS1 2980-ARĭ for Drawing Standard No . AS1 2980-984ĭ	2017	SAE	0
8851	AS15001D	FITTING, LUBRICATION, HYDRAULIC, SURFACE CHECK, .250-28 TAPER THREADS, STEEL, TYPE I	2017	SAE	0
8852	AS15004D	FITTING, LUBRICATION, HYDRAULIC, SURFACE CHECK, .250-28 TAPER THREADS, NICKEL-COPPER ALLOY, TYPE IV	2017	SAE	0
8853	AS15005D	FITTING, LUBRICATION, HYDRAULIC, THROAT OR SURFACE CHECK, 1/8 PIPE THREADS, NICKEL-COPPER ALLOY, TYPE V	2017	SAE	0
8854	AS17852A	(R) Reducers, Oxygen Pressure	2017	SAE	0
8855	AS18280-1C	Sleeve, Bite Type, 24? Cone Flareless Fitting, 3000 psi	2017	SAE	0
8856	AS20708-7B	Synchro, Control Transformer, Type 26V-11CT4D FSC 5990	2017	SAE	0
8857	AS20708-15B	Synchro, Control Transformer, Type 15CT4C FSC 5990	2017	SAE	0
8858	AS20708-16B	Synchro, Control Differential Transmitter, Type 15CDX4D FSC 5990	2017	SAE	0
8859	AS20708-17B	Synchro, Torque Differential Transmitter, Type 15TDX4C FSC 5990	2017	SAE	0
8860	AS20708-22B	Synchro, Control Differential Transmitter, Type 15CDX6C FSC 5990	2017	SAE	0
8861	AS20708-25B	Synchro, Control Transformer, Type 16CTB4B FSC 5990	2017	SAE	0
8862	AS20708-31B	Synchro, Torque Differential Transmitter, Type 18TDX4C FSC 5990	2017	SAE	0
8863	AS20708-39C	Synchro, Control Transformer, Type 19CTB4B FSC 5990	2017	SAE	0
8864	AS20708-46B	Synchro, Control Transformer, Type 23CT4C FSC 5990	2017	SAE	0
8865	AS20708-47B	Synchro, Control Differential Transmitter, Type 23CDX4C FSC 5990	2017	SAE	0
8866	AS20708-48B	Synchro, Torque Differential Transmitter, Type 23TDX4C FSC 5990	2017	SAE	0
8867	AS20708-49B	Synchro, Differential Receiver, Type 23TDR4B FSC 5990	2017	SAE	0
8868	AS20708-50B	Synchro, Torque Receiver Transmitter, Type 23TRX4A FSC 5990	2017	SAE	0
8869	AS20708-52B	Synchro, Control Transmitter, Type 23CX6D FSC 5990	2017	SAE	0
8870	AS20708-53B	Synchro, Control Transformer, Type 23CT6D FSC 5990	2017	SAE	0
8871	AS20708-54B	Synchro, Control Differential Transmitter, Type 23CDX6C FSC 5990	2017	SAE	0
8872	AS20708-55B	Synchro, Torque Differential Transmitter, Type 23TDX6C FSC 5990	2017	SAE	0
8873	AS20708-56B	Synchro, Torque Receiver Transmitter, Type 23TRX6B FSC 5990	2017	SAE	0
8874	AS20708-62B	Synchro, Torque Receiver Transmitter, Type 31TRX4A FSC 5990	2017	SAE	0
8875	AS20708-66B	Synchro, Torque Receiver Transmitter, Type 31TRX6A FSC 5990	2017	SAE	0
8876	AS20708-67B	Synchro, Torque Differential Receiver, Type 31TDR6B FSC 5990	2017	SAE	0
8877	AS20708-68B	Synchro, Torque Differential Transmitter, Type 31TDX6C FSC 5990	2017	SAE	0
8878	AS20708-70B	Synchro, Torque Receiver Transmitter, Type 37TRX4A FSC 5990	2017	SAE	0

8879	AS20708-74B	Synchro, Torque Receiver Transmitter, Type 37TRX6A FSC 5990	2017	SAE	0
8880	AS20708-76B	Synchro, Torque Differential Transmitter, Type 37TDX6A FSC 5990	2017	SAE	0
8881	AS20708-78B	Synchro, Control Transmitter, Type 26V-08CX4C FSC 5990	2017	SAE	0
8882	AS20708-79B	Synchro, Control Transformer, Type 26V-08CT4C FSC 5990	2017	SAE	0
8883	AS20708-80B	Synchro, Torque Receiver Transmitter, Type 26V-08CDX4C FSC 5990	2017	SAE	0
8884	AS20708-81B	Synchro, Control Differential Transmitter, Type 11CDX4B FSC 5990	2017	SAE	0
8885	AS20708-94C	Synchro, 60 and 400 Hz, Size 23 FSC 5990	2017	SAE	0
8886	AS20708-131B	Synchro, Control Transmitter, Type 15CX4F FSC 5990	2017	SAE	0
8887	AS20708-139B	SYNCHRO CONTROL TRANSMITTER, TYPE 31CX6a	2017	SAE	0
8888	AS20708-500B	Synchro, Torque Receiver, Type 26V-10TR4 FSC 5990	2017	SAE	0
8889	AS21443-1	BEARING, BALL, AIRFRAME ANTI-FRICTION, PULLEY CORROSION RESISTANT NITROGEN STEEL (CREN)	2017	SAE	0
8890	AS21922C	SLEEVE, COUPLING, FLARELESS	2017	SAE	0
8891	AS22520-5A	CRIMPING TOOLS, TYPE 2, TERMINAL, HAND, WIRE TERMINATION, FOR COAXIAL, TWINAXIAL, TRIAXIAL, SHIELDED CONTACTS AND FERRULES, TERMINAL LUGS, SPLICES AND END CAPS	2017	SAE	0
8892	AS22520-7	CRIMPING TOOLS, TYPE 1, TERMINAL, HAND, WIRE TERMINATION FOR WIRE BARREL SIZES 16, AND SMALLER	2017	SAE	0
8893	AS22759-1A	(R) WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, PTFE AND PTFE-COATED GLASS, SILVER-COATED COPPER CONDUCTOR, 600 VOLT, ROHS	2017	SAE	0
8894	AS22759-2A	(R) WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, PTFE AND PTFE-COATED GLASS, NICKEL-COATED COPPER CONDUCTOR, 600-VOLT	2017	SAE	0
8895	AS22759-3A	(R) WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, TFE-GLASS-TFE, MEDIUM WEIGHT, NICKEL-COATED COPPER CONDUCTOR, 600-VOLT, ROHS	2017	SAE	0
8896	AS22759-4A	(R) WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, TFE-GLASS-FEP, MEDIUM WEIGHT, SILVER-COATED COPPER CONDUCTOR, 600-VOLT	2017	SAE	0
8897	AS22759-183B	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYMIDE INSULATED, SMOOTH SURFACE, NORMAL WEIGHT, SILVERCOATED COPPER CONDUCTOR, 200 ?C, VOLTS ROHS	2017	SAE	0
8898	AS22759-184B	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYIMIDE INSULATED, SMOOTH SURFACE, NORMAL WEIGHT, NICKEL-COATED COPPER CONDUCTOR, 260 ?C, 600 VOLTS ROHS	2017	SAE	0
8899	AS22759-185B	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYIMIDE INSULATED, SMOOTH SURFACE, NORMAL WEIGHT, TIN-COATED COPPER CONDUCTOR, 150 ?C, 600 VOLTS ROHS	2017	SAE	0
8900	AS22759-186B	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYMIDE INSULATED, SMOOTH SURFACE, NORMAL WEIGHT, SILVER-COATED COPPER CONDUCTOR, 200 ?C, 600 VOLTS ROHS	2017	SAE	0
8901	AS22759-188B	(R) WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYIMIDE INSULATED, SMOOTH SURFACE, NORMAL WEIGHT, TIN-COATED COPPER CONDUCTOR, 150 ?C, 600 VOLTS ROHS	2017	SAE	0
8902	AS23190-1A	STRAPS, CLAMPS, AND MOUNTING HARDWARE, PLASTIC FOR CABLE HARNESS TYING AND SUPPORT CLAMP, LOOP, NYLON, ADJUSTABLE, WIRE SUPPORT, TYPE III, CLASS 1	2017	SAE	0
8903	AS24347	DRUMS, METAL, REUSABLE SHIPPING AND STORAGE	2017	SAE	0
8904	AS27465-499	AEROSPACE STANDARD No . AS27465-499ĵ UN ION , TUBE , DOUBLE -ENDED , UN IF IED THREADS CORROS ION RES ISTANT STEEL , UNPLATED	2017	SAE	0
8905	AS27465AR-5	No . AS27465ĵ -AR for Drawing Standard No . AS27465-499 ĵ	2017	SAE	0
8906	AS27642-1	BEARING, BALL, AIRFRAME ANTI-FRICTION, EXTRA LIGHT DUTY CORROSION RESISTANT NITROGEN STEEL (CREN)	2017	SAE	0
8907	AS27643-1A	BEARING, BALL, AIRFRAME, ANTI-FRICTION, SELF-ALIGNING, DOUBLE ROW, HEAVY DUTY, CORROSION RESISTANT NITROGEN STEEL (CREN)	2017	SAE	0
8908	AS27644-1A	BEARING, BALL, AIRFRAME, ANTI-FRICTION, DOUBLE ROW, HEAVY DUTY, CORROSION RESISTANT NITROGEN STEEL (CREN)	2017	SAE	0

8909	AS27646-1A	BEARING, BALL, AIRFRAME, ANTI-FRICTION, EXTRA LIGHT DUTY, CORROSION RESISTANT NITROGEN STEEL (CREN)	2017	SAE	0
8910	AS27647-1	BEARING, BALL, AIRFRAME, ANTI-FRICTION, EXTRA WIDE, DOUBLE ROW, INTERMEDIATE DUTY, CORROSION RESISTANT NITROGEN STEEL (CREN)	2017	SAE	0
8911	AS27648-1	BEARING, BALL, AIRFRAME, ANTI-FRICTION, EXTERNAL SELF-ALIGNING, EXTRA LIGHT DUTY CORROSION RESISTANT NITROGEN STEEL (CREN)	2017	SAE	0
8912	AS27649-1	BEARING, BALL, AIRFRAME, ANTIFRICTION, INTERMEDIATE DUTY CORROSION RESISTANT NITROGEN STEEL (CREN)	2017	SAE	0
8913	AS27683	Drums, Metal - Shipping and Storage 16 to 80 Gallons	2017	SAE	0
8914	AS27684	DRUMS, METAL - SHIPPING AND STORAGE 3 TO 12 GALLONS	2017	SAE	0
8915	AS31571	Insert Arrangements for AS81659 Series 1 and 2 Electrical Connectors	2017	SAE	0
8916	AS33931C	PACKING, PREFORMED, STRAIGHT THREAD TUBE FITTING BOSS, HYDRAULIC, -65 ¡°F TO +275 ¡°F	2017	SAE	0
8917	AS34411A	CONNECTOR, PLUG, ELECTRIC, UTILITY	2017	SAE	0
8918	AS39029-4C	(R) CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, MIL-DTL-83723 SERIES I AND III, AND MIL-DTL-83733 CONNECTORS)	2017	SAE	0
8919	AS39029-30C	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR AS50151 AS345XX SERIES AND MIL-DTL-83723 SERIES II CONNECTORS)	2017	SAE	0
8920	AS39029-55A	(R) CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED (FOR MIL-DTL-26500 AND MIL-DTL-26518 CONNECTORS)	2017	SAE	0
8921	AS39029-103B	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, COAXIAL, SIZE 12 (FOR MIL-DTL-38999 SERIES I, III AND IV CONNECTORS)	2017	SAE	0
8922	AS43021-3	No . AS43021 ¡ NUT, UN ION -FEMALE , METR IC P IPE SER IES (Al loy Stee l , Cadm ium P lated)	2017	SAE	0
8923	AS43021AR-3	AMENDMENT RECORD No . AS43021 ¡ -AR for Drawing Standard No . AS43021 ¡	2017	SAE	0
8924	AS44725-2	No . AS44725¡ WIRE , SAFETY LOCKING C lass i fication : H igh Temp +600?C CR Steel & Very H igh Temp +960?C N i cke l Al loy	2017	SAE	0
8925	AS44725AR-2	AMENDMENT RECORD No . AS44725¡ -AR for Drawing Standard No . AS44725¡	2017	SAE	0
8926	AS47641A	Validation Methods for MIL-STD-1760B Aircraft Station Interfaces	2017	SAE	0
8927	AS47642B	Validation Methods for MIL-STD-1760C Aircraft Station Interfaces	2017	SAE	0
8928	AS50141B	(R) Tube, Pneumatic Tire, Aircraft	2017	SAE	0
8929	AS50861-3A	Wire, Electrical, Polyvinyl Chloride Insulated, PVC-Glass-PVC-Nylon, Tin-Coated Copper Conductor, 600-Volt, 105?C FSC 6145	2017	SAE	0
8930	AS50861-5A	Wire, Electrical, Polyvinyl Chloride Insulated, Polyvinylidene Fluoride Jacket, Tin-Coated Copper Conductor, 600-Volt, 110?C FSC 6145	2017	SAE	0
8931	AS60100-3	No . AS601 00-1 99¡ BOLT, DOUBLE HEXAGON EXTENDED WASHER HEAD , PD SHANK, . 1 90-32 UNJF-3A HEAT RES ISTING ALLOY STEEL FV535 , UNPLATED , CLASS IFICATION Rm ? 1 000 MPa (1 45 ,000 lbf/in ?) @ TA / +550?C	2017	SAE	0
8932	AS60100AR-3	AMENDMENT RECORD No . AS601 00¡ -AR for Drawing Standard No . AS601 00-1 99¡	2017	SAE	0
8933	AS60200-299	No . AS60200-299¡ BOLT, DOUBLE HEXAGON EXTENDED WASHER HEAD , PD SHANK, .250-28 UNJF-3A HEAT RES ISTING ALLOY STEEL FV535 , UNPLATED , CLASS IFICATION Rm ? 1 000 MPa (1 45 ,000 lbf/in ?) @ TA / +550?C	2017	SAE	0
8934	AS60200AR-2	AMENDMENT RECORD No . AS60200¡ -AR for Drawing Standard No . AS60200-299 ¡	2017	SAE	0
8935	AS60300AR-2	No . AS60300¡ -AR for Drawing Standard No . AS60300-399 ¡	2017	SAE	0
8936	AS60500AR-2	AMENDMENT RECORD No . AS60500¡ -AR for Drawing Standard No . AS60500-599 ¡	2017	SAE	0
8937	AS60600-699	No . AS60600-699¡ BOLT, DOUBLE HEXAGON EXTENDED WASHER HEAD , PD SHANK, .500-20 UNJF-3A HEAT RES ISTING ALLOY STEEL FV535 , UNPLATED , CLASS IFICATION Rm ? 1 000 MPa (1 45 ,000 lbf/in ?) @ TA / +550?C	2017	SAE	0

8938	AS60600AR-2	AMENDMENT RECORD No . AS60600ĭ -AR for Drawing Standard No . AS60600-699 ĭ	2017	SAE	0
8939	AS70003-053	No . AS70003û053 TM R ING , TUBE , WELD ING (METR IC & INCH TUBE SER IES) HEAT RES ISTING ALLOY N iCr22Mo9Nb (INCONEL 625)	2017	SAE	0
8940	AS81044-6A	WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, TIN-COATED COPPER, NORMAL WEIGHT, 600-VOLT, 150 ?C	2017	SAE	0
8941	AS81044-8A	WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, SILVER-COATED COPPER, MEDIUM WEIGHT, 600-VOLT, 150 ?C	2017	SAE	0
8942	AS81044-9A	(R) WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, TIN-COATED COPPER, MEDIUM WEIGHT, 600-VOLT, 150 ?C	2017	SAE	0
8943	AS81044-10A	WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, SILVER-COATED HIGH STRENGTH COPPER ALLOY, MEDIUM WEIGHT, 600-VOLT, 150 ?C	2017	SAE	0
8944	AS81044-11A	WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, SILVER-COATED COPPER, LIGHT WEIGHT, 600-VOLT, 150 ?C	2017	SAE	0
8945	AS81044-12A	WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, TIN-COATED COPPER LIGHT WEIGHT, 600-VOLT, 150 ?C	2017	SAE	0
8946	AS81099A	Electric Devices, Simple, General Specification For	2017	SAE	0
8947	AS81582-2B	(R) CONNECTOR, PLUG, ELECTRIC, BAYONET COUPLING, LANYARD RELEASE, RFI SHIELDED, CRIMP-TYPE CONTACTS, CLASS E	2017	SAE	0
8948	AS81582-9B	CONNECTORS, ELECTRICAL, BAYONET COUPLING, ENVIRONMENT RESISTING, UMBILICAL, CAPS, PROTECTIVE	2017	SAE	0
8949	AS81659-41B	CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (DUAL INSERT, TYPE II, CLASS 1, (-65 ?C TO +125 ?C), SERIES 2, SHELL DESIGNATOR A)	2017	SAE	0
8950	AS81659-53B	CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG ENVIRONMENT RESISTANT, CRIMP CONTACTS, TRIPLE INSERT, TYPE II, CLASS 1 (-65 ?C TO +125 ?C), SERIES 2, SHELL DESIGNATOR B	2017	SAE	0
8951	AS81659-56B	CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE ENVIRONMENT RESISTANT, CRIMP CONTACTS, TRIPLE INSERT, TYPE II, CLASS 2 (-65 ?C TO +200 ?C), SERIES 2, SHELL DESIGNATOR B	2017	SAE	0
8952	AS81659-57B	CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG ENVIRONMENT RESISTANT, CRIMP CONTACTS, QUADRUPLE INSERT, TYPE II, CLASS 1 (-65 ?C TO +125?C), SERIES 2, SHELL DESIGNATOR B	2017	SAE	0
8953	AS81659-58B	CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG ENVIRONMENT RESISTANT, CRIMP CONTACTS, QUADRUPLE INSERT, TYPE II, CLASS 2 (-65 ?C TO +200 ?C), SERIES 2, SHELL DESIGNATOR B	2017	SAE	0
8954	AS81659-69B	CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, CRIMP CONTACTS, (DUAL INSERT, TYPE IV, CLASS 1, (-65 TO +125 ?C), SERIES 2, SHELL DESIGNATOR A)	2017	SAE	0
8955	AS81714-2A	(R) TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, BUSSING MODULES, FEEDBACK TYPE, SIZE 20 SERIES I	2017	SAE	0
8956	AS81714-3A	(R) TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, BUSSING MODULES, FEEDBACK TYPE, SIZE 16 SERIES I	2017	SAE	0
8957	AS81714-4A	(R) TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, BUSSING MODULES, FEEDBACK TYPE, SIZE 12, SERIES I	2017	SAE	0
8958	AS81714-5A	(R) TERMINAL JUNCTION SYSTEM, RACK ASSEMBLY, TRACK FEEDBACK TYPE, SERIES I	2017	SAE	0
8959	AS81714-7A	(R) TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, BUSSING MODULES, FEED THRU TYPE, SIZE 20, SERIES I	2017	SAE	0
8960	AS81714-8A	(R) TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, BUSSING MODULES, FEED THRU TYPE, SIZE 16, SERIES I	2017	SAE	0
8961	AS81714-9A	(R) TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, BUSSING MODULES, FEED THRU TYPE, SIZE 12, SERIES I	2017	SAE	0
8962	AS81714-10A	(R) TERMINAL JUNCTION SYSTEM, RACK ASSEMBLY, TRACK FEED THRU TYPE, SERIES	2017	SAE	0
8963	AS81714-29A	(R) TERMINAL JUNCTION SYSTEM, BRACKET, BLOCK MOUNTING, SERIES I	2017	SAE	0

8964	AS81765-1A	INSULATING COMPONENTS, MOLDED,ELECTRICAL, HEAT SHRINKABLE POLYOLEFIN,CROSSLINKED, SEMI-RIGID AND FLEXIBLE	2017	SAE	0
8965	AS81765-2A	INSULATING COMPONENTS, MOLDED, ELECTRICAL, HEAT SHRINKABLE POLYCHLOROPRENE, FLEXIBLE, CROSSLINKED	2017	SAE	0
8966	AS81765-3A	INSULATING COMPONENTS, MOLDED, ELECTRICAL, HEAT SHRINKABLE SILICONE RUBBER, FLEXIBLE, CROSSLINKED	2017	SAE	0
8967	AS81765-4A	INSULATING COMPONENTS, MOLDED, ELECTRICAL, HEAT SHRINKABLE FLUOROELASTOMER, FLEXIBLE, CROSSLINKED	2017	SAE	0
8968	AS81765-6A	INSULATING COMPONENTS, MOLDED, ELECTRICAL, HEAT SHRINKABLE FLUOROPOLYMER, SEMI-RIGID, CROSSLINKED	2017	SAE	0
8969	AS81765-7A	INSULATING COMPONENTS, MOLDED, ELECTRICAL, HEAT SHRINKABLE FLUOROPOLYMER COMPOSITE, SEMI-RIGID, CROSSLINKED	2017	SAE	0
8970	AS81790-3	INSPECTION GAGE, FOR AS81790/1 CONNECTORS AIRCRAFT EXTERNAL ELECTRIC POWER	2017	SAE	0
8971	AS81819A	(R) Bearings, Plain, Self-Aligning, Self-Lubricating, High Speed Oscillation -65 to +160 Ī°F General Specification For	2017	SAE	0
8972	AS81824-6	SPLICE, ELECTRIC, PERMANENT, CRIMP, NICKEL PLATED INSULATED WIRES, ENVIRONMENTAL CLASS 1, 175 ?C	2017	SAE	0
8973	AS81824-7	SPLICE, IN-LINE, ELECTRIC, CRIMP, SN/CU, ENVIRONMENTAL, HEAT-SHRINKABLE SLEEVE (150 ?C), 1 X 3 SEALANT OPENING	2017	SAE	0
8974	AS81824-9	SPLICE, IN-LINE, ELECTRIC, CRIMP, SN/CU, ENVIRONMENTAL, HEAT-SHRINKABLE SLEEVE (150 ?C), 3 X 3 SEALANT OPENING	2017	SAE	0
8975	AS81969-2	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE I, CLASS I, COMPOSITION C	2017	SAE	0
8976	AS81969-30A	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE II, CLASS 2, COMPOSITION C, FOR UNWIRED CONTACTS	2017	SAE	0
8977	AS83519-6	SHIELD TERMINATION, SOLDER STYLE, INSULATED, HEATSHRINKABLE, ENVIRONMENT RESISTANT FOR CABLES HAVING NI PLATED SHIELDS, 200 ?C, ROHS, CLASS I	2017	SAE	0
8978	AS83519-7	SHIELD TERMINATION, SOLDER STYLE, INSULATED, HEATSHRINKABLE, ENVIRONMENT RESISTANT WITH PRE INSTALLED LEADS FOR CABLES HAVING TIN OR SILVER PLATED SHIELDS (CLASS I)	2017	SAE	0
8979	AS85028C	Connector, Electrical, Rectangular, Individual Contact Sealing, Polarized Center Jackscrew, General Specification For	2017	SAE	0
8980	AS85049-8C	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, CABLE SEALING, 90?, SHIELD TERMINATION, CATEGORY 1A (FOR AS50151 CRIMP, MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, AND MIL-DTL-83723 SERIES III CONNECTORS)	2017	SAE	0
8981	AS85049-9C	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, CABLE SEALING, 90?, CATEGORY 1A (FOR AS50151 CRIMP, MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, AND MIL-DTL-83723 SERIES III CONNECTORS)	2017	SAE	0
8982	AS85049-21D	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, CATEGORY 3B (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2017	SAE	0
8983	AS85049-135	CONNECTOR ACCESSORIES, FIBER OPTIC BACKSHELL, SPLIT, STRAIGHT, SELF-LOCKING CATEGORY 3B FOR MIL-DTL-38999 SERIES III AND AS5590/1 CONNECTORS	2017	SAE	0
8984	AS85049-136	CONNECTOR ACCESSORIES, FIBER OPTIC BACKSHELL, SPLIT, 45?, SELF-LOCKING CATEGORY 3B FOR MIL-DTL-38999 SERIES III AND AS5590/1 CONNECTORS	2017	SAE	0
8985	AS85049-137	CONNECTOR ACCESSORIES, FIBER OPTIC BACKSHELL, SPLIT, 90?, SELF-LOCKING CATEGORY 3B FOR MIL-DTL-38999 SERIES III AND AS5590/1 CONNECTORS	2017	SAE	0
8986	AS85049-142C	CONNECTOR ACCESSORIES, ELECTRICAL BOOTS AND SLEEVES, TRANSITIONS, HEAT-SHRINKABLE, CATEGORY 7	2017	SAE	0
8987	AS85049-151	CONNECTOR ACCESSORIES, FIBER OPTIC BACKSHELL, SPLIT, STRAIGHT, SELF-LOCKING CATEGORY 3B FOR MIL-DTL-38999 SERIES III AND AS5590/1 CONNECTORS	2017	SAE	0

8988	AS85049-153	CONNECTOR ACCESSORIES, ELECTRICAL, RFI/EMI, STRAIN RELIEF, 90 DEGREE, SELF-LOCKING, CATEGORY 3C (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2017	SAE	0
8989	AS85075-1	TIE DOWN ASSEMBLY, HELICOPTER BLADE CH-46 HELICOPTER	2017	SAE	0
8990	AS85075-2	TIE DOWN ASSEMBLY, HELICOPTER BLADE CH-53 HELICOPTER	2017	SAE	0
8991	AS85075	Tie down Assembly, Helicopter Blade, General Specification for	2017	SAE	0
8992	AS85376	Stand, Shipboard, Helicopter Maintenance	2017	SAE	0
8993	AS85421-10D	FITTING, ADAPTER, BEAM SEAL, 3000/4000 PSI, MALE TO FLARELESS	2017	SAE	0
8994	AS85421-16D	F ITTING , TEE , BEAM SEAL, 3000 /4000 PS I , BULKHEAD ON RUN , MALE ENDS	2017	SAE	0
8995	AS85848-1A	SLEEVING, FOR IDENTIFICATION MARKING HEAT SHRINKABLE, POLYOLEFIN, FLEXIBLE	2017	SAE	0
8996	AS85848-2A	SLEEVING, FOR IDENTIFICATION MARKING HEAT SHRINKABLE, POLYVINYLIDENE FLUORIDE, FLEXIBLE	2017	SAE	0
8997	AS85848A	Sleeving, for Identification Marking, Heat Shrinkable, General Specification for	2017	SAE	0
8998	AS123301D - AS123450D	RIVET, SOLID, UNIVERSAL HEAD, NICKEL ALLOY, UNS N06600	2017	SAE	0
8999	AS125251B - AS125400B	(R) RIVET - 100 DEGREE COUNTERSUNK HEAD, ALUMINUM ALLOY (UNS A92117)	2017	SAE	0
9000	AS125701B - AS125850B	(R) RIVET - UNIVERSAL HEAD, ALUMINUM ALLOY (UNS A92117)	2017	SAE	0
9001	AS154701B - AS155000B	STUD - STEPPED, 2 DIA ENGAGEMENT .2500-20UNS X .1900-32UNF-3A	2017	SAE	0
9002	J48	(R) Guidelines for Liquid Level Indicators	2017	SAE	0
9003	J95	Headlamps for Industrial Equipment	2017	SAE	0
9004	J122	Surface Discontinuities on Nuts	2017	SAE	0
9005	J174M	Torque-Tension Test Procedure for Steel Threaded Fasteners - Metric Series	2017	SAE	0
9006	J220	Crane Boomstop	2017	SAE	0
9007	J238	Nut and Conical Spring Washer Assemblies	2017	SAE	0
9008	J293	(R) Vehicle Grade Parking Performance Requirements	2017	SAE	0
9009	J349	Detection of Surface Imperfections in Ferrous Rods, Bars, Tubes, and Wires	2017	SAE	0
9010	J358	Nondestructive Tests	2017	SAE	0
9011	J379	Gogan Hardness of Brake Lining	2017	SAE	0
9012	J380	Specific Gravity of Friction Material	2017	SAE	0
9013	J434	(R) Automotive Ductile (Nodular) Iron Castings	2017	SAE	0
9014	J444	Cast Shot and Grit Size Specifications for Peening and Cleaning	2017	SAE	0
9015	J450	Use of Terms Yield Strength and Yield Point	2017	SAE	0
9016	J457	Chemical Compositions, Mechanical Property Limits, and Dimensional Tolerances of SAE Wrought Aluminum Alloys	2017	SAE	0
9017	J464	Magnesium Alloys	2017	SAE	0
9018	J469	Zinc Die Casting Alloys	2017	SAE	0
9019	J518-2	(R) Hydraulic Flanged Tube, Pipe, and Hose Connections, 4-Screw Flange Connection Part 2: 42 MPa (Code 62)	2017	SAE	0
9020	J527	Brazed Double Wall Low-Carbon Steel Tubing	2017	SAE	0
9021	J551-5	Performance Levels and Methods of Measurement of Magnetic and Electric Field Strength from Electric Vehicles, 150 kHz to 30 MHz	2017	SAE	0
9022	J551-16	Electromagnetic Immunity - Off-Vehicle Source (Reverberation Chamber Method) - Part 16 - Immunity to Radiated Electromagnetic Fields	2017	SAE	0
9023	J701	Truck Tractor Semitrailer Interchange Coupling Dimensions	2017	SAE	0

9024	J704	Openings for Six-and Eight-Bolt Truck Transmission Mounted Power Take-Offs	2017	SAE	0
9025	J706	Rating of Winches	2017	SAE	0
9026	J772	Clearance Envelopes for Six-Bolt, Eight-Bolt, and Rear Truck Transmission Mounted Power Takeoffs	2017	SAE	0
9027	J811	Surface Rolling and Other Methods for Mechanical Prestressing of Metals, Information Report;	2017	SAE	0
9028	J911	Surface Texture, Roughness (Ra), Peak Count(Pc), and Mean Profile Spacing, (Rsm) Measurement of Metallic Coated and Uncoated Steel Sheet/Strip to be Formed and/or to be Painted	2017	SAE	0
9029	J915	Manual Control Sequence for Automatic Transmissions	2017	SAE	0
9030	J1072	Sintered Tool Materials, Recommended Practice	2017	SAE	0
9031	J1085	Testing Dynamic Properties of Elastomeric Isolators	2017	SAE	0
9032	J1113-27	Electromagnetic Compatibility Measurements Procedure for Vehicle Components - Part 27 - Immunity to Radiated Electromagnetic Fields, Recommended Practice	2017	SAE	0
9033	J1134	(R) SAE Nodal Mount	2017	SAE	0
9034	J1183	Recommended Guidelines for Fatigue Testing of Elastomeric Materials and Components	2017	SAE	0
9035	J1200	Blind Rivets - Break Mandrel Type	2017	SAE	0
9036	J1238	Rating Lift Cranes on Fixed Platforms Operating in the Ocean Environment	2017	SAE	0
9037	J1270	Measurement of Passenger Car, Light Truck, and Highway Truck and Bus Tire Rolling Resistance	2017	SAE	0
9038	J1286	Thrust Test Device	2017	SAE	0
9039	J1287	Measurement of Exhaust Sound Levels of Stationary Motorcycles	2017	SAE	0
9040	J1297	Alternative Automotive Fuels	2017	SAE	0
9041	J1298	Hydraulic Systems Diagnostic Port Sizes and Locations	2017	SAE	0
9042	J1344	Marking of Plastic Parts, Recommended Practice - June 1995	2017	SAE	0
9043	J1366	Rating Lift Cranes Operating on Platforms in the Ocean Environment	2017	SAE	0
9044	J1392	Steel, High Strength, Hot Rolled Sheet and Strip, Cold Rolled Sheet, and Coated Sheet	2017	SAE	0
9045	J1405	(R) Optional Impulse Test Procedures for Hydraulic Hose Assemblies, Recommended Practice	2017	SAE	0
9046	J1454	Dynamic Durability Testing of Seat Cushions for Off-Road Work Machines	2017	SAE	0
9047	J1455	Joint SAE/TMC Recommended Environmental Practices for Electronic Equipment Design (Heavy-Duty Trucks)	2017	SAE	0
9048	J1498	Heating Value of Fuels	2017	SAE	0
9049	J1530	Test Method for Determining Resistance to Abrasion; Bearding; and Fiber Loss of Automotive Carpet Materials	2017	SAE	0
9050	J1608	Manual Transmission Shift Patterns, Recommended Practice - February 1994	2017	SAE	0
9051	J1616	Recommended Practice for Compressed Natural Gas Vehicle Fuel	2017	SAE	0
9052	J1619	Single Tooth Gear Bending Fatigue Test	2017	SAE	0
9053	J1636	Recommended Guidelines for Load/Deformation Testing of Elastomeric Components	2017	SAE	0
9054	J1639	CLASSIFICATION SYSTEM FOR AUTOMOTIVE POLYAMIDE (PA) PLASTICS	2017	SAE	0
9055	J1682	Valve Guide Information Report, Information Report	2017	SAE	0
9056	J1692	Valve Seat Insert Information Report	2017	SAE	0
9057	J1696	Standard Fuel Filter Test Fluid, Standard	2017	SAE	0
9058	J1698	Event Data Recorder	2017	SAE	0
9059	J1701	Torque-Tension Tightening for Inch Series Fasteners	2017	SAE	0
9060	J1717	Interior Automotive Plastic Part Testing	2017	SAE	0
9061	J1731	Pilot Bearings for Truck and Bus Applications, Recommended Practice	2017	SAE	0
9062	J1752-3	Measurement of Radiated Emissions from Integrated Circuitsâ__TEM/Wideband TEM (GTEM) Cell Method; TEM Cell (150 kHz to 1 GHz), Wideband TEM Cell (150 kHz to 8 GHz)	2017	SAE	0

9063	J1806	Clutch Dimensions for Truck and Bus Applications	2017	SAE	0
9064	J1837	Electroplate Requirements for Decorative Chromium Deposits on Zinc Base Materials Used for Exterior Ornamentation	2017	SAE	0
9065	J1857	Flywheel Dimensions for Truck and Bus Applications	2017	SAE	0
9066	J1883	Elastomeric Bushing "TRAC" Application Code, Recommended Practice	2017	SAE	0
9067	J1915	Recommended Remanufacturing Procedures for Manual Transmission Clutch Assemblies	2017	SAE	0
9068	J1930	(R) ELECTRICAL/ELECTRONIC SYSTEMS DIAGNOSTIC TERMS, DEFINITIONS, ABBREVIATIONS, AND ACRONYMS	2017	SAE	0
9069	J1939-81	Recommended Practice for Serial Control and Communications Vehicle Network - Part 81 - Network Management	2017	SAE	0
9070	J2253	Test Procedures for Automotive Structural Composite Materials	2017	SAE	0
9071	J2267	Minimum Performance Criteria for Operator Front Protective Structure (OFPS) for Certain Equipment	2017	SAE	0
9072	J2302	(R) Thermal Effectiveness of Sleeve/Tubing/Tape Insulation	2017	SAE	0
9073	J2305	Safety for Horizontal Earthboring Machines	2017	SAE	0
9074	J2337-2	(R) Connections for Fluid Power and High Pressure Use - Ports, Stud Ends, and Plugs with ISO 261 Threads and O-Ring Sealing - Part 2: Stud End Requirements, Dimensions, Design, and Test Methods	2017	SAE	0
9075	J2337-3	Connections for Fluid Power and High Pressure UsePorts, Stud Ends, and Plugs with ISO 261 Threads and O-Ring SealingPart 3: Port Plug Requirements, Dimensions, Design, and Test Methods	2017	SAE	0
9076	J2340	Categorization and Properties of Dent Resistant, High Strength, and Ultra High Strength Automotive Sheet Steel	2017	SAE	0
9077	J2383	Air Dryer Installation Procedure	2017	SAE	0
9078	J2407	Clutch Installation and Release Linkage Requirements for Truck and Bus Application	2017	SAE	0
9079	J2419	Occupant Restraint System Evaluation - Frontal Impact System-Level Heavy Trucks	2017	SAE	0
9080	J2469	Clutch Application Powertrain Startability Rating Requirements for Truck and Bus Applicatons	2017	SAE	0
9081	J2494-1	Dimensional Specifications for Metallic Body Push-to-Connect Fittings Used on a Vehicular Air Brake System	2017	SAE	0
9082	J2494-2	Dimensional Specifications for Non-Metallic Body Push-to-Connect Fittings Used On a Vehicular Air Brake System	2017	SAE	0
9083	J2515	High Temperature Materials for Exhaust Manifolds	2017	SAE	0
9084	J2555	Vehicle Idle Gear Rattle Evaluation Procedure	2017	SAE	0
9085	J2581	Thermal Transport Properties Germane to Friction Materials and Brakes	2017	SAE	0
9086	J2597	Computer Generated Shot Peening Saturation Curves	2017	SAE	0
9087	J2606	Drain and Fill Plug for use on Engines, Transmissions, and Axles	2017	SAE	0
9088	J2611	Off-Road Tire Replacement Guidelines	2017	SAE	0
9089	J2625	Automotive Vehicle Brake Squeal Test Recommend Practice	2017	SAE	0
9090	J2642	Recommended Practice for Developing Specifications for Automotive Thermoplastic Materials	2017	SAE	0
9091	J2662	Torque Ratings for Power Take-off Mounting Pads	2017	SAE	0
9092	J2686	Brake Drum Qualification Recommended Practice	2017	SAE	0
9093	J2710	Modal Testing and Identification of Lower Order Tire Natural Frequencies of Radial Tires	2017	SAE	0
9094	J2743	Air Compressor Size Rating Recommended Practice - Truck and Bus	2017	SAE	0
9095	J2749	High Strain Rate Tensile Testing of Polymers	2017	SAE	0
9096	J2762	Method for Removal of Refrigerant from Mobile Air Conditioning System to Quantify Charge Amount	2017	SAE	0
9097	J2786	Automotive Brake Noise and Vibration Standard Nomenclature	2017	SAE	0
9098	J2808	Lane Departure Warning Systems: Information for the Human Interface	2017	SAE	0
9099	J2809	Honda Diagnostic Serial Data Link Protocol - ABS/VSA System	2017	SAE	0
9100	J2836-3	Use Cases for Plug-In Vehicle Communication as a Distributed Energy Resource	2017	SAE	0
9101	J2846	Laboratory Measurement of the Acoustical Performance of Body Cavity Filler Materials	2017	SAE	0

9102	J2927	R-1234yf Refrigerant Identifier Installed In Recovery and Recycling Equipment for Use With Mobile A/C Systems	2017	SAE	0
9103	J2945-9	Vulnerable Road User Safety Message Minimum Performance Requirements	2017	SAE	0
9104	J3003	Dimensional Specifications for General Service Sealed Lighting Units	2017	SAE	0
9105	MA620 SUP1A	Hose Assemblies, Convoluted Polytetrafluoroethylene Metallic Reinforced, High Temperature, Medium Pressure, Aircraft, Metric (Supplement 1)	2017	SAE	0
9106	HS-1086	Metals and Alloys in the Unified Numbering System - ***To Purchase: Contact IHS at 1-800-854-7179 USA/Canada or 303-397-7956 Worldwide***	2017	SAE	0
9107	MS 1001	Lubricants, Industrial Oils, and Related Products Type A Lubricant for General Purpose and Total Loss Systems - Specification	2017	SAE	0
9108	MS 1002	Lubricants, Industrial Oils, and Related Products Type C (Gears) Specification	2017	SAE	0
9109	MS 1004	Lubricants, Industrial Oils, and Related Products Type H (Hydraulic Fluids) - Specification	2017	SAE	0
9110	MS 1005	Lubricants, Industrial Oils, and Related Products Type HF Fire-Resistant Hydraulic FluidsùSpecification	2017	SAE	0
9111	TS 145-5	No . TS1 45ĵ MANUFACTURING SPEC IF ICATION FOR BOLTS (UN IF IED THREADS) HEAT RES ISTING ALLOY STEEL FV535, CLASS IF ICATION Rm = 1 000 MPa (1 45,000 lbf/in ?) @ TA / +550?C	2017	SAE	0
9112	TS 145AR-5	AMENDMENT RECORD No . TS1 45ĵ -AR for Techn ical Speci fication No . TS1 45ĵ	2017	SAE	0
9113	TS 201-6	No . TS201 ĵ METHOD CHANGE APPROVAL FOR QUAL IFIED PARTS LISTED IN TS200	2017	SAE	0
9114	TS 201AR-6	AMENDMENT RECORD No . TS201 ĵ -AR for Techn ical Spec No . TS201 ĵ	2017	SAE	0
9115	TS 202-13	No . TS202ĵ QUAL IFICATION TEST REQU IREMENTS & PROCEDURES FOR AEROSPACE INDUSTRY STANDARD PARTS	2017	SAE	0
9116	TS 202AR-13	AMENDMENT RECORD No . TS202ĵ -AR for Technical Spec No . TS202ĵ	2017	SAE	0
9117	TS 220-2	No . TS202ĵ QUAL IFICATION TEST REQU IREMENTS & PROCEDURES FOR AEROSPACE INDUSTRY STANDARD PARTS	2017	SAE	0
9118	TS 220AR-2	AMENDMENT RECORD No . TS220ĵ -AR for Techn ica l Spec i ficat ion No . TS220ĵ	2017	SAE	0
9119	USCAR-23	ROAD VEHICLES 60 V AND 600 V SINGLE CORE (ISO/METRIC) CABLES DIMENSIONS, TEST METHODS AND REQUIREMENTS	2017	SAE	0
9120	J1200(2)	Blind Rivets - Break Mandrel Type	2017	SAE	0
9121	J122(2)	Surface Discontinuities on Nuts	2017	SAE	0
9122	J1286(2)	Thrust Test Device	2017	SAE	0
9123	J1287(2)	(R) Measurement of Exhaust Sound Pressure Levels of Stationary Motorcycles	2017	SAE	0
9124	J1298(2)	Connections for Fluid Power and General Useâ Hydraulic Couplingsâ Diagnostic Port Sizes and Locations	2017	SAE	0
9125	J1301(2)	Truck Deformation Classification	2017	SAE	0
9126	J1344(2)	Marking of Plastic Parts, Recommended Practice - June 1995	2017	SAE	0
9127	J1392(2)	Steel, High Strength, Hot Rolled Sheet and Strip, Cold Rolled Sheet, and Coated Sheet	2017	SAE	0
9128	J1455(2)	(R) Recommended Environmental Practices for Electronic Equipment Design in Heavy-Duty Vehicle Applications	2017	SAE	0
9129	J1468(2)	Application Testing of Oil-to-Air Oil Coolers for Heat Transfer Performance	2017	SAE	0
9130	J1469(2)	Air Brake Actuator Test Procedure, Truck-Tractor, Bus, and Trailers	2017	SAE	0
9131	J1530(2)	(R) Test Method for Determining Resistance to Abrasion, Bearding, and Fiber Loss of Automotive Carpet Materials, Recommended Practice; - August 1994	2017	SAE	0
9132	J1616(3)	Recommended Practice for Compressed Natural Gas Vehicle Fuel, Recommended Practice	2017	SAE	0
9133	J1626-2	Recommended Practice for Braking, Stability, and Control Performance Test Procedure for Air-Brake-Equipped Trucks and Buses	2017	SAE	0
9134	J1636(2)	Recommended Guidelines for Load/Deformation Testing of Elastomeric Components, Recommended Practice	2017	SAE	0
9135	J1639(2)	CLASSIFICATION SYSTEM FOR AUTOMOTIVE POLYAMIDE (PA) PLASTICS	2017	SAE	0
9136	J1696(2)	Standard Fuel Filter Test Fluid, Standard	2017	SAE	0

9137	J1698(2)	(R) Vehicle Event Data Interface-Vehicular Output Data Definition	2017	SAE	0
9138	J1698-1(2)	Vehicle Event Data InterfaceOutput Data Definition	2017	SAE	0
9139	J1701(2)	Torque-Tension Tightening for Inch Series Fasteners	2017	SAE	0
9140	J174M(2)	(R) Torque-Tension Test Procedure for Steel Threaded Fasteners - Metric Series - August 1996	2017	SAE	0
9141	AMS2771F	Heat Treatment of Aluminum Alloy Castings	2017	SAE	0
9142	J1883(2)	Elastomeric Bushing TRAC Application Code	2017	SAE	0
9143	J1930(2)	(R) ELECTRICAL/ELECTRONIC SYSTEMS DIAGNOSTIC TERMS, DEFINITIONS, ABBREVIATIONS, AND ACRONYMS	2017	SAE	0
9144	J1930DA(2)	J1930 Electrical/Electronic Systems Diagnostic Terms, Definitions, Abbreviations, and Acronyms Web Tool Spreadsheet - See Also SAE J1930; Includes Access to Additional Content	2017	SAE	0
9145	AMS2800E	Identification Finished Parts	2017	SAE	0
9146	J1939-81(3)	Network Management	2017	SAE	0
9147	J1939DA(8)	J1939 Digital Annex - Rev. H; See Also SAE J1939; Includes Access to Additional Content	2017	SAE	0
9148	AMS2808E	Identification Forgings	2017	SAE	0
9149	J1979-DA(3)	J1979-DA, Digital Annex of E/E Diagnostic Test Modes	2017	SAE	0
9150	AMS2821	Salts, Heat-Treating (For Metals)	2017	SAE	0
9151	J224(2)	Collision Deformation Classification	2017	SAE	0
9152	AMS3021E	Fluid, Reference for Testing Di-Ester (Polyol) Resistant Material	2017	SAE	0
9153	AMS3023B	Fluid, Reference for Testing Polyol Ester (and Diester) Resistant Material	2017	SAE	0
9154	J2305(2)	Hazard Reduction for Horizontal Earthboring Machines	2017	SAE	0
9155	AMS3025D	Polyalkylene Glycol Heat Treat Quenchant	2017	SAE	0
9156	J2302(2)	(R) Thermal Effectiveness of Sleeve/Tubing/Tape Insulation	2017	SAE	0
9157	J2337-2(2)	Connections for Fluid Power and High Pressure Use - Ports, Stud Ends, and Plugs with ISO 261 Threads and O-Ring Sealing - Part 2: Stud End Requirements, Dimensions, Design, and Test Methods	2017	SAE	0
9158	J2337-3(2)	Connections for Fluid Power and High Pressure Use - Ports, Stud Ends, and Plugs with ISO 261 Threads and O-Ring Sealing - Part 3: Port Plug Requirements, Dimensions, Design, and Test Methods	2017	SAE	0
9159	J2340(2)	Categorization and Properties of Dent Resistant, High Strength, and Ultra High Strength Automotive Sheet Steel	2017	SAE	0
9160	J2403DA(4)	Digital Annex of Medium/Heavy-Duty E/E Systems Diagnosis Nomenclature - Rev. A; See Also SAE J2403; Includes Access to Additional Content	2017	SAE	0
9161	J2419(2)	Occupant Restraint System Evaluation - Frontal Impact System-Level Heavy Trucks	2017	SAE	0
9162	J2554(2)	(R) Engine Intake Air Water Separation Test Procedure	2017	SAE	0
9163	J2581(2)	Thermal Transport Properties Germane to Friction Materials and Brakes	2017	SAE	0
9164	J2611(2)	Off-Road Tire Replacement Guidelines	2017	SAE	0
9165	J2773(2)	Standard for Refrigerant Risk Analysis for Mobile Air Conditioning Systems	2017	SAE	0
9166	AMS3102	Sealing Compound, Polythioether Rubber Fast Curing, Light Weight (Specific Gravity 0.78, max.) for Integral Fuel Tanks and General Purpose, Intermittent Use to 360 Î°F (182 Î°C)	2017	SAE	0
9167	J2808(2)	Lane Departure Warning Systems: Information for the Human Interface	2017	SAE	0
9168	J2836 3	Use Cases for Plug-In Vehicle Communication as a Distributed Energy Resource	2017	SAE	0
9169	J2907	(R) Performance Characterization of Electrified Powertrain Motor-Drive Subsystem	2017	SAE	0
9170	J2945 9	Vulnerable Road User Safety Message Minimum Performance Requirements	2017	SAE	0
9171	J2966(2)	Guidelines for Aerodynamic Assessment of Medium and Heavy Commercial Ground Vehicles Using Computational Fluid Dynamics - Includes Access to Additional Content	2017	SAE	0
9172	J2969	Use of the Critical Speed Formula	2017	SAE	0

9173	J2995	Strength and Durability Testing for Automotive Hydraulic Brake Components - Includes Access to Additional Content	2017	SAE	0
9174	J3057	Ambulance Modular Body Evaluation-Quasi-Static Loading for Type I and Type III Modular Ambulance Bodies	2017	SAE	0
9175	J3059	Ambulance Patient Compartment Seated Occupant Excursion Zone Evaluation	2017	SAE	0
9176	J3074	Lumbar Flexion Test Procedure for the Hybrid III 50th Male Dummy	2017	SAE	0
9177	J3083	Reliability Prediction for Automotive Electronics Based on Field Return Data	2017	SAE	0
9178	J3085	Terminology for Light and Medium Duty Trailers and Components	2017	SAE	0
9179	J3102	Ambulance Patient Compartment Structural Integrity Test to Support SAE J3027 Compliant Litter Systems	2017	SAE	0
9180	J3108	xEV Labels to Assist First and Second Responders, and Others	2017	SAE	0
9181	J3112	A/C Compressor Oil Separator Effectiveness Test Standard	2017	SAE	0
9182	J361(2)	Test Method for Determining Visual Color Match to Master Specimen for Fabrics, Vinyls, Coated Fiberboards, and Other Automotive Trim Materials	2017	SAE	0
9183	J379(2)	(R) Gogan Hardness of Brake Lining	2017	SAE	0
9184	J380(2)	Specific Gravity of Friction Material	2017	SAE	0
9185	J48(2)	Guidelines for Liquid Level Indicators	2017	SAE	0
9186	AMS3159G	Leak Test Solution Liquid Oxygen Compatible	2017	SAE	0
9187	J518-2(2)	Hydraulic Flanged Tube, Pipe, and Hose Connections, 4-Screw Flange Connection Part 2: 42 MPa (Code 62)	2017	SAE	0
9188	J533(2)	(R) FLARES FOR TUBING	2017	SAE	0
9189	J68(2)	Tests for Snowmobile Switching Devices and Components	2017	SAE	0
9190	AMS3196G	Sponge, Silicone Rubber Closed Cell, Firm	2017	SAE	0
9191	AMS3197M	Sponge, Chloroprene (CR) Rubber Soft	2017	SAE	0
9192	AMS3210H	Chloroprene (CR) Rubber Electrical Resistant 65 - 75	2017	SAE	0
9193	J911(2)	Surface Texture Measurement of Cold Rolled Sheet Steel	2017	SAE	0
9194	J915(2)	Automatic Transmissions - Manual Control Sequence	2017	SAE	0
9195	AMS3217 4C	Test Slabs, Fluoroelastomer (FKM) 65 - 75	2017	SAE	0
9196	MA2112C	(R) ADAPTER, ASSEMBLY - PORT CONNECTION RING LOCKED TO 24Ī° FLARELESS TUBE END, METRIC	2017	SAE	0
9197	MA2114B	(R) Adapter - Port Connection, Ring Locked Installation and Removal of	2017	SAE	0
9198	MA3340C	(R) BOLT, MACHINE-SPLINE EXTENDED WASHER, PD SHANK, LONG THREAD, AMS5662, METRIC	2017	SAE	0
9199	MA4248B	No Title - CAP ASSEMBLY, PROTECTIVE CLOSURE BEAM SEAL FITTING, LOW PRESSURE, METRIC	2017	SAE	0
9200	MA620 SUP 1A	Hose Assemblies, Convoluted Polytetrafluoroethylene Metallic Reinforced, High Temperature, Medium Pressure, Aircraft, Metric (Supplement 1)	2017	SAE	0
9201	AMS3266A	Sealing Compound, Polythioether Elastomeric Two-Part Electrically Conductive	2017	SAE	0
9202	AMS3400	Fluid, Reference for Testing Polyalphaolefin (PAO) Resistant Material	2017	SAE	0
9203	AMS3415E	Flux, Aluminum Dip Brazing 1030 Ī°F (554 Ī°C) or Lower Liquidus	2017	SAE	0
9204	AMS3579E	Plastic Tubing, Electrical Insulation Non-Crosslinked Polyvinyl Chloride, Flexible, Heat Shrinkable 1.6 to 1 Shrink Ratio	2017	SAE	0
9205	AMS3582B	Plastic Tubing, Electrical Insulation Crosslinked Polyvinyl Chloride, Flexible Heat Shrinkable 2 to 1 Shrink Ratio	2017	SAE	0
9206	AMS3593B	Tubing, Plastic, Electrical Insulation Irradiated Polyvinylidene Fluoride, Semi-Rigid, Heat-Shrinkable Marker Sleeving Grade Low Outgassing	2017	SAE	0
9207	AMS3683B	Tubing, Irradiated Modified Fluoropolymer Plastic, Electrical Insulation Flame Resistant, Flexible, Heat-Shrinkable, 2 to 1 Shrink Ratio	2017	SAE	0
9208	AIR1812B	Environmental Control Systems Life Cycle Cost	2017	SAE	0
9209	AIR1839D	A Guide to Aircraft Turbine Engine Vibration Monitoring Systems	2017	SAE	0
9210	AIR1922B	(R) Aerospace - System Integration Factors That Affect Hydraulic Pump Life	2017	SAE	0

9211	AMS4071N	Aluminum Alloy, Drawn, Round, Seamless Hydraulic Tubing 2.5Mg 0.25Cr (5052-O) Annealed - UNS A95052	2017	SAE	0
9212	AMS4079H	Aluminum Alloy, Drawn, Round, Seamless, Tubing 1.0Mg - 0.60Si - 0.28Cu - 0.20Cr (6061-O) Close Tolerance, Annealed - UNS A96061	2017	SAE	0
9213	AMS4121J	Aluminum Alloy Bars, Rods, and Wire, Rolled, Drawn, or Cold Finished 4.5Cu - 0.85Si - 0.80Mn - 0.50Mg (2014-T6, -T651) Solution and Precipitation Heat Treated - UNS A92014	2017	SAE	0
9214	AIR36105B	(R) Air Cargo Unit Load Devices - Reference Documents	2017	SAE	0
9215	AMS4222H	Aluminum Alloy Castings, Sand, Moderate Heat Resistance 4.0Cu - 2.0Ni - 1.5Mg - 0.12Ti (242.0P) Solution Heat Treated and Stabilized - UNS A02420	2017	SAE	0
9216	AMS4226B	Aluminum Alloy Castings, High Strength 5.0Cu - 0.35Mn - 0.18Zr - 0.10V (224.0) Solution and Precipitation Heat Treated (Overaged) - UNS A02240	2017	SAE	0
9217	AMS4245F	(R) Aluminum Alloy, Welding Wire 5.0Si - 1.2Cu - 0.50Mg (C355.0) - UNS A03550	2017	SAE	0
9218	AMS4261G	Aluminum Alloy Castings, Investment 7.0Si - 0.32Mg (356.0-T51) Precipitation Heat Treated - UNS A03560	2017	SAE	0
9219	AMS4285F	Aluminum Alloy Castings, Centrifugal 7.0Si - 0.30Mg (356.0-T6) Solution and Precipitation Heat Treated - UNS A03560	2017	SAE	0
9220	AMS4284K	Aluminum Alloy Castings, Permanent Mold 7.0Si - 0.30Mg (356.0-T6) Solution and Precipitation Heat Treated - UNS A03560	2017	SAE	0
9221	AMS4290M	Aluminum Alloy, Die Castings 9.5Si - 0.50Mg (360.0-F) As Cast - UNS A03600	2017	SAE	0
9222	AMS4291J	Aluminum Alloy, Die Castings 8.5Si - 3.5Cu (A380.0-F) As Cast - UNS A13800	2017	SAE	0
9223	AMS4303C	Aluminum Alloy Plate 2.7Cu - 2.2Li - 0.12Zr (2090-T81) Solution Heat Treated, Cold Worked, and Aged	2017	SAE	0
9224	AMS4307C	Aluminum Alloy, Extrusions 6.4Zn - 2.4Mg - 2.2Cu - 0.12Zr (7150-T61511) Solution Heat Treated, Stress Relieved by Stretching, Straightened, and Precipitation Heat Treated - UNS A97150	2017	SAE	0
9225	AMS4308B	Aluminum Alloy, Sheet 8.6Fe - 1.8Si - 1.3V (8009-H112) Powder Metallurgy Product, Strain Hardened - UNS A98009	2017	SAE	0
9226	AMS4309B	Aluminum Alloy Extrusions 8.6Fe - 1.8Se - 1.3V (8009-H112) Powder Metallurgy Product, Strain-Hardened - UNS A98009	2017	SAE	0
9227	AIR4066C	(R) Aerospace Fluid Power - Materials and Characteristics of Flight Control Servoactuators of Various Aircraft	2017	SAE	0
9228	AMS4334B	Aluminum Alloy, Forgings 7.8Zn - 2.2Mg - 1.6Cu - 0.15Cr (7249-T74 and -T7452)	2017	SAE	0
9229	AMS4335A	Forgings, Aluminum Alloys 2xxx and 7xxx, Heat-Treated, Finished-Part Properties: Short-Transverse Tensile Properties and Fracture Toughness	2017	SAE	0
9230	AMS4387F	Magnesium Alloy Extrusions 2.3Zn - 0.62Zr (ZK21A-F) As Extruded - UNS M16210	2017	SAE	0
9231	AMS4473A	Aluminum Alloy Plate (2624-T39) 4.1Cu - 1.4Mg - 0.6Mn Solution Heat Treated, Cold Worked and Naturally Aged - UNS A92624	2017	SAE	0
9232	AMS4472A	Aluminum Alloy, Plate 4.0Cu - 1.0Li - 0.40Mg - 0.35Ag - 0.13Zr (2195-T34) Solution Heat Treated and Stress Relieved - UNS A92195	2017	SAE	0
9233	AMS4501F	Copper Sheet, Strip, and Plate Oxygen-Free, Light Cold Rolled	2017	SAE	0
9234	AMS4544H	Nickel-Copper Alloy, Corrosion Resistant, Sheet, Strip, and Plate 67Ni - 30Cu Annealed - UNS N04400	2017	SAE	0
9235	AMS4574F	Nickel-Copper Alloy, Corrosion Resistant, Tubing, Seamless 67Ni - 31Cu Annealed - UNS N04400	2017	SAE	0
9236	AMS4575F	Nickel-Copper Alloy Tubing, Brazed, Corrosion Resistant 67 Ni - 31Cu Annealed - UNS N04400	2017	SAE	0
9237	AMS4599A	Aluminum Alloy, Sheet and Plate 6.3Cu - 0.30Mn - 0.06Ti - 0.10V - 0.18Zr Solution and Precipitation Heat Treated (2219 -T81/-T851) - UNS A92219	2017	SAE	0
9238	AMS4613A	Aluminum Alloy, Sheet and Plate 6.3Cu - 0.30Mn - 0.06Ti - 0.10V - 0.18Zr Solution Heat Treated, Cold Worked (8%) and Precipitation Heat Treated (2219 -T87) - UNS A92219	2017	SAE	0
9239	AMS4617A	Aluminum Alloy, Extrusions 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (7075-T73, 7075-T73511, 7075-T73510) Solution Heat Treated, Stress Relieved by Stretching when required, and Overaged - UNS A97075	2017	SAE	0
9240	AMS4675E	Nickel-Copper Alloy, Corrosion-Resistant, Bars and Forgings 67Ni - 30Cu - UNS N04400	2017	SAE	0
9241	AMS4676F	Nickel-Copper Alloy, Corrosion-Resistant, Bars and Forgings 66.5Ni - 3.0Al - 0.62Ti - 28Cu Hot-Finished, Precipitation Hardenable - UNS N05500	2017	SAE	0

9242	AMS4677C	Nickel-Copper Alloy, Corrosion Resistant, Bars and Forgings 66.5Ni - 2.9Al - 30Cu Annealed - UNS N05502	2017	SAE	0
9243	AMS4730H	Nickel-Copper Alloy Wire, Corrosion-Resistant 67Ni - 31Cu Annealed (400) - UNS N04400	2017	SAE	0
9244	AMS4750E	Solder, Tin-Lead 45Sn - 55Pb	2017	SAE	0
9245	AMS4751D	Tin - Lead Eutectic 63Sn - 37Pb - UNS L13630	2017	SAE	0
9246	AMS4779H	Nickel Alloy, Brazing Filler Metal 94Ni - 3.5Si - 1.8B 1800 Ï°F (982 Ï°C) Solidus, 1950 Ï°F (1066 Ï°C) Liquidous - UNS N99640	2017	SAE	0
9247	AMS4779J	Nickel Alloy, Brazing Filler Metal 94Ni - 3.5Si - 1.8B 1800 Ï°F (982 Ï°C) Solidus, 1950 Ï°F (1066 Ï°C) Liquidus - UNS N99640	2017	SAE	0
9248	AMS4782G	Nickel Alloy, Brazing Filler Metal 71Ni - 10Si - 19Cr 1975 Ï°F (1080 Ï°C) Solidus, 2075 Ï°F (1135 Ï°C) Liquidus - UNS N99650	2017	SAE	0
9249	AMS4787G	(R) Gold-Nickel Alloy, Brazing Filler Metal, High Temperature 82Au - 18Ni 1740 Ï°F (949 Ï°C) Solidus-Liquidus Temperature	2017	SAE	0
9250	AMS4910R	Titanium Alloy, Sheet, Strip, and Plate 5Al - 2.5Sn Annealed - UNS R54520	2017	SAE	0
9251	AMS4933F	Titanium Alloy Extrusions and Flash Welded Rings 8Al - 1Mo - 1V Solution Heat Treated and Stabilized - UNS R54810	2017	SAE	0
9252	AMS4939C	Titanium Alloy Sheet, Strip, and Plate 3Al - 8V - 6Cr - 4Mo - 4Zr Solution Heat Treated - UNS R58640	2017	SAE	0
9253	AMS4949B	Titanium, Sheet, Laminated, Surface Bonded	2017	SAE	0
9254	AMS4959G	Titanium Alloy Wire 13.5V - 11Cr - 3Al Spring Temper - UNS R58010	2017	SAE	0
9255	AMS5047G	Steel, Sheet and Strip 0.08 - 0.13C, Aluminum Killed (SAE 1010) Deep Forming Grade - UNS G10100	2017	SAE	0
9256	AMS5085J	Steel Sheet, Strip, and Plate 0.48 - 0.55C (SAE 1050) - UNS G10500	2017	SAE	0
9257	AMS5132L	Steel, Bars 0.90 - 1.03C - UNS G10950	2017	SAE	0
9258	AMS5339G	Steel, Maraging, Investment Castings 17Ni - 10Co - 4.6Mo - 0.30Ti - 0.06Al Vacuum Melted Homogenized, Overaged, and Solution Heat Treated - UNS J93010	2017	SAE	0
9259	AMS5348C	Steel Castings, Tubular, Centrifugal, Corrosion Resistant 15Cr - 4.6Ni - 0.22 (Cb+Ta) - 2.8Cu Solution Heat Treated	2017	SAE	0
9260	AMS5341D	Steel Castings, Investment, Corrosion Resistant 19.5Cr - 10.5Ni - 0.25S (Type 303) Solution Heat Treated - UNS J92711	2017	SAE	0
9261	AMS5351G	Steel Castings, Sand, Corrosion and Moderate Heat Resistant 13Cr Normalized and Tempered - UNS J91150	2017	SAE	0
9262	AMS5358D	Steel Castings, Investment, Corrosion Resistant 18Cr - 9Ni Solution Heat Treated - UNS J92602	2017	SAE	0
9263	AMS5363F	Steel Castings, Sand and Centrifugal, Corrosion and Heat Resistant 18.5Cr - 10.5Ni - 0.90 (Cb+Ta) Solution Heat Treated - UNS J92641	2017	SAE	0
9264	AMS5373E	Alloy Castings, Sand, Corrosion and Heat Resistant 16Co - 29Cr - 4.5W As Cast - UNS R30006	2017	SAE	0
9265	AMS5384F	Alloy Castings, Investment, Corrosion and Heat Resistant 53Ni - 18Cr - 18Co - 4.0Mo - 2.9Ti - 2.9Al - 0.006B Vacuum-Melted, Vacuum-Cast, Solution and Precipitation Heat Treated - UNS N07500	2017	SAE	0
9266	AMS5389D	Alloy Castings, Sand, Corrosion and Heat Resistant 55Ni - 16.5Cr - 17Mo - 4.5W - 5.8Fe - 0.40V Solution Heat Treated - UNS N10002	2017	SAE	0
9267	AMS5530H	Alloy Sheet, Strip, and Plate, Corrosion and Heat Resistant 58Ni - 15.5Cr - 16Mo - 3.8W - 5.5Fe Solution Heat Treated	2017	SAE	0
9268	AMS5546E	Steel Sheet and Strip, Corrosion and Moderate Heat Resistant 16.5Cr - 4.5Ni - 2.9Mo - 0.10N Cold Rolled, Tempered - UNS S35000	2017	SAE	0
9269	AMS5549H	Steel, Corrosion and Heat Resistant, Plate 15.5Cr - 4.5Ni - 2.9Mo - 0.10N Solution Heat Treated - UNS S35500	2017	SAE	0
9270	AMS5550F	Alloy Sheet, Strip, and Plate, Corrosion and Heat Resistant 80Ni - 15.5Cr - 0.62Ti - 3.25Al Annealed	2017	SAE	0
9271	AIR4543C	Aerospace Hydraulics and Actuation Lessons Learned	2017	SAE	0
9272	AMS5618J	Steel, Corrosion-Resistant, Bars, Wire, and Forgings 17Cr - 0.52Mo (0.95 - 1.20C) (440C) Consumable Electrode Vacuum Melted - UNS S44004	2017	SAE	0
9273	AMS5623D	Steel Bars and Forgings, High Expansion 9.5No - 5.5Mn (0.55 - 0.65C) Annealed - UNS K91456	2017	SAE	0
9274	AMS5624F	Steel Bars, High Expansion 4.5Mn - 4.0Cr - 12.5Ni (0.50 - 0.60C) Cold Finished - UNS K91505	2017	SAE	0

9275	AMS5639J	Steel, Corrosion-Resistant, Bars, Wire, Forgings, Mechanical Tubing, and Rings 19Cr - 10Ni Solution Heat Treated - UNS S30400	2017	SAE	0
9276	AMS5644E	Steel Bars and Forgings, Corrosion Heat Resistant 17Cr - 7Ni - 1Al - UNS S17700	2017	SAE	0
9277	AMS5647K	Steel, Corrosion-Resistant, Bars, Wire, Forgings, Mechanical Tubing, and Rings 19Cr - 9.5Ni Solution Heat Treated - UNS S30403	2017	SAE	0
9278	AMS5657D	Steel Bars and Forgings, Corrosion and Moderate Heat-Resistant 15Cr - 7.1Ni - 2.5Mo - 1.1Al - UNS S15700	2017	SAE	0
9279	AMS5664F	Nickel Alloy, Corrosion and Heat Resistant, Bars, Forgings, and Rings 52.5Ni - 19Cr - 3.0Mo - 5.1Cb (Nb) - 0.90Ti - 0.50Al - 18Fe Consumable Electrode or Vacuum Induction Melted 1950 °F (1066 °C) Solution Heat Treated, Precipitation Hardenable - UNS N07	2017	SAE	0
9280	AMS5672D	Steel Wire, Corrosion Resistant 11.8Cr - 8.5Ni - 0.30(Cb + Ta) - 1.1Ti - 2.0Cu Precipitation Hardenable, Spring Temper - UNS45500	2017	SAE	0
9281	AMS5683G	Alloy Welding Wire, Corrosion and Heat Resistant 75Ni - 15.5Cr - 8.0Fe	2017	SAE	0
9282	AMS5691H	Steel Welding Electrodes, Covered, Corrosion and Heat Resistant 18.5Cr - 12.5Ni - 2.5Mo - UNS W31610	2017	SAE	0
9283	AMS5750D	Alloy Bars, Forgings, and Rings, Corrosion and Heat Resistant Nickel Base - 15.5Cr - 16Mo - 3.8W - 5.5Fe Solution Heat Treated	2017	SAE	0
9284	AMS5751F	Alloy Bars, Forgings, and Rings, Corrosion and Heat Resistant 54Ni - 17.5Cr - 16.5Co - 4.0Mo - 2.9Ti - 2.9Al - 0.006B Solution, Stabilization, and Precipitation Heat Treated Consumable Electrode or Vacuum Induction Melted - UNS N07500	2017	SAE	0
9285	AMS5795G	Iron Alloy, Corrosion and Heat Resistant, Covered, Welding Electrodes 31Fe - 21Cr - 20Ni - 20Co - 3.0Mo - 2.5W - 1.0 (Cb + Ta) - UNS W73155	2017	SAE	0
9286	AMS5824F	Steel, Corrosion-Resistant, Welding Wire 17Cr - 7.1Ni - 1.0Al - UNS S17780	2017	SAE	0
9287	AMS5916B	Alloy, Corrosion and Heat-Resistant, Sheet, Strip, and Plate 35Fe - 24Cr - 37Ni - 0.65Cb(Nb) - 0.2N Annealed - UNS N08120	2017	SAE	0
9288	AMS6431P	Steel, Bars, Forgings, and Tubing 1.05Cr - 0.55Ni - 1.0Mo - 0.11V (0.45 - 0.50C) (D6AC) Vacuum Consumable Electrode Remelted - UNS K24728	2017	SAE	0
9289	AMS6435G	Steel, Sheet, Strip, and Plate 0.75Mn - 0.78Cr - 1.8Ni - 0.35Mo - 0.20V (0.33 - 0.38C) (4335 Mod) Vacuum Consumable Electrode Melted, Annealed - UNS K33517	2017	SAE	0
9290	AMS6481D	Steel Bars, Forgings, and Tubing, Nitriding 3Cr - 1Mo 0.2V (0.29 0.36C) Premium Aircraft-Quality for Bearing Applications Double Vacuum Melted - UNS K24340	2017	SAE	0
9291	AMS6509A	Steel Bars and Forgings 3.5Cr 7.5Ni 16.3Co 1.75Mo 0.2W (0.09-0.13C) Double Vacuum Melted, Normalized, Annealed - UNS K92731	2017	SAE	0
9292	AMS7724D	Alloy Sheet and Strip, Sintered Wire Mesh, Corrosion and Heat Resistant 30Fe - 1.5Mn - 21Cr - 20Ni - 20Co - 3.0Mo - 2.5W - 1.0(Cb + Ta) - 0.15N Porous - UNS R30100	2017	SAE	0
9293	AMS7726H	Iron-Nickel-Cobalt Alloy, Wire 53Fe - 29Ni - 17Co Low Expansion, Glass Sealing, Annealed - UNS K94610	2017	SAE	0
9294	AMS7727F	Iron-Nickel-Cobalt Alloy, Bars and Forgings 53Fe - 29Ni - 17Co Low Expansion, Glass Sealing - UNS K94610	2017	SAE	0
9295	AMS7728J	Iron-Nickel-Cobalt Alloy, Sheet, Strip, and Plate 53Fe - 29Ni - 17Co Low Expansion Glass Sealing, Annealed - UNS K94610	2017	SAE	0
9296	AMS-DTL-22499 2B	SHIM STOCK, LAMINATED, BRASS	2017	SAE	0
9297	AMS-DTL-22499.2B	NULL	2017	SAE	0
9298	AMS-I-23011C	Iron-Nickel Alloys for Sealing to Glasses and Ceramic	2017	SAE	0
9299	AMS-L-18331B	Lead Alloy Pig	2017	SAE	0
9300	AMS-QQ-A-225 4A	Aluminum Alloy, 2014, Bar, Rod, Wire and Special Shapes, Rolled, Drawn, or Cold Finished A92014	2017	SAE	0
9301	AMS-STD-595A	(R) Colors Used in Government Procurement	2017	SAE	0

9302	AMS-STD-753B	Corrosion-Resistant Steel Parts: Sampling, Inspection and Testing for Surface Passivation	2017	SAE	0
9303	ARP1287B	SAE Standards for Use in the Design of Aerospace Vehicular Ground Equipment	2017	SAE	0
9304	AIR5575A	Hot Stamp Wire Marking Concerns for Aerospace Vehicle Applications	2017	SAE	0
9305	ARP4050A	(R) Balancing Machines - Description and Evaluation Vertical, Two-Plane, Hard-Bearing Type for Gas Turbine Rotors	2017	SAE	0
9306	AIR5661A	(R) Compartment Decompression Analysis	2017	SAE	0
9307	ARP4162B	(R) Balancing Machine Proving Rotors	2017	SAE	0
9308	ARP4378C	(R) Accumulator, Hydraulic, Welded Bellows, Factory Pre-Charged	2017	SAE	0
9309	ARP493B	Knobs, Control Aircraft, Recommended Design	2017	SAE	0
9310	ARP5144A	(R) Heat Application for Thermosetting Resin Curing	2017	SAE	0
9311	ARP5323A	(R) Balancing Machines - Description and Evaluation Vertical, Single-Plane, Hard-Bearing Type for Gas Turbine Rotors	2017	SAE	0
9312	ARP5429A	Landing Gear Fatigue Tests with Equivalent Damage Spectra	2017	SAE	0
9313	ARP5448 6A	(R) Plain Spherical Bearing Conformity Examination	2017	SAE	0
9314	ARP577E	R) Emergency, Instruction and Information Placards - Internal and External	2017	SAE	0
9315	AIR5826B	Distortion Synthesis/Estimation Techniques	2017	SAE	0
9316	ARP583J	Cabin Crew Stations	2017	SAE	0
9317	ARP6154	Aerospace Fluid Power Electrohydrostatic Module, Design, Performance and Test Recommendations	2017	SAE	0
9318	ARP6156	WAM High Speed Load Capacity Test Method	2017	SAE	0
9319	ARP6199A	Method to Evaluate Aircraft Passenger Seats for the Test Requirements of 14 CFR Part 25 Appendix F, Parts IV and V	2017	SAE	0
9320	ARP6239	Demonstration Emergency Equipment	2017	SAE	0
9321	ARP6852B	Methods and Processes for Evaluation of Aerodynamic Effects of SAE-Qualified Aircraft Ground Deicing/Anti-icing Fluids	2017	SAE	0
9322	ARP6903	Guide for Achieving Plating/Finish Compatibility with Connectors and Accessories used in Electrical Wiring Interconnect Systems (EWIS)	2017	SAE	0
9323	ARP901B	(R) Bubble-Point Test Method	2017	SAE	0
9324	AS INDEX	Aerospace Standards Index - 2015	2017	SAE	0
9325	AIR6127	Managing Higher Voltages in Aerospace Electrical Systems	2017	SAE	0
9326	AS1303B	Portable Chemical Oxygen	2017	SAE	0
9327	AIR6162	Fusion Splicing for Optical Fibers	2017	SAE	0
9328	AIR6170A	Ice Melting Test Method for Runways and Taxiways Deicing/Anti-icing Chemicals	2017	SAE	0
9329	AIR6172A	(R) Ice Undercutting Test Method for Runways and Taxiways Deicing/Anti-Icing Chemicals	2017	SAE	0
9330	AS153H	HOSE ASSEMBLY, PTFE, CRES REINFORCED, 3000 PSI, 400 ĩ°F, STRAIGHT TO STRAIGHT, FLARED, LIGHTWEIGHT	2017	SAE	0
9331	AS154G	HOSE ASSEMBLY, PTFE, CRES REINFORCED, 3000 PSI, 400 ĩ°F, STRAIGHT TO 45ĩ°, FLARED, LIGHTWEIGHT	2017	SAE	0
9332	AS15531A	Digital Time Division Command/Response Multiplex Data Bus	2017	SAE	0
9333	AS155G	HOSE ASSEMBLY, PTFE, CRES REINFORCED, 3000 PSI , 400 ĩ°F, STRAIGHT TO 90ĩ°, FLARED, LIGHTWEIGHT	2017	SAE	0
9334	AS156G	HOSE ASSEMBLY, PTFE, CRES REINFORCED, 3000 PSI, 400 ĩ°F, 45ĩ° TO 45ĩ°, FLARED, LIGHTWEIGHT	2017	SAE	0
9335	AS157G	HOSE ASSEMBLY, PTFE, CRES REINFORCED, 3000 PSI, 400 ĩ°F, 45 DEGREE TO 90 DEGREE, FLARED, LIGHTWEIGHT	2017	SAE	0
9336	AS158G	HOSE ASSEMBLY, PTFE, CRES REINFORCED, 3000 PSI, 400 ĩ°F, 90 DEGREE TO 90 DEGREE, FLARED, LIGHTWEIGHT	2017	SAE	0
9337	AS1701F	Lubricant, Solid Film	2017	SAE	0
9338	AS1708F	FITTING END, INTERNAL FLARE DESIGN STANDARD	2017	SAE	0

9339	AS18029B	COVER ASSEMBLY, ELECTRICAL, FOR MS27212 TERMINAL BOARD ASSEMBLY	2017	SAE	0
9340	AS1895 7E	SEAL, TYPE I & II STANDARD AND LOW PROFILE	2017	SAE	0
9341	AS20708 46B	NULL	2017	SAE	0
9342	AS20708 47B	Synchro, Control Differential Transmitter, Type 23CDX4C FSC 5990	2017	SAE	0
9343	AS20708 48B	Synchro, Torque Differential Transmitter, Type 23TDX4C FSC 5990	2017	SAE	0
9344	AS20708 49B	Synchro, Differential Receiver, Type 23TDR4B FSC 5990	2017	SAE	0
9345	AS20708 50B	Synchro, Torque Receiver Transmitter, Type 23TRX4A FSC 5990	2017	SAE	0
9346	AS20708 52B	Synchro, Control Transmitter, Type 23CX6D FSC 5990	2017	SAE	0
9347	AS20708 53B	Synchro, Control Transformer, Type 23CT6D FSC 5990	2017	SAE	0
9348	AS20708 54B	Synchro, Control Differential Transmitter, Type 23CDX6C FSC 5990	2017	SAE	0
9349	AS20708 55B	NULL	2017	SAE	0
9350	AS20708 56B	Synchro, Torque Receiver Transmitter, Type 23TRX6B FSC 5990	2017	SAE	0
9351	AS20708 62B	Synchro, Torque Receiver Transmitter, Type 31TRX4A FSC 5990	2017	SAE	0
9352	AS20708 66B	Synchro, Torque Receiver Transmitter, Type 31TRX6A FSC 5990	2017	SAE	0
9353	AS20708 67B	Synchro, Torque Differential Receiver, Type 31TDR6B FSC 5990	2017	SAE	0
9354	AS20708 68B	Synchro, Torque Differential Transmitter, Type 31TDX6C FSC 5990	2017	SAE	0
9355	AS20708 70B	Synchro, Torque Receiver Transmitter, Type 37TRX4A FSC 5990	2017	SAE	0
9356	AS20708 74B	Synchro, Torque Receiver Transmitter, Type 37TRX6A FSC 5990	2017	SAE	0
9357	AS20708 76B	NULL	2017	SAE	0
9358	AS20708 78B	Synchro, Control Transmitter, Type 26V-08CX4C FSC 5990	2017	SAE	0
9359	AS20708 79B	Synchro, Control Transformer, Type 26V-08CT4C FSC 5990	2017	SAE	0
9360	AS20708 80B	Synchro, Torque Receiver Transmitter, Type 26V-08CDX4C FSC 5990	2017	SAE	0
9361	AS21428 1A	BEARING, BALL, AIRFRAME, ANTI-FRAME ANTI-FRICTION, EXTRA LIGHT DUTY, PRECISION CORROSION RESISTANT NITROGEN STEEL (CREN)	2017	SAE	0
9362	AS21443 1	BEARING, BALL, AIRFRAME ANTI-FRICTION, PULLEY CORROSION RESISTANT NITROGEN STEEL (CREN)	2017	SAE	0
9363	AS21907D	(R) ELBOW, BULKHEAD UNIVERSAL, 45ï°, FLARELESS TUBE	2017	SAE	0
9364	AS21908E	ELBOW, BULKHEAD UNIVERSAL 90ï°, FLARELESS TUBE	2017	SAE	0
9365	AS21923C	(R) ADAPTER, FLARELESS TUBE, BULKHEAD AND UNIVERSAL TO FLARED TUBE	2017	SAE	0
9366	AS22520 3D	NULL	2017	SAE	0
9367	AS22520 45A	(R) CRIMPING TOOLS, TYPE I, HAND, WIRE, TERMINATION FOR WIRE BARREL SIZE 10 POWER CONTACTS	2017	SAE	0
9368	AS22520 5A	CRIMPING TOOLS, TYPE 2, TERMINAL, HAND, WIRE TERMINATION, FOR COAXIAL, TWINAXIAL, TRIAXIAL, SHIELDED CONTACTS AND FERRULES, TERMINAL LUGS, SPLICES AND END CAPS	2017	SAE	0
9369	AS22520 7	CRIMPING TOOLS, TYPE 1, TERMINAL, HAND, WIRE TERMINATION FOR WIRE BARREL SIZES 16, AND SMALLER	2017	SAE	0
9370	AS24208A	(R) CABLE AND PLUG ASSEMBLY, EXTERNAL POWER 115/200 VOLTS 3 PHASE, SINGLE POINT REFUELING	2017	SAE	0
9371	AS24333C	COUPLING ASSEMBLY, HYDRAULIC, SELF-SEALING, QUICK DISCONNECT, FLARED FITTING TO INTERNAL THREAD BOSS	2017	SAE	0
9372	AS24334C	COUPLING ASSEMBLY, HYDRAULIC, SELF-SEALING, FLARELESS FITTING TO INTERNAL THREAD BOSS	2017	SAE	0
9373	AS25050B	(R) Colors, Aeronautical Lights and Lighting Equipment, General Requirements For	2017	SAE	0
9374	AS25183B	(R) CONNECTOR, PLUG, ELECTRIC, POTTING SEAL, SOLDER CONTACT, AN TYPE	2017	SAE	0
9375	AS27642 1	BEARING, BALL, AIRFRAME ANTI-FRICTION, EXTRA LIGHT DUTY CORROSION RESISTANT NITROGEN STEEL (CREN)	2017	SAE	0

9376	AS27647 1	BEARING, BALL, AIRFRAME, ANTI-FRICTION, EXTRA WIDE, DOUBLE ROW, INTERMEDIATE DUTY, CORROSION RESISTANT NITROGEN STEEL (CREN)	2017	SAE	0
9377	AS27648 1	BEARING, BALL, AIRFRAME, ANTI-FRICTION, EXTERNAL SELF-ALIGNING, EXTRA LIGHT DUTY CORROSION RESISTANT NITROGEN STEEL (CREN)	2017	SAE	0
9378	AS27649 1	BEARING, BALL, AIRFRAME, ANTIFRICTION, INTERMEDIATE DUTY CORROSION RESISTANT NITROGEN STEEL (CREN)	2017	SAE	0
9379	AS31021C	CONNECTOR, RECEPTACLE, ELECTRIC, BOX MOUNTING, SOLDER CONTACTS, AN TYPE	2017	SAE	0
9380	AS31061B	(R) CONNECTOR, PLUG, ELECTRIC, STRAIGHT, SOLDER CONTACTS, AN TYPE	2017	SAE	0
9381	AMS03-040A	Electrodeposition of Zinc-Nickel Alloys	2017	SAE	0
9382	AMS03-1A	Impregnation of Porous Castings & Sintered Metal Components	2017	SAE	0
9383	J1183(2)	Recommended Guidelines for Fatigue Testing of Elastomeric Materials and Components	2017	SAE	0
9384	AIR847A	Oxygen Equipment for Commercial Transport Aircraft Which Fly Above 45,000 Ft	2016	SAE	0
9385	AIR1064D	(R) Braking System Dynamics	2016	SAE	0
9386	AIR1678B	Uncertainty of In-Flight Thrust Determination	2016	SAE	0
9387	AIR1739B	Information on Antiskid Systems	2016	SAE	0
9388	AIR1855A	Actuation System Data Summary for Missiles and Launch Vehicles	2016	SAE	0
9389	AIR1873A	Guide to Limited Engine Monitoring Systems for Aircraft Gas Turbine Engines	2016	SAE	0
9390	AIR1934A	Use of Structural Carbon Heat Sink Brakes on Aircraft	2016	SAE	0
9391	AIR4061C	Guidelines for Integrating Typical Engine Health Management Functions Within Aircraft Systems	2016	SAE	0
9392	AIR4069C	Sealing of Integral Fuel Tanks	2016	SAE	0
9393	AIR4175B	A Guide to the Development of a Ground Station for Engine Condition Monitoring	2016	SAE	0
9394	AIR4271A	Handbook of System Data Communications	2016	SAE	0
9395	AIR4295A	Handbook for the Digital Time Division Command/Response Multiplex Data Bus Test Plans	2016	SAE	0
9396	AIR4827B	Standard Test Method for Using Aerosol Filtration for Measuring the Performance of Porous Packaging Materials as a Surrogate Microbial Barrier	2016	SAE	0
9397	AIR4886A	Statement on Requirements for Real-Time Communication Protocols (RTCP)	2016	SAE	0
9398	AIR5120A	Engine Monitoring System Reliability and Validity	2016	SAE	0
9399	AIR5278	Composite and Bonded Structure Engineers: Training Document	2016	SAE	0
9400	AIR5279	Composite and Bonded Structure Inspector: Training Document	2016	SAE	0
9401	AIR5416	Maintenance Life Cycle Cost Model	2016	SAE	0
9402	AIR5683A	High Performance 1553 Research and Development	2016	SAE	0
9403	AIR5704	Field Viscosity Test for Thickened Aircraft Anti-Icing Fluids	2016	SAE	0
9404	AIR5784	A Review of Literature on the Relationship Between Gas Turbine Engine Lubricants and Aircraft Cabin Air Quality	2016	SAE	0
9405	AIR5938	Information on Hard Landings	2016	SAE	0
9406	AIR6234	Handbook: Standard Electrical and Logical Interface for Airborne Fuzing Systems	2016	SAE	0
9407	AIR6520	Unmanned Systems (UxS) Control Segment (UCS) Architecture: Version Description Document	2016	SAE	0
9408	AMS1424-1	Deicing/Anti-Icing Fluid, Aircraft SAE Type I Glycol (Conventional and Non-Conventional) Based	2016	SAE	0
9409	AMS1424-2	Deicing/Anti-Icing Fluid, Aircraft SAE Type I Non-Glycol Based	2016	SAE	0
9410	AMS2248H	Chemical Check Analysis Limits Corrosion and Heat-Resistant Steels and Alloys, Maraging and Other Highly-Alloyed Steels, and Iron Alloys	2016	SAE	0
9411	AMS2303F	Steel Cleanliness, Aircraft Quality Martensitic Corrosion-Resistant Steels Magnetic Particle Inspection Procedure	2016	SAE	0
9412	AMS2374E	Quality Assurance Sampling and Testing Corrosion and Heat-Resistant Steel and Alloy Forgings	2016	SAE	0
9413	AMS2636A	Ultrasonic Immersion Inspection Titanium and Titanium Alloy Forgings Premium Grade	2016	SAE	0

9414	AMS2817G	(R) Packaging and Identification of Molded Elastomeric Seals and Sealing Components	2016	SAE	0
9415	AMS3066C	Compound, Corrosion-Inhibiting Water-Displacing, Soft Film, Aerosol Canned	2016	SAE	0
9416	AMS3136F	Coating Material, Phenolic Resin, PTFE Filled Pigmented, 150 Ï°C (302 Ï°F) Cure	2016	SAE	0
9417	AMS3217A	Standard Elastomer Stocks Test Slabs	2016	SAE	0
9418	AMS3276G	Sealing Compound, Integral Fuel Tanks and General Purpose, Intermittent Use to 360 Ï°F (182 Ï°C)	2016	SAE	0
9419	AMS3278B	(R) Sealing and Coating Compound, Polyurethane (PUR) Fuel Resistant High Tensile Strength / Elongation For Integral Fuel Tanks / Fuel Cavities / General Purpose	2016	SAE	0
9420	AMS3359C	Silicone Potting Compound, Elastomeric Two-Part, General Purpose 200 to 400 Poises (20 to 40 PaÏ·s) Viscosity	2016	SAE	0
9421	AMS3572C	Resin Polyurethane, Foam-In-Place, Rigid	2016	SAE	0
9422	AMS3612D	Polyester Film Electrical Grade, General Purpose	2016	SAE	0
9423	AMS3613E	Film, Copper Clad Polyester	2016	SAE	0
9424	AMS3619E	Resin, Polyimide, Laminating High Temperature Resistant, 315 Ï°C (599 Ï°F)	2016	SAE	0
9425	AMS3644G	Plastic: Polyimide For Molded Rod, Bar, and Tube, Plaque, and Formed Parts	2016	SAE	0
9426	AMS3684C	Resin, Polyimide, Sealing High-Temperature Resistant, 315 Ï°C (600 Ï°F) Unfilled	2016	SAE	0
9427	AMS3687C	Adhesive Film, Humidity-Resistant, Epoxy For Sandwich Panels, -55 to +95 Ï°C (65 to +200 Ï°F)	2016	SAE	0
9428	AMS3690D	Adhesive Compound, Epoxy Room Temperature Curing	2016	SAE	0
9429	AMS3693D	Adhesive, Modified Epoxy Moderate Heat Resistant, 120 Degrees C (250 Degrees F) Curing, Film Type	2016	SAE	0
9430	AMS3698C	Adhesive Film, Hot-Melt, Addition-Type Polyimide for Foam Sandwich Structure, -55 to +230 Degrees C (-65 to +450 Degrees F)	2016	SAE	0
9431	AMS3709D	Syntactic Foam Tiles	2016	SAE	0
9432	AMS3718-1B	Webbing, Woven Nylon For Decelerators 3/4 (19) Wide, 3000 (13,350) Breaking Strength	2016	SAE	0
9433	AMS3718-2B	Webbing, Woven Nylon For Decelerators 1 (25) Wide, 4000 (17,800) Breaking Strength	2016	SAE	0
9434	AMS3718-3B	Webbing, Woven Nylon For Decelerators 1 (25) Wide, 6000 (26,700) Breaking Strength	2016	SAE	0
9435	AMS3718-4B	Webbing, Woven Nylon For Decelerators 1-23/32 (43) Wide, 8700 (38,700) Breaking Strength	2016	SAE	0
9436	AMS3718-5B	Webbing, Woven Nylon For Decelerators 1 (25) Wide, 9000 (40,000) Breaking Strength	2016	SAE	0
9437	AMS3718-6B	Webbing, Woven Nylon For Decelerators 1 3/4 (44) Wide, 10,000 (44,500) Breaking Strength	2016	SAE	0
9438	AMS3720C	Paper Honeycomb 60 lb (25 kg) Paper	2016	SAE	0
9439	AMS3725-1B	Core, Polyurethane Foam (Polyether) 2.0 Pounds Per Cubic Foot (32 kg/m3) Density	2016	SAE	0
9440	AMS3725-2B	Core, Polyurethane Foam (Polyether) 4.0 Pounds Per Cubic Foot (64 kg/m3) Density	2016	SAE	0
9441	AMS3731-1C	Potting Compound, Epoxy Bisphenol A-Type Unfilled, Room Temperature Cure	2016	SAE	0
9442	AMS3731-2D	Potting Compound, Epoxy Bisphenol A-Type Filled, Heat Cure, Low CTE Thermal Shock Resistant	2016	SAE	0
9443	AMS3731-3C	Potting Compound, Epoxy Bisphenol A-Type Filled, Heat Cure, Machinable	2016	SAE	0
9444	AMS3731-4C	Potting Compound, Epoxy Bisphenol A-Type Impregnating Resin, Heat Cure, Single Component	2016	SAE	0
9445	AMS3731-5C	Potting Compound, Epoxy Bisphenol A-Type Filled, Room Temperature Cure, Low Exotherm	2016	SAE	0
9446	AMS3731-6C	Potting Compound, Epoxy Bisphenol A-Type Syntactic Foam, Heat Cure	2016	SAE	0
9447	AMS3731-7C	Potting Compound, Epoxy Bisphenol A-Type Filled, Room Temperature Cure, Low Shrinkage	2016	SAE	0
9448	AMS3731-8C	Potting Compound, Epoxy Bisphenol A-Type Filled, Heat Cure, High HDT	2016	SAE	0
9449	AMS3731-9C	Potting Compound, Epoxy Flexible, Thermal Shock Resistant, Heat Cure	2016	SAE	0
9450	AMS3753C	Microspheres, Carbon Hollow	2016	SAE	0
9451	AMS3755-1B	Powder, Fumed Silicon Dioxide Thickening Efficiency 120	2016	SAE	0
9452	AMS3755-2B	Powder, Fumed Silicon Dioxide Thickening Efficiency 95	2016	SAE	0
9453	AMS3755D	Powder, Fumed Silicon Dioxide	2016	SAE	0

9454	AMS3779-1B	Tape, Adhesive, Pressure-Sensitive Thermal Radiation Resistant, Aluminum Foil/Glass Cloth	2016	SAE	0
9455	AMS3779-2B	Tape, Adhesive, Pressure-Sensitive Thermal Radiation Resistant, Aluminum Coated Glass Cloth	2016	SAE	0
9456	AMS3787-1B	Thread, Para-Aramid Intermediate Modulus 10,000 yards per pound (20,159 m/kg), 16 pounds force (71 N) Breaking Strength	2016	SAE	0
9457	AMS3787-2B	Thread, Para-Aramid Intermediate Modulus 6700 yards per pound (13,507 m/kg), 25 pounds force (111 N) Breaking Strength	2016	SAE	0
9458	AMS3787-3B	Thread, Para-Aramid Intermediate Modulus 5000 yards per pound (10,080 m/kg), 35 pounds force (156 N) Breaking Strength	2016	SAE	0
9459	AMS3787-4B	Thread, Para-Aramid Intermediate Modulus 3350 yards per pound (6753 m/kg), 50 pounds force (222 N) Breaking Strength	2016	SAE	0
9460	AMS3787-5B	Thread, Para-Aramid Intermediate Modulus 2000 yards per pound (4032 m/kg), 80 pounds force (356 N) Breaking Strength	2016	SAE	0
9461	AMS3787-6B	Thread, Para-Aramid Intermediate Modulus 950 yards per pound (1915 m/kg), 150 pounds force (667 N) Breaking Strength	2016	SAE	0
9462	AMS3787-7B	Thread, Para-Aramid Intermediate Modulus 850 yards per pound (1714 m/kg), 175 pounds force (778 N) Breaking Strength	2016	SAE	0
9463	AMS3787-8C	Thread, Para-Aramid Intermediate Modulus 500 yards per pound (1008 m/kg), 225 pounds force (1001 N) Breaking Strength	2016	SAE	0
9464	AMS3795-1B	Webbing, Woven Nylon Fabric 6000 Pounds (26,700 N), 1.8 Ounces/Yards (56 g/m)	2016	SAE	0
9465	AMS3795-2B	Webbing, Woven Nylon Fabric 9000 Pounds (40,050 N), 2.5 Ounces/Yards (77.5 g/m)	2016	SAE	0
9466	AMS3795-3B	Webbing, Woven Nylon Fabric 12,000 Pounds (53,400 N), 3.3 Ounces/Yards (102.5 g/m)	2016	SAE	0
9467	AMS3796-1B	Webbing, Nylon, Aircraft Arresting 105,000 Pounds (467 kN)	2016	SAE	0
9468	AMS3796-2B	Webbing, Nylon, Aircraft Arresting 130,000 Pounds (578 kN)	2016	SAE	0
9469	AMS3796-3B	Webbing, Nylon/Polyester, Aircraft Arresting Center Pick 130,000 Pounds (578 kN)	2016	SAE	0
9470	AMS3801-1C	Cloth, Parachute, Meta-Aramid, Low Modulus 4.7 (159) Weight, Twill	2016	SAE	0
9471	AMS3801-2C	Cloth, Parachute, Meta-Aramid, Low Modulus 6.5 (220) Weight, Specia Weave	2016	SAE	0
9472	AMS3801-3C	Cloth, Parachute, Meta-Aramid, Low Modulus 12.0(407) Weight, Special Weave	2016	SAE	0
9473	AMS3801-4C	Cloth, Parachute, Meta-Aramid, Low Modulus 7.0 (237) Weight, Plain Weave	2016	SAE	0
9474	AMS3801-5C	Cloth, Parachute, Meta-Aramid, Low Modulus 18.0 (610) Weight, Basket Weave, Resin Treated	2016	SAE	0
9475	AMS3801D	Cloth, Parachute - Meta-Aramid, Low Modulus	2016	SAE	0
9476	AMS3803A	Wipes, Cotton, Loosely Woven	2016	SAE	0
9477	AMS3813-1B	Rope, Aramid Fiber, Jacketed Cabled Strand, Extruded Jacket	2016	SAE	0
9478	AMS3813-2B	Rope, Aramid Fiber, Jacketed Parallel Strand, Extruded Jacket	2016	SAE	0
9479	AMS3813-3B	Rope, Aramid Fiber, Jacketed Parallel Strand, Braided Jacket	2016	SAE	0
9480	AMS3826C	Cloth, Type "E" Glass "B" Stage Polyester Resin Impregnated 1581 and 7781 Type Fabric	2016	SAE	0
9481	AMS3827C	Cloth, Type "E" Glass, "B" Stage Polyester- Resin-Impregnated, 7781 Style Fabric, Flame Resistant	2016	SAE	0
9482	AMS3828D	Glass Roving, Epoxy Resin Preimpregnated Type E Glass	2016	SAE	0
9483	AMS3829C	Cloth, Type "E"-Glass, Style 7781 Fabric Solution-Addition-Type PMR-15 Polyimide Resin Impregnated	2016	SAE	0
9484	AMS3831B	Cloth, Type â__Eâ__ Glass, â__Bâ__ Stage Epoxy-Resin-Impregnated 7781 Style Fabric, Flame Resistant, Improved Strength	2016	SAE	0
9485	AMS3832D	Roving, Type "S-2" Glass Epoxy Resin Impregnated	2016	SAE	0
9486	AMS3834B	Cloth, Type "E" Glass, "B" Stage Polyester-Resin-Impregnated 7781 Style Fabric, Flame Resistant, Improved Strength	2016	SAE	0
9487	AMS3837E	Cloth, Type "S" Glass 181 Style Fabric, Finish No. HTS-904	2016	SAE	0
9488	AMS3844C	Cloth, Type "E" Glass, Style 7781 Fabric Hot- Melt, Addition-Type, Polyimide Resin Impregnated	2016	SAE	0

9489	AMS3845C	Cloth, Type "E" Glass "B" Stage Addition Cure Polyimide-Resin-Impregnated	2016	SAE	0
9490	AMS3847D	Cloth, Quartz, "B" Stage Polyimide Resin Impregnated Style 581 Fabric, 315 Degrees C (599 Degrees F)	2016	SAE	0
9491	AMS3849C	Cloth, Quartz, Style 581 Fabric Hot-Melt, Addition-Type, Polyimide Resin Impregnated	2016	SAE	0
9492	AMS3856-1B	Cloth, Upholstery, Flame Resistant Novoloid/Aramid, Waffle Type Weave	2016	SAE	0
9493	AMS3856-2B	Cloth, Upholstery, Flame Resistant Aramid, Plain Weave	2016	SAE	0
9494	AMS3856-3B	Cloth, Upholstery, Flame Resistant Nylon, Jacquard Weave	2016	SAE	0
9495	AMS3867-1C	Boron Filament Tape, Epoxy-Resin-Impregnated Type B4.0-E374 (Type B0.102-E191)	2016	SAE	0
9496	AMS3867-2C	Boron Filament Tape, Epoxy-Resin-Impregnated Type B5.6-E374 (Type B0.142-E190)	2016	SAE	0
9497	AMS3867-3C	Boron Filament Tape, Epoxy-Resin-Impregnated Type B8.0-E374 (Type B0.203-E190)	2016	SAE	0
9498	AMS3867-4B	Boron Filament Tape, Epoxy-Resin-Impregnated Type B4.0-E180 (Type B0.102-E82)	2016	SAE	0
9499	AMS3867-5B	Boron Filament Tape, Epoxy-Resin-Impregnated Type B5.6-E180 (Type B0.142-E82)	2016	SAE	0
9500	AMS3867-6B	Boron Filament Tape, Epoxy-Resin-Impregnated Type B8.0-E180 (Type B0.203-E82)	2016	SAE	0
9501	AMS3867C	Boron Filament Tape, Epoxy-Resin-Impregnated	2016	SAE	0
9502	AMS3890B	Graphite Yarn, Non-Structural 5 Ply Yarn, 720 Filaments	2016	SAE	0
9503	AMS3892-1C	Tow or Yarn, Carbon Fibers For Structural Composites GF 400 (2758) Tensile Strength, 33 (228) Tensile Modulus	2016	SAE	0
9504	AMS3892-2C	Tow or Yarn, Carbon Fibers For Structural Composites GF 300 (2068) Tensile Strength, 50 (345) Tensile Modulus	2016	SAE	0
9505	AMS3892-3C	Tow or Yarn, Carbon Fibers For Structural Composites GF 400 (2758) Tensile Strength, 40 (276) Tensile Modulus	2016	SAE	0
9506	AMS3892-4C	Tow or Yarn, Carbon Fibers For Structural Composites GF 300 (2068) Tensile Strength, 75 (517) Tensile Modulus	2016	SAE	0
9507	AMS3892-5C	Tow or Yarn, Carbon Fibers For Structural Composites GF 220 (1517) Tensile Strength, 75 (517) Tensile Modulus	2016	SAE	0
9508	AMS3892-6B	Tow or Yarn, Carbon Fibers For Structural Composites GF 325 (2241) Tensile Strength, 57 (393) Tensile Modulus	2016	SAE	0
9509	AMS3892-7B	Tow or Yarn, Carbon Fibers For Structural Composites GF (0X) 400 (2758) Tensile Strength, 33 (228) Tensile Modulus	2016	SAE	0
9510	AMS3892-8B	Tow or Yarn, Carbon Fibers For Structural Composites GF (0X) 400 (2758) Tensile Strength, 40 (276) Tensile Modulus	2016	SAE	0
9511	AMS3892-9C	Tow, Carbon Fiber For Structural Composites 500 (3447) Tensile Strength, 32 (221) Tensile Modulus	2016	SAE	0
9512	AMS3892-10B	Tow, Carbon Fiber For Structural Composites 550 (3792) Tensile Strength, 38 (262) Tensile Modulus	2016	SAE	0
9513	AMS3892-11B	Tow, Carbon Fiber For Structural Composites 450 (3103) Tensile Strength, 32 (221) Tensile Modulus	2016	SAE	0
9514	AMS3892-12A	Tow, Carbon Fiber For Structural Composites 730 (5033) Tensile Strength, 41 (283) Tensile Modulus	2016	SAE	0
9515	AMS3892C	Fibers, Carbon, Tow and Yarn For Structural Composites	2016	SAE	0
9516	AMS3894-1C	Carbon Fiber Tape and Sheet Epoxy Resin Impregnated G 110000 (758) Tensile, 27000000 (186) Modulus, 175 (347)	2016	SAE	0
9517	AMS3894-2C	Carbon Fiber Tape and Sheet Epoxy Resin Impregnated G 150000 (1034) Tensile, 20000000 (138) Modulus, 175 (347)	2016	SAE	0
9518	AMS3894-3C	Carbon Fiber Tape and Sheet Epoxy Resin Impregnated G 150000 (1034) Tensile, 19000000 (131) Modulus, 80 (176)	2016	SAE	0
9519	AMS3894-5C	Carbon Fiber Tape and Sheet Epoxy Resin Impregnated G 110000 (758) Tensile, 27000000 (186) Modulus, 80 (176)	2016	SAE	0
9520	AMS3894-7C	Carbon Fiber Tape and Sheet Epoxy Resin Impregnated G 90000 (621) Tensile, 40000000 (276) Modulus, 80 (176)	2016	SAE	0
9521	AMS3894-8C	Carbon Fiber Tape and Sheet Epoxy Resin Impregnated G 70000 (483) Tensile, 36000000 (248) Modulus, 80 (176)	2016	SAE	0
9522	AMS3894-9C	Carbon Fiber Tape and Sheet Epoxy Resin Impregnated G 70000 (483) Tensile, 36000000 (248) Modulus, 175 (347)	2016	SAE	0
9523	AMS3894-10B	Carbon Fiber Tape and Sheet Epoxy Resin Impregnated G 210000 (1448) Tensile, 20000000 (138) Modulus, 175 (347)	2016	SAE	0
9524	AMS3894-11B	Carbon Fiber Tape and Sheet Epoxy Resin Impregnated G 200000 (1379) Tensile, 18000000 (124) Modulus, 80 (176)	2016	SAE	0
9525	AMS3894-12B	Carbon Fiber Tape and Sheet Epoxy Resin Impregnated G 200000 (1379) Tensile, 18000000 (124) Modulus, 120 (248)	2016	SAE	0
9526	AMS3894-13B	Carbon Fiber Tape and Sheet Epoxy Resin Impregnated G 131000 (903) Tensile, 25000000 (172) Modulus, 175 (347)	2016	SAE	0
9527	AMS3894-14B	Carbon Fiber Tape and Sheet Epoxy Resin Impregnated G 90000 (621) Tensile, 40000000 (276) Modulus, 175 (347)	2016	SAE	0
9528	AMS3894-15B	Carbon Fiber Tape and Sheet Epoxy Resin Impregnated G 200000 (1379) Tensile, 21000000 (145) Modulus, 175 (347)	2016	SAE	0
9529	AMS3894-16B	Carbon Fiber Tape and Sheet Epoxy Resin Impregnated G 200000 (1379) Tensile, 21000000 (145) Modulus, 175 (347)	2016	SAE	0

9530	AMS3894-17B	Carbon Fiber Tape and Sheet Epoxy Resin Impregnated G 200 (1379) Tensile, 18.0 (124) Modulus, 120 (248)	2016	SAE	0
9531	AMS3894-18A	Carbon Fiber Tape and Sheet Epoxy Resin Impregnated G 355000 (2448) Tensile, 22000000 (152) Modulus, 130 (266)	2016	SAE	0
9532	AMS3895C	Broadgoods and Tape, Carbon Fiber-Epoxy Resin Impregnated Multi-Ply, Uniform Fiber	2016	SAE	0
9533	AMS3897-1A	Carbon Fiber Cloth 8HS Style Fabric Epoxy Resin Impregnated	2016	SAE	0
9534	AMS3897A	Cloth, Carbon Fiber, Resin Impregnated	2016	SAE	0
9535	AMS3899-1C	Carbon Fiber Tape and Sheet Polysulfone Resin Impregnated C PS 172 (1170) Tensile, 16 (110) Modulus, 120 (248)	2016	SAE	0
9536	AMS3899-2C	Carbon Fiber Tape and Sheet Polysulfone Resin Impregnated C PS 140 (965) Tensile, 27 (186) Modulus, 120 (248)	2016	SAE	0
9537	AMS3899C	Carbon Fiber Tape and Sheet Polysulfone Resin Impregnated	2016	SAE	0
9538	AMS3903-1B	Cloth, Organic Fiber, High Modulus Epoxy Resin Impregnated OC Style 120, 175 (350)	2016	SAE	0
9539	AMS3903-2B	Cloth, Organic Fiber, High Modulus Epoxy Resin Impregnated OC Style 181, 175 (350)	2016	SAE	0
9540	AMS3903-3B	Cloth, Organic Fiber, High Modulus Epoxy Resin Impregnated OC Style 281, 175 (350)	2016	SAE	0
9541	AMS3903-4B	Cloth, Organic Fiber, High Modulus Epoxy Resin Impregnated OC Style 328, 175 (350)	2016	SAE	0
9542	AMS3903-5B	Cloth, Organic Fiber, High Modulus Epoxy Resin Impregnated OC Style 120, 80 (180)	2016	SAE	0
9543	AMS3903-6B	Cloth, Organic Fiber, High Modulus Epoxy Resin Impregnated OC Style 181, 80 (180)	2016	SAE	0
9544	AMS3903-7B	Cloth, Organic Fiber, High Modulus Epoxy Resin Impregnated OC Style 281, 80 (180)	2016	SAE	0
9545	AMS3903-8B	Cloth, Organic Fiber, High Modulus Epoxy Resin Impregnated OC Style 328, 80 (180)	2016	SAE	0
9546	AMS3904-1C	Yarn, Organic Fiber (Para-Aramid) Intermediate Modulus 200 Denier (220 Dtex), 1.0% Finish	2016	SAE	0
9547	AMS3904-2C	Yarn, Organic Fiber (Para-Aramid) Intermediate Modulus 400 Denier (440 Dtex), 1.0% Finish	2016	SAE	0
9548	AMS3904-3C	Yarn, Organic Fiber (Para-Aramid) Intermediate Modulus 1000 Denier (1110 Dtex), 1.0% Finish	2016	SAE	0
9549	AMS3904-5C	Yarn, Organic Fiber (Para-Aramid) Intermediate Modulus 1500 Denier (1670 Dtex), 0.9% Finish	2016	SAE	0
9550	AMS3904-6B	Yarn, Organic Fiber (Para-Aramid) Intermediate Modulus 1500 Denier (1670 Dtex), 7.0% Finish	2016	SAE	0
9551	AMS3904-7B	Yarn, Organic Fiber (Para-Aramid) Intermediate Modulus 1500 Denier (1670 Dtex), Zero Finish	2016	SAE	0
9552	AMS3904-9B	Yarn, Organic Fiber (Para-Aramid) Intermediate Modulus 3000 Denier (3300 Dtex), 0.9% Finish	2016	SAE	0
9553	AMS3904-10B	Roving, Organic Fiber (Para-Aramid) Intermediate Modulus 15000 Denier (16700 Dtex), 7.0% Finish	2016	SAE	0
9554	AMS3904-11B	Roving, Organic Fiber (Para-Aramid) Intermediate Modulus 15000 Denier (16700 Dtex), 0.9% Finish	2016	SAE	0
9555	AMS3904-12B	Roving, Organic Fiber (Para-Aramid) Intermediate Modulus 4500 Denier (5000 Dtex), 0.9% Finish	2016	SAE	0
9556	AMS3906-1C	Glass Non-Woven Fiber Tape and Flat Sheet Epoxy Resin Impregnated, For Hand and Machine Layup GL-I-36 - 120 (248)	2016	SAE	0
9557	AMS3906-2C	Glass Non-Woven Fiber Tape and Flat Sheet Epoxy Resin Impregnated, For Hand and Machine Layup GL-III-36 - 120 (248)	2016	SAE	0
9558	AMS3906-3C	Glass Non-Woven Fiber Tape and Flat Sheet Epoxy Resin Impregnated, For Hand and Machine Layup GL-I-26 - 150 (302)	2016	SAE	0
9559	AMS3906-4C	Glass Non-Woven Fiber Tape and Flat Sheet Epoxy Resin Impregnated, For Hand and Machine Layup GL-III-26 - 150 (302)	2016	SAE	0
9560	AMS3906-5C	Glass Non-Woven Fiber Tape and Flat Sheet Epoxy Resin Impregnated, For Hand and Machine Layup GL-I-36 - 150 (302)	2016	SAE	0
9561	AMS3906-6C	Glass Non-Woven Fiber Tape and Flat Sheet Epoxy Resin Impregnated, For Hand and Machine Layup GL-I-36 - 95 (203)	2016	SAE	0
9562	AMS3906-7C	Glass Non-Woven Fiber Tape and Flat Sheet Epoxy Resin Impregnated, For Hand and Machine Layup GL-III-33 - 95 (203)	2016	SAE	0
9563	AMS3906C	Glass Tape and Flat Sheet, Non-Woven Cloth Epoxy Resin Impregnated, For Hand and Machine Layup	2016	SAE	0
9564	AMS3970-1A	Carbon Fiber Fabric Repair Prepreg, 120 ?C (250 ?F) Vacuum Curing Part 1 - General Requirements	2016	SAE	0
9565	AMS3970-2A	Carbon Fiber Fabric Repair Prepreg, 120 ?C (250 ?F) Vacuum Curing Part 2 - Qualification Program for Fiber, Fabric, Carbon Prepreg, Film Adhesive and Non-Structural Glass Prepreg	2016	SAE	0

9566	AMS3970-3A	(R) Carbon Fiber Fabric Repair Prepreg, 120 ?C (250 ?F) Vaccum Curing Part 3 - Purchasing Specification for Carbon Prepeg	2016	SAE	0
9567	AMS3970-4A	Carbon Fiber Fabric Repair Prepreg, 120 ?C (250 ?F) Vacuum Curing Part 4 - Purchasing Specification for Film Adhesive	2016	SAE	0
9568	AMS3970-5	Carbon Fiber Fabric Repair Prepreg, 120 ?C (250 ?F) Vacuum Curing Part 5 - Purchasing Specification for Companion Non-Structural Glass Fiber Fabric Prepreg	2016	SAE	0
9569	AMS3970-6	Carbon Fiber Fabric Repair Prepreg, 120 ?C (250 ?F) Vacuum Curing Part 6 - Material Specification: Carbon Fiber Fabric Reinforced Epoxy Prepreg for Repair, Plain Weave Fabric, 193 g/m2, Adhesive Film for Repair and Non-Structural Glass Fiber Fabric Re	2016	SAE	0
9570	AMS3970A	(R) Carbon Fiber Fabric Repair Prepreg, 120 ï°C (250 ï°F) Vacuum Curing Part 0 - Introduction	2016	SAE	0
9571	AMS4174E	Aluminum Alloy, Flash Welded Rings 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (7075-T73) Solution and Precipitation Heat Treated - UNS A97075	2016	SAE	0
9572	AMS4183A	Aluminum Alloy, Extruded Profiles (2027-T3511) 4.4Cu - 1.2Mg - 0.8Mn - 0.10Zr Solution Heat Treated and Stress Relieved by Stretching - UNS A92027	2016	SAE	0
9573	AMS4184G	Filler Metal, Aluminum Brazing 10Si - 4.0Cu (4145) - UNS A94145	2016	SAE	0
9574	AMS4212L	Aluminum Alloy Castings 5.0Si - 1.2Cu - 0.50Mg (355.0-T6) Solution and Precipitation Heat Treated - UNS A03550	2016	SAE	0
9575	AMS4221E	Aluminum Alloy, Plate 4.4Cu - 1.5Mg - 0.60Mn (2124-T8151) Solution Heat Treated, Stress Relieved, and Precipitation Heat Treated - UNS A92124	2016	SAE	0
9576	AMS4270C	Aluminum Alloy, Alclad Flat Sheet 4.1Cu - 1.4Mg - 0.45Mn (Alclad 2424-T3) Solution Heat Treated and Cold Worked - UNS A82424	2016	SAE	0
9577	AMS4273D	Aluminum Alloy, Sheet and Plate (2424-T3 Flat Sheet and 2424-T351 Plate) Solution Heat Treated and Cold Worked - UNS A92424	2016	SAE	0
9578	AMS4288	Aluminum Alloy Castings 7.0Si - 0.58Mg - 0.15Ti (E357.0-T6) Solution and Precipitation Heat Treated	2016	SAE	0
9579	AMS4313E	Aluminum Alloy, Rolled or Forged Rings 6.3Cu - 0.30Mn - 0.18Zr - 0.10V - 0.06Ti (2219-T351, 2219-T352) Solution Heat Treated and Mechanically Stress Relieved - UNS A92219	2016	SAE	0
9580	AMS4374	Aluminum Alloy, Extruded Profiles 8.9Zn - 2.2Cu - 2.2Mg - 0.15Zr (7136-T73511) Solution Heat Treated, Stress Relieved by Stretching, Straightened, and Overaged	2016	SAE	0
9581	AMS4391	Magnesium Alloy Welding Wire 2.8Nd - 1.4Gd - 0.4Zn - 0.6Zr (EV31A) - UNS M12310	2016	SAE	0
9582	AMS4392	Magnesium Alloy Welding Wire 4.2Zn - 1.2 Rare Earths - 0.7Zr (ZE41A) - UNS M16410	2016	SAE	0
9583	AMS4393	Magnesium Alloy Welding Wire 4.0Y - 2.3Nd - 0.7Zr (WE43B) - UNS M18432	2016	SAE	0
9584	AMS4394	Magnesium Alloy Welding Wire 2.5Ag - 2.1Di - 0.70Zr (QE22A) - UNS M18220	2016	SAE	0
9585	AMS4395F	Magnesium Alloy Welding Wire 9.0Al - 2.0Zn (AZ92A) - UNS M11922	2016	SAE	0
9586	AMS4396F	Magnesium Alloy Welding Wire 3.2 Rare Earths - 2.5Zn - 0.72Zr (EZ33A) - UNS M12331	2016	SAE	0
9587	AMS4398	Magnesium Alloy Welding Wire 8.7Al - 0.70Zn - 0.26Mn (AZ91E) - UNS M11919	2016	SAE	0
9588	AMS4399	Magnesium Alloy Welding Wire 5.1Y - 3.0Re - 0.7Zr (WE54A) - UNS M18410	2016	SAE	0
9589	AMS4400	Magnesium Alloy Welding Wire 1.5Ag - 2.1Di - 0.08Cu - 0.70Zr (EQ21A) - UNS M18330	2016	SAE	0
9590	AMS4862F	Manganese Bronze, Sand and Centrifugal Castings 63Cu - 24Zn - 6.2Al - 3.8Mn - 3.0Fe High Strength, As Cast - UNS C86300	2016	SAE	0
9591	AMS4873F	Aluminum Bronze Alloy, Sand Castings 85Cu - 11Al - 3.6Fe Solution Heat Treated and Tempered - UNS C95420	2016	SAE	0
9592	AMS4962B	Titanium Alloy, Investment Castings 6Al - 4V Hot Isostatically Pressed	2016	SAE	0
9593	AMS4999A	Titanium Alloy Direct Deposited Products 6Al - 4V Annealed	2016	SAE	0
9594	AMS5060K	Steel, Bars, Forgings, and Tubing 0.13 0.18C (SAE 1015) - UNS G10150	2016	SAE	0
9595	AMS5080K	Steel, Bars, Forgings, and Tubing 0.31 - 0.38C (SAE 1035) - UNS G10350	2016	SAE	0
9596	AMS5441B	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings Ni - 18Cr - 2.8Mo - 5.5Cb(Nb) - 0.70Ti - 1.50Al - 10Fe - 9Co - 1W Consumable Electrode Remelted or Vacuum Induction Melted 1775 ï°F (968 ï°C) Solution Heat Treated, Precipitation-Harden	2016	SAE	0

9597	AMS5599H	Nickel Alloy, Corrosion and Heat-Resistant, Sheet, Strip, and Plate 62Ni - 21.5Cr - 9.0Mo - 3.7 Cb (Nb) Annealed - UNS N06625	2016	SAE	0
9598	AMS5608G	Cobalt Alloy, Corrosion and Heat Resistant, Sheet, Strip, and Plate 40Co - 22Cr - 22Ni - 14.5W - 0.07La Solution Heat Treated - UNS R30188	2016	SAE	0
9599	AMS5666J	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Forgings, Extrusions, and Rings 62Ni - 21.5Cr - 9.0Mo - 3.65Cb (Nb) Annealed - UNS N06625	2016	SAE	0
9600	AMS5716K	Iron-Nickel Alloy, Heat Resistant, Bars, Wire, Forgings, and Rings 44Fe - 18.5Cr - 35.5Ni - 1.1Si Solution Heat Treated - UNS N08330	2016	SAE	0
9601	AMS6260S	Steel, Bars, Forgings, and Tubing 1.2Cr - 3.2Ni - 0.12Mo (0.07 - 0.13C) (9310) - UNS G93106	2016	SAE	0
9602	AMS6305G	Steel, Heat-Resistant, Bars, Forgings, and Tubing 0.95Cr - 0.55Mo - 0.30V (0.40 - 0.50C) Vacuum Arc Remelted - UNS K14675	2016	SAE	0
9603	AMS6414M	Steel, Bars, Forgings, and Tubing 0.80Cr - 1.8Ni - 0.25Mo (0.38 - 0.43C) (SAE 4340) Vacuum Consumable Electrode Remelted - UNS G43406	2016	SAE	0
9604	AMS6415U	Steel, Bars, Forgings, and Tubing 0.80Cr - 1.8Ni - 0.25Mo (0.38 - 0.43C) (SAE 4340) - UNS G43406	2016	SAE	0
9605	AMS6461L	Steel, Welding Wire 0.95Cr - 0.20V (0.28 - 0.33C) (SAE 6130) Vacuum Melted, Environment Controlled Packaging - UNS K13148	2016	SAE	0
9606	AMS6462K	Steel, Welding Wire 0.95Cr - 0.20V (0.28 - 0.33C) (SAE 6130) - UNS K13149	2016	SAE	0
9607	AMS6469E	Steel, Welding Wire 1.75Mn - 0.78Cr - 2.8Ni - 0.85Mo - (0.09 - 0.12C) Vacuum Melted, Environment-Controlled Packaging	2016	SAE	0
9608	AMS6484E	Steel, Bars, Forgings, and Tubing 0.80Cr - 1.8Ni - 0.25Mo (0.38 - 0.43C) (SAE 4340) Normalized and Tempered - UNS G43406	2016	SAE	0
9609	AMS6520E	Steel, Maraging, Sheet, Strip, and Plate 18Ni - 7.8Co - 4.9Mo - 0.40Ti - 0.10Al Consumable Electrode Melted, Solution Heat Treated - UNS K92890	2016	SAE	0
9610	AMS7284-1A	Rings, Sealing, Phosphonitrilic Fluoroelastomer (FZ) Aviation Fuel Resistant 65 - 75 Shore A	2016	SAE	0
9611	AMS7284-2A	Rings, Sealing, Phosphonitrilic Fluoroelastomer (FZ) Aviation Fuel-Resistant 75 - 85 Shore A	2016	SAE	0
9612	AMS-P-21922A	Plastic Rods and Tubes, Polyethylene	2016	SAE	0
9613	AMS-T-81915B	Titanium and Titanium-Alloy Castings, Investment	2016	SAE	0
9614	ARP994B	(R) Design of Tubing Installations for Aerospace Hydraulic Systems	2016	SAE	0
9615	ARP1048B	(R) Instrument and Cockpit Illumination for General Aviation Aircraft	2016	SAE	0
9616	ARP1178B	(R) Aircraft Evacuation Signal System	2016	SAE	0
9617	ARP1619B	(R) Replacement and Modified Brakes and Wheels	2016	SAE	0
9618	ARP1821B	(R) Aircraft Ground Flotation Analysis Methods	2016	SAE	0
9619	ARP4392	Lighting, Aircraft Exterior, Night Vision Imaging System (NVIS) Compatible	2016	SAE	0
9620	ARP5311	Aerospace-Interface Definition for Mechanical Actuation Subsystems	2016	SAE	0
9621	ARP5369B	Guidelines for Wire Identification Marking Using the Hot Stamp Process	2016	SAE	0
9622	ARP5448-1A	Plain Bearing Radial Limit and Ultimate Load Tests	2016	SAE	0
9623	ARP5448-3A	Plain Bearing Low Speed Oscillation Test	2016	SAE	0
9624	ARP5448-7A	Plain Bearing Wear Measurement	2016	SAE	0
9625	ARP5564	Airport Runway Brooms	2016	SAE	0
9626	ARP5672	Aircraft Precipitation Static Certification	2016	SAE	0
9627	ARP5707	Pilot Training Recommendations for Unmanned Aircraft Systems (UAS) Civil Operations	2016	SAE	0
9628	ARP5757A	(R) Guidelines for Engine Component Tests	2016	SAE	0

9629	ARP5991	Test Method for the Determination of Water Concentration in Polyol Ester and Diester Aerospace Lubricants by Coulometric Karl Fischer Titration	2016	SAE	0
9630	ARP6166	Minisimulator Method	2016	SAE	0
9631	ARP6257	Aircraft Ground De/Anti-Icing Communication Phraseology for Flight and Ground Crews	2016	SAE	0
9632	ARP6379	Processes for Application-Specific Qualification of Electrical, Electronic, and Electromechanical Parts and Sub-Assemblies for Use in Aerospace, Defense, and High Performance Systems	2016	SAE	0
9633	ARP6400	Recommended Practice for Processing and Handling Wire and Cable with Silver Plated Conductors and Shields	2016	SAE	0
9634	ARP6402A	LED Landing, Taxiing, Runway Turnoff, and Recognition Lights	2016	SAE	0
9635	ARP9136	Aerospace Series - Root Cause Analysis and Problem Solving (9S Methodology)	2016	SAE	0
9636	AS3332B	(R) GASKET - COPPER, TUBE CONNECTION, PLAIN	2016	SAE	0
9637	AS3415B	BOLT, MACHINE - HEXAGON HEAD, PD SHANK UNS NO7718, 185 KSI MIN, .3125-24 UNJF-3A (STRESS RUPTURE RESISTANT)	2016	SAE	0
9638	AS4074-1B	Type F-1 Fiber Optic Media Interface Characteristics	2016	SAE	0
9639	AS4074-2B	Type F-2 Fiber Optic Media Interface Characteristics	2016	SAE	0
9640	AS4074-3B	Type E-1 Electrical Media Interface Characteristics	2016	SAE	0
9641	AS4842-1A	(R) Fittings, 37? Flared to Pipe Threaded, Fluid Connection	2016	SAE	0
9642	AS4843-1A	(R) Fittings, Beaded to 37? Flared, Fluid Connection	2016	SAE	0
9643	AS4843-2A	(R) Fittings, Beaded to Pipe Threaded, Fluid Connection	2016	SAE	0
9644	AS4875-1A	(R) Fittings, Straight Thread Boss or Flanged 37? Flared, Fluid Connection	2016	SAE	0
9645	AS4875-2A	(R) Fittings, Flanged to Beaded, Fluid Connection	2016	SAE	0
9646	AS4875-3A	(R) Fittings, Straight Thread Port or Flanged to 24? Cone Flareless, Fluid Connection	2016	SAE	0
9647	AS5546	NUT, FITTING, FLARELESS, RETAINED, LIGHTWEIGHT, EXTRA FINE THREAD, UP TO 5080 PSI	2016	SAE	0
9648	AS5877B	Detailed Specification for Aircraft Pressure Refueling Nozzle	2016	SAE	0
9649	AS6058A	PACKING, PREFORMED, O-RING MOLDED FROM PERFLUOROETHER, FFO MATERIAL	2016	SAE	0
9650	AS6070-2A	(R) CABLE, 4 PAIR 24 AWG COPPER ALLOY, SHIELDED, 100 OHM, 200 ?C, ETHERNET 1000 BASE T	2016	SAE	0
9651	AS6070-6	CABLE, HIGH PERFORMANCE, 4 PAIR, SHIELDED, 100 OHM, 200 ?C, ETHERNET 10G BASE T	2016	SAE	0
9652	AS6116A	Aluminum Fittings, Axially Swaged Tube with Flareless Separable, Fluid System Up to 1500 psi (10340 kPa) Maximum, Specification for	2016	SAE	0
9653	AS6146A	NUT, SELF-LOCKING, DOUBLE HEXAGON, REDUCED ENVELOPE, UNS S66286	2016	SAE	0
9654	AS6171-1	Suspect/Counterfeit Test Evaluation Method	2016	SAE	0
9655	AS6171-3	Techniques for Suspect/Counterfeit EEE Parts Detection by X-ray Fluorescence Test Methods	2016	SAE	0
9656	AS6171-4	Techniques for Suspect/Counterfeit EEE Parts Detection by Delid/Decapsulation Physical Analysis Test Methods	2016	SAE	0
9657	AS6171-5	Techniques for Suspect/Counterfeit EEE Parts Detection by Radiological Test Methods	2016	SAE	0
9658	AS6171-6	Techniques for Suspect/Counterfeit EEE Parts Detection by Acoustic Microscopy (AM) Test Methods	2016	SAE	0
9659	AS6171-7	Techniques for Suspect/Counterfeit EEE Parts Detection by Electrical Test Methods	2016	SAE	0
9660	AS6171-8	Techniques for Suspect/Counterfeit EEE Parts Detection by Raman Spectroscopy Test Methods	2016	SAE	0
9661	AS6171-9	Techniques for Suspect/Counterfeit EEE Parts Detection by Fourier Transform Infrared Spectroscopy (FTIR) Test Methods	2016	SAE	0
9662	AS6171-10	Techniques for Suspect/Counterfeit EEE Parts Detection by Thermogravimetric Analysis (TGA) Test Methods	2016	SAE	0
9663	AS6171-11	Techniques for Suspect/Counterfeit EEE Parts Detection by Design Recovery Test Methods	2016	SAE	0
9664	AS6302A	Transmitter, Pressure, Fuel, 0-600 psi	2016	SAE	0
9665	AS6323	FITTING ASSEMBLY, EXTENDED UNION, AXIALLY SWAGED, HYDRAULIC, UP TO 1500 PSI	2016	SAE	0
9666	AS6349	Minimum Performance Standard (MPS) for an Airborne AC to AC Converter	2016	SAE	0

9667	AS6473	FITTING, ELBOW, 90Ï°, EXTERNAL SWAGE TO FLARELESS, HYDRAULIC	2016	SAE	0
9668	AS6478	FITTING, ADAPTER, BULKHEAD, EXTERNAL SWAGE TO MALE FLARELESS, HYDRAULIC	2016	SAE	0
9669	AS6802	Time-Triggered Ethernet	2016	SAE	0
9670	AS7241A	Washers, Spring Lock, Corrosion Resistant Steel 18Cr - 9NI (UNS S30200), Procurement Specification for	2016	SAE	0
9671	AS7928-14A	(R) TERMINAL, ELECTRIC, PERMANENT, CRIMP STYLE, TIN-COATED COPPER, INSULATED, ENVIRNOMENT RESISTANT, CLASS 1 150 ?C, HEATLESS SEALING	2016	SAE	0
9672	AS8049-1B	(R) Performance Standards for Side-Facing Seats in Civil Rotorcraft, Transport Aircraft, and General Aviation Aircraft	2016	SAE	0
9673	AS8056	Minimum Design and Performance of Airplane Galley In-Flight Carts, Containers, and Associated Components	2016	SAE	0
9674	AS9101F	(R) Quality Management Systems - Audit Requirements for Aviation, Space, and Defense Organizations	2016	SAE	0
9675	AS9110C	(R) Quality Management Systems Requirements for Aviation Maintenance Organizations	2016	SAE	0
9676	AS9120B	(R) Quality Management Systems Requirements for Aviation, Space, and Defense Distributors	2016	SAE	0
9677	AS9145	Aerospace Series Requirements for Advanced Product Quality Planning and Production Part Approval Process	2016	SAE	0
9678	AS9162	Aerospace Operator Self-Verification Programs	2016	SAE	0
9679	AS15532A	Data Word and Message Formats	2016	SAE	0
9680	AS20708-1B	Synchro, Control Transformer, Type 11CT4E FSC 5990	2016	SAE	0
9681	AS20708-2B	Synchro, Control Transmitter, Type 11CX4E FSC 5990	2016	SAE	0
9682	AS20708-3B	Synchro, Torque Receiver, Type 11TR4C FSC 5990	2016	SAE	0
9683	AS20708-4B	Synchro, Torque Transmitter, Type 11TX4C FSC 5990	2016	SAE	0
9684	AS20708-5B	Synchro, Torque Receiver, Type 26V-11TR4C FSC 5990	2016	SAE	0
9685	AS20708-6B	Synchro, Torque Transmitter, Type 26V-11TX4C FSC 5990	2016	SAE	0
9686	AS20708-8B	Synchro, Control Transmitter, Type 26V-11CX4C	2016	SAE	0
9687	AS20708-9B	Synchro, Control Differential Transmitter, Type 26V-11CDX4C FSC 5990	2016	SAE	0
9688	AS20708-14B	Synchro, Control Transmitter, Type 15CX4D FSC 5990	2016	SAE	0
9689	AS20708-19B	Synchro, Torque Receiver Transmitter, Type 15TRX4A FSC 5990	2016	SAE	0
9690	AS20708-20B	Synchro, Control Transmitter, Type 15CDX6C FSC 5990	2016	SAE	0
9691	AS20708-21B	Synchro, Control Transformer, Type 15CT6D FSC 5990	2016	SAE	0
9692	AS20708-23B	Synchro, Torque Receiver Transmitter, Type 15TRX6A FSC 5990	2016	SAE	0
9693	AS20708-28B	Synchro, Control Transmitter, Type 18CX4D FSC 5990	2016	SAE	0
9694	AS20708-29B	Synchro, Control Transformer, Type 18CT4C FSC 5990	2016	SAE	0
9695	AS20708-30B	Synchro, Control Differential Transmitter, Type 18CDX4C FSC 5990	2016	SAE	0
9696	AS20708-32B	Synchro, Torque Receiver Transmitter, Type 18TRX4A FSC 5990	2016	SAE	0
9697	AS20708-33B	Synchro, Control Transmitter, Type 18CX6C FSC 5990	2016	SAE	0
9698	AS20708-34B	Synchro, Control Transformer, Type 18CT6D FSC 5990	2016	SAE	0
9699	AS20708-35B	Synchro, Torque Receiver Transmitter, Type 18TRX6B FSC 5990	2016	SAE	0
9700	AS20708-36B	Synchro, Control Differential Transmitter, Type 18CDX6D FSC 5990	2016	SAE	0
9701	AS20708-45B	Synchro, Control Transmitter, Type 23CX4D FSC 5990	2016	SAE	0
9702	AS21004C	TERMINAL, LUG, UNINSULATED, RECTANGULAR TONGUE, CRIMP STYLE, COPPER, TYPE I, CLASS 1 FOR 175 Ï°C TOTAL CONDUCTOR TEMPERATURE	2016	SAE	0
9703	AS21916F	REDUCER, EXTERNAL THREAD, FLARELESS TUBE	2016	SAE	0
9704	AS22520-2	CRIMPING TOOLS, TYPE 1, TERMINAL, HAND, WIRE TERMINATION FOR WIRE BARREL SIZES 20 THROUGH 28	2016	SAE	0

9705	AS22520-38	CRIMPING TOOL, TERMINAL, HAND ACTUATED, WIRE TERMINATION, TYPE II, FOR EXTERNAL POWER PLUG SOCKET CONTACTS AND LUG TERMINAL SIZES 22-10	2016	SAE	0
9706	AS22520-41	CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION; TYPE II FOR TERMINALS AND SPLICES SIZE 10-12	2016	SAE	0
9707	AS22520-43	CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION; IN-SERVICE INSPECTION GAGE FOR AS22520/40 CRIMP TOOLS	2016	SAE	0
9708	AS23053-8	INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, POLYVINYLIDENE FLUORIDE, SEMIRIGID, CROSSLINKED	2016	SAE	0
9709	AS27641-1A	BEARING, BALL, AIRFRAME, ANTI-FRICTION, INTERMEDIATE DUTY, CORROSION RESISTANT NITROGEN STEEL (CREN)	2016	SAE	0
9710	AS27645-1A	BEARING, BALL, AIRFRAME, ANTI-FRICTION, SELF-ALIGNING, LIGHT AND HEAVY DUTY, CORROSION RESISTANT NITROGEN STEEL (CREN)	2016	SAE	0
9711	AS27850AR-10	No . AS27850ï -AR for Drawing S tandard No . AS27850 -899ï	2016	SAE	0
9712	AS31831A	COVER, PROTECTIVE, ELECTRIC CONNECTOR, RECEPTACLE, PUSH-PULL COUPLING	2016	SAE	0
9713	AS34501C	(R) CONNECTORS, RECEPTACLE, ELECTRICAL, WALL MOUNTING, REAR RELEASE, CRIMP CONTACT, AN TYPE	2016	SAE	0
9714	AS39029-60B	(R) CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED, SIZE 8 (FOR MIL-DTL-38999 SERIES I, III, AND IV CONNECTORS)	2016	SAE	0
9715	AS54700-799	No . AS54700-799ï BOLT, CLOSE TOLERANCE , DOUBLE HEXAGON EXTENDED WASHER HEAD , .31 25 -24 UNJF-3A MOD HEAT RES ISTING ALLOY INCONEL 71 8, UNPLATED , CLASS IF ICATION Rm = 1 275 MPa (1 85 ,000 lbf/in ?) @ T? /+650?C	2016	SAE	0
9716	AS54700AR-5	AMENDMENT RECORD No . AS54700ï -AR for Drawing Standard No . AS54700-799ï	2016	SAE	0
9717	AS55000AR-5	No . AS55000ï -AR for Drawing Standard No . AS55000-099ï	2016	SAE	0
9718	AS62360-2	AEROSPACE STANDARD No . AS62360ï ELBOW ASSEMBLY 90? , N IPPLE END , FEMALE NUT UN ION , CORROS ION RES ISTING STEEL	2016	SAE	0
9719	AS63476-479	No . AS63476-479ï NUT, SELF-LOCKING , SHANK, FLANGE RESTRAINED , HEAT & CR STEEL A286 , S ILVER COATED THREAD ONLY, CLASS IFICATION Rm ? 1 1 00 MPa (1 60 ,000 lbf/in ?) @ TA / +650?C	2016	SAE	0
9720	AS63476AR-5	AMENDMENT RECORD No . AS63476ï -AR for Drawing S tandard No . AS63476-479ï	2016	SAE	0
9721	AS63480-529	No . AS63480-529ï NUT, SELF-LOCKING , SHANK, FLANGE RESTRAINED , HEAT & CR STEEL A286 , S ILVER COATED THREAD ONLY, CLASS IFICATION Rm ? 1 1 00 MPa (1 60 ,000 lbf/in ?) @ TA / +650?C	2016	SAE	0
9722	AS63480AR-3	AMENDMENT RECORD No . AS63480ï -AR for Drawing S tandard No . AS63480 -529ï	2016	SAE	0
9723	AS81824-11	SPLICE, ELECTRIC, PERMANENT, CRIMP STYLE, NI /CU, INSULATED, ENVIRONMENT RESISTANT, CLASS 1, 200 ?C MAX, 1X1 SEALANT OPENING	2016	SAE	0
9724	AS81824-12A	SPLICE, ELECTRIC, PERMANENT, CRIMP STYLE, TINCOATED COPPER, INSULATED, ENVIRONMENT RESISTANT, CLASS 1, 150 ?C, HEATLESS SEALING	2016	SAE	0
9725	AS81969	Installing and Removal Tools, Connector Electrical Contact, General Specification For	2016	SAE	0
9726	AS83248-1A	O-RING MOLDED FROM AMS7276 MATERIAL	2016	SAE	0
9727	AS83519-1A	(R) SHIELD TERMINATION, SOLDER STYLE, INSULATED, HEAT-SHRINKABLE, ENVIRONMENT RESISTANT FOR CABLES HAVING TIN OR SILVER PLATED SHIELDS (CLASS I)	2016	SAE	0
9728	AS83519-2A	(R) SHIELD TERMINATION, SOLDER STYLE, INSULATED, HEAT-SHRINKABLE, ENVIRONMENT RESISTANT WITH PRE INSTALLED LEADS FOR CABLES HAVING TIN OR SILVER PLATED SHIELDS (CLASS I)	2016	SAE	0
9729	AS85028-3A	CONNECTOR, ELECTRIC, RECTANGULAR, INDIVIDUAL CONTACT SEALING, POLARIZED CENTER JACKSCREW, INTERFACIAL SEAL, SIZE 16, CRIMP CONTACTS	2016	SAE	0
9730	AS85028-4A	CONNECTOR, ELECTRIC, RECTANGULAR, INDIVIDUAL CONTACT SEALING, POLARIZED CENTER JACKSCREW, SEALING PLUG, SIZE 16, CRIMP REMOVABLE CONTACTS	2016	SAE	0

9731	AS85028-5A	CONNECTOR, ELECTRIC, RECTANGULAR, INDIVIDUAL CONTACT SEALING, POLARIZED CENTER JACKSCREW, WIRE SEAL, SIZE 16, CRIMP REMOVABLE CONTACTS	2016	SAE	0
9732	AS85049-47E	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90?, SELF-LOCKING AND NON-SELF-LOCKING, CATEGORY 4C (FOR MIL-DTL-38999 SERIES I AND II CONNECTORS)	2016	SAE	0
9733	AS90347A	(R) CABLE ASSEMBLY, EXTERNAL ELECTRIC POWER, AIRCRAFT 28 VOLT DC, OPERATING POWER	2016	SAE	0
9734	AS100026B - AS100035B	(R) SAFETY WIRE - CRES AS5685 (UNS S30500)	2016	SAE	0
9735	AS115851B - AS115900B	(R) SCREW - FLAT FILLISTER, DRILLED HEAD, CADMIUM PLATED, STEEL UNS G87400, 125 KSI MIN .2500-20 UNC - 3A	2016	SAE	0
9736	J185	Access Systems for Off-Road Machines	2016	SAE	0
9737	J217	(R) Stainless Steel 17-7 PH Spring Wire and Springs	2016	SAE	0
9738	J230	Stainless Steel, SAE 30302, Spring Wire and Springs	2016	SAE	0
9739	J268	Rear View Mirrors - Motorcycles	2016	SAE	0
9740	J287	Driver Hand Control Reach	2016	SAE	0
9741	J304	Engine Oil Tests	2016	SAE	0
9742	J357	(R) PHYSICAL AND CHEMICAL PROPERTIES OF ENGINE OILS	2016	SAE	0
9743	J371	Drain, Fill, and Level Plugs for Off-Road, Self-Propelled Work Machines	2016	SAE	0
9744	J430	Mechanical and Chemical Requirements for Nonthreaded Fasteners Carbon Steel Solid Rivets	2016	SAE	0
9745	J447	Prevention of Corrosion of Motor Vehicle Body and Chassis Components	2016	SAE	0
9746	J482	Hexagon High Nuts	2016	SAE	0
9747	J483	High and Low Crown (Blind, Acorn) Hex Nuts	2016	SAE	0
9748	J485	Holes in Bolt and Screw Shanks and Slots in Nuts for Cotter Pins	2016	SAE	0
9749	J492	Guide for Rivet Selection and Design Consideration	2016	SAE	0
9750	J510	Leaf Springs for Motor Vehicle Suspension - Made to Customary U.S. Units	2016	SAE	0
9751	J511	Pneumatic Spring Terminology	2016	SAE	0
9752	J524	Seamless Low Carbon Steel Tubing Annealed for Bending and Flaring	2016	SAE	0
9753	J525	(R) WELDED AND COLD DRAWN LOW CARBON STEEL TUBING ANNEALED FOR BENDING AND FLARING	2016	SAE	0
9754	J526	Welded Low-Carbon Steel Tubing - FSC 4710	2016	SAE	0
9755	J537	(R) STORAGE BATTERIES	2016	SAE	0
9756	J586	Stop Lamps for Use on Motor Vehicles Less Than 2032 mm in Overall Width	2016	SAE	0
9757	J592	Sidemarker Lamps for Use on Road Vehicles Less than 2032 mm in Overall Width	2016	SAE	0
9758	J773	Conical Spring Washers	2016	SAE	0
9759	J891	Spring Nuts	2016	SAE	0
9760	J892	Push-On Spring Nuts Inch Series - General Specifications	2016	SAE	0
9761	J892M	Push-On Spring Nuts Metric Series - General Specifications	2016	SAE	0
9762	J964	Recommended Practice for Measuring Haze and Reflectance of Mirrors	2016	SAE	0
9763	J985	Vision Factors Considerations in Rearview Mirror Design	2016	SAE	0
9764	J1053	Steel Stamped Nuts of One Pitch Thread Design - Inch Series	2016	SAE	0
9765	J1053M	Steel Stamped Nuts of One Pitch Thread Design - Metric Series	2016	SAE	0
9766	J1065	(R) Nominal Reference Working Pressures for Steel Hydraulic Tubing	2016	SAE	0
9767	J1102	Mechanical and Material Requirements for Wheel Bolts	2016	SAE	0
9768	J1102M	Mechanical and Material Requirements for Metric Wheel Bolts, Standard - February 1995	2016	SAE	0

9769	J1121	Helical Compression and Extension Spring Terminology	2016	SAE	0
9770	J1122	Helical Springs: Specification Check Lists	2016	SAE	0
9771	J1123	Leaf Springs for Motor Vehicle Suspension-Metric Bar Sizes	2016	SAE	0
9772	J1163	Determining Seat Index Point	2016	SAE	0
9773	J1171	External Ignition Protection of Marine Electrical Devices	2016	SAE	0
9774	J1194	Rollover Protective Structures (ROPS) for Wheeled Agricultural Tractors	2016	SAE	0
9775	J1292	Automobile, Truck, Truck-Tractor, Trailer, and Motor Coach Wiring	2016	SAE	0
9776	J1293	Undervehicle Coupon Corrosion Tests	2016	SAE	0
9777	J1294	Ignition DistributorsMarine	2016	SAE	0
9778	J1324	Acoustical and Thermal Materials Test Procedure	2016	SAE	0
9779	J1432	Rear High Mounted Stop Lamps and Rear High Mounted Turn Signal Lamps for Use on Vehicles 2032 mm or More in Overall Width	2016	SAE	0
9780	J1441	Subjective Rating Scale for Vehicle Handling	2016	SAE	0
9781	J1528	Fatigue Testing Procedure for Suspension-Leaf Springs	2016	SAE	0
9782	J1563	Guidelines for Laboratory Cyclic Corrosion Test Procedures for Painted Automotive Parts	2016	SAE	0
9783	J1577	Replaceable Motorcycle Headlamp Bulbs	2016	SAE	0
9784	J1617	Body Corrosion - A Comprehensive Introduction	2016	SAE	0
9785	J1677	Tests and Procedures for SAE Low-Carbon Steel and Copper Nickel Tubing, Standard	2016	SAE	0
9786	J1708	Serial Data Communications Between Microcomputer Systems in Heavy-Duty Vehicle Applications	2016	SAE	0
9787	J1752-2	Electromagnetic Compatibility Measurement Procedures for Integrated Circuits - Integrated Circuit Radiated Emissions Diagnostic Procedure 1 MHz to 1000 MHz, Magnetic Field - Loop Probe, Recommended Practice - March 1995	2016	SAE	0
9788	J1797	Recommended Practice for Packaging of Electric Vehicle Battery Modules	2016	SAE	0
9789	J1802-1	Test Component Specifications	2016	SAE	0
9790	J1804	Corrosion Preventive Compound, Topside Vehicle Corrosion Protection	2016	SAE	0
9791	J1832	Gasoline Fuel Injector, Recommended Practice	2016	SAE	0
9792	J1859	Test Procedures for Determining Air Brake Valve Input-Output Characteristics	2016	SAE	0
9793	J1860	Labeling Air Brake Valves with Their Performance (Input-Output) Characteristics	2016	SAE	0
9794	J1861	Air Brake Valve Input-Output Characteristic Requirements	2016	SAE	0
9795	J1926-1	Connections for General Use and Fluid Power - Ports and Stud Ends with ASME B1.1 Threads and O-Ring Sealing - Part 1: Threaded Port with O-Ring Seal in Truncated Housing	2016	SAE	0
9796	J1926-2	Connections for General Use and Fluid PowerPorts and Stud Ends with ASME B1.1 Threads and O-Ring SealingPart 2: Heavy-Duty (S Series) Stud Ends	2016	SAE	0
9797	J1926-3	Connections for General Use and Fluid Power - Ports and Stud Ends with ASME B1.1 Threads and O-Ring Sealing - Part 3: Light-Duty (L-Series) Stud Ends	2016	SAE	0
9798	J1939-11	Physical Layer, 250K bits/s, Twisted Shielded Pair	2016	SAE	0
9799	J1939-13	Off-Board Diagnostic Connector	2016	SAE	0
9800	J1946	Companion Flanges, Type A (External Pilot) and Type S (Internal Pilot)	2016	SAE	0
9801	J1950	Proving Ground Vehicle Corrosion Testing, Information Report	2016	SAE	0
9802	J1959	Corrosion Preventive Compound, Underbody Vehicle Corrosion Protection	2016	SAE	0
9803	J1962	(R) Diagnostic Connector	2016	SAE	0
9804	J1981	Road Hazard Impact Test for Wheel and Tire Assemblies (Passenger Car, Light Truck, and Multipurpose Vehicles)	2016	SAE	0
9805	J1982	(R) Nomenclature - Wheels for Passenger Cars, Light Trucks, and Multipurpose Vehicles	2016	SAE	0

9806	J1986	Balance Weight and Rim Flange Design Specifications, Test Procedures, and Performance Recommendations, Recommended Practice	2016	SAE	0
9807	J2009	Discharge Forward Lighting System and Subsystems	2016	SAE	0
9808	J2012	Diagnostic Trouble Code Definitions	2016	SAE	0
9809	J2028	Front-Wheel-Drive Constant Velocity Joint Boot Seals	2016	SAE	0
9810	J2040	Tail Lamps (Rear Position Lamps) for Use on Vehicles 2032 mm or More in Overall Width, Standard	2016	SAE	0
9811	J2052	Test Device Head Contact Duration Analysis	2016	SAE	0
9812	J2084	Aerodynamic Testing of Road Vehicles-Testing Methods and Procedures, Information Report	2016	SAE	0
9813	J2194	Roll-Over Protective Structures (ROPS) for Wheeled Agricultural Tractors	2016	SAE	0
9814	J2208	Park Standard for Automatic Transmissions	2016	SAE	0
9815	J2258	Light Utility Vehicles	2016	SAE	0
9816	J2261	Stop Lamps and Front- and Rear-Turn Signal Lamps for Use on Motor Vehicles 2032 mm or More in Overall Width	2016	SAE	0
9817	J2270	Ship Systems and Equipment - Threaded Fasteners - Inspection, Test, and Installation Requirements, Standard;	2016	SAE	0
9818	J2284-1	High Speed CAN (HSC) for Vehicle Applications at 125 Kbps	2016	SAE	0
9819	J2284-2	(R) High Speed CAN (HSC) for Vehicle Applications at 250 kbps	2016	SAE	0
9820	J2284-3	High-Speed CAN (HSC) for Vehicle Applications at 500 KBPS	2016	SAE	0
9821	J2295	(R) Fastener Part Standard - Cap Screws, Hex, Heavy Hex and Heavy Hex Structural Bolts, and Hex Nuts (Inch Dimensioned)	2016	SAE	0
9822	J2334	Cosmetic Corrosion Lab Test	2016	SAE	0
9823	J2358	Low Speed Vehicles	2016	SAE	0
9824	J2365	Calculation of the Time to Complete In-Vehicle Navigation and Route Guidance Tasks	2016	SAE	0
9825	J2413	Protocol to Verify Performance of New Xenon Arc Test Apparatus	2016	SAE	0
9826	J2436	Accessory Drive Tensioner Test Standards (Mechanical Rotary Type)	2016	SAE	0
9827	J2450	Translation Quality Metric	2016	SAE	0
9828	J2498	Minimum Performance of the Warning Light System Used on Emergency Vehicles	2016	SAE	0
9829	J2517	Hybrid III Family Chest Potentiometer Calibration Procedure	2016	SAE	0
9830	J2531	Impulse Noise from Automotive Inflatable Devices	2016	SAE	0
9831	J2561	Bluetooth Wireless Protocol for Automotive Applications	2016	SAE	0
9832	J2580	Identification and Installation of Air Brake System Components	2016	SAE	0
9833	J2594	Low Speed Vehicles	2016	SAE	0
9834	J2656	Fastener Part Standard Hexagon Socket, Square Head, and Slotted Headless Set Screws - Inch Dimensioned	2016	SAE	0
9835	J2678	Navigation and Route Guidance Function Accessibility While Driving Rationale	2016	SAE	0
9836	J2683	Refrigerant Purity and Container Requirements for Carbon Dioxide (CO2 R-744) Used in Mobile Air-Conditioning Systems	2016	SAE	0
9837	J2716	(R) SENT - Single Edge Nibble Transmission for Automotive Applications	2016	SAE	0
9838	J2724	Measurement of Disc Brake Friction Material Underlayer Distribution	2016	SAE	0
9839	J2777	Recommended Best Practice for Climatic Wind Tunnel Correlation	2016	SAE	0
9840	J2800	Laboratory Corrosion/Fatigue Testing of Vehicle Suspension Coil Springs	2016	SAE	0
9841	J2828	Off-Road Tire Fire Handling Guidelines	2016	SAE	0
9842	J2830	Process for Comprehension Testing of In-Vehicle Symbols	2016	SAE	0
9843	J2863	Automotive Trailer Tow Connector	2016	SAE	0
9844	J2869	Mechanical Systems Physics-of-Failure Analysis Experimental Validation	2016	SAE	0

9845	J2873	Electric Drive Cooling Fan Motor Mounting	2016	SAE	0
9846	J2913	R-1234yf [HFO-1234yf] Refrigerant Electronic Leak Detectors, Minimum Performance Criteria	2016	SAE	0
9847	J2914	Exhaust Gas Recirculation (EGR) Cooler Nomenclature and Application	2016	SAE	0
9848	J2917	Occupant Restraint and Equipment Mounting Integrity Frontal Impact Ambulance Patient Compartment	2016	SAE	0
9849	J2956	Occupant Restraint and Equipment Mounting Integrity Side Impact Ambulance Patient Compartment	2016	SAE	0
9850	J2990-1	Gaseous Hydrogen and Fuel Cell Vehicle First and Second Responder Recommended Practice	2016	SAE	0
9851	J3001	(R) Brake Insulator Damping Measurement Procedure	2016	SAE	0
9852	J3026	Ambulance Patient Compartment Seating Integrity and Occupant Restraint	2016	SAE	0
9853	J3027	Ambulance Litter Integrity, Retention, and Patient Restraint	2016	SAE	0
9854	J3044	Occupant Restraint and Equipment Mounting Integrity - Rear Impact Ambulance Patient Compartment	2016	SAE	0
9855	J3058	Ambulance Interior Storage Compartment Integrity	2016	SAE	0
9856	J3114	Human Factors Definitions for Automated Driving and Related Research Topics	2016	SAE	0
9857	ARD 6888	Functional Specification of Miniature Connectors for Health Monitoring Purposes	2016	SAE	0
9858	EIA-649-2	Configuration Management Requirements for NASA Enterprises	2016	SAE	0
9859	EIA-4900	Use of Semiconductor Devices Outside Manufacturers Specified Temperature Ranges	2016	SAE	0
9860	EIA-STD-656B	I/O Buffer Information Specification (IBIS) Version 4.2 - Formerly TechAmerica EIA-STD-656-B	2016	SAE	0
9861	GEIA-HB-0005-1A	(R) Program Management/Systems Engineering Guidelines for Managing the Transition to Lead-Free Electronics	2016	SAE	0
9862	GEIA-HB-0005-2	Technical Guidelines for Aerospace and High Performance Electronic Systems Containing Lead-free Solder and Finishes	2016	SAE	0
9863	GEIA-HB-649A	(R) Configuration Management Standard Implementation Guide	2016	SAE	0
9864	GEIA-OP-0003	TechAmerica Technical Fellow and Associate Technical Fellow Nomination and Selection Handbook	2016	SAE	0
9865	MAP 4053A	Uniform Measurement Units for Leakage Rates	2016	SAE	0
9866	SRP-001	Studies into Additive Manufacturing for In-Space Manufacturing - To Purchase Call 1-800-854-7179 USA/Canada or 303-397-7956 Worldwide	2016	SAE	0
9867	TB-0003A	Counterfeit Parts & Materials Risk Mitigation - Formerly TechAmerica TB-0003	2016	SAE	0
9868	TS 250-2	TECHN ICAL SPEC IFICATION No . TS250ī MANUFACTUR ING , INSPECTION & QUAL IFICATION REQU IREMENTS FOR R IVET, BL IND , SELF-PLUGG ING , FLUSH -BREAK, MECHAN ICALLY LOCKED STEM , CORROS ION RES ISTING STEEL , PLAIN & CADM IUM PLATED AS64401 ī , AS644	2016	SAE	0
9869	TS 250AR-2	No . TS250ī -AR for Techn ica l Spec i ficat ion No . TS250ī	2016	SAE	0
9870	TS 251-2	TECHN ICAL SPEC IFICATION No . TS251 ī MANUFACTUR ING , INSPECTION & QUAL IFICATION REQU IREMENTS FOR R IVET, BL IND , SELF-PLUGG ING , FLUSH -BREAK, MECHAN ICALLY LOCKED STEM , ALUM IN IUM ALLOY (201 4A MATER IAL) AS64400ī & AS64403ī AS64400Lī &	2016	SAE	0
9871	TS 251AR-2	No . TS251 ī -AR for Techn ica l Spec i ficat ion No . TS251 ī	2016	SAE	0
9872	TU-001	Impacting Rapid Hydrogen Fuel Cell Electric Vehicle (FCEV) Commercialization - To Purchase Call 1-800-854-7179 USA/Canada or 303-397-7956 Worldwide	2016	SAE	0
9873	USCAR-4	Standard for Cigar Lighters & Power Outlets - Revision 1	2016	SAE	0
9874	USCAR-17	(R) PERFORMANCE SPECIFICATION FOR AUTOMOTIVE RF CONNECTOR SYSTEMS - Revision 3	2016	SAE	0
9875	USCAR-18	USCAR-17 SUPPLEMENT - Revision 4	2016	SAE	0
9876	USCAR-25	ELECTRICAL CONNECTOR ASSEMBLY ERGONOMIC DESIGN CRITERIA	2016	SAE	0
9877	USCAR-38	PERFORMANCE SPECIFICATION FOR ULTRASONICALLY WELDED WIRE/CABLE TERMINATION	2016	SAE	0
9878	AMS03-040	Electrodeposition of Zinc-Nickel Alloys	2016	SAE	0

9879	AS3086B	STUD - STRAIGHT, KEY LOCKED, CADMIUM PLATED, STEEL, UNS G87400 .1900-32 UNJF-3A X .1900-32 UNJF-3A	2016	SAE	0
9880	AS3087B	STUD - STRAIGHT, KEY LOCKED, CADMIUM PLATED, STEEL, .2500-28 UNJF-3A X .2500-28 UNJF-3A	2016	SAE	0
9881	AS3088B	STUD, STRAIGHT, KEY LOCKED, CADMIUM PLATED, STEEL, UNS G87400 .3125-24 UNJF-3A X .3125-24 UNJF-3A	2016	SAE	0
9882	AS3089B	STUD, STRAIGHT, KEY LOCKED, CADMIUM PLATED, STEEL, UNS G87400 .3750-24 UNJF-3A X .3750-24 UNJF-3A	2016	SAE	0
9883	AS3094A	INSERT - CRES HELICAL COIL FINE THREAD, LOCKING (LOW FRICTION SYSTEMS) 1.5 DIA NOM LENGTH	2016	SAE	0
9884	AS27645.1A	BEARING, BALL, AIRFRAME, ANTI-FRICTION, SELF-ALIGNING, LIGHT AND HEAVY DUTY, CORROSION RESISTANT NITROGEN STEEL (CREN)	2016	SAE	0
9885	AS27645C	BEARING, BALL, AIRFRAME, ANTI-FRICTION, SELF-ALIGNING, LIGHT AND HEAVY DUTY	2016	SAE	0
9886	AS28778B	O-RING, STRAIGHT THREAD TUBE FITTING BOSS MOLDED FROM AMS-P-5510 RUBBER	2016	SAE	0
9887	AS27641.1A	BEARING, BALL, AIRFRAME, ANTI-FRICTION, INTERMEDIATE DUTY, CORROSION RESISTANT NITROGEN STEEL (CREN)	2016	SAE	0
9888	AS27640-1A	NULL	2016	SAE	0
9889	AS264F	Instrument and Cockpit Lighting for Commercial Transport Aircraft	2016	SAE	0
9890	AS25274C	CAP, ELECTRICAL (WIRE END, CRIMP STYLE, TYPE II, CLASS 1) FOR 105 Ī°C TOTAL CONDUCTOR TEMPERATURE	2016	SAE	0
9891	AS25019A	CABLE ASSEMBLY, EXTERNAL ELECTRIC POWER, AIRCRAFT, 28 VOLT DC, JET STARTING	2016	SAE	0
9892	AS24464B	(R) BEARING, ROLLER, NEEDLE-DOUBLE ROW, HEAVY DUTY, SELF-ALIGNING, TYPE IV, ANTIFRICTION, INCH	2016	SAE	0
9893	AS24585C	(R) SPRING, HELICAL, COMPRESSION: FOR LOADS BELOW 20 LBF	2016	SAE	0
9894	AS24586B	SPRING, HELICAL, EXTENSION: FOR LOADS BELOW 30 POUNDS	2016	SAE	0
9895	AS24463C	BEARING, ROLLER, NEEDLE-SINGLE ROW, HEAVY DUTY, SELF-ALIGNING, TYPE III, ANTIFRICTION, INCH	2016	SAE	0
9896	AS23190.4B	MOUNTING HARDWARE, CUSHION CLAMP, METAL FOR CABLE HARNESS TYING AND SUPPORT, TYPE V, CLASS 1	2016	SAE	0
9897	AS22520-5	CRIMPING TOOLS, TYPE 2, TERMINAL, HAND, WIRE TERMINATION, FOR COAXIAL, TWINAXIAL, TRIAXIAL, SHIELDED CONTACTS AND FERRULES, TERMINAL LUGS, SPLICES AND END CAPS	2016	SAE	0
9898	AS22759.193	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYMIDE INSULATED, SMOOTH SURFACE, LIGHT WEIGHT, SILVER COATED, EXTRA HIGH STRENGTH COPPER ALLOY, 200 ?C, 600 VOLTS ROHS	2016	SAE	0
9899	AS22759.194	NULL	2016	SAE	0
9900	AS22759.195	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYMIDE INSULATED, SMOOTH SURFACE, NORMAL WEIGHT, SILVER COATED, EXTRA HIGH STRENGTH COPPER ALLOY, 200 ?C, 600 VOLTS ROHS	2016	SAE	0
9901	AS22759.196	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYMIDE INSULATED, SMOOTH SURFACE, NORMAL WEIGHT, NICKEL COATED, EXTRA HIGH STRENGTH COPPER ALLOY, 260 ?C, 600 VOLTS ROHS	2016	SAE	0
9902	AS22759.34A	(R) WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSS-LINKED MODIFIED ETFE, NORMAL WEIGHT, TIN-COATED, COPPER, 150 ?C, 600 VOLT, ROHS	2016	SAE	0
9903	AS22759.35A	(R) WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSS-LINKED MODIFIED ETFE, NORMAL WEIGHT, SILVER-COATED, HIGH STRENGTH COPPER ALLOY, 200 ?C, 600 VOLT, ROHS	2016	SAE	0
9904	AS22759.41A	(R) WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSS-LINKED MODIFIED ETFE, NORMAL WEIGHT, NICKEL-COATED, COPPER, 200 ?C, 600 VOLT, ROHS	2016	SAE	0
9905	AS22759.42A	(R) WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSS-LINKED MODIFIED ETFE, NORMAL WEIGHT, NICKEL-COATED, HIGH STRENGTH COPPER ALLOY, 200 ?C, 600 VOLT, ROHS	2016	SAE	0
9906	AS22759.43A	NULL	2016	SAE	0

9907	AS22759.47A	(R) WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, LOW FLUORIDE, LIGHTWEIGHT, 80 MICROINCH SILVER-COATED HIGHSTRENGTH COPPER ALLOY, 200 ?C, 600 VOLT, ROHS	2016	SAE	0
9908	AS22759.48A	(R) WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED CROSSLINKED MODIFIED ETFE, LOW FLUORIDE, LIGHTWEIGHT, 80 MICROINCH SILVER-COATED COPPER, 200 ?C, 600 VOLT, ROHS	2016	SAE	0
9909	AS22759.51A	(R) WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, LOW FLUORIDE, LIGHTWEIGHT, SILVER-COATED HIGH STRENGTH COPPER ALLOY, 200 ?C, 600 VOLT, ROHS	2016	SAE	0
9910	AS22759.52A	(R) WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, LOW FLUORIDE, LIGHTWEIGHT, SILVER-COATED COPPER, 200 ?C, 600 VOLT, ROHS	2016	SAE	0
9911	AS22759.55	WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSS LINKED MODIFIED ETFE, LIGHTWEIGHT, SILVER COATED, EXTRA HIGH STRENGTH COPPER ALLOY, 200 ?C, 600 VOLT, ROHS	2016	SAE	0
9912	AS22759.56	WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSS-LINKED MODIFIED ETFE, NORMAL WEIGHT, SILVER COATED, EXTRA HIGH STRENGTH COPPER ALLOY, 200 ?C, 600 VOLT, ROHS	2016	SAE	0
9913	AS22759.57	WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSS-LINKED MODIFIED ETFE, NORMAL WEIGHT, NICKEL COATED, EXTRA HIGH STRENGTH COPPER ALLOY, 200 ?C, 600 VOLT, ROHS	2016	SAE	0
9914	AS22759.58	WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, LIGHTWEIGHT, NICKEL COATED, EXTRA HIGH STRENGTH COPPER ALLOY, 200 ?C, 600 VOLT, ROHS	2016	SAE	0
9915	AS22759.93	NULL	2016	SAE	0
9916	AS22759.94	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYMIDE INSULATED, LIGHT WEIGHT, NICKEL COATED, EXTRA HIGH STRENGTH COPPER ALLOY, 260 ?C, 600 VOLT, ROHS	2016	SAE	0
9917	AS22759.95	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYMIDE INSULATED, NORMAL WEIGHT, SILVER COATED, EXTRA HIGH STRENGTH COPPER ALLOY, 200 ?C, 600 VOLT, ROHS	2016	SAE	0
9918	AS22759.96	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYMIDE INSULATED, NORMAL WEIGHT, NICKEL COATED, EXTRA HIGH STRENGTH COPPER ALLOY, 260 ?C, 600 VOLT, ROHS	2016	SAE	0
9919	AS22520.1A	CRIMPING TOOLS, TYPE I, TERMINAL, HAND, WIRE TERMINATION FOR WIRE BARREL SIZES 12 THROUGH 22 AND COAXIAL INNER CONTACTS	2016	SAE	0
9920	AIR81D	Importance of Physical and Chemical Properties of Aircraft Hydraulic Fluids	2016	SAE	0
9921	AS21916E	REDUCER, EXTERNAL THREAD, FLARELESS TUBE	2016	SAE	0
9922	AS21913E	PLUG, FLARELESS TUBE	2016	SAE	0
9923	AS21915D	ADAPTER, STRAIGHT, TUBE TO BOSS	2016	SAE	0
9924	AS21984B	CIRCUIT BREAKER-AIRCRAFT, TRIP-FREE PUSH-PULL, 3-PHASE, 5 THRU 60 AMP., TYPE I	2016	SAE	0
9925	AS21378A	PLUGS AND CABLE ASSEMBLIES, EXTERNAL POWER, AIRCRAFT, 230/400 VOLT, 400 HERTZ	2016	SAE	0
9926	AS21004B	TERMINAL, LUG, UNINSULATED, RECTANGULAR TONGUE, CRIMP STYLE, COPPER, TYPE I, CLASS 1 FOR 175 Ï°C TOTAL CONDUCTOR TEMPERATURE	2016	SAE	0
9927	AS20708.14B	Synchro, Control Transmitter, Type 15CX4D FSC 5990	2016	SAE	0
9928	AS20708.19B	Synchro, Torque Receiver Transmitter, Type 15TRX4A FSC 5990	2016	SAE	0
9929	AS20708.1B	Synchro, Control Transformer, Type 11CT4E FSC 5990	2016	SAE	0
9930	AS20708.20B	Synchro, Control Transmitter, Type 15CDX6C FSC 5990	2016	SAE	0
9931	AS20708.21B	Synchro, Control Transformer, Type 15CT6D FSC 5990	2016	SAE	0
9932	AS20708.23B	Synchro, Torque Receiver Transmitter, Type 15TRX6A FSC 5990	2016	SAE	0
9933	AS20708.28B	NULL	2016	SAE	0
9934	AS20708.2B	Synchro, Control Transmitter, Type 11CX4E FSC 5990	2016	SAE	0
9935	AS20708.3B	Synchro, Torque Receiver, Type 11TR4C FSC 5990	2016	SAE	0
9936	AS20708.4B	Synchro, Torque Transmitter, Type 11TX4C FSC 5990	2016	SAE	0
9937	AS20708.5B	Synchro, Torque Receiver, Type 26V-11TR4C FSC 5990	2016	SAE	0

9938	AS20708.6B	Synchro, Torque Transmitter, Type 26V-11TX4C FSC 5990	2016	SAE	0
9939	AS20708.8B	Synchro, Control Transmitter, Type 26V-11CX4C	2016	SAE	0
9940	AS20708.9B	Synchro, Control Differential Transmitter, Type 26V-11CDX4C FSC 5990	2016	SAE	0
9941	AS1975G	Hose Assembly, Polytetrafluoroethylene, Para-Aramid Reinforced, 3000/4000 psi, 275 °F, Standard Duty, Hydraulic, Aircraft Systems	2016	SAE	0
9942	AS1988B	Air Cargo Pallet Extensions	2016	SAE	0
9943	AS1990D	Aluminum Alloy Tempers	2016	SAE	0
9944	AS1895D	Coupling Assembly, V-Retainer, High Pressure High Temperature, Pneumatic Tube	2016	SAE	0
9945	AIR6894	Laser Wire Stripping Tools, General Understanding	2016	SAE	0
9946	AS19692B	Aerospace â Military Type Variable Delivery, Pressure Compensated Hydraulic Pump	2016	SAE	0
9947	AS1895.7D	(R) SEAL, TYPE I & II STANDARD AND LOW PROFILE	2016	SAE	0
9948	AIR6552.3	Network End-to-End Data Link Evaluation System Transceiver Health Monitoring	2016	SAE	0
9949	AS1814D	(R) Terminology for Titanium Microstructures	2016	SAE	0
9950	AS1814E	(R) Terminology for Titanium Microstructures	2016	SAE	0
9951	AS1718E	COUPLING BODY, FLEXIBLE, VARIABLE CAVITY, THREADED FERRULE TYPE TUBE ENDS	2016	SAE	0
9952	AIR6237	Loss-of-Control Mishaps in Revenue Airline Service	2016	SAE	0
9953	AS1614D	Main Line Aircraft Tow Bar Attach Fitting Interface	2016	SAE	0
9954	AS162501 THRU AS162800B	STUD, STEPPED, DRILLED, NECKED, 2 DIA ENGAGEMENT, CADMIUM PLATED, STEEL UNS G887400, .4375-14 UNS X .3750-24 UNF-3A	2016	SAE	0
9955	AS1650C	Coupling Assembly, Threadless, Flexible, Fixed Cavity, Self-Bonding, Procurement Specification	2016	SAE	0
9956	AS1651B	ASSEMBLED COUPLING, THREADLESS - FLEXIBLE, FIXED CAVITY, SELF-BONDING, ENVELOPE DIMENSIONS	2016	SAE	0
9957	AIR6236A	In-House Verification of EMI Test Equipment	2016	SAE	0
9958	AS1576E	Fittings, Welded, Hydraulic, Titanium, Corrosion Resistant Steel and Nickel, 3000 psi Hydraulic	2016	SAE	0
9959	AS158901 THRU AS159200B	STUD, STEPPED, NECKED, 1.5 DIA ENGAGEMENT, CADMIUM PLATED, STEEL UNS G87400, .4375-14 UNS X .3750-24 UNF-3A	2016	SAE	0
9960	AS1561A	Stud, Locked In - Ring, Straight, Installation and Removal Of	2016	SAE	0
9961	AS155901 THRU AS156200B	STUD, STEPPED, 2 DIA ENGAGEMENT, CADMIUM PLATED, STEEL UNS G87400, .5000-13 UNS X .4375-20 UNF-3A	2016	SAE	0
9962	AS155001 THRU AS155300B	STUD, STEPPED, 2 DIA ENGAGEMENT, CADMIUM PLATED, STEEL UNS G87400, .3125-18 UNS X .2500-28 UNF-3A	2016	SAE	0
9963	AS155301 THRU AS155600B	STUD, STEPPED, 2 DIA ENGAGEMENT, CADMIUM PLATED, STEEL UNS G87400, .3750-16 UNS X .3125-24 UNF-3A	2016	SAE	0
9964	AS152901 THRU AS153200B	STUD, STEPPED, DRILLED 1.5 DIA ENGAGEMENT, CADMIUM PLATED, STEEL UNS G87400, .3125-18 UNS X .2500-28 UNF-3A	2016	SAE	0
9965	AS150801 THRU AS151100D	STUD, STEPPED. 1.5 DIA ENGAGEMENT, CADMIUM PLATED, STEEL UNS G87400, .3125-18 UNS X .2500-28 UNF-3A	2016	SAE	0

9966	AS151401 THRU AS151700C	STUD, STEPPED, 1.5 DIA ENGAGEMENT, CADMIUM PLATED, STEEL UNS G87400, .4375-14 UNS X .3750-24 UNF-3A	2016	SAE	0
9967	AS14154C	(R) CIRCUIT BREAKER - AIRCRAFT, TRIP-FREE, PUSH-PULL, 3 PHASE, 1 THRU 20 AMP, TYPE 1	2016	SAE	0
9968	AS14153C	CIRCUIT BREAKER - AIRCRAFT, TRIP-FREE, PUSH-PULL 3 PHASE, 1 THROUGH 35 AMP, TYPE 1	2016	SAE	0
9969	AS14227C	LOCK, ROD END, IMPROVED STRENGTH, NAS LUG	2016	SAE	0
9970	AS1354	Individual Inflatable Life Preserver	2016	SAE	0
9971	AIR6114	Interface for Micro Munition (IMM) Handbook	2016	SAE	0
9972	AS1241D	(R) Fire Resistant Phosphate Ester Hydraulic Fluid for Aircraft	2016	SAE	0
9973	AS126587 THRU AS126652B	STUD - STRAIGHT, CADMIUM PLATED, STEEL, UNS G87400, 125 KSI MIN, .3750 - 16 UNS X .3750 - 24 UNF-3A	2016	SAE	0
9974	ARP988B	Electrohydraulic Mechanical Feedback Servoactuators	2016	SAE	0
9975	AIR6007	In-Flight Thrust Determination for Aircraft with Thrust Vectoring	2016	SAE	0
9976	AS1007J	FITTING, UNION, STANDARD AND REDUCER, BULKHEAD, FLARELESS	2016	SAE	0
9977	AS1132J	Bolts, Screws and Nuts - External Wrenching UNJ Thread, Inch - Design Standard	2016	SAE	0
9978	AS1145C	Aircraft Brake Temperature Monitor Systems (BTMS)	2016	SAE	0
9979	AS115851 THRU AS115900B	SCREW - FLAT FILLISTER, DRILLED HEAD, CADMIUM PLATED, STEEL UNS G87400, 125 KSI MIN .2500-20 UNC - 3A	2016	SAE	0
9980	AIR6082A	Calculations to Determine Dimensions for Backup Rings to AS5781, AS5782, AS5860, AS5861	2016	SAE	0
9981	ARP9005A	Aerospace Guidance for Non-Deliverable Software	2016	SAE	0
9982	ARP81490A	Transmission Lines, Transverse Electromagnetic Mode	2016	SAE	0
9983	ARP6803	IVHM Concepts, Technology and Implementation Overview	2016	SAE	0
9984	ARP6852A	Methods and Processes for Evaluation of Aerodynamic Effects of SAE-Qualified Aircraft Ground Deicing/Anti-icing Fluids	2016	SAE	0
9985	AIR5909	Prognostic Metrics for Engine Health Management Systems	2016	SAE	0
9986	ARP6316	Performance Standards for Oblique Facing Passenger Seats in Transport Aircraft	2016	SAE	0
9987	ARP6328	Guideline for Development of Counterfeit Electronic Parts; Avoidance, Detection, Mitigation, and Disposition Systems	2016	SAE	0
9988	ARP6390	Location of Crew and Passenger Oxygen Masks, Portable Oxygen System, and Protective Breathing Equipment	2016	SAE	0
9989	ARP741C	(R) Turbofan and Turbojet Gas Turbine Engine Test Cell Correlation	2016	SAE	0
9990	ARP6248	Stripline Test Method to Characterize the Shielding Effectiveness of Conductive EMI Gaskets up to 40 GHz	2016	SAE	0
9991	ARP6259	LED Replacement for Incandescent/Halogen Bulbs or Fluorescent Lamps Transport Category Aircraft and Rotorcraft	2016	SAE	0
9992	AIR1184B	(R) Capacitive Fuel Gauging System Accuracies	2016	SAE	0
9993	ARP594E	Fuel Pump Thermal Safety Design	2016	SAE	0
9994	ARP598D	Aerospace Microscopic Sizing and Counting of Particulate Contamination for Fluid Power Systems	2016	SAE	0
9995	ARP5825A	Design Requirements and Test Procedures for Dual Mode Exterior Lights	2016	SAE	0
9996	ARP5448.3A	Plain Bearing Low Speed Oscillation Test	2016	SAE	0
9997	ARP5435A	APU Gas Turbine Engine Test Cell Correlation	2016	SAE	0
9998	ARP5374B	Method of Testing Pre-Conditioned Air Equipment	2016	SAE	0
9999	ARP5555	Recommendations for Installation of Seals in Standard Glands	2016	SAE	0
10000	ARP5120	Aircraft Gas Turbine Engine Health Management System Development and Integration Guide	2016	SAE	0
10001	AIR5687A	Inlet/Engine Compatibility - From Model to Full Scale Development	2016	SAE	0

10002	ARP4740A	Safety Considerations - Smoking in Lavatories of Transport Aircraft	2016	SAE	0
10003	ARP4755C	(R) Turboshaft/Turboprop Gas Turbine Engine Test Cell Correlation	2016	SAE	0
10004	AIR5689B	Light Transmitting Glass Covers for Exterior Aircraft Lighting	2016	SAE	0
10005	ARP4868C	(R) Function-Based API for Gas Turbine Engine Performance Programs	2016	SAE	0
10006	ARP4379B	Aerospace - Accumulator, Hydraulic, Cylindrical, Piston Separated	2016	SAE	0
10007	ARP4072A	Safety Considerations of Carry-On Baggage Relating to the Emergency Evacuation of Transport Category Aircraft	2016	SAE	0
10008	AIR5656A	Statistical Stability Assessment	2016	SAE	0
10009	ARP1533C	Procedure for the Analysis and Evaluation of Gaseous Emissions from Aircraft Engines	2016	SAE	0
10010	ARP1836C	Aircraft Cargo Conveyor	2016	SAE	0
10011	ARP1907C	Automatic Braking Systems	2016	SAE	0
10012	ARP1915E	Aircraft Tow Bar	2016	SAE	0
10013	ARP1961A	Gearbox - Airframe Mounted Accessory	2016	SAE	0
10014	ARP1360B	Detection of Chloride and Bromide Contamination of Electronic Equipment	2016	SAE	0
10015	AMS-T-6841A	Tape and Sheet, Adhesive, Rubber and Cork Composition	2016	SAE	0
10016	AIR5490A	Carbon Brake Contamination and Oxidation	2016	SAE	0
10017	ARD6888	Functional Specification of Miniature Connectors for Health Monitoring Purposes	2016	SAE	0
10018	AMS-S-7108B	Steel, Alloy (Manganese-Silicon-Nickel), Bars and Forging Stock (Aircraft Quality)	2016	SAE	0
10019	AMS-S-83318C	(R) Sealing Compound, Polysulfide Type, Low Temperature Curing, Quick Repair, Integral Fuel Tanks and Fuel Cell Cavities	2016	SAE	0
10020	AMS-S-83474B	Shims, Molded, Filled Resin Compound and Sheet Prepeg	2016	SAE	0
10021	AMS-QQ-P-416E	Plating, Cadmium (Electrodeposited)	2016	SAE	0
10022	AMS-PRF-46194B	Foam, Rigid, Structural, Closed Cell	2016	SAE	0
10023	AMS-I-83387B	Inspection Process, Magnetic Rubber	2016	SAE	0
10024	AMS-P-22968A	Paper, Recording, Heat Sensitive	2016	SAE	0
10025	AMS-P-29609A	Polyimide Retainer Material, Porous Non-Metallic	2016	SAE	0
10026	AMS-P-83310A	Plastic Sheet, Polycarbonate, Transparent	2016	SAE	0
10027	AMS-I-10A	Insulating Compound, Electrical, Ceramic, Class L	2016	SAE	0
10028	AMS-I-538A	Insulation, Electrical, Pasted-Mica	2016	SAE	0
10029	AMS-F-24610A	Fixant, Hold Down	2016	SAE	0
10030	AMS-F-7190B	Forging, Steel, For Aircraft/Aerospace Equipment and Special Ordnance Applications	2016	SAE	0
10031	AMS-G-25667A	Glass, Monolithic, Aircraft Glazing	2016	SAE	0
10032	AMS-G-25871A	Glass, Laminated, Aircraft Glazing	2016	SAE	0
10033	AMS7713C	Iron, Electrical, Bar and Strip Cold Finished, Annealed	2016	SAE	0
10034	AIR5354A	History of the SAE A-10 Aircraft Oxygen Equipment Committee	2016	SAE	0
10035	AIR5358A	Landing Gear Shock Strut Hydraulic Fluid	2016	SAE	0
10036	AMS-A-8576A	Adhesive, Acrylic Base, for Acrylic Plastic	2016	SAE	0

10037	AMS-B-20148C	Brazing Sheet, Aluminum Alloy	2016	SAE	0
10038	AMS-C-27725D	Coating, Corrosion Preventative, for Aircraft Integral Fuel Tanks for Use to 250 Ï°F (121 Ï°C)	2016	SAE	0
10039	AMS6495B	Steel Bars, Forgings, and Tubing 1.0Cr â__ 2.50Ni â__ 2.0Mo â__ 1.10Si (0.10 â__ 0.20C) Premium Aircraft-Quality Electroslag Remelted or Consumable Electrode Vacuum Remelted - UNS K51570	2016	SAE	0
10040	AMS6494B	Steel Bars, Forgings, and Tubing 1.0Cr â__ 2.50Ni â__ 2.0Mo â__ 1.10Si (0.10 â__ 0.20C) Aircraft-Quality - UNS K51570	2016	SAE	0
10041	AMS6522D	Steel Plate 2.0Cr - 10Ni - 14Co - 1.0Mo (0.13 - 0.17C) Vacuum Melted, Normalized, and Overaged - UNS K92571	2016	SAE	0
10042	AMS6543F	Steel, Bars and Forgings 2.0Cr - 10Ni - 8.0Co - 1.0Mo (0.10 - 0.14C) (HY-180) Double Vacuum Melted Solution Heat Treated, Marage Hardenable - UNS K91970	2016	SAE	0
10043	AMS6434H	Steel, Sheet, Strip, and Plate 0.78Cr - 1.8Ni - 0.35Mo - 0.20V (0.33 - 0.38C) (4335 Mod) - UNS K33517	2016	SAE	0
10044	AMS6438G	Steel, Sheet, Strip, and Plate 1.05Cr - 0.55Ni - 1.0Mo - 0.12V (0.45 - 0.50C) Consumable Electrode Vacuum Melted - UNS K24728	2016	SAE	0
10045	AMS6439E	Steel Sheet, Strip, and Plate 1.05Cr - 0.55Ni - 1.0Mo - 0.12V (0.42 - 0.48C) (D6AC) Consumable Electrode Vacuum Melted, Annealed - UNS K24728	2016	SAE	0
10046	AMS6447H	Steel, Bars, Forgings, and Tubing 1.4Cr (0.93-1.05C) (SAE 52100) Electroslag Remelted - UNS G52986	2016	SAE	0
10047	AMS6455L	Steel, Sheet, Strip, and Plate 0.95Cr - 0.22V (0.48 - 0.53C) (6150) - UNS G61500	2016	SAE	0
10048	AMS6458J	Steel, Welding Wire 0.65Si - 1.25Cr - 0.50Mo - 0.30V (0.28 - 0.33C) Vacuum Melted, Environment Controlled Packaging - UNS K23015	2016	SAE	0
10049	AMS6476E	Steel, Bars, Forgings, and Tubing 0.50Cr - 0.12Mo (0.89 - 1.01C) - UNS K19526	2016	SAE	0
10050	AMS6949	Titanium Alloy, Sheet and Strip 4Al - 2.5V - 1.5Fe Electron Beam Single Melted. Annealed - UNS R54250	2016	SAE	0
10051	AMS7284.1A	Rings, Sealing, Phosphonitrilic Fluoroelastomer (FZ) Aviation Fuel Resistant 65 - 75 Shore A	2016	SAE	0
10052	AMS7284.2A	Rings, Sealing, Phosphonitrilic Fluoroelastomer (FZ) Aviation Fuel-Resistant 75 - 85 Shore A	2016	SAE	0
10053	AMS7284B	Rings, Sealing, Phosphonitrilic Fluoroelastomer (FZ) Aviation Fuel-Resistant	2016	SAE	0
10054	AMS7312H	Piston Rings, Centrifugally-Cast Iron	2016	SAE	0
10055	AMS7440E	Balls, Steel, Low-Chromium, High Carbon Hardened and Tempered (Stabilzed Type)	2016	SAE	0
10056	AMS6426F	Steel Bars, Forgings, and Tubing 0.75Si - 1.0Cr - 0.58Mo (0.80 - 0.90C) Consumable Electrode Vacuum Melted - UNS K18597	2016	SAE	0
10057	AMS6421G	Steel, Bars, Forgings, and Tubing 0.80Cr - 0.85Ni - 0.20Mo - 0.003B (0.35 - 0.40C) (Modified 98B37)	2016	SAE	0
10058	AMS6422K	Steel, Bars, Forgings, and Tubing 0.80Cr - 0.85Ni - 0.20Mo - 0.003B - 0.04V (0.38 - 0.43C) (Modified 98BV40) - UNS K11940	2016	SAE	0
10059	AMS6423H	Steel Bars, Forgings, and Tubing 0.92Cr - 0.75Ni - 0.52Mo - 0.003B - 0.04V (Modified 98BV40) - UNS K24336	2016	SAE	0
10060	AMS6373H	Steel, Welded Tubing 0.95Cr - 0.20Mo (0.28 - 0.33C) (SAE 4130) - UNS G41300	2016	SAE	0
10061	AMS6374D	Steel Tubing, Seam-Free, Round 0.95Cr - 0.20Mo (0.28 - 0.33C) (SAE 4130) 95.0 ksi (655 MPa) Tensile Strength - UNS G41300	2016	SAE	0
10062	AMS6375D	Steel, Welding Wire 0.50Cr - 0.55Ni - 0.20Mo (0.18 - 0.23C) (SAE 8620) Vacuum Melted, Environment Controlled Packaging - UNS G86200	2016	SAE	0
10063	AMS6386D	Steel Sheet and Plate Low Alloy, Heat Treated 90,000 psi (621 MPa) and 100,000 psi (690 MPa) Yield Strength	2016	SAE	0
10064	AMS6413M	Steel, Mechanical Tubing 0.80Cr - 1.8Ni - 0.25Mo (0.35 - 0.40C) (4337) - UNS G43370	2016	SAE	0
10065	AMS6277H	Steel, Bars, Forgings, and Tubing 0.50Cr - 0.55Ni - 0.20Mo (0.18 - 0.23C) (SAE 8620) Vacuum Arc or Electroslag Remelted - UNS G86200	2016	SAE	0
10066	AIR4978C	Temporary Methods for Assessing the Load Carrying Capacity of Aircraft Propulsion System Lubricating Oils	2016	SAE	0
10067	AMS6354G	Steel, Sheet, Strip, and Plate 0.75Si - 0.62Cr - 0.20Mo - 0.10Zr (0.10 - 0.17C) - UNS K11914	2016	SAE	0
10068	AMS6358K	Steel Sheet, Strip, and Plate 0.50Cr - 0.55Ni - 0.25Mo (0.38 - 0.43C) (SAE 8740) - UNS G87400	2016	SAE	0
10069	AMS6370P	Steel, Bars, Forgings, and Rings 0.95Cr - 0.20Mo (0.28 - 0.33C) (SAE 4130) - UNS G41300	2016	SAE	0

10070	AMS5934B	Steel, Extra High Toughness, Corrosion-Resistant, Bars, Wire, Forgings, Rings, and Extrusions 13Cr - 8.0Ni - 2.2Mo - 1.1Al Vacuum Induction Plus Consumable Electrode Melted Solution Heat Treated, Precipitation-Hardenable - UNS S13800	2016	SAE	0
10071	AMS5955B	Steel, Corrosion-Resistant, Bars, Wire, and Forgings 10Cr - 12Ni - 2Mo - 1.45Al - 1.15Ti Vacuum Induction Plus Vacuum Consumable Electrode Melted Solution Heat Treated, Precipitation Hardenable - UNS S11902	2016	SAE	0
10072	AMS6257F	Steel Bars, Forgings, and Tubing 1.6Si - 0.82Cr - 1.8Ni - 0.40Mo - 0.08V (0.40 - 0.44C) Consumable Electrode Vacuum Remelted Normalized and Tempered - UNS K44220	2016	SAE	0
10073	AMS6263M	Steel Bars, Forgings, and Tubing 1.2Cr - 3.2Ni - 0.12Mo (0.11 - 0.17C) - UNS K44414	2016	SAE	0
10074	AMS6274R	Steel, Bars, Forgings, and Tubing 0.50Cr - 0.55Ni - 0.20Mo (0.18 - 0.23C) (SAE 8620) - UNS G86200	2016	SAE	0
10075	AMS6276L	Steel, Bars, Forgings, and Tubing 0.50Cr - 0.55Ni - 0.20Mo (0.18 - 0.23C) (SAE 8620) Consumable Electrode Vacuum Remelted - UNS G86200	2016	SAE	0
10076	AMS6278E	Steel, Bars, Forgings, and Tubing 4.1Cr - 3.4Ni - 4.2Mo - 1.2V (0.11 - 0.15C) Premium Aircraft-Quality for Bearing Applications Double Vacuum Melted - UNS K91231	2016	SAE	0
10077	AMS5862L	Steel, Corrosion-Resistant, Sheet, Strip, and Plate 15Cr - 4.5Ni - 0.30Cb (Nb) - 3.5Cu Consumable Electrode Remelted, Solution Heat Treated Precipitation-Hardenable - UNS S15500	2016	SAE	0
10078	AMS5866E	Steel, Corrosion-Resistant, Flat Wire 18Cr - 9.0Ni (302) Spring Temper - UNS S30200	2016	SAE	0
10079	AMS5884D	Iron-Nickel Alloy, Bars, Forgings, and Rings 42Fe - 37.5Ni - 14Co - 4.8Cb(Nb) - 1.6Ti Solution Heat Treated, Precipitation Hardenable Multiple Melted, High Temperature, Low Expansion - UNS N19909	2016	SAE	0
10080	AMS5894D	Cobalt Alloys, Bars, Sheet, and Plate 60Co - 28Cr - 4.5W - 1.15C Solution Heat Treated	2016	SAE	0
10081	AIR4905A	Wheel Chocks	2016	SAE	0
10082	AMS5841G	Cobalt-Nickel Alloy, Corrosion and Heat-Resistant, Bars 19Cr - 36Co - 25Ni - 7.0Mo - 0.50Cb (Nb) - 2.9Ti - 0.20Al - 9.0Fe Vacuum Induction Plus Vacuum Consumable Electrode Melted Solution Heat Treated for Work Strengthening - UNS R30159	2016	SAE	0
10083	AMS5842G	Cobalt-Nickel Alloy, Corrosion and Heat-Resistant, Bars 19Cr - 36Co - 25Ni - 7.0Mo - 0.50Cb (Nb) - 2.9Ti - 0.20Al - 9.0Fe Vacuum Induction Plus Vacuum Consumable Electrode Melted Solution Heat Treated and Work Strengthened - UNS R30159	2016	SAE	0
10084	AMS5843G	Cobalt-Nickel Alloy, Corrosion and Heat-Resistant, Bars 19Cr - 36Co - 25Ni - 7.0Mo - 0.50Cb (Nb) - 2.9Ti - 0.20Al - 9.0Fe Vacuum Induction Plus Vacuum Consumable Electrode Melted Solution Heat Treated, Work Strengthened, and Aged - UNS R30159	2016	SAE	0
10085	AMS5798H	Nickel Alloy, Corrosion and Heat-Resistant, Welding Wire 47.5Ni - 22Cr - 1.5Co - 9.0Mo - 0.60W - 18Fe - UNS N06002	2016	SAE	0
10086	AMS5763E	Steel, Corrosion Resistant Bars, Forgings, Tubing, and Rings 15Cr - 6.5Ni - 0.75Mo - 0.50Cb (Nb) - 1.5Cu Solution Heat Treated - UNS S45000	2016	SAE	0
10087	AMS5762G	Steel, Corrosion Resistant, Bars, Wire, and Forgings 5.8Mn - 17Cr - 5.8Ni - 2.0Cu - 0.26S Free Machining, Solution Heat Treated - UNS S20300	2016	SAE	0
10088	AMS5772E	Cobalt Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 40Co - 22Cr - 22Ni - 14.5W - 0.07La Solution Heat Treated - UNS R30188	2016	SAE	0
10089	AIR4730A	GSE Training Videos	2016	SAE	0
10090	AMS5666H	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Forgings, Extrusions, and Rings 62Ni - 21.5Cr - 9.0Mo - 3.65 Cb (Nb) Annealed - UNS N06625	2016	SAE	0
10091	AMS5662N	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 52.5Ni - 19Cr - 3.0Mo - 5.1Cb (Nb) - 0.90Ti - 0.50AI - 18Fe Consumable Electrode or Vacuum Induction Melted 1775 °F (968 °C) Solution Heat Treated, Precipitation-Hardenable - UNS N077	2016	SAE	0
10092	AMS5663N	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 52.5Ni - 19Cr - 3.0Mo - 5.1Cb (Nb) - 0.90Ti - 0.50Al - 18Fe Consumable Electrode or Vacuum Induction Melted 1775 °F (968 °C) Solution and Precipitation Heat Treated - UNS N07718	2016	SAE	0
10093	AMS5659S	Steel, Corrosion-Resistant, Bars, Wire, Forgings, Rings, and Extrusions 15Cr - 4.5Ni - 0.30Cb (Nb) - 3.5Cu - UNS S15500	2016	SAE	0
10094	AMS5655F	Steel, Corrosion and Heat Resistant, Bars, Wire, and Forgings 12.5Cr - 0.75Ni - 1.0Mo - 1.0W - 0.24V (0.20-0.25C) Hardened and Tempered - UNS S42200	2016	SAE	0

10095	AMS5648M	Steel, Corrosion and Heat-Resistant, Bars, Wire, Forgings, Tubing, and Rings, 17Cr - 12Ni - 2.5Mo (316) Solution Heat Treated - UNS S31600	2016	SAE	0
10096	AMS5652J	Steel, Corrosion and Heat Resistant, Bars, Wire, Forgings, Tubing, and Rings 25Cr - 20Ni - 2.0Si (SAE 30314) Solution Heat Treated - UNS S31400	2016	SAE	0
10097	AMS5712K	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 53Ni - 19Cr - 11Co - 9.8Mo - 3.2Ti - 1.6Al - 0.006B Vacuum Melted, Solution Heat Treated Precipitation Hardenable - UNS N07041	2016	SAE	0
10098	AMS5713K	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 53Ni - 19Cr - 11Co - 9.8Mo - 3.2Ti - 1.6Al - 0.006B Vacuum Melted, Solution and Precipitation Heat Treated - UNS N07041	2016	SAE	0
10099	AIR4762A	Compilation of Freezing Brake Experience and Potential Designs and Operating Procedures to Prevent Its Occurrence	2016	SAE	0
10100	AMS5718E	Steel, Bars, Forgings, Tubing, and Rings, Corrosion Resistant 11.8Cr - 2.5Ni - 1.8Mo - 0.33V (0.08 - 0.15C) Annealed - UNS S64152	2016	SAE	0
10101	AMS5645S	Steel, Corrosion and Heat Resistant, Bars, Wire, Forgings, Tubing, and Rings 18Cr - 10Ni - 0.40Ti (321) Solution Heat Treated - UNS S32100	2016	SAE	0
10102	AIR1168.4B	SAE Aerospace Applied Thermodynamics Manual Ice, Rain, Fog, and Frost Protection	2016	SAE	0
10103	AMS5643U	Steel, Corrosion-Resistant, Bars, Wire, Forgings, Mechanical Tubing, and Rings 16Cr - 4.0Ni - 0.30Cb (Nb) - 4.0Cu Solution Heat Treated, Precipitation Hardenable - UNS S17400	2016	SAE	0
10104	AMS5640V	Steel, Corrosion-Resistant, Bars, Wire, and Forgings 18Cr - 9.0Ni Free Machining - UNS S30300 (Type 1); UNS S30323 (Type 2); UNS S30310 (Type 3)	2016	SAE	0
10105	AMS5641H	Steel, Corrosion-Resistant, Bars, Wire, and Forgings 18.5Cr - 10Ni - 0.22Se (303Se) Free-Machining; Swaging or Upsetting Solution Heat Treated - UNS S30323	2016	SAE	0
10106	AMS5629H	Steel, Corrosion-Resistant, Bars, Wire, Forgings, Rings, and Extrusions 13Cr - 8.0Ni - 2.2Mo - 1.1Al Vacuum Induction Plus Consumable Electrode Melted Solution Heat Treated, Precipitation Hardenable - UNS S13800	2016	SAE	0
10107	AMS5585H	Alloy, Corrosion and Heat Resistant, Welded Tubing 32Fe - 21Cr - 20Ni - 20Co - 3Mo - 2.5W - 1.0Cb (Nb) - 0.15N Solution Heat Treated - UNS R30155	2016	SAE	0
10108	AMS5593G	Nickel Alloy, Corrosion and Heat Resistant, Sheet, Strip, and Plate 45.5Ni - 25.5Cr - 3.2Co - 3.2Mo - 3.2W - 18.5Fe Solution Heat Treated - UNS N06333	2016	SAE	0
10109	AMS5596L	Nickel Alloy, Corrosion and Heat-Resistant, Sheet, Strip, Foil and Plate 52.5Ni - 19Cr - 3.0Mo - 5.1Cb (Nb) - 0.90Ti - 0.50Al - 18Fe Consumable Electrode Remelted or Vacuum Induction Melted 1775 Î°F (968 Î°C) Solution Heat Treated - UNS N07718	2016	SAE	0
10110	AMS5597G	Nickel Alloy, Corrosion and Heat Resistant, Sheet, Strip, and Plate 52.5Ni - 19Cr - 3.0Mo - 5.1Cb (Nb) - 0.90Ti - 0.50Al - 18Fe Consumable Electrode or Vacuum Induction Melted 1950 Î°F (1066 Î°C) Solution Heat Treated - UNS N07718	2016	SAE	0
10111	AMS5604H	Steel, Corrosion Resistant, Sheet, Strip, and Plate 16.5Cr - 4.0Ni - 4.0Cu - 0.30Cb Solution Heat Treated, Precipitation Hardenable - UNS S17400	2016	SAE	0
10112	AMS5554G	Steel, Corrosion and Heat-Resistant, Seamless Tubing 16.5Cr - 4.5Ni - 2.9Mo - 0.10N Annealed - UNS S35000	2016	SAE	0
10113	AMS5556J	Steel, Corrosion and Heat-Resistant, Seamless or Welded Hydraulic Tubing 18Cr - 11Ni - 0.70Cb (347) Solution Heat Treated - UNS S34700	2016	SAE	0
10114	AMS5558H	Steel, Corrosion and Heat-Resistant, Welded Tubing 18Cr - 10.5Ni - 0.70Cb (Nb) (347) Thin Wall Solution Heat Treated - UNS S34700	2016	SAE	0
10115	AMS5560N	Steel, Corrosion Resistant, Seamless Tubing 19Cr - 10Ni (304) Solution Heat Treated - UNS S30400	2016	SAE	0
10116	AIR4365B	115/200 Volt, 400 Hz Aircraft External Electrical Power Connector Contact Maintenance Procedures	2016	SAE	0
10117	AMS5356D	Steel, Corrosion Resistant, Investment Castings 15Cr - 4.6Ni - 0.22Cb - 2.8Cu Solution and Precipitation Heat Treated (H1100) 130 ksi (896 MPa) Tensile Strength - UNS J92110	2016	SAE	0
10118	AMS5110K	Carbon Steel, Wire and Springs 0.75 - 0.88C (SAE 1080) Spring Temper, Cold Drawn - UNS G10800	2016	SAE	0
10119	AIR4359A	Effects of Hanging Loads (e.g., GOH) on ULD Performance	2016	SAE	0
10120	AMS5070J	Steel, Bars and Forgings 0.18 - 0.23C (SAE 1022 - UNS G10220	2016	SAE	0
10121	AMS5069G	Steel Bars, Forgings, and Tubing 0.15 - 0.20C (SAE 1018) - UNS G10180	2016	SAE	0
10122	AMS4956G	Titanium Alloy Welding Wire 6Al â__4V, Extra Low Interstitial Environment Controlled Packaging - UNS R56408	2016	SAE	0

10123	AMS4957F	Titanium Alloy, Round Bar and Wire 3AI - 8V - 6Cr - 4Mo - 4Zr Consumable Electrode Melted Solution Heat Treated and Cold Drawn - UNS R58640	2016	SAE	0
10124	AMS4963D	Titanium Alloy, Bars, Wire, Forgings, and Rings 6.0Al - 4.0V Annealed, Heat Treatable, Modified Strength - UNS R56400	2016	SAE	0
10125	AMS4970K	Titanium Alloy Bars, Wire, and Forgings 7Al - 4Mo Solution and Precipitation Heat Treated - UNS R56740	2016	SAE	0
10126	AMS4946E	Titanium Alloy Tubing, Seamless, Hydraulic 3Al - 2.5V, Texture Controlled Cold Worked, Stress Relieved - UNS R56320	2016	SAE	0
10127	AMS4955H	Titanium Alloy, Welding Wire 8Al - 1Mo - 1V - UNS R54810	2016	SAE	0
10128	AMS4973H	Titanium Alloy Forgings 8Al - 1Mo - 1V Solution Heat Treated and Stabilized - UNS R54810	2016	SAE	0
10129	AMS4928V	Titanium Alloy Bars, Wire, Forgings, Rings, and Drawn Shapes 6Al - 4V Annealed - UNS R56400	2016	SAE	0
10130	AMS4921N	Titanium Bars, Wire, Forgings, and Rings Commercially Pure 70 ksi (483 MPa) Yield Strength - UNS R50700	2016	SAE	0
10131	AMS4897D	Titanium Alloy, Sheet and Strip 15Mo - 3.0Al - 2.8Cb - 0.20Si - UNS R58210	2016	SAE	0
10132	AMS4899D	Titanium Alloy, Sheet, Strip, and Plate 4.5Al - 3V - 2Fe - 2Mo Annealed - UNS R54700	2016	SAE	0
10133	AMS4773G	Silver Alloy, Brazing Filler Metal 60Ag â__ 30Cu â__ 10Sn 1115 to 1325 Ï°F (602 to 718 Ï°C) Solidus-Liquidus Range - UNS P07600	2016	SAE	0
10134	AIR4170B	(R) Reticulated Polyurethane Foam Explosion Suppression Material for Fuel Systems and Dry Bays	2016	SAE	0
10135	AMS4720H	Wire, Phosphor Bronze 94Cu - 5.0Sn - 0.19P Cold Drawn, Spring Temper (H08) - UNS C51000	2016	SAE	0
10136	AMS4625H	Phosphor Bronze Bars, Rods, and Tubing 95Cu - 5Sn Hard Temper - UNS C51000	2016	SAE	0
10137	AIR4094A	(R) Aircraft Flight Control Systems Descriptions	2016	SAE	0
10138	AMS4458A	Aluminum Alloy, Plate (2.7 Cu - 1.8 Li - 0.7 Zn) 2099-T86 Solution Heat Treated, Cold Worked and Artificially Aged - UNS A92099	2016	SAE	0
10139	AMS4324A	Aluminum Alloy, Extruded Rod, Bar and Profiles (7055-T74511) 8.0Zn - 2.3Cu - 2.0Mg - 0.16Zr Solution Heat Treated, Stress-Relieved, and Overaged - UNS A97055	2016	SAE	0
10140	AMS4321B	Aluminum Alloy Forgings 7.7Zn - 2.5Mg - 1.5Cu - 0.16Cr (7049-01) High Temperature Annealed - UNS A97049	2016	SAE	0
10141	AMS4327A	Aluminum Alloy, Plate (2098-O) 3.5Cu - 1.1Li - 0.50Mg - 0.40Ag - 0.11Zr Annealed - UNS A92098	2016	SAE	0
10142	AMS4354	Aluminum Alloy, Plate, 7.9Zn â__ 1.8Cu - 2.0Mg - 0.10Zr (7099-T7451) Solution Heat Treated, Stress Relieved, and Overaged	2016	SAE	0
10143	AMS4356	Aluminum Alloy Seamless Drawn Round Tubing 2.3 Cu - 8.0 Zn - 2.0 Mg - 0.16 Zr (7155-T76) Solution Heat Treated and Aged	2016	SAE	0
10144	AMS4357	Aluminum Alloy, Die Forgings 3.5Cu â__ 1.0Li - 0.04Mg â__ 0.35Mn â__ 0.45Ag â__ 0.12Zr (2050-T852) Solution Heat Treated, Cold Worked and Artificially Aged - UNS A92050	2016	SAE	0
10145	AMS4359	Aluminum Alloy, Extruded Profiles (2395-T84) 3.95Cu - 1.15Li - 0.3Ag - 0.5Mg - 0.1Zr Solution Heat Treated, Stress Relieved by Stretching, and Aged	2016	SAE	0
10146	AMS4364	Aluminum Alloy, Plate, 7.9Zn â__ 1.8Cu - 2.0Mg - 0.10Zr (7099-T7651) Solution Heat Treated, Stress Relieved, and Overaged	2016	SAE	0
10147	AMS4367	Aluminum Alloy, Extruded Profiles 8.9Zn - 2.2Cu - 2.2Mg - 0.15Zr (7136-T74511) Solution Heat Treated, Stress Relieved by Stretching, Straightened, and Overaged	2016	SAE	0
10148	AMS4298A	Aluminum Alloy, Alclad Sheet 3.8Cu - 1.0Mg - 0.30Mn - 0.60Zn (Alclad 2056-T3) Solution Heat Treated and Cold Worked	2016	SAE	0
10149	AIR4023C	Aircraft Turbine Fuel Contamination History and Endurance Test Requirements	2016	SAE	0
10150	AMS4244C	Aluminum Alloy, Welding Wire 4.6Cu - 0.35Mn - 0.25Mg - 0.22Ti For Welding A206.0 Type Alloys	2016	SAE	0
10151	AMS4149E	Aluminum Alloy, Die and Hand Forgings 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (7175-T74) Solution and Precipitation Heat Treated - UNS A97175	2016	SAE	0
10152	AMS4179D	Aluminum Alloy Forgings 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (7175-T7452) Solution Heat Treated, Stress Relieved, and Precipitation Heat Treated - UNS A97175	2016	SAE	0
10153	AMS4182H	Aluminum Alloy, Wire 5.0Mg - 0.12Mn - 0.12Cr (5056-0) Annealed - UNS A95056	2016	SAE	0
10154	AMS4189J	Aluminum Alloy Welding Wire 4.1 Si -0.20 Mg (4643) - UNS A94643	2016	SAE	0

10155	AMS4195D	Aluminum Alloy Sheet and Plate, Alclad 4.4Cu - 1.5Mg - 0.60Mn (Alclad 2024 and 1-1/2% Alclad 2024-T861 Flat Sheet; 1-1/2% Alclad 2024-T861 Plate) Solution Heat Treated, Cold Worked, and Precipitation Heat Treated	2016	SAE	0
10156	AMS4096D	Aluminum Alloy Sheet and Plate, Alclad 6.3Cu - 0.30Mn - 0.18Zr - 0.10V - 0.06Ti (Alclad 2219-O) Annealed - UNS A92219	2016	SAE	0
10157	AMS4100F	Aluminum Alloy, Alclad, Sheet 5.7Zn - 2.2Mg - 1.6Cu - 0.22Cr (Alclad 7475-T761) Solution and Precipitation Heat Treated - UNS A87475	2016	SAE	0
10158	AMS4080P	Aluminum Alloy, Drawn Seamless Tubing 1.0Mg - 0.60Si - 0.28Cu - 0.20Cr (6061-O) Annealed - UNS A96061	2016	SAE	0
10159	AMS4056H	Aluminum Alloy, Sheet and Plate 4.4Mg - 0.70Mn - 0.15Cr (5083-0) Annealed - UNS A95083	2016	SAE	0
10160	AMS4045L	Aluminum Alloy Sheet and Plate 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr 7075: (-T6 Sheet, -T651 Plate) Solution and Precipitation Heat Treated - UNS A97075	2016	SAE	0
10161	AMS4048P	Aluminum Alloy Sheet and Plate, Alclad 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (Alclad 7075-O) Annealed or when specified, â As Fabricatedâ (Alclad 7075-F) - UNS A97075	2016	SAE	0
10162	AMS4049M	Aluminum Alloy, Sheet and Plate, Alclad 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (Alclad 7075; -T6 Sheet - T651 Plate) Solution and Precipitation Heat Treated - UNS A97075	2016	SAE	0
10163	AMS3856.1B	Cloth, Upholstery, Flame Resistant Novoloid/Aramid, Waffle Type Weave	2016	SAE	0
10164	AMS3856.2B	NULL	2016	SAE	0
10165	AMS3856.3B	Cloth, Upholstery, Flame Resistant Nylon, Jacquard Weave	2016	SAE	0
10166	AMS3856B	Cloth, Upholstery, Flame Resistant	2016	SAE	0
10167	AMS3870E	Ceramic Moldings and Extrusions Dense, Ultra-High Alumina (99% Al203)	2016	SAE	0
10168	AMS3880D	Crystallized Glass Ceramic	2016	SAE	0
10169	AMS3894.10B	Carbon Fiber Tape and Sheet Epoxy Resin Impregnated G 210000 (1448) Tensile, 20000000 (138) Modulus, 175 (347)	2016	SAE	0
10170	AMS3894.11B	Carbon Fiber Tape and Sheet Epoxy Resin Impregnated G 200000 (1379) Tensile, 18000000 (124) Modulus, 80 (176)	2016	SAE	0
10171	AMS3894.12B	Carbon Fiber Tape and Sheet Epoxy Resin Impregnated G 200000 (1379) Tensile, 18000000 (124) Modulus, 120 (248)	2016	SAE	0
10172	AMS3894.13B	Carbon Fiber Tape and Sheet Epoxy Resin Impregnated G 131000 (903) Tensile, 25000000 (172) Modulus, 175 (347)	2016	SAE	0
10173	AMS3894.14B	Carbon Fiber Tape and Sheet Epoxy Resin Impregnated G 90000 (621) Tensile, 40000000 (276) Modulus, 175 (347)	2016	SAE	0
10174	AMS3894.15B	Carbon Fiber Tape and Sheet Epoxy Resin Impregnated G 200000 (1379) Tensile, 21000000 (145) Modulus, 175 (347)	2016	SAE	0
10175	AMS3894.16B	Carbon Fiber Tape and Sheet Epoxy Resin Impregnated G 200000 (1379) Tensile, 21000000 (145) Modulus, 175 (347)	2016	SAE	0
10176	AMS3894.17B	NULL	2016	SAE	0
10177	AMS3894.18A	Carbon Fiber Tape and Sheet Epoxy Resin Impregnated G 355000 (2448) Tensile, 22000000 (152) Modulus, 130 (266)	2016	SAE	0
10178	AMS3894.1C	Carbon Fiber Tape and Sheet Epoxy Resin Impregnated G 110000 (758) Tensile, 27000000 (186) Modulus, 175 (347)	2016	SAE	0
10179	AMS3894.2C	Carbon Fiber Tape and Sheet Epoxy Resin Impregnated G 150000 (1034) Tensile, 20000000 (138) Modulus, 175 (347)	2016	SAE	0
10180	AMS3894.3C	Carbon Fiber Tape and Sheet Epoxy Resin Impregnated G 150000 (1034) Tensile, 19000000 (131) Modulus, 80 (176)	2016	SAE	0
10181	AMS3894.5C	Carbon Fiber Tape and Sheet Epoxy Resin Impregnated G 110000 (758) Tensile, 27000000 (186) Modulus, 80 (176)	2016	SAE	0
10182	AMS3894.7C	Carbon Fiber Tape and Sheet Epoxy Resin Impregnated G 90000 (621) Tensile, 40000000 (276) Modulus, 80 (176)	2016	SAE	0
10183	AMS3894.9C	Carbon Fiber Tape and Sheet Epoxy Resin Impregnated G 70000 (483) Tensile, 36000000 (248) Modulus, 175 (347)	2016	SAE	0
10184	AMS3894F	Carbon Fiber Tape and Sheet Epoxy Resin Impregnated	2016	SAE	0
10185	AMS3904.3C	NULL	2016	SAE	0
10186	AMS3904.5C	Yarn, Organic Fiber (Para-Aramid) Intermediate Modulus 1500 Denier (1670 Dtex), 0.9% Finish	2016	SAE	0
10187	AMS3904.6B	Yarn, Organic Fiber (Para-Aramid) Intermediate Modulus 1500 Denier (1670 Dtex), 7.0% Finish	2016	SAE	0
10188	AMS3904.7B	Yarn, Organic Fiber (Para-Aramid) Intermediate Modulus 1500 Denier (1670 Dtex), Zero Finish	2016	SAE	0
10189	AMS3904.9B	Yarn, Organic Fiber (Para-Aramid) Intermediate Modulus 3000 Denier (3300 Dtex), 0.9% Finish	2016	SAE	0
10190	AMS3904.10B	Roving, Organic Fiber (Para-Aramid) Intermediate Modulus 15000 Denier (16700 Dtex), 7.0% Finish	2016	SAE	0
10191	AMS3904.11B	Roving, Organic Fiber (Para-Aramid) Intermediate Modulus 15000 Denier (16700 Dtex), 0.9% Finish	2016	SAE	0

10192	AMS3904.12B	Roving, Organic Fiber (Para-Aramid) Intermediate Modulus 4500 Denier (5000 Dtex), 0.9% Finish	2016	SAE	0
10193	AMS3904.1C	Yarn, Organic Fiber (Para-Aramid) Intermediate Modulus 200 Denier (220 Dtex), 1.0% Finish	2016	SAE	0
10194	AMS3904.2C	Yarn, Organic Fiber (Para-Aramid) Intermediate Modulus 400 Denier (440 Dtex), 1.0% Finish	2016	SAE	0
10195	AMS3904C	Organic Fiber (Para-Aramid), Yarn and Roving Intermediate Modulus For Cables, Cordage, and Woven Goods	2016	SAE	0
10196	AMS3841B	Cloth, Cotton Twill Fire Retardant Treated	2016	SAE	0
10197	AIR1826A	Acoustical Considerations for Aircraft Environmental Control System Design	2016	SAE	0
10198	AMS3811C	Rods, Aramid Fiber, Polyester Resin Coated Pultrusion	2016	SAE	0
10199	AMS3812C	Rods, Glass Fiber, Polyester Resin, Loaded Pultrusion	2016	SAE	0
10200	AMS3813.1B	Rope, Aramid Fiber, Jacketed Cabled Strand, Extruded Jacket	2016	SAE	0
10201	AMS3813.3B	Rope, Aramid Fiber, Jacketed Parallel Strand, Braided Jacket	2016	SAE	0
10202	AMS3813B	Rope, Aramid Fiber, Jacketed for Antenna- Support Systems	2016	SAE	0
10203	AMS3815E	Braid, Flat, Nylon, Electrical Tying Synthetic Rubber Coated	2016	SAE	0
10204	AMS3816D	Braid, Flat, Nylon, Electrical Tying Wax Coated	2016	SAE	0
10205	AMS3817E	Nylon Braid, Flat Electrical Tying Resin Coated	2016	SAE	0
10206	AMS3818B	Braid, Flat, Polyester, Lacing and Tying Synthetic Rubber Coated, Low Outgassing	2016	SAE	0
10207	AMS3800B	Cloth, Knitted, Polyamide, High Temperature Resistant Reverse Jersey	2016	SAE	0
10208	AMS3799C	Webbing, Tubular, Low-Modulus Aramid-54	2016	SAE	0
10209	AMS3802F	Cloth, Airplane, Cotton, Mercerized 50 Pounds (220 N) Breaking Strength	2016	SAE	0
10210	AMS3804E	Cloth, Airplane, Cotton, Mercerized 65 Pounds (290 N) Breaking Strength	2016	SAE	0
10211	AMS3807C	Tape, Aluminum Foil, Sound and Vibration Damping Pressure Sensitive Adhesive	2016	SAE	0
10212	AMS3779.1B	Tape, Adhesive, Pressure-Sensitive Thermal Radiation Resistant, Aluminum Foil/Glass Cloth	2016	SAE	0
10213	AMS3779.2B	Tape, Adhesive, Pressure-Sensitive Thermal Radiation Resistant, Aluminum Coated Glass Cloth	2016	SAE	0
10214	AMS3779B	Tape, Adhesive, Pressure-Sensitive Thermal Radiation Resistant	2016	SAE	0
10215	AMS3787.6B	Thread, Para-Aramid Intermediate Modulus 950 yards per pound (1915 m/kg), 150 pounds force (667 N) Breaking Strength	2016	SAE	0
10216	AMS3787.7B	Thread, Para-Aramid Intermediate Modulus 850 yards per pound (1714 m/kg), 175 pounds force (778 N) Breaking Strength	2016	SAE	0
10217	AMS3787.8C	Thread, Para-Aramid Intermediate Modulus 500 yards per pound (1008 m/kg), 225 pounds force (1001 N) Breaking Strength	2016	SAE	0
10218	AMS3787B	Thread, Para-Aramid Intermediate Modulus	2016	SAE	0
10219	AMS3787.1B	Thread, Para-Aramid Intermediate Modulus 10,000 yards per pound (20,159 m/kg), 16 pounds force (71 N) Breaking Strength	2016	SAE	0
10220	AMS3787.2B	Thread, Para-Aramid Intermediate Modulus 6700 yards per pound (13,507 m/kg), 25 pounds force (111 N) Breaking Strength	2016	SAE	0
10221	AMS3787.3B	Thread, Para-Aramid Intermediate Modulus 5000 yards per pound (10,080 m/kg), 35 pounds force (156 N) Breaking Strength	2016	SAE	0
10222	AMS3787.4B	NULL	2016	SAE	0
10223	AMS3787.5B	Thread, Para-Aramid Intermediate Modulus 2000 yards per pound (4032 m/kg), 80 pounds force (356 N) Breaking Strength	2016	SAE	0
10224	AIR1794A	Ball-On-Cylinder (BOC) Aircraft Turbine Fuel Lubricity Tester	2016	SAE	0
10225	AMS3794B	Thread, Aramid, Spun Staple	2016	SAE	0
10226	AMS3795.1B	Webbing, Woven Nylon Fabric 6000 Pounds (26,700 N), 1.8 Ounces/Yards (56 g/m)	2016	SAE	0
10227	AMS3795.2B	Webbing, Woven Nylon Fabric 9000 Pounds (40,050 N), 2.5 Ounces/Yards (77.5 g/m)	2016	SAE	0

10228	AMS3795.3B	NULL	2016	SAE	0
10229	AMS3795B	Webbing, Woven Nylon Fabric	2016	SAE	0
10230	AMS3796.1B	Webbing, Nylon, Aircraft Arresting 105,000 Pounds (467 kN)	2016	SAE	0
10231	AMS3796.2B	Webbing, Nylon, Aircraft Arresting 130,000 Pounds (578 kN)	2016	SAE	0
10232	AMS3796.3B	Webbing, Nylon/Polyester, Aircraft Arresting Center Pick 130,000 Pounds (578 kN)	2016	SAE	0
10233	AIR1794B	Ball-On-Cylinder (BOC) Aircraft Turbine Fuel Lubricity Tester	2016	SAE	0
10234	AMS3796B	Webbing, Nylon, Aircraft Arresting	2016	SAE	0
10235	AMS3678-7B	NULL	2016	SAE	0
10236	AMS3678-8B	Type 8 Virgin Polytetrafluoroethylene (PTFE) Moldings or Extrusions with 10% Carbon Fiber	2016	SAE	0
10237	AMS3678-9C	NULL	2016	SAE	0
10238	AMS3678D	Polytetrafluoroethylene (PTFE) Moldings and Extrusions Unfilled, Pigmented, and Filled	2016	SAE	0
10239	AMS3681D	Adhesive, Electrically Conductive Silver-Filled Epoxy Resin	2016	SAE	0
10240	AMS3678-10B	Type 10 Virgin Polytetrafluoroethylene (PTFE) Moldings or Extrusions with 15% Carbon Fiber	2016	SAE	0
10241	AMS3678-11A	NULL	2016	SAE	0
10242	AMS3678-12A	Type 12 10% Mineral, 2.5% Molybdenum Disulfide Filled Virgin Polytetrafluoroethylene (PTFE) Moldings or Extrusions	2016	SAE	0
10243	AMS3678-13A	NULL	2016	SAE	0
10244	AMS3678-14A	Type 14 40% Bronze Filled Virgin Polytetrafluoroethylene (PTFE) Moldings or Extrusions	2016	SAE	0
10245	AMS3678-15A	NULL	2016	SAE	0
10246	AMS3678-16A	Type 16 15% Polyimide Filled Virgin Polytetrafluoroethylene (PTFE) Moldings or Extrusions	2016	SAE	0
10247	AMS3678-1C	NULL	2016	SAE	0
10248	AMS3678-2B	Type 2 15% Graphite Filled Virgin Polytetrafluoroethylene (PTFE) Moldings or Extrusions	2016	SAE	0
10249	AMS3678-3B	NULL	2016	SAE	0
10250	AMS3678-4B	Type 4 25% Glass Filled Virgin Polytetrafluoroethylene (PTFE) Moldings or Extrusions	2016	SAE	0
10251	AMS3678-5B	NULL	2016	SAE	0
10252	AMS3678-6B	Type 6 60% Bronze Filled Virgin Polytetrafluoroethylene (PTFE) Moldings or Extrusions	2016	SAE	0
10253	AMS3718.4B	NULL	2016	SAE	0
10254	AMS3718.5B	Webbing, Woven Nylon For Decelerators 1 (25) Wide, 9000 (40,000) Breaking Strength	2016	SAE	0
10255	AMS3718.6B	Webbing, Woven Nylon For Decelerators 1 3/4 (44) Wide, 10,000 (44,500) Breaking Strength	2016	SAE	0
10256	AMS3718.1B	Webbing, Woven Nylon For Decelerators 3/4 (19) Wide, 3000 (13,350) Breaking Strength	2016	SAE	0
10257	AMS3718.2B	Webbing, Woven Nylon For Decelerators 1 (25) Wide, 4000 (17,800) Breaking Strength	2016	SAE	0
10258	AMS3718.3B	Webbing, Woven Nylon For Decelerators 1 (25) Wide, 6000 (26,700) Breaking Strength	2016	SAE	0
10259	AMS3718C	Webbing, Woven Nylon For Decelerators	2016	SAE	0
10260	AMS3731.7C	Potting Compound, Epoxy Bisphenol A-Type Filled, Room Temperature Cure, Low Shrinkage	2016	SAE	0
10261	AMS3731.8C	Potting Compound, Epoxy Bisphenol A-Type Filled, Heat Cure, High HDT	2016	SAE	0
10262	AMS3731.9C	Potting Compound, Epoxy Flexible, Thermal Shock Resistant, Heat Cure	2016	SAE	0
10263	AMS3731.1C	Potting Compound, Epoxy Bisphenol A-Type Unfilled, Room Temperature Cure	2016	SAE	0
10264	AMS3731.2D	NULL	2016	SAE	0
10265	AMS3731.3C	Potting Compound, Epoxy Bisphenol A-Type Filled, Heat Cure, Machinable	2016	SAE	0
10266	AMS3731.4C	Potting Compound, Epoxy Bisphenol A-Type Impregnating Resin, Heat Cure, Single Component	2016	SAE	0
10267	AMS3731.5C	Potting Compound, Epoxy Bisphenol A-Type Filled, Room Temperature Cure, Low Exotherm	2016	SAE	0
10268	AMS3731.6C	NULL	2016	SAE	0

10269	AMS3731C	Potting Compound, Epoxy Bisphenol A-Type	2016	SAE	0
10270	AMS3420G	Dehydrating Agent Silica Gel	2016	SAE	0
10271	AMS3625D	Elastomeric Tubing, Electrical Insulation Crosslinked Silicone, Pigmented, Flexible, Heat-Shrinkable 1.750 to 1 Shrink Ratio (Stabilzed Type)	2016	SAE	0
10272	AMS3653F	Tubing, Electrical Insulation Standard Wall, Extruded Polytetrafluoroethylene (PTFE)	2016	SAE	0
10273	AMS3654D	Tubing, Electrical Insulation Light Wall, Extruded Polytetrafluoroethylene (PTFE)	2016	SAE	0
10274	AIR1660C	Fuel Level Control Valves and Systems	2016	SAE	0
10275	AMS3655C	Tubing, Electrical Insulation Thin Wall, Extruded Polytetrafluoroethylene (PTFE)	2016	SAE	0
10276	AMS3411E	Flux, Silver Brazing High Temperature	2016	SAE	0
10277	AMS3410K	Flux, Silver Brazing	2016	SAE	0
10278	AMS3352C	Silicone Rubber, Fiberglass Fabric Reinforced	2016	SAE	0
10279	AIR1589B	Aircraft Damage Caused by Ground Support Equipment	2016	SAE	0
10280	USCAR-38-1	PERFORMANCE SPECIFICATION FOR ULTRASONICALLY WELDED WIRE TERMINATION	2016	SAE	0
10281	USCAR-4(2)	Standard for Cigar Lighters & Power Outlets - Revision 1	2016	SAE	0
10282	AMS3276F	Sealing Compound, Integral Fuel Tanks and General Purpose, Intermittent Use to 360 ï°F (182 ï°C)	2016	SAE	0
10283	AMS3281F	Sealing Compound, Polysulfide (T) Synthetic Rubber for Integral Fuel Tank and Fuel Cell Cavities Low Density for Intermittent Use to 360 ï°F (182 ï°C)	2016	SAE	0
10284	AMS3304H	(R) Silicone, Rubber General Purpose 70 Durometer	2016	SAE	0
10285	AMS3328C	Fluorosilicone (FVMQ) Rubber Fuel and Oil Resistant 35 - 45	2016	SAE	0
10286	USCAR-12(2)	Wiring Component Design Guidelines - Revision 3	2016	SAE	0
10287	USCAR-18(2)	USCAR-17 SUPPLEMENT - Revision 4	2016	SAE	0
10288	USCAR-25(2)	ELECTRICAL CONNECTOR ASSEMBLY ERGONOMIC DESIGN CRITERIA - Revision 1	2016	SAE	0
10289	MA3422A	NUT, PLAIN HEX - UNS S66286, SILVER PLATE, MJ THREAD, METRIC	2016	SAE	0
10290	MA3426A	NUT, CASTELLATED, HEX - UNS S66286, SILVER PLATE, MJ THREAD, METRIC - UNS S66286	2016	SAE	0
10291	MA3424A	NUT, PLAIN HEX - THIN, UNS S66286, SILVER PLATE, MJ THREAD, METRIC	2016	SAE	0
10292	MA3428B	NUT, CASTELLATED, HEX - THIN, UNS S66286, SILVER PLATE, MJ THREAD, METRIC	2016	SAE	0
10293	MA3353C	(R) NUT, SELF LOCKING â__ SPLINE DRIVE, EXTENDED WASHER, UNS G87400, CADMIUM PLATE, MJ THREAD, METRIC	2016	SAE	0
10294	MA3281C	INSERT, SCREW THREAD, HELICAL COIL, METRIC SERIES, FREE RUNNING, CRES, CADMIUM PLATED	2016	SAE	0
10295	J930(2)	(R) Storage Batteries for Off-Road Self-Propelled Work Machines, Standard	2016	SAE	0
10296	J773(2)	Conical Spring Washers	2016	SAE	0
10297	J537(2)	(R) STORAGE BATTERIES	2016	SAE	0
10298	J524(2)	(R) SEAMLESS LOW CARBON STEEL TUBING ANNEALED FOR BENDING AND FLARING	2016	SAE	0
10299	J525(2)	Welded and Cold Drawn Low Carbon Steel Tubing Annealed for Bending and Flaring	2016	SAE	0
10300	AMS3161C	Oil, Odorless Heavy Solvent	2016	SAE	0
10301	AMS3165F	Solvent, Petroleum Aromatic	2016	SAE	0
10302	J553(2)	(R) CIRCUIT BREAKERS	2016	SAE	0
10303	J560(2)	(R) Seven Conductor Electrical Connector for Truck-Trailer Jumper Cable	2016	SAE	0
10304	J578(2)	Color Specification	2016	SAE	0
10305	J583(3)	(R) Front Fog Lamp	2016	SAE	0
10306	J586(2)	(R) Stop Lamps for Use on Motor Vehicles Less Than 2032 mm in Overall Width	2016	SAE	0
10307	J592(2)	Clearance, Side Marker, and Identification Lamps	2016	SAE	0

10308	J593(2)	Backup Lamps (Reversing Lamps)	2016	SAE	0
10309	J510(2)	Leaf Springs for Motor Vehicle Suspension - Made to Customary U.S. Units	2016	SAE	0
10310	J511(2)	Pneumatic Spring Terminology	2016	SAE	0
10311	AMS3160J	Solvent, Petroleum	2016	SAE	0
10312	J516(2)	Hydraulic Hose Fittings	2016	SAE	0
10313	J45(2)	BRAKE SYSTEM TEST PROCEDURE-SNOWMOBILES	2016	SAE	0
10314	J447(2)	(R) Prevention of Corrosion of Motor Vehicle Body and Chassis Components	2016	SAE	0
10315	AMS3143B	Powder Coating Material	2016	SAE	0
10316	J328(2)	(R) WHEELS-PASSENGER CARS-PERFORMANCE REQUIREMENTS AND TEST PROCEDURES	2016	SAE	0
10317	J343(2)	TESTS AND PROCEDURES FOR SAE 100R SERIES HYDRAULIC HOSE AND HOSE ASSEMBLIES	2016	SAE	0
10318	J357(2)	(R) PHYSICAL AND CHEMICAL PROPERTIES OF ENGINE OILS	2016	SAE	0
10319	J3095	Linear Impactor Calibration Procedure	2016	SAE	0
10320	J3073	Battery Thermal Management	2016	SAE	0
10321	J3079-2	Low-preload Deflection Measurement for Brake Pads, Noise Shims, and Brake Pad Assemblies	2016	SAE	0
10322	J3071	Automotive Battery Recycling Identification and Cross Contamination Prevention	2016	SAE	0
10323	J3060	Automotive and Heavy Duty Storage Battery Vibration	2016	SAE	0
10324	J3061	Cybersecurity Guidebook for Cyber-Physical Vehicle Systems	2016	SAE	0
10325	J3001(2)	(R) Brake Insulator Damping Measurement Procedure	2016	SAE	0
10326	J304(2)	(R) Engine Oil Tests	2016	SAE	0
10327	J3044(2)	Occupant Restraint and Equipment Mounting Integrity - Rear Impact System-Level Ambulance Patient Compartment	2016	SAE	0
10328	J3047(2)	Recommendation for Acceptable Operating Parameters of Heated Automobile Seats in Order to Mitigate Occupant Injury	2016	SAE	0
10329	J3048	Driver-Vehicle Interface Considerations for Lane Keeping Assistance Systems	2016	SAE	0
10330	J2990.1	Gaseous Hydrogen and Fuel Cell Vehicle First and Second Responder Recommended Practice	2016	SAE	0
10331	J2976	Speedometer and Odometer Systems for On-Highway Vehicles	2016	SAE	0
10332	J2981	Starter Battery Identification and Classification	2016	SAE	0
10333	J2954	Wireless Power Transfer for Light-Duty Plug-In/ Electric Vehicles and Alignment Methodology	2016	SAE	0
10334	J2956(2)	Occupant Restraint and Equipment Mounting Integrity Side Impact Ambulance Patient Compartment	2016	SAE	0
10335	J2945-1	On-Board System Requirements for V2V Safety Communications	2016	SAE	0
10336	J2937	Linear Impact Procedure for Occupant Ejection Protection	2016	SAE	0
10337	J2914(2)	(R) Exhaust Gas Recirculation (EGR) Cooler Nomenclature and Application	2016	SAE	0
10338	J2917(2)	Occupant Restraint and Equipment Mounting Integrity Frontal Impact Ambulance Patient Compartment	2016	SAE	0
10339	J2923	Inertia-dynamometer Disc Brake Drag Measurement Test Procedure for Vehicles Less Than 4540 kg GVWR	2016	SAE	0
10340	J2863(2)	Automotive Trailer Tow Connector	2016	SAE	0
10341	J287(2)	(R) Driver Hand Control Reach	2016	SAE	0
10342	J2873(2)	Electric Drive Cooling Fan Motor Mounting	2016	SAE	0
10343	J2878(2)	Low Speed Thorax Impact Test Procedure for the HIII5F Dummy	2016	SAE	0
10344	J284(2)	Safety Alert Symbol for Agricultural, Construction and Industrial Equipment	2016	SAE	0
10345	J2807(2)	Performance Requirements for Determining Tow-Vehicle Gross Combination Weight Rating and Trailer Weight Rating	2016	SAE	0
10346	J2800(2)	Laboratory Corrosion/Fatigue Testing of Vehicle Suspension Coil Springs	2016	SAE	0
10347	J2810(2)	HFC-134a (R-134a) Refrigerant Recovery Equipment for Mobile Automotive Air-Conditioning Systems	2016	SAE	0
10348	J2826	Snowmobile Probe Test for Contact with Power Driven Parts	2016	SAE	0

10349	J2830(2)	Process for Comprehension Testing of In-Vehicle Icons	2016	SAE	0
10350	J2777(2)	Recommended Best Practice for Climatic Wind Tunnel Correlation	2016	SAE	0
10351	J2735(4)	Dedicated Short Range Communications (DSRC) Message Set Dictionary	2016	SAE	0
10352	J2735(5)	Dedicated Short Range Communications (DSRC) Message Set Dictionary	2016	SAE	0
10353	AMS3084C	LUBRICANT, SOLID FILM Minimal Outgassing.	2016	SAE	0
10354	AMS3085A	Fluid, Reference for Testing AS5780 HPC Class (Polyol) Resistant Material (Also known as Eastman Reference Oil 300)	2016	SAE	0
10355	J2682	Connections for General Use and Fluid Power - Test Methods-Threadless Connections	2016	SAE	0
10356	J2683(2)	Refrigerant Purity and Container Requirements for Carbon Dioxide (CO2 R-744) Used in Mobile Air-Conditioning Systems	2016	SAE	0
10357	J2688(2)	Parking Brake Control Identification - Vehicles with Hydraulic Brake Systems and Automatic Transmissions	2016	SAE	0
10358	J2716(2)	SENTâ Single Edge Nibble Transmission for Automotive Applications	2016	SAE	0
10359	J2724(2)	Measurement of Disc Brake Friction Material Underlayer Distribution	2016	SAE	0
10360	AIR1412C	Designing for Long Life with Elastomers	2016	SAE	0
10361	J2562(2)	Biaxial Wheel Fatigue Test	2016	SAE	0
10362	J2530(2)	Aftermarket Wheelsâ Passenger Cars and Light Truckâ Performance Requirements and Test Procedures	2016	SAE	0
10363	J2403DA(3)	Digital Annex of Medium/Heavy-Duty E/E Systems Diagnosis Nomenclature - Rev. A; See Also SAE J2403; Includes Access to Additional Content	2016	SAE	0
10364	J2413(2)	Protocol to Verify Performance of New Xenon Arc Test Apparatus	2016	SAE	0
10365	J2436(2)	(R) Accessory Drive Tensioner Test Standards	2016	SAE	0
10366	AMS3054C	Oil, Lubricating, Low Temperature For -55 Î°C (-67 Î°F) Service	2016	SAE	0
10367	J2450(2)	Translation Quality Metric	2016	SAE	0
10368	J2334(2)	Laboratory Cyclic Corrosion Test	2016	SAE	0
10369	J2365(2)	(R) Calculation and Measurement of the Time to Complete In-Vehicle Navigation and Route Guidance Tasks	2016	SAE	0
10370	J230(2)	(R) Stainless Steel, SAE 30302, Spring Wire and Springs	2016	SAE	0
10371	J2301(2)	Universal Joint End Yoke Connection (Earwork)	2016	SAE	0
10372	J2292(2)	(R) Combination Pelvic and Upper Torso Operator and Occupant Restraint Systems for Off-Road Work Machines	2016	SAE	0
10373	J2284-4	High-Speed CAN (HSC) for Vehicle Applications at 500 kbps with CAN FD Data at 2 Mbps	2016	SAE	0
10374	J2284-5	High-Speed CAN (HSC) for Vehicle Applications at 500 kbps with CAN FD Data at 5 Mbps	2016	SAE	0
10375	J2261(2)	Stop Lamps and Front- and Rear-Turn Signal Lamps for Use on Motor Vehicles 2032 mm or More in Overall Width	2016	SAE	0
10376	J2208(2)	Park Standard for Automatic Transmissions, Recommended Practice - June 1993	2016	SAE	0
10377	J2052(2)	Test Device Head Contact Duration Analysis, Information Report	2016	SAE	0
10378	J2084(2)	Aerodynamic Testing of Road Vehicles-Testing Methods and Procedures, Information Report	2016	SAE	0
10379	J2087(4)	(R) Daytime Running Light	2016	SAE	0
10380	J217(2)	(R) Stainless Steel 17-7 PH Spring Wire and Springs	2016	SAE	0
10381	J2192(3)	Recommended Testing Methods for Physical Protection of Wiring Harnesses	2016	SAE	0
10382	J2202(2)	(R) Heavy-Duty Wiring Systems for On-Highway Trucks	2016	SAE	0
10383	J1959(2)	Corrosion Preventive Compound, Underbody Vehicle Corrosion Protection	2016	SAE	0
10384	J1962(3)	DIAGNOSTIC CONNECTOR	2016	SAE	0
10385	J1939DA(6)	J1939 Digital Annex - Rev. H; See Also SAE J1939; Includes Access to Additional Content	2016	SAE	0
10386	J1939DA(7)	J1939 Digital Annex - Rev. H; See Also SAE J1939; Includes Access to Additional Content	2016	SAE	0
10387	J1939-84(3)	(R) OBD Communications Compliance Test Cases for Heavy Duty Components and Vehicles	2016	SAE	0
10388	J1946(2)	Companion Flanges, Type A (External Pilot) and Type S (Internal Pilot	2016	SAE	0

10389	J1950(2)	Proving Ground Vehicle Corrosion Testing	2016	SAE	0
10390	J1981(2)	Road Hazard Impact Test for Wheel and Tire Assemblies (Passenger Car, Light Truck, and Multipurpose Vehicles)	2016	SAE	0
10391	J1986(2)	Balance Weight and Rim Flange Design Specifications, Test Procedures, and Performance Recommendations	2016	SAE	0
10392	J2009(2)	(R) Discharge Forward Lighting System and Subsystems	2016	SAE	0
10393	J2020(2)	(R) Accelerated Exposure of Automotive Exterior Materials Using a Fluorescent UV and Condensation Apparatus, Standard - May 1995	2016	SAE	0
10394	J2028(2)	Front-Wheel-Drive Constant Velocity Joint Boot Seals	2016	SAE	0
10395	J1939-81(2)	Network Management	2016	SAE	0
10396	J1939-73(3)	Application Layer - Diagnostics	2016	SAE	0
10397	J1939-21(3)	Data Link Layer	2016	SAE	0
10398	AMS2774E	Heat Treatment Wrought Nickel Alloy and Cobalt Alloy Parts	2016	SAE	0
10399	J1926-3(2)	Connections for General Use and Fluid PowerPorts and Stud Ends with ASME B1.1 Threads and O-Ring SealingPart 3: Light-Duty (L-Series) Stud Ends	2016	SAE	0
10400	J1926-1(2)	Connections for General Use and Fluid PowerPorts and Stud Ends with ASME B1.1 Threads and O-Ring SealingPart 1: Threaded Port with O-Ring Seal in Truncated Housing	2016	SAE	0
10401	J1926-2(2)	Connections for General Use and Fluid PowerPorts and Stud Ends with ASME B1.1 Threads and O-Ring SealingPart 2: Heavy-Duty (S Series) Stud Ends	2016	SAE	0
10402	AMS2772G	Heat Treatment of Aluminum Alloy Raw Materials	2016	SAE	0
10403	J1865(2)	Dimensional Compatibility for Commercial Vehicles Fitment of Complete Wheels in Drum Brake Applications - Truck and Bus	2016	SAE	0
10404	J1860(2)	LABELING AIR BRAKE VALVES WITH THEIR PERFORMANCE (INPUT-OUTPUT) CHARACTERISTICS	2016	SAE	0
10405	J1859(2)	Test Procedures for Determining Air Brake Valve Input-Output Characteristics	2016	SAE	0
10406	J1861(2)	Air Brake Valve Input-Output Characteristic Requirements	2016	SAE	0
10407	J185(3)	Access Systems for Off-Road Machines	2016	SAE	0
10408	J175(2)	Wheels - Impact Test Procedure - Road Vehicles	2016	SAE	0
10409	J1752-1(2)	(R) Electromagnetic Compatibility Measurement Procedures for Integrated Circuits - Integrated Circuit EMC Measurement Procedures - General and Definitions	2016	SAE	0
10410	J1752-2(2)	Electromagnetic Compatibility Measurement Procedures for Integrated Circuits - Integrated Circuit Radiated Emissions Diagnostic Procedure 1 MHz to 1000 MHz, Magnetic Field - Loop Probe, Recommended Practice - March 1995	2016	SAE	0
10411	J1772	SAE Electric Vehicle and Plug in Hybrid Electric Vehicle Conductive Charge Coupler	2016	SAE	0
10412	J1797(2)	Recommended Practice for Packaging of Electric Vehicle Battery Modules	2016	SAE	0
10413	J1802-1(2)	Test Component Specifications	2016	SAE	0
10414	J1804(2)	Corrosion Preventive Compound, Topside Vehicle Corrosion Protection	2016	SAE	0
10415	J1817(2)	Long Stroke Air Brake Actuator Marking, Recommended Practice	2016	SAE	0
10416	J1698-1A(2)	J1698-1A Pedestrian Protection EDR Output Data Definition Appendix to SAE J1698-1 Event Data Recorder Output Data Definition	2016	SAE	0
10417	J1703(3)	Motor Vehicle Brake Fluid	2016	SAE	0
10418	J1704(3)	Borate Ester Based Brake Fluids	2016	SAE	0
10419	J1707(2)	(R) Service Maintenance of SAE J1703 Brake Fluids in Motor Vehicle Brake Systems	2016	SAE	0
10420	J1708(2)	Serial Data Communications Between Microcomputer Systems in Heavy-Duty Vehicle Applications	2016	SAE	0
10421	J1668(2)	Diesel Engines - Fuel Injection Pump Testing	2016	SAE	0
10422	J1654(2)	High Voltage Primary Cable	2016	SAE	0
10423	J1616(2)	Recommended Practice for Compressed Natural Gas Vehicle Fuel, Recommended Practice	2016	SAE	0
10424	J1617(2)	Body Corrosion - A Comprehensive Introduction, Information Report	2016	SAE	0

10425	J1542(2)	Laboratory Testing of Vehicle and Industrial Heat Exchangers for Thermal Cycle Durability, Recommended Practice - March 1996	2016	SAE	0
10426	J1555(2)	(R) Recommended Practice for Optimizing Automobile Damageability, Recommended Practice - October 1993	2016	SAE	0
10427	J156(2)	Fusible Links	2016	SAE	0
10428	J1563(2)	(R) Guidelines for Laboratory Cyclic Corrosion Test Procedures for Painted Automotive Parts, Information Report	2016	SAE	0
10429	AMS2689B	Fusion Welding Titanium and Titanium Alloys	2016	SAE	0
10430	J1597(2)	Laboratory Testing of Vehicle and Industrial Heat Exchangers for Pressure-Cycle Durability	2016	SAE	0
10431	J1598(2)	Laboratory Testing of Vehicle and Industrial Heat Exchangers for Durability Under Vibration-Induced Loading	2016	SAE	0
10432	AIR1389B	FAR - Regulatory Requirements Covering the Use of Breathing Oxygen in Aircraft	2016	SAE	0
10433	J1528(2)	Fatigue Testing Procedure for Suspension -Leaf Springs, Recommended Practice	2016	SAE	0
10434	AMS2658D	Hardness and Conductivity Inspection of Wrought Aluminum Alloy Parts	2016	SAE	0
10435	J1409(2)	(R) Air Brake Valves Test Procedure	2016	SAE	0
10436	J1410(2)	(R) Air Brake ValvePerformance Requirements	2016	SAE	0
10437	J1441(2)	(R) Subjective Rating Scale for Vehicle Ride and Handling	2016	SAE	0
10438	J1324(2)	Acoustical and Thermal Materials Test Procedure	2016	SAE	0
10439	J1293(2)	Undervehicle Coupon Corrosion Tests, Recommended Practice	2016	SAE	0
10440	AMS2642E	Structural Examination of Titanium Alloys Etch-Anodize Inspection Procedure	2016	SAE	0
10441	J1292(2)	(R) Automobile and Motor Coach Wiring	2016	SAE	0
10442	AIR1387D	Designing with Elastomers for use at Low Temperatures, Near or Below Glass Transition	2016	SAE	0
10443	J1228	Small Craft - Marine Propulsion Engine and Systems - Power Measurements and Declarations	2016	SAE	0
10444	J1231(2)	Formed Tube Ends for Hose Connections and Hose Fittings	2016	SAE	0
10445	J2020	Accelerated Exposure of Automotive Exterior Materials Using a Fluorescent UV and Condensation Apparatus	2016	SAE	0
10446	AS81714.27A	(R) TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, GROUNDING MODULES, STUD TYPE MOUNTING, SERIES I	2016	SAE	0
10447	AS81714.28A	(R) TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, GROUNDING MODULES, INTEGRAL, BRACKET MOUNTING SERIES I	2016	SAE	0
10448	AS81511A	Connectors, Electrical, Circular, High Density, Quick Disconnect, Environment Resisting and Accessories, General Specification For	2016	SAE	0
10449	AS81021B	Copper-Beryllium Alloy (Copper Alloy Numbers C17500 and C17510), Strip	2016	SAE	0
10450	AS7928-9A	(R) TERMINALS, LUG AND SPLICES, CONDUCTOR, CRIMP STYLE, COPPER, INSULATED, RECTANGULAR TONGUE, TIN WHISKER RESISTANT FOR THIN WALL WIRE, TYPE II, CLASS 1 FOR 105 ?C TOTAL CONDUCTOR TEMPERATURE	2016	SAE	0
10451	AS8009C	Pressure Altimeter Systems	2016	SAE	0
10452	AS8049-1A	(R) Performance Standards for Side-Facing Seats in Civil Rotorcraft, Transport Aircraft, and General Aviation Aircraft	2016	SAE	0
10453	AS8090A	Mobility, Towed Aerospace Ground Equipment, General Requirements For	2016	SAE	0
10454	AS7477F	Bolts and Screws, Steel, UNS S66286 Tensile Strength 130 ksi, Procurement Specification	2016	SAE	0
10455	AS7478C	Bolts and Screws, Steel, UNS S66286 Classification: 130 ksi/1200 Ï°F 1800 Ï°F Solution Heat Treated, Aged After Roll Threaded Procurement Specification for	2016	SAE	0
10456	AS7768.1A	LIGHT, DESK, AIRCRAFT	2016	SAE	0
10457	AS7768A	Light, Desk, Aircraft	2016	SAE	0
10458	AS7928.14A	(R) TERMINAL, ELECTRIC, PERMANENT, CRIMP STYLE, TIN-COATED COPPER, INSULATED, ENVIRNOMENT RESISTANT, CLASS 1 150 ?C, HEATLESS SEALING	2016	SAE	0
10459	AS7928-10A	TERMINALS, LUG AND SPLICES, CONDUCTOR, CRIMP STYLE, SPLICE, ELECTRIC, TIN WHISKER (PERMANENT, TYPE II, CLASS 1) FOR 105 ?C TOTAL CONDUCTOR TEMPERATURE	2016	SAE	0

10460	AS7928-2C	TERMINALS, LUG AND SPLICES, CONDUCTOR, CRIMP STYLE, COPPER, INSULATED, RECTANGULAR TONGUE, FOR THIN WALL WIRE, TYPE II, CLASS 1 FOR 105 ?C TOTAL CONDUCTOR TEMPERATURE	2016	SAE	0
10461	AS7928-5B	(R) TERMINALS, LUG AND SPLICES, CONDUCTOR, CRIMP STYLE, SPLICE, ELECTRIC (PERMANENT, TYPE II, CLASS 1) FOR 105 ?C TOTAL CONDUCTOR TEMPERATURE	2016	SAE	0
10462	AS681K	Gas Turbine Engine Performance Presentation for Computer Programs	2016	SAE	0
10463	AS6414	Manufacturing Processing Requirements for Molded Elastomer Components Used in Aerospace Applications	2016	SAE	0
10464	AS6279A	Standard Practice for Production, Distribution, and Procurement of Metal Stock	2016	SAE	0
10465	AS6285	Aircraft Ground Deicing/Anti-Icing Processes	2016	SAE	0
10466	AS6286.5	Health, Safety and First Aid	2016	SAE	0
10467	AS6296	Electronic Flight Instrument System (EFIS) Displays	2016	SAE	0
10468	AS6173.2A	CUTTING TOOL, ELECTRICAL, WIRE CUTTING WITH GRIPPING TEETH, HAND ACTUATED, TYPE I, WIRE SIZES 26 THROUGH 10	2016	SAE	0
10469	AS6121C	(R) FITTING ASSEMBLY, TEE, AXIALLY SWAGED, HYDRAULIC, UP TO 1500 PSI	2016	SAE	0
10470	AMS2409H	Plating, Immersion Tin For Aluminum Alloys	2016	SAE	0
10471	AS7454B	Bolts and Screws, Steel, Low Alloy, Heat Resistant 135,000 psi Tensile Strength, Normalized and Tempered, Roll Threaded	2016	SAE	0
10472	AS7455B	Bolts and Screws, Steel, Low Alloy, Heat Resistant Hardened and Tempered, Roll Threaded - UNS K14675	2016	SAE	0
10473	AS7456C	Studs, Steel, Low Alloy Heat Treated, Roll Threaded	2016	SAE	0
10474	AS7458B	Studs, Steel, Low Alloy, Heat Resistant Normalized and Tempered, Roll Threaded 135000 psi Tensile Strength	2016	SAE	0
10475	AS6070.6	CABLE, HIGH PERFORMANCE, 4 PAIR, SHIELDED, 100 OHM, 200 ?C, ETHERNET 10G BASE T	2016	SAE	0
10476	AS6070.8	CABLE, LIGHTWEIGHT OPTIMIZED HIGH SPEED DATA QUAD, 110 OHM, 200 ?C	2016	SAE	0
10477	AS6070.5	CABLE, HIGH PERFORMANCE, 4 PAIR, SHIELDED, 100 OHM, 200 ?C, ETHERNET 1000 BASE T (10G BASE T TO 33 METERS)	2016	SAE	0
10478	AMS2369C	Quality Assurance Sampling Carbon and Low-Alloy Steel Castings	2016	SAE	0
10479	AS6118B	FITTING ASSEMBLY, STRAIGHT, FEMALE FLARELESS, AXIALLY SWAGED, HYDRAULIC, UP TO 1500 PSI	2016	SAE	0
10480	AMS2370L	Quality Assurance Sampling and Testing Carbon and Low-Alloy Steel Wrought Products and Forging Stock	2016	SAE	0
10481	AS6121D	FITTING ASSEMBLY, TEE, AXIALLY SWAGED, HYDRAULIC, UP TO 1500 PSI	2016	SAE	0
10482	AS6030A	Interface Standard, Common Interface Control Plan	2016	SAE	0
10483	AMS2355L	Quality Assurance, Sampling and Testing Aluminum Alloys and Magnesium Alloy Wrought Products (Except Forging Stock), and Rolled, Forged, or Flash Welded Rings	2016	SAE	0
10484	AS5972F	FITTING ASSEMBLY, TEE AXIALLY SWAGED, HYDRAULIC, 5080 PSI	2016	SAE	0
10485	AS5974E	FITTING ASSEMBLY, STRAIGHT, FEMALE FLARELESS, AXIALLY SWAGED, HYDRAULIC, 5080 PSI	2016	SAE	0
10486	AS5928A	BEARING, ROLLER, NEEDLE, DOUBLE ROW, HEAVY DUTY, TRACK ROLLER, SEALED, TYPE VI, ANTI-FRICTION, CORROSION RESISTANT NITROGEN (CREN) STEEL, INCH	2016	SAE	0
10487	AS5927A	BEARING, ROLLER, NEEDLE, SINGLE ROW, HEAVY DUTY, TRACK ROLLER, SEALED, TYPE V, ANTI-FRICTION, CORROSION RESISTANT NITROGEN (CREN) STEEL, INCH	2016	SAE	0
10488	AS5929A	BEARING, ROLLER, NEEDLE, TRACK-ROLLER, CROWN RADIUSED O.D., INTEGRAL STUD, TYPE VII, ANTI-FRICTION, CORROSION RESISTANT NITROGEN (CREN) STEEL AND CORROSION RESISTANT (CRES) STEEL, INCH	2016	SAE	0
10489	AS5810B	FITTING ASSEMBLY, TEE, MALE FLARELESS ON THE RUN, AXIALLY SWAGED ON THE RUN AND THE BRANCH, HYDRAULIC, 3000 PSI	2016	SAE	0
10490	AS5729A	(R) O-RING MOLDED FROM AMS7379 (FLUOROCARBON) MATERIAL	2016	SAE	0
10491	AS5768.1D	TOOL, STRIPPER, MANUALLY ACTUATED, ELECTRICAL INSULATION, ROUND WIRE, SIZE 10 TO 30	2016	SAE	0
10492	AS5804B	FITTING ASSEMBLY, TEE, FEMALE FLARELESS AND AXIALLY SWAGED ON THE RUN, AXIALLY SWAGED ON THE BRANCH, HYDRAULIC, 3,000 PSI	2016	SAE	0

10493	AS5806A	FITTING ASSEMBLY, TEE, AXIALLY SWAGED ON THE RUN, FEMALE FLARELESS ON THE BRANCH, HYDRAULIC, 3,000 PSI	2016	SAE	0
10494	AS5553B	(R) Counterfeit Electrical, Electronic, and Electromechanical (EEE) Parts; Avoidance, Detection, Mitigation, and Disposition	2016	SAE	0
10495	AS5643B	IEEE-1394b Interface Requirements for Military and Aerospace Vehicle Applications	2016	SAE	0
10496	AS5658A	Platform/Subsystem Common Interface Control Document Format	2016	SAE	0
10497	AS5681B	Minimum Operational Performance Specification for Remote On-Ground Ice Detection Systems	2016	SAE	0
10498	AS5528C	Lubricant Application, Solid Film, Heat Cured, Corrosion Inhibiting	2016	SAE	0
10499	AS5502D	Standard Requirements for Aerospace Sealants and Adhesion Promoters	2016	SAE	0
10500	AS5467	General Requirements for Hydraulic Fuse - Flow Rate	2016	SAE	0
10501	AMS2241S	Tolerances, Corrosion and Heat-Resistant Steel, Iron Alloy, Titanium, and Titanium Alloy Bars and Wire	2016	SAE	0
10502	AS5391A	Helicopter Health and Usage Monitoring System Accelerometer Interface Specification	2016	SAE	0
10503	AMS2232H	(R) Tolerances Carbon Steel, Sheet, Strip, and Plate	2016	SAE	0
10504	AS5363A	Electromechanical Power Controller/Relay, General Specification For	2016	SAE	0
10505	AS51989B	STUD, LOCKED IN-RING LOCKED, SERRATED	2016	SAE	0
10506	AS51990B	RING, LOCK, SERRATED	2016	SAE	0
10507	AS51992B	STUD, LOCKED IN-RING, SERRATED, HIGH STRENGTH	2016	SAE	0
10508	AS4875A	Fittings, Straight Threaded Boss or Flanged, Fluid Connection	2016	SAE	0
10509	AS4875.2A	Fittings, Flanged to Beaded, Fluid Connection	2016	SAE	0
10510	AS4875.3A	(R) Fittings, Straight Thread Port or Flanged to 24? Cone Flareless, Fluid Connection	2016	SAE	0
10511	AS4875.1A	(R) Fittings, Straight Thread Boss or Flanged 37? Flared, Fluid Connection	2016	SAE	0
10512	AS4842A	Fittings and Bosses, Pipe Threaded, Fluid Connection	2016	SAE	0
10513	AS4843.1A	(R) Fittings, Beaded to 37? Flared, Fluid Connection	2016	SAE	0
10514	AS4843.2A	(R) Fittings, Beaded to Pipe Threaded, Fluid Connection	2016	SAE	0
10515	AS4842.1A	(R) Fittings, 37? Flared to Pipe Threaded, Fluid Connection	2016	SAE	0
10516	AS4842.2A	(R) Fittings, Flareless to Pipe Threaded, Fluid Connection	2016	SAE	0
10517	AS4843A	Fittings, Beaded, Fluid Connection	2016	SAE	0
10518	AS4859B	FITTING, COUPLING PIPE, INTERNAL THREAD	2016	SAE	0
10519	AS4861B	FITTING, BUSHING, PIPE, INTERNAL AND EXTERNAL THREAD	2016	SAE	0
10520	AS50571B	Lights, Instrument, Individual, General Specification For	2016	SAE	0
10521	AS4799B	HOSE ASSEMBLY, LINED SILICONE, 125 PSI, FIXED CAVITY COUPLING, POTABLE WATER, STRAIGHT FEMALE TO STRAIGHT FEMALE	2016	SAE	0
10522	AS4623E	Hose Assembly, Polytetrafluoroethylene, Para-Aramid Reinforced, 3,000 psi, 275 Ī°F, Heavy Duty, Aircraft Hydraulic Systems	2016	SAE	0
10523	AS4130C	ELBOW, 45Ī° BULKHEAD, STANDARD AND REDUCER, REDUCED BODY, FLARELESS	2016	SAE	0
10524	AS4134C	TEE, BULKHEAD ON RUN, STANDARD AND REDUCER, REDUCED BODY, FLARELESS	2016	SAE	0
10525	AS4136C	CROSS, STANDARD AND REDUCER, REDUCED BODY, FLARELESS	2016	SAE	0
10526	AS4167C	(R) Wrenches; Flare Nut, Crowfoot, 12 Point Non-distorting	2016	SAE	0
10527	AMS1476C	Deodorant, Aircraft Toilet	2016	SAE	0
10528	AS4461C	Assembly and Soldering Criteria for High Quality/High Reliability Soldering Wire and Cable Termination in Aerospace Vehicles	2016	SAE	0
10529	AMS1428H	Fluid, Aircraft Deicing/Anti-Icing, Non-Newtonian (Pseudoplastic), SAE Types II, III, and IV	2016	SAE	0
10530	AMS1424.2	Deicing/Anti-Icing Fluid, Aircraft SAE Type I Non-Glycol Based	2016	SAE	0

10531	AMS1424M	Deicing/Anti-Icing Fluid, Aircraft SAE Type 1	2016	SAE	0
10532	AS39029-50B	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED (FOR MIL-DTL-83733 CONNECTOR)	2016	SAE	0
10533	AS39029-51B	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED (FOR MIL-DTL-83733 CONNECTOR)	2016	SAE	0
10534	AMS1426D	Fluid, Deicing/Anti-Icing, Runways and Taxiways Glycol Base	2016	SAE	0
10535	AS39029.102A	(R) CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, COAXIAL, SIZE 12 (FOR MIL-DTL-38999 SERIES I, II, III AND IV CONNECTORS)	2016	SAE	0
10536	AS39029.103A	(R) CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, COAXIAL, SIZE 12 (FOR MIL-DTL-38999 SERIES I, II, III AND IV CONNECTORS)	2016	SAE	0
10537	AS39029.106C	(R) CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR MIL-DTL-38999 SERIES I, III, IV, MIL-DTL-55302 AND AS29600 SERIES A CONNECTORS)	2016	SAE	0
10538	AS39029.107C	(R) CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-DTL-38999 SERIES I, III, IV, MIL-DTL-55302 AND AS29600 SERIES A CONNECTORS)	2016	SAE	0
10539	AS39029.10C	(R) CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, THERMOCOUPLE (FOR MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, MIL-DTL-83723 SERIES I AND III, AND MIL-DTL-83733 CONNECTORS)	2016	SAE	0
10540	AS39029.117	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, ENGINE APPLICATION, (FOR MIL-DTL-38999 SERIES I, III, AND IV CONNECTORS)	2016	SAE	0
10541	AS39029.118	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, ENGINE APPLICATION (FOR MIL-DTL-38999 SERIES I, III, AND IV CONNECTORS)	2016	SAE	0
10542	AS39029.17C	(R) CONTACTS, ELECTRICAL CONNECTOR SOCKET, CRIMP REMOVABLE (FOR AS81511 SERIES 3 CONNECTORS)	2016	SAE	0
10543	AS39029.18C	(R) CONTACTS, ELECTRICAL CONNECTOR, PIN CRIMP REMOVABLE (FOR AS81511 SERIES 3 AND 4 CONNECTORS)	2016	SAE	0
10544	AS39029.22C	CONTACTS, ELECTRICAL, CONNECTOR, SOCKET,CRIMP REMOVABLE (FOR AS81714 TERMINAL JUNCTION SYSTEM SERIES II)	2016	SAE	0
10545	AS39029.27B	(R) CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, SIZE 12 (FOR MIL-DTL-38999 SERIES II CONNECTORS)	2016	SAE	0
10546	AS39029.28B	(R) CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED, SIZE 12 (FOR MIL-DTL-38999 SERIES I, II, III AND IV CONNECTORS)	2016	SAE	0
10547	AS39029.59B	(R) CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, SIZE 8 (FOR MIL-DTL-38999 SERIES I, III, AND IV CONNECTORS)	2016	SAE	0
10548	AS39029.5C	(R) CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, MIL-DTL-83723 SERIES I AND III, MIL-DTL-83733 CONNECTORS, MIL-DTL-12883/40, AND /41 RELAY SOCKETS)	2016	SAE	0
10549	AS39029.75B	(R) CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, SIZE 12 (FOR MIL-DTL-38999 SERIES I, III, AND IV CONNECTORS)	2016	SAE	0
10550	AS39029.84B	(R) CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-DTL-28840 CONNECTORS)	2016	SAE	0
10551	AS39029.92B	(R) CONTACTS, ELECTRICAL CONNECTOR, SOCKET REMOVABLE (FOR MIL-PRF-6106 AND MIL-DTL-12883/40 AND /41 RELAY SOCKETS)	2016	SAE	0
10552	AS39029.9C	(R) CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, THERMOCOUPLE, (FOR MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, MIL-DTL-83723 SERIES I AND III, AND MIL-DTL-83733 CONNECTORS)	2016	SAE	0
10553	AMS1424.1	Deicing/Anti-Icing Fluid, Aircraft SAE Type I Glycol (Conventional and Non-Conventional) Based	2016	SAE	0
10554	AS39029-113B	(R) CONTACT, ELECTRICAL CONNECTOR, CONCENTRIC TWINAX, PIN, SIZE 8, (FOR MIL-DTL- 38999 SERIES I, III, AND IV CONNECTORS)	2016	SAE	0

10555	AS39029-114B	(R) CONTACT, ELECTRICAL CONNECTOR, CONCENTRIC TWINAX, SOCKET, SIZE 8, MIL-DTL-38999 SERIES I, III, AND IV	2016	SAE	0
10556	AS36100B	Air Cargo Unit Load Devices - Performance Requirements and Test Parameters	2016	SAE	0
10557	AS3574B	(R) BOLT, SHEAR - DOUBLE HEX HEAD, UNS N07718 - 185 KSI	2016	SAE	0
10558	AS3547A	(R) ASSEMBLY NUT AND CLIP, REMOVABLE SELF-LOCKING NUT - UNS S66286	2016	SAE	0
10559	AS3548A	(R) BASKET, REMOVABLE SELF-LOCKING NUT, UNS S66286	2016	SAE	0
10560	AS3549A	(R) SLEEVE, REMOVABLE SELF-LOCKING NUT, UNS S30403	2016	SAE	0
10561	AS3550A	(R) ASSEMBLY NUT, PLATE, REMOVABLE SELF-LOCKING NUT	2016	SAE	0
10562	AS3565A	WASHER, FLAT, COUNTERSUNK UNS S66286	2016	SAE	0
10563	AS34661B	CONNECTOR, RECEPTACLE, ELECTRIC, HERMETIC, SOLDER TYPE, BOX MOUNTING, PUSH-PULL COUPLING, SERIES 3 (CLASS H)	2016	SAE	0
10564	AS3479F	NUT, SELF-LOCKING, PLATE, ONE LUG, FLOATING, LOW HEIGHT, UNS S66286, CLASS: 125 KSI/800 ï°F	2016	SAE	0
10565	AS3510C	CABLE, SAFETY, KIT, CORROSION AND HEAT RESISTANT STEEL, UNS S32100	2016	SAE	0
10566	AS3413B	BOLT, MACHINE - HEXAGON HEAD, PD SHANK UNS N07718, 185 KSI, .1900-32 UNJF-3A (STRESS RUPTURE RESISTANT)	2016	SAE	0
10567	AS34121C	CONNECTORS, RECEPTACLE, ELECTRIC, WALL MOUNTING, FRONT RELEASE, CRIMP CONTACT, AN TYPE â WITH ACCESSORY THREADS	2016	SAE	0
10568	AS33700B	INSERT ARRANGEMENTS, ELECTRIC CONNECTOR, SHELL SIZE 12 (FOR AS81703 CONNECTORS)	2016	SAE	0
10569	AS3163A	NUT, PLAIN - O.D. SLOTS, KEY WASHER LOCKED, LOW ALLOY STEEL (SAE 8740), AS8879	2016	SAE	0
10570	J1065(2)	(R) PRESSURE RATINGS FOR HYDRAULIC TUBING AND FITTINGS	2016	SAE	0
10571	AS9890B	BOLT, MACHINE â DOUBLE HEXAGON EXTENDED WASHER HEAD, CRES UNS S41800, .5000-20 UNJF	2016	SAE	0
10572	AS9724C	(R) BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, CORROSION AND HEAT RESISTANT STEEL, UNS NO7001, 165 KSI MIN, .2500-28 UNJF-3A	2016	SAE	0
10573	AS9698C	BOLT, MACHINE â DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, CORROSION AND HEAT RESISTANT NICKEL ALLOY (UNS N07001), 165 KSI MIN, .3125-24 UNJF-3A	2016	SAE	0
10574	AS9699B	(R) BOLT, MACHINE â DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, CORROSION AND HEAT RESISTANT NICKEL ALLOY (UNS N07001), 165 KSI MIN, .3750-24 UNJF-3A	2016	SAE	0
10575	AS9685B	BOLT, MACHINE - HEXAGON HEAD, DRILLED, 1 HOLE, PD SHANK, STEEL, UNS K14675, DIFFUSED NICKELCADMIUM PLATE, 195 KSI MIN, .1900-32 UNJF-3A	2016	SAE	0
10576	AS9686B	BOLT, MACHINE â HEXAGON HEAD, DRILLED, 1 HOLE, PD SHANK, STEEL, UNS K14675, DIFFUSED NICKELCADMIUM PLATE, 195 KSI MIN, .2500-28 UNJF-3A	2016	SAE	0
10577	AS9687B	BOLT, MACHINE â HEXAGON HEAD, DRILLED, 1 HOLE, PD SHANK, STEEL, UNS K14675, DIFFUSED NICKELCADMIUM PLATE, 195 KSI MIN, .3125-24 UNJF-3A	2016	SAE	0
10578	AS9589A	BOLT, MACHINE-HEXAGON HEAD, DRILLED, 6 HOLES, FULL SHANK, CORROSION AND HEAT RESISTANT STEEL (UNS S66286), .5625-18 UNJF-3A	2016	SAE	0
10579	AS9574B	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, 130 KSI MIN, .1900-32 UNJF-3A	2016	SAE	0
10580	AS9575C	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, 130 KSI MIN, .2500-28 UNJF-3A	2016	SAE	0
10581	AS9576C	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, 130 KSI MIN, .3125-24 UNJF-3A	2016	SAE	0
10582	AS9579B	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, 130 KSI MIN, .5000-20 UNJF-3A	2016	SAE	0
10583	AS9573B	SCREW, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, 130 KSI MIN, .1640-36 UNJF-3A	2016	SAE	0

10584	AS9527B	(R) SCREW, MACHINE STEEL UNS G87400, CADMIUM PLATE, DRILLED, 1 HOLE, HEXAGON HEAD, .1380-40 UNJF-3A	2016	SAE	0
10585	AS9528B	SCREW, MACHINE STEEL UNS G87400, CADMIUM PLATE, DRILLED, 1 HOLE, HEXAGON HEAD, .164-36 UNJF-3A	2016	SAE	0
10586	AS9529B	BOLT, MACHINE - STEEL UNS G87400, CADMIUM PLATE, DRILLED, 1 HOLE, HEXAGON HEAD, .1900-32 UNJF-3A	2016	SAE	0
10587	AS9459B	BOLT, MACHINE - STEEL, AMS6304 (UNS K14675), DIFFUSED NICKEL-CADMIUM PLATED HEXAGON HEAD, .7500-16 UNJF-3A	2016	SAE	0
10588	AS9500B	(R) BOLT, MACHINE â__ HEXAGON HEAD DRILLED, 1 HOLE, FULL SHANK, CRES, UNS S66286, 130 KIS MIN, .1900-32 UNJF-3A	2016	SAE	0
10589	AS9501B	(R) BOLT, MACHINE â__ HEXAGON HEAD, DRILLED, 1 HOLE, FULL SHANK CRES, UNS S66286, 130 KSI MIN, . 2500-28 UNJF-3A	2016	SAE	0
10590	AS9502B	(R) BOLT, MACHINE - HEXAGON HEAD, DRILLED, 1 HOLE, FULL SHANK, CRES, UNS S66286, 130 KSI MIN, .3125-24 UNJF-3A	2016	SAE	0
10591	AMS2485L	Coating, Black Oxide	2016	SAE	0
10592	AS9505B	BOLT, MACHINE â__ HEXAGON HEAD, DRILLED, 1 HOLE, FULL SHANK, CRES, UNS S66286, 130 KSI MIN, .5000-20 UNJF-3A	2016	SAE	0
10593	AS9503B	(R) BOLT, MACHINE â__ HEXAGON HEAD, DRILLED, 1 HOLE, FULL SHANK, CRES, UNS S66286, 130 KSI MIN, .3750-24 UNJF-3A	2016	SAE	0
10594	AS9133A	Qualification Procedure for Aerospace Standard Products	2016	SAE	0
10595	AS9117	Delegated Product Release Verification	2016	SAE	0
10596	AS90708A	(R) RING, RETAINING, EXTERNAL, INTERLOCKING	2016	SAE	0
10597	AS9100D	(R) Quality Management Systems - Requirements for Aviation, Space and Defense Organizations	2016	SAE	0
10598	AS90387D	(R) WIRING INSTALLATION TOOLS FOR PLASTIC AND METAL TIEDOWN STRAPS	2016	SAE	0
10599	AS9015A	Supplier Self Verification Process Delegation Programs	2016	SAE	0
10600	AS90328A	(R) CABLE ASSEMBLY EXTERNAL ELECTRIC POWER, AIRCRAFT 115/200 VOLT, 400 HERTZ	2016	SAE	0
10601	AS8914B	Bearing, Roller, Self-Aligning, Airframe, Antifriction	2016	SAE	0
10602	AS85049-81B	(R) CONNECTOR ACCESSORIES, ELECTRICAL, SEAL PLUG, SIZE 10, CATEGORY 7 (FOR MIL-DTL-38999 CONNECTORS)	2016	SAE	0
10603	AS85049-91D	(R) CONNECTOR ACCESSORIES, COMPOSITE, ELECTRICAL, STRAIN RELIEF, STRAIGHT, SELF-LOCKING, CATEGORY 4C (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2016	SAE	0
10604	AS85049-92C	(R) CONNECTOR ACCESSORIES, COMPOSITE, ELECTRICAL, STRAIN RELIEF, 90?, SELF-LOCKING, CATEGORY 4C (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2016	SAE	0
10605	AS85049D	Connector Accessories, Electrical General Specification For	2016	SAE	0
10606	AS85485.10A	(R) CABLE, ELECTRIC, FILTER LINE, SMALL DIAMETER, COMPONENT WIRE, SILVER-COATED HIGH-STRENGTH COPPER ALLOY CONDUCTOR, RADIO FREQUENCY ABSORPTIVE, 150 ?C, 600-VOLT	2016	SAE	0
10607	AS85485.11A	(R) CABLE, ELECTRIC, FILTER LINE, SMALL DIAMETER, UNSHIELDED, UNJACKETED, MULTIPLE-COMPONENT, RADIO FREQUENCY ABSORPTIVE, 150 ?C, 600-VOLT	2016	SAE	0
10608	AS85485.12A	(R) CABLE, ELECTRIC, FILTER LINE, SMALL DIAMETER WIRE, SHIELDED, JACKETED, RADIO FREQUENCY ABSORPTIVE, 150 ?C, 600-VOLT	2016	SAE	0
10609	AS85485.7A	(R) CABLE, ELECTRIC, FILTER LINE, UNSHIELDED, UNJACKETED, MULTIPLE-COMPONENT, RADIO FREQUENCY ABSORPTIVE, 150 ?C, 600-VOLT	2016	SAE	0
10610	AS85485.8A	(R) CABLE, ELECTRIC, FILTER LINE, SHIELDED, JACKETED, RADIO FREQUENCY ABSORPTIVE, 150 ?C, 600-VOLT	2016	SAE	0
10611	AS85485.9A	(R) CABLE, ELECTRIC, FILTER LINE, SMALL DIAMETER COMPONENT WIRE, TIN-COATED COPPER CONDUCTOR, RADIO FREQUENCY, ABSORPTIVE, 150 ?C, 600-VOLT	2016	SAE	0

10612	AS85049-143A	(R) CONNECTOR ACCESSORIES, BACKSHELL, STRAIN RELIEF, CATEGORY 4C (FOR AS81714, SIZE 22, 20, AND 16 TERMINAL JUNCTION BLOCKS)	2016	SAE	0
10613	AS85028-6B	CONNECTOR, ELECTRIC, RECTANGULAR, INDIVIDUAL CONTACT SEALING, POLARIZED CENTER JACKSCREW, REPLACEMENT TOOL, WIRE SEAL, SIZE 16, CRIMP REMOVABLE CONTACTS	2016	SAE	0
10614	AS85049.6C	(R) CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, CABLE SEALING, 45?, SHIELD TERMINATION, CATEGORY 1A (FOR AS50151 CRIMP, AS95234, MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, AND MIL-DTL-83723 SERIES III CONNECTORS)	2016	SAE	0
10615	AS85049.76C	(R) CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, 90?, SHIELD TERMINATION, CATEGORY 2B, NONSELF-LOCKING (MIL-DTL-38999 SERIES I AND II CONNECTORS)	2016	SAE	0
10616	AS85049.7C	(R) CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, CABLE SEALING, 45?, CATEGORY 1A (FOR AS50151 CRIMP, AS95234, MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, AND MIL-DTL-83723 SERIES III CONNECTORS)	2016	SAE	0
10617	AS85049.104C	(R) CONNECTORS, ACCESSORIES, COMPOSITE, RFI/EMI, ELECTRICAL, STRAIN RELIEF, 45?, SELF-LOCKING, CATEGORY 3C (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2016	SAE	0
10618	AS85049.105C	(R) CONNECTORS, ACCESSORIES, COMPOSITE, RFI/EMI, ELECTRICAL, STRAIN RELIEF, 90?, SELF-LOCKING, CATEGORY 3C (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2016	SAE	0
10619	AS85049.10C	(R) CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, CABLE SEALING, STRAIGHT, SHIELD TERMINATION, CATEGORY 1A (FOR AS50151 CRIMP, AS95234, MIL-DTL-26482 SERIES 2, AS81703 SERIES 3 AND MIL-DTL-83723 SERIES III CONNECTORS	2016	SAE	0
10620	AS85049.123C	(R) CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90? SELF-LOCKING, AND NON-SELF-LOCKING, CATEGORY 4C (FOR MIL-DTL-38999 SERIES I AND II CONNECTORS)	2016	SAE	0
10621	AS85049.130C	(R) CONNECTOR ACCESSORIES, ELECTRICAL GASKETING MATERIAL, CONDUCTIVE/ NON-CONDUCTIVE, FLANGE MOUNT, CATEGORY 7	2016	SAE	0
10622	AS85049.15C	NULL	2016	SAE	0
10623	AS85049.16C	(R) CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90?, NON-SELF-LOCKING AND SELF-LOCKING, CATEGORY 4C (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2016	SAE	0
10624	AS85049.17C	(R) CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, STRAIGHT, SHIELD TERMINATION, CATEGORY 2B (FOR MIL-DTL-38999 SERIES I AND II CONNECTORS)	2016	SAE	0
10625	AS85049.19C	(R) CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, RFI/EMI, CATEGORY 3B (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2016	SAE	0
10626	AS85049.21C	(R) CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, CATEGORY 3B (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2016	SAE	0
10627	AS85049.23B	(R) CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, 45?, SHIELD TERMINATION, CATEGORY 3A (FOR AS50151 CRIMP, AS95234, MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, AND MIL-DTL-83723 SERIES III CONNECTORS)	2016	SAE	0
10628	AS85049.25B	(R) CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, SHIELD TERMINATION, CATEGORY 3A (FOR AS50151 CRIMP, MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, AND MIL-DTL-83723 SERIES III CONNECTORS)	2016	SAE	0
10629	AS85049.26C	(R) CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NON-ENVIRONMENTAL, STRAIGHT, SHIELD TERMINATION, CATEGORY 3B (FOR AS50151 CRIMP, AS95234, MIL-DTL-26482 SERIES 2, AS81703 SERIES 3 AND MIL-DTL-83723 SERIES III CONNECTORS)	2016	SAE	0
10630	AS85049.29C	(R) CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, CATEGORY 3B (FOR MIL-DTL-38999 SERIES I AND II CONNECTORS)	2016	SAE	0
10631	AMS2448B	Application of Tungsten Carbide Coatings on Ultra High Strength Steels High Velocity Oxygen / Fuel Process	2016	SAE	0
10632	AS85049.30B	(R) CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, INDIVIDUAL SHIELDED WIRE TERMINATION, CATEGORY 3B (FOR MIL-DTL-38999 SERIES I AND II CONNECTORS)	2016	SAE	0
10633	AS85049.37B	(R) CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, SPLIT 90?, EMI/RFI SHIELDED TERMINATION, CATEGORY 3B (FOR MIL-DTL-38999 SERIES I AND II CONNECTORS)	2016	SAE	0

10634	AS85049.49D	(R) CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, STRAIGHT, SELF-LOCKING AND NON-SELF-LOCKING, CATEGORY 4C (MIL-DTL-38999 SERIES I AND II CONNECTORS)	2016	SAE	0
10635	AS85049.52D	(R) CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, NONENVIRONMENTAL, SELF-LOCKING AND NON-SELF-LOCKING, STRAIGHT, CATEGORY 4B (FOR AS50151 CRIMP, AS95234, MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, AND MIL-DTL-83723 SERIES III CONNECTOR	2016	SAE	0
10636	AS85049.53C	(R) CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, NONENVIRONMENTAL, STRAIGHT, CATEGORY 4C (FOR AS50151 CRIMP, AS95234, MIL-DTL-26482 SERIES 2, S81703	2016	SAE	0
10637	AS85049.55D	(R) CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, NONENVIRONMENTAL, 90?, SELF-LOCKING AND NON-SELF-LOCKING, CATEGORY 4C (FOR AS50151 CRIMP, AS95234, MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, AND MIL-DTL-83723 SERIES III CONNECTORS)	2016	SAE	0
10638	AS85049.56B	(R) CONNECTOR ACCESSORIES, ELECTRICAL, STRAINRELIEF, STRAIGHT, CATEGORY 4C (MIL-DTL-38999 SERIES I AND II CONNECTORS)	2016	SAE	0
10639	AS85049.57D	NULL	2016	SAE	0
10640	AS85049.58C	(R) CONNECTOR ACCESSORIES, ELECTRICAL, RING, POTTING BOOT, CATEGORY 5 (MIL-DTL-38999 SERIES I AND II CONNECTORS)	2016	SAE	0
10641	AS85049.63D	(R) CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90?, SELF-LOCKING AND NON-SELF-LOCKING, CATEGORY 4C (MIL-DTL-38999 SERIES I AND II CONNECTORS)	2016	SAE	0
10642	AS85028-1B	CONNECTOR, ELECTRIC, RECTANGULAR, INDIVIDUAL CONTACT SEALING, POLARIZED CENTER JACKSCREW, PLUG, CRIMP REMOVABLE PIN CONTACTS, CLASS	2016	SAE	0
10643	AS85028-2B	CONNECTOR, ELECTRIC, RECTANGULAR, INDIVIDUAL CONTACT SEALING, POLARIZED CENTER HARDWARE, RECEPTACLE, CRIMP REMOVABLE SOCKET CONTACTS, CLASS E	2016	SAE	0
10644	AS83519.1A	(R) SHIELD TERMINATION, SOLDER STYLE, INSULATED, HEAT-SHRINKABLE, ENVIRONMENT RESISTANT FOR CABLES HAVING TIN OR SILVER PLATED SHIELDS (CLASS I)	2016	SAE	0
10645	AS83519.2A	NULL	2016	SAE	0
10646	AS85028.3A	CONNECTOR, ELECTRIC, RECTANGULAR, INDIVIDUAL CONTACT SEALING, POLARIZED CENTER JACKSCREW, INTERFACIAL SEAL, SIZE 16, CRIMP CONTACTS	2016	SAE	0
10647	AS85028.4A	CONNECTOR, ELECTRIC, RECTANGULAR, INDIVIDUAL CONTACT SEALING, POLARIZED CENTER JACKSCREW, SEALING PLUG, SIZE 16, CRIMP REMOVABLE CONTACTS	2016	SAE	0
10648	AS85028.5A	CONNECTOR, ELECTRIC, RECTANGULAR, INDIVIDUAL CONTACT SEALING, POLARIZED CENTER JACKSCREW, WIRE SEAL, SIZE 16, CRIMP REMOVABLE CONTACTS	2016	SAE	0
10649	AS81969.8A	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE I & II, CLASS 2, COMPOSITION A	2016	SAE	0
10650	AS81935-3C	NULL	2016	SAE	0
10651	AS81934B	Bearings, Sleeve, Plain and Flanged, Self-Lubricating	2016	SAE	0
10652	AS83461.1B	M83461 O-RING MOLDED FROM AMS-P-83461 RUBBER	2016	SAE	0
10653	AS83461-2B	(R) STRAIGHT THREAD TUBE FITTING BOSS O-RING MOLDED FROM AMS-P-83461 RUBBER	2016	SAE	0
10654	AS81914.4C	TUBING, PLASTIC, EXTRA FLEXIBLE, CONVOLUTED, HELICAL, FLUORINATED ETHYLENE PROPYLENE (FEP), CLOSE CONVOLUTION	2016	SAE	0
10655	AS81914.5B	TUBING, PLASTIC, EXTRA FLEXIBLE, CONVOLUTED, HELICAL, ETHYLENE TETRAFLUOROETHYLENE (ETFE), CLOSE CONVOLUTION	2016	SAE	0
10656	AS81914.6B	TUBING, PLASTIC, FLEXIBLE, CONVOLUTED, HELICAL ETHYLENE TETRAFLUOROETHYLENE (ETFE), STANDARD CONVOLUTION	2016	SAE	0
10657	AS81914.7A	(R) TUBING, PLASTIC, FLEXIBLE, CONVOLUTED WITH INTEGRAL BRAID(S)	2016	SAE	0
10658	AS81914.9B	TUBING, PLASTIC, FLEXIBLE, CONVOLUTED, HELICAL PERFLUOROALKOXY (PFA), STANDARD CONVOLUTION	2016	SAE	0
10659	AS81914.3B	TUBING, PLASTIC, FLEXIBLE, CONVOLUTED, HELICAL FLUORINATED ETHYLENE PROPYLENE (FEP) STANDARD CONVOLUTION	2016	SAE	0

10660	AS81914.10A	(R) TUBING, PLASTIC, EXTRA FLEXIBLE, CONVOLUTED, HELICAL, PERFLUOROALKOXY (PFA), CLOSE CONVOLUTION	2016	SAE	0
10661	AS81914.11B	TUBING, PLASTIC, LIGHTWEIGHT, ZERO HALOGEN, EXTRA FLEXIBLE, CONVOLUTED, HELICAL, CLOSE CONVOLUTION, POLYETHERETHERKEYTONE (PEEK)	2016	SAE	0
10662	AS81824D	Splice, Electric, Crimp, Copper, Environment Resistant	2016	SAE	0
10663	AS81824.12A	SPLICE, ELECTRIC, PERMANENT, CRIMP STYLE, TINCOATED COPPER, INSULATED, ENVIRONMENT RESISTANT, CLASS 1, 150 ?C, HEATLESS SEALING	2016	SAE	0
10664	AS81824-14B	SPLICE, ELECTRIC, PERMANENT, CRIMP STYLE, NICKEL-COATED COPPER, INSULATED, ENVIRONMENT RESISTANT, CLASS 1, 175 ?C, HEATLESS SEALING	2016	SAE	0
10665	J1163(2)	Determining Seat Index Point	2016	SAE	0
10666	J1121(2)	Helical Compression and Extension Spring Terminology	2016	SAE	0
10667	J1122(2)	Helical Springs: Specification Check Lists	2016	SAE	0
10668	J1123(2)	Leaf Springs For Motor Vehicle Suspension - Made to Metric Units	2016	SAE	0
10669	J1127	Low Voltage Battery Cable	2015	SAE	0
10670	J1128(2)	Low Voltage Primary Cable	2015	SAE	0
10671	J1128(3)	Low Voltage Primary Cable	2015	SAE	0
10672	J1113-13(2)	Electromagnetic Compatibility Measurement Procedure for Vehicle ComponentsPart 13: Immunity to Electrostatic Discharge	2015	SAE	0
10673	J1149(2)	Metallic Air Brake System Tubing and Pipe	2015	SAE	0
10674	J1174(2)	Operator Ear Sound Level Measurement Procedure for Small Engine Powered Equipment	2015	SAE	0
10675	AS83461-1A	(R) M83461 O-RING MOLDED FROM AMS-P-83461 RUBBER	2015	SAE	0
10676	AS81969-9	REMOVAL TOOL, CONNECTOR, ELECTRICAL CONTACT, TYPE II, CLASS 1, COMPOSITION A	2015	SAE	0
10677	AS81969-15	REMOVAL TOOLS, CONNECTOR, ELECTRICAL CONTACT, TYPE II, CLASS 2, COMPOSITION A	2015	SAE	0
10678	AS81969-16	INSTALLING AND REMOVAL TOOLS, CONNECTOR, ELECTRICAL CONTACT, TYPE III, CLASS 1, COMPOSITION B	2015	SAE	0
10679	AMS2438E	(R) Plating, Chromium Thin, Hard, Dense Deposit	2015	SAE	0
10680	AS81969-20	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE II, CLASS 1, COMPOSITION A	2015	SAE	0
10681	AS81969-21	INSTALLING AND REMOVAL TOOLS, CONNECTOR, ELECTRICAL CONTACTS, INTERFACIAL SEAL, TYPE III, CLASS 1, COMPOSITION A	2015	SAE	0
10682	AS81969-22	REMOVAL TOOLS, CONNECTOR, ELECTRICAL CONTACT, (CRIMP REMOVABLE), TYPE II, CLASS 1, COMPOSITION A	2015	SAE	0
10683	AS81969-25	INSTALLING AND REMOVAL TOOLS, CONNECTOR, ELECTRICAL CONTACT, TYPE III, CLASS 2, COMPOSITION C	2015	SAE	0
10684	AS81969-27	REMOVAL TOOLS, CONNECTOR, ELECTRICAL CONTACT, TYPE II, CLASS 1, COMPOSITION A	2015	SAE	0
10685	AS81969-28	REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE II, CLASS 2, COMPOSITION C, REMOVAL TOOL ONLY	2015	SAE	0
10686	AS81969-29	REMOVAL TOOLS, CONNECTOR, ELECTRICAL CONTACT, TYPE II, CLASS 1, COMPOSITION B	2015	SAE	0
10687	AS81969-4	REMOVAL TOOLS, CONNECTOR, ELECTRICAL CONTACT, (FORK TYPE, WRAP POST/CRIMP REMOVABLE) TYPE II, CLASS 1, COMPOSITION C	2015	SAE	0
10688	AS81969-43	REMOVAL TOOLS, SOCKET HEAD, ELECTRONIC COMPONENTS, TYPE II, CLASS 1, COMPOSITION C	2015	SAE	0
10689	AS81969-5	INSTALLING TOOLS, CONNECTOR, ELECTRICAL CONTACT, (FORK TYPE, CRIMP REMOVABLE) TYPE I, CLASS 1, COMPOSITION A	2015	SAE	0
10690	AS81969-6	REMOVAL TOOLS, CONNECTOR, ELECTRICAL CONTACT, (TYPE CR CONNECTOR) TYPE II, CLASS 1, COMPOSITION A	2015	SAE	0

10691	AS81969-10	INSTALLING AND REMOVAL TOOLS, CONNECTOR, ELECTRICAL CONTACT, TYPE I AND II, CLASS 2, COMPOSITION B	2015	SAE	0
10692	AS81969-11	REMOVAL TOOLS, CONNECTOR, ELECTRICAL CONTACT, (FORK TYPE, WRAPPOST/CRIMP REMOVABLE) TYPE II, CLASS 1, COMPOSITION C	2015	SAE	0
10693	AS81969-12	NULL	2015	SAE	0
10694	AS81969-13	INSTALLING TOOLS, CONNECTOR, ELECTRICAL CONTACT, (TYPE CR) TYPE I, CLASS 1, COMPOSITION A	2015	SAE	0
10695	AS83519C	(R) Shield Termination, Solder Style, Insulated, Heat-Shrinkable, Environment Resistant General Specification For	2015	SAE	0
10696	AS83519-3A	SHIELD TERMINATION, SOLDER STYLE, INSULATED, HEAT-SHRINKABLE, ENVIRONMENT RESISTANT WITH PREINSTALLED BRAID, CLASS 1, NON-ROHS	2015	SAE	0
10697	AS85049-124C	(R) CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, STRAIGHT SELF-LOCKING, AND NON-SELF-LOCKING CATEGORY 4C (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2015	SAE	0
10698	AS85049-128E	SHIELD BAND, CONNECTOR ACCESSORIES, ELECTRICAL BACKSHELL, CATEGORY 7 (FOR AS85049/82 - /90, /93, /109 - /117 ACCESSORIES)	2015	SAE	0
10699	AS85049-145	CONNECTOR ACCESSORIES, ELECTRICAL BACKSHELL, 45 DEGREE, NON-SELF LOCKING AND SELF LOCKING, MS ôV¤ THREAD, CATEGORY 3B (FOR MIL-DTL-83723 SERIES III, AS50151 SERIES II & III, AS81703 SERIES III, MIL-DTL-26482 SERIES II AND AS95234 CONNECTORS)	2015	SAE	0
10700	AS85049-146	CONNECTOR ACCESSORIES, ELECTRICAL BACKSHELL, 90 DEGREE, NON-SELF LOCKING AND SELF LOCKING, MS ôV¤ THREAD, CATEGORY 3B (FOR MIL-DTL-83723 SERIES III, AS50151 SERIES II & III, AS81703 SERIES III, MIL-DTL-26482 SERIES II AND AS95234 CONNECTORS)	2015	SAE	0
10701	AS85049-149	CONNECTOR ACCESSORIES, ELECTRICAL BACKSHELL, EXTENDER, CATEGORY 7 (FOR USE ON MIL-DTL-38999/44 CONNECTORS)	2015	SAE	0
10702	AS85485-5A	NULL	2015	SAE	0
10703	AS85485-6A	(R) CABLE, ELECTRIC, FILTER LINE, COMPONENT WIRE, SILVER-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, RADIO FREQUENCY ABSORPTIVE, 150 ?C, 600-VOLT	2015	SAE	0
10704	AS85049-48C	(R) CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, STRAIGHT, CATEGORY 4C (FOR MIL-DTL-24308 CONNECTORS)	2015	SAE	0
10705	AS85049-4C	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, CABLE SEALING, STRAIGHT, SET-UP, CATEGORY 1A (FOR MIL-DTL-22992 CONNECTORS, CLASSES C, J, AND R)	2015	SAE	0
10706	AS85731-1B	FASTENER, ELECTRONIC EQUIPMENT, POSITIVE SELF-LOCKING	2015	SAE	0
10707	AS85731-2A	FASTENER, ELECTRONIC EQUIPMENT, POSITIVE SELF-LOCKING, FORCE LIMITING	2015	SAE	0
10708	AS85731B	Fastener, Positive Locking, Electronic Equipment, General Specification For	2015	SAE	0
10709	AS870E	WRENCHING CONFIGURATION, BI-HEXAGONAL (12 POINT) DRIVE, DESIGN STANDARD FOR (Stabilized Type)	2015	SAE	0
10710	AS9058C	RING - BACK-UP, BOSS CONNECTION, AMS 3652, AMS 3656, AMS 3660, AMS 3667 (Stabilized Type)	2015	SAE	0
10711	AS9105A	PIN, STRAIGHT, HEADLESS, AMS5688, LOCK (Stabilized Type)	2015	SAE	0
10712	AS9132B	(R) Data Matrix Quality Requirements for Parts Marking	2015	SAE	0
10713	AS91691B	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, BLACK OXIDE, STEEL, UNS G87400, 125 KSI MIN .1900-32 UNF-3A	2015	SAE	0
10714	AS91701B	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, BLACK OXIDE, STEEL, UNS G87400, 125 KSI MIN .2500-28 UNF-3A	2015	SAE	0
10715	AS91711B	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, BLACK OXIDE, STEEL, UNS G87400, 125 KSI MIN .3125-24 UNF-3A (Stabilized Type)	2015	SAE	0
10716	AS91721B	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, BLACK OXIDE, STEEL, UNS G87400, 125 KSI MIN .3750-24 UNF-3A (Stabilized Type)	2015	SAE	0
10717	AS9516B	SCREW, MACHINE - STEEL, CADMIUM PLATED, HEXAGON HEAD, UNS G87400, 125 KSI MIN, .1380-40 UNJF-3A (Stabilized Type)	2015	SAE	0

10718	AS9517B	SCREW, MACHINE - STEEL, CADMIUM PLATED, HEXAGON HEAD, UNS G87400, 125 KSI MIN, .1640-36 UNJF-3A (Stabilized Type)	2015	SAE	0
10719	AS9518C	BOLT, MACHINE - STEEL, CADMIUM PLATED, HEXAGON HEAD, UNS G87400, 125 KSI MIN, .1900-32 UNJF-3A	2015	SAE	0
10720	AS9519C	BOLT, MACHINE - HEXAGON HEAD, STEEL, CADMIUM PLATED, UNS G87400, 125 KSI MIN, .2500-28 UNJF-3A	2015	SAE	0
10721	AS9520C	BOLT, MACHINE - STEEL, CADMIUM PLATED, HEXAGON HEAD, UNS G87400, 125 KSI MIN, .3125-24 UNJF-3A (Stabilized Type)	2015	SAE	0
10722	AS9521C	BOLT, MACHINE - STEEL, CADMIUM PLATED, HEXAGON HEAD, UNS G87400, 125 KSI MIN, .3750-24 UNJF-3A (Stabilized Type)	2015	SAE	0
10723	AS9522C	BOLT, MACHINE - HEXAGON HEAD, STEEL, CADMIUM PLATED, UNS G87400, 125 KSI MIN, .4375-20 UNJF-3A (Stabilized Type)	2015	SAE	0
10724	AS9489D	BOLT, MACHINE - HEXAGON HEAD, FULL, SHANK, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, 130 KSI MIN, .1900-32 UNJF-3A	2015	SAE	0
10725	AS9449C	SCREW MACHINE - STEEL, DIFFUSED NICKELCADMIUM PLATED, HEXAGON HEAD UNS K14675, 195 KSI MIN, .1380-40 UNJF-3A	2015	SAE	0
10726	AS9526C	BOLT, MACHINE - STEEL, CADMIUM PLATED, HEXAGON HEAD, UNS G87400, 125 KSI MIN, .7500-16 UNJF-3A (Stabilized Type)	2015	SAE	0
10727	AS9523C	BOLT, MACHINE - STEEL, CADMIUM PLATED, HEXAGON HEAD, UNS G87400, 125 KSI MIN, .5000-20 UNJF-3A (Stabilized Type)	2015	SAE	0
10728	AS9524C	BOLT, MACHINE - HEXAGON HEAD, STEEL, CADMIUM PLATED, UNS G87400, 125 KSI MIN, .5625-18 UNJF-3A (Stabilized Type)	2015	SAE	0
10729	AS9530B	BOLT, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, CADMIUM PLATED, STEEL UNS G87400, 125 KSI MIN, .2500-28 UNJF-3A (Stabilized Type)	2015	SAE	0
10730	AMS2489A	Blackening of Steel Touch Up Method	2015	SAE	0
10731	AS9531B	BOLT, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, CADMIUM PLATED, STEEL UNS G87400, 125 KSI MIN, .3125-24 UNJF-3A (Stabilized Type)	2015	SAE	0
10732	AS9532B	BOLT, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, CADMIUM PLATED, STEEL UNS G87400, 125 KSI MIN, .3750-24 UNJF-3A	2015	SAE	0
10733	AS9533B	BOLT, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, CADMIUM PLATED, STEEL UNS G87400, 125 KSI MIN, .4375-20 UNJF-3A (Stabilized Type)	2015	SAE	0
10734	AS9572B	SCREW, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, 130 KSI MIN, .1380-40 UNJF-3A	2015	SAE	0
10735	AMS2491F	(R) Surface Treatment of Polytetrafluoroethylene (PTFE) Preparation for Bonding (Stabilized Type)	2015	SAE	0
10736	AS9400B	(R) BOLT, TEE HEAD - CADMIUM PLATED, STEEL, UNS G87400, 125 KSI MIN, CHAMFERED, .3750-24 UNJF-3A	2015	SAE	0
10737	AS9401B	(R) BOLT, TEE HEAD - CADMIUM PLATED, STEEL, UNS G87400, 125 KSI MIN, CHAMFERED, .4375-20 UNJF-3A	2015	SAE	0
10738	AMS2481K	Phosphate Treatment Antichafing	2015	SAE	0
10739	AS9402B	(R) BOLT, TEE HEAD - CADMIUM PLATED, STEEL, UNS G87400, 125 KSI MIN, CHAMFERED, .5000-20 UNJF-3A	2015	SAE	0
10740	AS9442C	BOLT, MACHINE - HEXAGON, DRILLED, 6 HOLES, PD SHANK, NICKEL CADMIUM PLATED, STEEL UNS K14675, 195 KSI MIN, .3125-24 UNJF-3A (Stabilized Type)	2015	SAE	0
10741	AS9450B	SCREW, MACHINE - STEEL, DIFFUSED NICKELCADMIUM PLATED, HEXAGON HEAD, DRILLED, UNS K14675, 195 KSI MIN, .1640-36 UNJF-3A (stabilized type)	2015	SAE	0
10742	AS9321A	WASHER, FLAT - AMS 5510 (Stabilized Type)	2015	SAE	0
10743	AS9208C	BOLT, MACHINE - STEEL, DIFFUSED NICKEL-CADMIUM PLATED, DOUBLE HEXAGON EXTENDED WASHER HEAD, UNS K14675, 195 KSI MIN, .1900-32 UNJF-3A	2015	SAE	0

10744	AS9283B	BOLT, MACHINE - HEXAGON HEAD, PD SHANK, BLACK OXIDE, STEEL UNS G87400, 125 KSI MIN, .1900-32 UNJF-3A	2015	SAE	0
10745	AS9284B	BOLT, MACHINE - HEXAGON HEAD, PD SHANK, BLACK OXIDE, STEEL UNS G87400, 125 KSI MIN, .2500-28 UNJF-3A	2015	SAE	0
10746	AS9285B	BOLT, MACHINE - HEXAGON HEAD, PD SHANK, BLACK OXIDE, STEEL UNS G87400, 125 KSI MIN, .3125-24 UNJF-3A	2015	SAE	0
10747	AS9286B	BOLT, MACHINE - HEXAGON HEAD, PD SHANK, BLACK OXIDE, STEEL UNS G87400, 125 KSI MIN, .3750 - 24 UNJF - 3A	2015	SAE	0
10748	AS9292B	SCREW, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, PD SHANK, BLACK OXIDE, STEEL UNS G87400, 125 KSI MIN, .1380 - 40 UNJF - 3A	2015	SAE	0
10749	AS9294B	BOLT, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, PD SHANK, BLACK OXIDE, STEEL UNS G87400, 125 KSI MIN, .1900 - 32 UNJF - 3A	2015	SAE	0
10750	AS9296B	BOLT, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, PD SHANK, BLACK OXIDE, STEEL UNS G87400, 125 KSI MIN, .3125-24 UNJF-3A	2015	SAE	0
10751	AS9297B	BOLT, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, PD SHANK, BLACK OXIDE, STEEL UNS G87400, 125 KSI MIN, .3750-24 UNJF-3A	2015	SAE	0
10752	AS92C	Cones, Front, Propeller Hub (Stabilized Type)	2015	SAE	0
10753	AS9317C	(R) SCREW, MACHINE - HEXAGON HEAD, SLOTTED, FULL SHANK, ALLOY STEEL, UNS K14675, 135 KSI MIN, .2500-28 UNS-3A, NI - CAD. PLATE	2015	SAE	0
10754	AS9894A	Bolt, Machine-Double Hexagon Extended Washer Head, Drilled, AMS 5616, .190-32 UNJF-3A	2015	SAE	0
10755	AS9816A	(R) BOLT, MACHINE - HEXAGON HEAD, DRILLED, 1 HOLE, PD SHANK, CORROSION RESISTANT STEEL (UNS S17400), .1900-32 UNJF-3A	2015	SAE	0
10756	AS9796B	BOLT, MACHINE - HEXAGON HEAD, DRILLED, 1 HOLE, FULL SHANK, CRES (UNS S17400), .3125-24 UNJF-3A	2015	SAE	0
10757	AS9806A	(R) BOLT, MACHINE - HEXAGON HEAD, PD SHANK, CORROSION RESISTANT STEEL (UNS S17400), 140 KSI UTS MIN, .2500-28 UNJF-3A	2015	SAE	0
10758	AS9808A	(R) BOLT, MACHINE - HEXAGON HEAD, PD SHANK, CORROSION RESISTANT STEEL (UNS S17400) 140 KSI UTS MIN, .3750-24 UNJF-3A	2015	SAE	0
10759	AS9788A	(R) BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, CORROSION RESISTANT STEEL (UNS S17400), 140 KSI MIN UTS, .5000-20 UNJF-3A	2015	SAE	0
10760	J1037(2)	Windshield Washer Tubing	2015	SAE	0
10761	J1038(2)	(R) Recommendations for Children' s Snowmobile, Recommended Practice	2015	SAE	0
10762	AS9958A	(R) BOLT, MACHINE, HEXAGON HEAD, DRILLED, 6 HOLE, PD SHANK, STEEL AMS6322, CADMIUM PLATED, .250-28 UNJF-3A	2015	SAE	0
10763	AS9923B	(R) BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, CADMIUM PLATED, STEEL, UNS G87400, 125 KSI MIN, .1900-32 UNJF-3A	2015	SAE	0
10764	AS9924B	(R) BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, CADMIUM PLATED, STEEL, UNS G87400, 125 KSI MIN, .2500-28 UNJF-3A	2015	SAE	0
10765	AS9928B	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, CADMIUM PLATED, STEEL, UNS G87400, 125 KSI MIN, .5000-20 UNJF-3A	2015	SAE	0
10766	AS3167A	Bolt, Machine - Double Hex Extended Washer Head, Close Tolerance Shank, AMS 5643, .190-32 UNJF-3A	2015	SAE	0
10767	AS3168A	(R) BOLT, MACHINE-DOUBLE HEX EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, CORROSION RESISTANT STEEL (UNS S17400), 140 KSI UTS MIN, .2500-28, UNJF-3A	2015	SAE	0
10768	AS3169A	(R) BOLT, MACHINE-DOUBLE HEX EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, CORROSION RESISTANT STEEL (UNS S17400), 140KSI UTS MIN, .3125-24, UNJF-3A	2015	SAE	0
10769	AMS03-2	Cleaning and Preparation of Metal Surfaces	2015	SAE	0
10770	AMS03-20	Electro-Deposition of Zinc	2015	SAE	0
10771	AMS03-25	Sulfuric Acid Anodizing of Aluminum and Aluminum Alloys	2015	SAE	0

10772	AS3214A	Wire, Safety-Steel, Corrosion and Heat Resistant, AMS 5689 (Stabilized Type)	2015	SAE	0
10773	AMS03-28 PART 2	Physical Vapor Deposition of Metals: Physical Vapor Deposition of Cadmium for Protection Against Corrosion	2015	SAE	0
10774	AS3237D	BOLT, MACHINE DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, NICKEL ALLOY, UNS N07718, 185 KSI MIN, .2500-28 UNJF-3A	2015	SAE	0
10775	AMS03-28 PART 3	Physical Vapor Deposition of Metals: Physical Vapor Deposition of Titanium Nitride for Surface Protection	2015	SAE	0
10776	AS3230B	RIVET - TUBULAR, COUNTERSUNK, CORROSION AND HEAT RESISTANT NICKEL ALLOY - UNS N06600	2015	SAE	0
10777	AMS03-28 PART 1	Physical Vapor Deposition of Metals: Physical Vapor Deposition of Aluminum for Protection Against Corrosion	2015	SAE	0
10778	AMS03-27	Electro-Deposition of Nickel for Engineering Purposes	2015	SAE	0
10779	AMS03-4	The Pre-Treatment and Protection of Steel Items of Specified Maximum Tensile Strength Exceeding 1450 MPa	2015	SAE	0
10780	AS33391B	PLATE, MOUNTING, PLASTIC FOR USE WITH MS3367 PLASTIC TIEDOWN STRAPS	2015	SAE	0
10781	AMS03-9	Electro-Deposition of Silver	2015	SAE	0
10782	AS33671E	(R) STRAP, TIEDOWN, ELECTRICAL COMPONENTS, ADJUSTABLE, SELF-CLINCHING, PLASTIC, TYPE I, CLASS 1	2015	SAE	0
10783	AS33699B	(R) INSERT ARRANGEMENTS, ELECTRIC CONNECTOR, SHELL SIZE 7 (FOR AS81703 CONNECTORS)	2015	SAE	0
10784	AMS03-3	Protection of Aluminum Alloys by Sprayed Metal Coatings	2015	SAE	0
10785	AS3246D	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, NICKEL ALLOY, UNS N07718, 185 KSI MIN, .3750-24 UNJF-3A	2015	SAE	0
10786	AS3261B	NUT, SELF-LOCKING, CLIP, FLOATING, AS7251 (UNS S66286) (Stabilized Type)	2015	SAE	0
10787	AS33701B	(R) INSERT ARRANGEMENTS, ELECTRIC CONNECTOR, SHELL SIZE 19 (FOR AS81703 CONNECTORS)	2015	SAE	0
10788	AS33702B	INSERT ARRANGEMENTS, ELECTRIC CONNECTOR, SHELL SIZE 27 (FOR AS81703 CONNECTORS)	2015	SAE	0
10789	AS3397A	(R) NUT, SELF-LOCKING, DOUBLE HEXAGON, REDUCED ENVELOPE, AS7251 (UNS S66286)	2015	SAE	0
10790	AS3401A	BOLT, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, PD SHANK, AMS5708 (UNS N07001), .2500-28 UNJF-3A	2015	SAE	0
10791	AS3400A	BOLT, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, PD SHANK, AMS5708 (UNS N07001), .1900-32 UNJF-3A	2015	SAE	0
10792	AS3402A	BOLT, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, PD SHANK, AMS5708 (UNS N07001), .3125-24 UNJF-3A	2015	SAE	0
10793	AS3403A	BOLT, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, PD SHANK, AMS5708 (UNS N07001), .3750-24 UNJF-3A	2015	SAE	0
10794	AS3404A	BOLT, MACHINE - HEXAGON HEAD, DRILLED 6 HOLES, PD SHANK, AMS5708 (UNS N07001), .1900-32 UNJF-3A	2015	SAE	0
10795	AS3405A	BOLT, MACHINE - HEXAGON HEAD, DRILLED 6 HOLES, PD SHANK, AMS5708 (UNS N07001), .2500-28 UNJF-3A	2015	SAE	0
10796	AS3406A	(R) BOLT, MACHINE - HEXAGON HEAD, DRILLED 6 HOLES, PD SHANK, AMS5708 (UNS N07001), .3125-24 UNJF-3A	2015	SAE	0
10797	AS3407A	(R) BOLT, MACHINE - HEXAGON HEAD, DRILLED 6 HOLES, PD SHANK, AMS5708 (UNS N07001), .3750-24 UNJF-3A	2015	SAE	0
10798	AS3490A	STUD-STEPPED, 1.5 DIA ENGAGEMENT, .375-16 UNJC-3A MOD X .3125-24 UNJF-3A (UNS S66286)	2015	SAE	0
10799	AS34671B	(R) CONNECTOR, PLUG, ELECTRIC, CRIMP TYPE, PUSH-PULL COUPLING, SERIES 3 (CLASS L AND E)	2015	SAE	0
10800	AS3481G	NUT, SELF-LOCKING, PLATE, TWO LUG, FLOATING, REDUCED RIVET SPACING, LOW HEIGHT, UNS S66286, CLASS: 125 KSI/800 ï°F	2015	SAE	0
10801	AS3554B	NUT, SELF-LOCKING, DOUBLE HEXAGON, SILVER PLATED, REDUCED HEIGHT 180 KSI, 1400 ï°F, UNS N07001	2015	SAE	0

10802	AS3661	BOLT, MACHINE, DOUBLE HEXAGON, EXTENDED WASHER HEAD , PD SHANK, NICKEL ALLOY, UNS N07718, 220 KSI MIN	2015	SAE	0
10803	AS3662	BOLT, MACHINE, DOUBLE HEXAGON, DRILLED, EXTENDED WASHER HEAD, PD SHANK, NICKEL ALLOY, UNS N07718, 220 KSI MIN	2015	SAE	0
10804	AS3618A	(R) CABLE, SAFETY, FERRULE, ELONGATED CORROSION AND HEAT RESISTANT STEEL, UNS S32100	2015	SAE	0
10805	AS3619B	(R) CABLE, SAFETY, FERRULE, ELONGATED AND KITS NICKEL ALLOY, UNS N06600	2015	SAE	0
10806	AS3651A	INSERT, SCREW THREAD, SHORT, SELF-LOCKING, KEY LOCKED, SELF-BROACHING KEYS, UNS S66286	2015	SAE	0
10807	AS3652A	INSERT, SCREW THREAD, SHORT, SELF-LOCKING, KEY LOCKED, OVERSIZE SELF-BROACHING KEYS, UNS S66286	2015	SAE	0
10808	AS3653A	INSERT, SCREW THREAD, LONG SELF-LOCKING, KEY LOCKED, SELF-BROACHING KEYS, UNS S66286	2015	SAE	0
10809	AS3654A	INSERT, SCREW THREAD, LONG, SELF-LOCKING, KEY LOCKED, OVERSIZE SELF-BROACHING KEYS, UNS S66286	2015	SAE	0
10810	AS39029-63D	(R) CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-DTL-24308 CONNECTORS)	2015	SAE	0
10811	AS39029-63E	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-DTL-24308 CONNECTORS)	2015	SAE	0
10812	AS39029-64B	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR MIL-DTL-24308 CONNECTORS)	2015	SAE	0
10813	AS39029-57B	(R) CONTACTS, ELECTRICAL CONNECTORS, SOCKET CRIMP REMOVABLE (FOR MIL-DTL-24308, MIL-DTL-38999 SERIES II, MIL-DTL-55302/68, /71, /72, /75 AND MIL-DTL-83733 CONNECTORS)	2015	SAE	0
10814	AS39029-58B	(R) CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR MIL-DTL-24308, MIL-DTL-38999 SERIES I, II, III, AND IV, AND MIL-DTL-55302/69 AND MIL-DTL-83733 CONNECTORS)	2015	SAE	0
10815	AS39029-121	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, EXPANDED PERFORMANCE, SIZES 10, 12, 16, 20, 22 AND 23 (FOR MIL-DTL-38999 SERIES III CONNECTORS)	2015	SAE	0
10816	AS39029-122	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, EXPANDED PERFORMANCE, SIZES 10, 12, 16, 20, 22 AND 23 (FOR MIL-DTL-38999 SERIES III CONNECTORS)	2015	SAE	0
10817	AS39029-123	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR AS50151 SERIES AS340X1 CONNECTORS AND AS95234 ONNECTORS)	2015	SAE	0
10818	AS39029-124	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR AS50151 SERIES AS340X1 CONNECTORS AND AS95234 CONNECTORS)	2015	SAE	0
10819	AMS1424L	(R) Deicing/Anti-Icing Fluid, Aircraft SAE Type 1	2015	SAE	0
10820	AIR1273B	Identification and Coding of Fluid and Electrical Piping System Functions	2015	SAE	0
10821	AS4499D	HOSE ASSEMBLY, CONVOLUTED, POLYTETRAFLUOROETHYLENE, METALLIC REINFORCED CONDUCTIVE, FLARED, STRAIGHT TO STRAIGHT	2015	SAE	0
10822	AS4500D	HOSE ASSEMBLY, CONVOLUTED, POLYTETRAFLUOROETHYLENE, METALLIC REINFORCED CONDUCTIVE, FLARED, STRAIGHT TO 45â°	2015	SAE	0
10823	AS4501D	HOSE ASSEMBLY, CONVOLUTED, POLYTETRAFLUOROETHYLENE, METALLIC REINFORCED CONDUCTIVE, FLARED, STRAIGHT TO 90â °	2015	SAE	0
10824	AS4502D	HOSE ASSEMBLY, CONVOLUTED, POLYTETRAFLUOROETHYLENE, METALLIC REINFORCED CONDUCTIVE, FLARED, 45â ° TO 45â °	2015	SAE	0
10825	AS4503D	HOSE ASSEMBLY, CONVOLUTED, POLYTETRAFLUOROETHYLENE, METALLIC REINFORCED CONDUCTIVE, FLARED, 45â ° TO 90â °	2015	SAE	0
10826	AS4504D	HOSE ASSEMBLY, CONVOLUTED, POLYTETRAFLUOROETHYLENE, METALLIC REINFORCED CONDUCTIVE, FLARED, 90â ° TO 90â °	2015	SAE	0
10827	AS4317C	FITTING, REDUCER, ADAPTER, FLARED TUBE TO BOSS FOR SEAL RING	2015	SAE	0
10828	AS4311A	FITTING, TEE, FLARED TUBE, INTERNAL THREAD ON SIDE, FOR SEAL RING	2015	SAE	0
10829	AS4307C	FITTING, FLARED TUBE, EXTERNAL STRAIGHT THREAD FOR SEAL RING	2015	SAE	0

10830	AS4308C	FITTING, BUSHING-SCREW THREAD EXPANDER FOR SEAL RING	2015	SAE	0
10831	AS4309D	FITTING, NIPPLE, FLARED TUBE TO PIPE THREAD, FOR SEAL RING	2015	SAE	0
10832	AS4310A	FITTING, TEE, FLARED TUBE, INTERNAL THREAD ON RUN, FOR SEAL RING	2015	SAE	0
10833	AS4319C	FITTING, EXPANDER, ADAPTER, FLARED TUBE TO BOSS FOR SEAL RING	2015	SAE	0
10834	AS4328C	FITTING, UNION, REDUCER, BULKHEAD, FLARED TUBE, FOR SEAL RING	2015	SAE	0
10835	AS4340C	FITTING, BUSHING, SCREW THREAD REDUCER, FOR SEAL RING	2015	SAE	0
10836	AS4341A	WIRE, RETAINING FOR RETAINED NUT	2015	SAE	0
10837	AS4393C	Nut, Self-Locking, UNS S66286, 1200 Ï°F, 160,000 psi, UNJ Thread	2015	SAE	0
10838	AS4108A	(R) T-Bolt and Eye Bolt, A-286 CRES, 1,000 Ï°F Fatigue Rated	2015	SAE	0
10839	AMS1452C	(R) Disinfectant, Aircraft General Purpose	2015	SAE	0
10840	AMS1453A	(R) Disinfectant Cleaner for Aircraft Interior General Purpose Liquid	2015	SAE	0
10841	AS4301C	FITTING, ADAPTER, CONICAL END TO FLARED TUBE REDUCER FOR SEAL RING	2015	SAE	0
10842	AS45909A	Stud, Locked In, Ring Locked, Serrated, General Specification For	2015	SAE	0
10843	AS4735B	FEMALE FERRULE, THREADLESS - FLEXIBLE, FIXED CAVITY, SELF-BONDING, SWAGED	2015	SAE	0
10844	AS50881F	(R) Wiring Aerospace Vehicle	2015	SAE	0
10845	AS5008B	FITTING, UNION, EXTERNAL SWAGE, HYDRAULIC	2015	SAE	0
10846	AS50151C	Connectors, Electrical, Circular Threaded, AN Type, General Specification For	2015	SAE	0
10847	AS4877D	Bolts and Screws, Nickel Alloy UNS N07718, Classification: 185 ksi/1200 Ï°F Procurement Specification	2015	SAE	0
10848	AS4877E	Bolts and Screws, Nickel Alloy UNS N07718, Classification: 185 ksi/1,200 Ï°F Procurement Specification	2015	SAE	0
10849	AS49011A	(R) ROD END - THREADED, AIRCRAFT	2015	SAE	0
10850	AS4941B	(R) Aerospace - General Requirements for Commercial Aircraft Hydraulic Components	2015	SAE	0
10851	AS5372-1	FUSE, LIMITER TYPE ENCLOSED LINK, 1 - 60 AMPERE	2015	SAE	0
10852	AS5372A	(R) Fuse, Current Limiter Type, Aircraft	2015	SAE	0
10853	AS5355-1A	(R) COUPLINGS, CLAMP, GROOVED, V-BAND, 1.75 TO 14.25 FLANGE OD (-65 TO 800 ?F)	2015	SAE	0
10854	AS5355-2A	(R) COUPLINGS, CLAMP, GROOVED, V-BAND, 1.75 TO 6.25 FLANGE OD (-65 TO 250 ?F)	2015	SAE	0
10855	AS5355-3A	(R) COUPLINGS, CLAMP, GROOVED, V-BAND, 1.75 TO 14.25 FLANGE OD (-65 TO 1200 ?F)	2015	SAE	0
10856	AS5282A	Tool Steel Ring for Magnetic Particle Inspection	2015	SAE	0
10857	AMS2231K	Tolerances Carbon Steel Bars	2015	SAE	0
10858	AS5406D	(R) FITTING, UNION, TUBE, .375 BULKHEAD	2015	SAE	0
10859	AS5506-1A	(R) SAE Architecture Analysis and Design Language (AADL) Annex Volume 1: Annex A: ARINC653 Annex, Annex C: Code Generation Annex, Annex E: Error Model Annex	2015	SAE	0
10860	AS5684B	(R) JAUS Service Interface Definition Language	2015	SAE	0
10861	AS5685A	Steel, Corrosion Resistant, Safety Wire, 18Cr - 11.5Ni (UNS S30500) Solution Heat Treated, Cold Finished (Stabilized Type)	2015	SAE	0
10862	AS5678A	Passive RFID Tags Intended for Aircraft Use	2015	SAE	0
10863	AS567K	(R) Safety Cable, Safety Wire, Key Washers, and Cotter Pins for Propulsion Systems, General Practices for Use of	2015	SAE	0
10864	AS5562	Ice and Rain Minimum Qualification Standards for Pitot and Pitot-static Probes	2015	SAE	0
10865	AS5550C	FITTING ASSEMBLY, RING LOCKED, ADAPTER, FLARELESS TO PORT, EXTRA FINE THREADS, 5080 PSI	2015	SAE	0
10866	AIR1069B	Crew Oxygen Requirements Up to a Maximum Altitude of 45,000 Ft	2015	SAE	0
10867	AS5805A	(R) FITTING ASSEMBLY, ELBOW, 90degrees, BULKHEAD FLARELESS, AXIALLY SWAGED, HYDRAULIC, 3000 PSI	2015	SAE	0

10868	AS5807B	(R) FITTING ASSEMBLY, TEE, AXIALLY SWAGED ON THE RUN, MALE FLARELESS ON THE BRANCH HYDRAULIC, 3000 PSI	2015	SAE	0
10869	AS5808C	(R) FITTING ASSEMBLY, TEE FEMALE FLARELESS AND AXIALLY SWAGE ON RUN, FEMALE FLARELESS ON THE BRANCH, HYDRAULIC, 3000 PSI	2015	SAE	0
10870	AS5809A	(R) FITTING ASSEMBLY, TEE, FEMALE FLARELESS AND AXIALLY SWAGED ON THE RUN, MALE FLARELESS ON BRANCH, HYDRAULIC, 3000 PSI	2015	SAE	0
10871	AS5782A	Retainers (Backup Rings), Hydraulic and Pneumatic, Polytetrafluoroethylene Resin, Solid, Un-Cut, For Use in AS4716 Glands	2015	SAE	0
10872	AS5791A	(R) FITTING ASSEMBLY, STRAIGHT, BULKHEAD FLARELESS, AXIALLY SWAGED, HYDRAULIC, 3000 PSI	2015	SAE	0
10873	AS5792C	(R) FITTING ASSEMBLY, STRAIGHT, FEMALE FLARELESS, AXIALLY SWAGED, HYDRAULIC, 3000 PSI	2015	SAE	0
10874	AS5793A	(R) FITTING ASSEMBLY, STRAIGHT, MALE FLARELESS, AXIALLY SWAGED, HYDRAULIC, 3000 PSI	2015	SAE	0
10875	AS5801A	(R) FITTING ASSEMBLY, 90Ï°, FEMALE FLARELESS, AXIALLY SWAGED, HYDRAULIC, 3000 PSI	2015	SAE	0
10876	AS5802A	R) FITTING ASSEMBLY, ELBOW, 90Ï , MALE FLARELESS, AXIALLY SWAGED, HYDRAULIC, 3000 PSI	2015	SAE	0
10877	AS5803A	(R) FITTING ASSEMBLY, ELBOW, 45Ï°, FEMALE FLARELESS, AXIALLY SWAGED, HYDRAULIC, 3,000 PSI	2015	SAE	0
10878	AS5767A	(R) FITTING ASSEMBLY, TEE, FEMALE FLARELESS ON RUN, AXIALLY SWAGED, HYDRAULIC, 5,080 PSI	2015	SAE	0
10879	AS5781A	Retainers (Backup Rings), Hydraulic and Pneumatic, Polytetrafluoroethylene Resin, Single Turn, Scarf-Cut, For Use in AS4716 Glands	2015	SAE	0
10880	AS5725B	Interface Standard, Miniature Mission Store Interface	2015	SAE	0
10881	AS5728A	(R) O-RING MOLDED FROM AMS7268 (SILICONE) MATERIAL	2015	SAE	0
10882	AS5828A	FITTING END, BULKHEAD, FLARELESS, EXTRA FINE THREAD, DESIGN STANDARD	2015	SAE	0
10883	AS5810A	(R) FITTING ASSEMBLY, TEE, MALE FLARELESS ON THE RUN, AXIALLY SWAGED ON THE RUN AND THE BRANCH, HYDRAULIC, 3000 PSI	2015	SAE	0
10884	AS5865A	(R) FITTING REDUCER ASSEMBLY, RING LOCKED, ADAPTER, FLARELESS TO PORT, EXTRA FINE THREADS, 5080 PSI	2015	SAE	0
10885	AS5868C	(R) FITTING ASSEMBLY, STRAIGHT, BULKHEAD FLARELESS, AXIALLY SWAGED, HYDRAULIC, 5080 PSI	2015	SAE	0
10886	AS5861A	Retainers, (Back-Up Rings), Hydraulic and Pneumatic, Polytetrafluoroethylene Resin, Solid, Static Gland	2015	SAE	0
10887	AS5864A	FITTING END, BULKHEAD, 24Ï° CONE, FLARELESS, FLUID CONNECTION, DESIGN STANDARD	2015	SAE	0
10888	AS5974D	(R) FITTING ASSEMBLY, STRAIGHT, FEMALE FLARELESS, AXIALLY SWAGED, HYDRAULIC, 5080 PSI	2015	SAE	0
10889	AS5975C	FITTING ASSEMBLY, STRAIGHT, MALE FLARELESS, AXIALLY SWAGED, HYDRAULIC, 5080 PSI	2015	SAE	0
10890	AS5976B	(R) FITTING ASSEMBLY, ELBOW, 90Ï°, FEMALE FLARELESS, AXIALLY SWAGED, HYDRAULIC, 5080 PSI	2015	SAE	0
10891	AS5986D	FITTING ASSEMBLY, ADAPTER RING LOCKED PORT CONNECTION TO BEAM SEAL 4000 PSI AND 5000 PSI /9/	2015	SAE	0
10892	AS6115A	(R) FITTING ASSEMBLY, STRAIGHT, MALE FLARELESS, AXIALLY SWAGED, HYDRAULIC, UP TO 1500 PSI	2015	SAE	0
10893	AS6117A	FITTING ASSEMBLY, UNION, AXIALLY SWAGED, HYDRAULIC, UP TO 1500 PSI	2015	SAE	0
10894	AS6118A	FITTING ASSEMBLY, STRAIGHT, FEMALE FLARELESS, AXIALLY SWAGED, HYDRAULIC, UP TO 1,500 PSI	2015	SAE	0
10895	AS60491	Sleeve, Protection, For Cable and Harness Protection	2015	SAE	0
10896	AS6070-1	CABLE, HIGH SPEED DATA QUAD, 24 AWG COPPER ALLOY, 100 OHM, 200 ?C, ETHERNET 10/100 BASE T	2015	SAE	0
10897	AS6070-2	CABLE, 4 PAIR 24 AWG COPPER ALLOY, SHIELDED, 100 OHM, 200 ?C, ETHERNET 1000 BASE T	2015	SAE	0
10898	AS6070-3	CABLE, HIGH SPEED DATA QUAD, 24 AWG COPPER ALLOY, 110 OHM, 200 ?C	2015	SAE	0
10899	AS6070-4	CABLE, 4 PAIR 24 AWG COPPER ALLOY, SHIELDED, 100 OHM, 150 ?C, ETHERNET 1000 BASE T	2015	SAE	0
10900	AS6070	Aerospace Cable, High Speed Data, Copper	2015	SAE	0
10901	AS7459C	Bolts and Screws, Steel UNS K14675 Tensile Strength 195 ksi Fatigue and Stress-Rupture Rated Procurement Specification (Stabilized Type)	2015	SAE	0
10902	AS7253C	(R) Nuts, Self-Locking, Nickel Alloy, UNS N07001 Classification: 180 ksi/1400 Ï°F Procurement Specification	2015	SAE	0

10903	AS7228A	(R) Rivets, Steel, Corrosion Resistant 18Cr-9Ni, Solution Heat Treated, Procurement Specification for	2015	SAE	0
10904	AS7240A	Washers, Spring Lock, Carbon Steel, Procurement Specification for (Stabilized Type)	2015	SAE	0
10905	AS7252A	(R) Nuts, Self-Locking, Steel High Strength, All Metal 450 °F Use, UN and UNJ Thread Form	2015	SAE	0
10906	AS701D	BOSS DESIGN FOR SPARK IGNITERS (Stabilized Type)	2015	SAE	0
10907	AMS2403M	Plating, Nickel General Purpose	2015	SAE	0
10908	AMS2403N	Plating, Nickel General Purpose	2015	SAE	0
10909	AMS2406N	Plating, Chromium Hard Deposit	2015	SAE	0
10910	AS7119B	Nadcap Aerospace Standard for Electronics Printed Circuit Boards	2015	SAE	0
10911	AS6123A	FITTING ASSEMBLY, TEE, AXIALLY SWAGED ON THE RUN, MALE FLARELESS ON THE SIDE, HYDRAULIC, UP TO 1500 PSI	2015	SAE	0
10912	AS6121B	FITTING ASSEMBLY, TEE, AXIALLY SWAGED, HYDRAULIC, UP TO 1500 PSI	2015	SAE	0
10913	AS6140A	NUT, SPANNER BEARING RETAINING, PHOSPHATE TREATED AERONAUTICAL, UNS G41400 (Stabilized Type)	2015	SAE	0
10914	AS6159A	FITTING ASSEMBLY, TEE, AXIALLY SWAGED TO FEMALE FLARELESS ON THE RUN, MALE FLARELESS ON THE SIDE, HYDRAULIC, UP TO 1500 PSI	2015	SAE	0
10915	AS6163	Temperature Controlled Container - Performance Requirements and Test Parameters	2015	SAE	0
10916	AS6298	CLAMP ASSEMBLY, LOOP, CUSHIONED HINGED	2015	SAE	0
10917	AS6224	Wrap-Around Insulation Repair and Protection Sleeve, Permanent, Electric, Environment Resistant	2015	SAE	0
10918	AS6224-1	REPAIR SLEEVE, PRIMARY WIRE INSULATION DAMAGE, ELECTRIC, PERMANENT, ENVIRONMENT RESISTANT, 150 ?C MAXIMUM OPERATING TEMPERATURE	2015	SAE	0
10919	AS6235A	(R) Face Seal Gland Design, Static, O-ring and Other Seals for Aerospace Hydraulic and Pneumatic Applications	2015	SAE	0
10920	AS6254A	Minimum Performance Standard for Low Frequency Underwater Locating Devices (Acoustic) (Self-Powered)	2015	SAE	0
10921	AS6445A	FITTING ASSEMBLY, TEE, AXIALLY SWAGED ON THE RUN, BULKHEAD FLARELESS ON THE SIDE, HYDRAULIC, UP TO 1500 PSI	2015	SAE	0
10922	AS6449B	Solid Film Lubricant for Fluid Fittings in Oxygen, Potable Water, Hydraulic, and Other Systems	2015	SAE	0
10923	AS6479-1	Splicer, Fusion, Fiber Optic, Aerospace, Explosion-Proof (Type I)	2015	SAE	0
10924	AS6479-2	Splicer, Fusion, Fiber Optic, Aerospace Non-Explosion-Proof (Type II)	2015	SAE	0
10925	AS6458A	FITTING ASSEMBLY, TEE, AXIALLY SWAGED TO FEMALE FLARELESS ON THE RUN, FEMALE FLARELESS ON THE SIDE, HYDRAULIC, UP TO 1500 PSI	2015	SAE	0
10926	AS6457A	FITTING ASSEMBLY, TEE, AXIALLY SWAGED TO MALE FLARELESS ON THE RUN, MALE FLARELESS ON THE SIDE, HYDRAULIC, UP TO 1500 PSI	2015	SAE	0
10927	AS6886	Counterfeit Materiel; Assuring Acquisition and Use of Authentic and Conforming Refrigerant	2015	SAE	0
10928	AS6495	CLAMP, STRAP, HIGH TEMPERATURE, RETAINING, AMS5599	2015	SAE	0
10929	AS6502	Aircraft Propulsion System Performance Nomenclature	2015	SAE	0
10930	AS6507	Test Method and Limits for Bow Height of Aluminum Sheet Samples After Chemical Milling	2015	SAE	0
10931	AS7928-4B	TERMINALS, LUG AND SPLICES, CONDUCTOR, CRIMP STYLE, COPPER TERMINAL, LUG, INSULATED, RING TONGUE, BELL-MOUTHED, TYPE II, CLASS 1 (FOR 150 ?C TOTAL CONDUCTOR TEMPERATURE)	2015	SAE	0
10932	AS7928-4C	(R) TERMINALS, LUG AND SPLICES, CONDUCTOR, CRIMP STYLE, COPPER TERMINAL, LUG, INSULATED, RING TONGUE, BELL-MOUTHED, TYPE II, CLASS 1 (FOR 150 ?C TOTAL CONDUCTOR TEMPERATURE)	2015	SAE	0
10933	AS7928-6B	(R) TERMINALS, LUG AND SPLICES, CONDUCTOR, CRIMP STYLE, SPLICE, ELECTRIC (PERMANENT, TYPE II, CLASS 1) FOR 150 ?C TOTAL CONDUCTOR TEMPERATURE	2015	SAE	0
10934	AS7928-8A	(R) TERMINALS, LUG AND SPLICES, CONDUCTOR, CRIMP STYLE, COPPER TERMINAL, LUG, CRIMP STYLE, COPPER, INSULATED, RING TONGUE, FOR THIN WALL WIRE, TIN WHISKER RESISTANT, TYPE II CLASS 1 FOR 105 ?C TOTAL CONDUCTOR TEMPERATURE	2015	SAE	0

10935	AS7928-1D	(R) TERMINALS, LUG AND SPLICES, CONDUCTOR, CRIMP STYLE, COPPER TERMINAL, LUG, CRIMP STYLE, COPPER, INSULATED, RING TONGUE, FOR THIN WALL WIRE, TYPE II CLASS 1 FOR 105 ?C TOTAL CONDUCTOR TEMPERATURE	2015	SAE	0
10936	AS7928-13A	TERMINALS, LUG AND SPLICES, CONDUCTOR, CRIMP STYLE, COPPER TERMINAL, LUG, INSULATED, TIN WHISKER RESISTANT, RING TONGUE, BELL-MOUTHED, TYPE II, CLASS 1 (FOR 105?C TOTAL CONDUCTOR TEMPERATURE)	2015	SAE	0
10937	AS7928-13B	(R) TERMINALS, LUG AND SPLICES, CONDUCTOR, CRIMP STYLE, COPPER TERMINAL, LUG, INSULATED, TIN WHISKER RESISTANT, RING TONGUE, BELL-MOUTHED, TYPE II, CLASS 1 (FOR 105 ?C TOTAL CONDUCTOR TEMPERATURE)	2015	SAE	0
10938	AS7928-11C	(R) TERMINAL, LUG, CRIMP STYLE, COPPER, UNINSULATED, RING TONGUE, TIN WHISKER RESISTANT, TYPE I, CLASS I, FOR 175 ?C TOTAL CONDUCTOR TEMPERATURE	2015	SAE	0
10939	AS7928-12D	(R) TERMINAL, LUG, CRIMP STYLE, COPPER, INSULATED, RING TONGUE, BELL-MOUTHED, TIN WHISKER RESISTANT, TYPE II, CLASS 1, (FOR 105 ?C TOTAL CONDUCTOR TEMPERATURE)	2015	SAE	0
10940	AS7481C	Studs, Steel, UNS S66286 Aged After Roll Threaded Procurement Specification For (Stabilized Type)	2015	SAE	0
10941	AS7461D	Bolts and Screws, Titanium Alloy 6Al-4V, UNS R56400 Fatigue-Rated, Procurement Specification For	2015	SAE	0
10942	AS7460B	(R) Bolts and Screws, Titanium Alloy 6.0Al - 4.0V Procurement Specification For	2015	SAE	0
10943	AMS2412K	(R) Plating, Silver Copper Strike, Low Bake	2015	SAE	0
10944	AS7471G	Bolts and Screws, Nickel Alloy, UNS N07001 Tensile Strength 165 ksi, Corrosion and Heat Resistant Procurement Specification.	2015	SAE	0
10945	AS8055A	(R) Minimum Performance Standard for Airborne Head Up Display (HUD)	2015	SAE	0
10946	AS8049C	(R) Performance Standard for Seats in Civil Rotorcraft, Transport Aircraft, and General Aviation Aircraft	2015	SAE	0
10947	AMS2419D	(R) Plating, Cadmium-Titanium	2015	SAE	0
10948	AS8006A	(R) Minimum Performance Standard for Pitot and Pitot-Static Probes	2015	SAE	0
10949	AS81511-55A	CONNECTOR, RECEPTACLE, CABLE CONNECTING, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, INDIVIDUAL RELEASE, CRIMP TYPE CONTACTS (CLASS A, F, AND W - SERIES 4)	2015	SAE	0
10950	AMS2423E	(R) Plating, Nickel Hard Deposit	2015	SAE	0
10951	AS81511-53A	CONNECTOR, RECEPTACLE, JAM NUT MOUNT, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, INDIVIDUAL RELEASE, CRIMP TYPE CONTACTS (CLASS A, F, AND W - SERIES 4)	2015	SAE	0
10952	AS81511-49A	CONNECTOR, RECEPTACLE, JAM NUT MOUNT, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, INDIVIDUAL RELEASE, CRIMP TYPE CONTACTS (CLASS A, F, AND W - SERIES 3)	2015	SAE	0
10953	AMS2430T	Shot Peening, Automatic	2015	SAE	0
10954	AS81714-63B	(R) TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, GROUNDING MODULES, STUD AND FLANGE TYPE MOUNTING, SERIES II	2015	SAE	0
10955	AS81714-69A	(R) TERMINAL JUNCTION SYSTEM, BLOCK REMOVAL TOOLS, SERIES II	2015	SAE	0
10956	AIR1277B	(R) Cooling of Military Avionic Equipment	2015	SAE	0
10957	AIR1600A	Animal Environment in Cargo Compartments	2015	SAE	0
10958	AIR1811A	Liquid Cooling Systems	2015	SAE	0
10959	AIR4922A	Primary Flight Control Hydraulic Actuation System Interface Definition	2015	SAE	0
10960	AIR5558	Ultraviolet (UV) Laser Marking Performance of Aerospace Wire Constructions	2015	SAE	0
10961	AIR5992	Descriptions of Systems Integration Test Rigs (Iron Birds) For Aerospace Applications	2015	SAE	0
10962	AIR9968B	Viscosity Test of Thickened Aircraft Deicing/Anti-icing Fluids	2015	SAE	0
10963	AMS1545B	Cleaner, Thrust Reverser Alkaline, Water-Base	2015	SAE	0
10964	AMS1740	Compound, Alkaline Aqueous Cleaner Aircraft Turbine Engine Components	2015	SAE	0

10965	AMS1741	Compound, Alkaline Degreaser Aircraft Turbine Engine Components	2015	SAE	0
10966	AMS1742	Compound, Alkaline Solvent Cleaner Aircraft Turbine Engine Components Room Temperature Application	2015	SAE	0
10967	AMS2535B	Coating, Vapor Deposited Poly-Monochloro-Para-Xylylene for Microcircuits	2015	SAE	0
10968	AMS2755G	Nitriding, Molten Salt Bath	2015	SAE	0
10969	AMS2775C	Case Hardening of Titanium and Titanium Alloys	2015	SAE	0
10970	AMS3180G	Toluene, Industrial Grade	2015	SAE	0
10971	AMS3901-14B	NULL	2015	SAE	0
10972	AMS4023F	Aluminum Alloy Sheet and Plate, Alclad 1.0Mg - 0.60Si - 0.28Cu - 0.20Cr (Alclad 6061; -T6 Sheet, -T651 Plate)	2015	SAE	0
10973	AMS4086N	Aluminum Alloy, Drawn, Round, Seamless Hydraulic Tubing 4.4Cu - 1.5Mg - 0.60Mn (2024-T3) Solution Heat Treated, Cold Worked, and Naturally Aged - UNS A92024	2015	SAE	0
10974	AMS4108F	Aluminum Alloy, Hand Forgings 6.2Zn - 2.3Cu - 2.2Mg - 0.12Zr (7050-T7452) Solution Heat Treated, Compression Stress-Relieved, and Overaged - UNS A97050	2015	SAE	0
10975	AMS4191J	Aluminum Alloy, Welding Wire 6.3Cu - 0.30Mn - 0.18Zr - 0.15Ti - 0.10V (2319) - UNS A92319	2015	SAE	0
10976	AMS4218J	Aluminum Alloy Castings 7.0Si - 0.35Mg (A356.0-T6) (Formerly T6P Temper) Solution and Precipitation Heat Treated - UNS A13560	2015	SAE	0
10977	AMS4219F	Aluminum Alloy Castings 7.0Si - 0.55Mg - 0.12Ti - 0.06Be (A357.0 T6) Solution and Precipitation Heat Treated - UNS A13570	2015	SAE	0
10978	AMS4286F	Aluminum Alloy Castings, Permanent Mold 7.0Si - 0.32Mg (356.0-T51) As-Cast then Precipitation Heat Treated - UNS A03560	2015	SAE	0
10979	AMS4304B	Aluminum Alloy, Discontinuously Reinforced Sheet 2009/SiC/15w (T8P) Solution Heat Treated, Stretched, and Precipitation Heat Treated	2015	SAE	0
10980	AMS4803E	Zinc Alloy Castings, Die 4.0Al 0.04Mg (AG40A) As Cast - UNS Z33520	2015	SAE	0
10981	AMS4855G	Leaded Red Brass, Sand and Centrifugal Castings 85Cu 5.0Sn 5.0Pb 5.0Zn As Cast - UNS C83600	2015	SAE	0
10982	AMS4860F	Manganese Bronze, Sand and Centrifugal Castings 58Cu 39Zn 1.2Fe 1.0Al 0.80Mn As Cast - UNS C86500	2015	SAE	0
10983	AMS5355J	Steel, Corrosion Resistant, Investment Castings 16Cr - 4.1Ni - 0.28Cb - 3.2Cu Homogenization and Solution Heat Treated or Homogenization, Solution, and Precipitation Heat Treated - UNS J92200	2015	SAE	0
10984	AMS5628F	Steel, Corrosion-Resistant, Bars, Wire, Forgings, and Tubing 16Cr - 2.5Ni (SAE 51431) - UNS S43100	2015	SAE	0
10985	AMS5629-H1000A	Steel, Corrosion-Resistant, Bars, Wire, Forgings, Rings, and Extrusions 13Cr - 8.0Ni - 2.2Mo - 1.1Al Vacuum Induction Plus Consumable Electrode Melted Solution Heat Treated, Precipitation Hardened (H1000) (Composition similar to UNS S13800)	2015	SAE	0
10986	AMS5634-H1000	Steel, Extra High Toughness, Corrosion-Resistant, Bars, Wire, Forgings, Rings, and Extrusions 13Cr - 8.0Ni - 2.2Mo - 1.1Al Vacuum Induction Plus Consumable Electrode Melted Solution Heat Treated, Precipitation Hardened (H1000) (Composition similar to	2015	SAE	0
10987	AMS5726E	Steel, Corrosion and Heat-Resistant, Bars and Wire 15Cr - 25.5Ni - 1.2Mo - 2.1Ti - 0.006B - 0.30V 1800 Ï°F (982 Ï°C) Solution Heat Treated and Work-Strengthened Consumable Electrode Remelted 200 ksi (1379 MPa) Tensile Strength Capability - UNS S66286	2015	SAE	0
10988	AMS5896B	Steel, Corrosion and Heat-Resistant, Seamless or Welded Hydraulic Tubing 18.5Cr - 10.5Ni - 0.55Ti (321) Solution Heat Treated and Cold Drawn, 1/8 Hard Temper - UNS S32100	2015	SAE	0
10989	AMS5934-H1000	Steel, Extra High Toughness, Corrosion-Resistant, Bars, Wire, Forgings, Rings, and Extrusions 13Cr - 8.0Ni - 2.2Mo - 1.1Al Vacuum Induction Plus Consumable Electrode Melted Solution Heat Treated, Precipitation Hardened (H1000) (Composition similar to	2015	SAE	0
10990	AMS-C-8837A	Coating, Cadmium (Vacuum Deposited)	2015	SAE	0
10991	AMS-C-81769A	Chemical Milling of Metals, Specification for	2015	SAE	0
10992	ARP699E	High Temperature Pneumatic Duct Systems for Aircraft	2015	SAE	0
10993	ARP731C	(R) General Requirements for Application of Vapor Cycle Refrigeration Systems for Aircraft	2015	SAE	0

10994	ARP1270B	(R) Aircraft Cabin Pressurization Criteria	2015	SAE	0
10995	ARP5533A	NULL	2015	SAE	0
10996	ARP5903	Droplet Impingement and Ice Accretion Computer Codes	2015	SAE	0
10997	ARP5905	Calibration and Acceptance of Icing Wind Tunnels	2015	SAE	0
10998	AS136g	(R) HOSE ASSEMBLY, METAL - MEDIUM PRESSURE, FLARELESS, WELDED, STRAIGHT TO STRAIGHT	2015	SAE	0
10999	AS595D	(R) Aerospace Civil Type Variable Delivery, Pressure Compensated, Hydraulic Pump	2015	SAE	0
11000	AS603B	Impulse Testing of Hydraulic Hose, Tubing, and Fitting Assemblies	2015	SAE	0
11001	AS639	HOSE, POLYTETRAFLUOROETHYLENE, METAL BRAID, MEDIUM PRESSURE, HYDRAULIC, 450 F	2015	SAE	0
11002	AS782	CLAMP, HALF TUBE SUPPORT	2015	SAE	0
11003	AS1284B	Standard Test Procedure and Limit Value for Shutoff Surge Pressure of Pressure Fuel Dispensing Systems	2015	SAE	0
11004	AS1734D	NUT, COUPLING, RIGID, FIXED CAVITY, THREADED, FERRULE TYPE TUBE ENDS, TYPE I	2015	SAE	0
11005	AS1735d	NUT, COUPLING, RIGID, FIXED CAVITY, THREADED, FERRULE TYPE TUBE ENDS, TYPE II	2015	SAE	0
11006	AS1737C	FERRULE, COUPLING, RIGID, FIXED CAVITY THREADED, FERRULE TYPE TUBE ENDS	2015	SAE	0
11007	AS1738c	NUT ASSEMBLY COUPLING, RIGID, FIXED CAVITY, THREADED FERRULE TYPE TUBE ENDS	2015	SAE	0
11008	AS1790h	NUT, FITTING, RETAINED, LIGHTWEIGHT	2015	SAE	0
11009	AS1791D	WIRE, RETAINER - TUBE COUPLING NUT	2015	SAE	0
11010	AS1792E	NUT, FITTING, LIGHTWEIGHT, FLARELESS	2015	SAE	0
11011	AS1909C	(R) HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 400 ¡°F, 3000 PSI, LIGHTWEIGH T, BEAM SEAL, STRAIGHT TO STRAIGHT	2015	SAE	0
11012	AS1910c	(R) HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 400 ¡°F, 3000 PSI, LIGHTWEIGHT, BEAM SEAL, STRAIGHT TO 45¡°	2015	SAE	0
11013	AS1911c	(R) HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 400 ¡°F, 3000 PSI, LIGHTWEIGHT, BEAM SEAL, STRAIGHT TO 90¡°	2015	SAE	0
11014	AS1912c	(R) HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 400 ¡°F, 3000 PSI, LIGHTWEIGHT, BEAM SEAL, 45¡° TO 45¡°	2015	SAE	0
11015	AS1913c	(R) HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 400 ¡°F, 3000 PSI, LIGHTWEIGHT, BEAM SEAL, 45¡° TO 90¡°	2015	SAE	0
11016	AS1914c	(R) HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 400 ¡°F, 3000 PSI, LIGHTWEIGHT, BEAM SEAL, 90¡° TO 90¡°	2015	SAE	0
11017	AS2078A	(R) Test Methods, Hose Assemblies, Polytetrafluoroethylene (PTFE)	2015	SAE	0
11018	AS3000	PLUG, MACHINE THREAD - AMS 5646, METAL GASKET, REDUCED DIAMETER THREAD	2015	SAE	0
11019	AS3001	PLUG, MACHINE THREAD - AMS 5646, METAL GASKET, SILVER PLATED, REDUCED DIAMETER THREAD	2015	SAE	0
11020	AS3166	UNION, TUBE - CRES AMS 5646, CONICAL END, CONNECTOR	2015	SAE	0
11021	AS4006	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PTFE, METAL BRAID, MEDIUM PRESSURE, BEAM SEAL, STRAIGHT TO STRAIGHT	2015	SAE	0
11022	AS4202A	Adapter - Port Connection, Ring Locked Design, Installation and Removal of 8000 psi Systems	2015	SAE	0
11023	AS4203A	Fitting, Beam Seal, Female Tube End, Internal Swage, 4000 psi, Hydraulic	2015	SAE	0
11024	AS4207A	FITTING END, EXTERNAL THREAD, BEAM SEAL, DESIGN STANDARD	2015	SAE	0
11025	AS4208A	FITTING END, BULKHEAD, EXTERNAL THREAD BEAM SEAL, DESIGN STANDARD	2015	SAE	0
11026	AS4282	Cap Assembly, Protective Closure, Beam Seal Fitting, Low Pressure	2015	SAE	0
11027	AS4302	Tee Assembly, Flared Tube, Retained Nut on Run, for Seal Ring	2015	SAE	0
11028	AS4329	CAP ASSEMBLY, PRESSURE SEAL, FLARED TUBE FITTING	2015	SAE	0
11029	AS4346	UNION ASSEMBLY, ADJUSTABLE END	2015	SAE	0

11030	AS4444-2	Fitting , 24? Cone Flareless to 37? Flared , Fluid Connection	2015	SAE	0
11031	AS4458B	FITTING END, FLARELESS, BLUNT NOSE, DESIGN STANDARD	2015	SAE	0
11032	AS4574A	(R) HOSE ASSEMBLY, PTFE, PARA-ARAMID REINFORCED, STANDARD DUTY, 3000 PSI, 275 â_°F, TITANIUM FITTINGS, BEAM SEAL, STRAIGHT TO STRAIGHT	2015	SAE	0
11033	AS4624D	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PARA ARAMID REINFORCED, HEAVY-DUTY, 275 DEGREE F, 3000 PSI FLARELESS TITANIUM FITTINGS, INCLUDING JUMP SIZE, STRAIGHT TO STRAIGHT	2015	SAE	0
11034	AS4625D	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PARA ARAMID REINFORCED, HEAVY-DUTY, 275 â_°F, 3000 PSI FLARELESS TITANIUM FITTINGS, INCLUDING JUMP SIZE, STRAIGHT TO 45â °	2015	SAE	0
11035	AS4626D	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PARA ARAMID REINFORCED, HEAVY-DUTY, 275 â_°F, 3000 PSI FLARELESS TITANIUM FITTINGS, INCLUDING JUMP SIZE, STRAIGHT TO 90â °	2015	SAE	0
11036	AS4627D	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PARA ARAMID REINFORCED, HEAVY-DUTY, 275 â_°F, 3000 PSI FLARELESS TITANIUM FITTINGS, INCLUDING JUMP SIZE, 45â ° TO 45â °	2015	SAE	0
11037	AS4628D	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PARA ARAMID REINFORCED, HEAVY-DUTY, 275 â_°F, 3000 PSI FLARELESS TITANIUM FITTINGS, INCLUDING JUMP SIZE, 45â ° TO 90â °	2015	SAE	0
11038	AS4629D	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PARA ARAMID REINFORCED, HEAVY-DUTY, 275 DEGREE F, 3000 PSI FLARELESS, TITANIUM FITTINGS, INCLUDING JUMP SIZE, 90 DEGREES TO 90 DEGREES	2015	SAE	0
11039	AS4701	Wire, Retainer, Tube Coupling Nut, Short Flareless	2015	SAE	0
11040	AS4702A	Nut, Retained, Short Flareless	2015	SAE	0
11041	AS4703A	Fitting End, Acorn, Short Flareless, Design Standard	2015	SAE	0
11042	AS4793	Fitting, Beam Seal, Male Tube End, Internal Swage, 4000 psi, Hydraulic	2015	SAE	0
11043	AS4824B	GASKET, FITTING END, 37Ï° FLARED	2015	SAE	0
11044	AS4825	Gasket, Fitting End, 24 Degree Cone	2015	SAE	0
11045	AS4971	Fitting, Elbow, 90 Degrees, Weld Ring	2015	SAE	0
11046	AS4973A	(R) Ring, Weld	2015	SAE	0
11047	AS5009	FITTING, ELBOW, 90â °, EXTERNAL SWAGE, HYDRAULIC	2015	SAE	0
11048	AS5012	FITTING, SLEEVE, STRAIGHT, FLARED, EXTERNAL SWAGE, HYDRAULIC	2015	SAE	0
11049	AS5013	FITTING, ADAPTER, STRAIGHT FLARELESS, EXTERNAL SWAGE, HYDRAULIC	2015	SAE	0
11050	AS5014	Fitting, Sleeve, Straight, Flareless, External Swage, Hydraulic	2015	SAE	0
11051	AS5018	Washer, Flat, Beam Seal Fitting	2015	SAE	0
11052	AS5019	NUT, BULKHEAD, BEAM SEAL FITTING	2015	SAE	0
11053	AS5132	FITTING END - HOSE CONNECTION, DESIGN STANDARD	2015	SAE	0
11054	AS5171	WASHER, FLAT, FITTING, FLARED AND FLARELESS	2015	SAE	0
11055	AS5180	FITTING, ADAPTER, BULKHEAD, FLARED TO HOSE	2015	SAE	0
11056	AS5181	Fitting, Elbow, 90 Degrees, Bulkhead, Flared to Hose	2015	SAE	0
11057	AS5183	FITTING, ADAPTER, HOSE TO STRAIGHT PIPE	2015	SAE	0
11058	AS5184	FITTING, ADAPTER, FLARED TO HOSE	2015	SAE	0
11059	AS5206A	NUT, FLARED, LONG	2015	SAE	0
11060	AS5227A	FLANGE, STRAIGHT THREAD PORT, WELD	2015	SAE	0
11061	AS5266	FITTING, ADAPTER, STRAIGHT, FLARED, EXTERNAL SWAGE, HYDRAULIC	2015	SAE	0
11062	AS5267	FITTING, ADAPTER, STRAIGHT, FLARELESS, EXTERNAL SWAGE, HYDRAULIC	2015	SAE	0
11063	AS5309A	FITTING END, SPHERICAL, 37Ï° FLARED TUBE CONNECTION DESIGN STANDARD	2015	SAE	0
11064	AS5587B	CLAMP, LOOP, PLAIN, SUPPORT, AIRCRAFT	2015	SAE	0
11065	AS5710A	(R) JAUS Core Service Set	2015	SAE	0

11066	AS5763	CLAMP ASSEMBLY, SADDLE TYPE, CUSHIONED, FUEL AND PETROLEUM BASED HYDRAULIC FLUID	2015	SAE	0
11067	AS5827A	FITTING END, FLARELESS, EXTRA FINE THREAD, DESIGN STANDARD	2015	SAE	0
11068	AS5874	CLAMP, LOOP TYPE, CUSHIONED SUPPORT	2015	SAE	0
11069	AS5902	Installation of Externally Swaged Fittings	2015	SAE	0
11070	AS9014A	Americas Aerospace Quality Group (AAQG) Requirements for Aerospace Quality Management System Certification/Registrations Programs	2015	SAE	0
11071	AS9016A	Aerospace Series Notice of Change (NOC) Requirements	2015	SAE	0
11072	AS9451C	BOLT, MACHINE - STEEL, DIFFUSED NICKELCADMIUM PLATED, HEXAGON HEAD, UNS K14675, 195 KSI MIN, .1900-32 UNJF-3A	2015	SAE	0
11073	AS9452C	BOLT, MACHINE - STEEL, DIFFUSED NICKEL-CADMIUM PLATED, HEXAGON HEAD, UNS K14675, 195 KSI MIN, .2500-28 UNJF-3A	2015	SAE	0
11074	AS9453C	BOLT, MACHINE - STEEL, DIFFUSED NICKEL-CADMIUM PLATED, HEXAGON HEAD, UNS K14675, 195 KSI MIN, .3125-24 UNJF-3A	2015	SAE	0
11075	AS9454C	BOLT, MACHINE - STEEL, DIFFUSED NICKEL-CADMIUM PLATED, HEXAGON HEAD, UNS K14675, 195 KSI MIN, .3750-24 UNJF-3A	2015	SAE	0
11076	AS9455C	BOLT, MACHINE - STEEL, DIFFUSED NICKEL-CADMIUM PLATED, HEXAGON HEAD, UNS K14675, 195 KSI MIN, .4375-20 UNJF-3A	2015	SAE	0
11077	AS9456C	BOLT, MACHINE - STEEL, DIFFUSED NICKEL-CADMIUM PLATED, HEXAGON HEAD, UNS K14675, 195 KSI MIN, .5000-20 UNJF-3A	2015	SAE	0
11078	AS9457C	BOLT, MACHINE - STEEL, DIFFUSED NICKELCADMIUM PLATED, HEXAGON HEAD, UNS K14675, 195 KSI MIN, .5625-18 UNJF-3A	2015	SAE	0
11079	AS9458C	BOLT, MACHINE - STEEL, DIFFUSED NICKEL-CADMIUM PLATED, HEXAGON HEAD, UNS K14675, 195 KSI MIN, .6250-18 UNJF-3A	2015	SAE	0
11080	AS9525C	BOLT, MACHINE - STEEL, CADMIUM PLATED, HEXAGON HEAD, UNS G87400, 125 KSI MIN, .6250-18 UNJF-3A	2015	SAE	0
11081	AS9534B	BOLT, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, CADMIUM PLATED, STEEL UNS G87400, 125 KSI MIN, .5000-20 UNJF-3A	2015	SAE	0
11082	AS9902D	PLUG, MACHINE THREAD DRILLED, PREFORMED PACKING, AS8879 THREAD (UNS S34700)	2015	SAE	0
11083	AS21937A	(R) NUT, CLUSTER FITTING, RETAINER	2015	SAE	0
11084	AS21940A	(R) BOLT, CLUSTER FITTING, DOUBLE PORT FLARELESS	2015	SAE	0
11085	AS21942A	(R) BODY, CLUSTER FITTING, ONE WAY, FLARELESS	2015	SAE	0
11086	AS21944B	BODY, CLUSTER FITTING, TWO WAY, 180$^{i\circ}$, FLARELESS	2015	SAE	0
11087	AS21945A	(R) BODY, CLUSTER FITTING, THREE-WAY, FLARELESS	2015	SAE	0
11088	AS25427	Coupling Assembly, Hydraulic, Self-Sealing, Quick Disconnect	2015	SAE	0
11089	AS33401A	(R) BULKHEAD BRACKET FOR USE WITH MS3367 PLASTIC TIEDOWN STRAPS	2015	SAE	0
11090	AS33583	TUBING END DOUBLE FLARE, STANDARD DIMENSIONS FOR	2015	SAE	0
11091	AS33611	Tube Bend Radii	2015	SAE	0
11092	AS71051B	Pipe Threads, Taper, Aeronautical National Form, Symbol ANPT - Design and Inspection Standard	2015	SAE	0
11093	AS85421-3C	FITTING , TEE , REDUCER , BEAM SEAL, 3000 /4000 PS I , 3 MALE ENDS	2015	SAE	0
11094	AS85421-5C	F ITTING , TEE , REDUCER AND NON -REDUCER , BEAM SEAL, 3000 /4000 PS I , MALE ON RUN AND , BRANCH , SWIVEL NUT ON RUN	2015	SAE	0
11095	AS85421-6A	FITTING , CROSS , BEAM SEAL, 3000 /4000 PS I , MALE ENDS	2015	SAE	0
11096	AS85421-11C	F ITTING , UN ION , BEAM SEAL, 3000 /4000 PS I , MALE ENDS	2015	SAE	0
11097	AS85421-12C	NULL	2015	SAE	0

11098	AS172236D - AS172270D	NUT, SPANNER , BEAR ING RETAIN ING , AERONAUTICAL, UNS G41 400	2015	SAE	0
11099	J51	Automotive Air- Conditioning Hose, Standard - May 1989	2015	SAE	0
11100	J58	(R) Flanged 12-Point Screws	2015	SAE	0
11101	J126	Selecting and Specifying Hot and Cold Rolled Steel Sheet and Strip	2015	SAE	0
11102	J200	(R) Classification System for Rubber Materials	2015	SAE	0
11103	J265	Diesel Fuel Injector Assembly - Types 8, 9, 10, and 11	2015	SAE	0
11104	J347	Diesel Fuel Injector Assembly Type 7 (9.5 mm)	2015	SAE	0
11105	J374	Vehicle Roof Strength Test Procedure	2015	SAE	0
11106	J397	Critical Zone-characteristics and dimensions for operators of construction and Industrial Machinery	2015	SAE	0
11107	J411	Carbon and Alloy Steels, Information Report	2015	SAE	0
11108	J551-17	Vehicle Electromagnetic Immunity - Power Line Magnetic Fields	2015	SAE	0
11109	J567	Light Source Retention System	2015	SAE	0
11110	J577	Vibration Test Machine and Operation Procedure	2015	SAE	0
11111	J599	(R) Lighting Inspection Code	2015	SAE	0
11112	J626	Diesel Fuel Injection - End-Mounting Flanges for Fuel Injection Pumps	2015	SAE	0
11113	J629	Diesel Fuel Injector Assembly - Flange Mounted Types 5 and 6	2015	SAE	0
11114	J651	(R) Passenger Car and Light Truck Automatic Transmission and Automatic Transaxle Test Code	2015	SAE	0
11115	J680	(R) Location and Operation of Air Brake Controls in Motor Truck Cabs	2015	SAE	0
11116	J703	(R) Fuel Systems - Truck and Truck Tractors, Recommended Practice - June 1995	2015	SAE	0
11117	J755	Marine Propeller-Shaft Ends and Hubs, Standard;	2015	SAE	0
11118	J830	Fuel Injection Equipment Nomenclature	2015	SAE	0
11119	J850	Fixed Rigid Barrier Collision Tests	2015	SAE	0
11120	J863	Methods of Determining Plastic Deformation in Sheet Metal Stampings	2015	SAE	0
11121	J967	Calibration Fluid for Diesel Injection Equipment, Standard	2015	SAE	0
11122	J972	Moving Rigid Barrier Collision Tests	2015	SAE	0
11123	J1037	Windshield Washer Tubing, Standard	2015	SAE	0
11124	J1058	Sheet Steel Thickness and Profile, Recommended Practice	2015	SAE	0
11125	J1113-13	(R) Electromagnetic Compatibility Measurement Procedure for Vehicle ComponentsPart 13: Immunity to Electrostatic Discharge	2015	SAE	0
11126	J1133	School Bus Stop Arm	2015	SAE	0
11127	J1149	Metallic Air Brake System Tubing and Pipe	2015	SAE	0
11128	J1174	Operator Ear Sound Level Measurement Procedure for Small Engine Powered Equipment	2015	SAE	0
11129	J1235	Measuring and Reporting the Internal Leakage of a Hydraulic Fluid Power Valve, Recommended Practice	2015	SAE	0
11130	J1236	Cast Iron Sealing Rings (Metric)	2015	SAE	0
11131	J1254	Component Nomenclature - Feller Buncher	2015	SAE	0
11132	J1319	Rear Fog Lamp Systems	2015	SAE	0
11133	J1373	Rear Cornering Lamp	2015	SAE	0
11134	J1418	Fuel Injection Pumps - High Pressure Pipes (Tubing) for Testing	2015	SAE	0
11135	J1419	Tapers for Shaft Ends and Hubs for Fuel Injection Pumps	2015	SAE	0
11136	J1449	(R) Small Craft - Graphic Symbols, Recommended Practice - February 1994	2015	SAE	0

11137	J1453-2	Specification for O-Ring Face Seal Connectors: Part 2â__Requirements, Dimensions, and Tests for Steel Unions, Bulkheads, Swivels, Braze Sleeves, Caps, and Connectors with ISO 6149-2 Metric Stud Ends	2015	SAE	0
11138	J1538	Glossary of Automotive Inflatable Restraint Systems	2015	SAE	0
11139	J1562	Selection of Zinc and Zinc-Alloy (Hot-Dipped and Electrodeposited) Coated Steel Sheet	2015	SAE	0
11140	J1604	(R) Rubber Boots for Drum-Type Hydraulic Brake Wheel Cylinders Standard	2015	SAE	0
11141	J1611	Operator Controls - Horizontal Earthboring Machines	2015	SAE	0
11142	J1638	Compression Set of Hoses or Solid Discs, Recommended Practice	2015	SAE	0
11143	J1647	Plastic Materials and Coatings for Use In or On Optical Parts Such as Lenses and Reflectors of High-Intensity Discharge Forward Lighting Devices Used in Motor Vehicles	2015	SAE	0
11144	J1658	Alternate Refrigerant Consistency Criteria for Use in Mobile Air-Conditioning Systems	2015	SAE	0
11145	J1727	(R) Calculation Guidelines for Impact Testing	2015	SAE	0
11146	J1759	SAE Hose Measurement Study	2015	SAE	0
11147	J1792-1	Self-Propelled Sweepers - Air Flow Performance - Part 1: Suction AirVolume Performance	2015	SAE	0
11148	J1792-2	Self-Propelled Sweepersâ__Air Flow Performanceâ__Part 2: Suction/Blower Fan Performance	2015	SAE	0
11149	J1808	Vacuum Power Assist Brake Booster Test Procedure, Standard	2015	SAE	0
11150	J1810	(R) Electrical Indicating System Specification	2015	SAE	0
11151	J1819	Securing Child Restraint Systems in Motor Vehicles	2015	SAE	0
11152	J1829	Stoichiometric Air/Fuel Ratios of Automotive Fuels	2015	SAE	0
11153	J1850	(R) Class B Data Communications Network Interface	2015	SAE	0
11154	J1938	(R) Design/Process Checklist for Vehicle Electronic Systems	2015	SAE	0
11155	J1939-82	Compliance	2015	SAE	0
11156	J1949	Road Vehicles - High Pressure Fuel Injection Pipe End-Connections with 60 Degree Female Cone, Standard;	2015	SAE	0
11157	J1958	Diesel Engines - Steel Tubes for High-Pressure Fuel Injection Pipes (Tubing)	2015	SAE	0
11158	J1984	DIESEL FUEL INJECTOR ASSEMBLY TYPE 27 (9.5 mm)	2015	SAE	0
11159	J2030	Heavy-Duty Electrical Connector Performance Standard	2015	SAE	0
11160	J2050	High-Temperature Power Steering Pressure Hose	2015	SAE	0
11161	J2129	Guidelines for Requests Received from Outside Sources for the Conag Council to Originate or Review Technical Reports, Information Report	2015	SAE	0
11162	J2224	Identification of Truck, Trailer, and Bus Wheel Seals and Associated Packaging, Information Report - October 1994	2015	SAE	0
11163	J2265	Diesel Engines - Diesel Fuel PerformanceRequirement and Test Method for Assessing Fuel Lubricity	2015	SAE	0
11164	J2271M	Ship Systems and Equipment - Part Standard for Studs - Continuous and Double End (Metric)	2015	SAE	0
11165	J2286	Vendor Component Program Data File Interface for OEM Assembly Operations	2015	SAE	0
11166	J2329	Categorization and Properties of Low-Carbon Automotive Sheet Steels	2015	SAE	0
11167	J2364	Navigation and Route Guidance Function Accessibility While Driving	2015	SAE	0
11168	J2392	Categorization and Properties of SAE Cold Rolled Strip Steels	2015	SAE	0
11169	J2412	Accelerated Exposure of Automotive Interior Trim Components Using a Controlled Irradiance Xenon-Arc Apparatus	2015	SAE	0
11170	J2429	Free-Rolling Cornering Test for Truck and Bus Tires	2015	SAE	0
11171	J2441	Shot Peening	2015	SAE	0
11172	J2442	(R) Harmonized Provisions for Installation of Exterior Lamps and Retro-Reflecting Devices on Road Vehicles Except Motorcycles	2015	SAE	0
11173	J2455	Drivetrain Systems Vibration Analysis Data Requirements	2015	SAE	0
11174	J2575	Standardized Dent Resistance Test Procedure	2015	SAE	0

11175	J2577	Heavy Duty Lamp Electrical Connector Standard	2015	SAE	0
11176	J2595	Performance Requirements for Sealed Beam Motor Vehicle Headlamps	2015	SAE	0
11177	J2600	Compressed Hydrogen Surface Vehicle Fueling Connection Devices	2015	SAE	0
11178	J2605	Non-Contact Hose Measurement Study 1	2015	SAE	0
11179	J2629	Standard Formats for Presenting Acoustical Data	2015	SAE	0
11180	J2634	Scribing of Coatings in Preparation for Testing of Wheels and Wheel Trim	2015	SAE	0
11181	J2635	Filiform Corrosion Test Procedure for Painted Aluminum Wheels and Painted Aluminum Wheel Trim	2015	SAE	0
11182	J2654	Hardness of Brake Lining	2015	SAE	0
11183	J2655	(R) Fastener Part Standard - Washers and Lockwashers (Inch Dimensioned)	2015	SAE	0
11184	J2745	Categorization and Properties of Advanced High Strength Automotive Sheet Steels	2015	SAE	0
11185	J2763	Test Procedure for Determining Refrigerant Emissions from Mobile Air Conditioning Systems	2015	SAE	0
11186	J2779	Low Speed Thorax Impact Test Procedure for the HIII 50th Male Dummy	2015	SAE	0
11187	J2792	Test Methodology for Evaluating the Chemical Compatibility of Wheel Finishes with Various Chemicals	2015	SAE	0
11188	J2847-2	(R) Communication Between Plug-In Vehicles and Off-Board DC Chargers	2015	SAE	0
11189	J2876	Low Speed Knee Slider Test Procedure for the Hybrid III 50th Male Dummy	2015	SAE	0
11190	J2889-1	Measurement of Minimum Noise Emitted by Road Vehicles	2015	SAE	0
11191	J2970	Minimum Performance Requirements for Non-Refrigerant Tracer Gasses and Electronic Tracer Gas Leak Detectors	2015	SAE	0
11192	MA614A	(R) Hose Assembly, Polytetrafluoroethylene (PTFE), Metallic Reinforced, 28,000 kPa, 204 Degrees C, Hydraulic, Metric	2015	SAE	0
11193	MA620	Hose Assemblies, Convoluted Polytetrafluoroethylene Metallic Reinforced, High Temperature, Medium Pressure, Aircraft Metric	2015	SAE	0
11194	MA1339	Hose Assembly, Polytetrafluoroethylene, Metallic Reinforced, 21,000 kPa, 204 Degrees C, Lightweight, Hydraulic and Pneumatic, Metric	2015	SAE	0
11195	MA1633	HOSE ASSEMBLY, CONVOLUTED, POLYTETRAFLUOROETHYLENE, METALLIC REINFORCED CONDUCTIVE, FLARELESS, STRAIGHT TO STRAIGHT	2015	SAE	0
11196	MA1634	HOSE ASSEMBLY, CONVOLUTED, POLYTETRAFLUOROETHYLENE, METALLIC REINFORCED CONDUCTIVE, FLARELESS, STRAIGHT TO 45°̄	2015	SAE	0
11197	MA1636	HOSE ASSEMBLY, CONVOLUTED, POLYTETRAFLUOROETHYLENE, METALLIC REINFORCED CONDUCTIVE, FLARELESS, 45°̄ TO 45°̄	2015	SAE	0
11198	MA1637	HOSE ASSEMBLY, CONVOLUTED, POLYTETRAFLUOROETHYLENE, METALLIC REINFORCED CONDUCTIVE, FLARELESS, 45°̄ TO 90°̄	2015	SAE	0
11199	MA1638	HOSE ASSEMBLY, CONVOLUTED, POLYTETRAFLUOROETHYLENE, METALLIC REINFORCED CONDUCTIVE, FLARELESS, 90°̄ TO 90°̄	2015	SAE	0
11200	MA1975	Hose Assemblies, Polytetrafluoroethylene, Aramid Reinforced, 135 °̄C, Standard Duty, 28 000/21 000 kPa, Hydraulic, Aircraft Systems	2015	SAE	0
11201	MA2001B	Aerospace Fluid Systems and Components - Pressure and Temperature Classifications	2015	SAE	0
11202	MA2003	Rotary Flexure Testing of Hydraulic Tubing Joints and Fittings	2015	SAE	0
11203	MA2004A	Thermal Shock Testing of Fluid System Piping and Fittings	2015	SAE	0
11204	MA2006	Hydraulic Tubing - Qualification Test Requirements	2015	SAE	0
11205	MA2008	Radii-Tube Bend, Metric	2015	SAE	0
11206	MA2012B	(R) PORT, INTERNAL, STRAIGHT THREAD, FITTING CONNECTION, DESIGN STANDARD, METRIC	2015	SAE	0
11207	MA2014A	FITTING END, ACORN FLARELESS DESIGN STANDARD, METRIC	2015	SAE	0
11208	MA2023A	(R) ALTERNATE DIMENSIONS, CENTER BODY SECTION, SHAPE FLUID FITTING, DESIGN STANDARD, METRIC	2015	SAE	0
11209	MA2024	FLANGE PROFILES, V-COUPLING, DESIGN STANDARD, METRIC	2015	SAE	0

11210	MA2026B	(R) FITTING, ELBOW, 90Ï_, THIN WALL, FLARELESS, METRIC	2015	SAE	0
11211	MA2027B	(R) FITTING, TEE, THIN WALL, FLARELESS, METRIC	2015	SAE	0
11212	MA2031B	(R) FITTING, TEE, THIN WALL, BULKHEAD ON RUN, FLARELESS, METRIC	2015	SAE	0
11213	MA2036A	CAP ASSEMBLY, PRESSURE SEAL, FLARELESS TUBE, METRIC	2015	SAE	0
11214	MA2037A	BUSHING, SCREW THREAD EXPANDER, FLARELESS TUBE, METRIC	2015	SAE	0
11215	MA2038B	(R) UNION, REDUCER, FLARELESS TUBE, METRIC	2015	SAE	0
11216	MA2040B	NUT, FLARELESS, METRIC	2015	SAE	0
11217	MA2041B	(R) SLEEVE, COUPLING, FLARELESS, METRIC	2015	SAE	0
11218	MA2042A	(R) FITTING, ADAPTER, PORT CONNECTION TO FLARELESS, METRIC	2015	SAE	0
11219	MA2043B	(R) UNION, BULKHEAD, FLARELESS TUBE, METRIC	2015	SAE	0
11220	MA2046A	ADAPTER FLARELESS METRIC TO INCH	2015	SAE	0
11221	MA2047C	NUT, RETAINED, FLARELESS, METRIC	2015	SAE	0
11222	MA2048B	(R) FITTING ASSEMBLY, ELBOW, 45â_°, THIN WALL, RETAINED NUT, FLARELESS, METRIC	2015	SAE	0
11223	MA2052	ADAPTER, FLARELESS, METRIC TO INCH	2015	SAE	0
11224	MA2061B	(R) FITTING END, WELDED, INTEGRAL OFFSET WELD, LIP, DESIGN STANDARD, METRIC	2015	SAE	0
11225	MA2063A	(R) TUBE END, WELD, DESIGN STANDARD, METRIC	2015	SAE	0
11226	MA2064A	(R) FITTING, SLEEVE, FLARELESS ACORN TO INTEGRAL WELD RING, 21,000 KPA, METRIC	2015	SAE	0
11227	MA2076A	(R) FITTING END, ACORN SHORT FLARELESS, DESIGN STANDARD, METRIC	2015	SAE	0
11228	MA2079	Hose Assembly, Convoluted Polytetrafluoroethylene, High Temperature, Medium Pressure, Aircraft, Metric	2015	SAE	0
11229	MA2080	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 204 â_°C, 21,000 KPA, 60-DEG CONE, STRAIGHT TO STRAIGHT, LIGHTWEIGHT, METRIC	2015	SAE	0
11230	MA2081	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 204 â_°C, 21,000 KPA, 60-DEG CONE, STRAIGHT TO 45-DEG, LIGHTWEIGHT, METRIC	2015	SAE	0
11231	MA2083	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 204 â_°C, 21,000 KPA, 60-DEG CONE, 45-DEG TO 45-DEG, LIGHTWEIGHT, METRIC	2015	SAE	0
11232	MA2085B	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 204 â_°C, 21,000 KPA, 60-DEG CONE, TO 90-DEG TO 90-DEG, LIGHTWEIGHT, METRIC	2015	SAE	0
11233	MA2086	HOSE ASSEMBLY, TETRAFLUOROETHYLENE, 21000 KPA, FLARELESS, STRAIGHT TO STRAIGHT, METRIC	2015	SAE	0
11234	MA2087	HOSE ASSEMBLY, TETRAFLUOROETHYLENE, 21,000 KPA, FLARELESS, STRAIGHT TO 45Ï°, METRIC	2015	SAE	0
11235	MA2088	HOSE ASSEMBLY, TETRAFLUOROETHYLENE, 21,000 KPA, FLARELESS, STRAIGHT TO 90â_°, METRIC	2015	SAE	0
11236	MA2089	HOSE ASSEMBLY, TETRAFLUOROETHYLENE, 21,000 KPA, FLARELESS, 45Ï° TO 45Ï°, METRIC	2015	SAE	0
11237	MA2094	Test Methods for Tube-Fitting Assemblies, Metric	2015	SAE	0
11238	MA2095C	(R) FITTING END, 24Ï° CONE, DESIGN STANDARD, METRIC	2015	SAE	0
11239	MA2101A	HOSE ASSEMBLY, METAL, MEDIUM PRESSURE FLARELESS, WELDED, STRAIGHT TO STRAIGHT FITTING ENDS, METRIC	2015	SAE	0
11240	MA2102A	HOSE ASSEMBLY, METAL, MEDIUM PRESSURE FLARELESS, WELDED, STRAIGHT TO 45Ï° FITTING ENDS, METRIC	2015	SAE	0
11241	MA2104A	HOSE ASSEMBLY, METAL, MEDIUM PRESSURE, FLARELESS, WELDED, 45â_° TO 45â_° FITTING ENDS, METRIC	2015	SAE	0
11242	MA2105A	HOSE ASSEMBLY, METAL, MEDIUM PRESSURE FLARELESS, WELDED, 45Ï° TO 90Ï° FITTING ENDS, METRIC	2015	SAE	0
11243	MA2106B	HOSE ASSEMBLY, METAL, MEDIUM PRESSURE FLARELESS, WELDED, 90Ï° TO 90Ï° FITTING ENDS, METRIC	2015	SAE	0
11244	MA2110A	PORT, RING LOCKED DESIGN STANDARD DIMENSIONS FOR	2015	SAE	0
11245	MA2115	UNION, FLARELESS TUBE OR BOSS	2015	SAE	0

11246	MA2116	UNION, REDUCER, FLARELESS TUBE OR BOSS	2015	SAE	0
11247	MA2117B	WIRE, RETAINER, SWIVEL, METRIC	2015	SAE	0
11248	MA2118B	(R) Nut, Bulkhead, Fitting, Metric	2015	SAE	0
11249	MA2120	HOSE ASSEMBLY, CONVOLUTED, NONMETALLIC, TFE, FLARELESS, STRAIGHT TO STRAIGHT	2015	SAE	0
11250	MA2121	Hose Assembly, Convoluted, Nonmetallic, TFE, Flareless, Straight to 45 Degrees	2015	SAE	0
11251	MA2123	HOSE ASSEMBLY, CONVOLUTED, NONMETALLIC, TFE, FLARELESS, 45ï° TO 45ï°	2015	SAE	0
11252	MA2124	HOSE ASSEMBLY, CONVOLUTED, NONMETALLIC, TFE, FLARELESS, 45ï° TO 90ï°	2015	SAE	0
11253	MA2125	HOSE ASSEMBLY, CONVOLUTED, NONMETALLIC, TFE, FLARELESS, 90ï° TO 90ï°	2015	SAE	0
11254	MA2126B	Hose Assembly, Polytetrafluoroethylene (PTFE), up to 232 ï°C and 10 500 kPa Procurement Specification, Metric (ISO/DIS 10502)	2015	SAE	0
11255	MA2150-1	CLAMP , LOOP STYLE , CUSH IONED , WITH WEDGE , HYDROCARBON FLU ID RES ISANT, METR IC	2015	SAE	0
11256	MA2150-2	CLAMP , LOOP STYLE , CUSH IONED , WITH WEDGE , PHOSPHATE ESTER FLU ID RES ISANT, METR IC	2015	SAE	0
11257	MA2150-4	CLAMP SUPPORT, LOOP CLAMP , METR IC	2015	SAE	0
11258	MA2150-5	CLAMP , LOOP STYLE , WI TH INSERT, HYDROCARBON FLU ID RES ISTANT, METR IC	2015	SAE	0
11259	MA2150-6	CLAMP , LOOP STYLE , WI TH INSERT, PHOSPHATE ESTER FLU ID RES ISTANT, METR IC	2015	SAE	0
11260	MA2150-7	CLAMP , LOOP STYLE , WI TH INSERT, H IGH TEMPERATURE , METR IC	2015	SAE	0
11261	MA2150	Clamps, Loop or P Style, Single Point Mount, Multiple Shapes, Metric	2015	SAE	0
11262	MA2151	Clamp Assemblies, Saddle or Omega Style, Two Point Mount, Multiple Shapes, Metric	2015	SAE	0
11263	MA2157	CROSS, BULKHEAD, FLARELESS TUBE	2015	SAE	0
11264	MA2170	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PTFE CRES REINFORCED, 204 â_°C, 21,000 KPA, LIGHTWEIGHT BEAM SEAL, STRAIGHT TO STRAIGHT, METRIC	2015	SAE	0
11265	MA2171	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PTFE CRES REINFORCED, 204 â_°C, 21,000 KPA, LIGHTWEIGHT BEAM SEAL, STRAIGHT TO 45â °, METRIC	2015	SAE	0
11266	MA2172	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PTFE CRES REINFORCED, 204 â_°C, 21,000 KPA, LIGHTWEIGHT BEAM SEAL, STRAIGHT TO 90â °, METRIC	2015	SAE	0
11267	MA2176A	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PTFE CRES REINFORCED, 232 â_°C, 10,500 KPA, BEAM SEAL, STRAIGHT TO STRAIGHT, METRIC	2015	SAE	0
11268	MA2177A	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PTFE CRES REINFORCED, 232 â_°C, 10,500 KPA, BEAM SEAL, STRAIGHT TO 45â °, METRIC	2015	SAE	0
11269	MA2178B	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PTFE CRES REINFORCED, 232 â_°C, 10,500 KPA, BEAM SEAL, STRAIGHT TO 90â °, METRIC	2015	SAE	0
11270	MA2241	Coupling Assembly, Threadless, Flexible, Fixed Cavity, Self-Bonding, Metric	2015	SAE	0
11271	MA2242	Assembled Coupling, Threadless - Flexible, Fixed Cavity, Self-Bonding, Envelope Dimensions, Metric	2015	SAE	0
11272	MA2243	Ferrule, Swaged, Threadless Coupling, Flexible, Fixed Cavity, Self-Bonding, Metric	2015	SAE	0
11273	MA2244	Ferrule End, Threadless Coupling, Flexible, Fixed Cavity, Self-Bonding, Design Standard, Metric	2015	SAE	0
11274	MA2245	Ferrule, Butt Weld, Threadless Coupling, Flexible, Fixed Cavity, Self-Bonding, Metric	2015	SAE	0
11275	MA2246	Sleeve End, Threadless Coupling, Flexible, Fixed Cavity, Self-Bonding, Design Standard, Metric	2015	SAE	0
11276	MA2250	Coupling Fuel, Flexible Variable Cavity, Threaded Type with Ferrules, Metric	2015	SAE	0
11277	MA2251A	Coupling, Flexible, Variable Cavity, Threaded Ferrule Type Tube Ends, Envelope Dimensions, Design Standard, Metric	2015	SAE	0
11278	MA2256A	Ferrule, Coupling, Flexible, Variable Cavity, Threaded, Ferrule Tube End, Metric	2015	SAE	0
11279	MA2271	FITTING END, BEAM SEAL, SLIP-ON NUT, DESIGN STANDARD, METRIC	2015	SAE	0
11280	MA2273	FITTING END, BEAM SEAL, EXTERNAL THREAD, DESIGN STANDARD, METRIC	2015	SAE	0
11281	MA2284	Fitting, Tee, Beam Seal, Metric	2015	SAE	0

11282	MA2292	Fitting, Elbow, 45 Degree, Bulkhead Beam Seal, Metric	2015	SAE	0
11283	MA2300	FITTING, ADAPTER, EXTERNAL THREAD BEAM SEAL TO INTEGRAL WELD RING, METRIC	2015	SAE	0
11284	MA2301	Fitting, Adapter, Slip on Nut Beam Seal to Weld, Metric	2015	SAE	0
11285	MA4095	Hose Assembly, Polytetrafluoroethylene, Para-Aramid Reinforced 135 Degrees C, 34,500 kPa, Hydraulic and Pneumatic	2015	SAE	0
11286	MA4098	Hose Assembly, Polytetrafluoroethylene, Heavy Duty, Metallic Reinforced, 204 ï°C, 35 000 kPa Hydraulic and Pneumatic, Metric	2015	SAE	0
11287	MA4510	Fittings, Weld, Fluid Connection, 35,000 kPa, Metric	2015	SAE	0
11288	MA4568	HOSE ASSEMBLY, PTFE, ARAMID REINFORCED STANDARD DUTY, 21 000/28 000 kPa, 135 DEGREES C, TITANIUM FITTINGS, FLARELESS, INCLUDING JUMP SIZES, STRAIGHT TO STRAIGHT, METRIC	2015	SAE	0
11289	MA4569	Hose Assembly, PTFE, Aramid Reinforced, Standard Duty, 21 000/28 000 kPa, 135 Degrees C, Titanium Fittings, Flareless, Including Jump Sizes, Straight to 45 Degrees, Metric	2015	SAE	0
11290	MA4570	HOSE ASSEMBLY, PTFE, ARAMID REINFORCED, STANDARD DUTY, 21 000/28 000 kPa, 135 ï°C, TITANIUM FITTINGS, FLARELESS, INCLUDING JUMP SIZES, STRAIGHT TO 90ï°, METRIC	2015	SAE	0
11291	MA4571	Hose Assembly, PTFE, Aramid Reinforced, Standard Duty, 21 000/28 000 kPa, 135 Degrees C, Titanium Fittings, Flareless, 45 Degrees to 90 Degrees, Metric	2015	SAE	0
11292	MA4573	Hose Assembly, PTFE, Aramid Reinforced, Standard Duty, 21 000/28 000 kPa, 135 Degrees C, Titanium Fittings, Flareless, 90 Degrees to 90 Degrees, Metric	2015	SAE	0
11293	MA4624	HOSE ASSEMBLY, PTFE, PARA ARAMID REINFORCED, HEAVY-DUTY, 21 000 KPA, 135 â_°C, FLARELESS, TITANIUM FITTINGS, JUMP SIZES, STRAIGHT TO STRAIGHT, METRIC	2015	SAE	0
11294	MA4625	HOSE ASSEMBLY, PTFE, PARA ARAMID REINFORCED, HEAVY-DUTY, 21 000 KPA, 135 â_°C, FLARELESS, TITANIUM FITTINGS, JUMP SIZES, STRAIGHT TO 45â °, METRIC	2015	SAE	0
11295	MA4627	HOSE ASSEMBLY, PTFE, PARA ARAMID REINFORCED, HEAVY-DUTY, 21 000 KPA, 135 â_°C, FLARELESS, TITANIUM FITTINGS, JUMP SIZES, 45â ° TO 45â °, METRIC	2015	SAE	0
11296	MA4629	Hose Assembly, PTFE, Para Aramid Reinforced, Heavy-Duty, 21 000 kPa, 135 Degrees C, Flareless, Titanium Fittings, Jump Sizes, 90 Degrees to 90 Degres, Metric	2015	SAE	0
11297	MA5066	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PARA ARAMID REINFORCED, 21,000 KPA, 135 ï°C, BEAM SEAL, STRAIGHT TO STRAIGHT, METRIC	2015	SAE	0
11298	MA5067	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PARA ARAMID REINFORCED, 21,000 kPa, 135 ï°C, BEAM SEAL, STRAIGHT TO 45ï°, METRIC	2015	SAE	0
11299	MA5068	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PARA ARAMID REINFORCED, 21,000 kPa, 135 ï°C, BEAM SEAL, STRAIGHT TO 90ï°, METRIC	2015	SAE	0
11300	MA5069	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PARA ARAMID REINFORCED, 21,000 kPa, 135 ï°C, BEAM SEAL, 45ï° TO 45ï°, METRIC	2015	SAE	0
11301	MA5071	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PARA ARAMID REINFORCED, 21,000 kPa, 135 ï°C, BEAM SEAL, 90ï° TO 90ï°, METRIC	2015	SAE	0
11302	CRB1	Managing the Development of Artificial Intelligence Software	2015	SAE	0
11303	CRB2	Quality Assurance Requirement for Software Processes	2015	SAE	0
11304	EDIB1B	Unit Production Cost Tracking Model UPCT 6 - Formerly TechAmerica EDIB1-B	2015	SAE	0
11305	EIA-267C	Axis and Motion Nomenclature for Numerically Controlled Machines	2015	SAE	0
11306	EIA-358C	American National Standard Code for Information Interchange for Numerical Machine Control	2015	SAE	0
11307	EIA-408	Interface between Numerical Control Equipment and Data Terminal Equipment Employing Parallel Binary Data Interchange - Formerly TechAmerica EIA-408	2015	SAE	0
11308	EIA-441	Operator Interface Functions of Numerical Controls - Formerly TechAmerica EIA-441	2015	SAE	0
11309	EIA-484A	Electrical and Mechanical Interface Characteristics and Line Control Protocol Using Communication Control Characters for Serial Data Link Between a Direct Numerical Control System and Numerical Control Equipment Employing Asynchronous Full Duplex Trans	2015	SAE	0

11310	EIA-494B	32 Bit Binary CL (BCL) and 7 Bit ASCII CL (ACL) Exchange Input Format for Numerically Controlled Machines	2015	SAE	0
11311	EIA-511	Manufacturing Message Specification Service Definition and Protocol	2015	SAE	0
11312	EIA-548	Electronic Design Interchange Format Version 200	2015	SAE	0
11313	EIA-554-1	Assessment of Average Outgoing Quality Levels in Parts Per Million (PPM)	2015	SAE	0
11314	EIA-554-2	Assessment of Nonconforming Levels In Parts Per Million (PPM)	2015	SAE	0
11315	EIA-555	Lot Acceptance Procedure for Verifying Compliance with the Specified Quality Levels (SQL) in PPM - Formerly TechAmerica EIA-555	2015	SAE	0
11316	EIA-599A	National Electronic Process Certification Standard	2015	SAE	0
11317	EIA-601A	General Procedure for Capability Approval of Electronic Components - Formerly TechAmerica EIA-601-A	2015	SAE	0
11318	EIA-681	Assessment Guide for Process Certification - Formerly TechAmerica EIA-681	2015	SAE	0
11319	EIA-765A	International and National Quality Standards Index	2015	SAE	0
11320	EIA-830	Model for Integrating Metrics into the Procurement Process - Formerly TechAmerica EIA-830	2015	SAE	0
11321	EIA-AB3D	Automation Bulletin No. 3 - Formerly TechAmerica EIA-AB3D	2015	SAE	0
11322	EIA-CALS	Harmonizing CALS Product Data Description Standards - Formerly TechAmerica IS-SPECIAL REPORT CALS	2015	SAE	0
11323	EIA-EDIF-1	Introduction to EDIF, Volume 1 - Formerly TechAmerica EDIF-1	2015	SAE	0
11324	EIA-EDIF-2	EDIF Connectivity Monograph Series - Formerly TechAmerica EIA-EDIF-2	2015	SAE	0
11325	EIA-EDIF-AG-1	Using EDIF 200 for Schematic Transfer - Formerly TechAmerica EDIF/AG-1	2015	SAE	0
11326	EIA-EP2F	Engineering & Operations Council Organization and Operation Manual - Formerly TechAmerica EP-2-F	2015	SAE	0
11327	EIA-EP12A	Engineering & Operations Council Guide for Committee Review of Government Documents - Formerly TechAmerica EIA-EP12A	2015	SAE	0
11328	EIA-IS-103A	Library of Parameterized Modules (LPM) Version 210	2015	SAE	0
11329	EIA-IS-106	CDIF - CASE Data Interchange Format - Overview	2015	SAE	0
11330	EIA-IS-107	CDIF - Framework for Modeling and Extensibility	2015	SAE	0
11331	EIA-IS-108	CDIF - Transfer Format General Rules for Syntaxes and Encodings	2015	SAE	0
11332	EIA-IS-109	CDIF - Transfer Format Syntax - SYNTAX.1	2015	SAE	0
11333	EIA-IS-110	CDIF - Transfer Format Encoding - ENCODING.1	2015	SAE	0
11334	EIA-IS-111	CDIF - Integrated Meta-model Foundation Subject Area	2015	SAE	0
11335	EIA-IS-112	CDIF Integrated Meta-model Common Subject Area	2015	SAE	0
11336	EIA-IS-114	CDIF - Integrated Meta-model Data Modeling Subject Area	2015	SAE	0
11337	EIA-IS-115	CDIF Integrated Meta-model Data Flow Model Subject Area - Interim Standard; Formerly TechAmerica EIA/IS-115	2015	SAE	0
11338	EIA-IS-116	CDIF Integrated Meta-model - State/Event Model Subject Area - Formerly TechAmerica EIA/IS-116	2015	SAE	0
11339	EIA-IS-118	CDIF Integrated Meta-model Presentation Location and Connectivity Subject Area	2015	SAE	0
11340	EIA-IS-632	Systems Engineering - Interim Standard; Formerly TechAmerica IS-632	2015	SAE	0
11341	EIA-IS-647	Requirements for the Control of Electromagnetic Interference Emissions and Susceptibility Characteristics of Equipment Intended to Operate in Severe Electromagnetic Environments - Formerly TechAmerica IS-647	2015	SAE	0
11342	EIA-IS-648	Measurement of Electromagnetic Interference Characteristics of Equipment Intended to Operate in Severe Electromagnetic Environments - Formerly TechAmerica EIA-IS-648	2015	SAE	0
11343	EIA-IS-731-1	Systems Engineering Capability Model	2015	SAE	0
11344	EIA-IS-731-2	Systems Engineering Capability Model Appraisal Method	2015	SAE	0
11345	EIA-QAB7	Specification Policy Guide - Formerly TechAmerica EIA-QAB7	2015	SAE	0
11346	EMCB1-1	Historical Rationale for Military EMI Limits - Formerly TechAmerica EMCB1-1	2015	SAE	0
11347	EQB1	System Performance Models - Formerly TechAmerica EQB1	2015	SAE	0

11348	EQB2	Integration Engineering for System Effectiveness - Formerly TechAmerica EQB2	2015	SAE	0
11349	EQB3	Support System Analysis - Formerly TechAmerica EQB3	2015	SAE	0
11350	EQB4	QUANTIFICATION OF ESSENTIALITY AND UTILIZATION TERMS - Formerly TechAmerica EQB4	2015	SAE	0
11351	GEIA-HB-0005-3	Rework/Repair Handbook to Address the Implications of Lead-Free Electronics and Mixed Assemblies in Aerospace and High Performance Electronic Systems - Formerly TechAmerica GEIA-HB-0005-3	2015	SAE	0
11352	GEIA-OP-0001E	Manual of Organization and Procedure	2015	SAE	0
11353	GEIA-OP-0002	Style Manual for Standards and Other Publications of TechAmerica - Formerly TechAmerica GEIA-OP-0002	2015	SAE	0
11354	GEIA-STD-0002-1A	Aerospace Qualified Electronic Component (AQEC) Requirements, Volume 1 - Integrated Circuits and Semiconductors	2015	SAE	0
11355	IEEE-EIA-12207.0	Industry Implementation of International Standard ISO/IEC 12207:1995 (ISO/IEC 12207) Standard for Information Technology Software Life Cycle Processes - Formerly TechAmerica IEEE-EIA-12207.0	2015	SAE	0
11356	IEEE-EIA-12207.1	Software Life Cycle Processes Life Cycle Data - Formerly TechAmerica IEEE-EIA-12207.1	2015	SAE	0
11357	IEEE-EIA-12207.2	Software Life Cycle Processes Implementation Considerations - Formerly TechAmerica IEEE-EIA-12207.2	2015	SAE	0
11358	IEEE-EIA-12207-0	I ndu stry Imp lemen tation of I n terna tiona l S tandard I SO /I EC 1 2207 : 1 995 (I SO /I EC 1 2207) S tandard for I n forma tion Techno log y Software L i fe Cycle Processes	2015	SAE	0
11359	IEEE-EIA-12207-1	NULL	2015	SAE	0
11360	IEEE-EIA-12207-2	Software Life Cycle Processes û Imp lemen tation Cons idera tions	2015	SAE	0
11361	MAP 1201	NULL	2015	SAE	0
11362	MAP 1670A	NULL	2015	SAE	0
11363	MAP 2261	NULL	2015	SAE	0
11364	MAP 4296	NULL	2015	SAE	0
11365	MAP 4919	Fluid Connections , Fittings, Hex Width , Metric	2015	SAE	0
11366	RB4A	Reliability Quantification	2015	SAE	0
11367	RB9	Failure Mode and Effect Analyses	2015	SAE	0
11368	RS-274D	INTERCHANGEABLE VARIABLE BLOCK DATA FORMAT FOR POSITIONING, CONTOURING, AND CONTOURING/POSITIONING, NUMERICALLY CONTROLLED MACHINES - Formerly TechAmerica RS-274-D	2015	SAE	0
11369	SYSB-1	System Engineering - Formerly TechAmerica SYSB-1	2015	SAE	0
11370	J1235(2)	Measuring and Reporting the Internal Leakage of a Hydraulic Fluid Power Valve	2015	SAE	0
11371	J1236(2)	Cast Iron Sealing Rings (Metric)	2015	SAE	0
11372	J1254(2)	Component Nomenclature - Feller Buncher	2015	SAE	0
11373	J1272(2)	Felling Head Terminology and Nomenclature	2015	SAE	0
11374	J1272(3)	Felling Head Terminology and Nomenclature	2015	SAE	0
11375	AMS2641C	Vehicle, Magnetic Particle Inspection Petroleum Base	2015	SAE	0
11376	J1319(2)	Fog Tail Lamp (Rear Fog Light) Systems	2015	SAE	0
11377	J1333(2)	Hydraulic Cylinder Rod Corrosion Test, Recommended Practice	2015	SAE	0
11378	J1334(2)	Hydraulic Cylinder Integrity Test	2015	SAE	0
11379	J1339(2)	(R) Test Method for Measuring Performance of Engine Cooling Fans	2015	SAE	0
11380	J1351(2)	(R) Hot Odor Test for Insulation Materials	2015	SAE	0
11381	J1373(2)	Rear Cornering Lamps for Use on Motor Vehicles Less Than 9.1 m in Overall Length	2015	SAE	0

11382	J1418(2)	Fuel Injection Pumps - High Pressure Pipes (Tubing) for Testing	2015	SAE	0
11383	J1419(2)	Tapers for Shaft Ends and Hubs for Fuel Injection Pumps	2015	SAE	0
11384	J1423(2)	(R) Classification of Energy Conserving Engine Oil and Resource Conserving Engine Oil for Passenger Cars, Vans, Sport Utility Vehicles, and Light-Duty Trucks	2015	SAE	0
11385	J1526(2)	(R) SAE Fuel Consumption Test Procedure (Engineering Method)	2015	SAE	0
11386	J151(2)	Pressure Relief for Cooling System	2015	SAE	0
11387	J1453-2(2)	(R) Specification for O-Ring Face Seal Connectors: Part 2 - Requirements, Dimensions, and Tests for Steel Unions, Bulkheads, Swivels, Braze Sleeves, Braze-on Tube Ends, Caps, and Connectors with ISO 6149-2 Metric Stud Ends and ISO 6162 4-Bolt Flange Heads	2015	SAE	0
11388	J1604(2)	Rubber Boots for Drum-Type Hydraulic Brake Wheel Cylinders	2015	SAE	0
11389	J1604(3)	Rubber Boots for Drum-Type Hydraulic Brake Wheel Cylinders	2015	SAE	0
11390	J1538(2)	Glossary of Automotive Inflatable Restraint Systems	2015	SAE	0
11391	J1611(2)	Operator Controls - Horizontal Earthboring Machines	2015	SAE	0
11392	J1623(2)	(R) Off-Highway Vehicle Headlamps	2015	SAE	0
11393	J1624	Fuel Crossover Line (Stabilized Type)	2015	SAE	0
11394	J1658(2)	Alternate Refrigerant Consistency Criteria for Use in Mobile Air-Conditioning Systems	2015	SAE	0
11395	J1638(2)	Compression Set of Hoses or Solid Discs	2015	SAE	0
11396	J1647(2)	Plastic Materials and Coatings for Use In or On Optical Parts Such as Lenses and Reflectors of High-Intensity Discharge Forward Lighting Devices Used in Motor Vehicles	2015	SAE	0
11397	J1647(3)	Plastic Materials and Coatings for Use In or On Optical Parts Such as Lenses and Reflectors of High-Intensity Discharge Forward Lighting Devices Used in Motor Vehicles	2015	SAE	0
11398	J1671(2)	Outboard Mounted Brake Drum/Disc Wheel Hub Interface DimensionsTruck and Bus	2015	SAE	0
11399	J1678(2)	(R) Low Voltage Ultra Thin Wall Primary Cable	2015	SAE	0
11400	J1678(3)	(R) Low Voltage Ultra Thin Wall Primary Cable	2015	SAE	0
11401	J1698-1A	J1698-1A Pedestrian Protection EDR Output Data Definition Appendix to SAE J1698-1 Event Data Recorder â__ Output Data Definition	2015	SAE	0
11402	J1698-3(2)	NULL	2015	SAE	0
11403	J1698-3(3)	Event Data Recorder - Compliance Assessment	2015	SAE	0
11404	J1699-3(2)	OBD II Compliance Test Cases	2015	SAE	0
11405	J1810(2)	Electrical Indicating System Specification, Recommended Practice - January 1993	2015	SAE	0
11406	J1810(3)	Electrical Indicating System Specification, Recommended Practice - January 1993	2015	SAE	0
11407	J182(2)	Motor Vehicle Fiducial Marks and Three Dimensional Reference System, Recommended Practice	2015	SAE	0
11408	J1808(2)	Vacuum Power Assist Brake Booster Test Procedure, Standard	2015	SAE	0
11409	J1792-1(2)	Self-Propelled Sweepers - Air Flow Performance - Part 1: Suction AirVolume Performance	2015	SAE	0
11410	J1792-2(2)	Self-Propelled Sweepers - Air Flow Performance -Part 2: Suction/Blower Fan Performance	2015	SAE	0
11411	J1791(2)	Self-Propelled Sweepers and Scrubbers Dual Position Driving Controls and Displays	2015	SAE	0
11412	J1775	Bleed-Air Pneumatic Systems for Gas Turbine Equipped Marine and Amphibious Craft	2015	SAE	0
11413	J1757-1(2)	(R) Standard Metrology for Vehicular Displays	2015	SAE	0
11414	J1759(2)	SAE Hose Measurement Study	2015	SAE	0
11415	J1754-2(2)	Hose Assemblies, Rubber, Hydraulic, Steel Wire Reinforced - Part 2: Ordering Information	2015	SAE	0
11416	J1754-2(3)	Hose Assemblies, Rubber, Hydraulic, Steel Wire Reinforced - Part 2: Ordering Information	2015	SAE	0
11417	J1754-3(2)	Hose Assemblies, Hydraulic, J517 100R Series Hose - Part 3: Procurement and Ordering Information	2015	SAE	0
11418	J1754-3(3)	Hose Assemblies, Hydraulic, J517 100R Series Hose - Part 3: Procurement and Ordering Information	2015	SAE	0

11419	J1726(2)	Charge Air Cooler Internal Cleanliness, Leakage, and Nomenclature	2015	SAE	0
11420	AMS2759-3F	NULL	2015	SAE	0
11421	J1727(2)	(R) Calculation Guidelines for Impact Testing	2015	SAE	0
11422	J1850(2)	(R) CLASS B DATA COMMUNICATION NETWORK INTERFACE	2015	SAE	0
11423	AMS2770N	Heat Treatment of Wrought Aluminum Alloy Parts	2015	SAE	0
11424	J1829(2)	Stoichiometric Air-Fuel Ratios of Automotive Fuels	2015	SAE	0
11425	AMS2770M	Heat Treatment of Wrought Aluminum Alloy Parts	2015	SAE	0
11426	J185(2)	Access Systems for Off-Road Machines	2015	SAE	0
11427	J1889(2)	L.E.D. Signal and Marking Lighting Devices	2015	SAE	0
11428	J1939-71(2)	Vehicle Application Layer (Through May 2006)	2015	SAE	0
11429	J1939-15(3)	Physical Layer, 250 Kbps, Un-Shielded Twisted Pair (UTP)	2015	SAE	0
11430	J1939-16	Automatic Baud Rate Detection Process	2015	SAE	0
11431	J1939-21(2)	Data Link Layer	2015	SAE	0
11432	J1939-73(2)	Application Layer - Diagnostics	2015	SAE	0
11433	J1939-75(2)	Application Layer - Generator Sets and Industrial	2015	SAE	0
11434	J1938(2)	(R) Product Development Process and Checklist for Vehicle Electronic Systems	2015	SAE	0
11435	J1939-03(2)	On Board Diagnostics Implementation Guide	2015	SAE	0
11436	J2030(2)	Heavy-Duty Electrical Connector Performance Standard	2015	SAE	0
11437	J1984(2)	Diesel Fuel Injector Assembly Type 28 (9.5 mm)	2015	SAE	0
11438	J1994(2)	Laboratory Testing of Vehicle and Industrial Heat Exchangers for Heat Transfer Performance	2015	SAE	0
11439	J200(2)	CLASSIFICATION SYSTEM FOR RUBBER MATERIALS	2015	SAE	0
11440	J1949(2)	Road Vehicles - High Pressure Fuel Injection Pipe End -Connections With 60 Degree Female Cone	2015	SAE	0
11441	J1942-1(2)	Qualified Hoses for Marine Applications	2015	SAE	0
11442	J1942-1(3)	Qualified Hoses for Marine Applications	2015	SAE	0
11443	J1939-84(2)	(R) OBD Communications Compliance Test Cases for Heavy Duty Components and Vehicles	2015	SAE	0
11444	J1939-82(2)	Compliance	2015	SAE	0
11445	J1939DA(3)	J1939 Digital Annex - Rev. H; See Also SAE J1939; Includes Access to Additional Content	2015	SAE	0
11446	J1939DA(4)	J1939 Digital Annex - Rev. H; See Also SAE J1939; Includes Access to Additional Content	2015	SAE	0
11447	J1939DA(5)	J1939 Digital Annex - Rev. H; See Also SAE J1939; Includes Access to Additional Content	2015	SAE	0
11448	J1965(2)	Road Vehicles-Wheels for Commercial Vehicles and Multipurpose Passenger Vehicles- Fixing Nuts-Test Methods, Recommended Practice	2015	SAE	0
11449	J1958(2)	Diesel Engines - Steel Tubes for High-Pressure Fuel Injection Pipes (Tubing)	2015	SAE	0
11450	J1962(2)	DIAGNOSTIC CONNECTOR	2015	SAE	0
11451	J2192(2)	Recommended Testing Methods for Physical Protection of Wiring Harnesses	2015	SAE	0
11452	J2188(2)	Commercial Truck and Bus SAE Recommended Procedure for Vehicle Performance Prediction and Charting	2015	SAE	0
11453	J2174(2)	Heavy-Duty Wiring Systems for Trailers 2032 mm or More in Width	2015	SAE	0
11454	J2175(2)	Specifications for Low Carbon Cast Steel Shot	2015	SAE	0
11455	J2130-1(2)	Identification of Self-Propelled Sweepers and Cleaning Equipment Part 1 - Machines with a Gross Vehicle Mass Greater than 5000 kg	2015	SAE	0
11456	J2130-2(2)	Identification of Self-Propelled Sweepers and Cleaning Equipment Part 2â__Machines with a Gross Vehicle Mass Up to 5000 kg	2015	SAE	0
11457	J2087(3)	(R) Daytime Running Light	2015	SAE	0

11458	J2111(2)	Headlamp Cleaners	2015	SAE	0
11459	J2050(2)	High-Temperature Power Steering Pressure Hose	2015	SAE	0
11460	J2064(2)	R134a Refrigerant Automotive Air-Conditioned Hose	2015	SAE	0
11461	J2224(2)	Identification of Truck, Trailer, and Bus Wheel Seals and Associated Packaging	2015	SAE	0
11462	J2265(2)	Diesel Engines - Diesel Fuel PerformanceRequirement and Test Method for Assessing Fuel Lubricity	2015	SAE	0
11463	J2271M(2)	Ship Systems and Equipment - Part Standard for Studs - Continuous and Double End (Metric)	2015	SAE	0
11464	J2286(2)	Vendor Component Program Data File Interface for OEM Assembly Operations	2015	SAE	0
11465	J2311(2)	(R) Automatic Transmission Hydraulic Pump Test Procedure	2015	SAE	0
11466	J2315(2)	Wheel Nut Seat Strength	2015	SAE	0
11467	J2315(3)	Wheel Nut Seat Strength	2015	SAE	0
11468	J2364(2)	Navigation and Route Guidance Function Accessibility While Driving	2015	SAE	0
11469	J2455(2)	Drivetrain Systems Vibration Analysis Data Requirements	2015	SAE	0
11470	J2441(2)	Shot Peening	2015	SAE	0
11471	J2442(2)	(R) Harmonized Provisions for Installation of Exterior Lamps and Retro-Reflecting Devices on Road Vehicles Except Motorcycles	2015	SAE	0
11472	J2435(2)	Welded Flash Controlled, SAE 1021 Carbon Steel Tubing, Normalized for Cold Forming, Welding and Brazing	2015	SAE	0
11473	J2432(2)	Performance Testing of PK Section V-Ribbed Belts	2015	SAE	0
11474	J2426(2)	(R) Occupant Restraint System Evaluation - Lateral Rollover System-Level Heavy Trucks	2015	SAE	0
11475	J2429(2)	Free-Rolling Cornering Test for Truck and Bus Tires	2015	SAE	0
11476	J2412(2)	Accelerated Exposure of Automotive Interior Trim Components Using a Controlled Irradiance Xenon-Arc Apparatus	2015	SAE	0
11477	J2418(2)	Occupant Restraint Dynamic System Evaluation - Frontal Impact Heavy Trucks	2015	SAE	0
11478	J2467(2)	Welded and Cold-Drawn, SAE 1021 Carbon Steel Tubing Normalized for Bending and Flaring	2015	SAE	0
11479	J2534-1(2)	(R) Recommended Practice for Pass-Thru Vehicle Programming	2015	SAE	0
11480	J2577(2)	Heavy Duty Lamp Electrical Connector Standard	2015	SAE	0
11481	J2567(2)	Measurement of Exhaust Sound Levels of Stationary Snowmobiles	2015	SAE	0
11482	J2593(2)	Information Report for the Installation of Fluid Conductors and Connectors	2015	SAE	0
11483	J2723(2)	Engine Power Test CodeEngine Power and Torque Certification	2015	SAE	0
11484	AMS3092A	Release Agent, for Use During Form-In-Place Gasket Preparation	2015	SAE	0
11485	J2714	Gasoline Direct Injection Pump	2015	SAE	0
11486	J2655(2)	(R) Fastener Part Standard - Washers and Lockwashers (Inch Dimensioned)	2015	SAE	0
11487	J2629(2)	Standard Formats for Presenting Acoustical Data	2015	SAE	0
11488	J2641	Stationary Sound Testing of Snowmobiles, Procedure and Enforcement Issues	2015	SAE	0
11489	J265(2)	Diesel Fuel Injector Assembly - Types 8, 9, 10, and 11	2015	SAE	0
11490	J2654(2)	Hardness of Brake Lining	2015	SAE	0
11491	J2605(2)	Non-Contact Hose Measurement Study 1	2015	SAE	0
11492	J2610(2)	Serial Data Communication Interface	2015	SAE	0
11493	J2595(2)	Performance Requirements for Sealed Beam Motor Vehicle Headlamps	2015	SAE	0
11494	J2600(2)	Compressed Hydrogen Surface Vehicle Fueling Connection Devices	2015	SAE	0
11495	J2735(3)	Dedicated Short Range Communications (DSRC) Message Set Dictionary	2015	SAE	0
11496	J2735(2)	Dedicated Short Range Communications (DSRC) Message Set Dictionary	2015	SAE	0
11497	J2779(2)	Low Speed Thorax Impact Test Procedure for the HIII 50th Male Dummy	2015	SAE	0
11498	J2792(2)	Test Methodology for Evaluating the Chemical Compatibility of Wheel Finishes with Various Chemicals	2015	SAE	0

11499	J2802(2)	Blind Spot Monitoring System (BSMS): Operating Characteristics and User Interface	2015	SAE	0
11500	J2805(2)	Measurement of Noise Emitted by Accelerating Road Vehicles	2015	SAE	0
11501	J2842(2)	R-1234yf and R744 Design Criteria and Certification for OEM Mobile Air Conditioning Evaporator and Service Replacements	2015	SAE	0
11502	J2836-5	Use Cases for Customer Communication for Plug-in Electric Vehicles RATIONALE	2015	SAE	0
11503	J2847-2(2)	(R) Communication Between Plug-In Vehicles and Off-Board DC Chargers	2015	SAE	0
11504	J2847-6	Communication between Wireless Charged Vehicles and Wireless EV Chargers	2015	SAE	0
11505	J2851	Recovery Equipment for Contaminated R-134a or R-1234yf Refrigerant from Mobile Automotive Air Conditioning Systems	2015	SAE	0
11506	J2862	Users Manual for the Small Adult Female Hybrid III Test Dummy	2015	SAE	0
11507	J2876(2)	Low Speed Knee Slider Test Procedure for the Hybrid III 50th Male Dummy	2015	SAE	0
11508	J2883	Laboratory Measurement of Random Incidence Sound Absorption Tests Using a Small Reverberation Room	2015	SAE	0
11509	J2889-1(3)	Measurement of Minimum Noise Emitted by Road Vehicles	2015	SAE	0
11510	J2891(2)	Auxiliary Power Unit Electrical Interface Requirements for Class Eight Trucks	2015	SAE	0
11511	J2891(3)	Auxiliary Power Unit Electrical Interface Requirements for Class Eight Trucks	2015	SAE	0
11512	J2894-2	Power Quality Test Procedures for Plug-In Electric Vehicle Chargers	2015	SAE	0
11513	J2931-6	NULL	2015	SAE	0
11514	J2949	H-III50M Ankle Update to Eliminate Signal Noise	2015	SAE	0
11515	J2944	Operational Definitions of Driving Performance Measures and Statistics	2015	SAE	0
11516	J2970(2)	Minimum Performance Requirements for Non-Refrigerant Tracer Gasses and Electronic Tracer Gas Leak Detectors	2015	SAE	0
11517	J2980	Considerations for ISO 26262 ASIL Hazard Classification	2015	SAE	0
11518	J2988	Guidelines for Speech Input and Audible Output in a Driver Vehicle Interface	2015	SAE	0
11519	J2975(2)	Measurement of Copper and Other Elements in Brake Friction Materials	2015	SAE	0
11520	J2974	Technical Information Report on Automotive Battery Recycling	2015	SAE	0
11521	J2990-2	Hybrid and Electric Vehicle Safety Systems Information Report	2015	SAE	0
11522	J2992	FTIR Gas Analyzer Performance Evaluation / Qualification for Automotive Testing	2015	SAE	0
11523	J2994	Brake Hydraulic Component Low Pressure Flow Rate Measurement	2015	SAE	0
11524	J300(2)	(R) Engine Oil Viscosity Classification	2015	SAE	0
11525	J3049	Model Architecture and Interfaces Recommended Practice for Ground Vehicle System and Subsystem Dynamical Simulation	2015	SAE	0
11526	J3047	Recommendation for Acceptable Operating Parameters of Heated Automobile Seats in Order to Mitigate Occupant Injury	2015	SAE	0
11527	J3053	Heavy Duty Truck and Bus Electrical Circuit Performance Requirement for 12/24 Volt Electric Starter Motors	2015	SAE	0
11528	J3054	TP1.6 Vehicle DIAGNOSTIC Protocol	2015	SAE	0
11529	J3045	Truck and Bus Lane Departure Warning Systems Test Procedure	2015	SAE	0
11530	J3042	Measuring Properties of Li-Battery Electrolyte	2015	SAE	0
11531	J3040	Electric Vehicle (E-Vehicle) Crash Test Lab Safety Guidelines	2015	SAE	0
11532	J3029	Forward Collision Warning and Mitigation Vehicle Test Procedure - Truck and Bus	2015	SAE	0
11533	J3030	Automotive Refrigerant Recovery/Recycling/Recharging Equipment Intended for use with Both R-1234yf and R-134a	2015	SAE	0
11534	J3010	Registration and Conformity Assessment Process for Passenger Cars and Light Trucks Wheels	2015	SAE	0
11535	J3018	Guidelines for Safe On-Road Testing of SAE Level 3, 4, and 5 Prototype Automated Driving Systems (ADS)	2015	SAE	0
11536	J3062	Automotive Refrigerant Air-Conditioning Hose Requirements	2015	SAE	0
11537	J3063	Active Safety Systems Terms & Definitions	2015	SAE	0

11538	J3072	Interconnection Requirements for Onboard, Utility-Interactive Inverter Systems	2015	SAE	0
11539	J3076	Clock Extension Peripheral Interface (CXPI)	2015	SAE	0
11540	J3077	Definitions and Data Sources for the Driver Vehicle Interface (DVI)	2015	SAE	0
11541	J3078-6	Off-Road Self-Propelled Work Machines Operator Enclosure Environment Part 6: Determination of Effect of Solar Heating	2015	SAE	0
11542	J3081	Heavy Vehicle Controls Prioritization and Conflict Resolution	2015	SAE	0
11543	J3082	Auxiliary Two Conductor Electrical Power Connector for Truck-TrailerHigh Power Jumper Cable	2015	SAE	0
11544	J347(2)	Diesel Fuel Injector Assembly Type 7 (9.5 mm)	2015	SAE	0
11545	J374(2)	Vehicle Roof Strength Test Procedure, Recommended Practice	2015	SAE	0
11546	J411(2)	Carbon and Alloy Steels	2015	SAE	0
11547	J397(2)	Deflection Limiting Volume - Protective Structures Laboratory Evaluation	2015	SAE	0
11548	J515(2)	Hydraulic O-Ring, Standard - June 1992	2015	SAE	0
11549	J51(2)	Refrigerant 12 Automotive Air-Conditioning Hose	2015	SAE	0
11550	J599(2)	(R) Lighting Inspection Code	2015	SAE	0
11551	J626(2)	Diesel Fuel Injection - End-Mounting Flanges for Fuel Injection Pumps	2015	SAE	0
11552	J629(2)	Diesel Fuel Injector Assembly - Flange Mounted Types 5 and 6	2015	SAE	0
11553	J583(2)	(R) Front Fog Lamp	2015	SAE	0
11554	J577(2)	VIBRATION TEST MACHINE	2015	SAE	0
11555	J58(2)	(R) Flanged 12-Point Screws	2015	SAE	0
11556	J567(2)	Lamp Bulb Retention System	2015	SAE	0
11557	J575(2)	(R) Test Methods and Equipment for Lighting Devices and Components for Use on Vehicles Less Than 2032 mm in Overall Width	2015	SAE	0
11558	J551-1(2)	Performance Levels and Methods of Measurement of Electromagnetic Compatibility of Vehicles, Boats (up to 15 m), and Machines (16.6 Hz to 18 GHz)	2015	SAE	0
11559	J551-15(2)	Vehicle Electromagnetic Immunity - Electrostatic Discharge (ESD)	2015	SAE	0
11560	J549(2)	(R) PREIGNITION RATING OF SPARK PLUGS	2015	SAE	0
11561	J551-17(2)	Vehicle Electromagnetic Immunity - Power Line Magnetic Fields	2015	SAE	0
11562	J518-3	Hydraulic Flange Clamps, 2-Screw Flange Connection to be used with SAE J518-1(Code 61) Connections where Only Low Pressure is Required	2015	SAE	0
11563	J531(2)	Automotive Pipe, Filler, and Drain Plugs	2015	SAE	0
11564	J534(2)	(R) Lubrication Fittings	2015	SAE	0
11565	J826(2)	Devices for Use in Defining and Measuring Vehicle Seating Accommodation	2015	SAE	0
11566	J694(2)	(R) Disc Wheel and Hub or Drum Interface Dimensions - Truck and Bus	2015	SAE	0
11567	J703(2)	Fuel Systems - Truck and Truck Tractors	2015	SAE	0
11568	J680(2)	(R) Location and Operation of Air Brake Controls in Motor Truck Cabs	2015	SAE	0
11569	J673(2)	(R) Automotive Safety Glasses	2015	SAE	0
11570	J651(2)	Passenger Car and Light Truck Automatic Transmission and Automatic Transaxle Test Code	2015	SAE	0
11571	J967(2)	Calibration Fluid for Diesel Injection Equipment	2015	SAE	0
11572	J967(3)	Calibration Fluid for Diesel Injection Equipment	2015	SAE	0
11573	J972(2)	Moving Rigid Barrier Collision Tests	2015	SAE	0
11574	J876(2)	Wide Base Tire Rims and Wheels, Recommended Practice	2015	SAE	0
11575	J876(3)	Wide Base Tire Rims and Wheels, Recommended Practice	2015	SAE	0
11576	J830(2)	(R) Fuel Injection Equipment Nomenclature, Standard	2015	SAE	0

11577	J846(2)	Coding Systems for Identification of Fluid Conductors and Connectors	2015	SAE	0
11578	J850(2)	Fixed Rigid Barrier Collision Tests	2015	SAE	0
11579	J860(2)	Test Method for Measuring Mass (Weight) of Organic Trim Materials	2015	SAE	0
11580	AMS3217-3C	NULL	2015	SAE	0
11581	MA3428A	NUT, CASTELLATED, HEX - THIN, UNS S66286, SILVER PLATE, MJ THREAD, METRIC (Stabilized Type) - UNS S66286	2015	SAE	0
11582	MA3423A	NUT, PLAIN HEX - DRLD, UNS S66286, SILVER PLATE, MJ THREAD, METRIC (Stabilized Type)	2015	SAE	0
11583	MA3393A	CLIP - SPRING, TENSION, OUTER 6.7 MM BOLT HOLE, AMS 5525, METRIC (Stabilized Type)	2015	SAE	0
11584	MA3394A	CLIP - SPRING, TENSION, INNER 6.7 MM BOLT HOLE, AMS 5525, METRIC (Stabilized Type)	2015	SAE	0
11585	MA3388A	STUD, STEPPED - 2.0 DIA ENGAGEMENT, A286, MJ METRIC 6 X 1 - 5 X 0.8 (Stabilized Type)	2015	SAE	0
11586	MA3390A	STUD, STEPPED - 2.0 DIA ENGAGEMENT, A286, MJ METRIC 8 X 1 - 7 X 1 (Stabilized Type)	2015	SAE	0
11587	MA3391A	STUD, STEPPED - 2.0 DIA ENGAGEMENT, A286, MJ METRIC 10 X 1.25 - 8 X 1 (Stabilized Type)	2015	SAE	0
11588	MAP1670A	Studs, Installation Practice for Interference Fit - Metric (Stabilized Type)	2015	SAE	0
11589	MAP749C	(R) Aircraft Turbine Engine Fuel System Component Endurance Test Procedure (Room Temperature Contaminated Fuel)	2015	SAE	0
11590	AMS3265E	(R) Sealing Compound, Polysulfide (T) Rubber, Fuel Resistant, Non-Chromated Corrosion Inhibiting For Intermittent Use to 360 °F (182 °C)	2015	SAE	0
11591	AMS3332F	Silicone Rubber Extreme Low-Temperature Resistant 15 - 30	2015	SAE	0
11592	AMS3277J	(R) Sealing Compound, Polythioether Rubber Fast Curing for Integral Fuel Tanks and General Purpose, Intermittent Use to 360 °F (182 °C)	2015	SAE	0
11593	USCAR-43	Shipping Caps, Torque Caps, and Body Plugs Ergonomic Design Criteria	2015	SAE	0
11594	USCAR40-1	Lead-Free Solder Validation Test Plan	2015	SAE	0
11595	USCAR-41	Ergonomic Guidelines for Carts and Dollies	2015	SAE	0
11596	USCAR-42	Ergonomic Guidelines for Small Lot Delivery Operations	2015	SAE	0
11597	AIR1558B	Interface Protective Devices - Ground Equipment to Aircraft	2015	SAE	0
11598	AMS3345F	Silicone Rubber 1000 psi (6.89 MPa) Minimum Tensile Strength 45 - 55 Durometer	2015	SAE	0
11599	AMS3376C	Sealing Compound, Non-Curing, Fluorosilicone Groove Injection Temperature and Fuel Resistant	2015	SAE	0
11600	AMS3377A	Sealing Compound, Electrically Conductive Corrosion Inhibiting (Stabilized Type)	2015	SAE	0
11601	AMS3652D	Polytetrafluoroethylene (PTFE) Film Non-Critical Grade (Stabilized Type)	2015	SAE	0
11602	AMS3661D	Polytetrafluoroethylene (PTFE) Film Premium Grade (Stabilized Type)	2015	SAE	0
11603	AMS3662D	Polytetrafluoroethylene Film General Purpose Grade	2015	SAE	0
11604	AMS3647D	Polyfluoroethylene Propylene Film and Sheet	2015	SAE	0
11605	AMS3529B	Plastic Sheet and Film, Vinyl Copolymers Unplasticized	2015	SAE	0
11606	AMS3604	Heat Resistant Aluminized Paint	2015	SAE	0
11607	AMS3732B	Potting Compound, Epoxy One Part, Filled, Heat Cure, Low CTE (Stabilized Type)	2015	SAE	0
11608	AMS3676D	Insulation, Sound and Thermal Resin-Bonded Glass Fiber, Medium Filament (Stabilize Type)	2015	SAE	0
11609	AMS3679C	Insulation, Thermal Ceramic Fiber (Stabilized Type)	2015	SAE	0
11610	AMS3680D	Insulation, Thermal Silica Fiber (Stabilized Type)	2015	SAE	0
11611	AMS3797-10C	NULL	2015	SAE	0
11612	AMS3797-11C	Webbing, Nylon, Integral Locking Slots 1-1/8 (29) Wide, 11,000 (48,930) Breaking Strength	2015	SAE	0
11613	AMS3797-12C	Webbing, Nylon, Integral Locking Slots 1-1/8 (29) Wide, 12,000 (53,379) Breaking Strength	2015	SAE	0
11614	AMS3797-1C	Webbing, Nylon, Integral Locking Slots 5/8 (15.9) Wide, 1000 (4448) Breaking Strength	2015	SAE	0
11615	AMS3797-2C	NULL	2015	SAE	0

11616	AMS3797-3C	Webbing, Nylon, Integral Locking Slots 1 (25) Wide, 3000 (13,345) Breaking Streng	2015	SAE	0
11617	AMS3797-4C	Webbing, Nylon, Integral Locking Slots 1 (25) Wide, 4000 (17,793) Breaking Strength	2015	SAE	0
11618	AMS3797-5C	Webbing, Nylon, Integral Locking Slots 1 (25) Wide, 5000 (22,241) Breaking Strength	2015	SAE	0
11619	AMS3797-6C	NULL	2015	SAE	0
11620	AMS3797-7C	Webbing, Nylon, Integral Locking Slots 1-1/16 (27) Wide, 7000 (31,138) Breaking Strength	2015	SAE	0
11621	AMS3797-8C	Webbing, Nylon, Integral Locking Slots 1-1/16 (27) Wide, 8000 (35,586) Breaking Strength	2015	SAE	0
11622	AMS3797-9C	Webbing, Nylon, Integral Locking Slots 1-1/8 (29) Wide, 9000 (40,034) Breaking Strength	2015	SAE	0
11623	AMS3792C	Tape, Low Modulus Aramid 300 (1334), 1000 (4448) and 8000 (13,345) Breaking Strength (Stabilized Type)	2015	SAE	0
11624	AMS3778-3B	Webbing, Woven, Nylon 400 Pounds Force (1779 N)	2015	SAE	0
11625	AMS3733C	Potting Compound, Epoxy Two Part, Highly Filled, Heat Cure, High Compressive Strength	2015	SAE	0
11626	AMS3805B	Cloth, Duck, Aramid (META), Non-Melting (Stabilized Type)	2015	SAE	0
11627	AMS3798-8C	Webbing, Low Modulus Aramid 1-23/32 (44) Wide, 1200 (5338) Breaking Strength Herringbone Twill	2015	SAE	0
11628	AMS3798-9C	Webbing, Low Modulus Aramid 1-23/32 (44) Wide, 6500 (28,913) Breaking Strength Herringbone Twill Resin Treated	2015	SAE	0
11629	AMS3798C	Webbing, Low Modulus Aramid (Stabilized Type)	2015	SAE	0
11630	AMS3798-16C	Webbing, Low Modulus Aramid 1-1/2 (38) Wide, 1700 (7562) Breaking Strength Special Weave	2015	SAE	0
11631	AMS3798-1C	Webbing, Low Modulus Aramid 9/16 (14) Wide, 500 (2224) Breaking Strength Herringbone Twill, Resin Treated	2015	SAE	0
11632	AMS3798-2C	NULL	2015	SAE	0
11633	AMS3798-3C	Webbing, Low Modulus Aramid 3/4 (19) Wide, 600 (2669) Breaking Strength Herringbone Twill	2015	SAE	0
11634	AMS3798-4C	Webbing, Low Modulus Aramid 1-23/32 (44) Wide, 5500 (24,465) Breaking Strength Double Plain Weave with Binder	2015	SAE	0
11635	AMS3798-5C	Webbing, Low Modulus Aramid 1-23/32 (44) Wide, 3600 (16,014) Breaking Strength Herringbone Twill, Resin Treated	2015	SAE	0
11636	AMS3798-6C	NULL	2015	SAE	0
11637	AMS3798-7C	Webbing, Low Modulus Aramid 1-23/32 (44) Wide, 8700 (38,700) Breaking Strength Double Plain Weave with Binder	2015	SAE	0
11638	AMS3797C	Webbing, Nylon, Integral Locking Slots (Stabilized Type)	2015	SAE	0
11639	AMS3798-10C	NULL	2015	SAE	0
11640	AMS3798-11C	Webbing, Low Modulus Aramid 1-3/4 (44) Wide, 10,000 (44,482) Breaking Strength Herringbone Twill	2015	SAE	0
11641	AMS3798-12C	Webbing, Low Modulus Aramid 1 (25) Wide, 9000 (40,034) Breaking Strength Special Weave	2015	SAE	0
11642	AMS3798-13C	Webbing, Low Modulus Aramid 1-23/32 (44) Wide, 7300 (32,472) Breaking Strength Twill, Resin Treated	2015	SAE	0
11643	AMS3798-14C	NULL	2015	SAE	0
11644	AMS3798-15C	Webbing, Low Modulus Aramid 1 (25) Wide, 2500 (11,121) Breaking Strength Herringbone Twill	2015	SAE	0
11645	AMS3820B	Tape, Nylon Cloth for Ring-Slot Parachutes (Stabilized Type)	2015	SAE	0
11646	AMS3821C	Cloth, Type "E" Glass, "B" Stage Epoxy-Resin-Impregnated 7781 Style Fabric, Flame Resistant (Stabilized Type)	2015	SAE	0
11647	AMS3808B	Tape, Adhesive, Pressure-Sensitive Masking (Stabilized Type)	2015	SAE	0
11648	AMS3809A	Tape, Adhesive, Pressure-Sensitive Double-Faced, Carpet Tie Down (Stabilized Type)	2015	SAE	0
11649	AMS3823E	Cloth, Glass Style 7781, Chrome-Silane Finish (Stabilized Type)	2015	SAE	0
11650	AMS3833B	Cloth, Broadcloth, Polyester/Cotton Polyester Filament, End to End, (Durable Press)(Stabilized Type)	2015	SAE	0
11651	AMS4068F	Aluminum Alloy, Drawn Seamless Tubing 6.3Cu - 0.30Mn - 0.18Zr - 0.10V - 0.06Ti (2219-T3511) Solution Heat Treated and Stress Relieved by Stretching - UNS A92219	2015	SAE	0
11652	AMS4077H	Aluminum Alloy Sheet and Plate, Alclad One Side 4.4Cu - 1.5Mg - 0.60Mn (Clad One Side 2024-O) Annealed - UNS A82024	2015	SAE	0
11653	AMS4069F	Aluminum Alloy, Drawn, Round Seamless Tubing Close Tolerance 2.5Mg - 0.25Cr (5052-0) Annealed - UNS A95052	2015	SAE	0
11654	AMS4070N	Aluminum Alloy, Drawn, Round Seamless Tubing 2.5Mg - 0.25Cr (5052-0) Annealed - UNS A95052	2015	SAE	0
11655	AMS3914A	(R) Advanced Composites Prepreg - Nominal 250 °F Cure - 12K Tow Carbon Fiber and Epoxy Resin, Plain Weave Fabric	2015	SAE	0

11656	AMS3960A	(R) Advanced Composites Prepreg - Nominal 250 ï°F Cure - Carbon Fiber and Epoxy Resin, Unidirectional Tape	2015	SAE	0
11657	AMS3961	350 ï°F Autoclave Cure, Low Flow Toughened Epoxy Prepregs	2015	SAE	0
11658	AMS3961-1	350 ?F Autoclave Cure, Low Flow Toughened Epoxy Prepregs, Type 38, Class 2, Grade 193, Style 3K-70-PW, Fiber 1	2015	SAE	0
11659	AMS3915A	(R) Advanced Composites Prepreg Nominal 250 ï°F Cure Glass Fiber and Epoxy Resin, 7781 Weave Fabric	2015	SAE	0
11660	AMS3961-2	NULL	2015	SAE	0
11661	AMS3961-3	350 ?F Autoclave Cure, Low Flow Toughened Epoxy Prepregs, Type 35, Class 1, Grade 190, Fiber 1	2015	SAE	0
11662	AMS4004E	Aluminum Alloy, Foil 2.5Mg - 0.25Cr (5052-H191) Strain Hardened - UNS A95052	2015	SAE	0
11663	AMS4115J	Aluminum Alloy, Rolled or Cold-Finished, Bars, Rods, Wire, and Flash Welded Rings Annealed 1.0Mg - 0.60Si - 0.28Cu - 0.20Cr (6061-0) - UNS A96061	2015	SAE	0
11664	AMS4090F	Aluminum Alloy, Plate 5.7Zn 2.2Mg 1.6Cu 0.22Cr (7475-T651) Solution Heat Treated, Stress Relieved, and Precipitation Heat Treated - UNS A97475	2015	SAE	0
11665	AMS4116J	Aluminum Alloy, Bars, Rods, and Wire 1.0Mg - 0.60Si - 0.30Cu - 0.20Cr (6061-T4) Cold Finished, Solution Heat Treated and Naturally Aged - UNS A96061	2015	SAE	0
11666	AMS4117K	Aluminum Alloy, Rolled or Cold Finished Bars, Rods, and Wire and Flash Welded Rings 1.0Mg - 0.60Si - 0.28Cu - 0.20Cr (6061; -T6, -T651) - UNS A96061	2015	SAE	0
11667	AMS4190K	Aluminum Alloy, Welding Wire 5.2Si (4043) - UNS A94043	2015	SAE	0
11668	AMS4159E	Aluminum Alloy, Extrusions 7.7Zn - 2.4Mg - 1.6Cu - 0.16Cr (7049-T76511) Solution Heat Treated, Stress Relieved, Straightened, and Overaged - UNS A97049	2015	SAE	0
11669	AMS4153L	Aluminum Alloy, Extrusions 4.5Cu - 0.85Si - 0.80Mn - 0.50Mg (2014-T6) Solution and Precipitation Heat Treated - UNS A92014	2015	SAE	0
11670	AMS4154R	Aluminum Alloy, Extrusions 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (7075-T6, 7075-T6510, 7075-T6511) Solution Heat Treated, Stress Relieved by Stretching When Required and Precipitation Heat Treated - UNS A97075	2015	SAE	0
11671	AMS4259B	Aluminum Alloy, Sheet 2.4Li - 1.3Cu - 0.95Mg - 0.10Zr (8090-T6) Solution and Precipitation Heat Treated (Unrecrystallized) (Stabilized Type)	2015	SAE	0
11672	AMS4235C	Aluminum Alloy Castings 4.6Cu - 0.35Mn - 0.25Mg - 0.22Ti (A206.0-T71) Solution and Precipitation Heat Treated - UNS A12060	2015	SAE	0
11673	AIR4004A	Guide for Installation of Electrical Wire and Cable on Aircraft Landing Gear	2015	SAE	0
11674	AMS4236D	Aluminum Alloy Castings 4.6Cu - 0.35Mn - 0.25Mg - 0.22Ti (A206.0-T4) Solution Heat Treated and Naturally Aged - UNS A12060	2015	SAE	0
11675	AMS4241E	Aluminum Alloy Castings 7.0Si - 0.58Mg - 0.15Ti - 0.06Be (D357.0-T6) Solution and Precipitation Heat Treated Dendrite Arm Spacing (DAS) Controlled - UNS A43570	2015	SAE	0
11676	AMS4242C	Aluminum Alloy, Castings 4.7Cu - 0.60Ag - 0.35Mn - 0.25Mg - 0.25Ti (B201.0-T7) Solution Heat Treated and Overaged - UNS A02010	2015	SAE	0
11677	AMS4223E	Aluminum Alloy, Castings 4.5Cu - 0.70Ag - 0.30Mn - 0.25Mg - 0.25Ti (A201.0-T4) Solution Heat Treated and Naturally Aged - UNS A12010	2015	SAE	0
11678	AMS4229G	Aluminum Alloy Castings, High Strength 4.5Cu - 0.70Ag - 0.30Mn - 0.25Mg - 0.25Ti (A201.0-T7) Solution Heat Treated and Overaged - UNS A02010	2015	SAE	0
11679	AMS4205D	Aluminum Alloy, Plate 6.2Zn - 1.8Cu - 2.4Mg - 0.13Zr (7010-T7451) Solution Heat Treated, Stress Relieved, and Precipitation Heat Treated - UNS 97010	2015	SAE	0
11680	AMS4272	Aluminum Alloy, Alclad Sheet and Plate (Alclad 2029-T8) 3.6 Cu, 0.30 Mn, 0.95 Mg, 0.40 Ag, 0.12 Zr Solution Heat Treated, Cold Worked and Aged	2015	SAE	0
11681	AMS4371B	Magnesium Alloy, Plate 4.0Y - 2.25Nd - 0.5Zr (WE43C - T5) Precipitation Heat Treated - UNS M18434	2015	SAE	0
11682	AMS4355	Aluminum Alloy, Discontinuously Reinforced Hot Isostatically Pressed Shapes 2124A/SiC/25p (3 m) (T1P)	2015	SAE	0
11683	AMS4323C	Aluminum Alloy, Hand Forgings 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (7075-T7452) Solution Heat Treated, Stress Relieved, and Precipitation Heat Treated - UNS A97075	2015	SAE	0

11684	AMS4333D	Aluminum Alloy, Die Forgings 6.2Zn - 2.3Cu - 2.2Mg - 0.12Zr (7050-T7452) Solution Heat Treated, Compression Stress-Relieved, and Overaged - UNS A97050	2015	SAE	0
11685	AMS4460A	Aluminum Alloy, Clad Two Sides Sheet 0.6Mg - 0.35Si - 0.28Cu (No. 24 Brazing Sheet) As Fabricated - UNS A86951	2015	SAE	0
11686	AMS4465A	Aluminum Alloy, Clad One Side Sheet 0.6Mg - 0.35Si - 0.28Cu (No. 23 Brazing Sheet) As Fabricated - UNS A86951	2015	SAE	0
11687	AMS4634C	Aluminum Bronze Bars, Rods, and Forgings 90.5Cu - 7.5Al - 1.9Si Stress Relieved - UNS C64200	2015	SAE	0
11688	AMS4701H	Copper Wire, Oxygen-Free 99.95(Cu+Ag) Annealed (Stabilized Type) - UNS C10200	2015	SAE	0
11689	AMS4635G	Aluminum Bronze Bars, Rods, and Forgings 87Cu - 9Al - 3Fe Stress Relieved - UNS C62300	2015	SAE	0
11690	AMS4761B	Silver Alloy, Brazing Filler Metal 38Ag 32Cu 28Zn 2.0Sn 1200 to 1330 Ī°F (649 to 721 Ī°C) Solidus-Liquidus Range - UNS P07380	2015	SAE	0
11691	AMS4720G	Wire, Phosphor Bronze 94Cu 5.0Sn 0.19P Cold Drawn, Spring Temper (H08) - UNS C51000	2015	SAE	0
11692	AMS4763B	Silver Alloy, Brazing Filler Metal 56Ag - 22Cu - 17Zn - 5.0Sn 1145 to 1205 Ī°F (618 to 652 Ī°C) Solidus-Liquidus Range - UNS P07563	2015	SAE	0
11693	AMS4762B	Silver Alloy, Brazing Filler Metal 40Ag - 30Cu - 30Zn 1245 to 1340 Ī°F (674 to 727 Ī°C) Solidus-Liquidus Range - UNS P07402	2015	SAE	0
11694	AMS4765F	Silver Alloy, Brazing Filler Metal 56Ag - 42Cu - 2.0Ni 1420 to 1640 Ī°F (771 to 893 Ī°C) Solidus-Liquidus Range - UNS P07560	2015	SAE	0
11695	AMS4767G	Silver Alloy, Brazing Filler Metal 92.5Ag - 7.2Cu - 0.22Li 1435 to 1635 Ī°F (779 to 891 Ī°C) Solidus-Liquidus Range - UNS P07925	2015	SAE	0
11696	AMS4768J	Silver Alloy, Brazing Filler Metal 35Ag - 26Cu - 21Zn - 18Cd 1125 to 1295 Degrees F (607 to 702 Degrees C) Solidus-Liquidus Range - UNS P07350	2015	SAE	0
11697	AMS4769G	Silver Alloy, Brazing Filler Metal 45Ag - 24Cd - 16Zn - 15Cu 1125 to 1145 Degrees F (607 to 618 Degrees C) Solidus-Liquidus Range (Stabilzed Type) - UNS P07450	2015	SAE	0
11698	AMS4555K	Leaded Brass, Seamless Tubing 66.5Cu - 32.5Zn - 0.48Pb Light Annealed (050) - UNS C33000	2015	SAE	0
11699	AMS4535D	Copper-Beryllium Alloy, Mechanical Tubing 98Cu - 1.9Be Solution and Precipitation Heat Treated (TF00, formerly AT) - UNS C17200	2015	SAE	0
11700	AMS4520L	Leaded Phosphor Bronze Strip 88.5Cu - 4.0Sn - 4.0Pb - 3.0Zn - 0.26P Cold Rolled, Half Hard (HO2) - UNS C54400	2015	SAE	0
11701	AMS4510H	Phosphor Bronze, Sheet, Strip, and Plate 94.5Cu - 4.0Sn - 0.19P Spring Temper (H08) - UNS C51000	2015	SAE	0
11702	AIR4127A	Steel: Chemical Composition and Hardenability	2015	SAE	0
11703	AMS4479	Aluminum Alloy, Extruded Profiles (2824-T3511) 4.0Cu - 1.35Mg - 0.7Mn Solution Heat Treated and Stress Relieved by Stretching - UNS A92824	2015	SAE	0
11704	AMS4480	Aluminum Alloy, Seamless Drawn Tubing 1.0Mg - 0.60Si - 0.28Cu - 0.20Cr (6061-T4) Solution Heat Treated and Naturally Aged - UNS A96061	2015	SAE	0
11705	AMS4474A	Aluminum Alloy, Sheet and Plate 4.0Cu - 1.0Li - 0.40Mg - 0.35Ag - 0.13Zr (2195-T8) Solution Heat Treated, Cold Worked, and Artificially Aged - UNS A92195	2015	SAE	0
11706	AMS4467A	Aluminum Alloy, Sheet and Plate, Alclad 4.4Cu 1.5Mg 0.60Mn (Alclad 2024, -T861 Sheet & Plate) Solution Heat Treated, 6% Cold Worked and Artificially Aged - UNS A82024	2015	SAE	0
11707	AMS4772K	Silver Alloy, Brazing Filler Metal 54Ag 40Cu 5.0Zn 1.0Ni 1325 to 1575 Ī°F (718 to 857 Ī°C) Solidus-Liquidus Range - UNS P07540	2015	SAE	0
11708	AMS4770L	Silver Alloy Brazing Filler Metal 50Ag - 18Cd - 16.5Zn - 15.5Cu 1160 to 1175 Degrees F (627 to 635 Degrees C) Solidus-Liquidus Range - UNS P07500	2015	SAE	0
11709	AMS4771J	Silver Alloy, Brazing Filler Metal 50Ag - 16Cd - 15.5Zn - 15.5Cu - 3.0Ni 1170 to 1270 Degree F (632 to 688 Degree C) Solidus-Liquidus Range - UNS P07501	2015	SAE	0
11710	AMS4774G	Silver Alloy Brazing Filler Metal 63Ag 28.5Cu 6.0Sn 2.5Ni 1275 to 1475 Ī°F (691 to 802 Ī°C) Solidus-Liquidus Range - UNS P07630	2015	SAE	0
11711	AMS4788B	Silver Alloy Brazing Filler Metal 50Ag - 28Zn - 20Cu - 2.0Ni 1220 to 1305 Ī°F (660 to 707 Ī°C) Solidus-Liquidus Range - UNS P07505	2015	SAE	0

11712	AMS4785J	Gold-Palladium-Nickel Alloy, Brazing Filler Metal, High Temperature 30Au 34Pd 36Ni 2075 to 2130 Ï°F (1135 to 1166 Ï°C) Solidus-Liquidus Range - UNS P00300	2015	SAE	0
11713	AMS4786J	Gold-Palladium-Nickel Alloy, Brazing Filler Metal, High Temperature 70Au 8.0Pd 22Ni 1845 to 1915 Ï°F (1007 to 1046 Ï°C) Solidus-Liquidus Range - UNS P00700	2015	SAE	0
11714	AIR4176A	Cost Versus Benefits of Engine Monitoring Systems	2015	SAE	0
11715	AMS4824E	BEARINGS, BABBITT-COATED LEADED-BRONZE Steel Back (stabilized type)	2015	SAE	0
11716	AMS4845J	Tin Bronze Castings, Sand and Centrifugal 87.5Cu - 10Sn - 2Zn As Cast - UNS C90500	2015	SAE	0
11717	AMS4863	Copper-Nickel-Tin Alloy Castings Cu 15Ni 8Sn Hot Isostatically Pressed, Solution Annealed and Spinodal Heat Treated - UNS C96900	2015	SAE	0
11718	AMS4871H	Aluminum Bronze, Centrifugal and Chill Castings 85Cu - 11Al - 3.6Fe Solution Heat Treated and Tempered (Stabilized Type) - UNS C95420	2015	SAE	0
11719	AMS4901T	Titanium Sheet, Strip, and Plate Commercially Pure Annealed, 70.0 ksi (485 MPa) - UNS R50700	2015	SAE	0
11720	AMS4903C	Titanium Alloy Sheet, Strip, and Plate 6Al - 4V Solution Heat Treated - UNS R56400	2015	SAE	0
11721	AMS4904C	Titanium Alloy Sheet, Strip, and Plate 6Al - 4V Solution Heat Treated and Aged - UNS R56400	2015	SAE	0
11722	AMS4920F	Titanium Alloy, Forgings 6AI - 4V Alpha-Beta or Beta Processed, Annealed - UNS R56400	2015	SAE	0
11723	AMS4930H	Titanium Alloy Bars, Wire, Forgings, and Rings 6Al - 4V, Extra Low Interstitial Annealed - UNS R56401	2015	SAE	0
11724	AMS4931E	Titanium Alloy Bars, Forgings, and Rings 6Al - 4V Extra Low Interstitial (ELI) Duplex Annealed, Fracture Toughness - UNS R56400	2015	SAE	0
11725	AMS4924H	Titanium Alloy Bars, Forgings, and Rings-15 5Al - 2.5Sn, Extra Low Interstitial Annealed - UNS R54521	2015	SAE	0
11726	AMS4926N	Titanium Alloy, Bars, Wire, and Rings 5Al - 2.5Sn Annealed, 110 ksi (758 MPa) Yield Strength - UNS R54520	2015	SAE	0
11727	AMS4934G	Titanium Alloy, Extrusions and Flash Welded Rings 6Al - 4V Solution Heat Treated and Aged - UNS R56400	2015	SAE	0
11728	AMS4943K	Titanium Alloy, Hydraulic, Seamless Tubing 3.0Al - 2.5V Annealed - UNS R56320	2015	SAE	0
11729	AMS4944L	Titanium Alloy Tubing, Seamless, Hydraulic 3.0Al - 2.5V Cold Worked, Stress Relieved - UNS R56320	2015	SAE	0
11730	AMS4972H	Titanium Alloy Bars, Wire, and Rings 8Al - 1Mo - 1V Solution Heat Treated and Stabilized - UNS R54810	2015	SAE	0
11731	AMS4982F	Titanium Alloy Wire 44.5 Cb - UNS R58450	2015	SAE	0
11732	AMS4983F	Titanium Alloy, Forgings 10V - 2Fe - 3Al Consumable Electrode Melted, Single-Step Solution Heat Treated and Aged 180 ksi (1241 MPa) Tensile Strength - UNS R56410	2015	SAE	0
11733	AMS4984F	Titanium Alloy Forgings 10V - 2Fe - 3Al Consumable Electrode Melted, Solution Heat Treated and Aged 173 ksi (1193 MPa) Tensile Strength - UNS R56410	2015	SAE	0
11734	AMS4986E	Titanium Alloy, Forgings 10V - 2Fe - 3Al Consumable Electrode Melted, Single-Step Solution Heat Treated and Overaged 160 ksi (1103 MPa) Tensile Strength - UNS R56410	2015	SAE	0
11735	AMS4987E	Titanium Alloy, Forgings 10V - 2Fe - 3AI Consumable Electrode Melted, Single-Step Solution Heat Treated and Overaged 140 ksi (965 MPa) Tensile Strength - UNS R56410	2015	SAE	0
11736	AMS4990C	Titanium Alloy Sheet, Strip, and Plate 6Al - 6V - 2Sn Solution Heat Treated and Aged - UNS R56620	2015	SAE	0
11737	AMS4953G	Titanium Alloy Welding Wire 5Al - 2.5Sn - UNS R54520	2015	SAE	0
11738	AMS4952F	Titanium Alloy, Welding Wire 6AI - 2Sn - 4Zr - 2Mo - UNS R54620	2015	SAE	0
11739	AMS4950D	Titanium Alloy, Bars, Wire, Forgings, and Rings 6.0Al - 4.0V Solution Heat Treated and Aged Modified Strength - UNS R56400	2015	SAE	0
11740	AMS5045J	Steel, Sheet and Strip 0.25 Carbon, Maximum Hard Temper - UNS G10200	2015	SAE	0
11741	AMS5034B	Steel, Welding Wire 0.95Cr - 0.20Mo (0.28 - 0.33C) (SAE 4130) (Stabilized Type) - UNS G41300	2015	SAE	0
11742	AMS5040N	Steel, Sheet and Strip 0.15 Carbon, Maximum Deep Forming Grade (Stabilized Type) - UNS G10100	2015	SAE	0
11743	AMS5330E	Steel Castings, Investment 0.80Cr - 1.8Ni - 0.35Mo (0.38 - 0.46C) (SAE 4340 Modified) Annealed - UNS J24060	2015	SAE	0
11744	AMS5397E	Alloy Castings, Investment, Corrosion and Heat-Resistant 50Ni - 9.5Cr - 15Co - 3.0Mo - 4.8Ti - 5.5Al - 0.015B - 0.95V - 0.06Zr Vacuum Melted, Vacuum Cast As Cast - UNS N13100	2015	SAE	0

11745	AMS5503F	Steel, Corrosion-Resistant, Sheet, Strip, and Plate 17Cr (SAE 51430) Annealed - UNS S43000	2015	SAE	0
11746	AMS5567F	Steel, Corrosion Resistant, Seamless or Welded Hydraulic Tubing 19Cr - 10Ni (304) Solution Heat Treated - UNS S30400	2015	SAE	0
11747	AMS5580L	Nickel Alloy, Corrosion and Heat-Resistant, Seamless Tubing 74Ni - 15.5Cr - 8.0Fe Annealed - UNS N06600	2015	SAE	0
11748	AMS5622-H1025	Steel, Corrosion-Resistant, Bars, Wire, Forgings, Tubing, and Rings 16Cr - 4.0Ni - 0.30Cb - 4.0Cu Solution Heat Treated, Precipitation Hardened (H1025) Consumable Electrode Remelted (Composition similar to UNS S17400)	2015	SAE	0
11749	AMS5621G	Steel, Corrosion Resistant, Bars, Wire, and Forgings 13Cr (0.30-0.40C) (51420) Annealed - UNS S42000	2015	SAE	0
11750	AMS5629-H1000(2)	Steel, Extra High Toughness, Corrosion-Resistant, Bars, Wire, Forgings, Rings, and Extrusions 13Cr - 8.0Ni - 2.2Mo - 1.1Al Vacuum Induction Plus Consumable Electrode Melted Solution Heat Treated, Precipitation Hardened (H1000) (Composition similar to	2015	SAE	0
11751	AMS5629G	Steel, Corrosion-Resistant, Bars, Wire, Forgings, Rings, and Extrusions 13Cr - 8.0Ni - 2.2Mo - 1.1Al Vacuum Induction Plus Consumable Electrode Melted Solution Heat Treated, Precipitation Hardenable - UNS S13800	2015	SAE	0
11752	AMS5708L	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Wire Forgings, and Rings 58Ni - 19.5Cr - 13.5Co - 4.3Mo - 3.0Ti - 1.4Al - 0.05Zr - 0.006B Consumable Electrode or Vacuum Induction Melted 1975 ī°F (1079 ī°C) Solution Heat Treated - UNS N07001	2015	SAE	0
11753	AMS5707M	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 57Ni - 19.5Cr - 13.5Co - 4.3Mo - 3.0Ti - 1.4Al - 0.05Zr - 0.006B Consumable Electrode Remelted or Vacuum Induction Melted 1825 to 1900 ī°F (996 to 1038 ī°C) Solution, Stabilization, and	2015	SAE	0
11754	AMS5711E	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 65Ni - 15.8Cr - 15.2Mo - 0.30Al - 0.05La Solution Heat Treated - UNS N06635	2015	SAE	0
11755	AMS5696E	Steel, Corrosion and Heat-Resistant, Welding Wire 19Cr - 12.5Ni - 2.5Mo High Ferrite Grade - UNS S31683	2015	SAE	0
11756	AMS5701E	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 41.5Ni - 16Cr - 37Fe - 2.9Cb (Nb) - 1.8Ti Consumable Electrode Remelted or Vacuum Induction Melted 1800 ī°F (982 ī°C) Solution Heat Treated - UNS N09706	2015	SAE	0
11757	AMS5704K	Nickel Alloy, Corrosion and Heat Resistant, Forgings 57Ni - 19.5Cr - 13.5Co - 4.3Mo - 3.0Ti - 1.4Al - 0.05Zr - 0.006B Consumable Electrode or Vacuum Induction Melted 1825 to 1900 ī°F (996 to 1038 ī°C) Solution, Stabilization, and Precipitation Heat Treate	2015	SAE	0
11758	AMS5706M	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 57Ni - 19.5Cr - 13.5Co - 4.3Mo - 3.0Ti - 1.4Al - 0.006B - 0.05Zr Consumable Electrode or Vacuum Induction Melted 1825 to 1900 ī°F Solution Heat Treated - UNS N07001	2015	SAE	0
11759	AMS5656F	Steel, Corrosion Resistant, Bars, Wire, Forgings, Extrusions, and Rings 9.0Mn - 20Cr - 6.5Ni - 0.27N Solution Heat Treated - UNS S21904	2015	SAE	0
11760	AMS5660L	Nickel-Iron Alloy, Corrosion and Heat-Resistant, Bars and Forgings 12.5Cr - 42.5Ni - 6.0Mo - 2.7Ti - 0.015B - 34Fe Consumable Electrode Remelted or Vacuum Induction Melted Solution, Stabilization, and Precipitation Heat Treated - UNS N09901	2015	SAE	0
11761	AMS5659R	Steel, Corrosion-Resistant, Bars, Wire, Forgings, Rings, and Extrusions 15Cr - 4.5Ni - 0.30Cb (Nb) - 3.5Cu - UNS S15500	2015	SAE	0
11762	AMS5667N	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 72Ni - 15.5Cr - 0.95Cb - 2.5Ti - 0.70Al - 7.0Fe Equalized, Precipitation Hardenable - UNS N07750	2015	SAE	0
11763	AMS5679H	Nickel Alloy, Corrosion and Heat Resistant, Welding Wire 73Ni - 15.5Cr - 2.2Cb - 8.0Fe - UNS N06062	2015	SAE	0
11764	AMS5690M	Steel, Corrosion and Heat Resistant, Wire 17Cr - 12Ni - 2.5Mo (316) Solution Heat Treated - UNS S31600	2015	SAE	0
11765	AMS5759M	Cobalt Alloy, Corrosion and Heat-Resistant, Bars, Forging Stock, Forgings, and Rings 52Co 20Cr 10Ni 15W - UNS R30605	2015	SAE	0
11766	AMS5786H	Nickel Alloy, Corrosion and Heat-Resistant, Welding Wire 62.5Ni - 5.0Cr - 24.5Mo - 5.5Fe - UNS N10004	2015	SAE	0
11767	AMS5778J	Nickel Alloy, Corrosion and Heat Resistant, Welding Wire 72Ni - 15.5Cr - 1.0Cb(Nb) - 2.4Ti - 0.70Al - 7.0Fe - UNS N07069	2015	SAE	0
11768	AMS5854C	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Wire, Forgings, and Rings 61Ni - 20.5Cr - 8.5Mo - 3.4Cb(Nb) - 1.3Ti - 5.0Fe Consumable Electrode or Vacuum Induction Melted Solution Heat Treated - UNS N07716	2015	SAE	0
11769	AMS5839C	Nickel Alloy, Corrosion and Heat-Resistant, Welding Wire 59Ni - 22Cr - 2.0Mo - 14W - 0.35Al - UNS N06231	2015	SAE	0
11770	AMS5831D	Alloy, Corrosion and Heat-Resistant, Welding Wire 29Fe - 22Cr - 21Ni - 18.5Co - 3.2Mo - 2.8W - 0.78Ta 0.30Al - 0.05Zr - 0.05La - 0.20N - UNS R30556	2015	SAE	0

11771	AMS5835D	Nickel Alloy, Corrosion and Heat-Resistant, Welding Wire 72Ni - 3.2Mn - 20Cr - 2.5Cb - 0.48Ti Vacuum Induction Melted, Environment Controlled Packaging - UNS N06082	2015	SAE	0
11772	AMS5836D	Nickel Alloy, Corrosion and Heat-Resistant, Welding Wire 72Ni - 3.0Mn - 20Cr - 2.5Cb(Nb) - UNS N06082	2015	SAE	0
11773	AMS5832H	Nickel Alloy, Corrosion and Heat Resistant, Welding Wire 52.5Ni - 19Cr - 3.0Mo - 5.1Cb(Nb) - 0.90Ti - 0.50Al - 18Fe Consumable Electrode or Vacuum Induction Melted - UNS N07718	2015	SAE	0
11774	AMS5803G	Steel, Corrosion and Heat-Resistant, Welding Wire 16.4Cr - 4.8Ni - 0.22Cb (Nb) - 3.6Cu Consumable Electrode or Vacuum Induction Melted - UNS S17480	2015	SAE	0
11775	AMS5887D	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 54Ni - 22Cr - 12.5Co - 9.0Mo - 1.2Al Consumable Electrode or Vacuum Induction Melted Annealed - UNS N06617	2015	SAE	0
11776	AMS5890F	Nickel, Corrosion and Heat-Resistant, Bars, Forgings, and Extrusions Thoria Dispersion Strengthened 2.2ThO2 Stress-Relieved - UNS N03260	2015	SAE	0
11777	AMS5878D	Nickel Alloy, Corrosion and Heat-Resistant, Sheet, Strip, and Plate 59Ni - 22Cr - 2Mo - 14W - 0.35AI - 0.03La Solution Heat Treated - UNS N06230	2015	SAE	0
11778	AMS5879D	Nickel Alloy, Corrosion and Heat-Resistant, Sheet, Strip, and Foil 62Ni - 21.5Cr - 9.0Mo - 3.7Cb (Nb) Cold Rolled and Annealed - UNS N06625/N06626	2015	SAE	0
11779	AMS5871F	Alloy, Corrosion and Heat-Resistant, Sheet, Strip and Plate 21Cr - 32.5Ni - 0.38Ti - 0.38Al - 45Fe Solution Heat Treated - UNS N08800	2015	SAE	0
11780	AMS6250M	Steel Bars, Forgings, and Tubing 1.5Cr - 3.5Ni (0.07 - 0.13 C) (3310) - UNS K44910	2015	SAE	0
11781	AMS5922B	Steel, Corrosion-Resistant, Bars, and Forgings 10Cr - 5.5Ni - 14Co - 2Mo - 1W (0.19-0.23C) Vacuum Induction Melted, Vacuum Arc Remelted, Normalized, Annealed - UNS S10500	2015	SAE	0
11782	AMS6357L	Steel Sheet, Strip, and Plate 0.50Cr - 0.55Ni - 0.25Mo (0.33 - 0.38C) (8735) - UNS G87350	2015	SAE	0
11783	AMS6359K	Steel, Sheet, Strip, and Plate 0.80Cr - 1.8Ni - 0.25Mo (0.38 - 0.43C) (SAE 4340) - UNS G43406	2015	SAE	0
11784	AMS6351K	Steel, Sheet, Strip, and Plate 0.95Cr - 0.20Mo (0.28 - 0.33C) (SAE 4130) Spheroidized - UNS G41300	2015	SAE	0
11785	AMS6356H	Steel, Sheet, Strip, and Plate 0.95Cr - 0.20Mo - (0.30 - 0.35C) (4132) - UNS G41300	2015	SAE	0
11786	AMS6345D	Steel, Sheet, Strip, and Plate 0.95Cr - 0.20Mo (0.28 - 0.33C) (SAE 4130) Normalized or Otherwise Heat Treated - UNS G41300	2015	SAE	0
11787	AMS6350N	Steel Sheet, Strip, and Plate 0.95Cr - 0.20Mo (0.28 - 0.33C) (SAE 4130) - UNS G41300	2015	SAE	0
11788	AMS6300G	Steel Bars and Forgings 0.25Mo (0.35 - 0.40C) (SAE 4037) - UNS G40370	2015	SAE	0
11789	AMS6312J	Steel Bars, Forgings, and Tubing 1.8Ni - 0.25Mo (0.38 - 0.43C) (4640) - UNS K22440	2015	SAE	0
11790	AMS6325K	Steel, Bars, and Forgings 0.50Cr - 0.55Ni - 0.25Mo (0.38 - 0.43C) (SAE 8740) Heat Treated, 105 ksi (724 MPa) Tensile Strength - UNS G87400	2015	SAE	0
11791	AMS6342K	Steel Bars, Forgings, and Tubing 0.80Cr - 1.0Ni - 0.25Mo (0.38 - 0.43C) (SAE 9840) (Stabilized Type) - G98400	2015	SAE	0
11792	AMS6395H	Steel Sheet, Strip, and Plate 0.95Cr - 0.20Mo (0.38 - 0.43C) (SAE 4140) - UNS G41400	2015	SAE	0
11793	AMS6396F	Steel Sheet, Strip, and Plate 0.80Cr - 1.8Ni - 0.25Mo (0.49 - 0.55C) Annealed - UNS K22950	2015	SAE	0
11794	AMS6385K	Steel Sheet, Strip, and Plate, Low Alloy, Heat-Resistant 0.65Si - 1.25Cr - 0.50Mo - 0.25V (0.27 - 0.33C) - UNS K23015	2015	SAE	0
11795	AMS6419H	Steel, Bars, Forgings, and Tubing 1.6Si - 0.82Cr - 1.8Ni - 0.40Mo - 0.08V (0.40 - 0.45C) Consumable Electrode Vacuum Remelted - UNS K44220	2015	SAE	0
11796	AMS6412N	Steel, Bars and Forgings 0.80Cr - 1.8Ni - 0.25Mo (0.35 - 0.40C) (4337) - UNS G43370	2015	SAE	0
11797	AMS6417H	Steel, Bars, Forgings, and Tubing 1.6Si - 0.82Cr - 1.8Ni - 0.40Mo - 0.08V (0.38 - 0.43C) Consumable Electrode Vacuum Remelted - UNS K44220	2015	SAE	0
11798	AMS6425D	Steel, Bars, Forgings, and Tubing 1.4Mn - 1.5Si - 0.30Cr - 1.8Ni - 0.40Mo (0.23 - 0.28C) Consumable Electrode Vacuum Melted - UNS K32550	2015	SAE	0
11799	AMS7304F	Springs, Steel 0.85 - 1.05C Hardened and Tempered After Forming - UNS G10950	2015	SAE	0
11800	AMS6947A	Titanium Alloy, Bars, Wire, Forgings, Rings, and Drawn Shapes 4Al - 2.5V -1.5 Fe Annealed, Heat Treatable - UNS R54250	2015	SAE	0
11801	AMS6948A	Titanium Alloy Bars, Wire, Forgings, Rings, and Drawn Shapes 4Al - 2.5V -1.5 Fe Annealed - UNS R54250	2015	SAE	0

11802	AMS6900B	Titanium Alloy Bars, Forgings and Forging Stock 5Al - 2.5Sn Annealed - UNS R54520	2015	SAE	0
11803	AMS6901B	Titanium Alloy Bars, Forgings, and Forging Stock 5Al - 2.5Sn, Extra Low Interstitial Annealed - UNS R54521	2015	SAE	0
11804	AMS6906B	Titanium Alloy Bars, Forgings, and Forging Stock 6.0Al - 2.0Sn - 4.0Zr - 6.0Mo Solution Heat Treated and Aged - UNS R56260	2015	SAE	0
11805	AMS6907B	Titanium Alloy Bars, Forgings and Forging Stock 6.0Al - 2.0Sn - 4.0Zr - 6.0Mo Duplex Annealed - UNS R56260	2015	SAE	0
11806	AMS6910B	Titanium Alloy Bars, Forgings and Forging Stock 8Al - 1Mo - 1V Duplex Annealed - UNS R54810	2015	SAE	0
11807	AMS6915B	Titanium Alloy Bars, Forgings and Forging Stock 7.0Al - 4.0Mo Annealed - UNS R56740	2015	SAE	0
11808	AMS6920C	Titanium Alloy Bars, Forgings and Forging Stock 3Al - 8V - 6Cr - 4Mo - 4Zr Solution Heat Treated - UNS R58640	2015	SAE	0
11809	AMS6921B	Titanium Alloy Bars, Forgings and Forging Stock 3Al - 8V - 6Cr - 4Mo - 4Zr Solution Heat Treated and Aged - UNS R58640	2015	SAE	0
11810	AMS6925B	Titanium Alloy Bars, Forgings and Forging Stock 13V - 11Cr - 3Al Solution Heat Treated - UNS R58010	2015	SAE	0
11811	AMS6926B	Titanium Alloy Bars, Forgings and Forging Stock 13V - 11Cr - 3Al Solution Heat Treated and Aged - UNS R58010	2015	SAE	0
11812	AMS6932B	Titanium Alloy Bars, Forgings and Forging Stock 6.0Al 4.0V Extra Low Interstitial Annealed - UNS R56401	2015	SAE	0
11813	AMS6935B	Titanium Alloy Bars, Forgings and Forging Stock 6.0Al 6.0V 2.0Sn Solution Heat Treated and Aged - UNS R56620	2015	SAE	0
11814	AMS6936B	Titanium Alloy Bars, Forgings and Forging Stock 6Al - 6V - 2Sn Annealed - UNS R56620	2015	SAE	0
11815	AMS6477C	Steel, Bars, Forgings, and Tubing 0.80Cr (0.90 - 1.03C) For Bearing Applications - UNS G51985	2015	SAE	0
11816	AMS6460G	Wire, Steel Welding 0.75Si - 0.62Cr - 0.20Mo - 0.10Zr (0.10 - 0.17C) (Stabilized Type) - UNS K11365	2015	SAE	0
11817	AMS6457D	Steel, Welding Wire 0.95Cr - 0.20Mo (0.28 - 0.33C) (SAE 4130) Vacuum Melted, Environment Controlled Packaging - UNS K13147	2015	SAE	0
11818	AMS6451D	Steel, Spring Wire 1.4Si - 0.65Cr (0.51 - 0.59C) (SAE 9254) Oil Tempered - G92540	2015	SAE	0
11819	AMS6444M	Steel, Bars, Forgings, and Tubing 1.45Cr (0.93 - 1.05C) (SAE 52100) Premium Aircraft-Quality, Consumable Electrode Vacuum Remelted - UNS G52986	2015	SAE	0
11820	AMS6440S	Steel, Bars, Forgings, and Tubing 1.45Cr (0.93 - 1.05C) (SAE 52100) For Bearing Applications - UNS G52986	2015	SAE	0
11821	AMS6437J	Steel, Sheet, Strip, and Plate 5.0Cr - 1.3Mo - 0.50V (0.38 - 0.43C) (H-11) - UNS T20811	2015	SAE	0
11822	AMS6433G	Steel, Sheet, Strip, and Plate 0.75Mn - 0.78Cr - 1.8Ni - 0.35Mo - 0.20V (0.33 - 0.38C) (4335 Mod) - UNS K33517	2015	SAE	0
11823	AMS6517A	Steel, Bars, and Forgings 3.5Cr - 9.5Ni - 18Co - 1.1Mo (0.13 - 0.17C) Double Vacuum Melted, Normalized, Annealed - UNS K93061	2015	SAE	0
11824	AMS6482A	Steel Bars, Forgings, and Tubing 1.5Si - 1.25Cr - 3.8Ni - 0.50Mo - 0.30V (0.40C) Vacuum Remelted Annealed - UNS K63835	2015	SAE	0
11825	AMS6479D	Steel, Bars, Forgings, and Tubing 1.45Cr (0.93-1.05C) (SAE 52100) Special Aircraft-Quality Cleanliness - UNS G52986	2015	SAE	0
11826	AMS6499A	Steel, Bars, Forgings, and Tubing 2.7Si - 0.85Cr - 1.8Ni - 0.4Mo - 0.2V - (0.37 - 0.44C) Double Vacuum Melted - UNS K54015	2015	SAE	0
11827	AMS7912D	Aluminum-Beryllium Alloy, Extrusions 38Al - 62Be Annealed	2015	SAE	0
11828	AMS7913D	Aluminum-Beryllium Alloy, Sheet and Plate 38Al - 62Be	2015	SAE	0
11829	AMS7908D	Beryllium Near-Net Preforms Standard Grade Hot Isostatic Pressed	2015	SAE	0
11830	AMS7909C	Aluminum Beryllium, NNS Preforms Hot Isostatic Pressed 38Al - 62Be	2015	SAE	0
11831	AMS7910D	Beryllium Near-Net Preforms Standard Grade Cold Isostatic Pressed, Sintered	2015	SAE	0
11832	AMS7911D	Aluminum Beryllium, Preforms Hot Isostatic Pressed and Heat Treated 38Al - 62Be	2015	SAE	0
11833	AMS7904E	Beryllium Bars, Rods, Tubing, and Shapes High Ductility Grade	2015	SAE	0
11834	AMS7906D	Beryllium Bars, Rods, Tubing, and Shapes Standard Grade	2015	SAE	0
11835	AMS7907D	Beryllium Bars, Rods, Tubing, and Shapes Instrument Grade	2015	SAE	0
11836	AMS7902G	Beryllium Sheet and Plate 98Be - UNS R19801	2015	SAE	0
11837	AMS7847D	Tantalum Alloy Sheet, Strip, and Plate 90Ta - 10W - UNS R05255	2015	SAE	0

11838	AIR5320A	Summary of Icing Simulation Test Facilities (Stabilized Type)	2015	SAE	0
11839	AMS7848D	Tantalum Alloy, Bars and Rods 90Ta - 10W - UNS R05255	2015	SAE	0
11840	AMS7849E	Tantalum Sheet, Strip, and Plate Annealed - UNS R05210	2015	SAE	0
11841	AMS7717E	Nickel-Iron Alloy, Magnetic, Sheet and Strip 50Ni - 50Fe Annealed, Forming Grade - UNS K95000	2015	SAE	0
11842	AMS7718H	Nickel-Iron Alloy, Magnetic, Bars, Rods, Tubing, and Forgings 50Ni - 50Fe - UNS K95000	2015	SAE	0
11843	AMS7719E	Nickel-Iron Alloy, Magnetic, Sheet and Strip 50Ni - 50Fe Stamping Quality, Half-Hard Temper - UNS K95000	2015	SAE	0
11844	AIR5367	Machining of Composite Materials, Components and Structures	2015	SAE	0
11845	AMS-C-81769A(2)	Chemical Milling of Metals, Specification for	2015	SAE	0
11846	AMS-P-81728B	Plating, Tin-Lead (Electrodeposited)	2015	SAE	0
11847	AMS-P-46112A	Plastic Sheet and Strip, Polyimide (Stabilized Type)	2015	SAE	0
11848	AMS-P-46144A	Plastic Sheet, Polycardonate (Stabilized Type)	2015	SAE	0
11849	AIR5396A	Characterizations of Aircraft Icing Conditions	2015	SAE	0
11850	AMS-QQ-A-200-8A	Aluminum Alloy 6061, Bar, Rod, Shapes, Tube, and Wire, Extruded A96061	2015	SAE	0
11851	AMS-QQ-S-763D	Steel, Corrosion Resistant, Bars, Wire, Shapes, and Forgings (Stabilized Type)	2015	SAE	0
11852	AMS-QQ-P-416D	Plating, Cadmium (Electrodeposited)	2015	SAE	0
11853	AMS-R-5001A	Rubber Cellular Sheet, Molded and Hand-Built Shapes; Latex Foam	2015	SAE	0
11854	AMS-R-83248-1A	Rubber, Fluorocarbon Elastomer, High Temperature, Fluid and Compression Set Resistant (O-Rings, Class 1, 75 Hardness)	2015	SAE	0
11855	AMS-R-83248-2A	Rubber, Fluorocarbon Elastomer, High Temperature, Fluid and Compression Set Resistant (O-Rings, Class 2, 90 Hardness)	2015	SAE	0
11856	AMS-R-83412-1A	Rubber, Ethylene-Propylene, Hydrazine Resistant, O-Rings Sizes and Tolerances FSC 5330	2015	SAE	0
11857	AMS-QQ-A-250-4B	NULL	2015	SAE	0
11858	AMS-QQ-N-290C	Nickel Plating (Electrodeposited)	2015	SAE	0
11859	AMS-R-83485-1A	NULL	2015	SAE	0
11860	AMS-S-4383B	Sealing Compound, Topcoat, Fuel Tank Buna-N Type	2015	SAE	0
11861	AMS-S-8802D	(R) Sealing Compound, Fuel Resistant, Integral Fuel Tanks and Fuel Cell Cavities	2015	SAE	0
11862	AMS-WW-T-700-6C	Tube, Aluminum Alloy, Drawn, Seamless, 6061	2015	SAE	0
11863	ARP1110C	Minimizing Stress Corrosion Cracking in Wrought Forms of Steels and Corrosion Resistant Steels and Alloys	2015	SAE	0
11864	ARP1833B	(R) Sealing Techniques for Missile Applications	2015	SAE	0
11865	ARP1839	A Guide to Aircraft Turbine Engine Vibration Monitoring Systems	2015	SAE	0
11866	AIR5631A	(R) Catalog of Landing Gear Systems and Suppliers	2015	SAE	0
11867	ARP1536B	(R) Abrasion Test Procedure for Chafe Guard	2015	SAE	0
11868	ARP1532B	(R) Aircraft Oxygen System Lines, Fabrication, Test, and Installation	2015	SAE	0
11869	ARP1796B	(R) Engine Bleed Air Systems for Aircraft	2015	SAE	0

11870	ARP1816D	(R) Charger for Battery Powered Ground Support Equipment	2015	SAE	0
11871	ARP4249A	Bearing Corrosion Test Method (Stabilized Type)	2015	SAE	0
11872	ARP4156C	Color-Coded Incandescent Flange Base T-1 and T-1 3/4 Lamps for Voltage Identification	2015	SAE	0
11873	ARP4148C	Gas Turbine Engine Real Time Performance Model Presentation	2015	SAE	0
11874	ARP4834B	Aircraft Tire Retreading Practice - Bias and Radial	2015	SAE	0
11875	ARP4712A	(R) Hand-Held Cabin Fire Extinguishers Transport Aircraft	2015	SAE	0
11876	ARP503G	(R) Emergency Evacuation Illumination	2015	SAE	0
11877	ARP4990B	Turbine Flowmeter Fuel Flow Calculations	2015	SAE	0
11878	ARP5533(2)	(R) Stationary Runway Weather Information System (In-Pavement)	2015	SAE	0
11879	ARP5535A	Observers for Laser Safety in the Navigable Airspace	2015	SAE	0
11880	AIR5771	The Measurement of Engine Thrust in an Altitude Test Facility	2015	SAE	0
11881	ARP5526D	Aircraft Seat Design Guidance and Clarifications	2015	SAE	0
11882	ARP5818A	(R) Aircraft Refueling Vehicle Design and Performance Requirements	2015	SAE	0
11883	ARP5873A	LED Passenger Reading Light Assembly	2015	SAE	0
11884	ARP5765A	(R) Analytical Methods for Aircraft Seat Design and Evaluation	2015	SAE	0
11885	ARP5740	Cockpit Display of Data Linked Weather Information	2015	SAE	0
11886	AIR5800A	Tire Prerotation at Landing (Stabilized Type)	2015	SAE	0
11887	ARP5996C	Evaluation of Coking Propensity of Aviation Lubricants Using the Single Phase Flow Technique	2015	SAE	0
11888	ARP6028A	(R) Configuration Control for Maintaining Correlation of Gas Turbine Engine Test Cells	2015	SAE	0
11889	ARP597E	Wheels and Brakes, Supplementary Criteria for Design Endurance Civil Transport Aircraft (Stabilized Type)	2015	SAE	0
11890	ARP6217	Balancing Machines Description and Evaluation Vertical, Single-Plane, Non-Rotating Type for Gas Turbine Rotors	2015	SAE	0
11891	ARP6223	Oil Carbon Particulate Test	2015	SAE	0
11892	ARP6338	Process for Assessment and Mitigation of Early Wearout of Life-limited Microcircuits	2015	SAE	0
11893	ARP6852	Methods and Processes for Evaluation of Aerodynamic Effects of SAE-Qualified Aircraft Ground Deicing/Anti-icing Fluids	2015	SAE	0
11894	ARP694C	(R) Aerial Refueling Lights - Design Criteria	2015	SAE	0
11895	ARP9034A	A Process Standard for the Storage, Retrieval and Use of Three-Dimensional Type Design Data (Stabilized Type)	2015	SAE	0
11896	AS115801 THRU AS115850C	(R) SCREW - FLAT FILLISTER, DRILLED HEAD, CADMIUM PLATED, STEEL UNS G87400, 125 KSI MIN .1900-32 UNF-3A	2015	SAE	0
11897	AS1038G	FITTING, ELBOW, 90ï°, STANDARD AND REDUCER, BULKHEAD, FLARED	2015	SAE	0
11898	AS1039G	FITTING, TEE, STANDARD AND REDUCER, BULKHEAD ON SIDE, FLARED	2015	SAE	0
11899	AS1078A	(R) FITTING END, FLARED TUBE CONNECTION, EXTENDED THREAD, DESIGN STANDARD	2015	SAE	0
11900	ARP986D	(R) Guide for Qualification Testing of Aircraft Air Valves	2015	SAE	0
11901	AS126275 THRU AS126586C	STUD - STRAIGHT, CADMIUM PLATED, STEEL, UNS G87400, 125 KSI MIN, .3125 - 18 UNS X .3125 - 24 UNF-3A	2015	SAE	0
11902	AS123301 THRU AS123450C	RIVET, SOLID, UNIVERSAL HEAD, NICKEL ALLOY, UNS N06600	2015	SAE	0
11903	AS1371A	Nuts, Self-Locking, Corrosion Resistant Steel High Strength, Prevailing Torque, All Metal 800ï°F (427ï°C) Use, UNJ Thread Form (Stabilized Type)	2015	SAE	0
11904	AS1301F	Adapters - Port Connection, Ring Locked Design, Installation and Removal of	2015	SAE	0
11905	AS13002	Requirements for Developing and Qualifying Alternate Inspection Frequency Plans	2015	SAE	0

11906	AS13003	Measurement Systems Analysis Requirements for the Aero Engine Supply Chain	2015	SAE	0
11907	AS13001	Supplier Self Release Training Requirements	2015	SAE	0
11908	AS14105B	(R) CIRCUIT BREAKER - AIRCRAFT, TRIP-FREE, PUSH PULL, 25 THRU 35 AMPS, TYPE I -55 TO +121 Ï°C	2015	SAE	0
11909	AIR6185	Aerospace - Lightning Effects on Hydraulic Transport Elements on Aircraft	2015	SAE	0
11910	AS15006C	FITTING, LUBRICATION, HYDRAULIC, LEAKPROOF, 1/8 PIPE THREADS, STEEL, TYPE VI	2015	SAE	0
11911	AS151701 THRU AS152000C	STUD, STEPPED, 1.5 DIA ENGAGEMENT, CADMIUM PLATED, STEEL UNS G87400, .5000-13 UNS X .4375-20 UNF-3A	2015	SAE	0
11912	AIR6236	In-House Verification of EMI Test Equipment	2015	SAE	0
11913	AIR6258	Fiber Optic Sensors for Aerospace Applications	2015	SAE	0
11914	AIR6246	Landing Gear (Engine Off) Taxi System	2015	SAE	0
11915	AS17143B	(R) TERMINAL, LUG, CRIMP STYLE, COPPER, INSULATED, RECTANGULAR TONGUE, TYPE II, CLASS 1 FOR 105 Ï°C TOTAL CONDUCTOR TEMPERATURE	2015	SAE	0
11916	AIR6284	Forced Air or Forced Air/Fluid Equipment for Removal of Frozen Contaminants	2015	SAE	0
11917	AS172236 THRU AS172270D	NUT, SPANNER, BEARING RETAINING, AERONAUTICAL, UNS G41400	2015	SAE	0
11918	AIR6282	Fiber Optic Harsh Environment Test Methods Cross Reference Document	2015	SAE	0
11919	AIR6326	Aircraft Electrical Power Systems Modeling and Simulation Definitions	2015	SAE	0
11920	AIR6441	Information on Parking Brake Systems	2015	SAE	0
11921	AS17845(2)	(R) SHIELD FOR USE WITH AS90362 EXTERNAL POWER RECEPTACLES	2015	SAE	0
11922	AS1946E	Hose Assembly, Polytetrafluoroethylene, Metallic Reinforced, Up to 1500 psi and 450 Ï°F, Hydraulic and Pneumatic	2015	SAE	0
11923	AS1986F	FITTING ASSEMBLY, ADAPTER RING LOCKED PORT CONNECTION TO BEAM SEAL 4000 PSI AND 5000 PSI /9/	2015	SAE	0
11924	AS1975F	Hose Assembly, Polytetrafluoroethylene, Para-Aramid Reinforced, 3000/4000 psi, 275 Ï°F, Standard Duty, Hydraulic, Aircraft Systems	2015	SAE	0
11925	AS20659E	(R) TERMINAL, LUG, CRIMP STYLE, COPPER, UNINSULATED, RING TONGUE, TYPE I, CLASS 1, FOR 175 Ï°C TOTAL CONDUCTOR TEMPERATURE	2015	SAE	0
11926	AS20253B	PIN, HINGE CORROSION RESISTANT STEEL UNS S30200, UNS S30400, OR UNS S31600	2015	SAE	0
11927	AS21902D	(R) UNION, FLARELESS TUBE	2015	SAE	0
11928	AS21904D	(R) ELBOW, FLARELESS TUBE, 90Ï°	2015	SAE	0
11929	AS21447B	(R) BEARING, ROLLER, NEEDLE, TRACK ROLLER, CROWN RADIUSED O.D. INTEGRAL STUD, TYPE VII ANTIFRICTION, INCH	2015	SAE	0
11930	AS21432B	(R) BEARING, ROLLER, NEEDLE, TRACK ROLLER, INTEGRAL STUD, TYPE VII, ANTIFRICTION, INCH	2015	SAE	0
11931	AS22073B	(R) CIRCUIT BREAKER, TRIP-FREE, PUSH-PULL, 1/2 THRU 20 AMP, TYPE I	2015	SAE	0
11932	AS22520-1	CRIMPING TOOLS, TYPE I, TERMINAL, HAND, WIRE TERMINATION FOR WIRE BARREL SIZES 12 THROUGH 22 AND COAXIAL INNER CONTACTS	2015	SAE	0
11933	AS22520-10	CRIMPING TOOLS, TYPE 2, TERMINAL, HAND, WIRE TERMINATION, FOR COAXIAL, TWINAXIAL, TRIAXIAL, SHIELDED CONTACTS AND FERRULES, TERMINAL LUGS, SPLICES, AND END CAPS	2015	SAE	0
11934	AS22520-23A	CRIMP TOOLS, TYPE 1, TERMINAL, HAND OR POWER ACTUATED, WIRE TERMINATION, PNEUMATIC TOOL FOR WIRE BARREL SIZES 0000 THROUGH 8	2015	SAE	0
11935	AS22520-28	CRIMPING TOOLS, TERMINAL, HAND OR POWER ACTUATED, WIRE TERMINATION, PNEUMATIC TOOL FOR WIRE BARREL SIZES 20 THROUGH 28	2015	SAE	0
11936	AS22520-29	CRIMPING TOOLS, TYPE 1, HAND OR POWER ACTUATED, WIRE TERMINATION, PNEUMATIC TOOL, CONTACT WIRE BARREL SIZES 12 THROUGH 20	2015	SAE	0

11937	AS22520-30	CRIMPING TOOLS, TERMINAL, HAND OR POWER ACTUATED, WIRE TERMINATION, ACCESSORY HARDWARE FOR AS22520/28 AND AS22520/29 TOOLS	2015	SAE	0
11938	AS22520-23	CRIMP TOOLS, TYPE 1, TERMINAL, HAND OR POWER ACTUATED, WIRE TERMINATION, PNEUMATIC TOOL FOR WIRE BARREL SIZES 0000 THROUGH 8	2015	SAE	0
11939	AS22520-34	CRIMPING TOOLS, TYPE 1, TERMINAL, HAND, WIRE TERMINATION, FOR CRIMP TYPE REMOVABLE CONTACTS FOR MIL-DTL-28840 CONNECTORS	2015	SAE	0
11940	AS22520-6A	(R) CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION; IN-SERVICE INSPECTION GAGES FOR TYPE III AS22520/5, /10, AND MIL-T-22520/32 (CANCEL) CRIMP TOOLS	2015	SAE	0
11941	AS22759-10A	(R) WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, NICKEL-COATED COPPER CONDUCTOR, 1,000 VOLT, ROHS	2015	SAE	0
11942	AS22520-3C	(R) CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION, INSPECTION GAGE FOR TYPE I AND II TOOLS	2015	SAE	0
11943	AS22759-11A	(R) WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, SILVER-COATED COPPER CONDUCTOR, 600 VOLT, ROHS	2015	SAE	0
11944	AS22759-12A	(R) WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, NICKEL-COATED COPPER CONDUCTOR, 600 VOLT, ROHS	2015	SAE	0
11945	AS22759-13A	(R) WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, FEP-PVF2, MEDIUM WEIGHT, TIN-COATED COPPER CONDUCTOR, 600-VOLT, ROHS	2015	SAE	0
11946	AS22759-14A	(R) WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, FEP-PVF2, LIGHT WEIGHT, TIN-COATED COPPER CONDUCTOR, 600-VOLT, ROHS	2015	SAE	0
11947	AS22759-15A	(R) WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, FEP-PVF2, LIGHT WEIGHT, SILVER-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600-VOLT, ROHS	2015	SAE	0
11948	AS22759-16A	(R) WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED ETFE, MEDIUM WEIGHT, TIN-COATED COPPER CONDUCTOR, 600-VOLT, 150 ?C, ROHS	2015	SAE	0
11949	AS22759-17A	(R) WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED ETFE, MEDIUM WEIGHT, SILVER-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600-VOLT, 150 ?C, ROHS	2015	SAE	0
11950	AS22759-181A	(R) WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYMIDE INSULATED, SMOOTH SURFACE, LIGHT WEIGHT, SILVER-COATED HIGH STRENGTH OR ULTRA HIGH STRENGTH COPPER ALLOY, 200 ?C, 600 VOLTS ROHS	2015	SAE	0
11951	AS22759-182A	(R) WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYMIDE INSULATED, SMOOTH SURFACE, LIGHT WEIGHT, NICKEL-COATED HIGH STRENGTH OR ULTRA HIGH STRENGTH COPPER ALLOY, 260 ?C, 600 VOLTS ROHS	2015	SAE	0
11952	AS22759-183A	NULL	2015	SAE	0
11953	AS22759-186A	(R) WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYMIDE INSULATED, SMOOTH SURFACE, NORMAL WEIGHT, SILVER-COATED COPPER CONDUCTOR, 200 ?C, 600 VOLTS ROHS	2015	SAE	0
11954	AS22759-189A	(R) WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYIMIDE INSULATED, SMOOTH SURFACE, NORMAL WEIGHT, SILVER-COATED HIGH STRNGTH OR ULTRA HIGH STRENGTH COPPER ALLOY, 200 ?C, 600 VOLTS ROHS	2015	SAE	0
11955	AS22759-18A	(R) WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED ETFE, LIGHT WEIGHT, TIN-COATED COPPER CONDUCTOR, 600-VOLT, 150 ?, ROHS	2015	SAE	0
11956	AS22759-190A	(R) WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYIMIDE INSULATED, SMOOTH SURFACE, NORMAL WEIGHT, NICKEL-COATED HIGH STRNGTH OR ULTRA HIGH STRENGTH COPPER ALLOY, 260 ?C, 600 VOLTS ROHS	2015	SAE	0
11957	AS22759-19A	(R) WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED ETFE, LIGHT WEIGHT, SILVER-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600-VOLT, 150 ?C, ROHS	2015	SAE	0
11958	AS22759-20A	(R) WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, SILVER-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 1,000-VOLT, ROHS	2015	SAE	0
11959	AS22759-21A	(R) WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, NICKEL-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 1,000-VOLT, ROHS	2015	SAE	0

11960	AS22759-22A	(R) WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, SILVER-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600-VOLT, ROHS	2015	SAE	0
11961	AS22759-23A	(R) WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, NICKEL-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600-VOLT, ROHS	2015	SAE	0
11962	AS22759-28A	(R) WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, POLYIMIDE COATED, SILVER-COATED COPPER CONDUCTOR, 600-VOLT, ROHS	2015	SAE	0
11963	AS22759-29A	(R) WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, POLYIMIDE COATED, NICKEL-COATED COPPER CONDUCTOR, 600-VOLT, ROHS	2015	SAE	0
11964	AS22759-30A	(R) WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, POLYIMIDE COATED, SILVER-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600-VOLT, ROHS	2015	SAE	0
11965	AS22759-31A	(R) WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, POLYIMIDE COATED, NICKEL-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600-VOLT, ROHS	2015	SAE	0
11966	AS22759-32A	(R) WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, LIGHTWEIGHT, TIN-COATED, COPPER, 150 ?C, 600 VOLT, ROHS	2015	SAE	0
11967	AS22759-33A	(R) WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSS-LINKED MODIFIED ETFE, LIGHTWEIGHT, SILVER-COATED, HIGH-STRENGTH COPPER ALLOY, 200 ?C, 600 VOLT, ROHS	2015	SAE	0
11968	AIR825-6A	(R) On Board Oxygen Generating Systems (Molecular Sieve)	2015	SAE	0
11969	AS22759-44A	(R) WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSS-LINKED MODIFIED ETFE, LIGHTWEIGHT, SILVER-COATED, COPPER, 200 ?C, 600 VOLT, ROHS	2015	SAE	0
11970	AS22759-46A	NULL	2015	SAE	0
11971	AS22759-45A	(R) WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSS-LINKED MODIFIED ETFE, LIGHTWEIGHT, NICKEL-COATED, COPPER, 200 ?C, 600 VOLT, ROHS	2015	SAE	0
11972	AS22759-49A	(R) WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, LOW FLUORIDE, NORMAL WEIGHT, 80 MICROINCH SILVER-COATED HIGH-STRENGTH COPPER ALLOY, 200 ?C, 600 VOLT, ROHS	2015	SAE	0
11973	AS22759-50A	(R) WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED CROSSLINKED MODIFIED ETFE, LOW FLUORIDE, NORMAL WEIGHT, 80 MICROINCH SILVER-COATED COPPER 200 ?C, 600 VOLT, ROHS	2015	SAE	0
11974	AS22759-54A	(R) WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, LOW FLUORIDE, NORMAL WEIGHT, SILVER-COATED COPPER, 200 ?C, 600 VOLT, ROHS	2015	SAE	0
11975	AS22759-5A	(R) WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, ABRASION RESISTANT EXTRUDED PTFE, SILVERCOATED COPPER CONDUCTOR, 600 VOLT, ROHS	2015	SAE	0
11976	AS22759-6A	(R) WIRE, ELECTRIC, FLUOROCARBON-INSULATED, ABRASION RESISTANT EXTRUDED PTFE, NICKELCOATED COPPER CONDUCTOR, 600 VOLT, ROHS	2015	SAE	0
11977	AS22759-53A	(R) WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, LOW FLUORIDE, NORMAL WEIGHT, SILVER-COATED HIGH STRENGTH COPPER ALLOY, 200 ?C, 600 VOLT, ROHS	2015	SAE	0
11978	AS22759-7A	(R) WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, ABRASION RESISTANT EXTRUDED PTFE MEDIUM WEIGHT, SILVER-COATED CONDUCTOR, 600 VOLT, ROHS	2015	SAE	0
11979	AS22759-80C	(R) WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYMIDE INSULATED, LIGHT WEIGHT, TIN COATED, COPPER CONDUCTOR, 150 ?C, 600 VOLT, ROHS	2015	SAE	0
11980	AS22759-9A	(R) WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, SILVER-COATED COPPER CONDUCTOR, 1,000 VOLT, ROHS	2015	SAE	0
11981	AS22759-89D	(R) WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYIMIDE INSULATED, NORMAL WEIGHT, SILVER COATED, HIGH STRENGTH OR ULTRA HIGH STRENGTH COPPER, ALLOY, 200 ?C, 600 VOLTS ROHS	2015	SAE	0
11982	AS22759-8A	(R) WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, ABRASION RESISTANT EXTRUDED PTFE MEDIUM WEIGHT, NICKEL-COATED COPPER CONDUCTOR,600 VOLT, ROHS	2015	SAE	0

11983	AS22759-90C	(R) WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYIMIDE INSULATED, NORMAL WEIGHT, NICKEL COATED, HIGH STRENGTH OR ULTRA HIGH STRENGTH COPPER, ALLOY, 260 ?C, 600 VOLTS ROHS	2015	SAE	0
11984	AS22759-91C	(R) WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYMIDE INSULATED, LIGHT WEIGHT, SILVER COATED, COPPER CONDUCTOR, 200 ?C, 600 VOLT, ROHS	2015	SAE	0
11985	AS22759-92C	(R) WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYIMIDE INSULATED, LIGHT WEIGHT, NICKEL COATED, COPPER CONDUCTOR, 260 ?C, 600 VOLTS, ROHS	2015	SAE	0
11986	AS22759-81C	(R) WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYMIDE INSULATED, LIGHT WEIGHT, SILVER COATED, HIGH STRENGTH OR ULTRA HIGH STRENGTH COPPER ALLOY, 200 ?C, 600 VOLT, ROHS	2015	SAE	0
11987	AS22759-82C	(R) WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYMIDE INSULATED, LIGHT WEIGHT, NICKEL COATED, HIGH STRENGTH OR ULTRA HIGH STRENGTH COPPER ALLOY, 260 ?C, 600 VOLT, ROHS	2015	SAE	0
11988	AS22759-83C	(R) WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYMIDE INSULATED, NORMAL WEIGHT, SILVER COATED, COPPER CONDUCTOR, 200 ?C, 600 VOLT, ROHS	2015	SAE	0
11989	AS22759-84C	(R) WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYMIDE INSULATED, NORMAL WEIGHT, NICKEL COATED, COPPER CONDUCTOR, 260 ?C, 600 VOLT, ROHS	2015	SAE	0
11990	AS22759-85C	(R) WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYMIDE INSULATED, NORMAL WEIGHT, TIN COATED, COPPER CONDUCTOR, 150 ?C, 600 VOLT, ROHS	2015	SAE	0
11991	AS22759-86C	(R) WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYMIDE INSULATED, NORMAL WEIGHT, SILVER COATED, COPPER CONDUCTOR, 200 ?C, 600 VOLT, ROHS	2015	SAE	0
11992	AS22759-88C	(R) WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYMIDE INSULATED, NORMAL WEIGHT, TIN COATED, COPPER CONDUCTOR, 150 ?C, 600 VOLT, ROHS	2015	SAE	0
11993	AS24461C	(R) BEARING, ROLLER, NEEDLE, SINGLE ROW, HEAVY DUTY, TYPE I, ANTIFRICTION, INCH	2015	SAE	0
11994	AS23190-4A	(R) MOUNTING HARDWARE, CUSHION CLAMP, METAL FOR CABLE HARNESS TYING AND SUPPORT, TYPE V, CLASS 1	2015	SAE	0
11995	AS23190C	(R) Wiring, Positioning, and Support Accessories	2015	SAE	0
11996	AS25036E	(R) TERMINAL, LUG, CRIMP STYLE, COPPER, INSULATED, RING TONGUE, BELL-MOUTHED, TYPE II, CLASS 1 (FOR 105 Ï°C TOTAL CONDUCTOR TEMPERATURE)	2015	SAE	0
11997	AS25438A	(R) TERMINAL-LUG, CRIMP STYLE, RIGHT ANGLE TYPE, FOR ALUMINUM AIRCRAFT WIRE, CLASS 1	2015	SAE	0
11998	AS25486B	(R) CONNECTOR, PLUG, ATTACHABLE, EXTERNAL ELECTRIC POWER, AIRCRAFT, 115/200 VOLT, 400 HERTZ	2015	SAE	0
11999	AS28772B	(R) â Dâ RING SEAL FOR SHOCK STRUTS MOLDED FROM AMS-P-25732 MATERIAL	2015	SAE	0
12000	AS28937A	(R) FUSE, LIMITER TYPE, ENCLOSED LINK, 5-60 AMP, AIRCRAFT	2015	SAE	0
12001	AS28938A	(R) FUSE, LIMITER TYPE, ENCLOSED LINK, INTERMEDIATE RATING, AIRCRAFT	2015	SAE	0
12002	AS29512B	(R) HYDROCARBON FUEL RESISTANT, TUBE FITTING, O-RING MOLDED FROM AMS-P-5315 RUBBER	2015	SAE	0
12003	AS29561B	(R) O-RING, SYNTHETIC LUBRICANT RESISTANT MOLDED FROM AMS-R-7362 RUBBER	2015	SAE	0
12004	AS29600-23A	NULL	2015	SAE	0
12005	AS29600-24A	(R) CONTACTS, PIN, CRIMP REMOVABLE ,CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, (SERIES B)	2015	SAE	0
12006	AS3114A	(R) BOLT, MACHINE - HEXAGON HEAD, DRILLED 6 HOLES, PD SHANK, CRES AMS5731, .190-32 UNJF-3A	2015	SAE	0
12007	AS3115A	(R) BOLT, MACHINE - HEXAGON HEAD, DRILLED 6 HOLES, PD SHANK, CRES AMS5731, .250-28 UNJF-3A	2015	SAE	0
12008	AMS03-18	Chromate Conversion Coatings (Chromate Filming Treatments) Grades: Standard and Brushing for Aluminum and Aluminum Alloys	2015	SAE	0
12009	AMS03-19	Electro-Deposition of Cadmium	2015	SAE	0
12010	AMS03-17	Electro-Deposition of Gold	2015	SAE	0
12011	AS3144A	(R) STUD, STEPPED 2.5 DIA ENGAGEMENT, PD SHANK, AMS5731, .5625-18 UNJF-3A X .500-20 UNJF-3A	2015	SAE	0
12012	AS3120A	Bolt, Machine-Hexagon Head, Drilled 6 Holes, PD Shank, CRES AMS 5731, .5625-18 UNJF-3A	2015	SAE	0

12013	AMS03-1	Impregnation of Porous Castings & Sintered Metal Components	2015	SAE	0
12014	AMS03-11	Phosphate Treatment of Iron and Steel	2015	SAE	0
12015	AMS03-14	Electrodeposition of Chromium for Engineering Purposes	2015	SAE	0
12016	AS3141B	(R) STUD, STEPPED - 2.5 DIA ENGAGEMENT, PD SHANK, AMS5731 .3750-24 UNJF-3A X .3125-24 UNJF-3A	2015	SAE	0
12017	MA2023A	(R) ALTERNATE DIMENSIONS, CENTER BODY SECTION, SHAPE FLUID FITTING, DESIGN STANDARD, METRIC	2015	SAE	0
12018	AIR46B	The Preparation and Use of Chromel-Alumel Thermocouples for Aircraft Gas Turbine Engines	2014	SAE	0
12019	AIR844B	Sensitization and Corrosion in Stainless Steel Filters	2014	SAE	0
12020	AIR869B	(R) V-Couplings, Including V-Band and V-Retainer Coupling Assemblies, Flange and Seal Design, Application of	2014	SAE	0
12021	AIR1204A	(R) Control of Water Carryover from the Environmental Control System and Condensation on the Structure	2014	SAE	0
12022	AIR1228A	(R) Standard Impulse Machine Equipment and Operation	2014	SAE	0
12023	AIR1375D	Minimum Safety Requirements for Special Purpose Airline Ground Support Equipment	2014	SAE	0
12024	AIR1569A	Handling and Installation Practice for Aerospace Hose Assemblies	2014	SAE	0
12025	AIR1900A	(R) Guide to Temperature Monitoring in Aircraft Gas Turbine Engines	2014	SAE	0
12026	AIR4298	Impulse Test Machine, Sine Wave, Equipment and Operation of	2014	SAE	0
12027	AIR5450	Advanced Ducted Propulsor In-Flight Thrust Determination	2014	SAE	0
12028	AIR5478A	U.S. Government Document Retention Status and Non-Government Document Replacement - Aerospace Couplings, Fittings, Hoses, and Tube Supports	2014	SAE	0
12029	AIR5693	Compatibility of PTFE Hose Assemblies With Typical Fluids Found in Aerospace Applications	2014	SAE	0
12030	AMS2801B	Heat Treatment of Titanium Alloy Parts	2014	SAE	0
12031	AMS3107-1A	Primer, Adhesive, Corrosion-Inhibiting High Durability Epoxy, -55 to +95 ?C (-67 to +203 ?F)	2014	SAE	0
12032	AMS3107-2A	Primer, Adhesive, Corrosion-Inhibiting High Durability Epoxy, -55 to +120 ?C (-67 to +248 ?F)	2014	SAE	0
12033	AMS3107-3A	Primer, Adhesive, Corrosion-Inhibiting High Durability Epoxy, -55 to +175 ?C (-67 to +347 ?F)	2014	SAE	0
12034	AMS3107-4A	Primer, Adhesive, Corrosion-Inhibiting High Durability Epoxy, -55 to +215 ?C (-67 to +419 ?F)	2014	SAE	0
12035	AMS3107A	Primer, Adhesive, Corrosion-Inhibiting For High Durability Structural Adhesive Bonding	2014	SAE	0
12036	AMS3109	Primer, Adhesive, Electrodeposited -55 to +82Ï°C (-67Ï° to +180Ï°F)	2014	SAE	0
12037	AMS3251j	Synthetic Rubber and Cork Composition General Purpose Medium	2014	SAE	0
12038	AMS3688B	Adhesive, Foaming, Honeycomb Core Splice, Structural -55 Ï°C to +82 Ï°C (-65 Ï°F to +180 Ï°F)	2014	SAE	0
12039	AMS3689B	Adhesive, Foaming, Honeycomb, Core Splice, Structural -54 to +177 Ï°C (-65 to +350 Ï°F)	2014	SAE	0
12040	AMS3705A	Epoxy Resin, Cycloaliphatic Liquid	2014	SAE	0
12041	AMS3710C	Sandwich Structures, Glass Fabric-Resing Low Pressure Molded, Heat Resistant	2014	SAE	0
12042	AMS3728A	Epoxy Cresol Novolac Resin Low Molecular Weight	2014	SAE	0
12043	AMS3729A	Epoxy Resin Matrix, Thermosetting Moderate Temperature Resistant, Unfilled	2014	SAE	0
12044	AMS3901-1D	Yarn, Organic Fiber (Para-Aramid), High Modulus 195 (215 d tex) Denier, 0.6% Finish	2014	SAE	0
12045	AMS3901-2D	Yarn, Organic Fiber (Para-Aramid), High Modulus 380 Denier, (420 d tex), 0.6% Finish	2014	SAE	0
12046	AMS3901-3D	Yarn, Organic Fiber (Para-Aramid), High Modulus 1140 Denier (1270 d tex), 0.6% Finish	2014	SAE	0
12047	AMS3901-4D	Yarn, Organic Fiber (Para-Aramid), High Modulus 1420 Denier (1580 d tex), 0.6% Finish	2014	SAE	0
12048	AMS3901-5D	Roving, Organic Fiber (Para-Aramid), High Modulus 7100 Denier, (7900 d tex), 0.6% Finish	2014	SAE	0
12049	AMS3901-6D	Roving, Organic Fiber (Para-Aramid), High Modulus 4560 Denier, (5070 d tex), 0.6% Finish	2014	SAE	0
12050	AMS3901-7D	Yarn, Organic Fiber (Para-Aramid), High Modulus 2160 Denier (2400 d tex), 0.6% Finish	2014	SAE	0
12051	AMS3901-10C	NULL	2014	SAE	0
12052	AMS3901-11C	Yarn, Organic Fiber (Para-Aramid), High Modulus 1420 (1580 d tex) Denier, 1.2% Finish	2014	SAE	0

12053	AMS3901-12C	Yarn, Organic Fiber (Para-Aramid), High Modulus 2160 (2400 d tex) Denier, 1.2% Finish	2014	SAE	0
12054	AMS3901-13B	Yarn, Organic Fiber (Para-Aramid), High Modulus 2450 (2720 d tex) Denier, 0.6% Finish	2014	SAE	0
12055	AMS3901-15B	Roving, Organic Fiber (Para-Aramid), High Modulus 7350 Denier, (8200 d tex), 0.6% Finish	2014	SAE	0
12056	AMS3901-16B	Roving, Organic Fiber (Para-Aramid), High Modulus 8520 Denier, (9500 d tex), 0.6% Finish	2014	SAE	0
12057	AMS3901-17B	Yarn, Organic Fiber (Para-Aramid), High Modulus 720 Denier, (800 d tex), 1.2% Finish	2014	SAE	0
12058	AMS3907-2	NULL	2014	SAE	0
12059	AMS3907A	(R) Cloth, Aramid Basket and Plain Weave	2014	SAE	0
12060	AMS3908A	Cloth, Aramid, (Para) Plain Weave, Thermally Stable	2014	SAE	0
12061	AMS3909-1A	(R) Cloth, Aramid 3.0 Ounces per Square yard (102 g/m2), 350 Pounds Force per Inch (61 294 N/m)	2014	SAE	0
12062	AMS3909-2A	(R) Cloth, Aramid 2.25 Ounces per Square Yard (76.3 g/m2), 250 Pounds Force per Inch (43 782 N/m)	2014	SAE	0
12063	AMS3909-3A	(R) Cloth, Aramid 2.0 Ounces per Square Yard (68 g/m2), 230 Pounds Force per Inch (40 279 N/m) (Warp) and 220 Pounds Force per Inch (38 528 N/m) (Filling)	2014	SAE	0
12064	AMS3909B	Cloth, Aramid Intermediate Modulus	2014	SAE	0
12065	AMS3912A	Radomes, Foam Sandwich Polyimide/Quartz Cloth Construction	2014	SAE	0
12066	AMS3913B	Radome, Foam Sandwich Hot-Melt, Addition-Type Polyimide	2014	SAE	0
12067	AMS3920A	Acceptance Criteria Adhesive-Bonded Metal-Faced Sandwich Structures	2014	SAE	0
12068	AMS3940H	Fiberboard, Hard-Pressed, Structural	2014	SAE	0
12069	AMS4000F	ALUMINUM SHEET AND PLATE (1060-0) - UNS A91060	2014	SAE	0
12070	AMS4011D	Aluminum, Foil and Light Gage Sheet 99.45Al (1145-0) Annealed - UNS A91145	2014	SAE	0
12071	AMS4026M	Aluminum Alloy, Sheet and Plate 1.0Mg - 0.60Si - 0.28Cu - 0.20Cr (6061; -T4 Sheet, -T451 Plate) Solution Heat Treated and Naturally Aged - UNS A96061	2014	SAE	0
12072	AMS4081j	Aluminum Alloy Tubing, Hydraulic, Seamless, Drawn, Round 1.0Mg - 0.60Si - 0.28Cu - 0.20Cr (6061-T4) Solution Heat Treated and Naturally Aged - UNS A96061	2014	SAE	0
12073	AMS4118l	Aluminum Alloy, Rolled or Cold Finished Bars, Rods, and Wire 4.0Cu - 0.70Mn - 0.60Mg - 0.50Si (2017; -T4, -T451) Solution Heat Treated - UNS A92017	2014	SAE	0
12074	AMS4260G	Aluminum Alloy, Investment Castings 1.0Si - 0.32Mg (356.0-T6) Solution and Precipitation Heat Treated - UNS A03560	2014	SAE	0
12075	AMS4280J	Aluminum Alloy Castings, Permanent Mold 5.0Si - 1.2Cu - 0.5Mg (355.0-T71) Solution Heat Treated and Overaged - UNS A03550	2014	SAE	0
12076	AMS4281G	Aluminum Alloy Castings, Permanent Mold 5.0Si - 1.2Cu - 0.50Mg (355.0-T6) Solution and Precipitation Heat Treated - UNS A03550	2014	SAE	0
12077	AMS4320B	Aluminum Alloy Forgings 7.7Zn - 2.5Mg - 1.5Cu - 0.16Cr (7149-T73) Solution and Precipitation Heat Treated - UNS A97149	2014	SAE	0
12078	AMS4610N	Brass, Free-Cutting Bars and Rods 61.5Cu - 35Zn - 3.1Pb Half Hard (H02) - UNS C36000	2014	SAE	0
12079	AMS5510S	Steel, Corrosion and Heat-Resistant, Sheet, Strip and Plate 18Cr - 10.5Ni - 0.40Ti (SAE 30321) Solution Heat Treated - UNS S32100	2014	SAE	0
12080	AMS5578G	Steel, Corrosion and Heat-Resistant, Welded Tubing 12Cr - 8.5Ni - 0.30Cb - 1.1Ti - 2.0Cu Vacuum Induction Plus Consumable Electrode Vacuum Melted Solution Heat Treated, Precipitation Hardenable - UNS S45500	2014	SAE	0
12081	AMS-QQ-A-250-14B	Aluminum Alloy 7178, Plate and Sheet (Composition similar to UNS A97178)	2014	SAE	0
12082	ARP725B	Evaluating Effectiveness of Filter Element Cleaning Methods	2014	SAE	0
12083	ARP1153A	Method for Determining Relative Specific Gravity Polytetrafluoroethylene Tubing	2014	SAE	0
12084	ARP1280B	(R) Aerospace - Application Guide for Hydraulic Power Transfer Units	2014	SAE	0
12085	ARP1523C	Air Mode Insulated Containers - Thermal Efficiency Requirements	2014	SAE	0
12086	ARP1527B	Color Coding - Elastomers for Tube Clamp Cushions	2014	SAE	0

12087	ARP1590A	Recommended Part Numbering Guidelines for Fluid System Components Inch System of Measurements	2014	SAE	0
12088	ARP1612A	Polyimide Printed Circuit Boards Fabrication of	2014	SAE	0
12089	ARP1658B	Hose Assemblies, Installed, Visual Inspection Guide For	2014	SAE	0
12090	ARP1797A	Aircraft and Aircraft Engine Fuel Pump Low Lubricity Fluid Endurance Test	2014	SAE	0
12091	ARP4991A	Core Restoration of Thermosetting Composite Components	2014	SAE	0
12092	ARP5492A	Aircraft Cargo Systems - Missing Restraint Limitations Layouts	2014	SAE	0
12093	ARP5560	Safety Considerations for High-Intensity Lights (HIL) Directed into the Navigable Airspace	2014	SAE	0
12094	ARP5655	Safety Briefings for Passengers in Exit Rows	2014	SAE	0
12095	ARP5891	Achieving Cleanliness Standards for Aircraft Hydraulic Systems During Manufacture	2014	SAE	0
12096	AS137g	(R) HOSE ASSEMBLY, METAL - MEDIUM PRESSURE, FLARELESS, WELDED, STRAIGHT TO 45ī°	2014	SAE	0
12097	AS138g	(R) HOSE ASSEMBLY, METAL - MEDIUM PRESSURE, FLARELESS, WELDED, STRAIGHT TO 90ī°	2014	SAE	0
12098	AS139g	(R) HOSE ASSEMBLY, METAL - MEDIUM PRESSURE, FLARELESS, WELDED, 45ī° TO 45ī°	2014	SAE	0
12099	AS140g	(R) HOSE ASSEMBLY, METAL - MEDIUM PRESSURE, FLARELESS, WELDED, 45ī° TO 90ī°	2014	SAE	0
12100	AS141G	(R) HOSE ASSEMBLY, METAL - MEDIUM PRESSURE, FLARELESS, WELDED, 90ī° TO 90ī°	2014	SAE	0
12101	AS1098b	FITTING END, FLARED TUBE, FOR SEAL RING, STANDARD DIMENSIONS FOR, DESIGN STANDARD	2014	SAE	0
12102	AS1249a	ELBOW, 45ī°, FLARED TUBE BULKHEAD UNIVERSAL, FOR SEAL RING	2014	SAE	0
12103	AS1250a	ELBOW, 90ī°, FLARED TUBE FOR SEAL RING	2014	SAE	0
12104	AS1252a	TEE, FLARED TUBE FOR SEAL RING	2014	SAE	0
12105	AS1299C	ADAPTER - PORT CONNECTION RING LOCKED TO FLARELESS TUBE END	2014	SAE	0
12106	AS1365a	Tee, Flared Tube, Bulkhead Universal on Run, for Seal Ring	2014	SAE	0
12107	AS1366a	ELBOW, 90ī°, FLARED TUBE BULKHEAD UNIVERSAL, FOR SEAL RING	2014	SAE	0
12108	AS1393	Serial Hi-Rel Ring Network for Aerospace Applications (RingNet)	2014	SAE	0
12109	AS1424 SUP1a	(R) Hose Assemblies, Metal, Medium Pressure, High Temperature (Supplement 1)	2014	SAE	0
12110	AS1473B	HOSE ASSEMBLY, FLEXIBLE, LOW PRESSURE, FLARELESS, POTABLE WATER, STRAIGHT TO STRAIGHT	2014	SAE	0
12111	AS1474b	Hose Assembly, Flexible, Low Pressure, Flareless, Potable Water, Straight to 45 Degrees - Reaffirmed Noncurrent December 2001	2014	SAE	0
12112	AS1475b	HOSE ASSEMBLY, FLEXIBLE, LOW PRESSURE, FLARELESS, POTABLE WATER, STRAIGHT TO 90ī°	2014	SAE	0
12113	AS1710D	Coupling, Fuel, Flexible, Variable Cavity, Threaded Type With Ferrules	2014	SAE	0
12114	AS1715E	WASHER, COUPLING, FLEXIBLE, VARIABLE CAVITY, THREADED, FERRULE TYPE TUBE ENDS	2014	SAE	0
12115	AS3077a	(R) LOCKRING - FLUID CONNECTION BOSS INSERT, INTERNAL STRAIGHT THREAD	2014	SAE	0
12116	AS4325A	Fitting End, Conical, Standard Dimensions for, Design Standard	2014	SAE	0
12117	AS5653b	High Speed Network for MIL-STD-1760	2014	SAE	0
12118	AS5692-1	ARC FAULT CIRCUIT BREAKER, TRIP FREE, PUSH-PULL, FUSIBLE LINK DESIGN, 2 ? -15 AMPS, TYPE I	2014	SAE	0
12119	AS5692-2	ARC FAULT CIRCUIT BREAKER - AIRCRAFT, TRIP FREE, 1-20 AMP, TYPE I	2014	SAE	0
12120	AS8043b	(R) Restraint Systems for Civil Aircraft	2014	SAE	0
12121	AS9100C Handbook	The AS9 1 00C , AS9 1 1 0 , and AS9 1 20 Handbook Understanding Aviation , Space, and Defense Best Practices	2014	SAE	0
12122	AS9110 Handbook	Th e AS9100C , AS9110, and AS9120 Handbook	2014	SAE	0
12123	AS9120 Handbook	The AS9 100C , AS9 1 1 0 , and AS9 1 20 Handbook	2014	SAE	0
12124	AS9228A	Bracket, Angle, 90 Degree .190 Bolt	2014	SAE	0

12125	AS9231a	Bracket, Angle, 90 Degree .190 X .375 Bolt	2014	SAE	0
12126	AS9310b	(R) STUD, SHOULDERED, HEX, WRENCHING, DRILLED, STEEL UNS G87400, CAD, PLATED, 125 KSI MIN, .2500-28 UNF-3A X .2500-28 UNF-3A	2014	SAE	0
12127	AS9444b	BOLT, MACHINE - HEXAGON, DRILLED, 6 HOLES, PD SHANK, NICKEL CADMIUM PLATED, STEEL UNS K14675, 195 KSI MIN, .4375-20 UNJF-3A	2014	SAE	0
12128	AS14242	CLAMP, LOOP, CUSHIONED, CENTER MOUNTING, METRIC	2014	SAE	0
12129	AS14298	CLAMP ASSEMBLY, CUSHIONED, METRIC	2014	SAE	0
12130	AS15003c	FITTING, LUBRICATION, HYDRAULIC, SURFACE CHECK, 1/8 PIPE THREADS, STEEL, TYPE III	2014	SAE	0
12131	AS33411b	(R) BRACKET, MOUNTING, PLASTIC FOR USE WITH MS3367 PLASTIC TIEDOWN STRAPS	2014	SAE	0
12132	AS33559A	ADAPTER, AIRCRAFT, JACKING POINT, DESIGN AND INSTALLATION OF	2014	SAE	0
12133	AS42701	Validation Methods For MIL-STD-1760D Mission Stores	2014	SAE	0
12134	AS81935-4b	BEARING, PLAIN, ROD END, SELF-ALIGNING, SELFLUBRICATING, NARROW, EXTERNALLY THREADED, -65 TO +325 ?F	2014	SAE	0
12135	AS100016A - AS100025A	LOCKWIRE, BRASS	2014	SAE	0
12136	AS115401B - AS115450B	SCREW û FLAT FILLISTER HEAD, CADMIUM PLATED, STEEL UNS G87400, 125 KSI MIN. .1900-32 UNF-3A	2014	SAE	0
12137	AS115451C - AS115500C	SCREW û FLAT FILLISTER HEAD, CADMIUM PLATED, STEEL UNS G87400, 125 KSI MIN. .2500-28UNF-3A	2014	SAE	0
12138	AS115501B - AS115550B	SCREW û FLAT FILLISTER HEAD, CADMIUM PLATED, STEEL UNS G87400, 125 KSI MIN. .3125-24 UNF-3A	2014	SAE	0
12139	AS115601B - AS115650B	NULL	2014	SAE	0
12140	AS115651B - AS115700B	SCREW - FLAT FILLISTER HEAD, DRILLED SHANK, CADMIUM PLATED, STEEL UNS G87400, 125 KSI MIN., .2500-28 UNF-3A	2014	SAE	0
12141	AS115901C - AS115950C	SCREW û FLAT FILLISTER, DRILLED HEAD, CADMIUM PLATED, STEEL UNS G87400, 125 KSI MIN .2500-28 UNF û 3A	2014	SAE	0
12142	AS115951C - AS116000C	SCREW - FLAT FILLISTER, DRILLED HEAD, CADMIUM PLATED, STEEL UNS G87400, 125 KSI MIN .3125-18 UNC-3A	2014	SAE	0
12143	AS116001B - AS116050B	SCREW - FLAT FILLISTER, DRILLED HEAD, CADMIUM PLATED, STEEL UNS G87400, 125 KSI MIN .3125-24 UNF-3A	2014	SAE	0
12144	AS116051B - AS116100B	SCREW - FLAT FILLISTER, DRILLED HEAD, CADMIUM PLATED, STEEL UNS G87400, 125 KSI MIN .3750-16 UNC-3A	2014	SAE	0
12145	AS116101B - AS116150B	SCREW - FLAT FILLISTER, DRILLED HEAD, CADMIUM PLATED, STEEL UNS G87400, 125 KSI MIN .3750-24 UNF-3A	2014	SAE	0
12146	AS121601B - AS121650B	PIN, STRAIGHT, HEADED, CADMIUM PLATED, UNS G87400, .125 NOM	2014	SAE	0
12147	AS121651B - AS121700B	PIN, STRAIGHT, HEADED, CADMIUM PLATED, UNS G87400, .187 NOM	2014	SAE	0
12148	AS121701B - AS121750B	PIN, STRAIGHT, HEADED, CADMIUM PLATED, UNS G87400, .250 NOM	2014	SAE	0
12149	AS121751B - AS121800B	PIN, STRAIGHT, HEADED, CADMIUM PLATED, UNS G87400, .312 NOM	2014	SAE	0
12150	AS121801 - AS121850b	PIN, STRAIGHT, HEADED, CADMIUM PLATED, UNS G87400, .375 NOM	2014	SAE	0
12151	AS121851B - AS121925B	PIN, STRAIGHT, HEADED, CADMIUM PLATED, UNS G87400, .500 NOM	2014	SAE	0

12152	AS122026B - AS122075B	WASHER - LOCK, SPRING, CADMIUM PLATED	2014	SAE	0
12153	AS123020A - AS123119A	GASKET - ALUMINUM - NON ASBESTOS, ANNULAR	2014	SAE	0
12154	AS125851C - AS125875C	PLUG - PIPE, CADMIUM PLATED, STEEL UNS G87400, COUNTERSUNK HEX	2014	SAE	0
12155	AS150171 - AS150190c	NULL	2014	SAE	0
12156	AS150201A - AS150300A	PIN-LOCK, STEEL	2014	SAE	0
12157	AS150301A - AS150400A	PIN-LOCK, BRASS	2014	SAE	0
12158	AS150401B - AS150425B	NUT-HEX, CHECK, UNS G87400	2014	SAE	0
12159	AS150501C - AS150800C	STUD, STEPPED, 1.5 DIA ENGAGEMENT, CADMIUM PLATED, STEEL UNS G87400, .2500-20 UNS X .1900-32 UNF-3A	2014	SAE	0
12160	AS152601B - AS152900B	STUD, STEPPED, DRILLED 1.5 DIA ENGAGEMENT, CADMIUM PLATED, STEEL UNS G87400, .2500-20 UNS X .1900-32 UNF-3A	2014	SAE	0
12161	AS153201B - AS153500B	STUD, STEPPED, DRILLD 1.5 DIA ENGAGEMENT, CADMIUM PLATED, STEEL UNS G87400, .3750-16 UNS X .3125-24 UNF-3A	2014	SAE	0
12162	J67	Shovel Dipper, Clam Bucket, and Dragline Bucket Rating	2014	SAE	0
12163	J109	Service Brake System Performance Requirements - Motorcycles and Motor-Driven Cycles	2014	SAE	0
12164	J176	Dry-Break Fueling Installation for Construction Machinery	2014	SAE	0
12165	J184	Qualifying a Sound Data Acquisition System	2014	SAE	0
12166	J191	Power Steering Pressure Hose - Low Volumetric Expansion Type	2014	SAE	0
12167	J213	(R) Motorcycle Classifications	2014	SAE	0
12168	J232	Industrial Rotary Mowers	2014	SAE	0
12169	J322	(R) Nonmetallic Trim Materials - Test Method for Determining the Staining Resistance to Hydrogen Sulfide Gas	2014	SAE	0
12170	J383	Motor Vehicle Seat Belt Anchorages - Design Recommendations	2014	SAE	0
12171	J384	Motor Vehicle Seat Belt Anchorages - Test Procedure	2014	SAE	0
12172	J385	Motor Vehicle Seat Belt Anchorages - Performance Requirements	2014	SAE	0
12173	J403	Chemical Compositions of SAE Carbon Steels	2014	SAE	0
12174	J501	Shaft Ends	2014	SAE	0
12175	J585	Tail Lamps (Rear Position Lamps) for Use on Motor Vehicles Less than 2032 mm in Overall Width	2014	SAE	0
12176	J671	Vibration Damping Materials and Underbody Coatings, Standard - April 1982	2014	SAE	0
12177	J684	Trailer Couplings, Hitches, and Safety Chains-Automotive Type	2014	SAE	0
12178	J914	(R) Side Turn Signal Lamps for Vehicles Less Than 12 m in Length, Standard	2014	SAE	0
12179	J947	Glossary of Fiberboard Terminology, Information Report; - July 1980	2014	SAE	0
12180	J994	Alarm-Backup-Electric Laboratory Performance Testing	2014	SAE	0
12181	J1001	Safety for Industrial Flail Mowers	2014	SAE	0
12182	J1071	Operator Controls for Graders	2014	SAE	0
12183	J1074	Engine Sound Level Measurement Procedure	2014	SAE	0
12184	J1214	Tire to Body Clearance Check for Recreational Vehicles	2014	SAE	0
12185	J1222	Speed Control Assurance for Snowmobiles	2014	SAE	0

12186	J1323	Standard Classification System for Fiberboards	2014	SAE	0
12187	J1330	Photometry Laboratory Accuracy Guidelines	2014	SAE	0
12188	J1403	Vacuum Brake Hose, Highway Vehicle Standard	2014	SAE	0
12189	J1447	Fire-Resistant Fluid Usage in Hydraulic Systems of Off-Road Work Machines	2014	SAE	0
12190	J1475	Hydraulic Hose Fitting for Marine Applications	2014	SAE	0
12191	J1521	Truck Driver Shin-Knee Position for Clutch and Accelerator	2014	SAE	0
12192	J1522	Truck Driver Stomach Position	2014	SAE	0
12193	J1531	Seam Damage Test Procedure	2014	SAE	0
12194	J1578	Motorcycle Side Stand Retraction Test Procedure	2014	SAE	0
12195	J1579	Motorcycle Side Stand Retraction Performance Requirements	2014	SAE	0
12196	J1603	Rubber Seals for Hydraulic Disc Brake Cylinders	2014	SAE	0
12197	J1605	(R) Brake Master Cylinder Reservoir Diaphragm Gasket	2014	SAE	0
12198	J1713	Structural Testing of Passenger Car and Truck Disc Brakes	2014	SAE	0
12199	J1773	(R) SAE Electric Vehicle Inductively Coupled Charging	2014	SAE	0
12200	J1834	Seat Belt Comfort, Fit, and Convenience	2014	SAE	0
12201	J1846	Characterizing a Test Surface for Motorcycle Side Stand Retraction Performance Testing	2014	SAE	0
12202	J1853	Hand Winches - Boat Trailer Type	2014	SAE	0
12203	J1892	(R) Recommended Practice for Bar-Coded Vehicle Emission Configuration Label, Recommended Practice	2014	SAE	0
12204	J1911	Test Procedure for Air Reservoir Capacity - Truck and Bus	2014	SAE	0
12205	J1927	Cumulative Damage Analysis for Hydraulic Hose Assemblies, Information Report; - October 1988	2014	SAE	0
12206	J2139	Tests for Signal and Marking Devices Used on Vehicles 2032 mm or More in Overall Width	2014	SAE	0
12207	J2140	General Requirement for Preformed Hoses for Air Induction on Heavy-Duty Engines	2014	SAE	0
12208	J2337-1	Connections for Fluid Power and High Pressure UsePorts, Stud Ends, and Plugs with ISO 261 Threads and O-Ring SealingPart 1: Ports With Recessed Conical Seat Requirements, Dimensions, Design, and Test Methods	2014	SAE	0
12209	J2377	Test Procedure for Air Supply of Truck-Tractors and Towing Trucks	2014	SAE	0
12210	J2378	Test Procedure for Trailer Air Reservoir Fill and Parking Brake Release Times	2014	SAE	0
12211	J2382	Video Based Light Measurement Techniques	2014	SAE	0
12212	J2522	Dynamometer Global Brake Effectiveness	2014	SAE	0
12213	J2552	Push-On Hose and Mating Hose Fittings	2014	SAE	0
12214	J2556	Radiated Emissions (RE) Narrowband Data Analysis - Power Spectral Density (PSD)	2014	SAE	0
12215	J2558	Classification System for Thermoplastic Elastomers	2014	SAE	0
12216	J2572	Recommended Practice for Measuring Fuel Consumption and Range of Fuel Cell and Hybrid Fuel Cell Vehicles Fuelled by Compressed Gaseous Hydrogen	2014	SAE	0
12217	J2578	(R) Recommended Practice for General Fuel Cell Vehicle Safety	2014	SAE	0
12218	J2685	Positive Temperature Coefficient Overcurrent Protection Devices (PTCs)	2014	SAE	0
12219	J2880	(R) Recommended Green Racing Protocols	2014	SAE	0
12220	J2884	Thermoset Elastomer Specification System	2014	SAE	0
12221	J2931-1	NULL	2014	SAE	0
12222	J2931-4	Broadband PLC Communication for Plug-in Electric Vehicles	2014	SAE	0
12223	CMB4-1A	NULL	2014	SAE	0
12224	CMB4-2	NULL	2014	SAE	0
12225	CMB4-4	NULL	2014	SAE	0

12226	CMB5A	NULL	2014	SAE	0
12227	CMB6-1C	NULL	2014	SAE	0
12228	CMB6-3	NULL	2014	SAE	0
12229	CMB6-4	Configuration Control	2014	SAE	0
12230	CMB6-5	Textbook for Configuration Status Accounting	2014	SAE	0
12231	CMB6-6	Reviews and Configuration Audits	2014	SAE	0
12232	CMB6-8	Data Management In -House Training Course	2014	SAE	0
12233	CMB6-9	NULL	2014	SAE	0
12234	CMB6-10	Education in Configuration and Data Management	2014	SAE	0
12235	CMB7-1	Electronic Interchange of Configuration Management Data	2014	SAE	0
12236	CMB7-3	CALS Configuration Management SOW and CDRL Guidance	2014	SAE	0
12237	CMB7-4	Glossary of Terms , Acronyms , and De finit ions	2014	SAE	0
12238	GEIA-GEB-0002	Reducing the Risk of Tin Whisker-Induced Failures in Electronic Equipment	2014	SAE	0
12239	GEIA-HB-0007B	(R) Logistics Product Data Handbook	2014	SAE	0
12240	GEIA-HB-748-1	NULL	2014	SAE	0
12241	GEIA-SE-0001	The Next Generation of Systems Engineering: A Report by the GEIA G-47 Systems Engineering Panel	2014	SAE	0
12242	MAM 2279B	Tolerances, Metric Rubber Products	2014	SAE	0
12243	SSB-1.001	Qualification and Reliability Monitors	2014	SAE	0
12244	SSB-1.002	Environmental Tests and Associated Failure Mechanisms - Annex to SSB-1, Guidelines for Using Plastic Encapsulated Microcircuits and Semiconductors in Military, Aerospace and Other Rugged Applications; Formerly TechAmerica SSB-1.002	2014	SAE	0
12245	SSB-1.003A	Acceleration Factors	2014	SAE	0
12246	TSB 001	SAE Technical Standards Board Rules And Regulations	2014	SAE	0
12247	TSB 002	Preparation of SAE Technical Reports	2014	SAE	0
12248	TSB 004	Technical Committee Guidelines - Superseded by the current version of the Technical Standards Board (TSB) Governance Policy	2014	SAE	0
12249	AS3140B	(R) STUD, STEPPED - 2.5 DIA ENGAGEMENT, PD SHANK, AMS5731 .3125-24 UNJF-3A X .250-28 UNJF-3A	2014	SAE	0
12250	AS3139B	(R) STUD, STEPPED - 2.5 DIA ENGAGEMENT, PD SHANK, AMS5731 .250-28 UNJF-3A X .190-32 UNJF-3A	2014	SAE	0
12251	AS3132B	PIN, EXPANSION - CRES, 303, SHORT, UNS S30300	2014	SAE	0
12252	AS31371B	(R) CONNECTOR, PLUG, ELECTRIC, SOLDER TYPE, PUSH-PULL COUPLING SERIES 1 (CLASS E, P, AND J)	2014	SAE	0
12253	AS3130B	PIN, EXPANSION - CRES, 303, LONG, UNS S30300	2014	SAE	0
12254	AS3131B	PLUG, EXPANSION - CRES, 303, SHORT; STD AND .010 OVERSIZE DIAMETERS, UNS S30300	2014	SAE	0
12255	AS3126B	(R) PIN, EXPANSION - CRES, 416 OR 416SE, LONG, UNS S41600/UNS S41623	2014	SAE	0
12256	AS3127B	PLUG, EXPANSION - CRES, 416 OR 416SE, SHORT; STD AND .010 OVERSIZE DIAMETERS, UNS S41600/UNS S41623	2014	SAE	0
12257	AS3128B	PIN, EXPANSION - CRES, 416 OR 416SE, SHORT, UNS S41600/UNS S41623	2014	SAE	0
12258	AS3129B	PLUG, EXPANSION - CRES, 303, LONG; STD AND .010 OVERSIZE DIAMETERS, UNS S30300	2014	SAE	0
12259	AS3117A	(R) BOLT, MACHINE - HEXAGON HEAD, DRILLED 6 HOLES, PD SHANK, AMS5731,.375-24 UNJF-3A	2014	SAE	0
12260	AS3118A	Bolt, Machine-Hexagon Head, Drilled 6 Holes, PD Shank, CRES AMS 5731, .4375-20 UNJF-3A	2014	SAE	0
12261	AS3143B	(R) STUD, STEPPED - 2.5 DIA ENGAGEMENT, PD SHANK, AMS5731 .5000-20 UNJF-3A X .4375-20 UNJF-3A	2014	SAE	0

12262	AS3142B	(R) STUD, STEPPED - 2.5 DIA ENGAGEMENT, PD SHANK, AMS5731 .4375-20 UNJF-3A X .3750-24 UNJF-3A	2014	SAE	0
12263	AS3157A	(R) BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, CLOSE TOLERANCE SHANK, AMS4967, .250-28 UNJF-3A	2014	SAE	0
12264	AS3156A	(R) BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, CLOSE TOLERANCE SHANK, AMS4967, .190-32 UNJF-3A	2014	SAE	0
12265	AS3162A	(R) BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, CLOSE TOLERANCE SHANK, AMS4967, .5625-18 UNJF-3A	2014	SAE	0
12266	AS3161A	(R) BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, CLOSE TOLERANCE SHANK, AMS4967, .5000-20 UNJF-3A	2014	SAE	0
12267	AS3158A	(R) BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, CLOSE TOLERANCE SHANK, AMS4967, .3125-24 UNJF-3A	2014	SAE	0
12268	AS3160A	(R) BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, CLOSE TOLERANCE SHANK, AMS4967, .4375-20 UNJF-3A	2014	SAE	0
12269	AS3111A	(R) BOLT, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, PD SHANK, CRES AMS5731(UNS S66826), .4375-20 UNJF-3A	2014	SAE	0
12270	AS3113A	(R) BOLT, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, PD SHANK, CRES AMS5731 (UNS S66286), .5625-18 UNJF-3A	2014	SAE	0
12271	AS3108A	(R) BOLT, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, PD SHANK, CRES AMS5731 (UNS S66826), .2500-28 UNJF-3A	2014	SAE	0
12272	AS3109A	(R) BOLT, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, PD SHANK, CRES AMS5731 (UNS S66286), .3125-24 UNJF-3A	2014	SAE	0
12273	AS3110A	(R) BOLT, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, PD SHANK, CRES AMS5731 (UNS S66286), .3750-24 UNJF-3A	2014	SAE	0
12274	AS3106A	(R) SCREW, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, PD SHANK, CRES AMS5731(UNS S66286), .1640-36 UNJF-3A	2014	SAE	0
12275	AS3107A	(R) BOLT, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, PD SHANK, CRES AMS5731 (UNS S66286), .1900-32 UNJF-3A	2014	SAE	0
12276	AS31021B	(R) CONNECTOR, RECEPTACLE, ELECTRIC, BOX MOUNTING, SOLDER CONTACTS, AN TYPE	2014	SAE	0
12277	AS31001B	CONNECTOR, RECEPTACLE, ELECTRIC, WALL MOUNTING, SOLDER CONTACTS, AN TYPE	2014	SAE	0
12278	AS3078C	FITTING, INSERT, FLUID CONNECTION, MS33649 BOSS TO RING LOCKED BOSS	2014	SAE	0
12279	AS29600-2A	CONNECTOR, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, BACKSHELL, SHIELD TERMINATING, (SERIES A AND B)	2014	SAE	0
12280	AS29600-21A	(R) CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, RECEPTACLE, JAM NUT (SERIES B)	2014	SAE	0
12281	AS29600-22A	(R) CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, PLUG (SERIES B)	2014	SAE	0
12282	AS29600-11A	NULL	2014	SAE	0
12283	AS29600-12A	(R) CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, PLUG (SERIES A)	2014	SAE	0
12284	AS29600-1A	CONNECTOR, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, SEALING PLUG, SIZE 8, (SERIES A)	2014	SAE	0
12285	AS29600-20A	(R) CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, RECEPTACLE, FLANGED (SERIES B)	2014	SAE	0

12286	AS29600-10A	(R) CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, RECEPTACLE, FLANGED (SERIES A)	2014	SAE	0
12287	AS291F	Surface Texture, Roughness, Waviness and Lay (Stabilized Type)	2014	SAE	0
12288	AS29600-3A	CONNECTOR, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENTAL RESISTANT, REMOVABLE CRIMP CONTACTS, BACKSHELL 90?, SELF LOCKING (SERIES A AND B)	2014	SAE	0
12289	AS29600-4A	CONNECTOR, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENTAL RESISTANT, REMOVABLE CRIMP CONTACT, BACKSHELL 45?, SELF LOCKING (SERIES A AND B)	2014	SAE	0
12290	AS29600-5A	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, SELF LOCKING, ENVIRONMENTAL RESISTANT, REMOVABLE CRIMP CONTACTS, DUST COVER (SERIES A)	2014	SAE	0
12291	AS29600-6A	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENTAL RESISTANT, REMOVABLE CRIMP CONTACTS, STOWAGE RECEPTACLE (SERIES B)	2014	SAE	0
12292	AS29600-7A	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, THREADED, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, NUT, HEXAGON, CONNECTOR MOUNTING	2014	SAE	0
12293	AS29606	Wire, Electrical, Stranded, Uninsulated Copper, Copper Alloy, or Aluminum, or Thermocouple Extension, General Specification For	2014	SAE	0
12294	AS3072C	GASKET - 37Ï° FLARED TUBE FITTING, COPPER, AMS4500 (Stabilized Type)	2014	SAE	0
12295	AS3073D	GASKET - 37Ï° FLARED TUBE FITTING, COPPER, AMS4500 (Stabilized Type)	2014	SAE	0
12296	AS3074D	GASKET - 37Ï° FLARED TUBE FITTING, NICKEL, AMS5553 (Stabilized Type)	2014	SAE	0
12297	AS3075E	GASKET - 37Ï° FLARED TUBE FITTING, NICKEL, AMS5553 (Stabilized Type)	2014	SAE	0
12298	AS27647D	BEARING, BALL, AIRFRAME, ANTI-FRICTION, EXTRA WIDE, DOUBLE ROW, INTERMEDIATE DUTY	2014	SAE	0
12299	AS28913C	BEARING, ROLLER, SELF-ALIGNING, DOUBLE ROW, AIRFRAME, ANTI-FRICTION, SEALED, TYPE II	2014	SAE	0
12300	AS28914C	(R) BEARING, ROLLER, SELF-ALIGNING, DOUBLE ROW AIRFRAME, ANTI-FRICTION, SEALED, TYPE III	2014	SAE	0
12301	AS27648D	BEARING, BALL, AIRFRAME, ANTI-FRICTION, EXTERNAL SELF ALIGNING, EXTRA LIGHT DUTY	2014	SAE	0
12302	AS27194B	SEAL, BONDED, ALUMINUM ALLOY 6061-T6, AMS4027, MOLD IN GROOVE, NBR RUBBER, AMS-P-5315	2014	SAE	0
12303	AS27195A	(R) SEAL, BONDED, ALUMINUM ALLOY 6061-T6, AMS4027, MOLD IN GROOVE, NBR RUBBER, AMS-R-7362	2014	SAE	0
12304	AS27196B	GASKET, RUBBER, FLUID RESISTANT, OILS, SYNTHETIC OILS AND FUELS (-65 TO +400 Ï°F), MOLD IN GROOVE	2014	SAE	0
12305	AS27197B	(R) SEAL, BONDED, 302 CORROSION RESISTANT STEEL, AMS5516, MOLD IN GROOVE, SILICONE RUBBER, AMS7268	2014	SAE	0
12306	AS27198B	(R) SEAL, BONDED, 302 CORROSION RESISTANT STEEL, AMS5516, MOLD IN GROOVE, FLUOROSILICONE RUBBER, MIL-DTL-25988	2014	SAE	0
12307	AS25472A	GAGE, IN-SERVICE-INSPECTION, FOR USE WITH MS25442 CRIMPING DIES (FOR USE WITH ALUMINUM WIRE TERMINALS) (Stabilized Type)	2014	SAE	0
12308	AS25274B(2)	(R) CAP, ELECTRICAL (WIRE END, CRIMP STYLE, TYPE II, CLASS 1) FOR 105 Ï°C TOTAL CONDUCTOR TEMPERATURE	2014	SAE	0
12309	AS25439B	SPLICE-PERMANENT CRIMP STYLE, 2 WAY TYPE FOR ALUMINUM AIRCRAFT WIRE, CLASS 1 (Stabilized Type)	2014	SAE	0
12310	AS25442A	DIES, FOR MS25441, HYDRAULIC CRIMPING, TOOL (FOR USE WITH ALUMINUM WIRE TERMINALS) (Stabilized Type)	2014	SAE	0
12311	AS25281B	CLAMP, LOOP, PLASTIC, WIRE SUPPORT (Stabilized Type)	2014	SAE	0
12312	AS25337A	CIRCUIT BREAKER, AIRCRAFT TRIP-FREE TOGGLE, 5-50 AMP (Stabilized Type)	2014	SAE	0
12313	AS25361B	(R) CIRCUIT BREAKER - AIRCRAFT, TRIP-FREE, PUSH-PULL, 50 THRU 100 AMP, TYPE I	2014	SAE	0

12314	AS25244B	(R) CIRCUIT BREAKER, TRIP-FREE, PUSH-PULL, 5 THRU 50 AMP, TYPE I	2014	SAE	0
12315	AS25042C	COVER, ELECTRICAL AS50151 CONNECTOR, PLUG, AN TYPE	2014	SAE	0
12316	AS25043C	COVER, ELECTRICAL AS50151 CONNECTOR, RECEPTACLE, AN TYPE	2014	SAE	0
12317	AS25018A	CONNECTOR, RECEPTACLE EXTERNAL ELECTRIC POWER, AIRCRAFT, 28 VOLT DC, JET STARTING	2014	SAE	0
12318	AS24652A	(R) ELBOW, TUBE - 90ï°, BULKHEAD, FLARED TUBE UNIVERSAL TO FLARELESS TUBE	2014	SAE	0
12319	AS24654A	(R) ELBOW, TUBE - 45ï°, BULKHEAD, FLARELESS TUBE UNIVERSAL TO FLARED TUBE	2014	SAE	0
12320	AS245C	(R) Water Solution Type Hand Fire Extinguisher	2014	SAE	0
12321	AS24651A	(R) ELBOW, TUBE - 90ï°, BULKHEAD, FLARELESS TUBE UNIVERSAL TO FLARED TUBE	2014	SAE	0
12322	AS23190-2A	STRAPS, CLAMPS, PLASTIC AND METAL, AND MOUNTING HARDWARE, PLASTIC FOR CABLE HARNESS TYING AND SUPPORT CLAMP, LOOP, METAL, CUSHIONED, ADJUSTABLE, WIRE SUPPORT, TYPE V, CLASS 1	2014	SAE	0
12323	AS24000A	FUSE HOLDER, BLOCK-TYPE, 1-, 2-, AND 3-POLE, 1- TO 30-AMPERE, AIRCRAFT	2014	SAE	0
12324	AS24001A	FUSE HOLDER, BLOCK-TYPE, 1-, 2-, 3-POLE, 35- TO 60-AMPERE, AIRCRAFT	2014	SAE	0
12325	AIR851C	O-Ring Tension Testing Calculations (Stabilized Type)	2014	SAE	0
12326	AS24405A	(R) ADAPTER, FLARELESS TUBE TO FLARED TUBE PRECISION TYPE	2014	SAE	0
12327	AS22759-87C	(R) WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYIMIDE INSULATED, NORMAL WEIGHT, NICKEL COATED, COPPER CONDUCTOR, 260 ?C, 600 VOLT ROHS	2014	SAE	0
12328	AS22759C	(R) Wire, Electrical, Fluoropolymer-Insulated, Copper or Copper Alloy	2014	SAE	0
12329	AS23003A	GAGES - INSPECTION FOR MS23002 CRIMPING DIES (FOR USE WITH MS25036 INSULATED TERMINALS) (Stabilized Type)	2014	SAE	0
12330	AS22759-192A	(R) WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYIMIDE INSULATED, SMOOTH SURFACE, LIGHT WEIGHT, NICKEL-COATED COPPER CONDUCTOR, 260 ?C, 600 VOLTS ROHS	2014	SAE	0
12331	AS22759-191A	(R) WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYIMIDE INSULATED, SMOOTH SURFACE, LIGHT WEIGHT, SILVER-COATED COPPER CONDUCTOR, 200 ?C, 600 VOLTS ROHS	2014	SAE	0
12332	AS22759-185A	(R) WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYIMIDE INSULATED, SMOOTH SURFACE, NORMAL WEIGHT, TIN-COATED COPPER CONDUCTOR, 150 ?C, 600 VOLTS ROHS	2014	SAE	0
12333	AS22759-187A	(R) WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYIMIDE INSULATED, SMOOTH SURFACE, NORMAL WEIGHT, NICKEL-COATED COPPER CONDUCTOR, 260 ?C, 600 VOLTS ROHS	2014	SAE	0
12334	AS22759-188A	(R) WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYIMIDE INSULATED, SMOOTH SURFACE, NORMAL WEIGHT, TIN-COATED COPPER CONDUCTOR, 150 ?C, 600 VOLTS ROHS	2014	SAE	0
12335	AS22759-184A	(R) WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYIMIDE INSULATED, SMOOTH SURFACE, NORMAL WEIGHT, NICKEL-COATED COPPER CONDUCTOR, 260 ?C, 600 VOLTS ROHS	2014	SAE	0
12336	AS22759-180A	(R) WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYIMIDE INSULATED, SMOOTH SURFACE, LIGHT WEIGHT, TIN-COATED COPPER CONDUCTOR, 150 ?C, 600 VOLTS ROHS	2014	SAE	0
12337	AS22520-4	CRIMPING TOOLS, TYPE II, CONTACT, ELECTRIC, HAND FOR SHIELDED OUTER CONTACTS	2014	SAE	0
12338	AS22520-44	CRIMPING TOOL, TYPE II, WIRE HEATLESS TERMINATION, HAND ACTUATED, WIRE SIZES 26-12	2014	SAE	0
12339	AS22520-45	CRIMPING TOOLS, TYPE I, HAND, WIRE, TERMINATION FOR WIRE BARREL SIZE 10 POWER CONTACTS	2014	SAE	0
12340	AS22520-3B	CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION, INSPECTION GAGE FOR TYPE I AND II TOOLS	2014	SAE	0
12341	AIR822C	Oxygen Systems for General Aviation (Stabilized Type)	2014	SAE	0
12342	AS22520-39A	(R) CRIMPING TOOL, TERMINAL, HAND, ACTUATED, WIRE TERMINATION, IN-SERVICE INSPECTION GAGE FOR AS22520/5, /37, /38, AND /44 CRIMP TOOLS	2014	SAE	0
12343	AS22520-31	NULL	2014	SAE	0
12344	AS22520-19	CRIMPING TOOL, TYPE 2, TERMINAL, HAND, WIRE TERMINATION FOR SIZE 16 SHIELDED CONTACTS (OUTER CONTACT)	2014	SAE	0

12345	AS22520-20	NULL	2014	SAE	0
12346	AS22520-21	CRIMPING TOOL, TYPE 2, TERMINAL, HAND, WIRE TERMINATION FOR SIZE 12 SHIELDED CONTACTS (OUTER CONTACT)	2014	SAE	0
12347	AS22520-22	CRIMPING TOOL, TYPE 2, TERMINAL, HAND, WIRE TERMINATION FOR SIZE 12 SHIELDED CONTACTS (SHIELD CRIMP SLEEVE)	2014	SAE	0
12348	AS22227B	Bearing, Ball, Annular, Generator and Motor Generator	2014	SAE	0
12349	AS22074A	CIRCUIT BREAKER, RECYCLING, TRIP-FREE, PUSH-PULL, 1/2 THRU 5 AMPERE, TYPE I (Stabilized Type)	2014	SAE	0
12350	AS21923B	(R) ADAPTER, FLARELESS TUBE, BULKHEAD AND UNIVERSAL TO FLARED TUBE	2014	SAE	0
12351	AS21900D	(R) ADAPTER, FLARELESS TUBE TO A FLARED TUBE	2014	SAE	0
12352	AS210	Definition of Commonly Used Day Types (Atmospheric Ambient Temperature Characteristics Versus Pressure Altitude)	2014	SAE	0
12353	AS20708B	(R) Synchros, General Specification For	2014	SAE	0
12354	AS21004A	(R) TERMINAL, LUG, UNINSULATED, RECTANGULAR TONGUE, CRIMP STYLE, COPPER, TYPE I, CLASS 1 FOR 175 Ï°C TOTAL CONDUCTOR TEMPERATURE	2014	SAE	0
12355	AS20253A	(R) PIN, HINGE CORROSION RESISTANT STEEL UNS S30200, UNS S30400, OR UNS S31600	2014	SAE	0
12356	AS1946D	Hose Assembly, Polytetrafluoroethylene, Metallic Reinforced, Up to 1500 psi and 450 Ï°F, Hydraulic and Pneumatic	2014	SAE	0
12357	AS194B	Nomenclature - Engine Cooling Fan (Stabilized Type)	2014	SAE	0
12358	AIR786B	(R) Elastomer Compatibility Considerations Relative to Elastomeric Sealant Selection	2014	SAE	0
12359	AS1736D	WASHER, COUPLING, RIGID, FIXED CAVITY, THREADED, FERRULE TYPE TUBE ENDS	2014	SAE	0
12360	AS1825C	Methodology of Calculating Aircraft Cargo Volumes (Stabilized Type)	2014	SAE	0
12361	AS18276B	Lighting, Aircraft Interior, Installation of	2014	SAE	0
12362	AS17108B	BEARING, BALL, ANNULAR, PRIMARILY FOR AIRCRAFT GENERATORS AND MOTOR-GENERATORS, WIDE CARTRIDGE, TYPE II	2014	SAE	0
12363	AS17109A	BEARING, BALL, ANNULAR, PRIMARILY FOR AIRCRAFT GENERATORS AND MOTOR-GENERATORS, THIN EXTRA LIGHT, TYPE III	2014	SAE	0
12364	AS17107B	BEARING, BALL, ANNULAR, PRIMARILY FOR AIRCRAFT GENERATORS AND MOTOR-GENERATORS, STANDARD LIGHT, TYPE I	2014	SAE	0
12365	AS1701D	(R) Lubricant, Solid Film	2014	SAE	0
12366	AS1701E	Lubricant, Solid Film	2014	SAE	0
12367	AIR6291	Guidelines for Repair Process Evaluation of Aluminum Bonded Structure	2014	SAE	0
12368	AS17184C	SCREW, EXTERNALLY RELIEVED BODY, CRES - (SYNCHRO)	2014	SAE	0
12369	AS151401 THRU AS151700B	STUD, STEPPED, 1.5 DIA ENGAGEMENT, CADMIUM PLATED, STEEL UNS G87400, .4375-14 UNS X .3750-24 UNF-3A	2014	SAE	0
12370	AS150801 THRU AS151100C	STUD, STEPPED, 1.5 DIA ENGAGEMENT, CADMIUM PLATED, STEEL UNS G87400, .3125-18 UNS X .2500-28 UNF-3A	2014	SAE	0
12371	AS152601 THRU AS152900B	STUD, STEPPED, DRILLED 1.5 DIA ENGAGEMENT, CADMIUM PLATED, STEEL UNS G87400, .2500-20 UNS X .1900-32 UNF-3A	2014	SAE	0
12372	AS153201 THRU AS153500B	STUD, STEPPED, DRILLD 1.5 DIA ENGAGEMENT, CADMIUM PLATED, STEEL UNS G87400, .3750-16 UNS X .3125-24 UNF-3A	2014	SAE	0
12373	AIR6226	Trimmable Horizontal Stabilizer Actuator Structural Load Path Integrity Monitoring Principles	2014	SAE	0
12374	AS150201 THRU AS150300A	Pin-Lock, Steel	2014	SAE	0

12375	AS150301 THRU AS150400A	PIN-LOCK, BRASS	2014	SAE	0
12376	AS150401 THRU AS150425B	NUT-HEX, CHECK, UNS G87400	2014	SAE	0
12377	AS150501 THRU AS150800C	STUD, STEPPED, 1.5 DIA ENGAGEMENT, CADMIUM PLATED, STEEL UNS G87400, .2500-20 UNS X .1900-32 UNF-3A	2014	SAE	0
12378	AS14238C	(R) BUSHING, SLEEVE FLANGED, PRESS FIT, REAM TYPE	2014	SAE	0
12379	AS13000	Problem Solving Requirements for Suppliers	2014	SAE	0
12380	AS1297B	Reducers, Pneumatic Pressure, Missile (Stabilized Type)	2014	SAE	0
12381	AIR6151B	Torque, Threaded Application, Electrical Connector, Accessory and Terminal Board Installation	2014	SAE	0
12382	AS1300D	PORT - RING LOCKED FLUID CONNECTION TYPE STANDARD DIMENSIONS FOR	2014	SAE	0
12383	AS1304B	Continuous Flow Chemical Oxygen Generators (Stabilized Type)	2014	SAE	0
12384	AIR6160	Magnesium Alloys in Aircraft Seats - Developments in Magnesium Alloy Flammability Testing	2014	SAE	0
12385	AS131B	PADS, OIL INLET AND OUTLET, TYPES I, II & III - FOR AIRPLANE CONNECTIONS AIRCRAFT ENGINES (Stabilized Type)	2014	SAE	0
12386	AS1338A	Aerospace Metric 60Ï° Screw Thread Profile and Tolerance Classes (Stabilized Type)	2014	SAE	0
12387	AS1390	Level of Repair Analysis (LORA)	2014	SAE	0
12388	AS13572A	Springs, Helical, Compression and Extension (Stabilized Type)	2014	SAE	0
12389	AS1260A	Equivalent Sections of Certain Shapes to Round Bars	2014	SAE	0
12390	AS125851 THRU AS125875C	PLUG - PIPE, CADMIUM PLATED, STEEL UNS G87400, COUNTERSUNK HEX	2014	SAE	0
12391	AIR6139	Ways of Dealing with Power Regeneration onto an Aircraft Electrical Power System Bus	2014	SAE	0
12392	AS121751 THRU AS121800B	PIN, STRAIGHT, HEADED, CADMIUM PLATED, UNS G87400, .312 NOM	2014	SAE	0
12393	AS121851 THRU AS121925B	PIN, STRAIGHT, HEADED, CADMIUM PLATED, UNS G87400, .500 NOM	2014	SAE	0
12394	AS122026 THRU AS122075B	WASHER - LOCK, SPRING, CADMIUM PLATED	2014	SAE	0
12395	AS123020 THRU AS123119A	GASKET - ALUMINUM - NON ASBESTOS, ANNULAR	2014	SAE	0
12396	AS121601 THRU AS121650B	PIN, STRAIGHT, HEADED, CADMIUM PLATED, UNS G87400, .125 NOM	2014	SAE	0
12397	AS121651 THRU AS121700B	PIN, STRAIGHT, HEADED, CADMIUM PLATED, UNS G87400, .187 NOM	2014	SAE	0
12398	AS121701 THRU AS121750B	PIN, STRAIGHT, HEADED, CADMIUM PLATED, UNS G87400, .250 NOM	2014	SAE	0
12399	AS10081A	(R) TERMINAL SHANK-SWAGING, DIMENSIONS FOR	2014	SAE	0

12400	AS100016 THRU AS100025A	LOCKWIRE, BRASS	2014	SAE	0
12401	AS103B	FITTING ASSEMBLY, CROSS, FLARELESS AND SHORT FLARELESS, REDUCER, RETAINED NUT	2014	SAE	0
12402	AS115401 THRU AS115450B	SCREW FLAT FILLISTER HEAD, CADMIUM PLATED, STEEL UNS G87400, 125 KSI MIN. .1900-32 UNF-3A	2014	SAE	0
12403	AS115451 THRU AS115500C	(R) SCREW FLAT FILLISTER HEAD, CADMIUM PLATED, STEEL UNS G87400, 125 KSI MIN. .2500-28UNF-3A	2014	SAE	0
12404	AS115501 THRU AS115550B	SCREW FLAT FILLISTER HEAD, CADMIUM PLATED, STEEL UNS G87400, 125 KSI MIN. .3125-24 UNF-3A	2014	SAE	0
12405	AS115901 THRU AS115950C	SCREW FLAT FILLISTER, DRILLED HEAD, CADMIUM PLATED, STEEL UNS G87400, 125 KSI MIN .2500-28 UNF 3A	2014	SAE	0
12406	AS115601 THRU AS115650B	SCREW - FLAT FILLISTER HEAD, DRILLED SHANK, CADMIUM PLATED, STEEL UNS G87400, 125 KSI MIN., .1900-32 UNF-3A	2014	SAE	0
12407	AS115651 THRU AS115700B	SCREW - FLAT FILLISTER HEAD, DRILLED SHANK, CADMIUM PLATED, STEEL UNS G87400, 125 KSI MIN., .2500-28 UNF-3A	2014	SAE	0
12408	AS116001 THRU AS116050B	SCREW - FLAT FILLISTER, DRILLED HEAD, CADMIUM PLATED, STEEL UNS G87400, 125 KSI MIN .3125-24 UNF-3A	2014	SAE	0
12409	AS115951 THRU AS116000C	SCREW - FLAT FILLISTER, DRILLED HEAD, CADMIUM PLATED, STEEL UNS G87400, 125 KSI MIN .3125-18 UNC-3A	2014	SAE	0
12410	AS1159C	Wrenching Configuration, 12 Lobed, For Threaded Fasteners (Stabilized Type)	2014	SAE	0
12411	AS116051 THRU AS116100B	SCREW - FLAT FILLISTER, DRILLED HEAD, CADMIUM PLATED, STEEL UNS G87400, 125 KSI MIN .3750-16 UNC-3A	2014	SAE	0
12412	AS116101 THRU AS116150B	SCREW - FLAT FILLISTER, DRILLED HEAD, CADMIUM PLATED, STEEL UNS G87400, 125 KSI MIN .3750-24 UNF-3A	2014	SAE	0
12413	AIR6056	Gas Turbine Engine Lubricant Specifications: Current Technical Review and Future Direction	2014	SAE	0
12414	AS1188A	Aircraft Tire Inflation-Deflation Equipment (Stabilized Type)	2014	SAE	0
12415	AIR6112	A Guideline for Aerospace Platform Fiber Optic Expanded Beam Interconnect Technology	2014	SAE	0
12416	ARP9090A	Requirements for Industry Standard e-Tool to Collaborate Quality Assurance Activities Among Customers and Suppliers (Stabilized Type)	2014	SAE	0
12417	ARP9114A	Direct Ship Guidance for Aerospace Companies	2014	SAE	0
12418	ARP9134A	Supply Chain Risk Management Guideline (Stabilized Type)	2014	SAE	0
12419	ARP8058	Thermal Design and Performance of Airplane In-Flight Food Storage Carts	2014	SAE	0
12420	ARP777A	Gas Actuators (Linear and Vane Rotary Type)	2014	SAE	0
12421	AIR5914	Landing Gear Fatigue Spectrum Development For Part 25 Aircraft	2014	SAE	0
12422	ARP6256	Magnesium Alloys in Aircraft Seats - Engineering Design and Fabrication Recommended Practices	2014	SAE	0
12423	ARP6467	Human Factors Minimum Requirements and Recommendations for the Flight Deck Display of Data Linked Notices to Airmen (NOTAMs)	2014	SAE	0

12424	ARP739A	Gas Power Servos and Reaction Control Systems	2014	SAE	0
12425	ARP748B	Gas Turbine Engine Power Take-Off Pad Requirements (Stabilized Type)	2014	SAE	0
12426	ARP755D	Aircraft Propulsion System Performance Station Designation and Nomenclature	2014	SAE	0
12427	ARP6225	Aircraft Tire Inspection - In-Service Removal Criteria	2014	SAE	0
12428	ARP6200	Test Requirements and Means for Commercial Aircraft Hydraulic Systems	2014	SAE	0
12429	ARP6262	Basic Composite Repair Technician Certification Standard	2014	SAE	0
12430	ARP6265	Tire Burst Test Methodology	2014	SAE	0
12431	ARP6275	Determination of Cost Benefits from Implementing an Integrated Vehicle Health Management System	2014	SAE	0
12432	ARP6109	Electronic Engine Control Hardware Change Management	2014	SAE	0
12433	ARP5921	Evaluation of Coking Propensity of Aviation Lubricants in an Air-Oil Mist Environment using the Vapor Phase Coker	2014	SAE	0
12434	ARP6012A	JAUS Compliance and Interoperability Policy (Stabilized Type)	2014	SAE	0
12435	ARP5647A	(R) High Intensity Discharge Light Sources	2014	SAE	0
12436	ARP5794	Centrifugal Aircraft Fuel Pump Requirements, Design and Testing, Aerospace Standard	2014	SAE	0
12437	ARP5492(2)	Aircraft Cargo Systems - Missing Restraint Limitations Layouts	2014	SAE	0
12438	ARP5548	Multi-Tasking Equipment (MTE) for Airfield Snow Removal High Speed, Multi-Tasking Snow Removal Unit to include Carrier Vehicle, Snow Plow, Rotary Broom High Velocity Air Blast	2014	SAE	0
12439	ARP5614	Guidelines for Harness Critical Clamp Locator Marker Installation on Electrical Cable Assemblies	2014	SAE	0
12440	ARP5316D	Storage of Elastomer Seals and Seal Assemblies Which Include an Elastomer Element Prior to Hardware Assembly	2014	SAE	0
12441	ARP5265B	(R) Minimum Operational and Maintenance Responsibilities for Aircraft Tire Usage	2014	SAE	0
12442	ARP5446A	Safety Instructions for Sight-Impaired Passengers (Stabilized Type)	2014	SAE	0
12443	ARP5454B	Multi-Pass Method for Evaluating Filtration Performance of Fine Lube Filter Elements Utilized in Aerospace Power and Propulsion Lubrication Systems	2014	SAE	0
12444	ARP4940	Application Guide for Aerospace Hydraulic Motors	2014	SAE	0
12445	ARP4925B	(R) Aerospace Design and Installation of Commercial Transport Helicopter Hydraulic Systems	2014	SAE	0
12446	ARP4904A	Capability Guidelines for Computer Controlled Test Equipment for Hydraulic Components (Stabilized Type)	2014	SAE	0
12447	ARP5029A	Measurement Procedures for Strobe Anticollision Lights	2014	SAE	0
12448	ARP5088B	(R) Test Method for the Determination of Total Acidity in Polyol Ester and Diester Gas Turbine Lubricants by Automatic Potentiometric Titration	2014	SAE	0
12449	ARP5149BDA	Quality Management Systems Audit Requirements for Aviation, Space, and Defense Organizations - See Also SAE ARP5149B; Includes Access to Additional Content	2014	SAE	0
12450	AIR1059D	(R) Oxygen Cylinder Quality, Serviceability, Maintenance Transfilling and Marking	2014	SAE	0
12451	ARP5140A	Design Criteria for Lifts Used to Board Passengers with Mobility Impairments onto Aircraft with Doorsill Heights of 144 in or Less (Stabilized Type)	2014	SAE	0
12452	ARP5141A	Chassis Mounted Lifts Used to Board Airline Passengers With Mobility Impairments (Stabilized Type)	2014	SAE	0
12453	AIR1169C	Bibliography of References Pertaining to The Effects of Oxygen on Ignition and Combustion of Materials (Stabilized Type)	2014	SAE	0
12454	ARP4169B	Night Vision Goggle (NVG) Filters	2014	SAE	0
12455	ARP4103A	(R) Flight Deck Lighting for Commercial Transport Aircraft	2014	SAE	0
12456	ARP4260B	Photometric and Colorimetric Measurement Procedures for Airborne Electronic Flat Panel Displays	2014	SAE	0
12457	ARP1802B	(R) Selection and Application of Polytetrafluoroethylene (PTFE and TFE) Backup Rings for Hydraulic and Pneumatic Fluid Power Applications	2014	SAE	0
12458	ARP169B	Numbering of Aircraft Engine Cylinders	2014	SAE	0
12459	ARP1558	Interface Protection - Ground Equipment to Aircraft	2014	SAE	0

12460	ARP1827C	Measuring Aircraft Gas Turbine Engine Fine Fuel Filter Element Performance	2014	SAE	0
12461	ARP1894B	Useful Life Determination for Chemical Oxygen Generators (Stabilized Type)	2014	SAE	0
12462	ARP1953B	(R) Acceptance Test Procedures and Standards to Ensure Clean Fuel System Components	2014	SAE	0
12463	AIR5645A	JAUS Transport Considerations (Stabilized Type)	2014	SAE	0
12464	ARP1967B	(R) Containers, Shipping and Storage, Reusable	2014	SAE	0
12465	ARP210A	Definition of Commonly Used Day Types (Atmospheric Ambient Temperature Characteristics Versus Pressure Altitude)	2014	SAE	0
12466	ARP1070D	(R) Design and Testing of Antiskid Brake Control Systems for Total Aircraft Compatibility	2014	SAE	0
12467	ARP1330D	Welding of Structures for Ground Support Equipment	2014	SAE	0
12468	ARP1283B	(R) Cargo Compartment Lighting for Transport Category Aircraft and Rotorcraft	2014	SAE	0
12469	ARP1308D	(R) Electrical Connectors for Aerospace, Shipboard, Ground Vehicles and Associated Equipment	2014	SAE	0
12470	ARP1313D	Determination of Trace Elements in High Temperature Alloys	2014	SAE	0
12471	AMS-STD-185A	Identification Marking of Copper and Copper Base Alloy Mill Products (Stabilized Type)	2014	SAE	0
12472	AMS-R-83485A	Rubber, Fluorocarbon Elastomer, Improved Performance at Low Temperatures	2014	SAE	0
12473	AMS-QQ-A-591B	Aluminum Alloy Die Castings	2014	SAE	0
12474	AMS-QQ-A-250-5B	Aluminum Alloy Alclad 2024, Plate and Sheet A82024	2014	SAE	0
12475	AMS-QQ-A-250-8C	Aluminum Alloy 5052, Plate and Sheet UNS A95052	2014	SAE	0
12476	AMS-QQ-A-250-15C	Aluminum Alloy Alclad 7178, Plate and Sheet (Composition similar to UNS A87178)	2014	SAE	0
12477	AMS-QQ-A-250-18B	Aluminum 7075, Plate and Sheet Alclad One Side (Composition similar to UNS A97075)	2014	SAE	0
12478	AMS-QQ-A-250-21C	Aluminum Alloy, 7178-T76, Plate and Sheet Improved Exfoliation Resistant UNS A97178	2014	SAE	0
12479	AMS-QQ-A-250-22C	NULL	2014	SAE	0
12480	AMS-QQ-A-250-28C	Aluminum Alloy, 7011 Alclad 7178 Plate and Sheet (Composition similar to UNS A87178)	2014	SAE	0
12481	AIR5433B	Lubricating Characteristics and Typical Properties of Lubricants Used in Aviation Propulsion and Drive Systems	2014	SAE	0
12482	AMS-QQ-A-250-3A	Aluminum Alloy Alclad 2014, Plate and Sheet A82014	2014	SAE	0
12483	AMS-R-83283A	Rubber Silicone, High Strength, Cabin Pressure Seal Material, Diaphragm Type (Stabilized Type)	2014	SAE	0
12484	AIR5444A	Investigation of Whisker Formation on Tin Plated Conductors (Stabilized Type)	2014	SAE	0
12485	AMS-QQ-A-200-2B	Aluminum Alloy 2014, Bar, Rod, Shapes, Tube, and Wire, Extruded A92014	2014	SAE	0
12486	AMS-QQ-A-200-11A	Aluminum Alloy 7075, Bar, Rod, Shapes, Tube, and Wire, Extruded	2014	SAE	0
12487	AMS-QQ-A-225-9A	NULL	2014	SAE	0
12488	AMS-C-7438A	Core Material, Aluminum, for Sandwich Construction	2014	SAE	0
12489	AMS-C-81769A	Chemical Milling of Metals, Specification for (Stabilized Type)	2014	SAE	0

12490	AIR5372A	(R) Information on Brake-By-Wire (BBW) Brake Control Systems	2014	SAE	0
12491	AMS-H-81200D	Heat Treatment of Titanium and Titanium Alloys	2014	SAE	0
12492	AMS-HH-G-101A	Gasket, Metallic-Encased (Stabilized Type)	2014	SAE	0
12493	AIR1168-4A	(R) SAE Aerospace Applied Thermodynamics Manual Ice, Rain, Fog, and Frost Protection	2014	SAE	0
12494	AIR505A	Oxygen Equipment, Provisioning and Use in High Altitude (to 40,000 ft.) Commercial Transport Aircraft (Stabilized Type)	2014	SAE	0
12495	AMS6490H	Steel Bars, Forgings, and Tubing 4.0Cr - 4.2Mo - 1.0V (0.77 - 0.85C) (M-50) Premium Aircraft-Quality for Bearing Applications Consumable Electrode Vacuum Melted - UNS T11350	2014	SAE	0
12496	AMS6491E	Steel Bars, Forgings, and Tubing 4.1Cr - 4.2Mo - 1.0V (0.80 - 0.85C) (M-50) Premium Aircraft-Quality for Bearing Applications, Double Vacuum Melted - UNS T11350	2014	SAE	0
12497	AMS6519D	Steel, Maraging, Bars, Forgings, Tubing, and Rings 19Ni - 3.0Mo - 1.4Ti - 0.10Al Premium Aircraft Quality Double Vacuum Melted, Annealed - UNS K92150	2014	SAE	0
12498	AMS6532F	Steel, Bars and Forgings 3.1Cr - 11.5Ni - 13.5Co - 1.2Mo (0.21 - 0.25C) Vacuum Melted, Normalized and Overaged Precipitation Hardenable - UNS K92580	2014	SAE	0
12499	AMS6470N	Steel, Nitriding, Bars, Forgings, and Tubing 1.6Cr - 0.35Mo - 1.13Al (0.38 - 0.43C) (135 Mod) - UNS K24065	2014	SAE	0
12500	AMS6471H	Steel, Nitriding, Bars, Forgings, and Tubing 1.6Cr - 0.35Mo - 1.13Al (0.38 - 0.43C) (135 Mod) Consumable Electrode Vacuum Melted - UNS K24065	2014	SAE	0
12501	AMS6472F	Steel, Bars and Forgings, Nitriding 1.6Cr - 0.35Mo - 1.1Al (0.38 - 0.43C) (135 Mod) Hardened and Tempered, 112 ksi (772 MPa) Tensile Strength - UNS K24065	2014	SAE	0
12502	AIR5026B	Test Cell Instrumentation	2014	SAE	0
12503	AMS6931C	Titanium Alloy Bars, Forgings and Forging Stock 6.0Al - 4.0V Annealed - UNS R56400	2014	SAE	0
12504	AMS6930E	Titanium Alloy Bars, Forgings and Forging Stock 6.0Al - 4.0V Solution Heat Treated and Aged - UNS R56400	2014	SAE	0
12505	AMS6905B	Titanium Alloy Bars, Forgings and Forging Stock 6.0Al - 2.0Sn - 4.0Zr - 2.0Mo Duplex Annealed - UNS R54620	2014	SAE	0
12506	AIR512F	Aircraft Cabin Illumination	2014	SAE	0
12507	AMS7254B	Perfluoroether Elastomer (Stabilized Type)	2014	SAE	0
12508	AMS7255D	Rings, Sealing, Tetrafluoroethylene/Propylene Rubber (FEPM) Hydraulic Fluid and Synthetic Oil Resistant 70 to 80 (Stabilized Type)	2014	SAE	0
12509	AMS7256B	Rings, Sealing, Tetrafluoroethylene/Propylene Rubber (FEPM) Hydraulic Fluid and Synthetic Oil Resistant 85 to 95	2014	SAE	0
12510	AMS6945B	Titanium Alloy, Single Melt, Sheet, Strip, and Plate 6Al - 4V Annealed - UNS R56400	2014	SAE	0
12511	AMS6946C	Titanium Alloy, Sheet, Strip, and Plate 4Al - 2.5V - 1.5Fe Annealed - UNS R54250	2014	SAE	0
12512	AMS7274J(2)	Rubber: Butadiene-Acrylonitrile (NBR) 65 to 75 Hardness, For Elastomeric Seals in Aircraft Engine Oil Systems	2014	SAE	0
12513	AMS7257E	Perfluorocarbon (FFKM) Engine Oil, Fuel and Hydraulic Fluid Resistant 70 to 80 Hardness For High Temperature Seals in Engine Oil Systems, Fuel Systems and Hydraulic Systems	2014	SAE	0
12514	AMS6427M	Steel Bars, Forgings, and Tubing 0.88Cr - 1.8Ni - 0.42Mo - 0.08V (0.28 - 0.33C) (4330 Mod) - UNS K23080	2014	SAE	0
12515	AMS6428K	Steel, Bars, Forgings, and Tubing 0.78Cr - 1.8Ni - 0.35Mo - 0.20V (0.32 - 0.38C) (4335 Mod) - UNS K33517	2014	SAE	0
12516	AMS6429H	Steel Bars, Forgings, Tubing, and Rings 0.78Cr - 1.8Ni - 0.35Mo - 0.20V (0.33 - 0.38C) (4335 Mod) Consumable Electrode Vacuum Melted - UNS K33517	2014	SAE	0
12517	AMS6382P	Steel, Bars, Forgings, and Rings 0.95Cr - 0.20Mo (0.38 - 0.43C) (SAE 4140) Annealed - UNS G41400	2014	SAE	0
12518	AIR4982A	Aerospace Fly-By-Light Actuation Systems (Stabilized Type)	2014	SAE	0
12519	AMS6378G	Steel Bars 1.0Cr - 0.20Mo - 0.45Se (0.39 - 0.48C) (4142H Modified) Die-Drawn, 130 ksi (896 MPa) Yield Strength Free Machining - UNS K11542	2014	SAE	0
12520	AMS6340B	Steel Bars, Forgings, and Tubing 0.88Cr - 1.8Ni - 0.42Mo - 0.08V (0.28 - 0.33C) (4330 Mod) Consumable Electrode Vacuum Remelted - UNS K23080	2014	SAE	0
12521	AMS6324J	Steel Bars, Forgings, and Tubing 0.65Cr - 0.70Ni - 0.25Mo (0.38 - 0.43C) (8740 Modified) - UNS K11640	2014	SAE	0

12522	AMS6322P	Steel Bars, Forgings, and Rings 0.50Cr - 0.55Ni - 0.25Mo (0.38 - 0.43C) (SAE 8740) - UNS G87400	2014	SAE	0
12523	AMS6292J	Steel Bars and Forgings, Carburizing 1.8Ni - 0.25Mo (0.15 - 0.20C) (SAE 4617) - UNS G46170	2014	SAE	0
12524	AMS6299F	Steel Bars, Forgings, and Tubing, Carburizing 0.50Cr - 1.8Ni - 0.25Mo (0.17 - 0.23C) (SAE 4320H) - UNS H43200	2014	SAE	0
12525	AMS6361F	Steel Tubing, Seamless 0.95Cr - 0.20Mo (0.28 - 0.33C) (SAE 4130) 125 ksi (862 MPa) Tensile Strength - UNS G41300	2014	SAE	0
12526	AMS6362G	Steel Tubing, Seamless 0.95Cr - 0.20Mo (0.28 - 0.33C) (SAE 4130) 150 ksi (1034 MPa) Tensile Strength - UNS G41300	2014	SAE	0
12527	AMS6365K	Steel Tubing, Seamless 0.95Cr - 0.20Mo (0.33 - 0.38C) (SAE 4135) Normalized or Stress Relieved - UNS G41350	2014	SAE	0
12528	AMS5955A	Steel, Corrosion-Resistant, Bars, Wire, and Forgings 10Cr - 12Ni - 2Mo - 1.45Al - 1.15Ti Vacuum Induction Plus Vacuum Consumable Electrode Melted Solution Heat Treated, Precipitation Hardenable - UNS S11902	2014	SAE	0
12529	AMS5940D	Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 34Co - 3.0Cr - 28Ni - 3.0Cb(Nb) - 5.5Al - 0.008B - 25.5Fe Multiple Melted, High Temperature, Oxidation-Resistant, Low Expansion Solution Heat Treated, Precipitation-Hardenable - UNS R30783	2014	SAE	0
12530	AMS5950C	Nickel Alloy, Corrosion and Heat-Resistant, Sheet and Strip 52.5Ni - 19Cr - 3.0Mo - 5.0Cb - 0.90Ti - 0.50Al - 18Fe Vacuum Induction and Consumable Electrode Melted Solution Heat Treated, Precipitation Hardenable - UNS N07719	2014	SAE	0
12531	AMS5934A	Steel, Extra High Toughness, Corrosion-Resistant, Bars, Wire, Forgings, Rings, and Extrustions 13Cr - 8.0Ni - 2.2Mo - 1.1Al Vacuum Induction Plus Consumable Electrode Melted Solution Heat Treated, Precipitation-Hardenable - UNS S13800	2014	SAE	0
12532	AMS6264L	Steel, Carburizing Grade, Bars, Forgings, and Tubing 1.2Cr - 3.2Ni - 0.12Mo (0.14 - 0.20C) (9317) - UNS K44414	2014	SAE	0
12533	AIR4938A	Composite and Bonded Structure Technician/Specialist Training Document	2014	SAE	0
12534	AMS6272M	Steel Bars, Forgings, and Tubing 0.50Cr - 0.55Ni - 0.20Mo (0.15 - 0.20C) (SAE 8617) - UNS G86170	2014	SAE	0
12535	AMS5873F	Nickel Alloy, Corrosion and Heat-Resistant, Sheet, Strip, and Plate 65Ni - 15.8Cr - 15.2Mo - 0.30AI - 0.05La Consumable Electrode Remelted, Solution Heat Treated - UNS N06635	2014	SAE	0
12536	AMS5886C	Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 50Ni - 20Cr - 20Co - 5.8Mo - 2.2Ti - 0.45Al Consumable Electrode or Vacuum Induction Melted 2100 ¡°F (1149 ¡°C) Solution Heat Treated - UNS N07263	2014	SAE	0
12537	AIR4899A	Cargo Compartments Maximum Package Size Calculation Methodology (Stabilized Type)	2014	SAE	0
12538	AMS5915	Nickel Alloy, Corrosion and Heat-Resistant, Bars and Forgings, 57Ni - 20Cr - 10Co - 8.5Mo - 2.1Ti - 1.5Al - 0.005B, Vacuum Induction and Consumable Electrode Melted, Solution Heat Treated, Precipitation Heat Treatable - UNS N07208	2014	SAE	0
12539	AMS5833D	Cobalt Alloy, Corrosion and Heat-Resistant, Round Wire 20Cr - 15Ni - 40Co - 7.0Mo - 16Fe Solution Heat Treated and Cold Drawn - UNS R30003	2014	SAE	0
12540	AMS5834D	Cobalt Alloy, Corrosion and Heat-Resistant, Round Wire 20Cr - 15Ni - 40Co - 7.0Mo - 16Fe Vacuum Induction Plus Consumable Electrode Melted Solution Heat Treated, Cold Drawn, and Aged - UNS R30003	2014	SAE	0
12541	AMS5844H	Alloy, Corrosion-Resistant, Round Bars 20Cr - 35Ni - 35Co - 10Mo Vacuum Induction Plus Consumable Electrode Vacuum Remelted Solution Heat Treated and Work Strengthened - UNS R30035	2014	SAE	0
12542	AMS5845J	Alloy, Corrosion-Resistant, Round Bars 20Cr - 35Ni - 35Co - 10Mo Vacuum Induction Plus Consumable Electrode Vacuum Remelted Solution Heat Treated, Work Strengthened, and Aged - UNS R30035	2014	SAE	0
12543	AMS5790D	Steel, Corrosion and Heat-Resistant, Welding Wire 20Cr - 10Ni - 0.75Cb High Ferrite Grade - UNS S34780	2014	SAE	0
12544	AMS5758J	Alloy, Corrosion-Resistant, Bars 20Cr - 35Ni - 35Co - 10Mo Vacuum Induction Plus Consumable Electrode Vacuum Remelted Solution Heat Treated for Work Strengthening - UNS R30035	2014	SAE	0
12545	AMS5755G	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 64Ni - 5.0Cr - 24.5Mo - 5.5Fe Solution Heat Treated - UNS N10004	2014	SAE	0
12546	AMS5749F	Steel, Corrosion-Resistant, Bars, Wire, Forgings, and Tubing 14.5Cr - 4.0Mo - 1.2V (1.10-1.20C) Premium Quality for Bearing Applications, Double Vacuum Melted - UNS S42700	2014	SAE	0
12547	AIR4779C	Users Guide to AMS Specifications	2014	SAE	0
12548	AMS5766E	Alloy, Corrosion and Heat-Resistant, Bars and Forgings 21Cr - 32.5Ni - 0.38Ti - 0.38Al - 45Fe Solution Heat Treated - UNS N08800	2014	SAE	0
12549	AMS5669B	Alloy Bars, Corrosion and Heat Resistant Nickel Base - 15.5Cr - 0.95 (Cb + Ta) - 2.5Ti - 0.70Al - 7.0Fe Consumable Electrode or Vacuum Induction Melted (Stabilized Type)	2014	SAE	0

12550	AMS5675H	(R) Nickel Alloy, Corrosion and Heat Resistant, Welding Wire 70Ni - 2.5Mn - 15.5Cr - 3.0Ti - 7.0Fe - UNS N07092	2014	SAE	0
12551	AMS5659P	Steel, Corrosion-Resistant, Bars, Wire, Forgings, Rings, and Extrusions 15Cr - 4.5Ni - 0.30Cb (Nb) - 3.5Cu - UNS S15500	2014	SAE	0
12552	AMS5629-H1000	NULL	2014	SAE	0
12553	AIR4652A	Design Factors - Handicapped Passenger Boarding Devices (Stabilized Type)	2014	SAE	0
12554	AMS5643-H1100	Steel, Corrosion-Resistant, Bars, Wire, Forgings, Tubing and Rings 16Cr - 4.0Ni - 0.30Cb (Nb) - 4.0Cu Solution and Precipitation Heat Treated (H1100) (Composition similar to UNS S17400)	2014	SAE	0
12555	AMS5643-H1025(2)	Steel, Corrosion-Resistant, Bars, Wire, Forgings, Tubing and Rings 16Cr - 4.0Ni - 0.30Cb (Nb) - 4.0Cu Solution and Precipitation Heat Treated (H1025) (Composition similar to UNS S17400)	2014	SAE	0
12556	AMS5646P	Steel, Corrosion and Heat-Resistant, Bars, Wire, Forgings, Tubing, and Rings 18Cr - 11Ni - 0.60Cb(Nb) (347) Solution Heat Treated - UNS S34700	2014	SAE	0
12557	AMS5629F	Steel, Corrosion-Resistant, Bars, Wire, Forgings, Rings, and Extrusions 13Cr - 8.0Ni - 2.2Mo - 1.1Al Vacuum Induction Plus Consumable Electrode Melted Solution Heat Treated, Precipitation Hardenable - UNS S13800	2014	SAE	0
12558	AMS5616M	Steel, Corrosion and Heat-Resistant, Bars, Wire, Forgings, Tubing, and Rings 13Cr - 2.0Ni - 3.0W Annealed - UNS S41800	2014	SAE	0
12559	AMS5518M	Steel, Corrosion Resistant, Sheet and Strip 18Cr - 8Ni Cold Rolled, 150 ksi (1034 MPa) Tensile Strength - UNS S30100	2014	SAE	0
12560	AMS5544K	Nickel Alloy, Corrosion and Heat-Resistant, Sheet, Strip, and Plate 57Ni - 19.5Cr - 13.5Co - 4.2Mo - 3.0Ti - 1.4Al - 0.05Zr - 0.006B Consumable Electrode or Vacuum Induction Melted, Annealed - UNS N07001	2014	SAE	0
12561	AMS5400C	Steel, Corrosion-Resistant, Investment Castings 15Cr - 4.6Ni - 0.22Cb - 2.8Cu Solution and Precipitation Heat Treated (H935) 170 ksi (1172 MPa) Tensile Strength - UNS J92110	2014	SAE	0
12562	AMS5390G	Nickel Alloy, Corrosion and Heat-Resistant, Investment Castings 47.5Ni - 22Cr - 1.5Co - 9Mo - 0.60W - 18.5Fe (N-12MV) As-Cast - UNS N06002	2014	SAE	0
12563	AMS5391H	Nickel Alloy, Corrosion and Heat-Resistant, Investment Castings 73Ni - 0.14C - 13Cr - 4.5Mo - 2.3Cb (Nb) - 0.75Ti - 6.0Al - 0.010B - 0.10Zr Vacuum Cast, As-Cast - UNS N07713	2014	SAE	0
12564	AMS5388K	Nickel Alloy, Corrosion and Heat-Resistant, Investment Castings 53.3Ni - 16.5Cr - 17Mo - 4.5W - 5.8Fe - 0.40V (CW-12MW) As-Cast - UNS N10002	2014	SAE	0
12565	AMS5396F	Nickel Alloy, Corrosion and Heat-Resistant, Investment Castings 65Ni - 28Mo - 5.5Fe - 0.40V (N-12MV) As-Cast - UNS N10001	2014	SAE	0
12566	AMS5353E	Steel, Corrosion-Resistant, Investment Castings 16Cr - 1.8Ni - 0.08N As Cast - UNS J91651	2014	SAE	0
12567	AIR4362A	NBC Protection Considerations for ECS Design (Stabilized Type)	2014	SAE	0
12568	AMS5035C	Steel, Welding Wire 0.65Si - 1.25Cr - 0.50Mo - 0.30V (0.28 - 0.33C) (Stabilized Type) - UNS K23015	2014	SAE	0
12569	AMS5010L	Steel Bars Free-Machining Cold Drawn (SAE 1212 or SAE 1215) (Stabilized Type) - UNS G12120	2014	SAE	0
12570	AMS4945F	Titanium Alloy Tubing, Seamless, Hydraulic 3Al - 2.5V, Controlled Contractile Strain Ratio Cold Worked, Stress Relieved - UNS R56320	2014	SAE	0
12571	AMS4946D	Titanium Alloy Tubing, Seamless, Hydraulic 3Al - 2.5V, Texture Controlled Cold Worked, Stress Relieved - UNS R56320	2014	SAE	0
12572	AMS4944K	Titanium Alloy Tubing, Seamless, Hydraulic 3.0Al - 2.5V Cold Worked, Stress Relieved - UNS R56320	2014	SAE	0
12573	AMS4971K	Titanium Alloy, Bars, Wire, Forgings, and Rings 6Al - 6V - 2Sn Annealed, Heat Treatable - UNS R56620	2014	SAE	0
12574	AMS4967L	Titanium Alloy, Bars, Wire, Forgings, and Rings 6.0Al - 4.0V Annealed, Heat Treatable - UNS R56400	2014	SAE	0
12575	AMS4965L	Titanium Alloy, Bars, Wire, Forgings, and Rings 6.0Al 4.0V Solution Heat Treated and Aged - UNS R56400	2014	SAE	0
12576	AMS4991E	Titanium Alloy Castings, Investment 6Al - 4V Hot Isostatic Pressed, Anneal Optional - UNS R56401	2014	SAE	0
12577	AMS4992B	Casting, Structural Investment, Titanium Alloy 6Al - 4V Hot Isostatically Pressed - UNS R56401	2014	SAE	0
12578	AMS4988C	Titanium Alloy Sheet, Strip, and Plate 6Al - 6V - 2Sn Solution Heat Treated - UNS R56620	2014	SAE	0
12579	AMS4989C	Titanium Alloy Sheet, Strip, and Plate 3Al - 2.5V Annealed - UNS R56320	2014	SAE	0
12580	AMS4985E	Titanium Alloy, Investment Castings 6Al - 4V 130 UTS, 120 YS, 6% EL Hot Isostatically Pressed Anneal Optional or When Specified - UNS R56401	2014	SAE	0

12581	AMS4981G	Titanium Alloy Bars, Wire, and Forgings 6.0Al - 2.0Sn - 4.0Zr - 6.0Mo Solution and Precipitation Heat Treated - UNS R56260	2014	SAE	0
12582	AMS4978G	Titanium Alloy Bars, Wire, Forgings, and Rings 6Al - 6V - 2Sn Annealed - UNS R56620	2014	SAE	0
12583	AMS4979H	Titanium Alloy, Bars, Wire, Forgings, and Rings 6Al - 6V - 2Sn Solution and Precipitation Heat Treated - UNS R56620	2014	SAE	0
12584	AMS4975M	Titanium Alloy, Bars, Wire, and Rings 6.0Al - 2.0Sn - 4.0Zr - 2.0Mo - 0.08Si Solution and Precipitation Heat Treated - UNS R54620	2014	SAE	0
12585	AMS4976J	Titanium Alloy, Forgings 6.0Al - 2.0Sn - 4.0Zr - 2.0Mo - 08Si Solution and Precipitation Heat Treated - UNS R54620	2014	SAE	0
12586	AMS4935K	Titanium Alloy Extrusions and Flash Welded Rings 6Al - 4V Annealed Beta Processed - UNS R56400	2014	SAE	0
12587	AMS4937D	Titanium Alloy, Extrusions and Flash Welded Rings 6Al - 6V - 2Sn Beta Extruded Plus Annealed, Heat Treatable - UNS R56620	2014	SAE	0
12588	AMS4928U	Titanium Alloy Bars, Wire, Forgings, Rings, and Drawn Shapes 6Al - 4V Annealed - UNS R56400	2014	SAE	0
12589	AMS4918N	Titanium Alloy, Sheet, Strip, and Plate 6AI - 6V - 2Sn Annealed - UNS R56620	2014	SAE	0
12590	AMS4919H	Titanium Alloy Sheet, Strip, and Plate 6AI - 2Sn - 4Zr - 2Mo - 0.08Si Duplex Annealed - UNS R54620	2014	SAE	0
12591	AMS4911N	Titanium Alloy, Sheet, Strip, and Plate 6Al - 4V Annealed - UNS R56400	2014	SAE	0
12592	AMS4914F	Titanium Alloy Cold Rolled Sheet and Strip 15V - 3Al - 3Cr - 3Sn Solution Heat Treated - UNS R58153	2014	SAE	0
12593	AMS4905E	Titanium Alloy, Damage-Tolerant Grade Plate 6Al - 4V Beta Annealed - UNS R56400	2014	SAE	0
12594	AMS4900P	Titanium Sheet, Strip, and Plate Commercially Pure Annealed, 55 ksi (379 MPa) Yield Strength - UNS R50550	2014	SAE	0
12595	AMS4898D	Titanium Alloy, Sheet 6Al - 2Sn - 2Zr - 2Mo - 2Cr - 0.15Si Annealed - UNS R56222	2014	SAE	0
12596	AIR4243A	Landing Area/Landing Gear Compatibility - A Brief History of SAE/Corps of Engineers Cooperation (Stabilized Type)	2014	SAE	0
12597	AMS4783G	(R) Cobalt Alloy, High Temperature Brazing Filler Metal 50Co - 8.0Si - 19Cr - 17Ni - 4.0W - 0.80B 2050 to 2100 °F (1121 to 1149 °C) Solidus-Liquidus Range - UNS R30040	2014	SAE	0
12598	AMS4471A	Cast Aluminum Alloy Composite 4.6Cu - 3.4Ti - 1.4B - 0.75Ag - 0.27Mg (205.0/TiB2/3p-T7P) Investment Cast, Solution and Precipitation Heat Treated	2014	SAE	0
12599	AMS4477	Aluminum Alloy, Coiled Sheet 4.4Cu - 1.5Mg - 0.60Mn (2024-T4) Solution Treated - UNS A82024	2014	SAE	0
12600	AIR1133B	Chemical Oxygen Supplies (Stabilized Type)	2014	SAE	0
12601	AMS4424L	Magnesium Alloy Castings, Sand 6.0Al - 3.0Zn (AZ63-T6) Solution and Precipitation Heat Treated - UNS M11630	2014	SAE	0
12602	AMS4437F	Magnesium Alloy Castings, Sand 8.7Al - 0.70Zn (AZ91C-T6) Solution Heat Treated and Aged - UNS M11914	2014	SAE	0
12603	AMS4353	Aluminum Alloy, Extruded Round Rod 3.5Cu - 1.0Li - 0.40Mg - 0.45Ag - 0.12Zr (2050-T84) Solution Heat Treated, Stress Relieved by Stretching, and Artificially Aged	2014	SAE	0
12604	AMS4347D	Aluminum Alloy Sheet 1.0Mg - 0.8Si - 0.8Cu - 0.5Mn (6013-T4) Solution Heat Treated and Naturally Aged - UNS A96013	2014	SAE	0
12605	AMS4351	Aluminum Alloy, Plate (7065-T7651) 7.7Zn - 2.1Cu - 1.65Mg - 0.10Zr Solution Heat Treated, Stress-Relieved, and Overaged	2014	SAE	0
12606	AMS4366	Aluminum Alloy, Extruded Profiles (2065-T84) 4.2Cu - 1.2Li 0.52Mg 0.32Mn 0.32Ag - 0.1Zr Solution Heat Treated, Stress Relieved by Stretching and Artificially Aged	2014	SAE	0
12607	AMS4361	Aluminum Alloy, Plate (7065-T7451) 7.7Zn - 2.1Cu - 1.65Mg - 0.10Zr Solution Heat Treated, Stress-Relieved, and Overaged	2014	SAE	0
12608	AMS4362G	Forgings, Magnesium Alloy 5.5Zn - 0.45Zr (ZK60A-T5) Precipitation Heat Treated - UNS M16600	2014	SAE	0
12609	AMS4257	Aluminum Alloy, Extrusion 3.7Cu - 1.15Li - 0.5Zn - 0.45Ag - 0.4Mg - 0.3Mn - 0.1Zr (2055-T84) Solution Heat Treated, Stress Relieved by Stretching 2% to 5% and Aged	2014	SAE	0
12610	AMS4162E	Aluminum Alloy, Extrusions 6.3Cu - 0.30Mn - 0.18Zr - 0.10V - 0.06Ti (2219-T8511) Solution Treated, Stress Relief Stretched, Straightened, and Precipitation Heat Treated - UNS A92219	2014	SAE	0
12611	AMS4201F	Aluminum Alloy Plate 6.2Zn - 2.3Cu - 2.2Mg - 0.12Zr (7050-T7651) Solution Heat Treated, Stress Relieved, and Overaged - UNS A97050	2014	SAE	0

12612	AMS4125L	Aluminum Alloy Die Forgings, and Rolled or Forged Rings 0.9Si - 0.62Mg - 0.25Cr (6151-T6) Solution and Precipitation Heat Treated - UNS A 96151	2014	SAE	0
12613	AMS4130N	Aluminum Alloy Die Forgings 4.4Cu - 0.85Si - 0.80Mn (2025-T6) Solution and Precipitation Heat Treated - UNS A92025	2014	SAE	0
12614	AMS4140K	Aluminum Alloy Die Forgings 4.0Cu - 2.0Ni - 0.68Mg (2018-T61) Solution and Precipitation Heat Treated (Stabilized Type) - UNS A92018	2014	SAE	0
12615	AMS4141G	Aluminum Alloy Die Forgings 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (7075-T73) Solution and Precipitation Heat Treated - UNS A97075	2014	SAE	0
12616	AMS4089E	Aluminum Alloy, Plate 1.6Cu - 2.2Mg - 0.22Cr - 5.7Zn (7475-T7651) Solution Heat Treated, Stress Relieved by Stretching, and Precipitation Heat Treated - UNS A97475	2014	SAE	0
12617	AMS4113F	Aluminum Alloy, Extruded Profiles 1.0Mg - 0.60Si - 0.28Cu - 0.20Cr (6061-T6) Solution and Precipitation Heat Treated - UNS A96061	2014	SAE	0
12618	AMS4111E	Aluminum Alloy Forgings 7.7Zn - 2.5Mg - 1.5Cu - 0.16Cr (7049-T73) Solution and Precipitation Heat Treated - UNS A97049	2014	SAE	0
12619	AMS4012G	Aluminum Sheet, Laminated Edge Bonded (Stabilized Type)	2014	SAE	0
12620	AMS4013G	Aluminum Sheet, Laminated Surface Bonded	2014	SAE	0
12621	AIR1106B	Some Factors Affecting Visibility of Aircraft Navigation and Anticollision Lights	2014	SAE	0
12622	AMS4050J	Aluminum Alloy, Plate 6.2Zn - 2.3Cu - 2.2Mg - 0.12Zr (7050-T7451) Solution Heat Treated, Stress Relieved, and Overaged - UNS A97050	2014	SAE	0
12623	AMS4025M	Aluminum Alloy, Sheet and Plate 1.0Mg - 0.60Si - 0.28Cu - 0.20Cr (6061-O) Annealed - UNS A96061	2014	SAE	0
12624	AMS4028H	Aluminum Alloy Sheet and Plate 4.4Cu - 0.85Si - 0.80Mn - 0.50Mg (2014-O) Annealed - UNS A92014	2014	SAE	0
12625	AMS4037Q	Aluminum Alloy, Sheet and Plate 4.4Cu - 1.5Mg - 0.60Mn (2024; -T3 Flat Sheet, -T351 Plate) Solution Heat Treated - UNS A92024	2014	SAE	0
12626	AMS3843D	Polytetrafluoroethylene Sheet Asbestos Fiber Reinforced High Compressibility, Low Density	2014	SAE	0
12627	AMS3799-1C	Webbing, Tubular, Low Modulus Aramid 9/16 (14) Wide, 1400 (6228) Breaking Strength	2014	SAE	0
12628	AIR171E	(R) Glossary of Technical and Physiological Terms Related to Aerospace Oxygen Systems	2014	SAE	0
12629	AIR1707B	Patterns of O-ring Failures	2014	SAE	0
12630	AIR1666B	(R) Performance Testing of Lubricant Filter Elements Utilized in Aircraft Power and Propulsion Lubrication Systems	2014	SAE	0
12631	AIR1673B	Aircraft Cargo Door Opening/Sill Details for Ground Support Equipment Interface	2014	SAE	0
12632	AIR1615B	(R) Thesaurus for Fuel System Components	2014	SAE	0
12633	AMS3617E	Polyamide Type 6-6, Plastic Moldings and Extrusions	2014	SAE	0
12634	AMS3430E	Brazing Filler Metal, Paste, Copper Water Thinning (Stabilized Type)	2014	SAE	0
12635	AMS3381	Sealing Compound, Aircraft Firewall, Non-Silicone	2014	SAE	0
12636	AMS3347C	Rubber, Silicone 1200 psi (8.27 MPa), High Modulus 45 - 55	2014	SAE	0
12637	AMS3338G	Silicone (PVMQ) Rubber Extreme-Low-Temperature Resistant 75 - 85 (Stabilized Type)	2014	SAE	0
12638	AMS3349D	Silicone (VMQ) Rubber 1100 psi (7.58 MPa) Tensile Strength, High Resiliency 65 - 75 (Stabilized Type)	2014	SAE	0
12639	AMS3348D	Silicone (VMQ) Rubber 1150 psi (7.93 MPa) Tensile Strength, High Resiliency 25 - 35 (Stabilized Type)	2014	SAE	0
12640	AMS3356F	Silicone (VMQ) Rubber Lubricating Oil and Compression Set Resistant, Electrical Grade 55 - 65 (Stabilized Type)	2014	SAE	0
12641	AMS3277H	Sealing Compound, Polythioether Rubber Fast Curing for Integral Fuel Tanks and General Purpose, Intermittent Use to 360 ¡°F (182 ¡°C)	2014	SAE	0
12642	AMS3323A	Sponge, Fluorosilicone (FVM) Rubber Closed Cell	2014	SAE	0
12643	AMS3325F	Fluorosilicone (FVMQ) Rubber Fuel and Oil Resistant 55 - 65	2014	SAE	0
12644	AIR1551B	Torque Tightening Metric Screw Threaded Fasteners (Stabilized Type)	2014	SAE	0
12645	AMS3305J	Silicone, Rubber General Purpose 80 Durometer	2014	SAE	0
12646	AMS3306C	Rubber, Silicone 1200 psi (8.27 MPa), High Modulus 55 - 65 (Stabilized Type)	2014	SAE	0

12647	MAM2279B	Tolerances, Metric Rubber Products (Stabilized Type)	2014	SAE	0
12648	TSB 004(2)	Technical Committee Guidelines - Superseded by the current version of the Technical Standards Board (TSB) Governance Policy	2014	SAE	0
12649	TSB001	SAE Technical Standards Board Rules and Regulations - Superseded by the current version of the Technical Standards Board (TSB) Governance Policy	2014	SAE	0
12650	TSB002	Preparation of SAE Technical Reports - Replaced by Technical Report Style Manual	2014	SAE	0
12651	USCAR-21(2)	PERFORMANCE SPECIFICATION FOR CABLE-TO-TERMINAL ELECTRICAL CRIMPS - Revision 3	2014	SAE	0
12652	MA3392A	STUD, STEPPED - 2.0 DIA ENGAGEMENT, A286, MJ METRIC 12 X 1.25 - 10 X 1.25 (Stabilized Type)	2014	SAE	0
12653	MA3389A	STUD, STEPPED - 2.0 DIA ENGAGEMENT, A286, MJ METRIC 7 X 1 - 6 X 1 (Stabilized Type)	2014	SAE	0
12654	MA3387A	STUD, STEPPED - 1.5 DIA ENGAGEMENT, A286, MJ METRIC 12 X 1.25 - 10 X 1.25 (Stabilized Type)	2014	SAE	0
12655	MA3385A	STUD, STEPPED - 1.5 DIA ENGAGEMENT, A286, MJ METRIC 8 X 1 - 7 X 1 (Stabilized Type)	2014	SAE	0
12656	MA3386A	STUD, STEPPED - 1.5 DIA ENGAGEMENT, A286, MJ METRIC 10 X 1.25 - 8 X 1 (Stabilized Type)	2014	SAE	0
12657	MA3367C	BOLT, MACHINE - SPLINE DRIVE HEAD, DRILLED, PD SHANK - LONG THREAD AMS6322, CADMIUM PLATED, METRIC (Stabilized Type)	2014	SAE	0
12658	MA3383A	STUD, STEPPED - 1.5 DIA ENGAGEMENT, A286, MJ METRIC 6 X 1 - 5 X 0.8 (Stabilized Type)	2014	SAE	0
12659	MA3384A	STUD, STEPPED - 1.5 DIA ENGAGEMENT, A286, MJ METRIC 7 X 1 - 6 X 1 (Stabilized Type)	2014	SAE	0
12660	AMS3250K	Synthetic Rubber and Cork Composition General Purpose Soft (Stabilized Type)	2014	SAE	0
12661	MA3429A	NUT, SELF LOCKING, SPLINE DRIVE, EXTENDED WASHER, UNS N07001, SILVER PLATE, MJ THREAD, METRIC (Stabilized Type)	2014	SAE	0
12662	MA3433A	NUT, SELF LOCKING - SHANK UNS N07001, SILVER PLATE MJ THREAD, METRIC (Stabilized Type)	2014	SAE	0
12663	MA3444A	NUT, SELF LOCKING - SPLINE DRIVE, CAPTIVE WASHER, UNS S66286, SILVER PLATE, MJ THREAD, METRIC (Stabilized Type)	2014	SAE	0
12664	MA3520A	INSERT - THIN WALL, SHORT SELF-LOCKING, 550 DEGREES C, SILVER PLATED UNS N07718, MJ THREAD, METRIC (Stabilized Type)	2014	SAE	0
12665	MA3521A	INSERT - THIN WALL, LONG SELF-LOCKING, 550 DEGREES C, SILVER PLATED UNS N07718, MJ THREAD, METRIC (Stabilized Type)	2014	SAE	0
12666	AMS3238H	Butyl (IIR) Rubber Phosphate Ester Resistant 65 - 75	2014	SAE	0
12667	MA3354C	NUT, PLAIN HEX - THIN, UNS G87400, CADMIUM PLATE, MJ THREAD, METRIC (Stabilized Type)	2014	SAE	0
12668	MA3289C	BOLT, MACHINE-HEX HEAD-PD SHANK MJ THREAD, AMS6322, CADMIUM PLATE, METRIC (Stabilized Type)	2014	SAE	0
12669	MA3302C	NUT, PLAIN HEX - UNS G87400, CADMIUM PLATE, MJ THREAD, METRIC (Stabilized Type)	2014	SAE	0
12670	MA3339C	BOLT, MACHINE - SPLINE EXTENDED WASHER, PD SHANK, LONG THREAD, AMS6322, CADMIUM PLATED, METRIC (Stabilized Type)	2014	SAE	0
12671	AMS3226H	Acrylonitrile Butadiene (NBR) Rubber Hot Oil and Coolant Resistant, Low Swell 45 - 55	2014	SAE	0
12672	MA1565C	Inserts, Screw Thread, Helical Coil Metric Series Procurement Specification For (Stabilized Type)	2014	SAE	0
12673	AMS3217-7A	NULL	2014	SAE	0
12674	AMS3207N	Chloroprene (CR) Rubber Weather Resistant 25 - 35 (Stabilized Type)	2014	SAE	0
12675	AMS3209M	Chloroprene (CR) Rubber Weather Resistant 65 - 75 (Stabilized Type)	2014	SAE	0
12676	AMS3208N	Chloroprene (CR) Rubber Weather Resistant 45 - 55 (Stabilized Type)	2014	SAE	0
12677	J89	Dynamic Cushioning Performance Criteria for Snowmobile Seats	2014	SAE	0
12678	AMS3212P	Acrylonitrile Butadiene (NBR) Rubber Aromatic Fuel Resistant 55 - 65	2014	SAE	0
12679	J914(2)	Side Turn Signal Lamps for Vehicles Less than 12 m in Length	2014	SAE	0
12680	J917(2)	(R) Marine Push-Pull Control Cables	2014	SAE	0
12681	AMS3194E	Silicone Rubber Sponge Closed Cell, Firm, Extreme Low Temperature	2014	SAE	0
12682	J67(2)	Shovel Dipper, Clam Bucket, and Dragline Bucket Rating	2014	SAE	0

12683	J671(2)	Vibration Damping Materials and Underbody Coatings	2014	SAE	0
12684	J701	Truck Tractor Semitrailer Interchange Coupling Dimensions	2014	SAE	0
12685	AMS3195G	Silicone Rubber Sponge Closed Cell, Medium	2014	SAE	0
12686	J782	Motor Vehicle Seating Manual	2014	SAE	0
12687	AMS3199L	Sponge, Chloroprene (CR) Rubber Firm (Stabilized Type)	2014	SAE	0
12688	J748(2)	HYDRAULIC DIRECTIONAL CONTROL VALVES, 3000 PSI MAXIMUM	2014	SAE	0
12689	AMS3198L	Sponge, Chloroprene (CR) Rubber Medium Stiffness (Stabilized Type)	2014	SAE	0
12690	J759	Lighting Identification Code	2014	SAE	0
12691	J738	Cutting Edge - Double Bevel Cross Sections	2014	SAE	0
12692	AMS3166C	Solvents, Cleaning Cleaning Prior to Application of Sealing Compounds	2014	SAE	0
12693	J57	Sound Level of Highway Truck Tires (Stabilized Type)	2014	SAE	0
12694	J585(2)	(R) TAIL LAMPS (REAR POSITION LAMPS) FOR USE ON MOTOR VEHICLES LESS THAN 2032 mm IN OVERALL WIDTH	2014	SAE	0
12695	AMS3193E	Silicone Rubber Sponge Closed Cell, Medium, Extreme Low Temperature	2014	SAE	0
12696	J635	Fan Hub Bolt Circles and Pilot Holes	2014	SAE	0
12697	J617	Engine Flywheel Housing and Mating Transmission Housing Flanges	2014	SAE	0
12698	J595	(R) Directional Flashing Optical Warning Devices for Authorized Emergency, Maintenance, and Service Vehicles	2014	SAE	0
12699	J499	Parallel Side Splines for Soft Broached Holes in Fittings (Stabilized Type)	2014	SAE	0
12700	J501(2)	Shaft Ends	2014	SAE	0
12701	J387	(R) Terminology - Motor Vehicle Lighting	2014	SAE	0
12702	J403(2)	Chemical Compositions of SAE Carbon Steels	2014	SAE	0
12703	J429	Mechanical and Material Requirements for Externally Threaded Fasteners	2014	SAE	0
12704	J383(2)	(R) Motor Vehicle Seat Belt Anchorages - Design Recommendations	2014	SAE	0
12705	J384(2)	(R) Motor Vehicle Seat Belt Anchorages - Test Procedure	2014	SAE	0
12706	J385(2)	Motor Vehicle Seat Belt Anchorages - Performance Requirements	2014	SAE	0
12707	J3067	Candidate Improvements to Dedicated Short Range Communications (DSRC) Message Set Dictionary [SAE J2735] Using Systems Engineering Methods	2014	SAE	0
12708	J3016	(R) Taxonomy and Definitions for Terms Related to Driving Automation Systems for On-Road Motor Vehicles	2014	SAE	0
12709	J3020	Medical Device Shot Peening	2014	SAE	0
12710	J3021	Recommended Practice for Determining Material Properties of Li-Battery Cathode Active Materials	2014	SAE	0
12711	J3024	Product Safety Signs for Ready Mixed Concrete Trucks	2014	SAE	0
12712	J3026	Ambulance Patient Compartment Seating Integrity and Occupant Restraint	2014	SAE	0
12713	J3027	Ambulance Litter Integrity, Retention, and Patient Restraint	2014	SAE	0
12714	J3005	Permanently or Semi-Permanently Installed Diagnostic Communication Devices	2014	SAE	0
12715	J3006	Low-duty Inertia Dynamometer Hydraulic Brake Wear Test Procedures for Vehicles Above 4536 kg (10 000 lb) of GVWR	2014	SAE	0
12716	J3007	Top Speed Test Procedure for Electric Motorcycles	2014	SAE	0
12717	J3043	Ambulance Equipment Mount Device or Systems	2014	SAE	0
12718	J3044	Occupant Restraint and Equipment Mounting Integrity - Rear Impact System-Level Ambulance Patient Compartment	2014	SAE	0
12719	J3050	Biodiesel in Automotive Application; Lessons Learned	2014	SAE	0
12720	J2998	Model Description Documentation Recommended Practice for Ground Vehicle System and Subsystem Simulation	2014	SAE	0
12721	J2985	Definition and Measurement of Transfer Case Speed-Dependent Parasitic Loss	2014	SAE	0
12722	J2972	Definition of Road Vehicle Hands-Free Operation of a Person-to-Person Wireless Communication System or Device	2014	SAE	0

12723	J2973	Fuel Components and Systems Leak Tightness Specifications and Test Practices (or Methods)	2014	SAE	0
12724	J2953-2	Test Procedures for the Plug-In Electric Vehicle (PEV) Interoperability with Electric Vehicle Supply Equipment (EVSE)	2014	SAE	0
12725	J2951	Drive Quality Evaluation for Chassis Dynamometer Testing	2014	SAE	0
12726	J2931-4(2)	Broadband PLC Communication for Plug-in Electric Vehicles	2014	SAE	0
12727	J2932	Air Disc Brake Actuator Test Requirements	2014	SAE	0
12728	J2931-1(2)	(R) Digital Communications for Plug-in Electric Vehicles	2014	SAE	0
12729	J2902	Air Disc Brake Actuator Test Procedure, Truck-Tractor, Bus and Trailer	2014	SAE	0
12730	J2910	Recommended Practice for the Design and Test of Hybrid Electric and Electric Trucks and Buses for Electrical Safety	2014	SAE	0
12731	J2912(2)	Performance Requirements for R-134a and R-1234yf Refrigerant Diagnostic Identifiers (RDI) for Use with Mobile Air Conditioning Systems	2014	SAE	0
12732	J2889-1(2)	Measurement of Minimum Noise Emitted by Road Vehicles	2014	SAE	0
12733	J2884(2)	Thermoset Elastomer Specification System	2014	SAE	0
12734	J2880(2)	(R) Recommended Green Racing Protocols	2014	SAE	0
12735	J2867	Laboratory Testing of Light Duty Vehicle Electric Cooling Fan Assemblies for Airflow Performance	2014	SAE	0
12736	J2840	High Voltage Shielded and Jacketed Cable	2014	SAE	0
12737	J2798(2)	Power Cylinder Blow-by: Problem Solving	2014	SAE	0
12738	J2799	70 MPa Compressed Hydrogen Surface Vehicle Fueling Connection Device and Optional Vehicle to Station Communications	2014	SAE	0
12739	J2812	Road Load Tire Model Validation Procedures for Dynamic Behavior	2014	SAE	0
12740	J2795(2)	Power Cylinder Oil Consumption: Problem Solving	2014	SAE	0
12741	J2797(2)	(R) Power Cylinder Blow-By: Blow-By Mechanisms	2014	SAE	0
12742	J277(2)	Maintenance of Design Voltage - Snowmobile Electrical Systems	2014	SAE	0
12743	J2754	Volumetric Rating of Excavator Mounted, Bucket Linkage Operated Grapples	2014	SAE	0
12744	J2601(2)	Fueling Protocols for Light Duty Gaseous Hydrogen Surface Vehicles	2014	SAE	0
12745	J2601-2	Fueling Protocol for Gaseous Hydrogen Powered Heavy Duty Vehicles	2014	SAE	0
12746	J2685(2)	Positive Temperature Coefficient Overcurrent Protection Devices (PTCs)	2014	SAE	0
12747	J267(2)	Wheels/Rims - Trucks - Test Procedures and Performance Requirements - January 1991	2014	SAE	0
12748	J2673(2)	Straight-Line Braking Test for Truck and Bus Tires	2014	SAE	0
12749	J2572(2)	Recommended Practice for Measuring Fuel Consumption and Range of Fuel Cell and Hybrid Fuel Cell Vehicles Fuelled by Compressed Gaseous Hydrogen	2014	SAE	0
12750	J2578(2)	Recommended Practice for General Fuel Cell Vehicle Safety	2014	SAE	0
12751	J2542	Self-Propelled Sweepers and Scrubbers Fuel Consumption of Non-Propulsion Auxiliary Engines	2014	SAE	0
12752	J2556(2)	Radiated Emissions (RE) Narrowband Data Analysis - Power Spectral Density (PSD)	2014	SAE	0
12753	J2552(2)	Push-On Hose and Mating Hose Fittings	2014	SAE	0
12754	J2473	Self-Propelled Sweepers and Scrubbers - Maximum Gradient Rating During Hopper Discharge	2014	SAE	0
12755	J2475(2)	Wheel End Assembly and Axle Spindle Interface Dimensions - Truck and Bus	2014	SAE	0
12756	J2522(2)	Dynamometer Global Brake Effectiveness	2014	SAE	0
12757	J2417(2)	Lift Capacity Calculation Method Knuckle-Boom Log Loaders and Certain Forestry Equipment	2014	SAE	0
12758	J2403DA(2)	Digital Annex of Medium/Heavy-Duty E/E Systems Diagnosis Nomenclature - Rev. A; See Also SAE J2403; Includes Access to Additional Content	2014	SAE	0
12759	J2399(2)	Adaptive Cruise Control (ACC) Operating Characteristics and User Interface	2014	SAE	0
12760	J2403	(R) Medium/Heavy-Duty E/E Systems Diagnosis Nomenclature	2014	SAE	0

12761	J2403DA	Digital Annex of Medium/Heavy-Duty E/E Systems Diagnosis Nomenclature - Rev. A; See Also SAE J2403; Includes Access to Additional Content	2014	SAE	0
12762	J2377(2)	Test Procedure for Air Supply of Truck-Tractors and Towing Trucks	2014	SAE	0
12763	J2378(2)	Test Procedure for Trailer Air Reservoir Fill and Parking Brake Release Times	2014	SAE	0
12764	J2382(2)	Video Based Light Measurement Techniques	2014	SAE	0
12765	J2337-1(2)	Connections for Fluid Power and High Pressure Use-Ports, Stud Ends, and Plugs with ISO 261 Threads and O-Ring Sealing-Part 1: Ports with Recessed Conical Seat Requirements, Dimensions, Design, and Test Methods	2014	SAE	0
12766	J232(2)	Industrial Rotary Mowers	2014	SAE	0
12767	J2293-1	Energy Transfer System for Electric Vehiclesâ Part 1: Functional Requirements and System Architectures	2014	SAE	0
12768	J2293-2	Energy Transfer System for Electric Vehicles - Part 2: Communication Requirements and Network Architecture (Stabilized Type)	2014	SAE	0
12769	J2264	Chassis Dynamometer Simulation of Road Load Using Coastdown Techniques	2014	SAE	0
12770	J2246	Antilock Brake System Review (Stabilized Type)	2014	SAE	0
12771	AMS3004H	Alcohol, Methyl (Stabilized Type)	2014	SAE	0
12772	J2221(2)	(R) Standardized Symbols for Electrical Circuit Diagrams	2014	SAE	0
12773	AMS2980-1B	NULL	2014	SAE	0
12774	J211-1	(R) Instrumentation for Impact Test - Part 1 - Electronic Instrumentation	2014	SAE	0
12775	J2087(2)	(R) Daytime Running Light	2014	SAE	0
12776	AMS2980-3B	Carbon Fiber Fabric and Epoxy Resin Wet Lay-Up Repair Material Part 3 û Purchasing Specification - Fabric	2014	SAE	0
12777	J213(2)	(R) Motorcycle Classifications	2014	SAE	0
12778	AMS2980-2B	(R) Carbon Fiber Fabric and Epoxy Resin Wet Lay-up Repair Material Part 2 - Qualification Program	2014	SAE	0
12779	AMS2980-4B	Carbon Fiber Fabric and Epoxy Resin Wet Lay-Up Repair Material Part 4 - Purchasing Specification - Resin	2014	SAE	0
12780	J2139(2)	Tests for Signal and Marking Devices Used on Vehicles 2032 mm or More in Overall Width	2014	SAE	0
12781	AMS2980B	Carbon Fiber Fabric and Epoxy Resin Wet Lay-Up Repair Material Part 0 - Introduction	2014	SAE	0
12782	AMS2980-5A	NULL	2014	SAE	0
12783	AMS3002H	Alcohol, Denatured Ethyl (Stabilized Type)	2014	SAE	0
12784	J2203	SAE 17.6 Cubic Inch Spark Plug Rating Engine	2014	SAE	0
12785	J2191	Recommended Practice for Identification of Standardized Truck and Tractor Electrical Circuits	2014	SAE	0
12786	J1979(2)	(R) E/E Diagnostic Test Modes	2014	SAE	0
12787	J1939DA(2)	J1939 Digital Annex - Rev. H; See Also SAE J1939; Includes Access to Additional Content	2014	SAE	0
12788	J1939DA	J1939 Digital Annex - Rev. G; See Also SAE J1939; Includes Access to Additional Content	2014	SAE	0
12789	J1948(2)	Cab Sleeper Occupant Restraint System Test	2014	SAE	0
12790	J1995	(R) Engine Power Test Code - Spark Ignition and Compression Ignition - Gross Power and Torque Rating	2014	SAE	0
12791	J1979-DA(2)	J1979-DA, Digital Annex of E/E Diagnostic Test Modes	2014	SAE	0
12792	J2039	Side Turn Signal Lamps for Long Vehicles	2014	SAE	0
12793	J2042	Clearance, Sidemarker, and Identification Lamps for Use on Motor Vehicles 2032 mm or More in Overall Width	2014	SAE	0
12794	J1939-15(2)	Physical Layer, 250 Kbps, Un-Shielded Twisted Pair (UTP)	2014	SAE	0
12795	J1939-31	Network Layer	2014	SAE	0
12796	J1939-71	Vehicle Application Layer	2014	SAE	0
12797	J1892(2)	Recommended Practice for Bar-coded Vehicle Emission Configuration Label	2014	SAE	0
12798	J191(2)	Power Steering Pressure Hose - Low Volumetric Expansion Type	2014	SAE	0
12799	J1927(2)	Cumulative Damage Analysis for Hydraulic Hose Assemblies	2014	SAE	0

12800	J1879	(R) Handbook for Robustness Validation of Semiconductor Devices in Automotive Applications	2014	SAE	0
12801	J184(2)	Qualifying A Sound Data Acquisition System	2014	SAE	0
12802	J1842	(R) Disc Wheel Hub/Spoke Wheel and Axle Interface Dimensions - Truck and Bus	2014	SAE	0
12803	AMS2770L	Heat Treatment of Wrought Aluminum Alloy Parts	2014	SAE	0
12804	J1846(2)	Characterizing a Test Surface for Motorcycle Side Stand Retraction Performance Testing	2014	SAE	0
12805	J1713(2)	Structural Testing of Passenger Car and Truck Disc Brakes	2014	SAE	0
12806	J1715(2)	(R) Hybrid Electric Vehicle (HEV) and Electric Vehicle (EV) Terminology	2014	SAE	0
12807	J176(2)	(R) Fast Fill Fueling Installation for Off-Road Self-Propelled Work Machines	2014	SAE	0
12808	J1766	(R) Recommended Practice for Electric, Fuel Cell and Hybrid Electric Vehicle Crash Integrity Testing	2014	SAE	0
12809	J1773(2)	SAE Electric Vehicle Inductively Coupled Charging	2014	SAE	0
12810	J1776	(R) Marine Vehicles - Hydraulic System Pumps and Motors - Design and Specification Guide	2014	SAE	0
12811	J1828(2)	Uniform Reference and Dimensional Guidelines for Collision Repair	2014	SAE	0
12812	J1699-4	OBD-II Communications Anomaly List	2014	SAE	0
12813	J1698	(R) Event Data Recorder	2014	SAE	0
12814	J1703(2)	Motor Vehicle Brake Fluid	2014	SAE	0
12815	J1704(2)	Borate Ester Based Brake Fluids	2014	SAE	0
12816	J1702	Self-Propelled Sweepers Sweep-Ability Performance	2014	SAE	0
12817	J1628(2)	Technician Procedures for Refrigerant Leak Detection in Service of Mobile Air Conditioning Systems	2014	SAE	0
12818	J1605(2)	Brake Master Cylinder Reservoir Diaphragm Gasket	2014	SAE	0
12819	J1535(2)	(R) Performance Test for Windshield Defrosting Systems for Off-Road, Self-Propelled Work Machines	2014	SAE	0
12820	J1603(2)	Rubber Seals for Hydraulic Disc Brake Cylinders	2014	SAE	0
12821	J1578(2)	Motorcycle Side Stand Retraction Test Procedure	2014	SAE	0
12822	J1579(2)	Motorcycle Side Stand Retraction Performance Requirements	2014	SAE	0
12823	J1461	Manual Slack Adjuster Test Procedure (Stabilized Type)	2014	SAE	0
12824	J1475(2)	Hydraulic Hose Fitting for Marine Applications	2014	SAE	0
12825	J1512	Manual Slack Adjuster Performance Requirements (Stabilized Type)	2014	SAE	0
12826	J1424	Cargo Lamps for Use on Vehicles Under 5443 kg (12 000 lb) GVWR	2014	SAE	0
12827	J1447(2)	Fire-Resistant Fluid Usage in Hydraulic Systems of Off-Road Work Machines	2014	SAE	0
12828	J1403(2)	Vacuum Brake Hose	2014	SAE	0
12829	J139(2)	(R) IGNITION SYSTEM NOMENCLATURE AND TERMINOLOGY	2014	SAE	0
12830	J1374(2)	Hydraulic Cylinder Rod Seal Endurance Test Procedure	2014	SAE	0
12831	AMS2647E	Fluorescent Penetrant Inspection Aircraft and Engine Component Maintenance	2014	SAE	0
12832	J1336(2)	Hydraulic Cylinder Leakage Test	2014	SAE	0
12833	J1276	(R) Standardized Fluid for Hydraulic Component Tests	2014	SAE	0
12834	J1222(2)	Speed Control Assurance for Snowmobiles	2014	SAE	0
12835	J1247	Simulated Mountain-Brake Performance Test Procedure (Stabilized Type)	2014	SAE	0
12836	J1214(2)	Tire to Body Clearance Check for Recreational Vehicles	2014	SAE	0
12837	J1207	Measurement Procedure for Determination of Silencer Effectiveness in Reducing Engine Intake or Exhaust Sound Level (Stabilized Type)	2014	SAE	0
12838	AS81714B	Terminal Junction System (TJS), Environment Resistant General Specification For	2014	SAE	0
12839	AS81550A	(R) Insulating Compound, Electrical, Embedding, Reversion Resistant Silicone	2014	SAE	0

12840	AS81714-17A	(R) TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, BUSSING MODULES, FEEDBACK TYPE, SIZE 22D, SERIES I	2014	SAE	0
12841	AS81511-5	CONNECTOR, RECEPTACLE, CABLE CONNECTING ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT ENVIRONMENT RESISTING, CRIMP TYPE CONTACTS; AND ACCESSORIES (CLASS A, F, AND E - SERIES 2)	2014	SAE	0
12842	AS81511-51	CONNECTOR, RECEPTACLE, FLANGE MOUNT, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, INDIVIDUAL RELEASE, CRIMP TYPE CONTACTS (CLASS A, F, AND W - SERIES 4)	2014	SAE	0
12843	AS81511-53	CONNECTOR, RECEPTACLE, JAM NUT MOUNT, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, INDIVIDUAL RELEASE, CRIMP TYPE CONTACTS (CLASS A, F, AND W - SERIES 4)	2014	SAE	0
12844	AS81511-41	CONNECTOR, RECEPTACLE, FLANGE MOUNT, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, INDIVIDUAL RELEASE, CRIMP TYPE CONTACTS (CLASS A, F, AND E - SERIES 3) AS81511/41 Copyright 2014 SAE International	2014	SAE	0
12845	AS81511-45	CONNECTOR, RECEPTACLE, CABLE CONNECTING, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, INDIVIDUAL RELEASE, CRIMP TYPE CONTACTS (CLASS A AND F - SERIES 3)	2014	SAE	0
12846	AS81511-46	CONNECTOR, PLUG, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, INDIVIDUAL RELEASE, CRIMP TYPE CONTACTS (CLASS A, F, AND W - SERIES 3)	2014	SAE	0
12847	AS81511-49	CONNECTOR, RECEPTACLE, JAM NUT MOUNT, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, INDIVIDUAL RELEASE, CRIMP TYPE CONTACTS (CLASS A, F, AND W - SERIES 3)	2014	SAE	0
12848	AS81511-55	CONNECTOR, RECEPTACLE, CABLE CONNECTING, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, INDIVIDUAL RELEASE, CRIMP TYPE CONTACTS (CLASS A, F, AND W - SERIES 4)	2014	SAE	0
12849	AS81511-56	CONNECTOR, PLUG, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, INDIVIDUAL RELEASE, CRIMP TYPE CONTACTS (CLASS A, F, AND W - SERIES 4)	2014	SAE	0
12850	AS81511-6	CONNECTOR, PLUG, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, CRIMP TYPE CONTACTS; AND ACCESSORIES (CLASS A, F, AND E - SERIES 2)	2014	SAE	0
12851	AS8091A	(R) Aircraft Jacking Pads Adapters and Sockets Design and Installation of	2014	SAE	0
12852	AIR1351H	(R) Manufacturers Identification of Aerospace Electrical and Electronic Wiring Devices and Accessories	2014	SAE	0
12853	AS81306-2A	BAND INSTALLATION TOOL, HAND, TWO STEP TERMINAL, FOR AS85049/128 CONNECTOR ACCESSORY CABLE SHIELD TERMINATION BANDS	2014	SAE	0
12854	AS81511	Connectors, Electrical, Circular, High Density, Quick Disconnect, Environment Resisting and Accessories, General Specification For	2014	SAE	0
12855	AS81511-1	CONNECTOR, RECEPTACLE, FLANGE MOUNT, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, CRIMP TYPE CONTACTS AND ACCESSORIES (CLASS A, F, AND E - SERIES 2)	2014	SAE	0
12856	AS81511-13	ACCESSORY, F ADAPTER, ROTATABLE, CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, TYPE 1, (SERIES 1 OR 2)	2014	SAE	0
12857	AS81511-14	ACCESSORY, ADAPTER, STRAIGHT, CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING	2014	SAE	0
12858	AS81511-15	ACCESSORY, SEALING CONTACT, PLUG, CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING (SERIES 1 OR 2)	2014	SAE	0
12859	AS81511-16	ACCESSORY, CAP, PROTECTIVE LOCKING, CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING	2014	SAE	0
12860	AS81511-17	ACCESSORY, COVER, PROTECTIVE, PLUG CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING (SERIES 2)	2014	SAE	0

12861	AS81511-18	ACCESSORY, COVER, PROTECTIVE, RECEPTACLE, CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING (SERIES 1 OR 2)	2014	SAE	0
12862	AS81511-19	ACCESSORY, DUMMY STOWAGE RECEPTACLE, CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING (FOR SERIES 2 CONNECTORS)	2014	SAE	0
12863	AS81511-20	ACCESSORY, NUT, CONNECTOR MOUNTING, SLOTTED, HEXAGON, CONNECTOR, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING (SERIES 1 OR 2)	2014	SAE	0
12864	AS81511-21	CONNECTOR, RECEPTACLE, FLANGE MOUNT, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, CRIMP TYPE CONTACTS, CLASS A, F, AND E (SERIES 1)	2014	SAE	0
12865	AS81511-23	CONNECTOR, RECEPTACLE, JAM NUT MOUNT, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, CRIMP TYPE CONTACTS, CLASS A, F, AND E (SERIES 1)	2014	SAE	0
12866	AS81511-25	NULL	2014	SAE	0
12867	AS81511-26	CONNECTOR, PLUG, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, CRIMP TYPE CONTACTS (CLASS A, F AND E - SERIES 1)	2014	SAE	0
12868	AS81511-3	CONNECTOR, RECEPTACLE, JAM NUT MOUNT, ELECTRICAL, CIRCULAR, HIGH DENSITY, QUICK DISCONNECT, ENVIRONMENT RESISTING, CRIMP TYPE CONTACTS; AND ACCESSORIES (CLASS A, F, AND E - SERIES 2)	2014	SAE	0
12869	AS7974-1A	(R) CONNECTOR, PLUG, AIRCRAFT EXTERNAL POWER, 115/200 VOLT, 400 HERTZ (FOR A/E 24A-166A)	2014	SAE	0
12870	AMS2422F	Plating, Gold	2014	SAE	0
12871	AS7466E	Bolts and Screws, Nickel Alloy, UNS N07718 Tensile Strength 185 ksi, Fatigue Rated, Procurement Specification	2014	SAE	0
12872	AS755E	(R) Aircraft Propulsion System Performance Station Designation and Nomenclature	2014	SAE	0
12873	AS755F	(R) Aircraft Propulsion System Performance Station Designation	2014	SAE	0
12874	AS7928-7A	(R) TERMINAL LUG AND SPLICES, CONDUCTOR, CRIMP STYLE, COPPER, TERMINAL LUG, CRIMP STYLE, COPPER, UNINSULATED, RING TONGUE TYPE I, CLASS 1 FOR 175 ?C TOTAL CONDUCTOR TEMPERATURE	2014	SAE	0
12875	AS6496	Fraudulent/Counterfeit Electronic Parts: Avoidance, Detection, Mitigation, and Disposition - Authorized/Franchised Distribution	2014	SAE	0
12876	AS6500	Manufacturing Management Program	2014	SAE	0
12877	AS6462A	(R) AS5553A, Fraudulent/Counterfeit Electronic Parts; Avoidance, Detection, Mitigation, and Disposition Verification Criteria	2014	SAE	0
12878	AS6479	Splicer, Fusion, Fiber Optic, Aerospace	2014	SAE	0
12879	AS6370A	Wire, Electrical, Insulated, Antenna (Stabilized Type)	2014	SAE	0
12880	AS6279	Standard Practice for Production, Distribution, and Procurement of Metal Stock	2014	SAE	0
12881	AS6230	FITTING, 37¦° INTERNAL FLARE TO TUBE WELD, STRAIGHT AND REDUCER	2014	SAE	0
12882	AS6231	FITTING, ADAPTER, EXTERNAL THREAD, SPHERICAL, 37¦° FLARED TO INTEGRAL WELD RING	2014	SAE	0
12883	AS6235	Face Seal Gland Design, Static, O-ring and Other Seals for Aerospace Hydraulic and Pneumatic Applications	2014	SAE	0
12884	AS6228	Safety Requirements for Procurement, Maintenance and Use of Hand-held Powered Tools	2014	SAE	0
12885	AS6301	Compliance Verification Criterion Standard for SAE AS6081, Fraudulent/Counterfeit Electronic Parts: Avoidance, Detection, Mitigation, and Disposition Distributors	2014	SAE	0
12886	AIR1329C	(R) Electrical Connectors and Wiring, Compatibility of	2014	SAE	0
12887	AS6173-1	CUTTING TOOL (MINIATURE) ELECTRICAL, WIRE CUTTING, HAND ACTUATED, TYPE I, WIRE SIZES 26 THROUGH 16	2014	SAE	0
12888	AS6173-3	CUTTING TOOL, ELECTRICAL, WIRE CUTTING WITH CURVED JAWS, HAND ACTUATED, TYPE I, WIRE SIZES 26 THROUGH 1/0	2014	SAE	0
12889	AS6174A	Counterfeit Materiel; Assuring Acquisition of Authentic and Conforming Materiel	2014	SAE	0
12890	AMS2372G	Quality Assurance Sampling and Testing Carbon and Low-Alloy Steel Forgings	2014	SAE	0

12891	AS708B	Top Visual Quality (TVQ) O-ring Packings and Gaskets - Surface Inspection Guide and Acceptance Standard (Stabilized Type)	2014	SAE	0
12892	AS7251C	Nuts, Self-Locking, Steel, Corrosion and Heat Resistant High Strength, All Metal 1200 Ï°F Use, UNJ Thread Form	2014	SAE	0
12893	AS7351A	(R) CLAMP, LOOP TYPE BONDING	2014	SAE	0
12894	AS7452B	Bolts and Screws, Steel, Low Alloy Heat Treated, Roll Threaded	2014	SAE	0
12895	AS6021	AS6021 Aerospace Fiber Optic Cable Assembly Drawing Specification	2014	SAE	0
12896	AS6057A	(R) JAUS Manipulator Service Set	2014	SAE	0
12897	AS6071	BUSHING, SLEEVE, PLAIN CLAMP-UP	2014	SAE	0
12898	AS6072	BUSHING, SLEEVE, PLAIN INNER BORE LINER	2014	SAE	0
12899	AS6047B	FITTING, UNION, STANDARD AND REDUCER, BULKHEAD, FLARELESS, PRECISION TYPE	2014	SAE	0
12900	AS6106A	FITTING ASSEMBLY, STRAIGHT, EXTENDED BULKHEAD SHANK, FLARELESS, AXIALLY SWAGED, HYDRAULIC, 5080 PSI	2014	SAE	0
12901	AS6107A	FITTING ASSEMBLY, STRAIGHT, EXTENDED BULKHEAD SHANK, FLARELESS, AXIALLY SWAGED, HYDRAULIC, 3000 PSI	2014	SAE	0
12902	AS6091	JAUS Unmanned Ground Vehicle Service Set	2014	SAE	0
12903	AS5977B	(R) FITTING ASSEMBLY, 90 DEGREES, MALE FLARELESS, AXIALLY SWAGED, HYDRAULIC, 5080 PSI	2014	SAE	0
12904	AS5978B	(R) FITTING ASSEMBLY, ELBOW 45Ï°, FEMALE FLARELESS, AXIALLY SWAGED, HYDRAULIC, 5080 PSI	2014	SAE	0
12905	AS5979B	(R) FITTING ASSEMBLY, ELBOW, 45Ï°, MALE FLARELESS, AXIALLY SWAGED, HYDRAULIC, 5080 PSI	2014	SAE	0
12906	AS5975B	(R) FITTING ASSEMBLY, STRAIGHT, MALE FLARELESS, AXIALLY SWAGED, HYDRAULIC, 5080 PSI	2014	SAE	0
12907	AS5973A	FITTING ASSEMBLY, CROSS, AXIALLY SWAGED, HYDRAULIC, 5080 PSI	2014	SAE	0
12908	AS5970C	(R) FITTING ASSEMBLY, ELBOW, 90 Degrees, AXIALLY SWAGED, HYDRAULIC, 5080 PSI	2014	SAE	0
12909	AS5971C	(R) FITTING ASSEMBLY, ELBOW, 45Ï , AXIALLY SWAGED, HYDRAULIC, 5080 PSI	2014	SAE	0
12910	AS5972E	(R) FITTING ASSEMBLY, TEE AXIALLY SWAGED, HYDRAULIC, 5080 PSI	2014	SAE	0
12911	AS5860B	(R) Retainers, (Back-Up Rings), Hydraulic and Pneumatic, Polytetrafluoroethylene Resin, Single Turn, Static Gland	2014	SAE	0
12912	AS5887	Insert, Screw Thread, Self-Locking, UNS S66286, Locked In, Key Locked Procurement Specification For	2014	SAE	0
12913	AS5896	Certified Containers for Lower Deck Compartments	2014	SAE	0
12914	AS5868B	(R) FITTING ASSEMBLY, ADAPTER, BULKHEAD FLARELESS, AXIALLY SWAGED, HYDRAULIC, 5080 PSI	2014	SAE	0
12915	AS5869D	(R) FITTING ASSEMBLY, UNION, 3 HOLE FLANGE AXIALLY SWAGED, HYDRAULIC 5080 PSI	2014	SAE	0
12916	AS5901C	(R) Water Spray and High Humidity Endurance Test Methods for SAE AMS1424 and SAE AMS1428 Aircraft Deicing/Anti-icing Fluids	2014	SAE	0
12917	AS5756-4B	CABLE, ELECTRICAL, 600 VOLTS, PORTABLE, MULTICONDUCTOR, OZONE RESISTANT	2014	SAE	0
12918	AS5768-1C	(R) TOOL, STRIPPER, MANUALLY ACTUATED, ELECTRICAL INSULATION, ROUND WIRE, SIZE 10 TO 30	2014	SAE	0
12919	AS5768-2B	TOOL, STRIPPER, MANUALLY ACTUATED, SMALL GRIP, ELECTRICAL INSULATION, ROUND WIRE, SIZE 16 TO 30	2014	SAE	0
12920	AS5625A	Minimum Performance Standards for Static Electric Power Frequency Converters (Stabilized Type)	2014	SAE	0
12921	AS5528B	(R) Lubricant Application, Solid Film, Heat Cured, Corrosion Inhibiting	2014	SAE	0
12922	AS5671	Design and Performance Criteria: Interior Passenger Stairways on Transport Category Airplanes	2014	SAE	0
12923	AS568D	Aerospace Size Standard for O-rings	2014	SAE	0
12924	AS5452B	(R) Night Vision Goggles (NVG) Compatible Lighting for Civil Aircraft	2014	SAE	0
12925	AS53731A	Fuse Holder, Block Type, Aircraft (Stabilized Type)	2014	SAE	0
12926	AS5261A	(R) Contact, Wire Barrel, Crimp Type	2014	SAE	0
12927	AS5368D	FITTING ASSEMBLY, ADAPTER RING LOCKED PORT CONNECTION TO FLARED TUBE END, 3000 PSI	2014	SAE	0
12928	AS5230C	(R) FITTING, UNION AND REDUCER, FLARELESS	2014	SAE	0

12929	AS5231B	FITTING, PLUG, TUBE END, FLARELESS	2014	SAE	0
12930	AS5232B	FITTING, ADAPTER, REDUCER, PORT TO FLARELESS	2014	SAE	0
12931	AS5238B	FITTING, ADAPTER, FLARELESS TO FLARED	2014	SAE	0
12932	AS5239B	FITTING, ADAPTER, BULKHEAD, FLARELESS TO FLARED	2014	SAE	0
12933	AS5240B	FITTING, ELBOW, 90ï°, BULKHEAD, FLARELESS TO FLARED	2014	SAE	0
12934	AS5241B	FITTING, ELBOW, 90ï°, BULKHEAD, FLARED TO FLARELESS	2014	SAE	0
12935	AS5242B	FITTING, ELBOW, 45ï°, BULKHEAD, FLARELESS TO FLARED	2014	SAE	0
12936	AS5192D	FITTING, TEE, INTERNAL STRAIGHT THREAD PORT	2014	SAE	0
12937	AS4873A	Gland Design, Elastomeric O-Ring Seals, Static Radial and Face 800 psi Maximum Service (Stabilized Type)	2014	SAE	0
12938	AS4833A	Aircraft New Tire Standard - Bias and Radial	2014	SAE	0
12939	AS5103A	(R) FITTING ASSEMBLY, PLUG, RING LOCKED PORT CONNECTION, 4000 PSI AND 5000 PSI /8/	2014	SAE	0
12940	AS5127-1C	Aerospace Standard Test Methods for Aerospace Sealants Two-Component Synthetic Rubber Compounds	2014	SAE	0
12941	AS5127-2B(2)	(R) Test Method for Aerospace Firewall Sealant Flame Penetration	2014	SAE	0
12942	AS4300C	FITTING ASSEMBLY, CAP, FLARELESS PROTECTIVE CLOSURE, LOW PRESSURE	2014	SAE	0
12943	AS4227B	(R) FITTING ASSEMBLY, ADAPTER, INTERNAL THREAD, BEAM SEAL TO INTEGRAL WELD RING	2014	SAE	0
12944	AS4228C	(R) FITTING, ADAPTER, EXTERNAL THREAD, BEAM SEAL TO INTEGRAL WELD RING	2014	SAE	0
12945	AS4229A	(R) FITTING, ADAPTER, BULKHEAD, EXTERNAL THREAD, BEAM SEAL TO INTEGRAL WELD RING	2014	SAE	0
12946	AS4141C	FITTING ASSY,CROSS, REDUCER, SWIVEL ON SIDE, REDUCED BODY, FLARELESS	2014	SAE	0
12947	AS4156C	(R) Color-Coded Incandescent Flange Base T-1 and T-1 3/4 Lamps for Voltage Identification	2014	SAE	0
12948	AS4137C	FITTING ASSY, ELBOW, REDUCER, 45ï°, SWIVEL, REDUCED BODY, FLARELESS	2014	SAE	0
12949	AS4138C	FITTING ASSY, ELBOW, REDUCER, 90 Degrees, SWIVEL, REDUCED BODY, FLARELESS	2014	SAE	0
12950	AS4139C	FITTING ASSY, TEE, REDUCER, SWIVEL ON RUN, REDUCED BODY, FLARELESS	2014	SAE	0
12951	AMS1448B	Sand, Airport Snow and Ice Control (Stabilized Type)	2014	SAE	0
12952	AS4140C	FITTING ASSY, TEE, REDUCER, SWIVEL ON SIDE, REDUCED BODY, FLARELESS	2014	SAE	0
12953	AS4330A	TUBING, FLARED, STANDARD DIMENSIONS FOR, DESIGN STANDARD	2014	SAE	0
12954	AS452B	Oxygen Mask Assembly, Demand and Pressure Breathing, Crew (Stabilized Type)	2014	SAE	0
12955	AS4417A	(R) Nuts, Self-Locking, Alloy, Corrosion and Heat Resistant, High Strength, All Metal, Solid Film Lubricated, 1400 ï°F, Procurement Specification	2014	SAE	0
12956	AMS1527D	Cleaner for Aircraft Exterior Surfaces Water-Miscible, Foam-On, Pressure-Spraying	2014	SAE	0
12957	AS39029-69B	(R) CONTACT, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, FOR AS85028 CONNECTORS	2014	SAE	0
12958	AS39029-93B	(R) CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR MIL-DTL-83527, CONNECTOR)	2014	SAE	0
12959	AS4041B	Air Mode General Purposes Containers (Stabilized Type)	2014	SAE	0
12960	AS39029-16B	(R) CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR AS81511 SERIES 4 CONNECTORS)	2014	SAE	0
12961	AS39029-1C	(R) CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR AS81714 TERMINAL JUNCTION SYSTEM)	2014	SAE	0
12962	AS39029-63C	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-DTL-24308 CONNECTORS)	2014	SAE	0
12963	AS39029-70B	(R) CONTACT, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, FOR AS85028 CONNECTORS	2014	SAE	0
12964	AS39029-37B	(R) CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-DTL-28748/10 CONNECTORS)	2014	SAE	0
12965	AS39029-47B	(R) CONTACTS, ELECTRICAL CONNECTOR, PIN CRIMP REMOVABLE (FOR AS81511 SERIES 1 & 2 CONNECTORS)	2014	SAE	0

12966	AS3654	INSERT, SCREW THREAD, SELF-LOCKING, KEY LOCKED, HEAVY DUTY, OVERSIZE SELF-BROACHING KEYS, UNS S66286	2014	SAE	0
12967	AS3653	INSERT, SCREW THREAD, SHORT, SELF-LOCKING, KEY LOCKED, HEAVY DUTY, OVERSIZE SELF-BROACHING KEYS, UNS S66286	2014	SAE	0
12968	AS3652	INSERT, SCREW THREAD, SHORT, SELF-LOCKING, KEY LOCKED, STANDARD DUTY, OVERSIZE SELF-BROACHING KEYS, UNS S66286	2014	SAE	0
12969	AS39029-112D	(R) CONTACT BUSHING, ELECTRICAL CONNECTOR CONTACT, WIRE BARREL	2014	SAE	0
12970	AS3651	INSERT, SCREW THREAD, SHORT, SELF-LOCKING, KEY LOCKED, HEAVY DUTY, OVERSIZE SELF-BROACHING KEYS, UNS S66286	2014	SAE	0
12971	AS3535B	NUT, SELF-LOCKING, SHANK, UNS N07001 SILVER PLATE, UNJ THREAD	2014	SAE	0
12972	AS3480D	(R) NUT, SELF-LOCKING, PLATE, ONE LUG, REDUCED RIVET SPACING, LOW HEIGHT, UNS S66286, CLASS: 125 KSI/800 Ï°F	2014	SAE	0
12973	AS3482D	(R) NUT, SELF-LOCKING, PLATE, SIDE BY SIDE, REDUCED RIVET SPACING, LOW HEIGHT, UNS S66286, CLASS: 125 KSI/800 Ï°F	2014	SAE	0
12974	AS3481F	(R) NUT, SELF-LOCKING, PLATE, TWO LUG, FLOATING, REDUCED RIVET SPACING, LOW HEIGHT, UNS S66286, CLASS: 125 KSI/800 Ï°F	2014	SAE	0
12975	AS3483B	(R) NUT, SELF LOCKING, HEXAGON, REGULAR HEIGHT, UNS S66286, CLASS: 125 KSI/800 Ï°F	2014	SAE	0
12976	AS3484C	GASKET - 37Ï° FLARED TUBE FITTING, NICKEL, AMS5553 (Stabilized Type)	2014	SAE	0
12977	AS34541B	CONNECTORS, RECEPTACLE, ELECTRICAL, JAM NUT MOUNTING, REAR RELEASE CRIMP CONTACT, AN TYPE	2014	SAE	0
12978	AS34241A	CONNECTOR, RECEPTACLE, ELECTRIC, CRIMP TYPE, WALL MOUNTING FLANGE, PUSH-PULL COUPLING, SERIES 3 (CLASS L AND E)	2014	SAE	0
12979	AS34521B	CONNECTOR, RECEPTACLE, ELECTRIC, BOX MOUNTING, REAR RELEASE, CRIMP CONTACT, AN TYPE	2014	SAE	0
12980	AS3485A	(R) NUT, SELF-LOCKING, 12 POINT, REDUCED HEIGHT, SILVER PLATE, UNS S66286	2014	SAE	0
12981	AS3492A	GASKET - TYPE XI ENGINE ACCESSORY DRIVE (Stabilized Type)	2014	SAE	0
12982	AS3493A	GASKET - TYPE XII, XIV A AND XIV B ENGINE ACCESSORY DRIVE (Stabilized Type)	2014	SAE	0
12983	AS3494A	GASKET - TYPE XIII ENGINE ACCESSORY DRIVE (Stabilized Type)	2014	SAE	0
12984	AS3495A	Gasket - Type XIV-C Engine Accessory Drive (Stabilized Type)	2014	SAE	0
12985	AS3496A	GASKET - TYPE XVI ENGINE ACCESSORY DRIVE (Stabilized Type)	2014	SAE	0
12986	AS3497A	GASKET - TYPE XIX ENGINE ACCESSORY DRIVE (Stabilized Type)	2014	SAE	0
12987	AS3498A	GASKET - ENGINE ACCESSORY DRIVE (Stabilized Type)	2014	SAE	0
12988	AS3506B	(R) Insert - Screw Thread, Thin Wall, Self-Locking, UNS N07718, Silver Plated, Class: 185 ksi/1025 Ï°F, Procurement Specification	2014	SAE	0
12989	AS3508A	INSERT - THIN WALL, SHORT AND LONG HOLE PREPARATION FOR	2014	SAE	0
12990	AS340A	Cover - Shipping Container Inspection Port (Stabilized Type)	2014	SAE	0
12991	AS34021D	CONNECTOR, RECEPTACLE, ELECTRIC, BOX MOUNTING, FRONT RELEASE, CRIMP CONTACT, AN TYPE	2014	SAE	0
12992	AS33704	INSERT ARRANGEMENTS, ELECTRICAL CONNECTOR, SHELL SIZE 61 (FOR AS81703 CONNECTORS)	2014	SAE	0
12993	AS3239D	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, NICKEL ALLOY UNS N07718, 185 KSI MIN, .3750-24 UNJF-3A	2014	SAE	0
12994	AS3272A	(R) NUT - SELF-LOCKING, CLINCH, SERRATED SHANK, 700 Ï°F, DRY FILM COATED, UNS S66286, UNJ THREAD	2014	SAE	0
12995	AS3273A	(R) NUT - SELF-LOCKING, CLINCH, SERRATED SHANK, 1200 Ï°F, SILVER PLATED, UNS S66286, UNJ THREAD	2014	SAE	0
12996	AS3282C	GASKET - 37Ï° FLARED TUBE FITTING, NICKEL, AMS5553 (Stabilized Type)	2014	SAE	0
12997	AS3293B	GASKET - 37Ï° FLARED TUBE FITTING, COPPER, AMS4500 (Stabilized Type)	2014	SAE	0

12998	AS3303A	(R) BOLT, MACHINE - HEXAGON HEAD, PD SHANK, AMS5708, .190-32 UNJF-3A	2014	SAE	0
12999	AS3307A	(R) BOLT, MACHINE - HEXAGON HEAD, PD SHANK, AMS5708, .250-28 UNJF-3A	2014	SAE	0
13000	AS3308A	(R) BOLT, MACHINE - HEXAGON HEAD, PD SHANK, AMS5708, .3125-24 UNJF-3A	2014	SAE	0
13001	AS3309A	(R) BOLT, MACHINE - HEXAGON HEAD, PD SHANK, AMS5708, .3750-24 UNJF-3A	2014	SAE	0
13002	AS33515D	FITTING END, STANDARD DIMENSIONS FOR BULKHEAD FLARELESS TUBE CONNECTIONS	2014	SAE	0
13003	AS3321E	STUD - STRAIGHT, RING LOCKED, CRES AMS5731 .3125-18UNJC X .3125-24UNJF	2014	SAE	0
13004	AS3319E	STUD - STRAIGHT, RING LOCKED, CRES AMS5731 .190-24UNJC X .190-32UNJF	2014	SAE	0
13005	AS3320E	STUD - STRAIGHT, RING LOCKED, CRES AMS 5731 .250-20UNJC X .250-28UNJF	2014	SAE	0
13006	AS3322E	STUD - STRAIGHT, RING LOCKED, CRES AMS5731 .375-16UNJC X .375-24UNJF	2014	SAE	0
13007	AS3226A	FITTING, TEE, BULKHEAD ON RUN, FLARED CORROSION AND HEAT RESISTANT STEEL - UNS S34700	2014	SAE	0
13008	AS3174A	BOLT, MACHINE - DOUBLE HEX EXTENDED WASHER HEAD, DRILLED, CLOSE TOL SHANK, AMS5643 (UNS S17400), 140 KSI, .1900-32 UNJF-3A	2014	SAE	0
13009	AS3175A	BOLT, MACHINE - DOUBLE HEX EXTENDED WASHER HEAD, DRILLED, CLOSE TOL SHANK, AMS5643 (UNS S17400), 140 KSI, 2500-28 UNJF-3A	2014	SAE	0
13010	AS3176A	BOLT, MACHINE - DOUBLE HEX EXTENDED WASHER HEAD, DRILLED, CLOSE TOL SHANK, AMS5643 (UNS S17400), 140 KSI, .3125-24 UNJF-3A	2014	SAE	0
13011	AS3177A	BOLT, MACHINE - DOUBLE HEX EXTENDED WASHER HEAD, DRILLED, CLOSE TOL SHANK, AMS5643 (UNS S17400), 140 KSI, .3750-24 UNJF-3A	2014	SAE	0
13012	AS3179A	BOLT, MACHINE - DOUBLE HEX EXTENDED WASHER HEAD, DRILLED, CLOSE TOL SHANK, AMS5643 (UNS S17400), 140 KSI, .5000-20 UNJF-3A	2014	SAE	0
13013	AS3180A	BOLT, MACHINE - DOUBLE HEX EXTENDED WASHER HEAD, DRILLED, CLOSE TOL SHANK, AMS5643 (UNS S17400), 140 KSI, .5625-18 UNJF-3A	2014	SAE	0
13014	AS9944B	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, FULL SHANK, STEEL AMS6322, CADMIUM PLATED, .3750-24 UNJF-3A (Stabilized Type)	2014	SAE	0
13015	AS9918A	(R) BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, STEEL SAE 8740, CADMIUM PLATED, 125 KSI MIN. UTS, .4375-20 UNJF-3A	2014	SAE	0
13016	AS9968	Laboratory Viscosity Measurement of Thickened Aircraft Deicing/Anti-icing Fluids with the Brookfield LV Viscometer	2014	SAE	0
13017	J1001(2)	Industrial Flail Mowers and Power Rakes	2014	SAE	0
13018	J1004	Glossary of Engine Cooling System Terms	2014	SAE	0
13019	J1071(2)	Operator Controls for Graders	2014	SAE	0
13020	J109(2)	Service Brake System Performance Requirements - Motorcycles and Motor-Driven Cycles	2014	SAE	0
13021	AS9790A	(R) BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, CORROSION RESISTANT STEEL (UNS S17400), 140 KSI MIN UTS, .6250-18 UNJF-3A	2014	SAE	0
13022	AS9785A	(R) BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, CORROSION RESISTANT STEEL (UNS S17400), .3125-24 UNJF-3A	2014	SAE	0
13023	AS9786A	(R) BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, CORROSION RESISTANT STEEL (UNS S17400), 140 KSI MIN UTS, .375-24 UNJF-3A	2014	SAE	0
13024	AS9761A	Bolt, Machine - Double Hexagon Extended Washer Head, Drilled, PD Shank, Titanium AMS 4967, .3125-24 UNJF-3A	2014	SAE	0
13025	AS9783A	(R) BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, CORROSION RESISTANT STEEL (UNS S17400), .1900-32 UNJF-3A	2014	SAE	0
13026	AS9784A	(R) BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, CORROSION RESISTANT STEEL (UNS S17400), .2500-28 UNJF-3A	2014	SAE	0
13027	AS9760A	Bolt, Machine - Double Hexagon Extended Washer Head, Drilled, PD Shank, Titanium AMS 4967, .250-28 UNJF-3A	2014	SAE	0
13028	AS9759A	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, AMS4967 (TI 6AL-4V), .1900-32 UNJF-3A	2014	SAE	0

13029	AS9751A	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, AMS4967 (TI 6AL-4V) .2500-28 UNJF-3A	2014	SAE	0
13030	AS9596B	BRACKET, ANGLE, 90Ï°, CADMIUM PLATED, STEEL UNS G41300, .190 BOLT (Stabilized Type)	2014	SAE	0
13031	AS9597B	BRACKET, ANGLE, 90Ï°, CADMIUM PLATED, STEEL UNS G41300, .190 X .250 BOLT (Stabilized Type)	2014	SAE	0
13032	AS9598B	BRACKET, ANGLE 90Ï°, CADMIUM PLATED, ALLOY STEEL UNS G41300, .190 X .312 BOLT (Stabilized Type)	2014	SAE	0
13033	AS9599B	BRACKET, ANGLE 90Ï°, CADMIUM PLATED, ALLOY STEEL UNS G41300, .190 X .375 BOLT (Stabilized Type)	2014	SAE	0
13034	AS9676B	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, CUP WASHER LOCKED, CRES, UNS S66286, 130 KSI MIN, .1900-32 UNJF-3A	2014	SAE	0
13035	AS9678B	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, CUP WASHER LOCKED, CRES, UNS S66286, 130 KSI MIN, .3125-24 UNJF-3A	2014	SAE	0
13036	AS9679B	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, CUP WASHER LOCKED, CRES, UNS S66286, 130 KSI MIN, .3750-24 UNJF-3A	2014	SAE	0
13037	AS9681B	BOLT, MACHINE - DOUBLE HEX, EXTENDED WASHER HD, PD SHANK, CUP WASHER LOCKED, CADMIUM PLATED, STEEL, UNS G87400, 125 KSI MIN, .2500-28 UNJF-3A (Stabilized Type)	2014	SAE	0
13038	AS9680B	BOLT, MACHINE - DOUBLE HEX, EXTENDED WASHER HD, PD SHANK, CUP WASHER LOCKED, CADMIUM PLATED, STEEL, UNS G87400, 125 KSI MIN, .1900-32 UNJF-3A (Stabilized Type)	2014	SAE	0
13039	AS9712A	SCREW, MACHINE - DOUBLE HEXAGON, EXTENDED WASHER HEAD, DRILLED, SILVER PLATED, NICKEL ALLOY (UNS N07001), .1380-40 UNJF-3A	2014	SAE	0
13040	AS9307C	STUD, SHOULDERED, STEPPED, HEX, WRENCHING, STEEL UNS G87400, CADMIUM PLATED, 125 KSI MIN, .2500-28 UNF-3A X .3750-24 UNF-3A (Stabilized Type)	2014	SAE	0
13041	AS9308B	STUD, SHOULDERED, HEX, WRENCHING, DRILLED, STEEL UNS G87400, CAD, PLATED, 125 KSI MIN, .1900-32 UNF-3A X .1900-32 UNF-3A	2014	SAE	0
13042	AS9309B	STUD, SHOULDERED, STEPPED, HEX, WRENCHING, DRILLED, STEEL, UNS G87400, CAD, PLATED, 125 KSI MIN, .1900-32 UNF-3A X .2500-28 UNF-3A (Stabilized Type)	2014	SAE	0
13043	AS9311B	STUD, SHOULDERED, STEPPED, HEX, WRENCHING, DRILLED, STEEL, UNS G878400, CAD, PLATED, 125 KSI MIN, .2500-28 UNF-3A X .3125-24 UNF-3A (Stabilized Type)	2014	SAE	0
13044	AS9312B	STUD, SHOULDERED, STEPPED, HEX, WRENCHING, DRILLED, STEEL, UNS G87400, CAD, PLATED, 125 KSI MIN, .2500-28 UNF-3A X .3750-24 UNF-3A (Stabilized Type)	2014	SAE	0
13045	AS9303C	STUD, SHOULDERED, HEXAGON WRENCHING, STEEL UNS G87400, CADMIUM PLATED, 125 KSI MIN, .1900-32 UNF-3A X .1900-32 UNF-3A (Stabilized Type)	2014	SAE	0
13046	AS9304C	STUD, SHOULDERED, STEPPED, HEX, WRENCHING, STEEL UNS G887400, CADMIUM PLATED, 125 KSI MIN, .1900-32 UNF-3A X .2500-28 UNF-3A (Stabilized Type)	2014	SAE	0
13047	AS9305C	STUD, SHOULDERED, HEXAGON WRENCHING, STEEL UNS G87400, CADMIUM PLATED, 125 KSI MIN, .2500-28 UNF-3A X .2500-28 UNF-3A (Stabilized Type)	2014	SAE	0
13048	AS9306C	STUD, SHOULDERED, STEPPED, HEX, WRENCHING, STEEL UNS G87400, CADMIUM PLATED, 125 KSI MIN, .2500-28 UNF-3A X .3125-24 UNF-3A (Stabilized Type)	2014	SAE	0
13049	AS9245B	PIN, COTTER - CRES, UNS S32100, AS7211	2014	SAE	0
13050	AMS2472G	Anodic Treatment of Aluminum Alloys Sulfuric Acid Process, Dyed Coatings	2014	SAE	0
13051	AS9230A	BRACKET, ANGLE, 90Ï° .190 X .312 BOLT (Stabilized Type)	2014	SAE	0
13052	AS9440B	BOLT, MACHINE - HEXAGON, DRILLED, 6 HOLES, PD SHANK, NICKEL CADMIUM PLATED, STEEL UNS K14675, 195 KSI MIN, .1900-32 UNJF-3A (Stabilized Type)	2014	SAE	0
13053	AS9441B	BOLT, MACHINE - HEXAGON, DRILLED, 6 HOLES, PD SHANK, NICKEL CADMIUM PLATED, STEEL UNS K14675, 195 KSI MIN, .2500-28 UNJF-3A (Stabilized Type)	2014	SAE	0
13054	AS9556D	(R) BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, 130 KSI MIN, .1900-32 UNJF-3A	2014	SAE	0
13055	AS9582C	WASHER, KEY - 270 DEG, LOCKING, CRES, UNS S32100	2014	SAE	0
13056	AS9551B	BRACKET, FLAT, STEEL UNS G41300, CADMIUM PLATED (Stabilized Type)	2014	SAE	0

13057	AS95234	Connectors, Electrical, Reverse Bayonet, General Specification For	2014	SAE	0
13058	AS95234-6	CONNECTOR, PLUG, REVERSE BAYONET COUPLING	2014	SAE	0
13059	AS95234-7	CONNECTOR, RECEPTACLE, REVERSE BAYONET COUPLING, JAM NUT	2014	SAE	0
13060	AS95234-8	CONNECTOR, RECEPTACLE, REVERSE BAYONET COUPLING, JAM NUT, WITH ACCESSORY THREADS	2014	SAE	0
13061	AS95234-9	CONNECTOR, PLUG, REVERSE BAYONET COUPLING, GROUNDING	2014	SAE	0
13062	AS95234-10	PROTECTIVE COVER, CONNECTOR PLUG, REVERSE BAYONET COUPLING	2014	SAE	0
13063	AS95234-11	AEROSPACE STANDARD PROTECTIVE COVER, CONNECTOR RECEPTACLE, REVERSE BAYONET COUPLING	2014	SAE	0
13064	AS95234-12	CONNECTOR RECEPTACLE, REVERSE BAYONET COUPLING, DUMMY STOWAGE	2014	SAE	0
13065	AS95234-13	CONNECTOR RECEPTACLE, REVERSE BAYONET COUPLING, BULKHEAD FEED-THRU	2014	SAE	0
13066	AS95234-2	CONNECTOR, RECEPTACLE, SQUARE FLANGE, REVERSE BAYONET COUPLING, BOX MOUNT, FRONT, NO ACCESSORY THREAD	2014	SAE	0
13067	AS95234-3	CONNECTOR, RECEPTACLE, REVERSE BAYONET COUPLING, SQUARE FLANGE, BOX MOUNT, REAR, NO ACCESSORY THREAD	2014	SAE	0
13068	AS95234-4	CONNECTOR, RECEPTACLE, REVERSE BAYONET COUPLING, SQUARE FLANGE, PANEL MOUNT, FRONT, WITH ACCESSORY THREAD	2014	SAE	0
13069	AS95234-5	CONNECTOR, RECEPTACLE, REVERSE BAYONET COUPLING, SQUARE FLANGE, PANEL MOUNT, REAR, WITH ACCESSORY THREAD	2014	SAE	0
13070	AMS2471H	Anodic Treatment of Aluminum Alloys Sulfuric Acid Process, Undyed Coating	2014	SAE	0
13071	AMS2469J	Hard Anodic Coating on Aluminum and Aluminum Alloys	2014	SAE	0
13072	AS9116	Aerospace Series - Notice of Change (NOC) Requirements	2014	SAE	0
13073	AS9104-2A	(R) Requirements for Oversight of Aerospace Quality Management System Registration/Certification Programs	2014	SAE	0
13074	AS90387C	WIRING INSTALLATION TOOLS FOR PLASTIC AND METAL TIEDOWN STRAPS	2014	SAE	0
13075	AS9101E	(R) Quality Management Systems Audit Requirements for Aviation, Space, and Defense Organizations - Best Copy Available	2014	SAE	0
13076	AS9102B	(R) Aerospace First Article Inspection Requirement - Best Copy Available	2014	SAE	0
13077	AS8791C	Hydraulic and Pneumatic Retainers (Back-Up Rings), Polytetrafluoroethylene (PTFE) Resin	2014	SAE	0
13078	AS8942	Bearings, Plain and PTFE Lined, Self - Aligning	2014	SAE	0
13079	AS85049-50C	(R) CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90?, CATEGORY 4C (FOR MIL-DTL-24308 CONNECTORS)	2014	SAE	0
13080	AS85049-38C	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, STRAIGHT, SELF-LOCKING AND NON-SELF-LOCKING, CATEGORY 4C (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2014	SAE	0
13081	AS85049-39C	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90?, SELF-LOCKING AND NON-SELF-LOCKING, CATEGORY 4C (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2014	SAE	0
13082	AS85049-82C	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, STRAIGHT, SELF-LOCKING, SHIELD BAND TERMINATION (RFI/EMI), SHRINK SLEEVE ACCOMMODATION, CATEGORY 3B (FOR AS50151 CRIMP, MIL-DTL-26482 SERIES 2, AS81703 SERIES 3 AND MIL-DTL-83723 SERIES III CONNECTORS)	2014	SAE	0
13083	AS85049-59B	(R) CONNECTOR ACCESSORIES, ELECTRICAL, ADAPTER, SHRINK BOOT, CATEGORY 5 (FOR MIL-DTL-22992 CONNECTORS, CLASSES C, J, AND R)	2014	SAE	0
13084	AS85421-2B	(R) FITTING END, STANDARD DIMENSIONS FOR, BULKHEAD, DYNAMIC BEAM SEAL, MALE	2014	SAE	0
13085	AS85049-144	CONNECTOR ACCESSORIES, ELECTRICAL BACKSHELL, STRAIGHT, NON-SELF LOCKING AND SELF LOCKING, MS ôV¤ THREAD, CATEGORY 3B (FOR MIL-DTL-83723 SERIES III, AS50151 SERIES II & III, AS81703 SERIES III, MIL-DTL-26482 SERIES II AND AS95234 CONNECTORS)	2014	SAE	0
13086	AS85049-1B	(R) CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, CABLE SEALING, STRAIGHT, GROUNDING (WITHOUT STRAIN RELIEF), CATEGORY 1C (FOR AS50151 SOLDER TYPE, V THREAD OF AS310XX CLASSES A, B, C, OR K CONNECTORS, AS95234 CONNECTORS)	2014	SAE	0

13087	AS85049-2B	(R) CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, CABLE SEALING, STRAIGHT, CATEGORY 1C (FOR AS50151 SOLDER TYPE, V THREAD OF AS310XX CLASSES A, B, C, OR K CONNECTORS, AS95234 CONNECTORS)	2014	SAE	0
13088	AS85049-148	INDIVIDUAL SHIELD TERMINATION, CONNECTOR, ELECTRICAL (CATEGORY 9)	2014	SAE	0
13089	AS83519-4	TERMINATION, SOLDER STYLE, INSULATED, HEAT-SHRINKABLE, ENVIRONMENT RESISTANT WITH MULTIPLE OPENING SEALANT, 150 ?C AND 200 ?C	2014	SAE	0
13090	AS83519-5A	SHIELD TERMINATION, SOLDER STYLE, INSULATED, HEAT-SHRINKABLE, ENVIRONMENT RESISTANT WITH PREINSTALLED BRAID, NI PLATED, CLASS 1, ROHS	2014	SAE	0
13091	AIR1358C	Aerospace Information Report for Continuous Flow Oxygen Hose Disconnect Fittings (Stabilized Type)	2014	SAE	0
13092	AS83519-3	SHIELD TERMINATION, SOLDER STYLE, INSULATED, HEAT-SHRINKABLE, ENVIRONMENT RESISTANT WITH PREINSTALLED BRAID,TIN PLATED, CLASS I, NON-ROHS	2014	SAE	0
13093	AS84D	Splines, Involute (Full Fillet) (Stabilized Type)	2014	SAE	0
13094	AS81935-3B	LOCKING DEVICES (FOR ROD END BEARINGS)	2014	SAE	0
13095	AS81914-2B	TUBING, PLASTIC, EXTRA FLEXIBLE, CONVOLUTED HELICAL, POLYTETRAFLUOROETHYLENE (PTFE) CLOSE CONVOLUTIONS	2014	SAE	0
13096	AS81914-3A	TUBING, PLASTIC, FLEXIBLE, CONVOLUTED, HELICAL FLUORINATED ETHYLENE PROPYLENE (FEP), STANDARD CONVOLUTION	2014	SAE	0
13097	AS81914-4B	TUBING, PLASTIC, EXTRA FLEXIBLE, CONVOLUTED, HELICAL, FLUORINATED ETHYLENE PROPYLENE (FEP), CLOSE CONVOLUTION	2014	SAE	0
13098	AS81914-5A	TUBING, PLASTIC, EXTRA FLEXIBLE, CONVOLUTED, HELICAL, ETHYLENE TETRAFLUOROETHYLENE (ETFE), CLOSE CONVOLUTION	2014	SAE	0
13099	AS81914-6A	TUBING, PLASTIC, FLEXIBLE, CONVOLUTED, HELICAL ETHYLENE TETRAFLUOROETHYLENE (ETFE), STANDARD CONVOLUTION	2014	SAE	0
13100	AS81969-8	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE I & II, CLASS 2, COMPOSITION A	2014	SAE	0
13101	AS81969-33	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE I, CLASS 1, COMPOSITION A	2014	SAE	0
13102	AS81969-34	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE II, CLASS 1, COMPOSITION A (FOR MIL-DTL-28840 CONNECTORS)	2014	SAE	0
13103	AS81969-39	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE III, CLASS 2, COMPOSITION B	2014	SAE	0
13104	AS81969-17	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE I, CLASS 1, COMPOSITION C	2014	SAE	0
13105	AS83248-1	O-ring Molded from AMS7276 Material	2014	SAE	0
13106	AS83248-2	NULL	2014	SAE	0
13107	AS832G	Air/Surface (Intermodal) General Purpose Containers (Stabilized Type)	2014	SAE	0
13108	AS83461-2A	O-RING M83461 STRAIGHT THREAD TUBE FITTING BOSS	2014	SAE	0
13109	AS83485	O-Ring Molded from AMS7287 Material	2014	SAE	0
13110	AS81824-14	SPLICE, ELECTRIC, PERMANENT, CRIMP STYLE, NICKEL-COATED COPPER, INSULATED, ENVIRONMENT RESISTANT, CLASS 1, 175 ?C, HEATLESS SEALING	2014	SAE	0
13111	AS81824-14A	SPLICE, ELECTRIC, PERMANENT, CRIMP STYLE, NICKEL-COATED COPPER, INSULATED, ENVIRONMENT RESISTANT, CLASS 1, 175 ?C, HEATLESS SEALING	2014	SAE	0
13112	AS81914-1A	TUBING, PLASTIC, FLEXIBLE, CONVOLUTED HELICAL, POLYTETRAFLUOROETHYLENE (PTFE) STANDARD CONVOLUTIONS	2014	SAE	0
13113	AS81820-1D	BEARING, PLAIN, SELF-ALIGNING, SELFLUBRICATING, LINED BORE, LOW SPEED, NARROW, GROOVED RACE, -65 TO +325 ?F	2014	SAE	0

13114	AS81820-2D	BEARING, PLAIN, SELF-ALIGNING, SELFLUBRICATING, LINED BORE, LOW SPEED, WIDE, CHAMFERED RACE, -65 TO +325 ?F	2014	SAE	0
13115	AS81820D	Bearings, Plain, Self-Aligning, Self-Lubricating, Low Speed Oscillation	2014	SAE	0
13116	AS81820-3D	BEARING, PLAIN, SELF-ALIGNING, SELFLUBRICATING, LINED BORE, LOW SPEED, WIDE, GROOVED RACE, -65 TO +325 ?F	2014	SAE	0
13117	AS81820-4D	BEARING, PLAIN, SELF-ALIGNING, SELFLUBRICATING, LINED BORE, LOW SPEED, NARROW, CHAMFERED RACE, -65 TO +325 ?F	2014	SAE	0
13118	AMS2629D	Fluid, Jet Reference	2014	SAE	0
13119	J1113-26	Electromagnetic Compatibility Measurement Procedure for Vehicle Components - Immunity to AC Power Line Electric Fields	2014	SAE	0
13120	J1113-4	(R) Immunity to Radiated Electromagnetic Fields - Bulk Current Injection (BCI) Method	2014	SAE	0
13121	J1119	Steel Products for Rollover Protective Structures (ROPS) and Falling Object Protective Structures (FOPS) (Stabilized Type)	2013	SAE	0
13122	J1116	Categories of Off-Road Self-Propelled Work Machines	2013	SAE	0
13123	J1128	Low Voltage Primary Cable	2013	SAE	0
13124	J1113-21	(R) Electronmagnetic Compatibility Measurement Procedure for Vehicle Components Part 21: Immunity to Electromagnetic Fields, 30 MHz to 18 GHz, Absorber-Lined Chamber	2013	SAE	0
13125	J1113-1	Electromagnetic Compatibility Measurement Procedures and Limits for Components of Vehicles, Boats (up to 15 m), and Machines (Except Aircraft) (16.6 Hz to 18 GHz)	2013	SAE	0
13126	AMS2628A	Ultrasonic Immersion Inspection Titanium and Titanium Alloy Billet Premium Grade	2013	SAE	0
13127	J114	Seat Belt Hardware Webbing Abrasion Performance Requirements	2013	SAE	0
13128	AMS2431-7B	Peening Media Ceramic Shot	2013	SAE	0
13129	AS81824C	(R) Splice, Electric, Crimp, Copper, Environment Resistant	2013	SAE	0
13130	AMS2432D	(R) Shot Peening, Computer Monitored.	2013	SAE	0
13131	AS82819	Bearings, Plain, Self-Aligning, Self-Lubricating, 300 cpm Oscillation (13 fpm), -65 to +160 ï°F (-54 to +71 ï°C), Liners Less Than 0.015 inches	2013	SAE	0
13132	AS82819-1	BEARINGS, PLAIN, SELF-ALIGNING, SELFLUBRICATING, 300 CPM (13 FPM) OSCILLATION, -65 TO +160 ?F, LINERS LESS THAN .015 INCH THICK	2013	SAE	0
13133	AS81969-18	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE I, CLASS 1, COMPOSITION C	2013	SAE	0
13134	AS81969-19	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE II, CLASS 1, COMPOSITION C	2013	SAE	0
13135	AS81969-14	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE III, CLASS 2, COMPOSITION B	2013	SAE	0
13136	AS83819	Bearings, Plain, Self-Aligning, Self-Lubricating, 1400 cpm (15 fpm), Oscillation, -65 to +160 ï°F (-54 to +71 ï°C)	2013	SAE	0
13137	AS83819-1	BEARINGS, PLAIN, SELF-ALIGNING, SELFLUBRICATING, 1400 CPM (15 FPM) OSCILLATION, -65 TO +160 ?F (-54 TO +71 ?C)	2013	SAE	0
13138	AS838A	Aircraft Hydraulic Starter/Pumps (Stabilized Type)	2013	SAE	0
13139	AS85049-103C	(R) CONNECTORS, ACCESSORIES, COMPOSITE, RFI/EMI, ELECTRICAL, STRAIN RELIEF, STRAIGHT, SELF-LOCKING, CATEGORY 3C (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2013	SAE	0
13140	AS85049-24C	(R) CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, 90?, SHIELD TERMINATION, CATEGORY 3A (FOR AS50151 CRIMP, MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, AND MIL-DTL-83723 SERIES III CONNECTORS)	2013	SAE	0
13141	AS85049-147	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, EXTENDED, STRAIGHT SELF-LOCKING, CATEGORY 4C (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2013	SAE	0

13142	AS85049-128D	(R) SHIELD BAND, CONNECTOR ACCESSORIES, ELECTRICAL BACKSHELL, CATEGORY 7 (FOR AS85049/82 - /90, /93, /109 - /117 ACCESSORIES)	2013	SAE	0
13143	AS85049-11C	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, CABLE SEALING, STRAIGHT, CATEGORY 1A (FOR AS50151 CRIMP, MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, AND MIL-DTL-83723 SERIES III CONNECTORS)	2013	SAE	0
13144	AS85188A	Riveter, Power, Pneumatic-Hydraulic Blind Rivet Installation (Stabilized Type)	2013	SAE	0
13145	AS85560-1B	BEARING, FIBER REINFORCED PLASTIC, SLEEVE, PLAIN, SELF LUBRICATING, +250 ?F	2013	SAE	0
13146	AS85560-2B	BEARING, FIBER REINFORCED PLASTIC, SLEEVE, FLANGED, SELF-LUBRICATING, +250 ?F	2013	SAE	0
13147	AS85560B	Bearings, Fiber Reinforced Plastic, Sleeve, Plain and Flanged, Self-Lubricating; General Specification For	2013	SAE	0
13148	AS85643-2A	BIT, SCREWDRIVER, PHILLIPS, RIBBED, CRUCIFORM, LONG SHANK, EXTERNAL HEXAGON SHANK, POWER DRIVEN	2013	SAE	0
13149	AS85352-1A	INFLATOR ASSEMBLY KIT	2013	SAE	0
13150	AS85352-2A	INFLATOR ASSEMBLY REMOTE CONTROLLER ASSEMBLY	2013	SAE	0
13151	AS85352-3A	INFLATOR ASSEMBLY GAGE ELEMENTS	2013	SAE	0
13152	AS85352-4A	INFLATOR ASSEMBLY DUAL CHUCK STEM GAGE KIT	2013	SAE	0
13153	AS85049-51C	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, NONENVIRONMENTAL, 90?, SELF-LOCKING AND NON-SELF-LOCKING CATEGORY 4B (FOR AS50151 CRIMP, MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, AND MIL-DTL-83723 SERIES III CONNECTORS)	2013	SAE	0
13154	AS8700A	Installation and Test of Electronic Equipment in Aircraft General Specification for (Stabilized Type)	2013	SAE	0
13155	AS8584B	Brake Systems, Wheel, Military Aircraft (Stabilized Type)	2013	SAE	0
13156	AMS2460A	Plating, Chromium	2013	SAE	0
13157	AS9006A	Deliverable Aerospace Software Supplement for AS9100A Quality Management Systems - Aerospace - Requirements for Software (based on AS9100A) (Stabilized Type)	2013	SAE	0
13158	AS90991C	(R) NUT, HEXAGON, DRILLED, BOSS CONNECTION, ALUMINUM - UNS A92024	2013	SAE	0
13159	AS90B	PROPELLER BLADES, ALUMINUM ALLOY, SHANK DIMENSIONS FOR (Stabilized Type)	2013	SAE	0
13160	AMS2470N	Anodic Treatment of Aluminum Alloys Chromic Acid Process	2013	SAE	0
13161	AS91D	PROPELLER SHAFT ENDS, DUAL ROTATION (PROPELLER SUPPLIED BEARING) (Stabilized Type)	2013	SAE	0
13162	AS94C	SNAP RING, NON-CONTROLLABLE PROPELLER HUB (UNS G87400) (Stabilized Type)	2013	SAE	0
13163	AS95234-1	CONNECTOR RECEPTACLE, BAYONET COUPLING, IN LINE	2013	SAE	0
13164	AS9581B	(R) WASHER, KEY - 90 DEG, LOCKING, CRES, UNS S32100	2013	SAE	0
13165	AS9577A	(R) BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, UNS S66286, SILVER PLATED, .375-24 UNJF-3A	2013	SAE	0
13166	AS9559D	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, UTS 130 KSI MIN, .3750-24 UNJF-3A	2013	SAE	0
13167	AS93E	CONES, REAR, PROPELLER HUB (Stabilized Type)	2013	SAE	0
13168	AS9360C	NUT, PLAIN, HEXAGON - DRILLED, SILVER PLATED - UNS S66286, 130 KSI MIN	2013	SAE	0
13169	AS9361B	NUT, PLAIN, HEXAGON, CHECK, UNS S66286 130 KSI MIN	2013	SAE	0
13170	AS9357B	(R) NUT, PLAIN, HEXAGON, SILVER PLATED, UNS S66286 130 KSI MIN	2013	SAE	0
13171	AS9276B	(R) WASHER, KEY - 180 DEG, LOCKING, CRES, UNS S32100	2013	SAE	0
13172	AMS2473H	Chemical Film Treatment for Aluminum Alloys General Purpose Coating	2013	SAE	0
13173	AMS2516E	Polytetrafluoroethylene (PTFE) Resin Coating High Build, 698 to 752 Ï°F (370 to 400 Ï°C) Fusion.	2013	SAE	0
13174	AS9705C	BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, DRILLED, CORROSION AND HEAT RESISTANT NICKEL ALLOY, .1900-32 UNJF-3A	2013	SAE	0
13175	AMS2515G	Polytetrafluoroethylene (PTFE) Resin Coating Low Build, 370 to 400 Ï°C (698 to 752 Ï°F) Fusion	2013	SAE	0

13176	AS9677B	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, CUP WASHER LOCKED, CRES, UNS S66286, 130 KSI MIN, .2500-28 UNJF-3A	2013	SAE	0
13177	AS9638A	(R) BOLT, MACHINE - HEXAGON HEAD, PD SHANK, TITANIUM AMS4967 (UNS R56400), .500-20 UNJF-3A	2013	SAE	0
13178	AS9750A	(R) BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, AMS4967 (TI 6AL - 4V), .1900-32 UNJF-3A	2013	SAE	0
13179	AMS2525D	Graphite Coating, Thin Lubricating Film Impingement Applied	2013	SAE	0
13180	AMS2526D	Molybdenum Disulfide Coating, Thin Lubricating Film Impingement Applied	2013	SAE	0
13181	AMS2530A	Tungsten Disulfide Coating, Thin Lubricating Film, Binder-Less Impingement Applied	2013	SAE	0
13182	AS9882B	(R) NUT, PLAIN, HEXAGON - DRILLED, CADMIUM PLATED - UNS G878400, 125 KSI MIN	2013	SAE	0
13183	J1091	Earthmoving Machinery - Operators Field of View	2013	SAE	0
13184	J1088	(R) Test Procedure for the Measurement of Gaseous Exhaust Emissions from Small Utility Engines, Recommended Practice	2013	SAE	0
13185	J1063	Cantilevered Boom Crane Structures - Method of Test	2013	SAE	0
13186	J108	Brake System Road Test Code - Motorcycles (Stabilized Type)	2013	SAE	0
13187	J101	Hydraulic Wheel Cylinders for Automotive Drum Brakes (Stabilized Type)	2013	SAE	0
13188	AMS2585A	Shot Peening Media, Ultrasonically Activated	2013	SAE	0
13189	J10	Automotive and Off-Highway Air Brake Reservoir Performance and Identification Requirementsâ Truck and Bus	2013	SAE	0
13190	AMS2580A	Shot Peening, Ultrasonically Activated	2013	SAE	0
13191	AS9964A	(R) BOLT, MACHINE, HEXAGON HEAD, DRILLED, 6 HOLE, PD SHANK, STEEL AMS6322, CADMIUM PLATED, .625-18 UNJF-3A	2013	SAE	0
13192	AS9917A	(R) BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, STEEL AMS6322, CADMIUM PLATED, .3750-24 UNJF-3A	2013	SAE	0
13193	AS9947A	(R) BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, FULL SHANK, STEEL AMS6322, CADMIUM PLATED, .5625-18 UNJF-3A	2013	SAE	0
13194	AS3170A	BOLT, MACHINE - DOUBLE HEX EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, AMS5643 (UNS S17400), . 3750-24, UNJF-3A	2013	SAE	0
13195	AS3171A	BOLT, MACHINE - DOUBLE HEX EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, AMS5643.4375-20, UNJF-3A	2013	SAE	0
13196	AS3173A	BOLT, MACHINE - DOUBLE HEX EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, AMS5643 (UNS S17400), 140 KSI, .5625-18, UNJF-3A	2013	SAE	0
13197	AS3235C	(R) BOLT, TEE HEAD CHAMFERED, PD SHANK NICKEL ALLOY (UNS N07001),165 KSI MIN UTS .3750-24 UNJF-3A	2013	SAE	0
13198	AS3232B	(R) BOLT, TEE HEAD CHAMFERED AMS5708 (UNS N07001), 165 KSI MIN UTS .1900-32-UNJF-3A	2013	SAE	0
13199	AS3233A	(R) BOLT, TEE HEAD - CHAMFERED, PD SHANK, NICKEL ALLOY, 165 KSI MIN UTS .2500-28 UNJF-3A	2013	SAE	0
13200	AS3234A	(R) BOLT, TEE HEAD - CHAMFERED, PD SHANK NICKEL ALLOY (UNS N07001), 165 KSI MIN UTS .3125-24 UNJF-3A	2013	SAE	0
13201	AS3248C	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, NICKEL ALLOY, UNS N07718, 185 KSI MIN, .5000-20 UNJF-3A	2013	SAE	0
13202	AS3249C	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, NICKEL ALLOY, UNS N07718, 185 KSI MIN, .5625-18 UNJF-3A	2013	SAE	0
13203	AS3250C	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, NICKEL ALLOY, UNS N07718, 185 KSI MIN, .1900-32 UNJF-3A	2013	SAE	0
13204	AS3251C	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, NICKEL ALLOY, UNS N07718, 185 KSI MIN, .2500-28 UNJF-3A	2013	SAE	0
13205	AS3252D	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, NICKEL ALLOY, UNS N07718, 185 KSI MIN, .3125-24 UNJF-3A	2013	SAE	0

13206	AS3253C	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, NICKEL ALLOY, UNS N07718, 185 KSI MIN, .3750-24 UNJF-3A	2013	SAE	0
13207	AS3254C	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, NICKEL ALLOY, UNS N07718, 185 KSI MIN, .4375-20 UNJF-3A	2013	SAE	0
13208	AS3255C	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, NICKEL ALLOY, UNS N07718, 185 KSI MIN, .5000-20 UNJF-3A	2013	SAE	0
13209	AS3256C	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, NICKEL ALLOY, UNS N07718, 185 KSI MIN, .5625-18 UNJF-3A	2013	SAE	0
13210	AS33201A	(R) CIRCUIT BREAKER - AIRCRAFT, TRIP-FREE, PUSH-PULL, 1/2 THRU 20 AMPS, TYPE I -55 THRU +121 ï°C	2013	SAE	0
13211	AS33221	GASKET, CONDUCTIVE, MIL-C-81511 ELECTRICAL CONNECTORS, JAM NUT MOUNT	2013	SAE	0
13212	AS3291A	NUT, SELF-LOCKING, DOUBLE HEXAGON, AMS5709 (UNS N07001), 180 KSI	2013	SAE	0
13213	AS3261A	NUT, SELF-LOCKING, CLIP, FLOATING, AS7251 (UNS S66286)	2013	SAE	0
13214	AS3262B	Nut, Self-Locking, Plate - 2 Lug, Floating, CBored, UNS S66286	2013	SAE	0
13215	AS339B	COVER - SHIPPING CONTAINER LOG DATA AND INSPECTION PORT (Stabilized Type)	2013	SAE	0
13216	AS3410B	(R) BOLT, TEE HEAD - AMS5662, CHAMFERED, .250-28 UNJF-3A (STRESS RUPTURE RESISTANT)	2013	SAE	0
13217	AS3411B	(R) BOLT, TEE HEAD - AMS5662, CHAMFERED, .3125-24 UNJF-3A (STRESS RUPTURE RESISTANT)	2013	SAE	0
13218	AS3412B	(R) BOLT, TEE HEAD - AMS5662, CHAMFERED, .375-24 UNJF-3A (STRESS RUPTURE RESISTANT)	2013	SAE	0
13219	AS3409A	(R) BOLT, TEE HEAD - AMS5662, CHAMFERED, PD SHANK, .1900-32 UNJF-3A (STRESS RUPTURE RESISTANT)	2013	SAE	0
13220	AS34241	CONNECTOR, RECEPTACLE, ELECTRIC, CRIMP TYPE, WALL MOUNTING FLANGE, PUSH-PULL COUPLING, SERIES 3 (CLASS L AND E)	2013	SAE	0
13221	AS3491A	GASKET - TYPE X OR XV ENGINE ACCESSORY DRIVE (Stabilized Type)	2013	SAE	0
13222	AS3477B	NUT, SELF LOCKING - DOUBLE HEXAGON, EXTENDED WASHER, UNS S66286, SILVER PLATED, UNJ THREAD	2013	SAE	0
13223	AS3478D	NUT, SELF-LOCKING, PLATE, TWO LUG, LOW HEIGHT, UNS S66286, CLASS: 125 KSI/800 ï°F	2013	SAE	0
13224	AS35061A	(R) CONNECTOR, RECEPTACLE EXTERNAL ELECTRIC POWER, AIRCRAFT, 28 VOLT DC OPERATING POWER	2013	SAE	0
13225	AS3563D	NUT, SELF-LOCKING, DOUBLE HEXAGON, SOLID FILM LUBRICATED, EXTENDED WRENCH PAD, 160 KSI, 800 DEGREE F, UNS S66286	2013	SAE	0
13226	AS3566A	(R) NUT, SELF-LOCKING, CASTELLATED, PREVAILING TORQUE, UNS G41300 OR UNS G43400, UNJ 16 PITCH THREAD FORM	2013	SAE	0
13227	AS3601A	NUT, FLOATING, SELF-LOCKING, ATTACHED RETENTION ELEMENT, 450 ï°F, 125 KSI FTU, UNS S66286	2013	SAE	0
13228	AS3602A	(R) NUT ELEMENT, ATTACHED RETENTION ELEMENT, 450 ï°F, 125 KSI FTU, UNS S66286	2013	SAE	0
13229	AS39029-101A	(R) CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-DTL-12883/44, MIL-DTL- 12883/45, MIL-DTL-12883/46, AND MIL-DTL-12883/52 RELAY)	2013	SAE	0
13230	AS39029-46B	(R) CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-C-81511 SERIES 2 CONNECTORS)	2013	SAE	0
13231	AS39029-112C	(R) CONTACT BUSHING, ELECTRICAL CONNECTOR CONTACT, WIRE BARREL	2013	SAE	0
13232	AS39029-33B	(R) CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-C-81511 SERIES 1 CONNECTORS)	2013	SAE	0
13233	AS39029-36B	(R) CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR MIL-DTL-28748/9 CONNECTORS)	2013	SAE	0
13234	AS39029-20B	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED (FOR MIL-C-81511 SERIES 3 CONNECTORS)	2013	SAE	0
13235	AS39029-21B	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED (FOR MIL-C-81511 SERIES 4 CONNECTORS)	2013	SAE	0

13236	AS39029-22B	CONTACTS, ELECTRICAL, CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR AS81714 TERMINAL JUNCTION SYSTEM SERIES II AND MIL-C-81511 SERIES 3 AND 4 CLASS L CONNECTORS)	2013	SAE	0
13237	AS39029-23A	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED (FOR MIL-C-26482 SERIES 1 CONNECTORS)	2013	SAE	0
13238	AS39029-24A	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED (FOR MIL-C-26482 SERIES 1 CONNECTORS)	2013	SAE	0
13239	AS39029-25B	(R) CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED (FOR MIL-DTL-26482 SERIES 1 CONNECTORS)	2013	SAE	0
13240	AS39029-26B	(R) CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED (FOR MIL-DTL-26482 SERIES 1 CONNECTORS)	2013	SAE	0
13241	AS4059F	(R) Aerospace Fluid Power - Contamination Classification for Hydraulic Fluids	2013	SAE	0
13242	AS39029-98A	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, COAXIAL, SIZE 1 (FOR DOD-C-83527 CONNECTORS)	2013	SAE	0
13243	AS39029-76C	(R) CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED, SIZE 16 (FOR MIL-DTL-38999 SERIES I, II, III, IV CONNECTORS AND 50 OHM CABLE)	2013	SAE	0
13244	AS39029-77B	(R) CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, SIZE 16 (FOR MIL-DTL-38999 SERIES I, III, AND IV CONNECTORS)	2013	SAE	0
13245	AS39029-78B	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, SIZE 16 (FOR MIL-DTL-38999 SERIES II CONNECTORS)	2013	SAE	0
13246	AS4459B	(R) Fittings, Tube, Fluid System 3000 psig (21 000 kPa) Rated Pressure, Externally Swaged, Specification For	2013	SAE	0
13247	AS44B	STARTER, MOUNTING PADS AND DRIVES - TYPES I, II, III & IV (Stabilized Type)	2013	SAE	0
13248	AS4468F	Hose Assembly, 125 psi, Lined Silicone, Potable Water, Procurement Specification	2013	SAE	0
13249	AS4408B	FITTING ASSEMBLY, ELBOW 90ï°, REDUCER AND NONREDUCER, INTERNAL FLARE	2013	SAE	0
13250	AS4141B	(R) FITTING ASSY,CROSS, REDUCER, SWIVEL ON SIDE, REDUCED BODY, FLARELESS	2013	SAE	0
13251	AS4140B	(R) FITTING ASSY, TEE, REDUCER, SWIVEL ON SIDE, REDUCED BODY, FLARELESS	2013	SAE	0
13252	AS4130B	ELBOW, 45 DEGREE BULKHEAD, STANDARD AND REDUCER, REDUCED BODY, FLARELESS	2013	SAE	0
13253	AS4139B	(R) FITTING ASSY, TEE, REDUCER, SWIVEL ON RUN, REDUCED BODY, FLARELESS	2013	SAE	0
13254	AS4137B	(R) FITTING ASSY, ELBOW, REDUCER, 45ï°, SWIVEL, REDUCED BODY, FLARELESS	2013	SAE	0
13255	AS4131B	ELBOW, 90 DEGREE, REDUCER AND STANDARD, REDUCED BODY, FLARELESS	2013	SAE	0
13256	AS4132B	ELBOW, 90 DEGREE, BULKHEAD, STANDARD AND REDUCER, REDUCED BODY, FLARELESS	2013	SAE	0
13257	AS4133B	TEE, STANDARD AND REDUCER, REDUCED BODY, FLARELESS	2013	SAE	0
13258	AS4134B	TEE, BULKHEAD ON RUN, STANDARD AND REDUCER, REDUCED BODY, FLARELESS	2013	SAE	0
13259	AS4073A	Air Cycle Air Conditioning Systems for Military Air Vehicles	2013	SAE	0
13260	AS4266	Hole Contour, Fluid Passage, Tube Fitting	2013	SAE	0
13261	AS4296	Drawing Interpretation and Standard Machining Practices, Couplings, Fittings and Hose Ends, Fluid Systems	2013	SAE	0
13262	AS41F	PROPELLER SHAFT ENDS - SINGLE ROTATION (Stabilized Type)	2013	SAE	0
13263	AS5127B	(R) Aerospace Standard Test Methods for Aerospace Sealants Methods for Preparing Aerospace Sealant Test Specimens	2013	SAE	0
13264	AS5127-2B	Test Method for Aerospace Firewall Sealant Flame Penetration	2013	SAE	0
13265	AS50881E	Wiring Aerospace Vehicle	2013	SAE	0
13266	AS50151B	(R) Connectors, Electrical, Circular Threaded, AN Type, General Specification For	2013	SAE	0
13267	AS5008A	(R) FITTING, UNION, EXTERNAL SWAGE, HYDRAULIC	2013	SAE	0
13268	AS4958A	Performance, Nut, Self-Locking, Castellated, Prevailing Torque, UNJ 16 Pitch Thread Form	2013	SAE	0
13269	AS5000D	Fitting, Plug-in Union, Ring Locked, 24 Degree Cone, Fluid Connection, 5080 psi (35 000 kPa), Specification for	2013	SAE	0

13270	AS4720A	Batch Qualification Procedure for Tensile Strength, Elongation and Specific Gravity of Polytetrafluoroethylene (PTFE) Resins, Virgin, Modified, Pigmented and Filled Compounds Used for Compression Molding (Stabilized Type)	2013	SAE	0
13271	AS469C	Drive-Accessory, 8" Bolt Circle (Stabilized Type)	2013	SAE	0
13272	AS4792A	Water Conditioning Agents for Aqueous Magnetic Particle Inspection	2013	SAE	0
13273	AS47B	PUMP, FUEL, MOUNTING PAD AND DRIVE (Stabilized Type)	2013	SAE	0
13274	AMS1534C	Cleaner, Aircraft Glass Window	2013	SAE	0
13275	AS4660B	(R) NUT, SHORT FLARELESS	2013	SAE	0
13276	AS4676B	(R) FITTING, TEE, BULKHEAD AND BOSS ON RUN, SHORT FLARELESS	2013	SAE	0
13277	AS4677B	(R) FITTING, TEE, BULKHEAD ON RUN, BOSS ON SIDE, SHORT FLARELESS	2013	SAE	0
13278	AS4680B	FITTING, UNION, REDUCER, SHORT FLARELESS AND FLARELESS TO BOSS	2013	SAE	0
13279	AS4681B	(R) FITTING, UNION, REDUCER/EXPANDER BULKHEAD, FLARELESS AND SHORT FLARELESS	2013	SAE	0
13280	AS4686C	(R) FITTING, ELBOW, 90Ï°, REDUCER, BULKHEAD, FLARELESS AND SHORT FLARELESS	2013	SAE	0
13281	AS4691F	FITTING ASSEMBLY, TEE, FLARELESS AND SHORT FLARELESS, REDUCER, RETAINED NUT ON RUN	2013	SAE	0
13282	AS4693D	UNION, TUBE END, EXTERNAL THREAD TO WELD, SHORT FLARELESS	2013	SAE	0
13283	AS4694B	(R) FITTING ASSEMBLY, CAP, HOLLOW END, ACORN, SHORT FLARELESS	2013	SAE	0
13284	AS4695C	(R) SLEEVE, TUBE END, ACORN TO WELD, SHORT FLARELESS	2013	SAE	0
13285	AIR1316B	(R) Airline Tow Tractor - Baggage/Cargo Factors for Design Consideration	2013	SAE	0
13286	AS5270	Bolts, Screws and Studs, Nickel Alloy, UNS N07718 Work-Strengthened, Tensile Strength 220 ksi Procurement Specification	2013	SAE	0
13287	AMS2243K	Tolerances Corrosion and Heat-Resistant Steel Tubing	2013	SAE	0
13288	AS5420F	Hose Assembly, Heated, 125 psig, Lined Silicone, Potable Water, Procurement Specification	2013	SAE	0
13289	AS5421B	HOSE ASSEMBLY, LINED SILICONE, HEATED, FLARELESS, 125 PSI, POTABLE WATER	2013	SAE	0
13290	AS5422B	HOSE ASSEMBLY, LINED SILICONE, HEATED, FIXED CAVITY, 125 PSI, POTABLE WATER	2013	SAE	0
13291	AS5423B	HOSE ASSEMBLY, LINED SILICONE, HEATED, FLARELESS TO FIXED CAVITY, 125 PSI, POTABLE WATER	2013	SAE	0
13292	AS5502C	(R) Standard Requirements for Aerospace Sealants and Adhesion Promoters	2013	SAE	0
13293	AS5550B	FITTING ASSEMBLY, RING LOCKED, ADAPTER, FLARELESS TO PORT, EXTRA FINE THREADS, 5080 PSI	2013	SAE	0
13294	AS5590A	(R) Connectors, Fiber Optic, Advanced, Circular or Rectangular, Plug and Receptacle, Environment Resistant, Removable Termini/Contacts, General Specification For	2013	SAE	0
13295	AS55941-1A	SWITCH, TOGGLE, MAGNETIC HOLD-IN SPDT	2013	SAE	0
13296	AS55941-2A	WITCH, TOGGLE, MAGNETIC HOLD-IN, DPDT	2013	SAE	0
13297	AS55941-3A	SWITCH, TOGGLE, MAGNETIC HOLD-IN, DP3T	2013	SAE	0
13298	AS5553A	(R) Fraudulent/Counterfeit Electronic Parts; Avoidance, Detection, Mitigation, and Disposition	2013	SAE	0
13299	AS55941-6A	SWITCH, TOGGLE, MAGNETIC HOLD-IN, DP3T LEVER LOCK	2013	SAE	0
13300	AS55941A	Switches, Toggle, Electrically Held, Sealed, General Specification For (Stabilized Type)	2013	SAE	0
13301	AS55B	TACHOMETER MOUNTING PAD AND DRIVE - TYPE II (Stabilized Type)	2013	SAE	0
13302	AS5780B	Specification for Aero and Aero-Derived Gas Turbine Engine Lubricants	2013	SAE	0
13303	AS5756-5A	CABLE, 3-PHASE POWER, ELECTRIC, PORTABLE, MULTICONDUCTOR, 90?C, 600V, OZONE RESISTANT, SPLIT NEUTRAL	2013	SAE	0
13304	AS5756-6A	CABLE, 3-PHASE POWER, ELECTRIC, PORTABLE, MULTICONDUCTOR, 90?C, 600V, OZONE RESISTANT, SPLIT PHASE	2013	SAE	0
13305	AS5726A	Interface Standard, Interface for Micro Munitions	2013	SAE	0
13306	AS5792B	(R) FITTING ASSEMBLY, STRAIGHT, FEMALE FLARELESS, AXIALLY SWAGED, HYDRAULIC	2013	SAE	0
13307	AS58091-1A	(R) CIRCUIT BREAKER, AIRCRAFT, TRIP-FREE PUSH PULL, TYPE I, DUAL SAFETY, -55 THRU +121 ?C	2013	SAE	0

13308	AMS2281B	Trace Element Control Nickel Alloy, Cobalt Alloy, and Iron Alloy Wrought Products for High-Temperature, High-Stressed Applications (Stabilized Type)	2013	SAE	0
13309	AS5958E	(R) Fittings, Axially Swaged Tube with Flareless Separable, Fluid System For Operating Pressures up to and including 5080 psi (35 000 kPa), Specification for	2013	SAE	0
13310	AS5959B	Axially Swaged Fittings, Installation and Inspection Procedure	2013	SAE	0
13311	AS5960B	Hose Assembly, Polytetrafluoroethylene, Metallic Braid Reinforced, 5080 psi (35 000 kPa), 400 Ï°F (204 Ï°C), Aircraft Hydraulic Systems	2013	SAE	0
13312	AMS2315G	Determination of Delta Ferrite Content	2013	SAE	0
13313	AS6018	Wrench, Spanner	2013	SAE	0
13314	AS5994A	Pump Units, Hydraulic, Electric Motor Driven, Variable Delivery (Stabilized Type)	2013	SAE	0
13315	AS6026A	Control Unit, Pressure Generating, Manually Operated, Aircraft Hydraulic Brake System (Stabilized Type)	2013	SAE	0
13316	AS6029A	(R) Performance Criteria for Laser Control Measures Used for Aviation Safety	2013	SAE	0
13317	AS5986C	FITTING ASSEMBLY, ADAPTER RING LOCKED PORT CONNECTION TO BEAM SEAL 4000 PSI AND 5000 PSI /9/	2013	SAE	0
13318	AS6121	FITTING ASSEMBLY, TEE, AXIALLY SWAGED, HYDRAULIC, UP TO 1500 PSI	2013	SAE	0
13319	AMS2411H	Plating, Silver for High Temperature Applications	2013	SAE	0
13320	AS7431A	(R) BRACKET, SUPPORT CLAMP	2013	SAE	0
13321	AS7250D	(R) Nuts, Self-Locking, Steel, Corrosion and Heat Resistant High Strength, All Metal 1200 Ï°F Use, UN Thread Form	2013	SAE	0
13322	AMS2408K	Plating, Tin	2013	SAE	0
13323	AIR1336B	Ground Support Equipment Electrical Systems	2013	SAE	0
13324	AS707C	(R) Thermal Sensitive Inflation Pressure Release Devices for Tubeless Aircraft Wheels	2013	SAE	0
13325	AMS2405E	Electroless Nickel Plating Low Phosphorus (Stabilized Type)	2013	SAE	0
13326	AMS2404G	Plating, Electroless Nickel	2013	SAE	0
13327	AS6203	O-RING, MOLDED FROM AMS7379 RUBBER FOR USE WITH AS5202 PORTS	2013	SAE	0
13328	AS6169	AS6169: Interface Standard, Airborne EO/IR Systems, Mechanical	2013	SAE	0
13329	AS6271	Halocarbon Clean Agent Hand-Held Fire Extinguisher	2013	SAE	0
13330	AS6264	CLAMP, LOOP, TUBE 17-7PH CUSHION, SELF-LOCKING	2013	SAE	0
13331	AS63B	CARBURETOR FLANGE, AIRCRAFT 4 BOLT - SINGLE BARREL - NO. 2, 3, 4, 5, 7 AND 9 (Stabilized Type)	2013	SAE	0
13332	AS6451A	Shields, Protective, Aircraft and Missiles (Stabilized Type)	2013	SAE	0
13333	AS6453	Fire Containment Cover - Design, Performance, and Testing Requirements	2013	SAE	0
13334	AMS2402K	Plating, Zinc	2013	SAE	0
13335	AMS2400X	Plating, Cadmium	2013	SAE	0
13336	AS6480B	Tie Down, Cargo, Aircraft, Type C-2 (Stabilized Type)	2013	SAE	0
13337	AMS2401J	Plating, Cadmium Low Hydrogen Content Deposit	2013	SAE	0
13338	AIR1343B	Liquid Propellant Gas Generation Systems (Stabilized Type)	2013	SAE	0
13339	AS7479D	Bolts and Screws, Steel, UNS S66286 1650 Ï°F Solution Heat Treated Precipitation Heat Treated Before Roll Threaded	2013	SAE	0
13340	AMS2413F	Plating, Silver-Rhodium	2013	SAE	0
13341	AS7467B	Bolts and Screws, Nickel Alloy, UNS N07718 Tensile Strength 185 ksi Stress Rupture Rated Procurement Specification	2013	SAE	0
13342	AS7466D	Bolts and Screws, Nickel Alloy, UNS N07718 Tensile Strength 185 ksi, Fatigue Rated,Procurement Specification	2013	SAE	0
13343	AS7461C	Bolts and Screws, Titanium Alloy 6Al-4V, UNS R56400 Fatigue-Rated, Procurement Specification For	2013	SAE	0
13344	AS7471F	Bolts and Screws, Nickel Alloy, UNS N07001 Tensile Strength 165 ksi, Corrosion and Heat Resistant Procurement Specification.	2013	SAE	0
13345	AS8036A	Cargo Compartment Fire Detection Instruments	2013	SAE	0

13346	AS8037C	(R) Minimum Performance Standard for Aircraft Position Lights	2013	SAE	0
13347	AS8040B	(R) Heater, Aircraft Internal Combustion Heat Exchanger Type	2013	SAE	0
13348	AMS2417J	Plating, Zinc-Nickel Alloy	2013	SAE	0
13349	AS7974-3A	CONNECTOR, PLUG, ATTACHABLE, EXTERNAL ELECTRIC POWER, AIRCRAFT, SINGLE-JACKETED CABLE ASSEMBLIES, 115/200 VOLT, 400 HERTZ	2013	SAE	0
13350	AS7974-4A	CABLE ASSEMBLY, EXTERNAL ELECTRIC POWER, AIRCRAFT, SINGLE-JACKETED 115/200 VOLT, 400 HERTZ	2013	SAE	0
13351	AMS2426E	Coating, Cadmium Vacuum Deposition	2013	SAE	0
13352	AS81714-16A	(R) TERMINAL JUNCTION SYSTEM, RACK ASSEMBLY, TRACK, FEEDBACK TYPE, LIGHT WEIGHT, SERIES I	2013	SAE	0
13353	AS81714-67A	(R) TERMINAL JUNCTION SYSTEM, RACK ASSEMBLY, TRACK, FEEDBACK TYPE, SERIES II	2013	SAE	0
13354	AIR310A	Fittings, Catalog of Flared, Flareless, Pipe Threaded, Port, Hose, and Other Type Tube Standard Connectors	2013	SAE	0
13355	AIR974B	Long-Term Storage of Missile Hydraulic Systems	2013	SAE	0
13356	AIR1221	Electromagnetic Compatibility (EMC) System Design Checklist	2013	SAE	0
13357	AIR1388B	Service Damage Limits for Aircraft Hydraulic Tubing	2013	SAE	0
13358	AIR1564B	Cross Reference for Materials for Fluid Systems Components Including Military and Federal Specifications and Their International Equivalents	2013	SAE	0
13359	AIR1667A	(R) Rotor Blade Electrothermal Ice Protection Design Considerations	2013	SAE	0
13360	AIR1973A	Trademarks, Hydraulic System Component Manufacturers, Index of	2013	SAE	0
13361	AIR4906	Droplet Sizing Instrumentation Used in Icing Facilities	2013	SAE	0
13362	AIR4918	Industry Practices and Guidelines for the Selection of Coiled Tubes, Flexible Hoses, Swivels, and Extension Fittings for Aircraft Fluid Systems	2013	SAE	0
13363	AIR5426	Fitting and Fitting Assembly Selection, Installation, Inspection and Maintenance of	2013	SAE	0
13364	AIR5428	Utility System Characterization, an Overview	2013	SAE	0
13365	AIR5699	A Guide for the Damaging Effects of Tire and Wheel Failures	2013	SAE	0
13366	AMS3711E	Core, Honeycomb Fibrous, Aramid Base, Phenolic Coated	2013	SAE	0
13367	AMS3712C	Core, Honeycomb, Glass/Polyimide	2013	SAE	0
13368	AMS3714D	Core, Overexpanded Honeycomb, Polyamide Paper Base, Phenolic Coated	2013	SAE	0
13369	AMS3715D	Core, Honeycomb, Glass/Phenolic	2013	SAE	0
13370	AMS4278B	Aluminum Alloy, Alclad Sheet 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (Alclad 7075-0) Annealed, Fine Grained - UNS A87075	2013	SAE	0
13371	AMS4289	Aluminum Alloy Castings 7.0Si - 0.55Mg - 0.12Ti (F357.0-T6) Solution and Precipitation Heat Treated	2013	SAE	0
13372	AMS5564C	Steel, Corrosion Resistant, Tubing 19CR - 10Ni (SAE 30304) High-Pressure Hydraulic, Welded Plus Ultrasonically Tested or Seamless Cold Drawn, One Eighth - Hard Temper - UNS S30400	2013	SAE	0
13373	AMS-A-25463	Adhesive, Film Form Metallic Structural Sandwich Construction	2013	SAE	0
13374	AMS-C-8073	Core Material, Plastic Honeycomb, Laminated Glass Fabric Base for Aircraft Structural and Electronic Applications	2013	SAE	0
13375	AMS-C-9084	Cloth, Glass, Finished, For Resin Laminates	2013	SAE	0
13376	AMS-QQ-A-250-30A	NULL	2013	SAE	0
13377	ARP600B	(R) Torque Determination, Method of, For Tube or Hose End Fitting Connections, Flared, Flareless, or Miscellaneous Screw Thread Style	2013	SAE	0
13378	ARP618A	Boss Fittings, Metal Seal, Fluid Systems: General Requirements For	2013	SAE	0
13379	ARP908C	Torque Requirements, Installation and Qualification Test, Hose and Tube Fitting.	2013	SAE	0
13380	ARP1201C	Tolerances, Hexagon Bar, Machined Flat and Forged Wrenching Flat Sizes for Fluid Fittings	2013	SAE	0
13381	ARP1258B	Qualification of Hydraulic Tube Joints to Specified Flexure Fatigue Requirements	2013	SAE	0

13382	ARP1267	Electromagnetic Interference Measurement Impulse Generators; Standard Calibration Requirements and Techniques	2013	SAE	0
13383	ARP1587B	Aircraft Gas Turbine Engine Health Management System Guide	2013	SAE	0
13384	ARP1843A	Surface Preparation for Structural Adhesive Bonding Titanium Alloy Parts	2013	SAE	0
13385	ARP1942A	Across Hex Corner Dimension for Fluid Fittings and Nuts	2013	SAE	0
13386	ARP1987-1	Titles, SAE G-3B Subcommittee Documents, Selection Of	2013	SAE	0
13387	ARP1987-3	Titles, SAE Subcommittee G-3E Aerospace Tubing Installation Documents, Selection Of	2013	SAE	0
13388	ARP4457	Torsion Strength Testing of Hydraulic Tube Joints	2013	SAE	0
13389	ARP4698	Guide for Choosing a Minimum Wall Thickness of Tubing for Use With Weld Fittings Coded for a Range of Wall Sizes	2013	SAE	0
13390	ARP4784A	Definitions and Limits, Metal Material Defects and Surface and Edge Features, Fluid Couplings, Fittings and Hose Ends	2013	SAE	0
13391	ARP4874A	Electronic Propulsion Control/Aircraft Interface Control Documents	2013	SAE	0
13392	ARP4919	Fluid Connections, Fittings, Hex Width	2013	SAE	0
13393	ARP4945A	Aerospace-Solenoid Valve, Hydraulic, Three Way, Two Position, Direct Acting	2013	SAE	0
13394	ARP4961	Weights, Tube Fitting, Estimating, Weighing and Maintaining, Procedure for	2013	SAE	0
13395	ARP4968	Installation Standard for Couplings	2013	SAE	0
13396	ARP4988	Procedure for Determining Thrust Wire Lengths and Minimum Insertion Depths	2013	SAE	0
13397	ARP5102	Fluid Fittings - Jump Size Limitations	2013	SAE	0
13398	ARP5539	Rotary Plow With Carrier Vehicle	2013	SAE	0
13399	ARP5624	Aircraft Inflight Icing Terminology	2013	SAE	0
13400	ARP5824	Recommended Solid Film Lubricants for Fluid System Components	2013	SAE	0
13401	ARP5935	Use of HVOF Thermal Spray Coatings for Hard Chrome Replacement in Landing Gear Applications	2013	SAE	0
13402	ARP5943	Snowplows and Hitches	2013	SAE	0
13403	ARP6002	Marking; Standard Hose, Aircraft	2013	SAE	0
13404	AS13A	Magnetos, Aircraft, Drives for	2013	SAE	0
13405	AS95	FITTING ASSEMBLY, CROSS, REDUCER AND NONREDUCER, INTERNAL FLARE ON ONE END, TO FLARED TUBE	2013	SAE	0
13406	AS130A	TUBE BENDING RADIUS	2013	SAE	0
13407	AS622c	HOSE ASSEMBLY, 3000 psi, PTFE, FLARELESS, STRAIGHT TO 45Ï°, HEAVYWEIGHT	2013	SAE	0
13408	AS625c	HOSE ASSEMBLY, 3000 psi, PTFE, FLARELESS, 45Ï° TO 90Ï°, HEAVYWEIGHT	2013	SAE	0
13409	AS932B	FITTING, ADAPTER, REDUCER/EXPANDER, FLARELESS TO BOSS	2013	SAE	0
13410	AS934C	FITTING, ADAPTER, REDUCER/EXPANDER, FLARED TO BOSS	2013	SAE	0
13411	AS1100c	FITTING, UNION, FLARED TUBE BULKHEAD AND UNIVERSAL, FOR SEAL RING	2013	SAE	0
13412	AS1227C	Hose Assembly, Convoluted Polytetrafluoroethylene, Metallic Reinforced, Low Pressure, Up to 400 Ï°F, Aircraft	2013	SAE	0
13413	AS1251c	FITTING, UNION, FLARED TUBE, FOR SEAL RING	2013	SAE	0
13414	AS1368B	FITTING, REDUCER-EXTERNAL THREAD FLARED TUBE FOR SEAL RING	2013	SAE	0
13415	AS1369b	FITTING, PLUG, FLARED TUBE, FOR SEAL RING	2013	SAE	0
13416	AS1506c	HOSE, AIR DUCT, SEMIFLEXIBLE, SLEEVE SECTION, UNREINFORCED, SELF EXTINGUISHING	2013	SAE	0
13417	AS1578A	BELLMOUTH TUBE END, WELDING	2013	SAE	0
13418	AS1591	HOSE, AIR DUCT, FLEXIBLE, POLYURETHANE-COATED FABRIC, 1 psi, EXTERNAL NYLON HELIX, SELF-EXTINGUISHING	2013	SAE	0
13419	AS1652a	COUPLING ASSEMBLY, THREADLESS - FLEXIBLE, FIXED CAVITY, SELF-BONDING	2013	SAE	0
13420	AS1653c	MALE FERRULE, THREADLESS - FLEXIBLE, FIXED CAVITY, SELF-BONDING, SWAGED	2013	SAE	0
13421	AS1654d	SLEEVE, THREADLESS - FLEXIBLE, FIXED CAVITY, SELF-BONDING	2013	SAE	0

13422	AS1655c	COUPLING BODY, THREADLESS - FLEXIBLE, FIXED CAVITY, SELF-BONDING	2013	SAE	0
13423	AS1656c	FITTING END, THREADLESS - FLEXIBLE, FIXED CAVITY, SELF-BONDING, MALE AND FEMALE DESIGN STANDARD	2013	SAE	0
13424	AS1711B	COUPLING, FLEXIBLE, VARIABLE CAVITY, THREADED FERRULE TYPE TUBE ENDS, ENVELOPE DIMENSIONS DESIGN STANDARD	2013	SAE	0
13425	AS1712c	COUPLING SUBASSEMBLY, FLEXIBLE, VARIABLE CAVITY, THREADED, FERRULE TYPE TUBE ENDS	2013	SAE	0
13426	AS1713c	HALF COUPLING SUBASSEMBLY, FLEXIBLE, VARIABLE CAVITY, THREADED FERRULE TYPE TUBE ENDS	2013	SAE	0
13427	AS1714d	NUT ASSEMBLY, COUPLING, FLEXIBLE, VARIABLE CAVITY, THREADED, FERRULE TYPE TUBE ENDS	2013	SAE	0
13428	AS1716d	FERRULE, COUPLING, FLEXIBLE, VARIABLE CAVITY, THREADED, FERRULE TUBE END	2013	SAE	0
13429	AS1717d	RETAINER, COUPLING, FLEXIBLE, VARIABLE CAVITY, THREADED FERRULE TYPE TUBE ENDS	2013	SAE	0
13430	AS1719B	FITTING END, HALF-COUPLING, FLEXIBLE VARIABLE CAVITY THREADED, FERRULE TYPE DESIGN STANDARD	2013	SAE	0
13431	AS1720b	FITTING END, COUPLING, FLEXIBLE VARIABLE CAVITY THREADED, FERRULE TYPE DESIGN STANDARD	2013	SAE	0
13432	AS1895-21A	INSTALLATION, JOINT, V-RETAINER COUPLING ASSEMBLY	2013	SAE	0
13433	AS1933A	Age Controls for Hose Containing Age-Sensitive Elastomeric Material	2013	SAE	0
13434	AS1941a	FITTING END, STRAIGHT THREAD, HIGH PRESSURE, BOSS CONNECTION, DESIGN STANDARD	2013	SAE	0
13435	AS1960-1a	COUPLING, SHEET METAL, 40? V-BAND, STANDARD LATCH	2013	SAE	0
13436	AS1960-5	INSTALLATION, JOINT, 40? V-BAND COUPLING AND NARROW SHEET METAL FLANGES	2013	SAE	0
13437	AS1969	Coupling Assembly, Self-Sealing, Quick Disconnect Fuel and Oil System Components	2013	SAE	0
13438	AS1974	Clamps, Support, Comparative Fatigue Strengths, Test Method	2013	SAE	0
13439	AS2001A	Aerospace Fluid Systems and Components Pressure and Temperature Classifications	2013	SAE	0
13440	AS3257A	CLAMP, LOOP-CUSHIONED, CRES, HIGH TEMP., .204 HOLE	2013	SAE	0
13441	AS4060	Tube Fitting Swaged Joint, Roller Expander Manual Process, Requirements for	2013	SAE	0
13442	AS4098A	Hose Assembly, Polytetrafluoroethylene, Heavy Duty, Metallic Reinforced, 400 Ï°F, 5000 psi Hydraulic and Pneumatic	2013	SAE	0
13443	AS4265	Impulse Testing of Hydraulic Tubing and Fittings, S-N Curve	2013	SAE	0
13444	AS4318A	FITTING, ADAPTER, FLARED TUBE, .375 BULKHEAD TO BOSS FOR SEAL RING	2013	SAE	0
13445	AS4347	UNION ASSEMBLY, DOUBLE RETAINED NUT	2013	SAE	0
13446	AS4375C	FITTING END, FLARELESS, DESIGN STANDARD	2013	SAE	0
13447	AS4377c	FITTING END, BULKHEAD, FLARELESS, DESIGN STANDARD	2013	SAE	0
13448	AS4388	Hose Assembly PTFE Heavy Duty, -65 To 400 Ï°F (-55 To 204 Ï°C) 8000 psi (56 000 kPa) Hydraulic and Pneumatic	2013	SAE	0
13449	AS4395B	FITTING END, FLARED, TUBE CONNECTION, DESIGN STANDARD	2013	SAE	0
13450	AS4396b	FITTING END, BULKHEAD, FLARED, TUBE CONNECTION, DESIGN STANDARD	2013	SAE	0
13451	AS4401	Separable Fittings, Permanent Fittings, Tubing, Fluid Systems 8000 psi Qualification Test Standard For	2013	SAE	0
13452	AS4444-1	Sleeve, Bite Type, 24? Cone Flareless Fitting	2013	SAE	0
13453	AS4444	Fittings, 24Ï° Cone Flareless, Fluid Connection, 5000 psi	2013	SAE	0
13454	AS4467	Standardization, Hydraulic Tube Walls	2013	SAE	0
13455	AS4469b	HOSE ASSEMBLY, LINED SILICONE, 125 PSI, FLARELESS, POTABLE WATER, STRAIGHT TO STRAIGHT	2013	SAE	0
13456	AS4488	Tubular Assemblies, Fusion Welded, Inspection Processes and Acceptance Standards For	2013	SAE	0
13457	AS4510-1	Fittings, Weld to 24? Cone Flareless, Fluid Connection	2013	SAE	0
13458	AS4542	ELBOW, 90Ï°, BEAM SEAL, MALE 4000 psi, HYDRAULIC	2013	SAE	0
13459	AS4546	HOSE, AIR DUCT, FLEXIBLE, SILICONE-COATED FABRIC, 1 TO -.5 psi, EXTERNAL NYLON HELIX, SELF-EXTINGUISHING	2013	SAE	0

13460	AS4604B	Hose Assembly, 3000 psi, Polytetrafluoroethylene, Metallic Reinforced, 400 ï°F, Heavy Duty, Aircraft Hydraulic Systems	2013	SAE	0
13461	AS4642	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 400 ï°F, 4000 psi, FLARED, STRAIGHT TO STRAIGHT, CRES FITTINGS	2013	SAE	0
13462	AS4643	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 400 ï°F, 4000 psi, FLARED, STRAIGHT TO 45ï°, CRES FITTINGS	2013	SAE	0
13463	AS4644	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 400 ï°F, 4000 psi, FLARED, STRAIGHT TO 90ï°, CRES FITTINGS	2013	SAE	0
13464	AS4645	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 400 ï°F, 4000 psi, FLARED, 45ï° TO 45ï°, CRES FITTINGS	2013	SAE	0
13465	AS4646	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 400 ï°F, 4000 psi, FLARED, 45ï° TO 90ï°, CRES FITTINGS	2013	SAE	0
13466	AS4647	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 400 ï°F, 4000 psi, FLARED, 90ï° TO 90ï°, CRES FITTINGS	2013	SAE	0
13467	AS4658	FITTING END, EXTERNAL THREAD, SHORT FLARELESS, DESIGN STANDARD	2013	SAE	0
13468	AS4659a	FITTING END, EXTERNAL THREAD, SHORT FLARELESS, DESIGN STANDARD	2013	SAE	0
13469	AS4679B	WASHER, FLAT, SHORT FLARELESS	2013	SAE	0
13470	AS4697b	Fitting End, Integral Centered Weld Lip, Design Standard	2013	SAE	0
13471	AS4700	Short Flareless Fittings, Installation Procedures and Torque For	2013	SAE	0
13472	AS4734c	MALE FERRULE, THREADLESS - FLEXIBLE, FIXED CAVITY, SELF-BONDING, BUTT WELDED	2013	SAE	0
13473	AS4736A	FEMALE FERRULE, THREADLESS - FLEXIBLE, FIXED CAVITY, SELF-BONDING, BUTT WELDED	2013	SAE	0
13474	AS4751-1	COUPLING, SHEET METAL, 40? V-BAND, WIDE, STANDARD LATCH	2013	SAE	0
13475	AS4751-2	FLANGE, SHEET METAL, WIDE	2013	SAE	0
13476	AS4751-3	FLANGE END, SOLID, WIDE DESIGN STANDARD	2013	SAE	0
13477	AS4751	Coupling Assembly, V-Band Sheet Metal Wide Flange, Pneumatic Tube	2013	SAE	0
13478	AS4774A	HOSE, AIR DUCT, FLEXIBLE, SILICONE-COATED FABRIC, 1 PSI, EXTERNAL NYLON HELIX, SELF-EXTINGUISHING	2013	SAE	0
13479	AS4804a	HOSE, AIR DUCT, FLEXIBLE, SILICONE-COATED FABRIC, EXTERNAL NYLON HELIX, LOW-NOISE	2013	SAE	0
13480	AS4854a	FITTING, ELBOW, 90ï°, PIPE, INTERNAL AND EXTERNAL THREAD	2013	SAE	0
13481	AS4855a	FITTING, ELBOW, 45ï°, PIPE, INTERNAL AND EXTERNAL THREAD	2013	SAE	0
13482	AS4856a	FITTING, ELBOW, 90ï° , PIPE, INTERNAL THREAD	2013	SAE	0
13483	AS4857a	FITTING, TEE, PIPE, INTERNAL THREAD	2013	SAE	0
13484	AS4858a	FITTING, CROSS, PIPE, INTERNAL THREAD	2013	SAE	0
13485	AS4860a	FITTING, NIPPLE, PIPE, EXTERNAL THREAD	2013	SAE	0
13486	AS4864a	FITTING, PLUG, PIPE, EXTERNAL THREAD, COUNTERSUNK HEX HEAD	2013	SAE	0
13487	AS4882A	CLAMP, LOOP, CUSHIONED, HINGED, QUICK RELEASE - CABLE OR WIRE	2013	SAE	0
13488	AS5039	FITTING, BODY END - THREADED COUPLING, RIGID, SELF-BONDING, DESIGN STANDARD	2013	SAE	0
13489	AS5072-1a	COUPLING ASSEMBLY, .375 DIAMETER, NON-LOCKING PROBE STYLE, MINIATURE SELF-SEALING-ALIGNING, SELF-SEALING DISCONNECT FOR ETHYLENE/GLYCOL/WATER	2013	SAE	0
13490	AS5072-2a	COUPLING ASSEMBLY, .375 DIAMETER, NON-LOCKING PROBE STYLE, MINIATURE SELF-SEALING-ALIGNING, SELF-SEALING DISCONNECT FOR POLYALPHAOLEFIN FLUID	2013	SAE	0
13491	AS5072-3a	COUPLING ASSEMBLY, .420 DIAMETER, NON-LOCKING PROBE STYLE, MINIATURE SELF-SEALING-ALIGNING, SELF-SEALING DISCONNECT FOR ETHYLENE/GLYCOL/WATER	2013	SAE	0
13492	AS5072c	Coupling Assemblies, Non-Locking Probe Style, Miniature Self-Aligning, Self-Sealing Disconnects	2013	SAE	0
13493	AS5104a	Plugs, Port Connection, Ring Locked, AS1300 Port, Installation and Removal of	2013	SAE	0

13494	AS5117	CLIP, SPRING RETENTION - ELECTRICAL CABLE	2013	SAE	0
13495	AS5182b	FITTING, ELBOW, 45 DEGREES, BULKHEAD, FLARED TO HOSE	2013	SAE	0
13496	AS5200	PORT OR FITTING END, INTERNAL TAPER PIPE THREAD, DESIGN STANDARD	2013	SAE	0
13497	AS5201	FITTING END, EXTERNAL TAPER PIPE THREAD, DESIGN STANDARD.	2013	SAE	0
13498	AS5202a	PORT OR FITTING END, INTERNAL STRAIGHT THREAD, DESIGN STANDARD - Best Copy Available	2013	SAE	0
13499	AS5203	TUBE END, DOUBLE FLARE, DESIGN STANDARD	2013	SAE	0
13500	AS5205B	NUT, FITTING, ENGINE, FLARED	2013	SAE	0
13501	AS5229	PORT, INTERNAL STRAIGHT THREAD, AIR CONNECTION, DESIGN STANDARD	2013	SAE	0
13502	AS5355B	Couplings, Clamp, Grooved, V-Band	2013	SAE	0
13503	AS5439	Adapter Reducer, Beam Seal - Port Connection, Ring Locked Design, Installation and Removal of	2013	SAE	0
13504	AS5529	SLEEVE, FLARELESS TUBE FITTING, INTERNALLY SWAGED	2013	SAE	0
13505	AS5530	UNION, FLARELESS TUBE FITTING, INTERNALLY SWAGED	2013	SAE	0
13506	AS5531	UNION, SHORT FLARELESS TUBE FITTING, INTERNALLY SWAGED	2013	SAE	0
13507	AS5657	Test Plan/Procedure for AS5643 IEEE-1394b Interface Requirements for Military and Aerospace Vehicle Applications	2013	SAE	0
13508	AS5831	ASSEMBLED COUPLING, THREADLESS-FLEXIBLE, FIXED CAVITY, CURRENT CARRYING, SELF BONDING, ENVELOPE DIMENSIONS	2013	SAE	0
13509	AS5832	ASSEMBLED COUPLING COMPONENTS, THREADLESS-FLEXIBLE, FIXED CAVITY, CURRENT CARRYING, SELF BONDING	2013	SAE	0
13510	AS5833	MALE FERRULE, THREADLESS-FLEXIBLE, FIXED CAVITY, CURRENT CARRYING, SELF BONDING, SWAGED	2013	SAE	0
13511	AS5834	SLEEVE, THREADLESS-FLEXIBLE, FIXED CAVITY, CURRENT CARRYING, SELF BONDING	2013	SAE	0
13512	AS5835	COUPLING BODY, THREADLESS-FLEXIBLE, FIXED CAVITY, CURRENT CARRYING, SELF BONDING	2013	SAE	0
13513	AS5836	FITTING END, THREADLESS-FLEXIBLE, FIXED CAVITY, CURRENT CARRYING, SELF BONDING MALE AND FEMALE DESIGN STANDARD	2013	SAE	0
13514	AS5837	MALE FERRULE, THREADLESS-FLEXIBLE, FIXED CAVITY, CURRENT CARRYING, SELF BONDING, BUTT WELDED	2013	SAE	0
13515	AS5838	FEMALE FERRULE, THREADLESS-FLEXIBLE, FIXED CAVITY, CURRENT CARRYING, SELF BONDING, SWAGED	2013	SAE	0
13516	AS5839	FEMALE FERRULE, THREADLESS-FLEXIBLE, FIXED CAVITY, CURRENT CARRYING, SELF BONDING, BUTT WELDED	2013	SAE	0
13517	AS5863	FITTING END, 24ï° CONE, FLARELESS, FLUID CONNECTION, DESIGN STANDARD	2013	SAE	0
13518	AS5947	FITTING, FERRULE END - THREADED COUPLING, RIGID, SELF-BONDING, DESIGN STANDARD	2013	SAE	0
13519	AS5948	FITTING, BULKHEAD END - THREADED COUPLING, RIGID, SELF-BONDING, DESIGN STANDARD	2013	SAE	0
13520	AS5952b	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PARA ARAMID REINFORCED, 275 ï°F, 5080 PSI, FLARELESS, TITANIUM FITTINGS, STRAIGHT TO STRAIGHT	2013	SAE	0
13521	AS5953c	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PARA ARAMID REINFORCED, 275 ï°F, 5080 PSI, FLARELESS, TITANIUM FITTINGS, STRAIGHT TO 45ï°	2013	SAE	0
13522	AS5954c	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PARA ARAMID REINFORCED, 275 ï°F, 5080 PSI, FLARELESS, TITANIUM FITTINGS, STRAIGHT TO 90ï°	2013	SAE	0
13523	AS5955b	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PARA ARAMID REINFORCED, 275 ï°F, 5080 PSI, FLARELESS, TITANIUM FITTINGS, 45ï° TO 45ï°	2013	SAE	0
13524	AS5956c	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PARA ARAMID REINFORCED, 275 ï°F, 5080 PSI, FLARELESS, TITANIUM FITTINGS, 45ï° TO 90ï°	2013	SAE	0
13525	AS5957b	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PARA ARAMID REINFORCED, 275 ï°F, 5080 PSI, FLARELESS, TITANIUM FITTINGS, 90ï° TO 90ï°	2013	SAE	0

13526	AS6399	Hose, Rubber, Wire-Wound, Synthetic, Ice Eliminating System	2013	SAE	0
13527	AS6439	Hose, Rubber, Aircraft Paint Finish Remover	2013	SAE	0
13528	AS7112-6	National Aerospace and Defense Contractors Accreditation Program Titanium 3Al-2.5V Alloy, Seamless Hydraulic Tubing Manufacturing Requirements	2013	SAE	0
13529	AS7365-1	PIN, FEMALE COUPLING	2013	SAE	0
13530	AS7365-2	COUPLING, FEMALE, 12 INCH AIR DUCT	2013	SAE	0
13531	AS7365-3	COUPLING, MALE, 12 INCH AIR DUCT	2013	SAE	0
13532	AS7365-4	COUPLING, FEMALE, 6 INCH AIR DUCT	2013	SAE	0
13533	AS7365-5	COUPLING, MALE, 6 INCH AIR DUCT	2013	SAE	0
13534	AS7365-6	BAND, FEMALE COUPLING, 12 INCH AIR DUCT	2013	SAE	0
13535	AS7365-7	BAND, MALE COUPLING, 12 INCH AIR DUCT	2013	SAE	0
13536	AS7365-8	BAND, FEMALE COUPLING, 6 INCH AIR DUCT	2013	SAE	0
13537	AS7365-9	BAND, MALE COUPLING, 6 INCH AIR DUCT	2013	SAE	0
13538	AS7365	Duct Assembly, Ground, Conditioned Air, Metallic Reinforced, Low Pressure, 350 Ï°F	2013	SAE	0
13539	AS8712	Valve; Air Relief, Low Pressure	2013	SAE	0
13540	AS8796	Hose, Air Duct, Flexible, Aircraft	2013	SAE	0
13541	AS15000a	FITTING END, LUBRICATION, HYDRAULIC - DESIGN STANDARD	2013	SAE	0
13542	AS18280-2a	Sleeves, Internally or Externally Swaged or Welded, 24? Cone Flareless Fitting, 3000 psi	2013	SAE	0
13543	AS21935	FITTING END, BOLT CLUSTER FITTING, DOUBLE PORT, THROUGH, FLARELESS	2013	SAE	0
13544	AS21949	BOLT-CLUSTER FITTING SINGLE PORT-FLARE	2013	SAE	0
13545	AS24335	FLANGE, BULKHEAD MOUNTING, HYDRAULIC SELF-SEALING COUPLING	2013	SAE	0
13546	AS33566	FITTINGS, INSTALLATION OF FLARELESS TUBE, STRAIGHT-THREADED CONNECTORS	2013	SAE	0
13547	AS38386-1a	CONNECTOR, AIR DUCT HOSE, GROUND COOLING, MALE	2013	SAE	0
13548	AS38386-2a	CONNECTOR, AIR DUCT HOSE, GROUND COOLING, FEMALE	2013	SAE	0
13549	AS38386-3	ACKING, PREFORMED, AIR DUCT HOSE, GROUND COOLING	2013	SAE	0
13550	AS38386	Duct Assembly, Ground, Conditioned Air, Insulated, Flexible	2013	SAE	0
13551	AS38390	Hose Assembly, Polytetrafluoroethylene, Metallic Reinforced, 4000 psi, 160 Ï°F, Covered Pneumatic	2013	SAE	0
13552	AS38404	Couplings, Hose, Reattachable Screw-On	2013	SAE	0
13553	AS39029-19b	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED (FOR MIL-C-81511 SERIES 3 AND 4 CONNECTORS)	2013	SAE	0
13554	AS39029-97a	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, COAXIAL, SIZE 1 (FOR DOD-C-83527 CONNECTORS)	2013	SAE	0
13555	AS40401	Solenoid, Electrical, General Specification For	2013	SAE	0
13556	AS81824-1A	(R) SPLICE, IN-LINE, ELECTRIC, CRIMP, SN/CU, ENVIRONMENTAL, HEAT-SHRINKABLE SLEEVE (150 ?C), 1 X 1 SEALANT OPENING	2013	SAE	0
13557	AS122900 - AS122939	NULL	2013	SAE	0
13558	AS151701B - AS152000B	(R) STUD, STEPPED, 1.5 DIA ENGAGEMENT, CADMIUM PLATED, STEEL UNS G87400, .5000-13 UNS X .4375-20 UNF-3A	2013	SAE	0
13559	J441	Cut Wire Shot	2013	SAE	0
13560	J1779	Ship Systems and Equipment - Hydraulic System Design Criteria for Marine Vehicles	2013	SAE	0
13561	J1781	Ship Systems and Equipment Materials for Fluid Systems	2013	SAE	0
13562	J1782	Ship Systems and Equipment - Hydraulic Systems - Noise Control	2013	SAE	0

13563	J1783	Ship Systems and Equipment - Selection of Hydraulic Directional Control Valves	2013	SAE	0
13564	J1830	Size Classification and Characteristics of Ceramic Shot for Peening	2013	SAE	0
13565	J1854	Brake Force Distribution Performance Guide - Truck and Bus	2013	SAE	0
13566	J2024	Contaminants for Testing Air Brake Components and Auxiliary Pneumatic Devices	2013	SAE	0
13567	J2321-1	Disposable Hydraulic Filter Element - 115 L/min Flow, 1.0 MPa Collapse Pressure, Filtration Ratio = 75 at 6 and 10 خ m	2013	SAE	0
13568	J2321-2	Disposable Hydraulic Filter Element - 190 L/min Flow, 21 MPa Collapse Pressure, Filtration Ratio = 75 at 7 خ m	2013	SAE	0
13569	J2321-3	Disposable Hydraulic Filter Elements - 21 MPa Collapse Pressure, Filtration Ratio = 75 at 10 خ m, 75 to 175 L/Min	2013	SAE	0
13570	J2333	Ship Systems and Equipment - Hydraulic Systems - Filter Selection Parameters	2013	SAE	0
13571	J2847	NULL	2013	SAE	0
13572	CMH-17-4B	COMPOSITE MATERIALS HANDBOOK VOLUME 4 - METAL MATRIX COMPOSITES	2013	SAE	0
13573	CMH-17-6	COMPOSITE MATERIALS HANDBOOK VOLUME 6 - STRUCTURAL SANDWICH COMPOSITES; First Edition	2013	SAE	0
13574	MS 1003-2	NULL	2013	SAE	0
13575	TA-HB-0007-1	Logistics Product Data Reports Handbook - Formerly TechAmerica TA-HB-0007-1	2013	SAE	0
13576	J121	Decarburization in Hardened and Tempered Unified Threaded Fasteners	2013	SAE	0
13577	J121M	Decarburization in Hardened and Tempered Metric Threaded Fasteners	2013	SAE	0
13578	J1199	Mechanical and Material Requirements for Metric Externally Threaded Steel Fasteners (Stabilized Type)	2013	SAE	0
13579	J1240	Flywheel Spin Test Procedure (Stabilized Type)	2013	SAE	0
13580	J1227	Assessing Cleanliness of Hydraulic Fluid Power Components and Systems	2013	SAE	0
13581	J1289	Mobile Crane Stability Ratings	2013	SAE	0
13582	J1299	Electrical Propulsion Control - Off-Road Dumpers (Stabilized Type)	2013	SAE	0
13583	J1308	Fan Guard for Off-Road Machines	2013	SAE	0
13584	J134	Brake System Road Test Code - Passenger Car and Light-Duty Truck-Trailer Combinations (Stabilized Type)	2013	SAE	0
13585	J1317	Electrical Propulsion Rotating Equipment - Off-Road Dumper (Stabilized Type)	2013	SAE	0
13586	AMS2644F	Inspection Material, Penetrant	2013	SAE	0
13587	J1320	Marine Electrical Switches	2013	SAE	0
13588	J1360	Product Identification Numbering System of Off-Road Work Machines	2013	SAE	0
13589	J1361	Hot Plate Method for Evaluating Heat Resistance and Thermal Insulation Properties of Materials	2013	SAE	0
13590	AMS2649D	Etch Inspection of High Strength Steel Parts	2013	SAE	0
13591	J135	Service Brake System Performance Requirements - Passenger Car-Trailer Combinations (Stabilized Type)	2013	SAE	0
13592	J1353	Nomenclature - Clam Bunk Skidder	2013	SAE	0
13593	J1354	Nomenclature - Forwarder	2013	SAE	0
13594	J141	(R) Seat Belt Hardware Performance Requirements	2013	SAE	0
13595	J1394	Metric Nonmetallic Air Brake System Tubing (Stabilized Type)	2013	SAE	0
13596	J140	(R) Seat Belt Hardware Test Procedures	2013	SAE	0
13597	J1401	Road Vehicle - Hydraulic Brake Hose Assemblies for Use With Nonpetroleum-Base Hydraulic Fluids	2013	SAE	0
13598	AMS2667G	Brazing, Silver For Small Pressurized Fittings	2013	SAE	0
13599	J1428	Marine Circuit Breakers (Stabilized Type)	2013	SAE	0
13600	AMS2665H	Brazing, Silver For Use Up to 400 ï°F (204 ï°C)	2013	SAE	0
13601	AMS2678A	Furnace Brazing of Parts in a Vacuum Atmosphere	2013	SAE	0
13602	J1518	Three-Point Hitch (Type A) Backhoe Personnel Protection	2013	SAE	0
13603	AMS2675H	Brazing, Nickel Alloy Filler Metal.	2013	SAE	0

13604	J1502	(R) Connections for Fluid Power and General Use - Hydraulic Couplings - Diagnostic	2013	SAE	0
13605	J1493	Guarding of Starter System Energization	2013	SAE	0
13606	J1495	Test Procedure for Battery Flame Retardant Venting Systems	2013	SAE	0
13607	J1487	Rating Air-Conditioner Evaporator Air Delivery and Cooling Capacities	2013	SAE	0
13608	J1472	Braking Performance - Rollers	2013	SAE	0
13609	J1460	Human Mechanical Response Characteristics	2013	SAE	0
13610	J1467	(R) Clip Fastener Fitting	2013	SAE	0
13611	J1453-2	(R) Specification for O-Ring Face Seal Connectors: Part 2 - Requirements, Dimensions, and Tests for Steel Unions, Bulkheads, Swivels, Braze Sleeves, Braze-on Tube Ends, Caps, and Connectors with ISO 6149-2 Metric Stud Ends and ISO 6162 4-Bolt Flange Heads	2013	SAE	0
13612	J1587	Electronic Data Interchange Between Microcomputer Systems in Heavy-Duty Vehicle Applications (Stabilized Type)	2013	SAE	0
13613	AMS2695E	Connections, Electrical Solderless, Wire-Wrapped (Stabilized Type)	2013	SAE	0
13614	J160	(R) Swell, Growth, and Dimensional Stability of Friction Materials and Noise Insulators when Exposed to Elevated Temperatures	2013	SAE	0
13615	AMS2694C	(R) In-Process Welding of Castings	2013	SAE	0
13616	J1537	Validation Testing of Electric Fuel Pumps for Gasoline Fuel Injection Systems (Stabilized Type)	2013	SAE	0
13617	J1625	Heavy-Duty Circuit Breakers	2013	SAE	0
13618	J1698-2	(R) Event Data Recorder - Retrieval Tool Protocol	2013	SAE	0
13619	J1698-3	Event Data Recorder - Compliance Assessment	2013	SAE	0
13620	J1698-1	(R) Event Data Recorder - Output Data Definition	2013	SAE	0
13621	J1697	Recommended Practices for Design and Evaluation of Passenger and Light Truck Coolant Hose Clamped Joints (Stabilized Type)	2013	SAE	0
13622	J1824	Specification Definitions - Clam Bunk Skidder (Stabilized Type)	2013	SAE	0
13623	J1811	Power Cable Terminals (Stabilized Type)	2013	SAE	0
13624	J1812	Function Performance Status Classification for EMC Immunity Testing	2013	SAE	0
13625	J1805	Sound Power Level Measurements of Work Machines - Static and In-Place Dynamic Methods (Stabilized Type)	2013	SAE	0
13626	AMS2767	Uphill Quenching of Aluminum Alloy Product	2013	SAE	0
13627	J1803	Seat Belt Restraint System Hardware - Glossary of Terms	2013	SAE	0
13628	J1800	Method for Evaluating the Paintable Characteristics of Automotive Sealers (Stabilized Type)	2013	SAE	0
13629	J179	Labeling - Disc Wheels and Demountable Rims - Trucks (Stabilized Type)	2013	SAE	0
13630	J1793	Self-Propelled Sweepers and Scrubbers Tank and Hopper Capacity Rating	2013	SAE	0
13631	J1715-2	Battery Terminology	2013	SAE	0
13632	J1713	Structural Testing of Passenger Car and Truck Disc Brakes	2013	SAE	0
13633	J1747	Recommended Methods for Conducting Corrosion Tests in Hydrocarbon Fuels or Their Surrogates and Their Mixtures with Oxygenated Additives (Stabilized Type)	2013	SAE	0
13634	J1737	Test Procedure to Determine the Hydrocarbon Losses from Fuel Tubes, Hoses, Fittings, and Fuel Line Assemblies by Recirculation (Stabilized Type)	2013	SAE	0
13635	J183	(R) Engine Oil Performance and Engine Service Classification (Other than "Energy Conserving")	2013	SAE	0
13636	AMS2771E	Heat Treatment of Aluminum Alloy Castings	2013	SAE	0
13637	J192	Maximum Exterior Sound Level for Snowmobiles	2013	SAE	0
13638	AMS2773E	Heat Treatment Cast Nickel Alloy and Cobalt Alloy Parts	2013	SAE	0
13639	J1908	Electrical Grounding Practice (Stabilized Type)	2013	SAE	0
13640	J1939-73	Application Layer - Diagnostics	2013	SAE	0

13641	J1939-2	Agricultural and Forestry Off-Road Machinery Control and Communication Network	2013	SAE	0
13642	J1939	(R) Serial Control and Communications Heavy Duty Vehicle Network - Top Level Document	2013	SAE	0
13643	J2041	Reflex Reflectors for Use on Vehicles 2032 mm or More in Overall Width	2013	SAE	0
13644	J2034	Personal Watercraft Ventilation Systems	2013	SAE	0
13645	J2027	Standard for Protective Covers for Gasoline Fuel Line Tubing (Stabilized Type)	2013	SAE	0
13646	J201	In-Service Brake Performance Test Procedure Passenger-Car and Light-Duty Truck	2013	SAE	0
13647	J2012	(R) Diagnostic Trouble Code Definitions - See Also SAE J2012DA	2013	SAE	0
13648	J2012DA	Digital Annex of Diagnostic Trouble Code Definitions and Failure Type Byte Definitions - See Also SAE J2012; Includes Access to Additional Content	2013	SAE	0
13649	J2013	(R) Military Tire Glossary	2013	SAE	0
13650	J2014	(R) Pneumatic Tire/Wheel/Runflat Assembly Qualifications for Military Tactical Wheeled Vehicles	2013	SAE	0
13651	J1985	Fuel Filter - Initial Single-Pass Efficiency Test Method	2013	SAE	0
13652	J2006	Marine Exhaust Hose	2013	SAE	0
13653	J1952	All-Wheel Drive Systems Classification	2013	SAE	0
13654	J1974	Decorative Anodizing Specification for Automotive Applications (Stabilized Type)	2013	SAE	0
13655	J2198	(R) Glossary - Automatic Belt Tensioner	2013	SAE	0
13656	J2139	Tests for Signal and Marking Devices Used on Vehicles 2032 mm or More in Overall Width	2013	SAE	0
13657	J2162	Spark Plug Heat Rating Classifications (Stabilized Type)	2013	SAE	0
13658	J2047	(R) Tire Performance Terminology	2013	SAE	0
13659	J222	Front Position Lamp	2013	SAE	0
13660	AMS3006H	Alcohol-Water Mixtures (Stabilized Type)	2013	SAE	0
13661	J2247	Truck Tractor Power Output for Trailer ABS	2013	SAE	0
13662	J229	Service Brake Structural Integrity Test Procedure - Passenger Car (Stabilized Type)	2013	SAE	0
13663	J2297	Ultraviolet Leak Detection: Stability and Compatibility Criteria of Fluorescent Refrigerant Leak Detection Dyes for Mobile R-134a and R-1234yf (HFO-1234yf) Air-Conditioning Systems	2013	SAE	0
13664	J2277	(R) Shot Peening Coverage Determination	2013	SAE	0
13665	AMS3023A	Fluid, Reference for Testing Polyol Ester (and Diester) Resistant Material	2013	SAE	0
13666	J2330	Walk-Along Work Machines - Braking Systems - Performance Requirements and Test Procedures	2013	SAE	0
13667	J2331	Operators Field of View-Engineering Evaluation	2013	SAE	0
13668	J2332	Marking of Rubber Parts	2013	SAE	0
13669	J2312	(R) Automatic Transmission Intake Filter Test Procedure	2013	SAE	0
13670	J2359	Lubricating Oil, Internal Combustion Engine, Military Combat/Tactical Service	2013	SAE	0
13671	J2361	Lubricating Oil, Internal Combustion Engine, Preservation Break-In	2013	SAE	0
13672	J238	Nut and Conical Spring Washer Assemblies	2013	SAE	0
13673	J2380	Vibration Testing of Electric Vehicle Batteries	2013	SAE	0
13674	J2394	Seven Conductor Cable for ABS Power - Truck and Bus	2013	SAE	0
13675	J2424	Free Motion Headform Impact Tests of Heavy Truck Cab Interiors	2013	SAE	0
13676	J2425	Steering Control Systems - Laboratory Test Procedure Heavy Trucks	2013	SAE	0
13677	J2535	Setting Preload in Heavy-Duty Wheel Bearings	2013	SAE	0
13678	J2519	Guidelines and Procedures for Directional Drilling Tracking Operators	2013	SAE	0
13679	J2520	Classification, Nomenclature, and Specification Definitions for Directional Drilling Tracking Equipment	2013	SAE	0
13680	J2521	(R) Disc and Drum Brake Dynamometer Squeal Noise Test Procedure	2013	SAE	0

13681	J2522	Dynamometer Global Brake Effectiveness (Stabilized Type)	2013	SAE	0
13682	J250	Synthetic Resin Plastic Sealers, Nondrying Type	2013	SAE	0
13683	J2488	SAE No.2 Friction Test Machine 6000 r/min Stepped Power Test	2013	SAE	0
13684	J2481	Dynamic Simulation Sled Testing	2013	SAE	0
13685	J2474	Self Propelled Sweepers and Scrubbers Battery Run-Time	2013	SAE	0
13686	J247	Procedure and Instrumentation for Measuring Acoustic Impulses from Deployment of Automotive Inflatable Devices - Includes Access to Additional Content	2013	SAE	0
13687	J2461	Vehicle Electronic Programming Stations (VEPS) System Specification for Win32	2013	SAE	0
13688	J2551	Recommended Practices for Fluid Conductor Carbon and Alloy Steel Tubing Applications	2013	SAE	0
13689	J2551-1	Recommended Practices for Fluid Conductor Carbon, Alloy and High Strength Low Alloy Steel Tubing Applications-Part 1: Design and Fabrication	2013	SAE	0
13690	J2551-2	Recommended Practices for Fluid Conductor Carbon, Alloy and High Strength Low Alloy Steel Tubing Applications-Part 2: General Specifications and Performance Requirements	2013	SAE	0
13691	J2551-3	Recommended Practices for Fluid Conductor Carbon, Alloy and High Strength Low Alloy Steel Tubing Applications - Part 3: Procurement	2013	SAE	0
13692	J2579	(R) Standard for Fuel Systems in Fuel Cell and Other Hydrogen Vehicles	2013	SAE	0
13693	J2592	Carbon Steel Tubing for General Use - Understanding Nondestructive Testing for Carbon Steel Tubing	2013	SAE	0
13694	J2583	Directional Drilling Planning and Mapping Nomenclature	2013	SAE	0
13695	J2658	Carbon and Steel Alloy Tube Conductor Assemblies for Fluid Power and General Use - Test Methods for Hydraulic Fluid Power Metallic Tube Assemblies	2013	SAE	0
13696	J2691	15 Pole Connector Between Towing Vehicles and Trailers with 12 Volt Nominal Supply	2013	SAE	0
13697	J2706	Hybrid III Six-Year-Old Child Dummy Users Manual	2013	SAE	0
13698	J2601-3	Fueling Protocol for Gaseous Hydrogen Powered Industrial Trucks	2013	SAE	0
13699	J2596	Fastener Part StandardTapping Screws and Metallic Drive Screws (Inch Dimensioned)	2013	SAE	0
13700	J2650	Performance Requirements for Light Emitting Diode (LED) Road Illumination Devices	2013	SAE	0
13701	J2643	Standard Reference Elastomers (SRE) for Characterizing the Effect of Liquids on Vulcanized Rubbers	2013	SAE	0
13702	J2624	Comprehensive Lining Evaluation - Vehicle	2013	SAE	0
13703	J2628	(R) Characterization, Conducted Immunity	2013	SAE	0
13704	J2727	(R) Mobile Air Conditioning System Refrigerant Emission Charts for R-134a and R-1234yf	2013	SAE	0
13705	J2742	Combination 11 Conductors and 4 Pairs ECBS Cable	2013	SAE	0
13706	J2776	(R) Refrigerant Purity and Container Requirements for New HFC-134a 1,1,1,2 - Tetrafluoroethane Refrigerant Used in Mobile Air-Conditioning Systems	2013	SAE	0
13707	J2791	HFC-134a Refrigerant Electronic Leak Detectors, Minimum Performance Criteria	2013	SAE	0
13708	AIR1419B	(R) Inlet Total-Pressure-Distortion Considerations for Gas-Turbine Engines	2013	SAE	0
13709	AMS3100D	Adhesion Promoter For Polysulfide Sealing Compounds	2013	SAE	0
13710	J2788	HFC-134a (R-134a) Recovery/Recycle/Recharging Equipment for Mobile Air-Conditioning Systems	2013	SAE	0
13711	J2843	R-1234yf [HFO-1234yf] Recovery/Recycling/Recharging Equipment for Flammable Refrigerants for Mobile Air-Conditioning Systems	2013	SAE	0
13712	J2844	R-1234yf (HFO-1234yf) New Refrigerant Purity and Container Requirements for Use in Mobile Air-Conditioning Systems	2013	SAE	0
13713	J2845	R-1234yf [HFO-1234yf] and R-744 Technician Training for Service and Containment of Refrigerants Used in Mobile A/C Systems	2013	SAE	0
13714	J2836-6	Use Cases for Wireless Charging Communication for Plug-in Electric Vehicles	2013	SAE	0
13715	J2838	Full Adaptive Forward Lighting Systems	2013	SAE	0
13716	J2834	Ride Index Structure and Development Methodology	2013	SAE	0

13717	J2847-3	Communication for Plug-in Vehicles as a Distributed Energy Resource	2013	SAE	0
13718	J2836-3	Use Cases for Plug-in Vehicle Communication as a Distributed Energy Resource	2013	SAE	0
13719	J2847-1	(R) Communication for Smart Charging of Plug-in Electric Vehicles using Smart Energy Profile 2.0	2013	SAE	0
13720	J2863	Automotive Trailer Tow Connector	2013	SAE	0
13721	J2886	Design Review Based on Failure Modes (DRBFM)	2013	SAE	0
13722	J2888	R-1234yf Service Hose, Fittings and Couplers for Mobile Refrigerant Systems Service Equipment	2013	SAE	0
13723	AMS3110K	Primer, Zinc Chromate (Stabilized Type)	2013	SAE	0
13724	J2911	(R) Procedure for Certification that Requirements for Mobile Air Conditioning System Components, Service Equipment, and Service Technician Training Meet SAE J Standards	2013	SAE	0
13725	J2912	Performance Requirements for R-134a and R-1234yf Refrigerant Diagnostic Identifiers (RDI) for Use with Mobile Air Conditioning Systems	2013	SAE	0
13726	J2899	Brake Adjustment Limit for Air Brake Actuators	2013	SAE	0
13727	J2892	Graphics - Based Service Information	2013	SAE	0
13728	J2892DA	Graphics Based Service Information - See Also SAE J2892; Includes Access to Additional Content	2013	SAE	0
13729	AMS3122G	Enamel, Phenolic Black Baking (Stabilized Type)	2013	SAE	0
13730	J2929	Safety Standard for Electric and Hybrid Vehicle Propulsion Battery Systems Utilizing Lithium-based Rechargeable Cells	2013	SAE	0
13731	J291	Determination of Brake Fluid Temperature (Stabilized Type)	2013	SAE	0
13732	J2921	H-III5F Chest Jacket Harmonization	2013	SAE	0
13733	J2939	SAE Child Passenger Safety Glossary	2013	SAE	0
13734	J2953-1	NULL	2013	SAE	0
13735	AMS3126D	Aluminum Coating Material, Corrosion and Heat Resistant Thermosetting, Inorganic Binder (Stabilized Type)	2013	SAE	0
13736	J2971	Truck and Bus Aerodynamic Device and Concept Terminology	2013	SAE	0
13737	J297	Operator Controls on Industrial Equipment (Stabilized Type)	2013	SAE	0
13738	J2967	Ready Mixed Concrete Truck Recommended Practice	2013	SAE	0
13739	J2965	Glossary of Terms in Use in Green Innovation and Sustainable Practices in the Automotive Industry	2013	SAE	0
13740	J2966	Guidelines for Aerodynamic Assessment of Medium and Heavy Commercial Ground Vehicles Using Computational Fluid Dynamics	2013	SAE	0
13741	AMS3130H	Paint, Vehicle, Glyceryl Phthalate (Stabilized Type)	2013	SAE	0
13742	J2975	Measurement of Copper and Other Elements in Brake Friction Materials	2013	SAE	0
13743	J2984	Identification of Transportation Battery Systems for Recycling Recommended Practice	2013	SAE	0
13744	J2982	Riding Range Test Procedure for On-Highway Electric Motorcycles	2013	SAE	0
13745	J2999	Determination of the Effective Projected Luminous Lens Area (EPLLA) by Design Analysis	2013	SAE	0
13746	AMS3135G	Coating Material, Silicone Resin 400 Ï°F (205 Ï°C) (Stabilized Type)	2013	SAE	0
13747	J2996	Small Diameter Fuel Line Permeation Test Procedure	2013	SAE	0
13748	J300	Engine Oil Viscosity Classification	2013	SAE	0
13749	J3003	Dimensional Specifications for General Service Sealed Lighting Units	2013	SAE	0
13750	J3014	Highly Accelerated Failure Test (HAFT) for Automotive Lamps with LED Assembly	2013	SAE	0
13751	J385	Motor Vehicle Seat Belt Anchorages - Performance Requirements	2013	SAE	0
13752	J384	(R) Motor Vehicle Seat Belt Anchorages - Test Procedure	2013	SAE	0
13753	J369	Flammability of Polymeric Interior Materials - Horizontal Test Method	2013	SAE	0
13754	AMS3140B	Coating, Urethane, Aliphatic Isocyanate Polytetrafluoroethylene Filled (Stabilized Type)	2013	SAE	0
13755	J356	Welded Flash-Controlled Low-Carbon Steel Tubing Normalized for Bending, Double Flaring, and Beading	2013	SAE	0

13756	J318	Automotive Air Brake Line Couplers (Gladhands)	2013	SAE	0
13757	J339	Seat Belt Hardware Webbing Abrasion Test Procedure	2013	SAE	0
13758	J442	(R) Test Strip, Holder, and Gage for Shot Peening	2013	SAE	0
13759	J383	(R) Motor Vehicle Seat Belt Anchorages - Design Recommendations	2013	SAE	0
13760	AMS3145D	Paint, Marking Epoxy (Stabilized Type)	2013	SAE	0
13761	J493	Rod Ends and Clevis Pins (Stabilized Type)	2013	SAE	0
13762	J517	Hydraulic Hose	2013	SAE	0
13763	J518	Hydraulic Flanged Tube, Pipe, and Hose Connections, 4-Bolt Split Flange Type	2013	SAE	0
13764	J518-1	Hydraulic Flanged Tube, Pipe, and Hose Connections, 4-Screw Flange Connection Part 1: 3.5 MPa to 35 MPa (Code 61)	2013	SAE	0
13765	J518-2	Hydraulic Flanged Tube, Pipe, and Hose Connections, 4-Screw Flange Connection Part 2: 42 MPa (Code 62)	2013	SAE	0
13766	J476	Dryseal Pipe Threads (Stabilized Type)	2013	SAE	0
13767	J631	(R) Radiator Nomenclature	2013	SAE	0
13768	J549	Preignition Rating of Spark Plugs	2013	SAE	0
13769	J548-1	Spark Plugs (Stabilized Type)	2013	SAE	0
13770	J548-2	Spark Plug Installation Sockets (Stabilized Type)	2013	SAE	0
13771	J532	Automotive Straight Thread Filler and Drain Plugs	2013	SAE	0
13772	J541	Voltage Drop for Starting Motor Circuits	2013	SAE	0
13773	J529	FUEL INJECTION TUBING	2013	SAE	0
13774	J527	Brazed Double Wall Low-Carbon Steel Tubing	2013	SAE	0
13775	J744	Hydraulic Pump and Motor Mounting and Drive Dimensions	2013	SAE	0
13776	J814	(R) Coolants for Internal Combustion Engines	2013	SAE	0
13777	J818	Rated Operating Load for Loaders	2013	SAE	0
13778	J82	Mechanical and Quality Requirements for Machine Screws (Stabilized Type)	2013	SAE	0
13779	J702	Brake and Electrical Connection Locations - Truck-Tractor and Truck-Trailer (Stabilized Type)	2013	SAE	0
13780	J674	(R) Safety Glazing Materials - Motor Vehicles and Motor Vehicle Equipment	2013	SAE	0
13781	J663	Rivets for Brake Linings and Bolts for Brake Blocks - Truck and Bus (Stabilized Type)	2013	SAE	0
13782	J919	Sound Measurement - Off-Road Work Machines Operator - Singular Type (Stabilized Type)	2013	SAE	0
13783	J920	Technical Publications for Off-Road Self-Propelled Work Machines	2013	SAE	0
13784	J933	Mechanical and Quality Requirements for Tapping Screws (Stabilized Type)	2013	SAE	0
13785	J973	Ignition System Measurements Procedure (Stabilized Type)	2013	SAE	0
13786	J951	Florida Exposure of Automotive Finishes	2013	SAE	0
13787	J88	Sound Measurement - Off-Road Work Machines - Exterior (Stabilized Type)	2013	SAE	0
13788	J881	(R) Lifting Crane Sheave and Drum Sizes	2013	SAE	0
13789	J849	Connection and Accessory Locations for Towing Multiple Trailers - Truck and Bus (Stabilized Type)	2013	SAE	0
13790	J845	(R) Optical Warning Devices for Authorized Emergency, Maintenance, and Service Vehicles	2013	SAE	0
13791	J846	Coding Systems for Identification of Fluid Conductors and Connectors	2013	SAE	0
13792	J843	Brake System Road Test Code - Passenger Car and Light-Duty Truck (Stabilized Type)	2013	SAE	0
13793	AMS3217-5C	Test Slabs, Fluorosilicone (FVMQ) 55 - 65	2013	SAE	0
13794	MA2002B	Impulse Testing of Hydraulic Hose, Tubing and Fitting Assemblies	2013	SAE	0
13795	JA6097	Using a System Reliability Model to Optimize Maintenance Costs A Best Practices Guide	2013	SAE	0
13796	MA2119B	ADAPTER, ASSEMBLY - PORT CONNECTION RING LOCKED TO 60ï° FLARELESS TUBE END, METRIC	2013	SAE	0

13797	AMS3227H	Acrylonitrile Butadiene (NBR) Rubber Hot Oil and Coolant Resistant, Low Swell 55 - 65	2013	SAE	0
13798	AMS3229J	Acrylonitrile Butadiene (NBR) Rubber Hot Oil Resistant, Low Swell 75-85	2013	SAE	0
13799	MA3304B	BOLT-MACHINE, HEX HEAD, DRILLED, PD SHANK, MJ THREAD, AMS 6322, CADMIUM PLATE, METRIC (Stabilized Type)	2013	SAE	0
13800	AMS3238G	Butyl (IIR) Rubber Phosphate Ester Resistant 65 - 75	2013	SAE	0
13801	MA4534A	Socket Wrenches, Hand (Metric) (Stabilized Type)	2013	SAE	0
13802	MA4535A	Wrenches, Box and Open End Combination Twelve Point, High Strength, Thin Wall, Metric (Stabilized Type)	2013	SAE	0
13803	MA3430B	NUT, SELF LOCKING-REDUCED HEX DRIVE, AMS 6322, CADMIUM PLATED, MJ THREAD, METRIC (Stabilized Type)	2013	SAE	0
13804	MA3425B	NUT, CASTELLATED, HEX - UNS G87400, CADMIUM PLATE, MJ THREAD, METRIC (Stabilized Type)	2013	SAE	0
13805	MA3427B	NUT, CASTELLATED, HEX - THIN, UNS G87400, CADMIUM PLATE, MJ THREAD, METRIC (Stabilized Type)	2013	SAE	0
13806	MA3421B	NUT, PLAIN HEX - DRLD, UNS G87400, CADMIUM PLATE, MJ THREAD, METRIC (Stabilized Type)	2013	SAE	0
13807	USCAR-2	Performance Specification for Automotive Electrical Connector Systems - Revision 6	2013	SAE	0
13808	USCAR-17	PERFORMANCE SPECIFICATION FOR AUTOMOTIVE RF CONNECTOR SYSTEMS - Revision 5	2013	SAE	0
13809	USCAR-24	USCAR INFLATOR TECHNICAL REQUIREMENTS AND VALIDATION - REVISION 2	2013	SAE	0
13810	USCAR-33	Specification for Testing Automotive LED Modules	2013	SAE	0
13811	AIR1082C	Fluid-System-Component Specification Preparation Criteria (Stabilized Type)	2013	SAE	0
13812	MS1011	Lubricants, Industrial Oils and Related Products - Type X (Greases) - Specification	2013	SAE	0
13813	MS1003-2	Lubricants, Industrial Oils, and Related Products Type D Compressor Oils Specification - Addendum	2013	SAE	0
13814	MS1000	Lubricants, Industrial Oils, and Related ProductsClassification	2013	SAE	0
13815	MA4360A	(R) Metric Wrenches: 6 & 12 Point Flare Nut, Non-distorting	2013	SAE	0
13816	AMS3279D	Sealing Compound, Sprayable For Integral Fuel Tanks and Fuel Cell Cavities, For Intermittent Use to 350 Ï°F (177 Ï°C) (Stabilized Type)	2013	SAE	0
13817	USCAR-36	Dimensional and Performance Specification for After-Market Gasoline Engine Oil Filters	2013	SAE	0
13818	USCAR-8	Grain Flow Pattern for Bolts, Screws, and Studs - Revision 3	2013	SAE	0
13819	AMS3346G	Silicone Rubber 1000 psi (6.89 MPa) Minimum Tensile Strength 55 - 65 Durometer	2013	SAE	0
13820	AMS3379	Sealing Compound, Polysulfide Rubber Preformed Strips for Sealing Removable Doors, Skins, and Panels	2013	SAE	0
13821	AMS3374D	Sealing Compound Aircraft Firewall, Silicone	2013	SAE	0
13822	AMS3384	Rubber, Fluorocarbon Elastomer (FKM) 70 to 80 Hardness, Low Temperature Sealing Tg -22 Ï°F (-30 Ï°C) For Elastomeric Shapes or Parts in Gas Turbine Engine Oil, Fuel and Hydraulic Systems	2013	SAE	0
13823	AMS3799-2C	Webbing, Tubular, Low Modulus Aramid 3/4 (19) Wide, 2300 (10 231) Breaking Strength	2013	SAE	0
13824	AMS3799-3C	Webbing, Tubular, Low Modulus Aramid 1 (25) Wide, 4000 (17 793) Breaking Strength	2013	SAE	0
13825	AMS3799-4C	Webbing, Tubular, Low Modulus Aramid 3-3/16 (81) Wide, 2250 (10 008) Breaking Strength	2013	SAE	0
13826	AIR1813B	The Coanda/Refraction Concept for Gas Turbine Engine Test Cell Noise Suppression (Stabilized Type)	2013	SAE	0
13827	AIR1815A	Safe Carriage of Impaired and Disabled Passengers	2013	SAE	0
13828	AMS3778-2B	Tape, Woven, Nylon 290 Pounds Force (1290 N)	2013	SAE	0
13829	AMS3782-1B	Webbing, Textile, Tubular, Para-Aramid Intermediate Modulus 0.25 ounce per linear yard (9.6 g/linear m)	2013	SAE	0
13830	AMS3782-2B	NULL	2013	SAE	0
13831	AMS3782-3B	Webbing, Textile, Tubular, Para-Aramid Intermediate Modulus 0.35 ounce per linear yard (14 g/linear m)	2013	SAE	0
13832	AMS3782-4B	Webbing, Textile, Tubular, Para-Aramid Intermediate Modulus 0.50 ounce per linear yard (20 g/linear m)	2013	SAE	0
13833	AMS3782-5B	Webbing, Textile, Tubular, Para-Aramid Intermediate Modulus 0.70 ounce per linear yard (28 g/linear m)	2013	SAE	0
13834	AMS3787-8B	NULL	2013	SAE	0

13835	AMS3793-10A	Tape and Webbing, Textile, Para-Aramid Intermediate Modulus 5/16 Inch (7.9 mm), 0.053 Ounces per Yard (1.64 g/m)	2013	SAE	0
13836	AMS3793-11A	Tape and Webbing, Textile, Para-Aramid Intermediate Modulus 3/8 Inch (9.5 mm), 0.035 Ounces per Yard (1.09 g/m)	2013	SAE	0
13837	AMS3793-12A	Tape and Webbing, Textile, Para-Aramid Intermediate Modulus 5/8 Inch (15.9 mm), 0.25 Ounces per Yard (7.75 g/m)	2013	SAE	0
13838	AMS3793-1B	Tape and Webbing, Textile, Para-Aramid Intermediate Modulus 1/2 Inch (12.5 mm), 0.06 to 0.56 Ounces per Yard (1.9 to 17.4 g/m)	2013	SAE	0
13839	AMS3793-2B	Tape and Webbing, Textile, Para-Aramid Intermediate Modulus 9/16 Inch (14 mm), 0.08 to 0.13 Ounces per Yard (2.5 to 4.0 g/m)	2013	SAE	0
13840	AMS3793-3B	Tape and Webbing, Textile, Para-Aramid Intermediate Modulus 3/4 Inch (19 mm), 0.11 to 0.60 Ounces per Yard (3.4 to 18.6 g/m)	2013	SAE	0
13841	AMS3793-4B	Tape and Webbing, Textile, Para-Aramid Intermediate Modulus 1 Inch (25 mm), 0.08 to 1.65 Ounces per Yard (2.5 to 51.2 g/m)	2013	SAE	0
13842	AMS3793-8B	Tape and Webbing, Textile, Para-Aramid Intermediate Modulus 1-3/4 Inches (44 mm), 0.17 to 2.50 Ounces per Yard (5.3 to 77.5 g/m)	2013	SAE	0
13843	AMS3793-9B	Tape and Webbing, Textile, Para-Aramid Intermediate Modulus 2.00 Inches (50 mm), 0.12 to 1.10 Ounces per Yard (3.7 to 34.1 g/m)	2013	SAE	0
13844	AMS3793B	Tape and Webbing, Textile, Para-Aramid Intermediate Modulus (Stabilized Type)	2013	SAE	0
13845	AMS3793-6B	Tape and Webbing, Textile, Para-Aramid Intermediate Modulus 1-1/4 Inches (31 mm), 0.23 Ounces per Yard (7.1 g/m)	2013	SAE	0
13846	AMS3793-7B	Tape and Webbing, Textile, Para-Aramid Intermediate Modulus 1-1/2 Inches (37.5 mm), 0.12 to 0.47 Ounces per Yard (3.7 to 14.6 g/m)	2013	SAE	0
13847	AMS4016M	Aluminum Alloy, Sheet and Plate 2.5Mg - 0.25Cr (5052-H32) Strain Hardened, Quarter-Hard, and Stabilized - UNS A95052	2013	SAE	0
13848	AMS3915	Advanced Composites Prepreg Nominal 250 Ï°F Cure â Glass Fiber and Epoxy Resin, 7781 Weave Fabric	2013	SAE	0
13849	AIR1918A	Comparison of Hydraulic System Cleanliness Procedures and Requirements for Ten Aerospace Companies (Stabilized Type)	2013	SAE	0
13850	AMS4132G	Aluminum Alloy, Die and Hand Forgings, Rolled Rings, and Forging Stock 2.3Cu - 1.6Mg - 1.1Fe - 1.0Ni - 0.18Si - 0.07Ti (2618-T61) Solution and Precipitation Heat Treated - UNS A92618	2013	SAE	0
13851	AMS4160H	Aluminum Alloy, Extrusions 1.0Mg - 0.60Si - 0.28Cu - 0.20Cr (6061-O) Annealed - UNS A96061	2013	SAE	0
13852	AMS4161H	Aluminum Alloy, Extrusions 1.0Mg - 0.60Si - 0.28Cu - 0.20Cr (6061-T4) Solution Heat Treated and Naturally Aged - UNS A96061	2013	SAE	0
13853	AMS4172F	Aluminum Alloy, Extrusions 1.0Mg - 0.60Si - 0.28Cu - 0.20Cr (6061-T4511 or T4510) Solution Heat Treated and Stress Relieved by Stretching - UNS A96061	2013	SAE	0
13854	AMS4173F	Aluminum Alloy, Extrusions 1.0Mg - 0.60Si - 0.30Cu - 0.20Cr (6061-T6511 or T6510) Solution Heat Treated, Stress Relieved by Stretching, Straightened, and Precipitation Heat Treated - UNS A96061	2013	SAE	0
13855	AMS4150M	Aluminum Alloy, Extrusions and Rings 1.0Mg - 0.60Si - 0.28Cu - 0.20Cr - (6061-T6) Solution and Precipitation Heat Treated - UNS A96061	2013	SAE	0
13856	AMS4236C	Aluminum Alloy Castings 4.6Cu - 0.35Mn - 0.25Mg - 0.22Ti (A206.0-T4) Solution Heat Treated and Naturally Aged. - UNS A12060	2013	SAE	0
13857	AIR1116B	Fluid Properties (Stabilized Type)	2013	SAE	0
13858	AMS4271A	Aluminum Alloy, Sheet and Plate 4.4Cu - 1.5Mg - 0.60Mn; (2024-T861), Solution Heat Treated and Cold Worked, and Artificially Aged (Stabilized Type) - UNS A92024	2013	SAE	0
13859	AIR4015D	Icing Technology Bibliography (Stabilized Type)	2013	SAE	0
13860	AMS4295D	Aluminum Alloy, Sheet and Plate 6.3Cu - 0.30Mn - 0.06Ti - 0.10V - 0.18Zr (2219 - O, F, T31, T351, T37, T81, T851, T87) (Stabilized Type) - UNS A92219	2013	SAE	0
13861	AMS4426B	Castings, Sand, Magnesium Alloy 5.1Y - 3.0Re - 0.70Zr (WE54A - T6) Solution and Precipitation Heat Treated - UNS M18410	2013	SAE	0
13862	AMS4459A	Aluminum Alloy, Extrusion 2.7Cu - 1.8Li - 0.7Zn - 0.3Mn - 0.3Mg - 0.08Zr (2099-T81) Solution Heat Treated, Stress Relieved by Stretching 1 to 3% and Aged	2013	SAE	0

13863	AMS4371A	Magnesium Alloy, Plate 4.0Y - 2.25Nd - 0.5Zr (WE43C - T5) Precipitation Heat Treated - UNS M18434	2013	SAE	0
13864	AIR4093A	Compendium of Gas Properties (Stabilized Type)	2013	SAE	0
13865	AMS4533D	Copper-Beryllium Alloy, Bars and Rods 98Cu - 1.9Be Solution and Precipitation Heat Treated (TF00, formerly AT) - UNS C17200	2013	SAE	0
13866	AMS4534C	Copper-Beryllium Alloy, Bars and Rods 98Cu - 1.9Be Solution Heat Treated, Cold Worked, and Precipitation Heat Treated (TH04, formerly HT) - UNS C17200	2013	SAE	0
13867	AMS4478	Aluminum Alloy, Sheet and Plate, Alclad 4.4Cu - 1.5Mg - 0.60Mn (Alclad 2024, -T81 Sheet, -T851 Plate) Solution Heat Treated, Cold Worked and Artificially Aged - UNS A82024	2013	SAE	0
13868	AMS4475A	Aluminum Alloy, Coiled Sheet, Alclad 4.4Cu 1.5Mg 0.60Mn (Alclad 2024; -T4 Coiled Sheet) Solution Heat Treated - UNS A82024	2013	SAE	0
13869	AMS4476	Aluminum Alloy, Extrusions 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (7075-O) Annealed - UNS A97075	2013	SAE	0
13870	AMS4469	Aluminum Alloy Tubing, Seamless, Drawn 1.8 Cu - 1.0 Mg - 0.8 Si - 0.20 Cr Solution Heat Treated, Stress-Relieved by Stretching, and Aged (2013-T4511) - UNS A92013	2013	SAE	0
13871	AMS4483E	Magnesium Alloy Castings, Permanent Mold 10Al (AM100A-T6) Solution and Precipitation Heat Treated - UNS M10100	2013	SAE	0
13872	AMS4484L	Magnesium Alloy Castings, Permanent Mold 9.0Al - 2.0Zn (AZ92A-T6) Solution and Precipitation Heat Treated - UNS M11920	2013	SAE	0
13873	AMS4650M	Copper-Beryllium Alloy, Bars, Rods, Shapes, and Forgings 98Cu - 1.9Be Solution Heat Treated TB00 (A) - UNS C17200	2013	SAE	0
13874	AMS4778K	Nickel Alloy, Brazing Filler Metal 92Ni - 4.5Si - 3.1B 1800 to 1900 Ï°F Solidus-Liquidus Range - UNS N99630	2013	SAE	0
13875	AMS4902K	Titanium Sheet, Strip, and Plate Commercially-Pure Annealed 40.0 ksi (276 MPa) Yield Strength - UNS R50400	2013	SAE	0
13876	AMS4907K	Titanium Alloy, Sheet, Strip, and Plate 6.0Al - 4.0V, Extra Low Interstitial Annealed - UNS R56401	2013	SAE	0
13877	AMS4915L	Titanium Alloy Sheet, Strip, and Plate 8Al - 1V - 1Mo Single Annealed - UNS R54810	2013	SAE	0
13878	AMS4939B	Titanium Alloy Sheet, Strip, and Plate 3Al - 8V - 6Cr - 4Mo - 4Zr Solution Heat Treated - UNS R58640	2013	SAE	0
13879	AMS4990B	Titanium Alloy Sheet, Strip, and Plate 6Al - 6V - 2Sn Solution Heat Treated and Aged - UNS R56620	2013	SAE	0
13880	AMS4993E	Titanium Alloy, Blended Powder Compacts, Sintered 6Al - 4V - UNS R56400	2013	SAE	0
13881	AMS4998E	Titanium Alloy Powder 6Al - 4V - UNS R56400	2013	SAE	0
13882	AMS4966P	Titanium Alloy, Forgings 5Al - 2.5Sn Annealed, 110 ksi (758 MPa) Yield Strength - UNS R54520	2013	SAE	0
13883	AMS4949A	Titanium, Sheet, Laminated, Surface Bonded	2013	SAE	0
13884	AMS5336H	Steel, Investment Castings 0.95Cr - 0.20Mo (0.25 - 0.35C) (4130 Mod) Normalized or Normalized and Tempered - UNS J13046	2013	SAE	0
13885	AMS5361F	Steel Castings, Sand and Centrifugal, Corrosion and Heat-Resistant 18.5Cr - 13.5Ni - 2.1Mo Solution Heat Treated - UNS J93072	2013	SAE	0
13886	AMS5365E	Steel Castings, Sand, Corrosion and Heat Resistant 24.5Cr - 20.5Ni Solution Heat Treated (Stabilized Type) - UNS S92411	2013	SAE	0
13887	AMS5349E	Steel, Corrosion-Resistant, Investment Castings 13Cr Free Machining; Hardened and Tempered - UNS J91161	2013	SAE	0
13888	AMS5338G	Steel, Investment Castings 0.95Cr - 0.20Mo (0.35 - 0.45C) (SAE 4140 Mod) Normalized or Normalized and Tempered - UNS J14046	2013	SAE	0
13889	AMS5377G	Nickel Alloy, Corrosion and Heat-Resistant, Investment Castings 73Ni - 12Cr - 4.5Mo - 2.0Cb - 0.70Ti - 0.05C - 6.0Al - 0.010B - 0.10Zr Vacuum Cast, As-Cast - UNS N07713	2013	SAE	0
13890	AMS5541G	Nickel Alloy, Corrosion and Heat Resistant, Sheet and Strip 73Ni - 15.5Cr - 2.4Ti - 0.7Al - 7.0Fe Annealed - UNS N07722	2013	SAE	0
13891	AIR4496A	Cabin Stowage of Personal Wheelchairs (Stabilized Type)	2013	SAE	0
13892	AMS5604G	Steel, Corrosion Resistant, Sheet, Strip, and Plate 16.5Cr - 4.0Ni - 4.0Cu - 0.30Cb Solution Heat Treated, Precipitation Hardenable - UNS S17400	2013	SAE	0
13893	AMS5622F	Steel, Corrosion-Resistant, Bars, Wire, Forgings, Tubing, and Rings 16Cr - 4.0Ni - 0.30Cb - 4.0Cu Solution Heat Treated, Precipitation Hardenable Consumable Electrode Remelted - UNS S17400	2013	SAE	0
13894	AMS5643-H1025	Steel, Corrosion-Resistant, Bars, Wire, Forgings, Tubing and Rings 16Cr û 4.0Ni û 0.30Cb (Nb) û 4.0Cu Solution and Precipitation Heat Treated (H1025) (Composition similar to UNS S17400)	2013	SAE	0

13895	AMS5643-H1150	Steel, Corrosion-Resistant, Bars, Wire, Forgings, Tubing and Rings 16Cr û 4.0Ni û 0.30Cb (Nb) û 4.0Cu Solution and Precipitation Heat Treated (H1150) (Composition similar to UNS S17400)	2013	SAE	0
13896	AMS5643T	Steel, Corrosion-Resistant, Bars, Wire, Forgings, Tubing, and Rings 16Cr - 4.0Ni - 0.30Cb (Nb)- 4.0Cu Solution Heat Treated, Precipitation Hardenable - UNS S17400	2013	SAE	0
13897	AMS5630L	Steel, Corrosion-Resistant, Bars, Wire, and Forgings 17Cr - 0.52Mo (0.95 - 1.20C) (440C) - UNS S44004	2013	SAE	0
13898	AMS5582F	Nickel Alloy, Corrosion and Heat-Resistant, Seamless Tubing 72Ni - 15.5Cr - 0.95Cb (Nb) - 2.5Ti - 0.70Al - 7.0Fe Solution Heat Treated, Precipitation Hardenable to 155 ksi (1069 MPa) Tensile Strength - UNS N07750	2013	SAE	0
13899	AMS5583E	Nickel Alloy, Corrosion and Heat-Resistant, Seamless Tubing 72Ni - 15.5Cr - 0.95Cb (Nb) - 2.5Ti - 0.70Al - 7.0Fe Vacuum Melted Solution Heat Treated, Precipitation Hardenable to 170 ksi (1172 MPa) Tensile Strength - UNS N07750	2013	SAE	0
13900	AMS5592F	Iron-Nickel Alloy, Corrosion and Heat-Resistant, Sheet, Strip, and Plate 44Fe - 18.5Cr - 35Ni - 1.15Si Solution Heat Treated - UNS N08330	2013	SAE	0
13901	AMS5589F	Nickel Alloy, Corrosion and Heat-Resistant, Seamless Tubing 52.5Ni - 19Cr - 3.0Mo - 5.1Cb (Nb) - 0.90Ti - 0.50Al - 18Fe Consumable Electrode Remelted or Vacuum Induction Melted 1775 Ï°F (968 Ï°C) Solution Heat Treated - Composition similar to UNS N07718	2013	SAE	0
13902	AMS5605F	Nickel Alloy, Corrosion and Heat-Resistant, Sheet, Strip, and Plate 41.5Ni - 16Cr - 37Fe - 2.9Cb (Nb) - 1.8Ti Consumable Electrode or Vacuum Induction Melted 1800 Ï°F (982 Ï°C) Solution Heat Treated - UNS N09706	2013	SAE	0
13903	AMS5606F	Alloy, Corrosion and Heat-Resistant, Sheet, Strip, and Plate 41.5Ni - 16Cr - 37Fe - 2.9Cb - 1.8Ti Consumable Electrode or Vacuum Induction Melted 1750 Ï°F (954 Ï°C) Solution Heat Treated - UNS N09706	2013	SAE	0
13904	AMS5574F	Steel, Corrosion and Heat Resistant, Seamless Tubing 23Cr - 13.5Ni (309S) Solution Heat Treated - UNS S30908	2013	SAE	0
13905	AMS5575P	Steel, Corrosion and Heat-Resistant, Welded Tubing 18Cr - 10.5Ni - 0.70Cb (Nb) (347) Solution Heat Treated - UNS S34700	2013	SAE	0
13906	AMS5565L	Steel, Corrosion Resistant, Welded Tubing 19Cr - 9.5Ni (304) Solution Heat Treated - UNS S30400	2013	SAE	0
13907	AMS5570Q	Steel, Corrosion and Heat-Resistant, Seamless Tubing 18Cr - 11Ni - 0.40Ti (321) Solution Heat Treated - UNS S32100	2013	SAE	0
13908	AMS5555E	Nickel and Wire Ribbon 99Ni - UNS N02205	2013	SAE	0
13909	AIR4725A	Long-Term Storage Reliability of High Pressure Gas Containers for Pneumatic Actuation Systems (Stabilized Type)	2013	SAE	0
13910	AMS5659-H1025A	Steel, Corrosion-Resistant, Bars, Wire, Forgings, Rings, and Extrusions 15Cr - 4.5Ni - 0.30Cb (Nb) - 3.5Cu Consumable Remelted, Solution and Precipitation Heat Treated (H1025) (Composition similar to UNS S15500)	2013	SAE	0
13911	AIR4713A	Aerospace - Chlorinated Solvent Contamination of MIL-H-5606/MIL-H-83282 Vehicle Hydraulic Systems (Stabilized Type)	2013	SAE	0
13912	AMS5666G	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Forgings, Extrusions, and Rings 62Ni - 21.5Cr - 9.0Mo - 3.65 Cb (Nb) Annealed - UNS N06625	2013	SAE	0
13913	AIR4777B	Nondestructive Inspection (NDI) Methods Used During Production and Operation of Aircraft Wheels and Brakes	2013	SAE	0
13914	AMS5782G	Steel, Corrosion and Heat-Resistant, Welding Wire 20.5Cr - 9.0Ni - 0.50Mo - 1.5W - 1.2Cb - 0.20Ti Vacuum Induction Melted - UNS S63197	2013	SAE	0
13915	AMS5857C	Steel, Corrosion Resistant, Bars and Wire 19Cr - 10Ni (SAE 30304) High Yield Strength Solution Heat Treated and Cold Worked - UNS S30400	2013	SAE	0
13916	AMS5804H	Steel, Corrosion and Heat-Resistant, Welding Wire 15Cr - 25.5Ni - 1.3Mo - 2.2Ti - 0.006B - 0.30V - UNS S66286 and K66286	2013	SAE	0
13917	AMS5818C	Steel, Corrosion and Heat Resistant, Welding Wire 9.0Mn - 20Cr - 6.2Ni - 0.20N - UNS S21980	2013	SAE	0
13918	AMS5899B	Steel, Corrosion-Resistant, Bars, Wire, and Forgings 17Cr - 0.52Mo (0.95 - 1.20C) Powder Metallurgy Product, Hot Isostatically Pressed - UNS S44004	2013	SAE	0
13919	AMS5919A	Cobalt-Nickel Alloy, Corrosion and Heat-Resistant, Round Bars 19Cr - 36Co - 25Ni - 7.0Mo - 0.50Cb (Nb) - 2.9Ti - 0.20Al - 9.0Fe Vacuum Induction Plus Vacuum Consumable Electrode Melted Solution Heat Treated and Work Strengthened, Modified Strength - UNS R	2013	SAE	0
13920	AMS5920A	Cobalt-Nickel Alloy, Corrosion and Heat-Resistant, Round Bars 19Cr - 36Co - 25Ni - 7.0Mo - 0.50Cb (Nb) - 2.9Ti - 0.20Al - 9.0Fe Vacuum Induction Plus Vacuum Consumable Electrode Melted Solution Heat Treated, Work Strengthened and Aged, Modified Strength -	2013	SAE	0

13921	AMS5880E	Steel, Corrosion-Resistant, Bars, Wire, and Forgings 17Cr 0.52Mo (0.95 1.20C) (SAE 51440C) for Bearing Applications (Stabilized Type) - UNS S44004	2013	SAE	0
13922	AMS5862K	Steel, Corrosion-Resistant, Sheet, Strip, and Plate 15Cr - 4.5Ni - 0.30Cb (Nb) - 3.5Cu Consumable Electrode Remelted, Solution Heat Treated Precipitation-Hardenable - UNS S15500	2013	SAE	0
13923	AMS5864D	Steel, Corrosion-Resistant, Plate 13Cr - 8.0Ni - 2.2Mo - 1.1Al Vacuum Induction Plus Consumable Electrode Melted Solution Heat Treated, Precipitation Hardenable - UNS S13800	2013	SAE	0
13924	AMS5955	Steel, Corrosion-Resistant, Bars, Wire, and Forgings 10Cr - 12Ni - 2Mo 1.45Al 1.15Ti Vacuum Induction Plus Vacuum Consumable Electrode Melted Solution Heat Treated, Precipitation Hardenable - UNS S11902	2013	SAE	0
13925	AMS5938B	Steel, Corrosion-Resistant, Bars, Wire, and Forgings 10Cr - 12Ni - 2Mo 1.45Al 1.15Ti Vacuum Induction Plus Vacuum Consumable Electrode Melted Solution Heat Treated, Precipitation Hardenable - UNS S11902	2013	SAE	0
13926	AMS5966B	Nickel Alloy, Corrosion and Heat Resistant, Welding Wire 50Ni - 20Cr - 20Co - 5.9Mo - 2.2Ti - 0.45Al Consumable Electrode or Vacuum Induction Melted - UNS N07263	2013	SAE	0
13927	AMS5960	Nickel Alloy, Corrosion and Heat-Resistant Sheet, Strip, and Foil Ni - 18Cr - 2.8Mo - 5.5Cb(Nb) - 0.70Ti - 1.50Al - 10Fe - 9Co - 1W Vacuum Induction Melted and Consumable Electrode Remelted Solution Heat Treated - UNS N07818	2013	SAE	0
13928	AMS5923	Steel, Corrosion-Resistant, Bars, Wire, and Forgings 17Cr - 0.52Mo (0.95 - 1.20C) (440C) for Bearing Applications - UNS S44004	2013	SAE	0
13929	AMS6371K	Steel, Mechanical Tubing 0.95Cr - 0.20Mo (0.28 - 0.33C) (SAE 4130) - UNS G41300	2013	SAE	0
13930	AMS6372M	Steel, Mechanical Tubing 0.95Cr 0.20Mo (0.33 0.38C) (SAE-4135) - UNS G41350	2013	SAE	0
13931	AMS6360M	Steel Tubing, Seamless 0.95Cr - 0.20Mo (0.28 - 0.33C) (SAE 4130) Normalized or Stress Relieved - UNS G41300	2013	SAE	0
13932	AMS6346B	Steel Bars 0.95Cr - 0.20Mo (0.28 to 0.33C) (SAE 4130) Hardened and Tempered, 125 Ksi (862 MPa) Tensile Strength - UNS G41300	2013	SAE	0
13933	AMS6348D	Steel, Bars 0.95Cr - 0.20Mo (0.28 to 0.33C) (SAE 4130) Normalized - UNS G41300	2013	SAE	0
13934	AMS6352K	Steel Sheet, Strip, and Plate 0.95Cr - 0.20Mo (0.33 - 0.38C) (SAE 4135) - UNS G41350	2013	SAE	0
13935	AMS6290J	Steel, Bars and Forgings, Carburizing 1.8Ni - 0.25Mo (0.11 - 0.17C) (SAE 4615) - UNS G46150	2013	SAE	0
13936	AMS6381H	Steel, Mechanical Tubing 0.95Cr - 0.20Mo (0.38 - 0.43C) (SAE 4140) - UNS G41400	2013	SAE	0
13937	AMS6387B	Steel, Carbon, Laminated Sheet, Surface Bonded	2013	SAE	0
13938	AMS6408D	Steel, Hotwork Tool, Bars and Forgings 5.25Cr 1.5Mo 1.0V (0.35-0.45C) (H-13) Electroslag Remelted (ESR) or Consumable Electrode Vacuum Arc Remelted (VAR) Annealed - UNS T20813	2013	SAE	0
13939	AIR4994A	High Pressure Pneumatic Compressors Users Guide for Aerospace Applications (Stabilized Type)	2013	SAE	0
13940	AIR4989A	DESIGN CONSIDERATIONS FOR ENCLOSED TURBOSHAFT ENGINE TEST CELLS	2013	SAE	0
13941	AMS7259E	Rubber: Fluorocarbon (FKM) High Temperature/Fluid Resistant Low Compression Set/ 85 to 95 Hardness For Seals In Fuel Systems and Specific Engine Oil Systems	2013	SAE	0
13942	AMS7272G	Rubber: Butadiene-Acrylonitrile (NBR) Synthetic Lubricant Resistant 65 75 Hardness For Seals in Synthetic Lubricant Systems	2013	SAE	0
13943	AMS7338	Rubber: Butyl (IIR Abbreviation) Phosphate Ester Resistant 65 to 75 Hardness For Seals In Hydraulic Systems, etc.	2013	SAE	0
13944	AMS7290H	Decalcomanias (Stabilized Type)	2013	SAE	0
13945	AMS6551	Steel Bars, Forgings and Tubing 1.75 Cr 4.0 Ni 0.5 Mo (0.35-0.40 C) Premium Aircraft Quality Consumable Electrode Vacuum Remelted - UNS K57034	2013	SAE	0
13946	AMS6556	Steel, Bars, Wire, and Forgings 8V - 4Cr - 4W - 3Mo (2.45 - 2.55C) Powder Metallurgy Product Hot Isostatically Pressed - UNS T11453	2013	SAE	0
13947	AMS6557	Steel, Bars, Wire, and Forgings 9V - 5.25Cr - 1.3Mo (1.80 - 1.95C) Powder Metallurgy Product Hot Isostatically Pressed - UNS T11409	2013	SAE	0
13948	AMS6558	Steel, Bars, Wire, and Forgings 10.5 Mo - 6 W - 3.75 Cr - 2 V (1.25 - 1.40 C) Powder Metallurgy Product Hot Isostatically Pressed - UNS T11362	2013	SAE	0
13949	AMS6559	Steel, Bars, Wire, and Forgings 9.75 V - 5.25 Cr - 1.3 Mo (2.40 - 2.55 C) Powder Metallurgy Product Hot Isostatically Pressed - UNS T30111	2013	SAE	0

13950	AMS6560	Steel Bars, Wire and Forgings 10 Co - 7 Mo - 6 V - 6 W - 4 Cr (2.2 - 2.4C) Premium Aircraft-Quality for Bearing Applications Inert Gas Atomized and Hot Isostatically Pressed Consolidated - UNS T61301	2013	SAE	0
13951	AMS6475K	Steel, Nitriding, Bars, Forgings, and Tubing 1.1Cr 3.5Ni 0.25Mo 1.2Al (0.21 0.26C) - UNS K52355	2013	SAE	0
13952	AMS6463E	Wire, Steel Welding 18.5Ni - 8.5Co - 5.2Mo - 0.72Ti - 0.10Al (Marage 300) Vacuum Melted, Environment Controlled Packaging - UNS K93130	2013	SAE	0
13953	AMS6468E	Steel, Welding Wire 1.0Cr - 10Ni - 3.8Co - 0.45Mo - 0.08V (0.14 - 0.17C) Vacuum Melted, Environment Controlled Packaging - UNS K91461	2013	SAE	0
13954	AMS6448L	Steel, Bars, Forgings, and Tubing 0.95Cr - 0.22V (0.48 - 0.53C) (SAE 6150) - UNS G61500	2013	SAE	0
13955	AMS6539	Steel Bars, Forgings, and Tubing 1.7Cr 3.8Ni 0.3Mo (0.32 0.38 C) Aircraft-Quality - UNS K54532	2013	SAE	0
13956	AMS6547	Steel Bars, Forgings, and Tubing 1.0Cr - 3.2Ni - 0.2Mo (0.12 - 0.17C) Aircraft-Quality - UNS K43214	2013	SAE	0
13957	AMS6548	Steel Bars, Forgings, and Tubing 1.0Cr 3.2Ni 0.2Mo (0.12 0.17C) Premium Aircraft-Quality Electroslag Remelted or Consumable Electrode Vacuum Remelted - UNS K43214	2013	SAE	0
13958	AMS6549	Steel Bars, Forgings, and Tubing 1.0Cr 3.2Ni - 0.2Mo (0.12 0.17C) Premium Aircraft-Quality Double Vacuum Melted - UNS K43214	2013	SAE	0
13959	AMS6527E	Steel, Bars and Forgings 2.0Cr - 10Ni - 14Co - 1.0Mo (0.15 - 0.19C) Vacuum Melted, Normalized and Overaged - UNS K92571	2013	SAE	0
13960	AMS6492A	Steel Bars, Forgings, and Tubing 1.0Cr 3.25Ni 0.40Mo (0.17 0.22C) Aircraft Quality - UNS K41910	2013	SAE	0
13961	AMS6493A	Steel Bars, Forgings, and Tubing 1.0Cr - 3.25Ni - 0.40Mo (0.17 - 0.22C) Electroslag Remelted or Consumable Electrode Vacuum Remelted Premium Aircraft-Quality - UNS K41910	2013	SAE	0
13962	AMS6496A	Steel Bars, Forgings, and Tubing, Nitriding 1.4Cr 1.2Mo 0.3V (0.29 0.36C) Aircraft-Quality for Bearing Applications - UNS K23280	2013	SAE	0
13963	AMS6497A	Steel Bars, Forgings, and Tubing, Nitriding 1.4Cr - 1.2Mo - 0.3V (0.29 - 0.36C) Electroslag Remelted or Consumable Electrode Vacuum Remelted Premium Aircraft-Quality for Bearing Applications - UNS K23280	2013	SAE	0
13964	AMS6498A	Steel Bars, Forgings, and Tubing, Nitriding 1.4Cr - 1.2Mo - 0.3V (0.29 - 0.36C) Double Vacuum Melted Premium Aircraft-Quality for Bearing Applications - UNS K23280	2013	SAE	0
13965	AMS6516A	Steel, Bars and Forgings 1Cr 10Ni 7Co 2Mo 1.3W 0.1V (0.28 0.32C) Vacuum Induction Melted, Vacuum Arc Remelted, Normalized and Annealed Precipitation Hardenable - UNS K91973	2013	SAE	0
13966	AMS-C-26074D	Electroless Nickel Coatings (Stabilized Type)	2013	SAE	0
13967	AMS7850E	Columbium (Niobium) Sheet, Strip, and Foil - UNS R04211	2013	SAE	0
13968	AMS7851D	Columbium (Niobium) Alloy Foil, Sheet, Strip, and Plate 10W - 2.5Zr Recrystallized - UNS R04271	2013	SAE	0
13969	AMS7852C	Columbium (Niobium) Alloy Sheet, Strip, and Plate, 10Hf - 1.0Ti - UNS R04295	2013	SAE	0
13970	AMS7855D	Columbium (Niobium) Alloy Bars, Rods, and Wire 10W - 2.5Zr Recrystallized - UNS R04271	2013	SAE	0
13971	AMS7857C	Columbium (Niobium) Alloy Bars, Rods, and Extrusions 10Hf - 1.0Ti, Recrystallization Annealed - UNS R04295	2013	SAE	0
13972	AMS7879F	Tungsten Carbide-Cobalt Powder	2013	SAE	0
13973	AMS7488F	Rings, Flash Welded Aluminum and Aluminum Alloys	2013	SAE	0
13974	AIR5306A	Inlet Airflow Ramps for Gas Turbine Engine Test Cells (Stabilized Type)	2013	SAE	0
13975	AMS-H-7199A	Heat Treatment of Wrought Copper-Beryllium Alloys, Process for (Copper Alloys: Numbers C17000, C17200, C17300, C17500, and C17510) (Stabilized Type)	2013	SAE	0
13976	AMS-C-6183A	Cork and Rubber Composition Sheet; for Aromatic Fuel and Oil Resistant Gaskets	2013	SAE	0
13977	AMS-DTL-22499-3A	SHIM STOCK, LAMINATED, CRES	2013	SAE	0
13978	AMS-DTL-22499A	Shim Stock, Laminated	2013	SAE	0
13979	AMS-QQ-A-250-10C	Aluminum Alloy 5454, Plate and Sheet (Composition similar to UNS A95454)	2013	SAE	0

13980	AMS-QQ-A-250-12A	Aluminum Alloy 7075, Plate and Sheet A97075	2013	SAE	0
13981	AMS-QQ-A-200-15B	Aluminum Alloy Bar, Rod, and Shapes, Extruded, 7075-T76 Improved Exfoliation Resistance A97075	2013	SAE	0
13982	AMS-P-5510A	(R) O-Ring, Preformed, Straight Thread Tube Fitting Boss, Type I Hydraulic (-65 to 160 °F)	2013	SAE	0
13983	AMS-P-5315B	(R) Acrylonitrile-butadiene (NBR) Rubber For Fuel-Resistant Seals 60 to 70	2013	SAE	0
13984	AMS-P-38336A	Primer Coating, Inorganic, Zinc Dust Pigmented, Self-Curing, for Steel Surfaces (Stabilized Type)	2013	SAE	0
13985	AIR5401A	Aircraft Crash Axes (Stabilized Type)	2013	SAE	0
13986	AMS-P-21600A	(R) Paint System, Fluorescent, Removable, for Aircraft Application	2013	SAE	0
13987	AMS-I-7444A	Insulation Sleeving, Electrical, Flexible (Stabilized Type)	2013	SAE	0
13988	AMS-QQ-S-763C	Steel, Corrosion Resistant, Bars, Wire, Shapes, and Forgings	2013	SAE	0
13989	AMS-QQ-A-250-29A	Aluminum Alloy 2124, Plate A92124	2013	SAE	0
13990	AMS-S-7720B	Steel, Corrosion-Resistant (18-8) Bars, Wire and Forging Stock (Aircraft Quality) (Stabilized Type)	2013	SAE	0
13991	ARP1315E	Safety Considerations for Airplane Lavatories	2013	SAE	0
13992	ARP1307B	(R) Measurement of Exterior Noise Produced by Aircraft Auxiliary Power Units (APUs) and Associated Aircraft Systems During Ground Operation	2013	SAE	0
13993	ARP1332D	Wave Soldering Procedure	2013	SAE	0
13994	ARP1356B	Life Rafts	2013	SAE	0
13995	AIR5561	Lithium Battery Powered Portable Electronic Devices	2013	SAE	0
13996	ARP1383C	(R) Aerospace - Impulse Testing of Hydraulic Components	2013	SAE	0
13997	ARP142C	Assembling of Studs in Aluminum and Magnesium (Stabilized Type)	2013	SAE	0
13998	ARP1084A	External Hydraulic Leakage for In-Service Components	2013	SAE	0
13999	ARP1148B	Ground Electrical Power Unit, Transportable 115/200 Volt AC (Nominal) 400 Hertz, 3-Phase 4-Wire (Grounded Neutral) Y-Connected System	2013	SAE	0
14000	ARP1173A	Test Procedure to Measure the R.F. Shielding Characteristics of E.M.I. Gaskets (Stabilized Type)	2013	SAE	0
14001	ARP1176A	Oxygen System and Component Cleaning	2013	SAE	0
14002	AMS-T-6845B	Tubing, Steel, Corrosion-Resistant (S30400), Aerospace Vehicle Hydraulic System 1/8 Hard Condition (Stabilized Type)	2013	SAE	0
14003	AMS-T-81914A	Tubing, Plastic, Flexible, Convoluted, Conduit, General Specification for	2013	SAE	0
14004	AIR5648A	(R) Fuel Versus Oxygen: Evaluations and Considerations	2013	SAE	0
14005	ARP219A	Procedure and Method for Conducting Test of Hydraulic Components in Contamination Controlled System (Stabilized Type)	2013	SAE	0
14006	ARP237B	Propeller Control Clearance - Single Acting System Single Rotation Propeller Shaft Reciprocating Engines (Stabilized Type)	2013	SAE	0
14007	ARP238B	Propeller Control Clearance - Dual Rotation or Double Acting System Single Rotation Propeller Shaft Reciprocating Engines (Stabilized Type)	2013	SAE	0
14008	ARP244B	Propeller Control Installation Clearance (Stabilized Type)	2013	SAE	0
14009	ARP24E	Determination of Hydraulic Pressure Drop (Stabilized Type)	2013	SAE	0
14010	ARP1931B	Glossary of Terms With Specific Reference to Electrical Wire and Cable (Stabilized Type)	2013	SAE	0
14011	ARP1923B	Qualification and Certification of Etch Inspectors	2013	SAE	0
14012	ARP1533B	Procedure for the Analysis and Evaluation of Gaseous Emissions from Aircraft Engines	2013	SAE	0

14013	ARP1493C	Wheel and Hydraulically Actuated Brake Design and Test Requirements for Military Aircraft (Stabilized Type)	2013	SAE	0
14014	ARP1625B	Cold Gas Systems, Missile or Projectiles Design, Installation, Tests and Requirements For (Stabilized Type)	2013	SAE	0
14015	ARP1595B	(R) Design and Verification of Aircraft Nose Wheel Steering Systems	2013	SAE	0
14016	ARP1598B	(R) Landing Gear System Development Plan	2013	SAE	0
14017	ARP166B	Propeller Clearance Envelope	2013	SAE	0
14018	ARP1757B	Symbology for Standardization of Cargo Handling Systems (Stabilized Type)	2013	SAE	0
14019	ARP1786C	(R) Wheel Roll on Rim Criteria for Aircraft Applications	2013	SAE	0
14020	ARP4176	Determination of Costs and Benefits from Implementing an Engine Health Management System	2013	SAE	0
14021	ARP4242A	Electromagnetic Compatibility Control Requirements Systems (Stabilized Type)	2013	SAE	0
14022	AIR5665B	(R) Architecture Framework for Unmanned Systems	2013	SAE	0
14023	ARP4120C	Foldable On-Board Wheelchairs for Passengers with Disabilities (Stabilized Type)	2013	SAE	0
14024	ARP4032B	(R) Human Engineering Considerations in the Application of Color to Electronic Aircraft Displays	2013	SAE	0
14025	ARP375D	PROPELLER SHAFT ENDS, DUAL ROTATION (PROPELLER SUPPLIED BEARING) (Stabilized Type)	2013	SAE	0
14026	ARP381B	HUB, FLANGED - SPLINE TYPE WOOD PROPELLER - #10, #20 (Stabilized Type)	2013	SAE	0
14027	ARP277B	PROPELLER ATTACHMENT - NOSE MOUNTED (Stabilized Type)	2013	SAE	0
14028	ARP355B	Terminology of Dual and Coaxial Counter-Rotating Propellers (Stabilized Type)	2013	SAE	0
14029	ARP365B	DRIVES - SQUARE FLANGE .600 PD SPLINE ACCESSORY (Stabilized Type)	2013	SAE	0
14030	ARP4078B	Storage, Use, and Care of Borescopes and Fibrescopes (Flexible Borescopes) (Stabilized Type)	2013	SAE	0
14031	ARP4101-6A	Stowage of Flight Crews Survival Emergency and Miscellaneous Equipment	2013	SAE	0
14032	ARP4101-7A	NULL	2013	SAE	0
14033	ARP4101-9A	Crew Safety Provisions for Cargo Aircraft	2013	SAE	0
14034	ARP4755B	Turboshaft/Turboprop Gas Turbine Engine Test Cell Correlation	2013	SAE	0
14035	ARP4767B	Automatic Test Equipment, Relays Fully Rated 25 Amperes or Greater (Stabilized Type)	2013	SAE	0
14036	ARP4768B	Automatic Test Equipment, Relays Not Fully Rated 25 Amperes or Greater (Stabilized Type)	2013	SAE	0
14037	ARP4769B	Crew Rest Container for Main Deck or Lower Deck (Stabilized Type)	2013	SAE	0
14038	ARP4853C	(R) Design Specification for Towbarless Tow Vehicles	2013	SAE	0
14039	ARP4865A	Gas Turbine Engine Fuel Nozzle Test Procedures (Stabilized Type)	2013	SAE	0
14040	ARP4868B	(R) Function-Based API for Gas Turbine Engine Performance Programs	2013	SAE	0
14041	ARP4727B	Gland Design, Computation of Seal Squeeze and Gland Volume (Stabilized Type)	2013	SAE	0
14042	ARP4752B	Aerospace - Design and Installation of Commercial Transport Aircraft Hydraulic Systems	2013	SAE	0
14043	ARP4404C	Aircraft Electrical Installations	2013	SAE	0
14044	ARP4493A	(R) Aerospace - Direct Drive Servovalves	2013	SAE	0
14045	ARP499C	Passageway Door Operation (Stabilized Type)	2013	SAE	0
14046	ARP4902B	(R) Design of Aircraft Deicing Facilities	2013	SAE	0
14047	AIR5691	Guidance for the Design and Installation of Fuel Quantity Indicating Systems	2013	SAE	0
14048	ARP4990A	Turbine Flowmeter Fuel Flow Calculations	2013	SAE	0
14049	ARP4967B	(R) Night Vision Imaging Systems (NVIS) Integrally Illuminated Information Panels	2013	SAE	0
14050	ARP5448B	Plain Bearing Test Methods	2013	SAE	0
14051	ARP5416A	Aircraft Lightning Test Methods	2013	SAE	0
14052	ARP5412B	(R) Aircraft Lightning Environment and Related Test Waveforms	2013	SAE	0
14053	ARP5149B	(R) Training Program Guidelines for Deicing/Anti-Icing of Aircraft on Ground	2013	SAE	0

14054	ARP5252A	(R) Emergency Portability of Slide/Rafts	2013	SAE	0
14055	ARP5623	Mobile Digital Infrared Pavement Surface, Ambient Air and Dew Point Temperature Sensor System	2013	SAE	0
14056	ARP5602-14	A Re-Certification Guideline for Aerospace Platform Fiber Optic Training and Awareness Education Aerospace Fiber Optics Fabricator Hands-on Competencies	2013	SAE	0
14057	ARP5571B	(R) Gas Turbine Engine Performance Presentation and Nomenclature For Object-Oriented Computer Programs	2013	SAE	0
14058	ARP5534	Application of Pure-Tone Atmospheric Absorption Losses to One-Third Octave-Band Data	2013	SAE	0
14059	ARP5483-4A	Rolling Element Test Method for Axial Limit and Fracture Load Testing	2013	SAE	0
14060	ARP5483-5A	Rolling Element Bearing Test Method for Radial Limit and Fracture Load Testing	2013	SAE	0
14061	ARP5483-6A	Rolling Element Bearing Test Method for Dimensional Stability	2013	SAE	0
14062	ARP5796	Flight Critical Control Valves, Military Aircraft	2013	SAE	0
14063	ARP5644	Landing Gear Shock Absorption Testing of Civil Aircraft	2013	SAE	0
14064	ARP5724	Aerospace - Testing of Electromechanical Actuators, General Guidelines For	2013	SAE	0
14065	ARP5759	Acoustical Considerations for Engine Test Cells	2013	SAE	0
14066	ARP5764	Aerospace Active Inceptor Systems for Aircraft Flight and Engine Controls	2013	SAE	0
14067	ARP6023	Human Engineering Considerations for Implementing Enhanced Synthetic Vision Systems in Vertical Flight Capable Platforms	2013	SAE	0
14068	ARP6128	Unmanned Systems Terminology Based on the ALFUS Framework	2013	SAE	0
14069	ARP6131	Maintenance and Inspection Procedures for Rotary and Linear Mechanical Actuators	2013	SAE	0
14070	ARP6059	Solid De-Icing/Anti-Icing Material Spreader for Airport Application	2013	SAE	0
14071	ARP6167	Etching of Fluoropolymer Insulations	2013	SAE	0
14072	ARP6240	Training for Quality Control of Overhaul Chemical Process Operators (Parts Cleaners)	2013	SAE	0
14073	ARP6227	JAUS Messaging over the OMG Data Distribution Service (DDS)	2013	SAE	0
14074	AIR5925A	Measurement Uncertainty Applied to Cost-Effective Testing	2013	SAE	0
14075	ARP719B	Gas Motor (Stabilized Type)	2013	SAE	0
14076	AIR5924A	Guidelines for the Integration of Electronic Engine Control Systems for Transport Category (Part 25) and General Aviation (Part 23) Aircraft	2013	SAE	0
14077	ARP6461	Guidelines for Implementation of Structural Health Monitoring on Fixed Wing Aircraft	2013	SAE	0
14078	ARP6255	Aviation Lubricant Tribology Evaluator (ALTE) Method to Determine the Lubricating Capability of Gas Turbine Lubricants	2013	SAE	0
14079	ARP671B	Bearing, Ball Annular (Stabilized Type)	2013	SAE	0
14080	ARP695E	Galley System Design and Installation Criteria (Stabilized Type)	2013	SAE	0
14081	ARP876F	Gas Turbine Jet Exhaust Noise Prediction	2013	SAE	0
14082	ARP881F	Lamps for Aircraft Lighting (Stabilized Type)	2013	SAE	0
14083	ARP924B	Specification and Inspection of Glass for Integrally Lighted Aerospace Instruments	2013	SAE	0
14084	ARP935B	Control Plan/Technical Construction File (Stabilized Type)	2013	SAE	0
14085	AS1105B	Service Time Coding of Propulsion Engine Items (Stabilized Type)	2013	SAE	0
14086	AS1130G	Air and Air/Surface (Platform) Cargo Pallets (Stabilized Type)	2013	SAE	0
14087	AS107E	Surface Finish (RMS) (Stabilized Type)	2013	SAE	0
14088	AS1050A	(R) DESIGN STANDARD, NUT, SELF-LOCKING, ACCESSORY MOUNTING	2013	SAE	0
14089	AS1003H	FITTING, TEE, STANDARD AND REDUCER, BULKHEAD ON RUN, FLARELESS	2013	SAE	0
14090	AS1009J	FITTING, TEE, STANDARD AND REDUCER, BULKHEAD ON SIDE, FLARELESS	2013	SAE	0
14091	AIR6036	Passenger Hypoxia Protection Utilizing Oxygen Enriched Gas Mixtures	2013	SAE	0

14092	ARP936B	Capacitor, 10 Microfarad for EMI Measurements (Stabilized Type)	2013	SAE	0
14093	AS100001D	GASKET - TYPE X OR XV ENGINE ACCESSORY DRIVE (Stabilized Type)	2013	SAE	0
14094	AS100002D	GASKET - TYPE XI ENGINE ACCESSORY DRIVE (Stabilized Type)	2013	SAE	0
14095	AS100003D	GASKET - TYPE XII, XIV-A, AND XIV-B ENGINE ACCESSORY DRIVE (Stabilized Type)	2013	SAE	0
14096	AS100004D	GASKET - TYPE XIII ENGINE ACCESSORY DRIVE (Stabilized Type)	2013	SAE	0
14097	AS100005D	GASKET - TYPE XIV-C ENGINE ACCESSORY DRIVE (Stabilized Type)	2013	SAE	0
14098	AS100006D	GASKET - TYPE XVI ENGINE ACCESSORY DRIVE (Stabilized Type)	2013	SAE	0
14099	AS121501 THRU AS121525B	(R) NUT, PLAIN - HEXAGON, STEEL UNS G87400, CADMIUM PLATED, 125 KSI MIN.	2013	SAE	0
14100	AS123301 THRU AS123450B	RIVET, SOLID, UNIVERSAL HEAD, NICKEL ALLOY, UNS N06600	2013	SAE	0
14101	AS126881 THRU AS127192A	(R) STUD - STRAIGHT, NECKED, .3750-16UNS X .3750-24UNF-3A	2013	SAE	0
14102	AS127193 THRU AS127492A	(R) STUD - STRAIGHT, WAISTED, .4375-14 X .4375-20UNF-3A	2013	SAE	0
14103	AS128687 THRU AS128998A	(R) STUD - STRAIGHT, DRILLED, .3125-18UNS X .3125-24UNF-3A	2013	SAE	0
14104	AIR6133	Design and Safety Criteria for Passenger Boarding Stairways	2013	SAE	0
14105	AS128363 THRU AS128686A	(R) STUD - STRAIGHT, DRILLED, .2500-20UNS X .2500-28UNF-3A	2013	SAE	0
14106	AS129293 THRU AS129604A	(R) STUD - WAISTED, DRILLED, .3750-16UNS X .3750-24UNF-3A	2013	SAE	0
14107	AS13	Magnetos, Aircraft, Drives for (Stabilized Type)	2013	SAE	0
14108	AS14243A	CLAMP, LOOP, NYLON, METRIC (Stabilized Type)	2013	SAE	0
14109	AS1426B APPENDIX II	Standard Galley System Specification Appendix II 20.0 Data Requirements and Procedures (Stabilized Type)	2013	SAE	0
14110	AS14487A	CLAMP, LOOP, PLASTIC, WIRE SUPPORT, METRIC (Stabilized Type)	2013	SAE	0
14111	AS14488A	CLAMP, LOOP, PLASTIC, WIRE SUPPORT, RIBBED INNER DIAMETER, METRIC AS14488A (Stabilized Type)	2013	SAE	0
14112	AS154701 THRU AS155000A	(R) STUD - STEPPED, 2 DIA ENGAGEMENT .2500-20UNS X .1900-32UNF-3A	2013	SAE	0
14113	AS151701 THRU AS152000B	(R) STUD, STEPPED, 1.5 DIA ENGAGEMENT, CADMIUM PLATED, STEEL UNS G87400, .5000-13 UNS X .4375-20 UNF-3A	2013	SAE	0
14114	AS1583E	FITTING, TEE, INTEGRAL WELD RING, 3000 PSI	2013	SAE	0
14115	AS1584E	FITTING, ELBOW, 90 DEGREE, INTEGRAL WELD RING, 3000 PSI	2013	SAE	0
14116	AS1585F	FITTING, REDUCER, INTEGRAL WELD RING, 3000 PSI	2013	SAE	0
14117	AS1580E	RING, WELD 3000 PSI, TITANIUM	2013	SAE	0
14118	AIR6232	Aircraft Surface Coating Interaction with Aircraft Deicing/Anti-Icing Fluids	2013	SAE	0

14119	AS17143A	(R) TERMINAL, LUG, CRIMP STYLE, COPPER, INSULATED, RECTANGULAR TONGUE, TYPE II, CLASS 1 FOR 105 °C TOTAL CONDUCTOR TEMPERATURE	2013	SAE	0
14120	AS1708E	FITTING END, INTERNAL FLARE DESIGN STANDARD	2013	SAE	0
14121	AS16511A	Insert Arrangements for MIL-C-5015, MIL-C-22992 (Classes C, J, and R), and MIL-C-83723 (Series II) Electrical Connectors	2013	SAE	0
14122	AS16721	INSERT ARRANGEMENTS, AS81582 CONNECTORS, UMBILICAL	2013	SAE	0
14123	AS1677D	(R) General Requirements for Noncertified Cargo/Baggage Containers	2013	SAE	0
14124	AIR6241	Procedure for the Continuous Sampling and Measurement of Non-Volatile Particle Emissions from Aircraft Turbine Engines - Includes Access to Additional Content	2013	SAE	0
14125	AS1875A	Boss, Low Pressure (500 psi) Standard Dimensions For (Stabilized Type)	2013	SAE	0
14126	AIR6464	EUROCAE/SAE WG80/AE-7AFC Hydrogen Fuel Cells Aircraft Fuel Cell Safety Guidelines	2013	SAE	0
14127	AS1946C	Hose Assembly, Polytetrafluoroethylene, Metallic Reinforced, Up to 1500 psi and 450 °F, Hydraulic and Pneumatic	2013	SAE	0
14128	AS1893E	RING, WELD 3000 PSI, CRES	2013	SAE	0
14129	AS1975E	(R) Hose Assembly, Polytetrafluoroethylene, Para-Aramid Reinforced, 3000/4000 psi, 275 °F, Standard Duty, Hydraulic, Aircraft Systems	2013	SAE	0
14130	AS21442A	Bearing, Roller, Needle, Track Roller, Sealed, Type X, Antifriction, Inch	2013	SAE	0
14131	AS21438C	BEARING, ROLLER, NEEDLE, SINGLE ROW, HEAVY DUTY, TRACK ROLLER, SEALED, TYPE V ANTIFRICTION, INCH	2013	SAE	0
14132	AS21439C	BEARING, ROLLER, NEEDLE, DOUBLE ROW, HEAVY DUTY, TRACK ROLLER, SEALED, TYPE VI, INCH	2013	SAE	0
14133	AS21441B	(R) BEARING, ROLLER, NEEDLE, TRACK ROLLER, INTEGRAL HEAVY STUD, TYPE IX, ANTIFRICTION, INCH	2013	SAE	0
14134	AIR810D	(R) Degradation Limits of Hydrocarbon-Based Hydraulic Fluids, MIL-PRF-5606, MIL-PRF-83282, and MIL-PRF-87257 Used in Hydraulic Test Stands	2013	SAE	0
14135	AS222B	FLANGE - TWO-BOLT EXHAUST (Stabilized Type)	2013	SAE	0
14136	AS223B	FLANGE INSTALLATION - TWO-BOLT EXHAUST (Stabilized Type)	2013	SAE	0
14137	AS221B	GASKET - TWO-BOLT EXHAUST FLANGE (Stabilized Type)	2013	SAE	0
14138	AS22520-37	CRIMPING TOOL, TYPE 2, ELECTRICAL, WIRE SPLICING, HAND ACTUATED, TYPE II, FOR ENVIRONMENTAL SPLICES, WIRE RANGE 26-12 AWG	2013	SAE	0
14139	AIR1243C	Anti Blow-By Design Practice for Cap Seals	2013	SAE	0
14140	AS22759-54	WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, LOW FLUORIDE, NORMAL WEIGHT, SILVER-COATED COPPER, 200 ?C, 600 VOLT	2013	SAE	0
14141	AS22759-51	WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, LOW FLUORIDE, LIGHTWEIGHT, SILVER-COATED HIGH STRENGTH COPPER ALLOY, 200 ?C, 600 VOLT	2013	SAE	0
14142	AS22759-52	WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, LOW FLUORIDE, LIGHTWEIGHT, SILVER-COATED COPPER, 200 ?C, 600 VOLT	2013	SAE	0
14143	AS22759-53	WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, LOW FLUORIDE, NORMAL WEIGHT, SILVER-COATED HIGH STRENGTH COPPER ALLOY, 200 ?C, 600 VOLT	2013	SAE	0
14144	AS25027A	LIGHT ASSEMBLY, COCKPIT, FIXED	2013	SAE	0
14145	AIR867A	LONG TERM STORAGE FOR MISSILE HYDRAULIC CONTROL SYSTEMS - DESIGN AND OPERATIONAL PRACTICES GUIDE (Stabilized Type)	2013	SAE	0
14146	AS25487A	(R) CONNECTOR, PLUG, ATTACHABLE EXTERNAL ELECTRIC POWER, AIRCRAFT, 28 VOLT DC, JET STARTING	2013	SAE	0
14147	AS25488A	(R) CONNECTOR, PLUG, ATTACHABLE EXTERNAL ELECTRIC POWER, AIRCRAFT, 28 VOLT DC, OPERATING POWER	2013	SAE	0
14148	AS26805B	Compressor Units, Air/Gas, General Requirements For (Stabilized Type)	2013	SAE	0
14149	AS27649D	(R) BEARING, BALL, AIRFRAME, ANTIFRICTION, INTERMEDIATE DUTY	2013	SAE	0

14150	AS3066B	NUT, SELF-LOCKING, DOUBLE HEXAGON, REDUCED ENVELOPE, AMS 7251 (Stabilized Type)	2013	SAE	0
14151	AS29513B	PACKING, PREFORMED, HYDROCARBON FUEL RESISTANT, "O" RING	2013	SAE	0
14152	AS3104A	(R) BOLT, MACHINE - HEXAGON HEAD, PD SHANK, CRES AMS5731, .5000-20 UNJF-3A	2013	SAE	0
14153	AS3112A	(R) BOLT, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, PD SHANK, CRES AMS5731, .5000-20 UNJF-3A	2013	SAE	0
14154	AS3147A	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, AMS4967 (UNS R56400), 160 KSI, .1900-32 UNJF-3A	2013	SAE	0
14155	AS3148A	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, AMS4967 (UNS R56400), 160 KSI, .2500-28 UNJF-3A	2013	SAE	0
14156	AS3149A	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, AMS4967 (UNS R56400), 160 KSI, .3125-24 UNJF-3A	2013	SAE	0
14157	AS3150A	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, AMS4967 (UNS R56400), 160 KSI .3750-24 UNJF-3A	2013	SAE	0
14158	AS3151A	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, AMS4967 (UNS R56400), 160 KSI, .4375-20 UNJF-3A	2013	SAE	0
14159	AS3152A	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, AMS4967 (UNS R56400), 160 KSI, .5000-20 UNJF-3A	2013	SAE	0
14160	AS3153A	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, AMS4967 (UNS R56400), 160 KSI, .5625-18, UNJF-3A	2013	SAE	0
14161	AS3119A	Bolt, Machine-Hexagon Head, Drilled 6 Holes, PD Shank, CRES AMS 5731, .500-20 UNJF-3A	2013	SAE	0
14162	AS31481A	(R) CONNECTOR, PLUG, ELECTRIC, CRIMP TYPE, LANYARD, PUSH-PULL COUPLING, SERIES 2 (CLASS E AND J)	2012	SAE	0
14163	AS31571	Insert Arrangements for AS81659 Series 1 and 2 Electrical Connectors	2012	SAE	0
14164	AS31011A	(R) CONNECTOR, RECEPTACLE, ELECTRIC, CABLE CONNECTING, SOLDER CONTACTS, AN TYPE	2012	SAE	0
14165	AS3084A	PACKING, PREFORMED - AMS7280 - SEAL (Stabilized Type)	2012	SAE	0
14166	AS3085A	PACKING, PREFORMED - AMS7280, â Oâ RING (Stabilized Type)	2012	SAE	0
14167	AS29600A	(R) Connectors, Electrical, Circular, Miniature, Composite, High Density, Quick Coupling, Environment Resistant, Removable Crimp Contacts Associated Hardware, General Specification For	2012	SAE	0
14168	AS27644C	(R) BEARING, BALL, AIRFRAME, ANTI-FRICTION, DOUBLE ROW, HEAVY DUTY	2012	SAE	0
14169	AS27646C	(R) BEARING, BALL, AIRFRAME, ANTI-FRICTION, EXTRA LIGHT DUTY	2012	SAE	0
14170	AS27647C	(R) BEARING, BALL, AIRFRAME, ANTI-FRICTION, EXTRA WIDE, DOUBLE ROW, INTERMEDIATE DUTY	2012	SAE	0
14171	AIR1245B	Power Sources for Fluidic Controls (Stabilized Type)	2012	SAE	0
14172	AS28915C	BEARING, ROLLER, SELF-ALIGNING, DOUBLE ROW TORQUE TUBE, AIRFRAME, ANTI-FRICTION, SEALED, TYPE IV	2012	SAE	0
14173	AS27640C	(R) BEARING, BALL, AIRFRAME, ANTI-FRICTION, HEAVY DUTY	2012	SAE	0
14174	AIR888C	Fine Wire Mesh for Filter Elements	2012	SAE	0
14175	AS27642C	(R) BEARING, BALL, AIRFRAME, EXTRA LIGHT DUTY	2012	SAE	0
14176	AS27643C	(R) BEARING, BALL, AIRFRAME, ANTI-FRICTION, SELF-ALIGNING, DOUBLE ROW, HEAVY DUTY	2012	SAE	0
14177	AS27641C	(R) BEARING, BALL, AIRFRAME, ANTI-FRICTION, INTERMEDIATE DUTY	2012	SAE	0
14178	AIR877C	Aerospace-Particle Count Data Conversion and Extrapolation (Stabilized Type)	2012	SAE	0
14179	AS25036D	TERMINAL, LUG, CRIMP STYLE, COPPER, INSULATED, RING TONGUE, BELL-MOUTHED, TYPE II, CLASS 1 (FOR 105 ¡°C TOTAL CONDUCTOR TEMPERATURE)	2012	SAE	0
14180	AIR825D	Oxygen Equipment for Aircraft (Stabilized Type)	2012	SAE	0
14181	AS23479A	Indicator, Pressure, 1 1/2-Inch, Integrally Lighted (Stabilized Type)	2012	SAE	0
14182	AS23899A	Aural Protector, Sound (Stabilized Type)	2012	SAE	0

14183	AS23190B	Wiring, Positioning, and Support Accessories.	2012	SAE	0
14184	AS22520-6	CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION; IN-SERVICE INSPECTION GAGES FOR TYPE III TOOLS (FOR AS22520/5 AND /32 CRIMP TOOLS)	2012	SAE	0
14185	AS22520-40	CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION; TYPE II T-HEAD FOR TERMINAL LUGS AND SPLICES SIZE 22-14	2012	SAE	0
14186	AS22520-41	CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION; TYPE II FOR TERMINALS AND SPLICES SIZE 10-12	2012	SAE	0
14187	AS22520-18	CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION; IN-SERVICE INSPECTION GAGES FOR AS22520/17 CRIMP TOOLS	2012	SAE	0
14188	AS22145A	Accelerometer Group, Counting (MS25447 and MS25448) (Stabilized Type)	2012	SAE	0
14189	AS21980	FERRULE, OUTER, UNINSULATED, SHIELD TERMINATING, TYPE I, TWO PIECE, CLASS I, FOR SHIELDED CABLES	2012	SAE	0
14190	AIR1223B	Installation of Liquid Oxygen Systems in Civil Aircraft (Stabilized Type)	2012	SAE	0
14191	AS21431B	BEARING, ROLLER, SELF-ALIGNING. SINGLE ROW, ANTI-FRICTION, SEALED, -65 TO 350 Ī°F, TYPE I	2012	SAE	0
14192	AS21440A	(R) BEARING, ROLLER, NEEDLE, TRACK ROLLER INTEGRAL STUD, SEALED, TYPE VIII ANTIFRICTION, INCH	2012	SAE	0
14193	AS21443B	BEARING, BALL, AIRFRAME ANTI-FRICTION, PULLEY	2012	SAE	0
14194	AS21608A	Ferrule, Shield Terminating, Crimp Style	2012	SAE	0
14195	AS21428D	(R) BEARING, BALL, AIRFRAME ANTI-FRICTION, EXTRA LIGHT DUTY PRECISION	2012	SAE	0
14196	AS21230A	BEARING, PLAIN, SELF-ALIGNING, GROOVED OUTER RING PTFE LINED, WIDE	2012	SAE	0
14197	AS21231A	BEARING, PLAIN, SELF-ALIGNING, PTFE LINED, WIDE	2012	SAE	0
14198	AS21232A	BEARING, PLAIN, SELF-ALIGNING, GROOVE OUTER RING, PTFE LINED, NARROW	2012	SAE	0
14199	AS21233A	BEARING, PLAIN, SELF-ALIGNING, PTFE LINED, NARROW	2012	SAE	0
14200	AIR737F	(R) Aerospace Hydraulic and Pneumatic Specifications, Standards, Recommended Practices, and Information Reports	2012	SAE	0
14201	AIR764D	Skid Control System Vibration Survey (Stabilized Type)	2012	SAE	0
14202	AS1852D	Nozzles and Ports Gravity Fueling Interface Standards for Civil Aircraft (Stabilized Type)	2012	SAE	0
14203	AS17983A	COMPASS, MAGNETIC, PILOTS STANDBY (Stabilized Type)	2012	SAE	0
14204	AS17852A	(R) Reducers, Oxygen Pressure	2012	SAE	0
14205	AS157F	HOSE ASSEMBLY, PTFE, CRES REINFORCED, 3000 PSI, 400 Ī°F, 45 DEGREE TO 90 DEGREE, FLARED, LIGHTWEIGHT	2012	SAE	0
14206	AS161A	LIFTING EYE - PROPELLER SHAFT (Stabilized Type)	2012	SAE	0
14207	AS1613B	Image Quality Indicator Radiographic (Stabilized Type)	2012	SAE	0
14208	AS155F	HOSE ASSEMBLY, PTFE, CRES REINFORCED, 3000 PSI, 400 Ī°F, STRAIGHT TO 90 DEGREE, FLARED, LIGHTWEIGHT	2012	SAE	0
14209	AS156F	HOSE ASSEMBLY, PTFE, CRES REINFORCED, 3000 PSI, 400 Ī°F, 45 DEGREE TO 45 DEGREE, FLARED, LIGHTWEIGHT	2012	SAE	0
14210	AS1581D	FITTING, SLEEVE, FLARELESS ACORN TO INTEGRAL WELD RING, 3000 PSI	2012	SAE	0
14211	AS1582F	FITTING, ADAPTER, EXTERNAL THREAD FLARELESS TO INTEGRAL WELD RING, 3000 PSI	2012	SAE	0
14212	AS1576D	(R) Fittings, Welded, Hydraulic, Titanium, Corrosion Resistant Steel and Nickel, 3000 psi Hydraulic	2012	SAE	0
14213	AS158F	HOSE ASSEMBLY, PTFE, CRES REINFORCED, 3000 PSI, 400 Ī°F, 90 DEGREE TO 90 DEGREE, FLARED, LIGHTWEIGHT	2012	SAE	0
14214	AIR6218	Constructing Development Assurance Plan for Integrated Systems	2012	SAE	0
14215	AS150501 THRU AS150800B	STUD, STEPPED. 1.5 DIA ENGAGEMENT, CADMIUM PLATED, STEEL UNS G87400, .2500-20 UNS X .1900-32 UNF-3A	2012	SAE	0

14216	AS150801 THRU AS151100B	STUD, STEPPED. 1.5 DIA ENGAGEMENT, CADMIUM PLATED, STEEL UNS G87400, .3125-18 UNS X .2500-28 UNF-3A	2012	SAE	0
14217	AIR6211	Ice Penetration Test Method for Runways and Taxiways Deicing/Anti-icing Chemicals	2012	SAE	0
14218	AS154F	HOSE ASSEMBLY, PTFE, CRES REINFORCED, 3000 PSI, 400 Ï°F, STRAIGHT TO 45 DEGREE, FLARED, LIGHTWEIGHT	2012	SAE	0
14219	AS153G	HOSE ASSEMBLY, PTFE, CRES REINFORCED, 3000 PSI, 400 Ï°F, STRAIGHT TO STRAIGHT, FLARED, LIGHTWEIGHT	2012	SAE	0
14220	AS14114A	GYROSCOPE, DISPLACEMENT, ROLL AND PITCH (HARD MOUNTED) (Stabilized Type)	2012	SAE	0
14221	AS150426 THRU AS150450D	NUT HEX, CHECK, AMS6320, AMS6322 OR AMS6325	2012	SAE	0
14222	AIR6202	Test Cell Mass Fuel Flow Measurement Using Coriolis Flow Meters	2012	SAE	0
14223	AIR6190	Provisions of Medical Oxygen for Aircraft Occupants	2012	SAE	0
14224	AIR6155	Multi-Crew Pilot License (MPL) Training: Definitions and References	2012	SAE	0
14225	AS1356	Life Rafts	2012	SAE	0
14226	AIR6168	Landing Gear Structural Health Monitoring	2012	SAE	0
14227	AS1339G	Hose Assembly, Polytetrafluoroethylene, Metallic Reinforced, 3000 psi, 400 Ï°F, Lightweight, Hydraulic and Pneumatic	2012	SAE	0
14228	AIR6170	Ice Melting Test Method for Runways and Taxiways Deicing/Anti-icing Chemicals	2012	SAE	0
14229	AS125701 THRU AS125850B	(R) RIVET UNIVERSAL HEAD, ALUMINUM ALLOY - UNS A92117	2012	SAE	0
14230	AS125101 THRU AS125250C	RIVET - 100Ï° COUNTERSUNK HEAD, MILD STEEL	2012	SAE	0
14231	AS125251 THRU AS125400B	(R) RIVET 100 DEGREE COUNTERSUNK HEAD, ALUMINUM ALLOY - UNS A92117	2012	SAE	0
14232	AS125551 THRU AS125700B	RIVET UNIVERSAL HEAD, MILD STEEL	2012	SAE	0
14233	AS120G	HOSE ASSEMBLY, PTFE, CRES REINFORCED, 3000 PSI, 400 Ï°F, 90 DEGREE TO 90 DEGREE, FLARELESS, LIGHTWEIGHT	2012	SAE	0
14234	AS1212A	Electric Power, Aircraft, Characteristics and Utilization of (Stabilized Type)	2012	SAE	0
14235	AS119G	HOSE ASSEMBLY, PTFE, CRES REINFORCED, 3000 PSI, 400 Ï°F, 45 DEGREE TO 90 DEGREE, FLARELESS, LIGHTWEIGHT	2012	SAE	0
14236	ARP997D	Installation and Stowage Provisions for Emergency Equipment in the Transport Aircraft Passenger Cabin (Stabilized Type)	2012	SAE	0
14237	ARP993D	Fluidic Technology	2012	SAE	0
14238	ARP994A	(R) Recommended Practice for the Design of Tubing Installations for Aerospace Fluid Power Systems	2012	SAE	0
14239	ARP94910	Aerospace - Vehicle Management Systems - Flight Control Design, Installation and Test of, Military Unmanned Aircraft, Specification Guide For	2012	SAE	0
14240	ARP922B	Electroluminescence, Design Criteria and Recommendations for Use in Aerospace Vehicle Crew Station Areas (Stabilized Type)	2012	SAE	0
14241	AS1010G	FITTING, ELBOW, 45 DEGREE, STANDARD AND REDUCER, BULKHEAD, FLARELESS	2012	SAE	0
14242	AIR6031	Fiber Optic Cleaning	2012	SAE	0
14243	AS1008H	FITTING, ELBOW, 90 DEGREE, STANDARD AND REDUCER, BULKHEAD, FLARELESS	2012	SAE	0

14244	AS1001H	FITTING, TEE, STANDARD AND REDUCER, BULKHEAD ON RUN, INTERNAL PORT ON SIDE, FLARELESS	2012	SAE	0
14245	AS1002H	FITTING, TEE, STANDARD AND REDUCER, BULKHEAD AND INTERNAL PORT ON RUN, FLARELESS	2012	SAE	0
14246	AIR6027	Considerations for Safe Store Operation on Manned and Unmanned Vehicles	2012	SAE	0
14247	AS118G	HOSE ASSEMBLY, PTFE, CRES REINFORCED, 3000 PSI, 400 Ī°F, 45 DEGREE TO 45 DEGREE, FLARELESS, LIGHTWEIGHT	2012	SAE	0
14248	AS116901 THRU AS116912B	SCREW OVAL FILLISTER HEAD, .112-40	2012	SAE	0
14249	AS116913 THRU AS116924B	SCREW - OVAL FILLISTER, DRILLED HEAD, CADMIUM PLATED, STEEL UNS K00802, .1120-40 UNC - 2A	2012	SAE	0
14250	AS116925 THRU AS116960B	SCREW OVAL FILLISTER HEAD, .138-32	2012	SAE	0
14251	AS116961 THRU AS117000C	SCREW OVAL FILLISTER DRILLED HEAD, .138-32	2012	SAE	0
14252	AS116G	HOSE ASSEMBLY, PTFE, CRES REINFORCED, 3000 PSI, 400 Ī°F, STRAIGHT TO 45 DEGREE, FLARELESS, LIGHTWEIGHT	2012	SAE	0
14253	AS117001 THRU AS117040B	SCREW OVAL FILLISTER HEAD, .164-32	2012	SAE	0
14254	AS117041 THRU AS117080B	SCREW OVAL FILLISTER DRILLED HEAD, .164-32	2012	SAE	0
14255	AS115G	HOSE ASSEMBLY, PTFE, CRES REINFORCED, 3000 PSI, 400 Ī°F, STRAIGHT TO STRAIGHT, FLARELESS, LIGHTWEIGHT	2012	SAE	0
14256	ARP9113A	Supply Chain Risk Management Guideline	2012	SAE	0
14257	ARP863B	Universal Turnover Build-Up Stand for Small Propulsion Units Requiring Vertical Assembly (Stabilized Type)	2012	SAE	0
14258	ARP866B	Standard Values of Atmospheric Absorption as a Function of Temperature and Humidity (Stabilized Type)	2012	SAE	0
14259	ARP836C	Design and Safety Criteria for Passenger Boarding Stairways	2012	SAE	0
14260	ARP85F	(R) Air Conditioning Systems for Subsonic Airplanes	2012	SAE	0
14261	ARP813C	(R) Maintainability Recommendations for Aircraft Wheel and Hydraulically Actuated Brake Design	2012	SAE	0
14262	ARP820A	Physical & Performance Tests for Type II (-65 to 275 F) O-ring Packings, 3000 psi Hydraulic Service (Stabilized Type)	2012	SAE	0
14263	ARP693D	Landing and Taxiing Lights - Design Criteria for Installation	2012	SAE	0
14264	ARP6199	Method to Evaluate Aircraft Passenger Seats for the Test Requirements of 14CFR Part 25 Appendix F, Parts IV & V	2012	SAE	0
14265	ARP6448	Gaining Approval for Seats with Integrated Electronics in Accordance with AC21-49 Section 7.b	2012	SAE	0
14266	ARP763A	Accumulators, Ground, Hydropneumatic Pressure (Stabilized Type)	2012	SAE	0
14267	ARP6229	Fluoride Offgassing in Fluoropolymer Insulations	2012	SAE	0
14268	AIR5892B	Nonvolatile Exhaust Particle Measurement Techniques (Stabilized Type)	2012	SAE	0
14269	ARP6152	Aircraft Tires Service Overload Capability	2012	SAE	0
14270	ARP6078	Aircraft Fuel Tank Inerting Systems	2012	SAE	0
14271	ARP6001	Aerospace - Passive Side Stick Unit General Requirements for Fly by Wire Transport and Business	2012	SAE	0
14272	ARP5765	Analytical Methods for Aircraft Seat Design and Evaluation	2012	SAE	0
14273	ARP5770	Mechanical Control Design Guide	2012	SAE	0

14274	ARP5718A	Process to Obtain Holdover Times for Aircraft Deicing/Anti-Icing Fluids, SAE AMS1428 Types II, III, and IV	2012	SAE	0
14275	ARP5677	Human Engineering Considerations for Airborne Implementation of Enhanced Synthetic Vision Systems	2012	SAE	0
14276	ARP581B	Universal Horizontal Field Maintenance Stand for 10,000 pound Weight Class Propulsion Units (48 inch and 30 inch Rail Gage) (Stabilized Type)	2012	SAE	0
14277	ARP582D	Lighting, Integral, For Aircraft Instruments: Criteria for Design of Red Incandescent Lighted Instruments (Stabilized Type)	2012	SAE	0
14278	ARP584C	(R) Coiled Tubing - Corrosion Resistant Steel, Hydraulic Applications, Aerospace	2012	SAE	0
14279	ARP587C	Balancing Machines - Description and Evaluation Horizontal, Two-Plane, Soft-Bearing Type for Gas Turbine Rotors (Stabilized Type)	2012	SAE	0
14280	ARP588C	Balancing Machines - Description and Evaluation Vertical, Single-Plane, Soft-Bearing Type for Gas Turbine Rotors (Stabilized Type)	2012	SAE	0
14281	ARP5910A	Ramp Markings	2012	SAE	0
14282	ARP5911A	Regional Aircraft Towbarless Tow Vehicle - Test Requirements	2012	SAE	0
14283	ARP5916A	(R) Design Specification for Regional Aircraft Towbarless Tow Vehicle for Pushback and/or Maintenance Towing Operations	2012	SAE	0
14284	ARP5483-7A	Dynamic Radial Load Test, Track Roller Bearings	2012	SAE	0
14285	ARP5483-8A	NULL	2012	SAE	0
14286	ARP5542A	(R) Hand Held Aircraft Tire Inflation Pressure Gauges	2012	SAE	0
14287	AIR5774	Composite Fuel Tanks, Fuel System Design Considerations	2012	SAE	0
14288	ARP5596B	Cargo Shoring Guidelines (Stabilized Type)	2012	SAE	0
14289	AIR5788A	Common Launch Acceptability Region (CLAR) Truth Data Generator Interface Control Document (ICD) for the CLAR Approach (CLARA) (Stabilized Type)	2012	SAE	0
14290	AIR5709	SAE AE-7 High Temperature Components Survey, 2005	2012	SAE	0
14291	ARP5283A	(R) Nose Gear Towbarless Tow Vehicle Basic Test Requirements	2012	SAE	0
14292	ARP5284B	TLTV - Aircraft NLG Steering and Tractive Force Protection Systems or Alerting Devices - Inspection, Maintenance and Calibration Requirements	2012	SAE	0
14293	ARP5285B	(R) Towbarless Towing Vehicle Operating Procedure	2012	SAE	0
14294	AIR5712A	Common Launch Acceptability Region Approach (CLARA) Rationale Document (Stabilized Type)	2012	SAE	0
14295	ARP5381A	Minimum Performance Recommendations for Part 23, 27, and 29 Aircraft Wheels, Brakes, and Wheel and Brake Assemblies (Stabilized Type)	2012	SAE	0
14296	AIR5720A	Technical Architecture for Aircraft, Launcher, and Weapon Interoperability (ALWI TA) (Stabilized Type)	2012	SAE	0
14297	ARP5483-1A	Rolling Element Bearing No-Load Torque Test	2012	SAE	0
14298	ARP498C	Design, Layout, Criteria - Plastic Integrally Lighted Panels (Stabilized Type)	2012	SAE	0
14299	AIR5697A	Aerospace Landing Gear - FAA Regulatory History - Airplane Wheels, Tires, and Brakes (Stabilized Type)	2012	SAE	0
14300	ARP4992B	Periodic Test for Processing Solutions	2012	SAE	0
14301	ARP5062A	Recommended Test Fluids for Electrical Components Used on Aircraft Exterior or for Ground Support Near Aircraft (Stabilized Type)	2012	SAE	0
14302	ARP5108A	Human Interface Criteria for Terrain Separation Assurance Display Technology (Stabilized Type)	2012	SAE	0
14303	ARP4714A	External Software Loading of Electronic Engine Controls (Stabilized Type)	2012	SAE	0
14304	ARP4852C	Design Specification for Towbarless Push-Back Tow Vehicles (Stabilized Type)	2012	SAE	0
14305	ARP480C	Nomenclature Guide for Propulsion Systems Support Equipment (Stabilized Type)	2012	SAE	0
14306	ARP4102-14C	Full-Format Printer	2012	SAE	0
14307	ARP4102-2A	Automatic Braking System (ABS)	2012	SAE	0
14308	ARP4084B	(R) Aircraft Ground Service Connections Locations and Type	2012	SAE	0
14309	ARP4101-4A	Flight Deck Environment	2012	SAE	0

14310	ARP36103A	Air Cargo Unit Load Devices Center of Gravity Control Methods (Stabilized Type)	2012	SAE	0
14311	ARP4001B	Lavatory Smoke Detectors (Stabilized Type)	2012	SAE	0
14312	ARP4146C	Coiled Tubing Titanium Alloy, Hydraulic Applications, Aerospace	2012	SAE	0
14313	AIR5666	Icing Wind Tunnel Interfacility Comparison Tests	2012	SAE	0
14314	ARP4105C	(R) Abbreviations, Acronyms, and Terms for Use on the Flight Deck	2012	SAE	0
14315	AIR5664A	JAUS History and Domain Model	2012	SAE	0
14316	ARP4244A	Recommended Insertion Loss Test Methods for EMI Power Line Filters (Stabilized Type)	2012	SAE	0
14317	ARP4245A	Quantities for Description of the Acoustical Environment of the Interior of Aircraft (Stabilized Type)	2012	SAE	0
14318	ARP4255A	Electrical Actuation Systems for Aerospace and Other Applications (Stabilized Type)	2012	SAE	0
14319	AIR5682A	Common Launch Acceptability Region Approach Interface Control Document (CLARA ICD) (Stabilized Type)	2012	SAE	0
14320	ARP4287A	(R) Supplemental Oxygen Devices with Automatic or Manual Presentation	2012	SAE	0
14321	ARP1782B	Photometric and Colorimetric Measurement Procedures for Airborne Direct View CRT Displays (Stabilized Type)	2012	SAE	0
14322	ARP1705B	(R) Coaxial Test Procedure to Measure the RF Shielding Characteristics of EMI Gasket Materials	2012	SAE	0
14323	ARP1798A	(R) Portable Emergency Lighting Systems for Flight Crew Members	2012	SAE	0
14324	ARP1801A	(R) Measurement of Exterior Sound Level of Specialized Aircraft Ground Support Equipment	2012	SAE	0
14325	ARP1838B	Pictograms for Ground Support Equipment	2012	SAE	0
14326	ARP1870A	Aerospace Systems Electrical Bonding and Grounding for Electromagnetic Compatibility and Safety (Stabilized Type)	2012	SAE	0
14327	ARP1940A	Solid-State Frequency Converter 400 Hertz, 3-Phase Output	2012	SAE	0
14328	ARP1964A	Measurement of Rotorcraft Interior Sound Pressure Levels (Stabilized Type)	2012	SAE	0
14329	ARP1972A	Recommended Measurement Practices and Procedures for EMC Testing (Stabilized Type)	2012	SAE	0
14330	AIR5509	Using Engine Test Data to Model Engine Performance	2012	SAE	0
14331	ARP1135B	Standardization of Drive End of Hydraulic or Geared Torque Wrenches for Use to an Upper Limit of 500,000 inch pounds (Stabilized Type)	2012	SAE	0
14332	AIR5532A	Generic Aircraft-Store Interface Framework (GASIF) (Stabilized Type)	2012	SAE	0
14333	ARP1052B	Selection Criteria for Internal Combustion Engines Used in Ground Support Equipment	2012	SAE	0
14334	ARP1401B	(R) Aircraft Fuel System and Component Icing Test	2012	SAE	0
14335	AIR5566A	Common Launch Acceptability Region Approach Requirements Document (CLARA RD) (Stabilized Type)	2012	SAE	0
14336	ARP1382A	Design Criteria for Balancing Machine Tooling (Stabilized Type)	2012	SAE	0
14337	ARP1350A	(R) Procedure for Installation and Mounting of Single Hole Mount, Cylindrical, Electrical Connectors (For Pressure Differential Applications)	2012	SAE	0
14338	ARP1340A	Periodic Surveillance Procedures for Horizontal Dynamic Balancing Machines	2012	SAE	0
14339	ARP1288B	Placarding of Aircraft Hydraulic Equipment to Identify Phosphate Ester Fluid Compatibility (Stabilized Type)	2012	SAE	0
14340	ARP1282B	(R) Survival Kit - Life Rafts and Slide/Rafts	2012	SAE	0
14341	ARP1323B	Type Measurements of Airplane Interior Sound Pressure Levels During Cruise (Stabilized Type)	2012	SAE	0
14342	ARP1206A	Aerospace Ground Equipment Criteria for Umbilical Systems Propellant Quick-Disconnects (Stabilized Type)	2012	SAE	0
14343	AIR5541A	Recommended Actions When Disinfectants, De-icers, and Cleaners Come in Contact with Landing Gear Structure (Stabilized Type)	2012	SAE	0
14344	AIR5455A	Impact of Changes in Test Dust Contaminants and Particle Counter Calibration on Laboratory Filter Element Performance and Fluid Cleanliness Classes (Stabilized Type)	2012	SAE	0
14345	AMS-STD-2154A	Inspection, Ultrasonic, Wrought Metals, Process For - Best Copy Available	2012	SAE	0
14346	AIR5468B	Ultraviolet (UV) Lasers for Aerospace Wire Marking (Stabilized Type)	2012	SAE	0
14347	AIR5471A	Limitations of Braille for Use on Passenger Safety Instruction Cards (Stabilized Type)	2012	SAE	0

14348	AIR5436	Test Cell Analytical Thrust Correction	2012	SAE	0
14349	AMS-QQ-A-250-9B	Aluminum Alloy 5456, Plate and Sheet (Composition similar to UNS A95456)	2012	SAE	0
14350	AMS-QQ-A-250-6B	Aluminum Alloy 5083, Plate and Sheet (Composition similar to UNS A95083)	2012	SAE	0
14351	AMS-QQ-A-367D	Aluminum Alloy Forgings	2012	SAE	0
14352	AMS-R-7362A	Nitrile Rubber, Synthetic, Solid, Sheet, Strip and Fabricated Parts, Synthetic Oil Resistant	2012	SAE	0
14353	AMS-P-81728A	Plating, Tin-Lead (Electrodeposited)	2012	SAE	0
14354	AMS-DTL-23053-10A	Insulation Sleeving, Electrical, Heat Shrinkable, Silicone Rubber, Flexible	2012	SAE	0
14355	AMS-DTL-23053-11A	Insulation Sleeving, Electrical, Heat Shrinkable, Fluorinated Ethylene Propylene, Non-Crosslinked FSC 5970	2012	SAE	0
14356	AMS-DTL-23053-12A	Insulation Sleeving, Electrical, Heat Shrinkable, Polytetrafluoroethylene	2012	SAE	0
14357	AMS-DTL-23053-13A	Insulation Sleeving, Electrical, Heat Shrinkable, Fluoroelastomer, Flexible FSC 5970	2012	SAE	0
14358	AMS-DTL-23053-14A	Insulation Sleeving, Electrical, Heat Shrinkable, Ethylene-Tetrafluoroethylene Fluoropolymer, Semi-Rigid FSC 5970	2012	SAE	0
14359	AMS-DTL-23053-16A	Insulation Sleeving, Electrical, Heat Shrinkable, Crosslinked, Elastomeric Polyolefin, Flexible FSC 5970	2012	SAE	0
14360	AMS-DTL-23053-17A	Insulation Sleeving, Electrical, Heat Shrinkable, Flame Retarded, Modified Polyolefin, Flexible, Crosslinked FSC 5970	2012	SAE	0
14361	AMS-DTL-23053-18A	Insulation Sleeving, Electrical, Heat Shrinkable, Modified Fluoropolymer, Crosslinked FSC 5970	2012	SAE	0
14362	AMS-DTL-23053-1A	(R) Insulation Sleeving, Electrical, Heat Shrinkable, Crosslinked Chlorinated Polyolefin, Flexible FSC 5970	2012	SAE	0
14363	AMS-C-22542A	Cleaning Compound, High Pressure Cleaner, Liquid (Stabilized Type)	2012	SAE	0
14364	AMS-I-7068C	Ingot, Zinc Alloy (For Sheet Metal Forming Dies)	2012	SAE	0
14365	AMS-DTL-23053-4A	Insulation Sleeving, Electrical, Heat Shrinkable, Polyolefin, Dual-Wall, Outer Wall Crosslinked FSC 5970	2012	SAE	0
14366	AMS-DTL-23053-5A	(R) Insulation Sleeving, Electrical, Heat Shrinkable, Polyolefin, Flexible, Crosslinked FSC 5970	2012	SAE	0
14367	AMS-DTL-23053-6A	Insulation Sleeving, Electrical, Heat Shrinkable, Polyolefin, Semi-Rigid, Crosslinked FSC 5970	2012	SAE	0
14368	AMS-DTL-23053-7A	Insulation Sleeving, Electrical, Heat Shrinkable, Polyethylene Terephthalate, Non-Crosslinked FSC 5970	2012	SAE	0
14369	AMS-DTL-23053-8A	Insulation Sleeving, Electrical, Heat Shrinkable, Polyvinylidene Fluoride, Semi-Rigid, Crosslinked FSC 5970	2012	SAE	0
14370	AMS-G-4343A	Grease, Pneumatic System (Stabilized Type)	2012	SAE	0
14371	AMS-G-6032A	Grease, Plug Valve, Gasoline and Oil Resistant, NATO Code Number G-363, Metric (Stabilized Type)	2012	SAE	0
14372	AMS-G-81827A	Grease, Aircraft, High Load Capacity, Wide Temperature Range (Stabilized Type)	2012	SAE	0
14373	AMS-G-81937A	Grease, Instrument, Ultra-Clean, Metric (Stabilized Type)	2012	SAE	0

14374	AMS7496K	Rings, Flash Welded Carbon and Low-Alloy Steels	2012	SAE	0
14375	AMS7498P	Rings, Flash Welded Titanium and Titanium Alloys	2012	SAE	0
14376	AMS7707D	Iron, Commercially Pure, Bar, Sheet, Strip, and Plate Hot Rolled, Unannealed - UNS K00095	2012	SAE	0
14377	AMS7725E	Tungsten Heavy Alloy Shapes, Sintered, High Density	2012	SAE	0
14378	AMS7718G	Nickel-Iron Alloy, Magnetic, Bars, Rods, Tubing, and Forgings 50Ni - 50Fe - UNS K95000	2012	SAE	0
14379	AMS7732D	Steel Wire, Copper Clad, Round 99Fe - 0.32Mn Annealed (Stabilized Type)	2012	SAE	0
14380	AMS7733D	Steel Wire, Copper Clad, Round 99Fe - 0.45Mn (0.13C max) Annealed (Stabilized Type)	2012	SAE	0
14381	AMS7875E	Powder, Chromium Carbide Plus Nickel-Chromium Alloy 75Cr2C3 + 25 (80Ni - 20Cr Alloy)	2012	SAE	0
14382	AMS-C-29602A	Cleaning Compounds, for Parts Washers and Spray Cabinets (Stabilized Type)	2012	SAE	0
14383	AMS-A-22771C	Aluminum Alloy Forgings, Heat Treated	2012	SAE	0
14384	AMS6511A	Steel, Maraging, Bars, Forgings, Tubing, and Rings 18Ni - 8.5Co - 3.2Mo - 0.20Ti - 0.10Al Double Vacuum Melted, Annealed - UNS K92710	2012	SAE	0
14385	AMS6512G	Steel, Maraging, Bars, Forgings, Tubing, and Rings 18Ni - 7.8Co - 4.9Mo - 0.40Ti - 0.10Al Consumable Electrode Vacuum Melted, Annealed - UNS K92890	2012	SAE	0
14386	AMS6514H	Steel, Maraging, Bars, Forgings, Tubing, and Rings 18.5Ni - 9.0Co - 4.9Mo - 0.65Ti - 0.10Al Consumable Electrode Vacuum Melted, Annealed - UNS K93120	2012	SAE	0
14387	AMS6515A	Steel, Maraging, Bars, Forgings, Tubing, and Rings 18.5Ni - 12.0Co - 4.9Mo - 1.40Ti - 0.10Al Double Vacuum Melted, Annealed - UNS K93540	2012	SAE	0
14388	AIR1168-14A	Spacecraft Life Support Systems	2012	SAE	0
14389	AMS6487K	Steel, Bars, and Forgings 5.0Cr - 1.3Mo - 0.50V (0.38 - 0.43C) (H-11) Consumable Electrode Vacuum Melted - UNS T20811	2012	SAE	0
14390	AMS6481C	Steel Bars, Forgings, and Tubing, Nitriding 3Cr - 1Mo 0.2V (0.29 0.36C) Premium Aircraft-Quality for Bearing Applications Double Vacuum Melted - UNS K24340	2012	SAE	0
14391	AMS6484D	Steel, Bars, Forgings, and Tubing 0.80Cr - 1.8Ni - 0.25Mo (0.38 - 0.43C) (SAE 4340) Normalized and Tempered - UNS G43406	2012	SAE	0
14392	AMS6482	Steel Bars, Forgings, and Tubing 1.5Si - 1.25Cr - 3.8Ni - 0.50Mo - 0.30V (0.40C) Vacuum Remelted Quenched and Tempered - UNS K63835	2012	SAE	0
14393	AMS6528C	Steel, Bars 0.95Cr - 0.20Mo (0.28 - 0.33C) (SAE 4130) Special Aircraft Quality Cleanliness Normalized - UNS G41300	2012	SAE	0
14394	AMS6529C	Steel, Bars 0.95Cr - 0.20Mo (0.38 - 0.43C) (SAE 4140) Special Aircraft-Quality Cleanliness Normalized - UNS G41400	2012	SAE	0
14395	AIR5065A	Influence of Grain Flow on Bolt Integrity (Stabilized Type)	2012	SAE	0
14396	AMS6509	Steel Bars and Forgings 3.5Cr 7.5Ni 16.3Co 1.75Mo 0.2W (0.09-0.13C) Double Vacuum Melted, Normalized, Annealed - UNS K92731	2012	SAE	0
14397	AMS6525D	Steel, Bars, Forgings, Tubing, and Rings 0.75Cr - 9.0Ni - 4.5Co - 1.0Mo - 0.09V (0.17 - 0.23C) Consumable Electrode Vacuum Melted - UNS K91472	2012	SAE	0
14398	AMS6526G	Steel, Bars, Forgings, Tubing, and Rings 1.0Cr - 7.5Ni - 4.5Co - 1.0Mo - 0.09V (0.29 - 0.34C) Consumable Electrode Vacuum Remelted, Annealed - UNS K91283	2012	SAE	0
14399	AMS6452D	Steel, Welding Wire 0.95Cr - 0.20Mo (0.38 - 0.43C) Vacuum Melted, Environment Controlled Packaging - UNS G41400	2012	SAE	0
14400	AMS6453C	Steel, Welding Wire 0.30Cr - 1.8Ni - 0.40Mo - (0.23 - 0.28C) Vacuum Melted, Environment Controlled Packaging - UNS K32550	2012	SAE	0
14401	AIR5020A	Time-Dependent In-Flight Thrust Determination (Stabilized Type)	2012	SAE	0
14402	AMS6459E	Steel, Welding Wire 1.0Cr - 1.0Mo - 0.12V (0.18 - 0.23C) Vacuum Melted - UNS K22720	2012	SAE	0
14403	AMS7257D	(R) Perfluorocarbon (FFKM) Engine Oil, Fuel and Hydraulic Fluid Resistant 70 to 80 Hardness For High Temperature Seals in Engine Oil Systems, Fuel Systems and Hydraulic Systems	2012	SAE	0
14404	AIR5128A	(R) Electrical Bonding of Aircraft Fuel Systems	2012	SAE	0

14405	AMS7287	Fluorocarbon Elastomer (FKM) High Temperature / HTS Oil Resistant / Fuel Resistant Low Compression Set / 70 to 80 Hardness, Low Temperature Tg -22 °F (-30 °C) For Seals in Oil / Fuel / Specific Hydraulic Systems	2012	SAE	0
14406	AMS7322F	Rings, Sealing, Cast Tin Bronze 80Cu - 19Sn As Cast - UNS C91300	2012	SAE	0
14407	AMS7274J	Rubber: Butadiene-Acrylonitrile (NBR) 65 to 75 Hardness, For Elastomeric Seals in Aircraft Engine Oil Systems	2012	SAE	0
14408	AMS6407J	Steel, Bars, Forgings, and Tubing 1.2Cr - 2.0Ni - 0.45Mo (0.27 - 0.33C) - UNS K33020	2012	SAE	0
14409	AMS6424F	Steel Bars, Forgings, and Tubing 0.80Cr - 1.8Ni - 0.25Mo (0.49 - 0.55C) - UNS K22950	2012	SAE	0
14410	AMS6427L	Steel Bars, Forgings, and Tubing 0.88Cr 1.8Ni 0.42Mo 0.08V (0.25 0.33C) (4330 Mod) - UNS K23080	2012	SAE	0
14411	AMS6430H	Steel, Bars, Forgings, Tubing, and Rings 0.75Mn - 0.78Cr - 1.8Ni - 0.35Mo - 0.20V (0.32 - 0.38C) (4335 Modified) - UNS K33517	2012	SAE	0
14412	AMS6431N	Steel, Bars, Forgings, and Tubing 1.05Cr - 0.55Ni - 1.0Mo - 0.11V (0.45 - 0.50C) (D6AC) Vacuum Consumable Electrode Remelted. - UNS K24728	2012	SAE	0
14413	AMS6409D	Steel, Bars, Forgings, and Tubing 0.80Cr - 1.8Ni - 0.25Mo (0.38 - 0.43C) (SAE 4340) Special Aircraft Quality Cleanliness Normalized and Tempered - UNS G43406	2012	SAE	0
14414	AMS6411H	Steel Bars, Forgings, and Tubing 0.88Cr 1.8Ni 0.42Mo 0.08V (0.28 0.33C) (4330 Mod) Consumable Electrode Remelted - UNS K23080	2012	SAE	0
14415	AMS6414L	Steel, Bars, Forgings, and Tubing 0.80Cr - 1.8Ni - 0.25Mo (0.38 - 0.43C) (SAE 4340) Vacuum Consumable Electrode Remelted - UNS G43406	2012	SAE	0
14416	AMS6415T	Steel, Bars, Forgings, and Tubing 0.80Cr - 1.8Ni - 0.25Mo (0.38 - 0.43C) (SAE 4340) - UNS G43406	2012	SAE	0
14417	AIR4980A	Modular Avionics Backplane Functional Requirements and Consensus Items (MABFRACI) (Stabilized Type)	2012	SAE	0
14418	AMS6317J	Steel Bars and Forgings 1.8Ni - 0.25Mo (0.38 - 0.43C) (4640) Heat Treated, 125 ksi (862 MPa) Tensile Strength - UNS K22440	2012	SAE	0
14419	AMS6320N	Steel Bars, Forgings, and Rings 0.50Cr - 0.55Ni - 0.25Mo (0.33 - 0.38C) (8735) - UNS G87350	2012	SAE	0
14420	AMS6302J	Low-Alloy Steel, Heat-Resistant, Bars, Forgings, and Tubing 0.65Si - 1.25Cr - 0.50Mo - 0.25V (0.28 - 0.33C) - UNS K23015	2012	SAE	0
14421	AMS6303H	Steel Bars and Forgings, Low Alloy, Heat-Resistant 0.65Si - 1.25Cr - 0.50Mo - 0.85V (0.25 - 0.30C) - UNS K22770	2012	SAE	0
14422	AMS6304L	Low-Alloy Steel, Heat-Resistant, Bars, Forgings, and Tubing 0.95Cr - 0.55Mo - 0.30V (0.40 - 0.50C) - UNS K14675	2012	SAE	0
14423	AMS6305F	Steel, Heat-Resistant, Bars, Forgings, and Tubing 0.95Cr - 0.55Mo - 0.30V (0.40 - 0.50C) Vacuum Arc Remelted - UNS K14675	2012	SAE	0
14424	AMS6308E	Steel, Bars and Forgings 0.90Si - 1.0Cr - 2.0Ni - 3.2Mo - 2.0Cu - 0.10V (0.07 - 0.13C) Vacuum Arc or Electroslag Remelted - UNS K71040	2012	SAE	0
14425	AMS6323L	Steel, Mechanical Tubing 0.50Cr - 0.55Ni - 0.25Mo (0.38 - 0.43C) (SAE 8740) - UNS G87400	2012	SAE	0
14426	AMS6327K	Steel Bars and Forgings 0.50Cr - 0.55Ni - 0.25Mo (0.38 - 0.43C) (SAE 8740) Heat Treated, 125 ksi (862 MPa) Tensile Strength - UNS G87400	2012	SAE	0
14427	AMS6328M	Steel, Bars, Forgings, and Tubing 0.50Cr - 0.55Ni - 0.25Mo (0.48 to 0.53C) (8750) - UNS K13550	2012	SAE	0
14428	AMS6330H	Steel Bars, Forgings, and Tubing 0.65Cr - 1.25Ni (0.33 - 0.38C) - UNS K22033	2012	SAE	0
14429	AIR4979A	Estimation of Measurement Uncertainty in Engine Tests Based on NATO AGARD Uniform Engine Test Program (Stabilized Type)	2012	SAE	0
14430	AMS6267H	Steel Bars, Forgings, and Tubing 1.2Cr - 3.25Ni - 0.12Mo (0.07 - 0.13C) (9310) Electroslag Remelted or Consumable Electrode Vacuum Remelted. - UNS G93106	2012	SAE	0
14431	AMS6280L	Steel Bars, Forgings, and Rings 0.50Cr - 0.55Ni - 0.20Mo (0.28 - 0.33C) (SAE 8630) - UNS G86300	2012	SAE	0
14432	AMS6265N	Steel, Bars, Forgings, and Tubing 1.2Cr - 3.25Ni - 0.12Mo (0.07 - 0.13C) (9310) Vacuum Consumable Electrode Remelted - UNS G93106	2012	SAE	0
14433	AMS6260R	Steel, Bars, Forgings, and Tubing 1.2Cr - 3.2Ni - 0.12Mo (0.07 - 0.13C) (9310) - UNS G93106	2012	SAE	0
14434	AMS6255E	Steel Bars, Forgings, and Tubing 1.1Si - 1.45Cr - 1.0Mo - 0.08Al (0.16 - 0.22C) Double Vacuum Melted. - UNS K21940	2012	SAE	0
14435	AMS5870E	Nickel Alloy, Corrosion and Heat-Resistant, Sheet, Strip, and Plate 60.5Ni - 23Cr - 14Fe - 0.35Ti - 1.4Al Solution Heat Treated. - UNS N06601	2012	SAE	0

14436	AIR4903A	Pi-Bus Handbook (Stabilized Type)	2012	SAE	0
14437	AMS5811D	Steel, Corrosion and Heat Resistant, Welding Wire 15Cr - 30Ni - 1.2Mo - 2.2Ti - 0.25Al - 0.001B - 0.030V (0.01 - 0.03C) Vacuum Induction Melted, Environment Controlled Packaging	2012	SAE	0
14438	AMS5805H	Steel, Corrosion and Heat Resistant, Welding Wire 15Cr - 25.5Ni - 1.2Mo - 2.1Ti - 0.004B - 0.30V Vacuum Induction Melted, Environment Controlled Packaging - UNS S66286	2012	SAE	0
14439	AIR4846A	Extraordinary and Special Purpose Landing Gear Systems (Stabilized Type)	2012	SAE	0
14440	AMS5653H	Steel, Corrosion and Heat-Resistant, Bars, Wire, Forgings, Tubing, and Rings 17Cr - 12Ni - 2.5Mo (0.030 Max C) (316L) Solution Heat Treated - UNS S31603	2012	SAE	0
14441	AMS5665N	Nickel Alloy, Corrosion and Heat Resistant, Bars, Forgings, and Rings 74Ni - 15.5Cr - 8.0Fe - UNS N06600	2012	SAE	0
14442	AIR4742A	Display Characteristics of FDI Head-Up Guidance System as Approved for the B-727 Airplane (Stabilized Type)	2012	SAE	0
14443	AMS5553G	Nickel, Sheet and Strip Low (0.02 max) Carbon Annealed - UNS N02201	2012	SAE	0
14444	AMS5571J	Steel, Corrosion and Heat-Resistant, Seamless Tubing 18Cr - 10.5Ni - 0.70Cb (Nb) (347) Solution Heat Treated - UNS S34700	2012	SAE	0
14445	AMS5637H	Steel, Corrosion Resistant, Bars and Wire 18Cr - 9.0Ni (SAE 30302) Solution Heat Treated, Cold Drawn and Stress Relieved 125 ksi (862 MPa) Tensile Strength - UNS S30200	2012	SAE	0
14446	AMS5618H	Steel, Corrosion-Resistant, Bars, Wire, and Forgings 17Cr - 0.52Mo (0.95 - 1.20C) (440C) Consumable Electrode Vacuum Melted - UNS S44004	2012	SAE	0
14447	AMS5536N	Nickel Alloy, Corrosion and Heat-Resistant, Sheet, Strip, and Plate 47.5Ni - 22Cr - 1.5Co - 9.0Mo - 0.60W - 18.5Fe Solution Heat Treated - UNS N06002	2012	SAE	0
14448	AMS5523G	Steel, Corrosion and Heat-Resistant, Sheet, Strip, and Plate 23Cr - 13.5Ni (309S) Solution Heat Treated - UNS S30908	2012	SAE	0
14449	AMS5521J	Steel, Corrosion and Heat-Resistant, Sheet, Strip, and Plate 25Cr - 20Ni (310S) Solution Heat Treated - UNS S31008	2012	SAE	0
14450	AMS5529J	Steel, Corrosion Resistant, Sheet and Strip 17Cr - 7.1Ni - 1.1Al Solution Heat Treated and Cold Rolled, Precipitation Hardenable 0.0015 to 0.100 inch (0.038 to 2.54 mm) Nominal Thickness - UNS S17700	2012	SAE	0
14451	AIR4403B	(R) Selection, Testing, Lubrication, and Sealing of Single Row Tapered Roller Bearings for Aerospace Wheel Applications	2012	SAE	0
14452	AMS5507G	Steel, Corrosion and Heat-Resistant, Sheet, Strip, and Plate 17Cr - 13Ni - 2.5Mo (316L) Solution Heat Treated - UNS S31603	2012	SAE	0
14453	AMS5412A	Steel Castings, Vacuum Melted, Vacuum Cast, Investment, Corrosion-Resistant 13Cr - 8.0Ni - 2.2Mo - 1.1Al (195 ksi (1344 MPa) Tensile Strength (Condition H1000) Homogenized, Solution, and Precipitation Heat Treated - UNS N13800	2012	SAE	0
14454	AMS5354F	Steel, Corrosion and Heat Resistant, Investment Castings 13Cr - 2.0Ni - 3.0W Hardened and Tempered to 32 38 HRC - UNS J91631	2012	SAE	0
14455	AMS5085H	Steel Sheet, Strip, and Plate 0.48 - 0.55C (SAE 1050) Annealed - UNS G10500	2012	SAE	0
14456	AMS5027F	Steel, Welding Wire 1.05Cr - 0.55Ni - 1.0Mo - 0.08V (0.26 - 0.32C) Vacuum Melted, Environment-Controlled Packaging - UNS K22925	2012	SAE	0
14457	AMS5046D	Carbon Steel, Sheet, Strip, and Plate (SAE 1020 and 1025) Annealed - UNS G10200 and G10250	2012	SAE	0
14458	AIR4279A	Heat Up Time (Stabilized Type)	2012	SAE	0
14459	AMS4954J	Titanium Alloy, Welding Wire 6Al - 4V - UNS R56402	2012	SAE	0
14460	AMS4955G	Titanium Alloy, Welding Wire 8Al - 1Mo - 1V - UNS R54810	2012	SAE	0
14461	AMS4958D	Titanium Alloy Bars and Rods 3Al - 8V - 6Cr - 4Mo - 4Zr Consumable Electrode Melted Solution Heat Treated and Centerless Ground or Peeled and Polished - UNS R58640	2012	SAE	0
14462	AMS4963C	Titanium Alloy, Bars, Wire, Forgings, and Rings 6.0Al - 4.0V Annealed, Heat Treatable, Modified Strength - UNS R56400	2012	SAE	0
14463	AIR4288A	Linear Token Passing Multiplex Data Bus Users Handbook (Stabilized Type)	2012	SAE	0
14464	AMS4973G	Titanium Alloy Forgings 8Al - 1Mo - 1V Solution Heat Treated and Stabilized - UNS R54810	2012	SAE	0
14465	AMS4970J	Titanium Alloy Bars, Wire, and Forgings 7Al - 4Mo Solution and Precipitation Heat Treated - UNS R56740	2012	SAE	0
14466	AIR4289A	Handbook for the SAE AS4075 High Speed Ring Bus Standard (Stabilized Type)	2012	SAE	0
14467	AMS4943J	Titanium Alloy, Hydraulic, Seamless Tubing 3.0Al - 2.5V Annealed - UNS R56320	2012	SAE	0

14468	AMS4933E	Titanium Alloy Extrusions and Flash Welded Rings 8Al - 1Mo - 1V Solution Heat Treated and Stabilized - UNS R54810	2012	SAE	0
14469	AIR4275A	Jet Reference Fluid Study for Fuel Tank Sealants (Stabilized Type)	2012	SAE	0
14470	AMS4940B	Titanium Sheet, Strip, and Plate Commercially Pure Annealed, 25.0 ksi (172 MPa) Yield Strength - UNS R50250	2012	SAE	0
14471	AMS4941F	Titanium Tubing, Welded 40 ksi (276 MPa) Yield Strength - UNS R50400	2012	SAE	0
14472	AIR4246D	(R) Contaminants for Aircraft Turbine Engine Fuel System Component Testing	2012	SAE	0
14473	AMS4917H	Titanium Alloy Sheet, Strip, and Plate 13.5V - 11Cr - 3.0Al Solution Heat Treated - UNS R58010	2012	SAE	0
14474	AIR4253B	(R) Description of Actuation Systems for Aircraft With Fly-By-Wire Flight Control Systems	2012	SAE	0
14475	AMS4921M	Titanium Bars, Wire, Forgings, and Rings Commercially Pure 70 ksi (483 MPa) Yield Strength - UNS R50700	2012	SAE	0
14476	AIR4250B	(R) Electronic Engine Control Specifications and Standards	2012	SAE	0
14477	AMS4909J	Titanium Alloy, Sheet, Strip, and Plate 5Al - 2.5Sn, Extra Low Interstitial Annealed - UNS R54521	2012	SAE	0
14478	AMS4910P	Titanium Alloy, Sheet, Strip, and Plate 5Al - 2.5Sn Annealed - UNS R54520	2012	SAE	0
14479	AMS4784G	Gold-Palladium-Nickel Alloy, Brazing Filler Metal, High Temperature 50Au - 25Pd - 25Ni 2015 to 2050 Ī°F (1102 to 1121 Ī°C) Solidus-Liquidus Range - UNS P00500	2012	SAE	0
14480	AMS4780F	Manganese Alloy, Brazing Filler Metal 66Mn - 16Ni - 16Co - 0.80B 1770 to 1875 Ī°F (966 to 1024 Ī°C) Solidus-Liquidus Range - UNS W32340	2012	SAE	0
14481	AMS4881D	Nickel-Aluminum-Bronze, Martensitic, Sand, Centrifugal and Continuous Castings 78Cu - 11Al - 5.1Ni - 4.8Fe Quench Hardened and Temper Annealed - UNS C95520	2012	SAE	0
14482	AIR4165A	(R) General Requirements for Powered Drive Units (PDUs) in Aircraft Cargo Systems	2012	SAE	0
14483	AMS4485	Magnesium Alloy, Extrusions 4.0Y - 2.25Nd - 0.5Zr (WE43C - T5) Precipitation Heat Treated - UNS M18434	2012	SAE	0
14484	AMS4482	Cast Aluminum Alloy Composite 4.6 Cu 3.4Ti 1.4B 0.75Ag 0.27Mg (A205.0/TiB2/3p-T7P) Sand Cast, Solution and Precipitation Heat Treated	2012	SAE	0
14485	AMS4470A	Aluminum Alloy, Plate (7085-T7451) 7.5Zn - 1.6Cu - 1.5Mg - 0.12Zr Solution Heat Treated, Stress-Relieved, and Overaged - UNS A97085	2012	SAE	0
14486	AMS4471	Cast Aluminum Alloy Composite 4.6 Cu 3.4Ti 1.4B 0.75Ag 0.27Mg (A205.0/TiB2/3p-T7P) Investment Cast, Solution and Precipitation Heat Treated	2012	SAE	0
14487	AMS4468	Aluminum Alloy, Plate 5.0Cu - 0.4Mn - 0.5Mg - 0.4Ag (2139-T84) Solution Heat Treated, Cold Worked, and Artificially Aged - UNS A92139	2012	SAE	0
14488	AMS4598A	Copper Nickel Tin Alloy, Mechanical Tube 77Cu - 15Ni - 8Sn Solution Annealed and Spinodal Hardened (TX 00) - UNS C72900	2012	SAE	0
14489	AMS4416A	Aluminum Alloy, Extruded Profiles (2196-T8511) 2.9Cu - 1.7Li - 0.4Mg - 0.4Ag - 0.10Zr Solution Heat Treated, Stress Relieved by Stretching and Artificially Aged - UNS A92196	2012	SAE	0
14490	AMS4418H	Magnesium Alloy, Sand Castings 2.5Ag - 2.1Di - 0.70Zr (QE22A-T6) Solution and Precipitation Heat Treated - UNS M18220	2012	SAE	0
14491	AMS4405A	Aluminum Alloy, Alclad Sheet (6156-T4) 1.0Si - 0.90Cu - 0.60Mn - 0.90Mg Solution Heat Treated and Naturally Aged - UNS AA6156	2012	SAE	0
14492	AMS4413A	Aluminum Alloy, Plate 3.5Cu - 1.0Li - 0.40Mg - 0.35Mn - 0.45Ag - 0.12Zr (2050-T84) Solution Heat Treated, Stress Relieved, and Artificially Aged - UNS A92050	2012	SAE	0
14493	AMS4461	Aluminum Alloy, Sheet and Plate, Alclad 4.4Cu - 1.5Mg - 0.60Mn (Alclad 2024-O, Sheet and Plate) Annealed; or when specified, â As Fabricatedâ (2024-F) - UNS A82024	2012	SAE	0
14494	AMS4463	Aluminum Alloy, Plate (7255-T7751) 8.0Zn - 2.3Cu - 2.0Mg - 0.12Zr Solution Heat Treated, Stress Relieved, and Overaged	2012	SAE	0
14495	AMS4464	Aluminum Alloy Plate (2624-T351) 4.1Cu - 1.4Mg - 0.6Mn Solution Heat Treated, Cold Worked and Naturally Aged - UNS A92624	2012	SAE	0
14496	AMS4446C	Magnesium Alloy, Sand Castings 8.7Al - 0.70Zn - 0.26Mn (AZ91E-T6) Solution and Precipitation Heat Treated - UNS M11919	2012	SAE	0

14497	AMS4452E	Magnesium Alloy, Investment Castings 8.7Al - 0.70Zn - 0.22Mn (AZ91C-T6) Solution and Precipitation Heat Treated - UNS M11914	2012	SAE	0
14498	AMS4453F	Magnesium Alloy, Investment Castings 9.0Al - 2.0Zn (AZ92A-T6) Solution and Precipitation Heat Treated - UNS M11920	2012	SAE	0
14499	AMS4455G	Magnesium Alloy, Investment Castings 10Al (AM100A-T6) Solution and Precipitation Heat Treated - UNS M10100	2012	SAE	0
14500	AMS4456	Aluminum Alloy, Hand Forgings 8.0Zn - 1.0Cu - 1.6Mg - 0.12Zr (7037-T7452) Solution Heat Treated, Compression Stress-Relieved, and Overaged - UNS A97037	2012	SAE	0
14501	AMS4427C	Magnesium Alloy Castings, Sand 4.0Y - 2.3Nd - 0.7Zr (WE43B - T6) Solution and Precipitation Heat Treated - UNS M18432	2012	SAE	0
14502	AMS4429A	Magnesium Alloy Castings, Sand 2.8Nd - 1.4Gd - 0.4Zn - 0.6Zr (EV31A - T6) Solution and Precipitation Heat Treated - UNS M12310	2012	SAE	0
14503	AMS4442G	Magnesium Alloy Sand Castings 3.2 Rare Earths - 2.5Zn - 0.70Zr (EZ33A-T5) Precipitation Heat Treated - UNS M12330	2012	SAE	0
14504	AMS4439G	Magnesium Alloy Castings 4.2Zn - 1.2 Rare Earths - 0.7Zr (ZE41A-T5) Precipitation Heat Treated - UNS M16410	2012	SAE	0
14505	AIR4068B	Gas Turbine Emission Probe Factors (Stabilized Type)	2012	SAE	0
14506	AIR4065A	Propeller/Propfan In-Flight Thrust Determination (Stabilized Type)	2012	SAE	0
14507	AMS4317A	Aluminum Alloy, Extruded Bar, Rod, and Shapes 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr 7075-T76(51X) Solution Heat Treated and Overaged - UNS R97075	2012	SAE	0
14508	AMS4267A	Aluminum Alloy, Sheet (7055-O) 8.0Zn - 2.3Cu - 2.0Mg - 0.16Zr Annealed - UNS A97055	2012	SAE	0
14509	AIR4057B	Secondary Filters for Fluid System Reliability (Stabilized Type)	2012	SAE	0
14510	AMS4207C	Aluminum Alloy Sheet, Alclad 5.7Zn - 2.2Mg - 1.6Cu - 0.22Cr (7475-T61) Solution and Precipitation Heat Treated - UNS A87475	2012	SAE	0
14511	AIR4002A	8000 psi Hydraulic Systems: Experience and Test Results (Stabilized Type)	2012	SAE	0
14512	AMS4229F	Aluminum Alloy Castings, High Strength 4.5Cu - 0.70Ag - 0.30Mn - 0.25Mg - 0.25Ti (A201.0-T7) Solution Heat Treated and Overaged - UNS A02010	2012	SAE	0
14513	AIR4013C	Multiplex Data Bus Networks for MIL-STD-1760 Stores (Stabilized Type)	2012	SAE	0
14514	AIR4012C	USAF Aircraft Wheels (Stabilized Type)	2012	SAE	0
14515	AMS4248C	Aluminum Alloy Hand Forgings and Rolled Rings 1.0Mg - 0.60Si - 0.28Cu - 0.20Cr (6061-T652) Solution Heat Treated, Stress Relief Compressed, and Precipitation Heat Treated - UNS A96061	2012	SAE	0
14516	AMS4166G	Aluminum Alloy, Extrusions 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (7075-T73) Solution Heat Treated and Overaged - UNS A97075	2012	SAE	0
14517	AMS4167J	Aluminum Alloy, Extrusions 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (7075-T73511) Solution Heat Treated, Stress Relieved by Stretching, and Overaged - UNS A97075	2012	SAE	0
14518	AMS4168K	Aluminum Alloy, Extrusions 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (7075-T6510) Solution Heat Treated, Stress Relieved by Stretching, and Precipitation Heat Treated, Unstraightened - UNS A97075	2012	SAE	0
14519	AMS4169L	Aluminum Alloy, Extrusions 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (7075-T6511) Solution Heat Treated, Stress Relieved by Stretching, Straightened and Precipitation Heat Treated - UNS A97075	2012	SAE	0
14520	AMS4194D	Aluminum Alloy, Sheet and Plate, Alclad 4.4Cu - 1.5Mg - 0.60Mn (2024 -T361 Sheet/Plate with 1ï_% Alclad) Solution Heat Treated, 6% Cold Worked and Naturally Aged - UNS A82024	2012	SAE	0
14521	AMS4185E	Filler Metal, Aluminum Brazing 12Si (4047) - UNS A94047	2012	SAE	0
14522	AMS4186D	Aluminum Alloy Bars, Rods, and Wire, Rolled or Cold Finished 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (7075-F) As Fabricated, or when specified, Annealed (7075-O) - UNS A97075	2012	SAE	0
14523	AMS4134F	Aluminum Alloy, Die Forgings 4.4Cu - 0.85Si - 0.80Mn - 0.50Mg (2014-T4) Solution Heat Treated - UNS A92014	2012	SAE	0
14524	AMS4122L	Aluminum Alloy Bars, Rods, and Wire Rolled or Cold Finished, and Rings 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (7075-T6, 7075-T651)Solution and Precipitation Heat Treated - UNS A97075	2012	SAE	0
14525	AMS4124E	Aluminum Alloy, Rolled or Cold Finished Bars, Rods, and Wire 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (7075-T73, T7351) Solution Heat Treated, Stress Relieved by Stretching, and Overaged - UNS A97075	2012	SAE	0
14526	AMS4114J	Aluminum Alloy Bars and Rods, Rolled or Cold-Finished 2.5Mg - 0.25Cr (5052-F) As Fabricated - UNS A95052	2012	SAE	0

14527	AMS4101E	Aluminum Alloy, Plate 4.4Cu - 1.5Mg - 0.60Mn (2124-T851) Solution Heat Treated, Stretched, and Precipitation Heat Treated - UNS A92124	2012	SAE	0
14528	AIR3270A	Aircraft Sealant Removal Techniques (Stabilized Type)	2012	SAE	0
14529	AMS4083L	Aluminum Alloy Tubing, Hydraulic, Seamless, Drawn, Round 1.0Mg - 0.60Si - 0.28Cu - 0.20Cr (6061-T6) Solution and Precipitation Heat Treated - UNS 96061	2012	SAE	0
14530	AIR1906A	Estimation of One-Third-Octave-Band Lateral Attenuation of Sound from Jet-Propelled Airplanes (Stabilized Type)	2012	SAE	0
14531	AIR1905A	Gas Turbine Coaxial Exhaust Flow Noise Prediction (Stabilized Type)	2012	SAE	0
14532	AMS3914	Advanced Composites Prepreg Nominal 250 Ï°F Cure 12K Tow Carbon Fiber and Epoxy Resin, Plain Weave Fabric	2012	SAE	0
14533	AMS4002	Aluminum Alloy Tubing, Seamless, Drawn 1.8Cu - 1.0Mg - 0.8Si - 0.20Cr Solution Heat Treated, Stress-Relieved by Stretching, and Aged (2013-T6511) - UNS A92013	2012	SAE	0
14534	AMS4040N	Aluminum Alloy, Sheet and Plate, Alclad 4.4Cu - 1.5Mg - 0.60Mn (2024-O with 1 Ï % Alclad); Annealed - UNS A82024	2012	SAE	0
14535	AMS4041R	Aluminum Alloy, Sheet and Plate, Alclad 4.4Cu - 1.5Mg - 0.60Mn (2024, -T3 Sheet/-T351 Plate with 1Ï_% Alclad) Solution Heat Treated, Cold Worked and Naturally Aged - UNS A82024	2012	SAE	0
14536	AMS4029L	Aluminum Alloy Sheet and Plate (2014; -T6 Sheet, -T651 Plate) Solution and Precipitation Heat Treated - UNS A92014	2012	SAE	0
14537	AIR1989B	Helicopter External Noise Estimation (Stabilized Type)	2012	SAE	0
14538	AMS3791B	Cloth, Marquisette, Nylon (Stabilized Type)	2012	SAE	0
14539	AMS3792-1B	Tape, Low Modulus Aramid 2 (51), 300 (1334) Breaking Strength	2012	SAE	0
14540	AMS3792-2B	Tape, Low Modulus Aramid 2 (51), 1000 (4448) Breaking Strength	2012	SAE	0
14541	AMS3792-3B	Tape, Low Modulus Aramid 2 (51), 3000 (13,345) Breaking Strength	2012	SAE	0
14542	AMS3782B	Webbing, Textile, Tubular, Para-Aramid Intermediate Modulus (Stabilized Type)	2012	SAE	0
14543	AIR1703A	(R) In-Flight Thrust Determination	2012	SAE	0
14544	AMS3778-4B	Webbing, Woven, Nylon 2600 Pounds Force (11,565 N)	2012	SAE	0
14545	AMS3778-5B	Webbing, Woven, Nylon 900 Pounds Force (4003 N)	2012	SAE	0
14546	AMS3778B	Tape and Webbing, Woven, Nylon (Stabilized Type)	2012	SAE	0
14547	AMS3778-1B	NULL	2012	SAE	0
14548	AIR1751A	Prediction Method for Lateral Attenuation of Airplane Noise During Takeoff and Landing (Stabilized Type)	2012	SAE	0
14549	AMS3751C	Microspheres, Hollow Glass (Stabilized Type)	2012	SAE	0
14550	AIR1739B	(R) Information on Antiskid Systems	2012	SAE	0
14551	AIR1845A	Procedure for the Calculation of Airplane Noise in the Vicinity of Airports (Stabilized Type)	2012	SAE	0
14552	AMS3648C	Tubing, Polychlorotrifluoroethylene (PCTFE) Unplasticized (Stabilized Type)	2012	SAE	0
14553	AMS3649D	Film, Polychlorotrifluoroethylene (PCTFE) Unplasticized (Stabilized Type)	2012	SAE	0
14554	AMS3650D	Rods, Sheets, and Molded Shapes, Polychlorotrifluoroethylene (PCTFE) Unplasticized (Stabilized Type)	2012	SAE	0
14555	AMS3645D	Polychlorotrifluoroethylene (PCTFE), Compression Molded Heavy Sections, Unplasticized (Stabilized Type)	2012	SAE	0
14556	AMS3646D	Sheet, Polychlorotrifluoroethylene (PCTFE), Molded, Unplasticized (Stabilized Type)	2012	SAE	0
14557	AMS3642E	Plastic Moldings, Laminated, Thermosetting Resin Glass Cloth Reinforced Heat Resistant (Stabilized Type)	2012	SAE	0
14558	AIR1616A	Self-Sealing Breakaway Valves for Crash-Resistant Aircraft Fuel Systems (Stabilized Type)	2012	SAE	0
14559	AMS3634E	Tubing, Polyolefin Plastic, Electrical Insulation Selectively Crosslinked, Semi-Rigid, Heat-Shrinkable (Stabilized Type)	2012	SAE	0
14560	AMS3635E	Plastic Sheet and Strip, Modified Vinyl, Foamed Closed Cell (Stabilized Type)	2012	SAE	0
14561	AMS3636H	Tubing, Plastic, Electrical Insulation Irradiated Polyolefin, Pigmented, Flexible, Heat-Shrinkable 2 to 1 Shrink Ratio (Stabilized Type)	2012	SAE	0
14562	AMS3637G	Tubing, Irradiated Polyolefin Plastic, Electrical Insulation Clear, Flexible, Heat Shrinkable 2 to 1 Shrink Ratio (Stabilized Type)	2012	SAE	0

14563	AMS3638G	Tubing, Irradiated Polyolefin Plastic, Electrical Insulation Pigmented, Semi-Rigid, Heat Shrinkable, 2 to 1 Shrink Ratio (Stabilized Type)	2012	SAE	0
14564	AMS3639G	Tubing, Irradiated Polyolefin Plastic, Electrical Insulation Clear, Semi-Rigid, Heat Shrinkable, 2 to 1 Shrink Ratio (Stabilized Type)	2012	SAE	0
14565	AMS3664C	Cloth, Glass, Vinyl Coated (Stabilized Type)	2012	SAE	0
14566	AMS3666E	Polytetrafluoroethylene (PTFE) Sheet, Glass Cloth Reinforced (Stabilized Type)	2012	SAE	0
14567	AMS3669G	Polytetrafluoroethylene (PTFE) Sheet, Molded Premium Grade, As Sintered (Stabilized Type)	2012	SAE	0
14568	AMS3722B	Paper Honeycomb 125 lb (55 kg) Paper (Stabilized Type)	2012	SAE	0
14569	AMS3725B	Core, Polyurethane Foam (Polyether) Rigid, Cellular (Stabilized Type)	2012	SAE	0
14570	AMS3694B	Aerodynamic Smoothing Compound, Flexible -55ï° to +130ï°C (-65ï° to +270ï°F) (Stabilized Type)	2012	SAE	0
14571	AMS3696C	Aerodynamic Fairing Compound -55ï° to +85ï°C (-65ï° to +185ï°F) (Stabilized Type)	2012	SAE	0
14572	AMS3697C	Aerodynamic Fairing Compound -55ï° to +150ï°C (-65ï° to +300ï°F) (Stabilized Type)	2012	SAE	0
14573	AMS3375C	Adhesive/Sealant, Fluorosilicone Aromatic Fuel Resistant, One-Part Room Temperature Vulcanizing (Stabilized Type)	2012	SAE	0
14574	AMS3370B	Silicone Resin, Elastomeric, Transparent Room Temperature Cure (Stabilized Type)	2012	SAE	0
14575	AIR1083C	(R) Airborne Hydraulic and Control System Survivability for Military Aircraft	2012	SAE	0
14576	AMS3378B	Sealant, Silicone, Two-Part, General Purpose Room Temperature Vulcanizing Non-Fuel Resistant (Stabilized Type)	2012	SAE	0
14577	AMS3358C	Silicone Potting Compound, Elastomeric Two-Part, General Purpose 80 to 180 Poise (8 to 18 Paâ__s) Viscosity (Stabilized Type)	2012	SAE	0
14578	AMS3361C	Silicone Potting Compound, Elastomeric Two-Part, General Purpose 150 to 400 Poise (15 to 40 Pa.s) Viscosity (Stabilized Type)	2012	SAE	0
14579	AMS3362D	Silicone Rubber Compound Room Temperature Vulcanizing, 15,000 Centipoise Viscosity Durometer 35 - 55 (Stabilized Type)	2012	SAE	0
14580	AMS3363E	Silicone Rubber Compound Room Temperature Vulcanizing, 50,000 Centipoise Viscosity Durometer 30 - 45 (Stabilized Type)	2012	SAE	0
14581	AMS3364D	Silicone Rubber Compound Room Temperature Vulcanizing, 50,000 Centipoise Viscosity Short Application Life, Durometer 35 - 55 (Stabilized Type)	2012	SAE	0
14582	AMS3368B	Silicone Resin, Elastomeric, Transparent Elevated Temperature Cure (Stabilized Type)	2012	SAE	0
14583	AMS3366C	Silicone Rubber Compound Room Temperature Vulcanizing, 55,000 Centipoise Viscosity Durometer 55 - 70 (Stabilized Type)	2012	SAE	0
14584	AMS3372B	Silicone Resin, Elastomeric High Tear Strength Elevated Temperature Cure (Stabilized Type)	2012	SAE	0
14585	AMS3373-1B	Compound, Silicone Rubber, Insulating and Sealing Oil and Reversion Resistant, Low Viscosity, Room Temperature Cure	2012	SAE	0
14586	AMS3373-2B	Compound, Silicone Rubber, Insulating and Sealing Oil and Reversion Resistant, Medium Viscosity, Room Temperature Cure	2012	SAE	0
14587	AMS3373C	Compound, Silicone Rubber, Insulating and Sealing 35 to 55 (Stabilized Type)	2012	SAE	0
14588	AMS3284B	(R) Sealing Compound, Low Adhesion, for Removable Panels and Fuel Tank Inspection Plates	2012	SAE	0
14589	AMS3277G	Sealing Compound, Polythioether Rubber Fast Curing for Integral Fuel Tanks and General Purpose, Intermittent Use to 360 ï°F (182 ï°C)	2012	SAE	0
14590	AMS3315G	Silicone (VMQ) Rubber Sheet, Glass Cloth Reinforced (Stabilized Type)	2012	SAE	0
14591	AMS3333B	Sealing Compound, Polysulfide For Aircraft Windshields and Canopies, For Use up to 250 ï°F (121 ï°C) (Stabilized Type)	2012	SAE	0
14592	MAM3053A	Grease, Water Resistant Polyalphaolefin Base (Stabilized Type)	2012	SAE	0
14593	MS1007	(R) Lubricants, Industrial Oils, and Related Products Type G Slideway Lubricants - Specification	2012	SAE	0
14594	MS1009	Lubricants, Industrial Oils, and Related Products Type P Pneumatic Tool Oils - Specification	2012	SAE	0
14595	MS1010	Lubricants, Industrial Oils, and Related Products Type T Turbine Oils - Specification	2012	SAE	0
14596	MA3374C	Bolts and Screws, UNS S66286, Corrosion and Heat Resistant Steel, Procurement Specification, Metric	2012	SAE	0

14597	MA4872A	Paint Stripping of Commercial Aircraft - Evaluation of Materials and Processes (Stabilized Type)	2012	SAE	0
14598	MA3454A	COVER - ENGINE ACCESSORY DRIVE, SQUARE, 127.28 BC, METRIC AMS4424 (UNS M11630) OR AMS4484	2012	SAE	0
14599	J995	Mechanical and Material Requirements for Steel Nuts	2012	SAE	0
14600	AMS3217-2C	Test Slabs, Acrylonitrile Butadiene (NBR-L) Low Acrylonitrile, 65 - 75	2012	SAE	0
14601	J987	Lattice Boom Cranes - Method of Test	2012	SAE	0
14602	AMS3217-8	Test Slabs, Fluoroelastomer (FKM), 70-80 Hardness, for Improved Gas Turbine Engine Oil Compatibility	2012	SAE	0
14603	J844	Nonmetallic Air Brake System Tubing (Stabilized Type)	2012	SAE	0
14604	J858A	Electrical Terminals Blade Type (Stabilized Type)	2012	SAE	0
14605	J866	Friction Coefficient Identification and Environmental Marking System for Brake Linings	2012	SAE	0
14606	J960	(R) Marine Control Cable Connection - Engine Clutch Lever	2012	SAE	0
14607	J961	(R) Marine Control Cable Connection - Engine Throttle Lever	2012	SAE	0
14608	J958	Nomenclature and Dimensions for Crane Shovels (Stabilized Type)	2012	SAE	0
14609	AMS3215M	Acrylonitrile Butadiene (NBR) Rubber Aromatic Fuel Resistant 65 - 75	2012	SAE	0
14610	J959	Lifting Crane, Wire-Rope Strength Factors	2012	SAE	0
14611	J931	(R) Hydraulic Fluid Power Circuit Filtration - Application & Methods	2012	SAE	0
14612	J923	Nomenclature and Terminology for Truck and Bus Drive Axles (Stabilized Type)	2012	SAE	0
14613	J927	Flywheels for Engine-Mounted Torque Converters (Stabilized Type)	2012	SAE	0
14614	J900	Crankcase Emission Control Test Code, Standard;	2012	SAE	0
14615	J661	Brake Lining Quality Test Procedure (Stabilized Type)	2012	SAE	0
14616	AIR1489C	(R) Aerospace Landing Gear Systems Terminology	2012	SAE	0
14617	J641	Hydrodynamic Drives Terminology	2012	SAE	0
14618	J686	Motor Vehicle License Plates (Stabilized Type)	2012	SAE	0
14619	J815	Load Deflection Testing of Urethane Foams for Automotive Seating	2012	SAE	0
14620	J829	Fuel Tank Filler Cap and Cap Retainer (Stabilized Type)	2012	SAE	0
14621	J81	Thread Rolling Screws (Stabilized Type)	2012	SAE	0
14622	J732	Specification Definitionsâ Loaders	2012	SAE	0
14623	J771	Automotive Printed Circuits (Stabilized Type)	2012	SAE	0
14624	J514	Hydraulic Tube Fittings	2012	SAE	0
14625	J551-16	Electromagnetic Immunity - Off-Vehicle Source (Reverberation Chamber Method) - Part 16 - Immunity to Radiated Electromagnetic Fields	2012	SAE	0
14626	J551-5	Performance Levels and Methods of Measurement of Magnetic and Electric Field Strength from Electric Vehicles, 150 kHz to 30 MHz	2012	SAE	0
14627	J636	V-Belts and Pulleys	2012	SAE	0
14628	J637	Automotive V-Belt Drives (Stabilized Type)	2012	SAE	0
14629	J618	Flywheels for Single-Plate Spring-Loaded Clutches (Stabilized Type)	2012	SAE	0
14630	J619	Flywheels for Two-Plate Spring-Loaded Clutches (Stabilized Type)	2012	SAE	0
14631	J620	Flywheels for Industrial Engines Used With Industrial Power Take-Offs Equipped With Driving-Ring Type Overcenter Clutches and Engine-Mounted Marine Gears and Single Bearing Engine-Mounted Power Generators (Stabilized Type)	2012	SAE	0
14632	J621	Industrial Power Take-Offs With Driving Ring-Type Overcenter Clutches (Stabilized Type)	2012	SAE	0
14633	J575	Test Methods and Equipment for Lighting Devices for Use on Vehicles Less than 2032 mm in Overall Width	2012	SAE	0
14634	J578	Color Specification	2012	SAE	0
14635	J49	Specification Definitions - Hydraulic Backhoes	2012	SAE	0

14636	J490	Ball Joints (Stabilized Type)	2012	SAE	0
14637	J491	Steering Ball Studs and Socket Assemblies (Stabilized Type)	2012	SAE	0
14638	J398	Rated (Advertised) Fuel Capacity - Passenger Car, Multi-Purpose Passenger Vehicles, and Light Duty Trucks (Stabilized Type)	2012	SAE	0
14639	AMS3144	Primer, Anodic Electrodeposition for Aircraft Applications	2012	SAE	0
14640	J401	Selection and Use of Steels	2012	SAE	0
14641	J444	Cast Shot and Grit Size Specifications for Peening and Cleaning	2012	SAE	0
14642	J331	Sound Levels for Motorcycles	2012	SAE	0
14643	J335	Multiposition Small Engine Exhaust System Fire Ignition Suppression	2012	SAE	0
14644	J326	Nomenclature - Hydraulic Backhoes	2012	SAE	0
14645	J343	Test and Test Procedures for SAE 100R Series Hydraulic Hose and Hose Assemblies	2012	SAE	0
14646	J363	Filter-Base Mounting (Stabilized Type)	2012	SAE	0
14647	J365	Method of Testing Resistance to Scuffing of Trim Materials	2012	SAE	0
14648	J373	Housing Internal Dimensions for Single-and Two-Plate Spring-Loaded Clutches (Stabilized Type)	2012	SAE	0
14649	J3011	Measurement and Characterization of Electronically Controlled All-Wheel Drive/Driveline Coupling Systems	2012	SAE	0
14650	J3013	Friction Material Elastic Constants Determination through FRF Measurements and Optimization	2012	SAE	0
14651	J301	Effective Dates of New or Revised Technical Reports	2012	SAE	0
14652	J31	Hydraulic Backhoe Lift Capacity (Stabilized Type)	2012	SAE	0
14653	J30	Fuel and Oil Hoses	2012	SAE	0
14654	J2990	Hybrid and EV First and Second Responder Recommended Practice	2012	SAE	0
14655	J2983	Recommended Practice for Determining Material Properties of Li-Battery Separator	2012	SAE	0
14656	AMS3132J	Varnish, Phenolic Resin Corrosion-Preventive (Stabilized Type)	2012	SAE	0
14657	J2979	Test Method for Vulcanized Rubber and Thermoplastic Elastomer Determination of Compressive Stress Relaxation (CSR) Response	2012	SAE	0
14658	J2970	Minimum Performance Requirements for Non-Refrigerant Tracer Gasses and Electronic Tracer Gas Leak Detectors	2012	SAE	0
14659	J2961	Linear Impact Test for Passenger Airbag Modules Component Evaluation	2012	SAE	0
14660	J2950	Recommended Practices (RP) for Shipping Transport and Handling of Automotive-Type Battery System - Lithium Ion	2012	SAE	0
14661	AMS3125H	Enamel, Glyceryl Phthalate Engine Gray Baking (Stabilized Type)	2012	SAE	0
14662	J2936	SAE Electrical Energy Storage Device Labeling Recommended Practice	2012	SAE	0
14663	J2931-4	Broadband PLC Communication for Plug-in Electric Vehicles	2012	SAE	0
14664	AMS3120H	Enamel, Glyceryl Phthalate Black Baking (Stabilized Type)	2012	SAE	0
14665	J2927	R-1234yf Refrigerant Identifier Installed In Recovery and Recycling Equipment for Use With Mobile A/C Systems	2012	SAE	0
14666	J2931-1	(R) Digital Communications for Plug-in Electric Vehicles	2012	SAE	0
14667	J2928	Brake Rotor Thermal Cracking Procedure for Vehicles Below 4 540 kg GVWR	2012	SAE	0
14668	J2896	Motor Vehicle Seat Comfort Performance Measures	2012	SAE	0
14669	J2898	Hydraulic Hybrid Terminology and Definitions	2012	SAE	0
14670	J2889-1	(R) Measurement of Minimum Noise Emitted by Road Vehicles	2012	SAE	0
14671	J2860	Users Manual for the Hybrid III Large Male Test Dummy	2012	SAE	0
14672	J2847-2	(R) Communication Between Plug-In Vehicles and Off-Board DC Chargers	2012	SAE	0
14673	J2859	Hybrid III Large Male Drawing Package - Includes Access to Additional Content	2012	SAE	0
14674	J286	SAE No. 2 Clutch Friction Test Machine Guidelines (Stabilized Type)	2012	SAE	0

14675	J285	Dispenser Nozzle Spouts for Liquid Fuels Intended for Use with Spark Ignition and Compression Ignition Engines (Stabilized Type)	2012	SAE	0
14676	J2831	Development of Design and Engineering Recommendations for In-Vehicle Alphanumeric Messages	2012	SAE	0
14677	J2825	Measurement of Exhaust Sound Pressure Levels of Stationary On-Highway Motorcycles	2012	SAE	0
14678	J2807	Performance Requirements for Determining Tow-Vehicle Gross Combination Weight Rating and Trailer Weight Rating	2012	SAE	0
14679	J2785	Standardization of Color and Verbiage for Fuel Inlet Closures (Stabilized Type)	2012	SAE	0
14680	J2731	Low Speed Enveloping Test with Perpendicular and Inclined Cleats	2012	SAE	0
14681	J2600	Compressed Hydrogen Surface Vehicle Fueling Connection Devices	2012	SAE	0
14682	J2598	Automotive Disc Brake Pad Natural Frequency and Damping Test	2012	SAE	0
14683	J2599	Fuel Filler Pipe Assembly Design Practice to Meet Low Evaporative Emission Requirements	2012	SAE	0
14684	J2602-1	LIN Network for Vehicle Applications	2012	SAE	0
14685	J2602-2	LIN Network for Vehicle Applications Conformance Test	2012	SAE	0
14686	J2707	Wear Test Procedure on Inertia Dynamometer for Brake Friction Materials (Stabilized Type)	2012	SAE	0
14687	J2696	Inboard Mounted Disc Brake Rotor/Disc Wheel Hub Interface Dimensions - Commercial Vehicles	2012	SAE	0
14688	J2690	Driveline Parking Brake Test Procedure for Medium Duty Vehicles	2012	SAE	0
14689	J2705	Tire Quasi-Static Envelopment of Triangular/Step Cleats Test	2012	SAE	0
14690	J2717	Tests to Define Tire Size (Geometry), Mass, and Inertias	2012	SAE	0
14691	J2659	Test Method to Measure Fluid Permeation of Polymeric Materials by Speciation	2012	SAE	0
14692	J2686	Brake Drum Qualification Recommended Practice	2012	SAE	0
14693	J2688	Parking Brake Control Identification - Vehicles with Hydraulic Brake Systems and Automatic Transmissions	2012	SAE	0
14694	J2549	Single Conductor Cable for Heavy-Duty Applicationsâ__ Truck and Bus	2012	SAE	0
14695	J2458	Exhaust Brake Dynamometer Test and Capability Rating Procedure (Stabilized Type)	2012	SAE	0
14696	J246	Spherical and Flanged Sleeve (Compression) Tube Fittings	2012	SAE	0
14697	AMS3057A	Lubricant, Semi-Fluid, for Aircraft Gearboxes (Stabilized Type)	2012	SAE	0
14698	J2484	(R) Fastener Part Standard - Machine Screws	2012	SAE	0
14699	J2485	(R) Fastener Part Standard - Machine Screw Nuts (Metric and Inch)	2012	SAE	0
14700	J2489	SAE No. 2 Friction Test Machine Durability Test	2012	SAE	0
14701	J2487	SAE No. 2 Friction Test Machine 3600 r/min Stepped Power Test	2012	SAE	0
14702	J2490	(R) SAE No. 2 Friction Test Machine ¿ PVT Test	2012	SAE	0
14703	J2501	Round, Screened and Unscreened, 60 V and 600 V Multi-Core Sheathed Cables (Stabilized Type)	2012	SAE	0
14704	J2503	Drawbar Pull Performance Criteria (Stabilized Type)	2012	SAE	0
14705	J2497	Power Line Carrier Communications for Commercial Vehicles	2012	SAE	0
14706	AMS3060B	Compound, Rust Inhibiting Aircraft Engine Components	2012	SAE	0
14707	J2506	(R) Material Handler Nomenclature and Specifications	2012	SAE	0
14708	J2518	Lift Capacity Calculation Method Scrap and Material Handlers	2012	SAE	0
14709	J2430	Dynamometer Effectiveness Characterization Test for Passenger Car and Light Truck Brake Friction Products	2012	SAE	0
14710	J2432	Performance Testing of PK Section V-Ribbed Belts	2012	SAE	0
14711	J240	Life Test for Automotive Storage Batteries (Stabilized Type)	2012	SAE	0
14712	AMS3053A	Grease, Water Resistant Polyalphaolefin Base (Stabilized Type)	2012	SAE	0
14713	J2383	(R) Air Dryer Installation Procedure	2012	SAE	0
14714	J2384	Air Dryer Test Procedure	2012	SAE	0
14715	J2360	(R) Automotive Gear Lubricants for Commercial and Military Use	2012	SAE	0

14716	J2357	(R) Application Guidelines for Electronically Driven and/or Controlled Exterior Automotive Lighting Equipment	2012	SAE	0
14717	J2348	Electric Windshield Washer Switch - Trucks, Buses, and Multipurpose Vehicles	2012	SAE	0
14718	J2349	Electric Windshield Wiper Switch - Trucks, Buses, and Multipurpose Vehicles	2012	SAE	0
14719	J2350	Electric Blower Motor Switch - Trucks, Buses, and Multipurpose Vehicles (Stabilized Type)	2012	SAE	0
14720	J2337-2	(R) Connections for Fluid Power and High Pressure Use - Ports, Stud Ends, and Plugs with ISO 261 Threads and O-Ring Sealing - Part 2: Stud End Requirements, Dimensions, Design, and Test Methods	2012	SAE	0
14721	J2337-3	(R) Connections for Fluid Power and High Pressure Use - Ports, Stud Ends, and Plugs with ISO 261 Threads and O-Ring Sealing - Part 3: Port Plug Requirements, Dimensions, Design, and Test Methods	2012	SAE	0
14722	J2320	Discharge Signal Lighting System (Stabilized Type)	2012	SAE	0
14723	J2283	Mechanical and Material Requirements for One Piece Wheel Nuts (Stabilized Type)	2012	SAE	0
14724	J2296	Retest of Refrigerant Container	2012	SAE	0
14725	J2299	Ultraviolet Leak Detection: Performance Requirements for Fluorescent Refrigerant Leak Detection Dye Injection Equipment for Aftermarket Service of Mobile Air-Conditioning Systems (Stabilized Type)	2012	SAE	0
14726	J2287	Recommended Design and Performance Standard for Seats with Integrated Lap and Shoulder Restraints (Stabilized Type)	2012	SAE	0
14727	J2238	Airbag Inflator Ballistic Tank Test Procedure Gas Generating Devices Used In Inflatable Restraint Systems	2012	SAE	0
14728	AIR1407A	Prediction Procedure for Near-Field and Far-Field Propeller Noise (Stabilized Type)	2012	SAE	0
14729	J2234	Equivalent Temperature - Truck and Bus (Stabilized Type)	2012	SAE	0
14730	J2222	Coiled Electrical Cable - Truck and Bus	2012	SAE	0
14731	J2212	Accelerated Exposure of Automotive Interior Trim Components Using a Controlled Irradiance Air-Cooled Xenon-Arc Apparatus, Recommended Practice	2012	SAE	0
14732	J2213	Metric Ball Joints (Stabilized Type)	2012	SAE	0
14733	J2050	High-Temperature Power Steering Pressure Hose (Stabilized Type)	2012	SAE	0
14734	J2045	Performance Requirements for Fuel System Tubing Assemblies	2012	SAE	0
14735	J2059 SOFTWARE	Companion Spreadsheet (J1939) - See Also SAE J2059; Includes Access to Additional Content	2012	SAE	0
14736	J207	Electroplating of Nickel and Chromium on Metal Parts - Automotive Ornamentation and Hardware (Stabilized Type)	2012	SAE	0
14737	J2076	High-Temperature Power Steering Return Hose - Low Pressure (Stabilized Type)	2012	SAE	0
14738	J2099	(R) Standard of Purity for Recycled R-134a (HFC-134a) and R-1234yf (HFO-1234yf) for Use in Mobile Air-conditioning Systems	2012	SAE	0
14739	J2134	Luminous Reflectance in Safety Glazing Materials for Road Vehicles	2012	SAE	0
14740	J2188	Commercial Truck and Bus SAE Recommended Procedure for Vehicle Performance Prediction and Charting	2012	SAE	0
14741	J2183	60 V and 600 V Single-Core Cables (Stabilized Type)	2012	SAE	0
14742	J2185	(R) Life Test for Heavy-Duty Storage Batteries (Lead Acid Type only)	2012	SAE	0
14743	J1976	(R) Outdoor Weathering of Exterior Materials, Standard - February 1994	2012	SAE	0
14744	J1979	(R) E/E Diagnostic Test Modes	2012	SAE	0
14745	J198	Windshield Wiper Systems - Trucks, Buses, and Multipurpose Vehicles	2012	SAE	0
14746	J1962	Diagnostic Connector	2012	SAE	0
14747	J1953	Brake-Stroke Indicator Design Guideline for Cam or Disc Air-Brake Actuators	2012	SAE	0
14748	J1944	Truck and Bus Multipurpose Vehicle Windshield Washer System	2012	SAE	0
14749	J1939-84	OBD Communications Compliance Test Cases for Heavy Duty Components and Vehicles	2012	SAE	0
14750	J1940	(R) Small Engine Power and Torque Rating Procedure	2012	SAE	0
14751	J1992	Wheels/Rims - Military Vehicles - Test Procedures and Performance Requirements	2012	SAE	0

14752	J2019	Accelerated Exposure of Automotive Exterior Materials Using a Controlled Irradiance Air-Cooled Xenon-Arc Apparatus, Standard	2012	SAE	0
14753	J1939-01	(R) On-Highway Equipment Control and Communication Network	2012	SAE	0
14754	J1939-11	Physical Layer, 250 Kbps, Twisted Shielded Pair	2012	SAE	0
14755	J190	Power Steering Pressure Hose - Wire Braid (Stabilized Type)	2012	SAE	0
14756	AMS2774D	Heat Treatment Wrought Nickel Alloy and Cobalt Alloy Parts	2012	SAE	0
14757	J1928	Devices Providing Backfire Flame Control for Gasoline Engines in Marine Applications	2012	SAE	0
14758	J193	Ball Stud and Socket Assembly - Test Procedures (Stabilized Type)	2012	SAE	0
14759	J1930DA	J1930 Electrical/Electronic Systems Diagnostic Terms, Definitions, Abbreviations, and Acronyms Web Tool Spreadsheet - See Also SAE J1930; Includes Access to Additional Content	2012	SAE	0
14760	J1862	Fuel Injection System Fuel Pressure Regulator and Pressure Damper (Stabilized Type)	2012	SAE	0
14761	J188	Power Steering Pressure Hose - High Volumetric Expansion Type (Stabilized Type)	2012	SAE	0
14762	J1876	Plastic Dust Shield for Hydraulic Disc Brakes (Stabilized Type)	2012	SAE	0
14763	J189	Power Steering Return Hose - Low Pressure (Stabilized Type)	2012	SAE	0
14764	J1833	Hot Impulse Test for Hydraulic Brake Hose Assemblies (Stabilized Type)	2012	SAE	0
14765	J1849	Emergency Vehicle Sirens (Stabilized Type)	2012	SAE	0
14766	J1730	ABS Excitor Ring Location Standardization	2012	SAE	0
14767	J1765	SAE Miniature Bulb Vibration Test (Stabilized Type)	2012	SAE	0
14768	J1796	Spectral Transmission Test	2012	SAE	0
14769	J180	Electrical Charging Systems for Off Highway Work Machines	2012	SAE	0
14770	J1807	Hydraulic Power Assist Brake Booster Test Procedure	2012	SAE	0
14771	J1814	Operator Controls - Off-Road Machines	2012	SAE	0
14772	J1825	Shelf Storage of Hydraulic Brake Components (Stabilized Type)	2012	SAE	0
14773	J1817	Long-Stroke Air-Brake Actuator Marking	2012	SAE	0
14774	J1693	Remanufactured Hydraulic Master Cylinder for Motor Vehicle Brakes - General Characteristics and Test Procedure (Stabilized Type)	2012	SAE	0
14775	J1694	Remanufactured Hydraulic Master Cylinder for Motor Vehicle Brakes - Performance Requirements, Recommended Practice	2012	SAE	0
14776	J1678	Low Voltage Ultra Thin Wall Primary Cable	2012	SAE	0
14777	J1673	High Voltage Automotive Wiring Assembly Design	2012	SAE	0
14778	J1699-3	(R) Vehicle OBD II Compliance Test Cases	2012	SAE	0
14779	J1703	Motor Vehicle Brake Fluid	2012	SAE	0
14780	J1704	Motor Vehicle Brake Fluid Based Upon Glycols, Glycol Ethers and the Corresponding Borates	2012	SAE	0
14781	J1626	Braking, Stability, and Control Performance Test Procedures for Air-and Hydraulic-Brake-Equipped Trucks, Truck-Tractors and Buses (Stabilized Type)	2012	SAE	0
14782	J1621	Engine Retarder Dynamometer Test and Capability Rating Procedure (Stabilized Type)	2012	SAE	0
14783	AMS2728C	Heat Treatment of Wrought Copper Beryllium Alloy Parts	2012	SAE	0
14784	J1634	Battery Electric Vehicle Energy Consumption and Range Test Procedure	2012	SAE	0
14785	J1610	Test Method for Evaluating the Sealing Capability of Hose Connections with a PVT Test Facility (Stabilized Type)	2012	SAE	0
14786	J1614	Wiring Distribution Systems for Off-Road, Self-Propelled Work Machines	2012	SAE	0
14787	AMS2750E	(R) Pyrometry	2012	SAE	0
14788	J1646	Glossary of Terms - Lubricated Friction Systems (Stabilized Type)	2012	SAE	0
14789	J164	Radiator Caps and Filler Necks	2012	SAE	0

14790	J1651	Metric Yoke Type Rod Ends (Stabilized Type)	2012	SAE	0
14791	J1654	Unshielded High Voltage Primary Cable	2012	SAE	0
14792	J1570	Rubber Dust Boots for the Hydraulic Disk Brake Piston (Stabilized Type)	2012	SAE	0
14793	J1540	Manual Transmission Efficiency and Parasitic Loss Measurement (Stabilized Type)	2012	SAE	0
14794	J156	Fusible Links	2012	SAE	0
14795	J1574-1	Measurement of Vehicle and Suspension Parameters for Directional Control Studies	2012	SAE	0
14796	J1577	Replaceable Motorcycle Headlamp Bulbs (Stabilized Type)	2012	SAE	0
14797	J1456	Maximum Allowable Rotational Speed for Internal Combustion Engine Flywheels (Stabilized Type)	2012	SAE	0
14798	J1453-1	Specification for O-Ring Face Seal Connectors: Part 1 - Tube Connection Details and Common Requirements for Performance and Tests	2012	SAE	0
14799	J1455	Recommended Environmental Practices for Electronic Equipment Design in Heavy-Duty Vehicle Applications	2012	SAE	0
14800	J1463	Pull-Type Clutch Transmission Installation Dimensions (Stabilized Type)	2012	SAE	0
14801	J1460-1	Human Mechanical Impact Response Characteristics - Dynamic Response of the Human Abdomen	2012	SAE	0
14802	AMS2672G	Brazing, Aluminum Torch or Furnace	2012	SAE	0
14803	AMS2673E	Brazing, Aluminum and Aluminum Alloys Molten Flux (Dip)	2012	SAE	0
14804	J1479	Automotive Pull Type Clutch Terminology, Standard	2012	SAE	0
14805	J1494	Battery Booster Cables (Stabilized Type)	2012	SAE	0
14806	J1499	SAE Band Friction Test Machine Guidelines (Stabilized Type)	2012	SAE	0
14807	J1436	(R) Requirements for Engine Cooling System Filling, Deaeration, and Drawdown Tests	2012	SAE	0
14808	J1405	Optional Test Procedures for Hydraulic Hose Assemblies	2012	SAE	0
14809	J1390	Engine Cooling Fan Structural Analysis	2012	SAE	0
14810	J1393	Heavy Duty Vehicle Cooling Test Code	2012	SAE	0
14811	J1341	(R) Test Method for Measuring Power Consumption of Hydraulic Pumps for Trucks and Buses	2012	SAE	0
14812	J1342	Test Method for Determining Power Consumption of Engine Cooling Fan Drive Systems	2012	SAE	0
14813	J1362	(R) Graphical Symbols for Operator Controls and Displays on Off-Road Self-Propelled Work Machines	2012	SAE	0
14814	J1367	Performance Test Procedure - Ball Joints and Spherical Rod Ends (Stabilized Type)	2012	SAE	0
14815	J1369	Anchorage Provisions for Installation of Child Restraint Tether Straps in Rear Seating Positions (Stabilized Type)	2012	SAE	0
14816	J1313	Automotive Synchronous Belt Drives	2012	SAE	0
14817	J1309	Travel Performance and Rating Procedure, Crawler Mounted Hydraulic Excavators, Material Handlers, Knuckle Boom Log Loaders, and Certain Forestry Equipment (Stabilized Type)	2012	SAE	0
14818	J1306	(R) Motorcycle Auxiliary Front Lamps	2012	SAE	0
14819	AMS2643E	Structural Examination of Titanium Alloys Chemical Etch Inspection Procedure	2012	SAE	0
14820	J1288	Packaging, Storage, and Shelf Life of Hydraulic Brake Hose Assemblies (Stabilized Type)	2012	SAE	0
14821	J1277	(R) Method for Assessing the Cleanliness Level of New Hydraulic Fluid	2012	SAE	0
14822	J1278	SI (Metric) Synchronous Belts and Pulleys	2012	SAE	0
14823	J1282	Snowmobile Brake Control Systems	2012	SAE	0
14824	J1259	Metric Spherical Rod Ends (Stabilized Type)	2012	SAE	0
14825	AMS2641B	Vehicle, Magnetic Particle Inspection Petroleum Base	2012	SAE	0
14826	J123	(R) Surface Discontinuities on Bolts, Screws, and Studs in Fatigue Applications	2012	SAE	0
14827	AMS2636	Ultrasonic Immersion Inspection Titanium and Titanium Alloy Forgings Premium Grade	2012	SAE	0
14828	J1252	(R) SAE Wind Tunnel Test Procedure for Trucks and Buses	2012	SAE	0
14829	J1222	Speed Control Assurance for Snowmobiles	2012	SAE	0

14830	J1211	(R) Handbook for Robustness Validation of Automotive Electrical/Electronic Modules	2012	SAE	0
14831	AIR4498A	Aus-Bay Quenching of 300M Steel	2012	SAE	0
14832	AIR5006-2	Solid Rocket Booster Reliability Guidebook - Volume II Probabilistic Design and Analysis Methods for Solid Rocket Boosters	2012	SAE	0
14833	AIR5080	Integration of Probabilistic Methods into the Design Process	2012	SAE	0
14834	AIR5086	Perceptions and Limitations Inhibiting the Application of Probabilistic Methods	2012	SAE	0
14835	AIR5109	Applications of Probabilistic Methods	2012	SAE	0
14836	AIR5113	Legal Issues Associated with the Use of Probabilistic Design Methods	2012	SAE	0
14837	AIR5121A	Software Supportability - An Overview	2012	SAE	0
14838	AMS1550B	Cleaner, Water Base, Aircraft interior Hard Surface Materials	2012	SAE	0
14839	AMS4511A	Copper-Beryllium Alloy Castings 97Cu - 2.1Be - 0.52(Co + Ni) - 0.28Si Solution and Precipitation Heat Treated (TFOO) - UNS C82500	2012	SAE	0
14840	AMS5548p	Steel, Corrosion and Heat-Resistant, Sheet and Strip 16.5Cr - 4.5Ni - 2.9Mo - 0.10N 1850 to 1975 Ï°F (1010 to 1079 Ï°C) Annealed - UNS S35000	2012	SAE	0
14841	AMS5557J	Steel, Corrosion and Heat-Resistant, Seamless or Welded Hydraulic Tubing 18.5Cr - 10.5Ni - 0.40Ti (SAE 30321) Solution Heat Treated - UNS S32100	2012	SAE	0
14842	AMS-C-22587A	Cartridges, Grease, 14 Ounce (for Cartridge-Type Grease Gun)	2012	SAE	0
14843	ARP573D	Silver, Copper and Nickel Alloy Brazed Joints for Aerospace Propulsion Systems	2012	SAE	0
14844	ARP1320B	Determination of Chlorine in Oxygen from Solid Chemical Oxygen Generators	2012	SAE	0
14845	ARP4721-1	Monitoring Aircraft Noise and Operations in the Vicinity of Airports: System Description, Acquisition, and Operation	2012	SAE	0
14846	ARP4721-2	Monitoring Aircraft Noise and Operations in the Vicinity of Airports: System Validation	2012	SAE	0
14847	ARP5674	Safety Considerations for Aircraft-Mounted Lasers Projected Into the Navigable Airspace	2012	SAE	0
14848	AS686B	Piloted Ring Seal Tube Swivel Connection Assembly	2012	SAE	0
14849	AS1492b	Interline Air Cargo Pallet Nets	2012	SAE	0
14850	AS3298	CUSHION TUBE CLAMP SUPPORT, PTFE, INCH	2012	SAE	0
14851	AS9201c	NUT, PLAIN, HEXAGON, BOSS CONNECTION, SILVER PLATED, 347 CRES UNS S34700	2012	SAE	0
14852	AS9353	CLAMP, LOOP - ALUMINUM, .204 HOLE	2012	SAE	0
14853	AS9354	CLAMP, LOOP - ALUMINUM, .265 HOLE	2012	SAE	0
14854	AS9391	CLAMP, LOOP - MULTIPLE TUBE, DETACHABLE CUSHION, AMS5510	2012	SAE	0
14855	AS9392	CUSHION, LOOP CLAMP MULTIPLE, 3-TUBE, AMS3303	2012	SAE	0
14856	AS9393	CUSHION, LOOP CLAMP MULTIPLE, 2-TUBE, AMS3303	2012	SAE	0
14857	AS9395	BACKPLATE, RETAINING STRAP AMS5510	2012	SAE	0
14858	AS14244	CLAMP, LOOP TYPE, BONDING METRIC	2012	SAE	0
14859	AS81824-3	SPLICE, COAXIAL CABLE, ELECTRIC, PERMANENT, CRIMP STYLE COPPER, INSULATED, ENVIRONMENT RESISTANT, CLASS 1	2012	SAE	0
14860	AS81824-4	SPLICES, ELECTRIC, PERMANENT, CRIMP STYLE, COPPER, INSULATED, ENVIRONMENT RESISTANT, SPLICE, SHIELD, SOLDER TYPE, INSULATED, CLASS 1	2012	SAE	0
14861	AS81824-5	SPLICES, ELECTRIC, PERMANENT, CRIMP STYLE, COPPER, INSULATED, ENVIRONMENT RESISTANT, KIT,SHIELDED CABLE, CLASS 1	2012	SAE	0
14862	AS116901B - AS116912B	SCREW û OVAL FILLISTER HEAD, .112-40	2012	SAE	0
14863	AS116925B - AS116960B	SCREW û OVAL FILLISTER HEAD, .138-32	2012	SAE	0

14864	AS116961C - AS117000C	SCREW û OVAL FILLISTER DRILLED HEAD, .138-32	2012	SAE	0
14865	AS117001B - AS117040B	SCREW û OVAL FILLISTER HEAD, .164-32	2012	SAE	0
14866	AS117041B - AS117080B	SCREW û OVAL FILLISTER DRILLED HEAD, .164-32	2012	SAE	0
14867	AS125101C - AS125250C	RIVET - 100? COUNTERSUNK HEAD, MILD STEEL	2012	SAE	0
14868	AS125551B - AS125700B	RIVET û UNIVERSAL HEAD, MILD STEEL	2012	SAE	0
14869	AS150426D - AS150450D	NUT û HEX, CHECK, AMS6320, AMS6322 OR AMS6325	2012	SAE	0
14870	J314	Felts - Wool and Part Wool	2012	SAE	0
14871	J400	Test for Chip Resistance of Surface Coatings	2012	SAE	0
14872	J882	(R) Test Method for Measuring Thickness of Automotive Textiles and Plastics	2012	SAE	0
14873	J912	Test Method for Determining Blocking Resistance and Associated Characteristics of Automotive Trim Materials	2012	SAE	0
14874	J1029	Lighting and Marking of Construction, Earthmoving Machinery	2012	SAE	0
14875	J1044	World Manufacturer Identifier, Recommended Practice - December 1981	2012	SAE	0
14876	J1257	Rating Chart for Cantilevered Boom Cranes	2012	SAE	0
14877	J1290	Automotive Hydraulic Brake System - Metric Tube Connections	2012	SAE	0
14878	J1406	Application of Hydraulic Brake Hose to Motor Vehicles	2012	SAE	0
14879	J1453-3	Specification for O-Ring Face Seal Connectors: Part 3â__Requirements, Dimensions, and Tests for Steel Unions, Bulkheads, Swivels, Braze Sleeves, Connectors, Caps, and Connectors with SAE J1926-2 Inch Stud Ends	2012	SAE	0
14880	J1474	Heavy-Duty Nonmetallic Engine Cooling Fans - Material, Manufacturing, and Test Considerations	2012	SAE	0
14881	J1568	Materials for Plastic Pistons for Hydraulic Disc Brake Cylinders	2012	SAE	0
14882	J1873	Moisture Transmission Test Procedure - Hydraulic Brake Hose Assemblies, Recommended Practice - June 1993	2012	SAE	0
14883	J1877	Recommended Practice for Bar-Coded Vehicle Identification Number Label	2012	SAE	0
14884	J2022	Classification, Nomenclature, and Specification Definitions for Horizontal Earthboring Machines	2012	SAE	0
14885	J2608	Off Throttle Steering Capabilities of Personal Watercraft	2012	SAE	0
14886	J2750	Assigned Identification Number Structure and Usage for North American Vehicles/Watercraft Other than Certified to Federal Regulations	2012	SAE	0
14887	J2918	(R) Engine-Off Cab Heating and Air Conditioning Systems Test Procedure and Performance Requirements - Trucks with and without Sleepers	2012	SAE	0
14888	JA1002	Software Reliability Program Standard	2012	SAE	0
14889	JA1004	Software Supportability Program Standard	2012	SAE	0
14890	JA1005	Software Supportability Program Implementation Guide	2012	SAE	0
14891	JA1006	Software Support Concept	2012	SAE	0
14892	MA1806	Spring Clips and Cushion Selection for Metal Tube Support, Metric	2012	SAE	0
14893	MA2093	Fitting End, Dimensions, Fluid Systems Port Connection, Metric	2012	SAE	0
14894	MA2520	NUT - HEX, BACK-UP RING, PORT FITTING CONNECTOR, AMS 5639, MJ THREAD, METRIC	2012	SAE	0
14895	MA2532	ADAPTER PORT TO TUBE, 60 DEG CONE COUPLING, AMS 5639, MJ THREAD, METRIC	2012	SAE	0
14896	MA3294	CLIP - SPRING, TENSION, OUTER 5.5 MM BOLT HOLE, AMS 5525, METRIC	2012	SAE	0
14897	MA3295	CLIP - SPRING, TENSION, INNER 5.5 MM BOLT HOLE, AMS 5525, METRIC	2012	SAE	0
14898	MA3296	CUSHION - TUBE CLAMP SUPPORT, PTFE, METRIC	2012	SAE	0

14899	MA3399	Clamp - Tube Support, Spring Clips and PTFE Cushion Procurement Specification for	2012	SAE	0
14900	GEIA-859A	Data Management - Formerly TechAmerica GEIA-859 REV A	2012	SAE	0
14901	GEIA-STD-0005-1A	Performance Standard for Aerospace and High Performance Electronic Systems Containing Lead-free Solder - Formerly TechAmerica GEIA-STD-0005-1-A	2012	SAE	0
14902	GEIA-STD-0005-2A	Standard for Mitigating the Effects of Tin Whiskers in Aerospace and High Performance Electronic Systems - Formerly TechAmerica GEIA-STD-0005-2 REV A	2012	SAE	0
14903	ICS 1000	Recreation Off-Road Vehicle Product Identification Numbering System	2012	SAE	0
14904	MAM 3053a	Grease, Water Resistant Polyalphaolefin Base	2012	SAE	0
14905	MAP 1573A	Hole Sizes, Recommended for Metric Fasteners on Propulsion Equipment	2012	SAE	0
14906	AIR1353C	Cushion Tow Hitches Test (Stabilized Type)	2012	SAE	0
14907	AS81703A	(R) Connectors, Electric, Circular, Miniature, Rack and Panel or Push-Pull Coupling, Environment Resisting	2012	SAE	0
14908	AS81582-9A	(R) CONNECTORS, ELECTRICAL, BAYONET COUPLING, ENVIRONMENT RESISTING, UMBILICAL, CAPS, PROTECTIVE	2012	SAE	0
14909	AS81582B	(R) Connectors, Electrical, Bayonet Coupling, Environment Resisting, Umbilical, General Specification For	2012	SAE	0
14910	AS81659-72A	(R) CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (DUAL INSERT, TYPE IV, CLASS 1, (-65 ?C TO +125 ?C), SERIES 2, SHELL DESIGNATOR A, FLOAT MOUNTING)	2012	SAE	0
14911	AS81659-9A	(R) CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE ENVIRONMENT RESISTANT, CRIMP CONTACTS, DOUBLE INSERT, TYPE II, CLASS 1 (-65 ?C TO +125 ?C), SERIES 1, SHELL DESIGNATOR A	2012	SAE	0
14912	AS81659A	(R) Connectors, Electrical, Rectangular Crimp Contacts General Specification For	2012	SAE	0
14913	AS81659-62A	(R) CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE,CRIMP CONTACTS, (DUAL INSERT, TYPE III, CLASS 1,(-65 ?C TO +125 ?C), SERIES 2, SHELL DESIGNATOR A)	2012	SAE	0
14914	AS81659-63A	(R) CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE,CRIMP CONTACTS, (TRIPLE INSERT, TYPE III, CLASS 1,(-65 ?C TO +125 ?C), SERIES 2, SHELL DESIGNATOR A)	2012	SAE	0
14915	AS81659-64A	(R) CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE,CRIMP CONTACTS, (QUADRUPLE INSERT, TYPE III, CLASS 1,(-65 ?C TO +125 ?C), SERIES 2, SHELL DESIGNATOR A)	2012	SAE	0
14916	AMS2430S	(R) Shot Peening, Automatic	2012	SAE	0
14917	AS81659-65A	(R) CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, CRIMP CONTACTS, (SINGLE INSERT, TYPE IV, CLASS 1, (-65 ?C TO +125 ?C), SERIES 2, SHELL DESIGNATOR A)	2012	SAE	0
14918	AS81659-66A	(R) CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE,CRIMP CONTACTS, (SINGLE INSERT, TYPE IV, CLASS 1,(-65 ?C TO +125 ?C), SERIES 2, SHELL DESIGNATOR A)	2012	SAE	0
14919	AS81659-67A	(R) CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE,CRIMP CONTACTS, (SINGLE INSERT, TYPE IV, CLASS 1,(-65 ?C TO +125 ?C), SERIES 2, SHELL DESIGNATOR A, CLINCH NUT MOUNTING)	2012	SAE	0
14920	AS81659-68A	(R) CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE,CRIMP CONTACTS, (SINGLE INSERT, TYPE IV, CLASS 1,(-65 ?C TO +125 ?C), SERIES 2, SHELL DESIGNATOR A, FLOAT MOUNTING)	2012	SAE	0
14921	AS81659-69A	(R) CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, CRIMP CONTACTS, (DUAL INSERT, TYPE IV, CLASS 1, (-65 TO +125 ?C), SERIES 2, SHELL DESIGNATOR A)	2012	SAE	0
14922	AS81659-70A	(R) CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (DUAL INSERT, TYPE IV, CLASS 1, (-65 ?C TO +125 ?C), SERIES 2, SHELL DESIGNATOR A)	2012	SAE	0
14923	AS81659-29A	(R) CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, CRIMP CONTACTS (SINGLE INSERT, TYPE II, CLASS 1, (-65 ?C TO +125 ?C), SERIES 2, SHELL DESIGNATOR A)	2012	SAE	0
14924	AS81659-31A	(R) CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (SINGLE INSERT, TYPE II, CLASS 1, (-65 ?C TO +125 ?C), SERIES 2, SHELL DESIGNATOR A)	2012	SAE	0
14925	AS81659-57A	(R) CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG ENVIRONMENT RESISTANT, CRIMP CONTACTS, QUADRUPLE INSERT, TYPE II, CLASS 1 (-65 ?C TO +125 ?C), SERIES 2, SHELL DESIGNATOR B	2012	SAE	0
14926	AS81659-58A	(R) CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG ENVIRONMENT RESISTANT, CRIMP CONTACTS, QUADRUPLE INSERT, TYPE II, CLASS 2 (-65 ?C TO +200 ?C), SERIES 2, SHELL DESIGNATOR B	2012	SAE	0

14927	AS81582-5A	(R) CONNECTOR ADAPTER, RIGHT ANGLE, RFI SHIELDED, ELECTRIC CONNECTOR TO ELECTRIC CONNECTOR	2012	SAE	0
14928	AMS2425F	Plating, Gold for Thermal Control	2012	SAE	0
14929	AS8059	Carry-On Portable Oxygen Concentrators	2012	SAE	0
14930	AS8054A	Airborne Engine Vibration Monitoring (EVM) System, Guidelines for Performance Standard For	2012	SAE	0
14931	AS7928-12C	(R) TERMINAL, LUG, CRIMP STYLE, COPPER, INSULATED, RING TONGUE, BELL-MOUTHED, TIN WHISKER RESISTANT, TYPE II, CLASS 1, (FOR 105 ?C TOTAL CONDUCTOR TEMPERATURE)	2012	SAE	0
14932	AS665A	TAPERED AXLE COLLAR DIMENSIONS (Stabilized Type)	2012	SAE	0
14933	AS683D	Installation Procedures and Torques for Fluid Connections	2012	SAE	0
14934	AS685D	(R) PILOTED RING SEAL FLUID CONNECTION BOSSES	2012	SAE	0
14935	AS6456	Aerospace Analog Fiber Optic Link	2012	SAE	0
14936	AS6449A	Solid Film Lubricant for Fluid Fittings in Oxygen, Potable Water, Hydraulic, and Other Systems	2012	SAE	0
14937	AS6450A	Lubricant Application, Solid Film, Heat Cured, Potable Water, Hydraulic, and Other Fluid Systems	2012	SAE	0
14938	AS6462	AS5553, Counterfeit Electronic Parts; Avoidance, Detection, Mitigation, and Disposition Verification Criteria	2012	SAE	0
14939	AS614C	Hose Assembly, Polytetrafluoroethylene, Metallic Reinforced, 4000 psi, 400 Ï°F, Heavy Duty, Hydraulic and Pneumatic	2012	SAE	0
14940	AS6173	Cutting Tools, Wire, Electrical, General Specification For	2012	SAE	0
14941	AS6174	Counterfeit Materiel; Assuring Acquisition of Authentic and Conforming Materiel	2012	SAE	0
14942	AS6173-2	CUTTING TOOL, ELECTRICAL, WIRE CUTTING WITH GRIPPING TEETH, HAND ACTUATED, TYPE I, WIRE SIZES 26 THROUGH 10	2012	SAE	0
14943	AS620G	Hose Assemblies, Convoluted Polytetrafluoroethylene Metallic Reinforced, High Temperature, Medium Pressure, Aircraft	2012	SAE	0
14944	AS6213	FITTING, ADAPTER, PORT, REDUCER, 37 DEGREE SPHERICAL, FLARED	2012	SAE	0
14945	AS6129	AS6129: Interface Standard, Airborne EO/IR Systems, Electrical	2012	SAE	0
14946	AS6135	Interface Standard, Airborne EO/IR Systems, Data	2012	SAE	0
14947	AS6165	Interface Standard, Airborne EO/IR Systems, Maintenance and Test	2012	SAE	0
14948	AMS2406M	Plating, Chromium Hard Deposit	2012	SAE	0
14949	AS7092B	Fittings, Cargo Tiedown, Aircraft (Stabilized Type)	2012	SAE	0
14950	AMS2407F	(R) Plating, Chromium, Porous	2012	SAE	0
14951	AS6081	Fraudulent/Counterfeit Electronic Parts: Avoidance, Detection, Mitigation, and Disposition - Distributors	2012	SAE	0
14952	AS6104	FITTING, ELBOW 45 DEGREES, STANDARD AND REDUCER, 37 DEGREES SPHERICAL, FLARED	2012	SAE	0
14953	AS6048A	FITTING, ELBOW, 90 DEGREE, STANDARD AND REDUCER, BULKHEAD, FLARELESS, PRECISION TYPE	2012	SAE	0
14954	AS604E	Hose Assembly, Polytetrafluoroethylene, Metallic Reinforced, 3000 psi, 400 Ï°F, Heavyweight, Hydraulic	2012	SAE	0
14955	AS6053A	Tests, Impact, Shock Absorber Landing Gear, Aircraft (Stabilized Type)	2012	SAE	0
14956	AS6058	PACKING, PREFORMED, O-RING MOLDED FROM PERFLUOROETHER, FFO MATERIAL	2012	SAE	0
14957	AMS2368C	Sampling and Testing of Wrought Titanium Raw Material Except Forgings and Forging Stock	2012	SAE	0
14958	AS6019	ARC Fault Circuit Breaker (AFCB), Aircraft, Trip-Free 28 VDC	2012	SAE	0
14959	AS6043A	FITTING, TEE, STANDARD AND REDUCER, BULKHEAD ON RUN, FLARELESS, PRECISION TYPE	2012	SAE	0
14960	AS6044A	FITTING, ELBOW, 90 DEGREE, STANDARD AND REDUCER, FLARELESS, PRECISION TYPE	2012	SAE	0
14961	AS6045A	FITTING, TEE, STANDARD AND REDUCER, FLARELESS, PRECISION TYPE	2012	SAE	0
14962	AS6046A	FITTING, CROSS, STANDARD AND REDUCER, FLARELESS, PRECISION TYPE	2012	SAE	0
14963	AS598	Aerospace Microscopic Sizing and Counting of Particulate Contamination for Fluid Power Systems	2012	SAE	0
14964	AS5971B	FITTING ASSEMBLY, ELBOW, 45 DEGREE, AXIALLY SWAGED, HYDRAULIC, 5080 PSI	2012	SAE	0
14965	AS5969D	FITTING ASSEMBLY, UNION, AXIALLY SWAGED, HYDRAULIC 5080 PSI	2012	SAE	0

14966	AS5970B	FITTING ASSEMBLY, ELBOW, 90 DEGREE, AXIALLY SWAGED, HYDRAULIC, 5080 PSI	2012	SAE	0
14967	AS5951 SUP 1	Hose Assembly, Polytetrafluoroethylene, Para-Aramid Reinforced, 5080 psi (35,000 kPa), 275ï°F (135ï°C), Aircraft Hydraulic Systems (Supplement 1)	2012	SAE	0
14968	AS5869C	FITTING ASSEMBLY, UNION, 3 HOLE FLANGE AXIALLY SWAGED, HYDRAULIC 5080 PSI	2012	SAE	0
14969	AS5813A	TUBE - PITOT, ELECTRICALLY HEATED (Stabilized Type)	2012	SAE	0
14970	AS5823B	CARD-COMPASS CORRECTION (Stabilized Type)	2012	SAE	0
14971	AIR1327A	Acoustic Effects Produced by a Reflecting Plane (Stabilized Type)	2012	SAE	0
14972	AS58091A	(R) Circuit Breakers, Trip-Free, Aircraft General Specification For	2012	SAE	0
14973	AMS2280C	(R) Trace Element Control Nickel Alloy Castings.	2012	SAE	0
14974	AS5716A	Standard Electrical and Logical Interface for Airborne Fuzing Systems	2012	SAE	0
14975	AS5604A	Compass; Magnetic, Pilots Standby (Stabilized Type)	2012	SAE	0
14976	AS5692-4	ARC FAULT CIRCUIT BREAKER û AIRCRAFT, TRIP FREE, 25 TO 35 AMP, TYPE 1	2012	SAE	0
14977	AS5675	Characterization and Requirements for New Aerospace Fiber Optic Cable Assemblies - Jumpers, End Face Geometry, Link Loss Measurement, and Inspection	2012	SAE	0
14978	AS5680A	(R) Fuze Well Mechanical Interface	2012	SAE	0
14979	AS5681A	Minimum Operational Performance Specification for Remote On-Ground Ice Detection Systems	2012	SAE	0
14980	AMS2261K	Tolerances Nickel, Nickel Alloy, and Cobalt Alloy Bars, Rods, and Wire	2012	SAE	0
14981	AS5663A	Minimum Performance Requirements for Transport Airplane Wheel and Brake Assemblies Using Electric Power Actuation	2012	SAE	0
14982	AS5653B	High Speed Network for MIL-STD-1760	2012	SAE	0
14983	AS5506B	Architecture Analysis & Design Language (AADL)	2012	SAE	0
14984	AS5466	Aerospace - General Requirements for Hydraulic Fuse - Quantity Measuring	2012	SAE	0
14985	AS5258A	(R) Insulating Component, Molded, Electrical, Heat Shrinkable, Connector and Cable Accessory, Sealing Strain Relief, General Specification For	2012	SAE	0
14986	AS5259-1A	(R) CRIMPING TOOL AND ACCESSORIES, REMOTE CRIMP HEAD, HYDRAULIC, WIRE SIZE 8 TO 0000 FOR INSULATED AND UN-INSULATED CRIMP BARRELS	2012	SAE	0
14987	AS5259-2	CRIMPING TOOL AND ACCESSORIES, HYDRAULIC PUMPS, 10 000 PSI MINIMUM	2012	SAE	0
14988	AS5259-3A	(R) CRIMPING TOOL AND ACCESSORIES, HAND OPERATED, DIE TYPE, WIRE SIZES 8 TO 00 UN-INSULATED AND INSULATED CRIMP BARRELS	2012	SAE	0
14989	AS5259-4	CRIMPING TOOL AND ACCESSORIES, REMOTE CRIMP HEAD, HYDRAULIC, WIRE SIZE 8 TO 00 UN-INSULATED AND 8 THRU 2 INSULATED CRIMP BARRELS	2012	SAE	0
14990	AS5259-5	CRIMPING TOOL AND ACCESSORIES, HAND OPERATED, LIGHTWEIGHT, DIE TYPE, WIRE SIZE 8 TO 00 UN-INSULATED AND 8 THRU 2 INSULATED CRIMP BARRELS	2012	SAE	0
14991	AS5259-6	CRIMPING TOOL AND ACCESSORIES, HAND OPERATED, LIGHTWEIGHT, DIE TYPE, WIRE SIZE 8 TO 00 UN-INSULATED AND 8 THRU 2 INSULATED CRIMP BARRELS	2012	SAE	0
14992	AS5259-7	CRIMPING TOOL AND ACCESSORIES, DIES, WIRE SIZE 8 TO 0000 UN-INSULATED AND INSULATED CRIMP BARRELS	2012	SAE	0
14993	AS5179B	NUT, FITTING, PORT	2012	SAE	0
14994	AS4688B	(R) FITTING, TEE, REDUCER, FLARELESS AND SHORT FLARELESS	2012	SAE	0
14995	AS4689C	(R) FITTING, TEE, REDUCER, BULKHEAD ON RUN, FLARELESS AND SHORT FLARELESS	2012	SAE	0
14996	AS4685B	(R) FITTING, ELBOW, 90ï°, REDUCER, FLARELESS AND SHORT FLARELESS	2012	SAE	0
14997	AS4682B	(R) FITTING, ELBOW, 45ï°, REDUCER, FLARELESS AND SHORT FLARELESS	2012	SAE	0
14998	AS4683C	(R) FITTING, ELBOW, 45ï°, REDUCER AND NON-REDUCER, BULKHEAD, FLARELESS AND SHORT FLARELESS	2012	SAE	0
14999	AMS1538B	Deoxidizer, Acidic, for Magnesium Alloys (Stabilized Type)	2012	SAE	0

15000	AS4667A	(R) ELBOW ASSEMBLY, 45ï°, RETAINED NUT, SHORT FLARELESS	2012	SAE	0
15001	AS4668B	(R) FITTING, ELBOW, 90ï°, SHORT FLARELESS	2012	SAE	0
15002	AS4674A	(R) TEE ASSEMBLY, RETAINED NUT ON RUN, SHORT FLARELESS	2012	SAE	0
15003	AS4675A	(R) TEE ASSEMBLY, RETAINED NUT ON SIDE, SHORT FLARELESS	2012	SAE	0
15004	AS4666B	(R) FITTING, ELBOW, 45ï°, BULKHEAD, SHORT FLARELESS	2012	SAE	0
15005	AS4670A	ELBOW ASSEMBLY, 90ï°, RETAINER NUT, SHORT FLARELESS	2012	SAE	0
15006	AS4661B	Fitting Assembly, Cap, Short Flareless	2012	SAE	0
15007	AS4623 SUP 1	Hose Assembly, Polytetrafluoroethylene, Para-Aramid Reinforced, 3000 psi, 275ï°F, Heavy Duty, Aircraft Hydraulic Systems (Supplement 1)	2012	SAE	0
15008	AS4690C	(R) FITTING, TEE, REDUCER, BULKHEAD ON SIDE, FLARELESS AND SHORT FLARELESS	2012	SAE	0
15009	AS4710A	PI-Bus (Stabilized Type)	2012	SAE	0
15010	AS4877C	Bolts and Screws, Nickel Alloy UNS N07718, Classification: 185 ksi/1200 ï°F Procurement Specification	2012	SAE	0
15011	AS4841A	(R) Fittings, 37ï° Internal Flare, Fluid Connection, Procurement Specification	2012	SAE	0
15012	AS50141B	(R) Tube, Pneumatic Tire, Aircraft	2012	SAE	0
15013	AS4290A	Validation Test Plan for AS4074 Linear Token Passing Multiplex Data Bus (Stabilized Type)	2012	SAE	0
15014	AS4262B	Aircraft Ground Air Conditioning Service Connection	2012	SAE	0
15015	AS4099D	ADAPTER, ASSEMBLY - PORT CONNECTION RING LOCKED TO FLARELESS TUBE END	2012	SAE	0
15016	AS4075-1A	Optical Implementation Relating to the High Speed Ring Bus (HSRB) Standard	2012	SAE	0
15017	AS4075A	High Speed Ring Bus (HSRB) Standard (Stabilized Type)	2012	SAE	0
15018	AS407D	Fuel Flowmeters (Stabilized Type)	2012	SAE	0
15019	AMS1431D	Compound, Solid Runway and Taxiway Deicing/Anti-Icing	2012	SAE	0
15020	AMS1435C	(R) Fluid, Generic, Deicing/Anti-Icing Runways and Taxiways	2012	SAE	0
15021	AS4156B	Color-Coded Incandescent Flange Base T-1 and T-1 3/4 Lamps for Voltage Identification	2012	SAE	0
15022	AS4409B	FITTING ASSEMBLY, ELBOW 45ï°, REDUCER AND NONREDUCER, INTERNAL FLARE TO FLARED TUBE	2012	SAE	0
15023	AS4373E	Test Methods for Insulated Electric Wire	2012	SAE	0
15024	AS4383C	FITTING ASSEMBLY, REDUCER RING LOCKED PORT CONNECTION TO BEAM SEAL 5000 PSI /8/	2012	SAE	0
15025	AMS1478B	Deodorizer, Aircraft, Deactant-Type Aerosol Packaged (Stabilized Type)	2012	SAE	0
15026	AS4491A	Plastic Disposable Cartridge, Plunger, Nozzles and Cartridge Assembly (Stabilized Type)	2012	SAE	0
15027	AS4461B	(R) Assembly and Soldering Criteria for High Quality/High Reliability Soldering Wire and Cable Termination in Aerospace Vehicles	2012	SAE	0
15028	AS39029-90A	CONTACT, ELECTRICAL CONNECTOR, CONCENTRIC TWINAX, PIN, SIZE 8	2012	SAE	0
15029	AS39029-91A	CONTACT, ELECTRICAL CONNECTOR, CONCENTRIC TWINAX, SOCKET, SHIELDED, SIZE 8	2012	SAE	0
15030	AS406A	Flight Directors (Turbine-Powered Subsonic Aircraft) (Stabilized Type)	2012	SAE	0
15031	AS405D	Fuel and Oil Quantity Instruments (Stabilized Type)	2012	SAE	0
15032	AS402C	Automatic Pilots (Stabilized Type)	2012	SAE	0
15033	AS397B	Direction Instrument, Non-Magnetic, Stabilized Type (Directional Gyro) (Stabilized Type)	2012	SAE	0
15034	AS39901B	(R) Bearings, Roller, Needle, Airframe, Antifriction, Inch	2012	SAE	0
15035	AS399B	Direction Instrument, Magnetic (Stabilized Type)	2012	SAE	0
15036	AS39029-30B	(R) CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR AS50151 AS345XX SERIES AND MIL-DTL-83723 SERIES II CONNECTORS)	2012	SAE	0
15037	AMS1424K	Deicing/Anti-Icing Fluid, Aircraft, SAE Type I	2012	SAE	0

15038	AS39029-55A	(R) CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED (FOR MIL-DTL-26500 AND MIL-DTL-26518 CONNECTORS)	2012	SAE	0
15039	AS39029-4B	NULL	2012	SAE	0
15040	AS39029-57A	(R) CONTACTS, ELECTRICAL CONNECTORS, SOCKET CRIMP REMOVABLE (FOR MIL-DTL-24308, MIL-DTL-38999 SERIES II, MIL-DTL-55302/68, /71, /72, /75 AND MIL-DTL-83733 CONNECTORS)	2012	SAE	0
15041	AS39029-58A	(R) CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR MIL-DTL-24308, MIL-DTL-38999 SERIES I, II, III, AND IV, AND MIL-DTL-55302/69 AND MIL-DTL-83733 CONNECTORS)	2012	SAE	0
15042	AS3619A	CABLE, SAFETY, FERRULE, ELONGATED NICKEL ALLOY, UNS N06600	2012	SAE	0
15043	AS3625A	NUT, SELF-LOCKING, DOUBLE HEXAGON, REDUCED ENVELOPE, UNS S66286 SILVER PLATED THREADS ONLY	2012	SAE	0
15044	AS3626A	NUT, SELF-LOCKING, DOUBLE HEXAGON, REDUCED ENVELOPE, UNS S66286, COUNTERBORED SILVER PLATED THREADS ONLY	2012	SAE	0
15045	AS36102A	Air Cargo Unit Load Devices Testing Devices (Stabilized Type)	2012	SAE	0
15046	AS354B	PIN - PROPELLER SHAFT WRENCH (Stabilized Type)	2012	SAE	0
15047	AS353A	HANDLE - PROPELLER SHAFT WRENCH (Stabilized Type)	2012	SAE	0
15048	AMS10141B	TEE - BULB SECTION EXTRUDED (Stabilized Type)	2012	SAE	0
15049	AS3419B	BOLT, MACHINE,DOUBLE HEX, EXT WASHER HEAD, CLOSE TOLERANCE SHANK, UNS N07718 .3125-24 UNJF-3A (STRESS RUPTURE RESISTANT)	2012	SAE	0
15050	AMS10140B	I - SECTION - EXTRUDED (Stabilized Type)	2012	SAE	0
15051	AS34591A	CONNECTOR, PLUG, ELECTRICAL, SELF-LOCKING, COUPLING NUT, REAR RELEASE, CRIMP CONTACT, AN TYPE	2012	SAE	0
15052	AS3504B	INSERT - THIN WALL, SHORT, SELF-LOCKING, 1025 ï°F, SILVER PLATED ON INTERNAL SURFACES ONLY UNS N07718, UNJ THREAD	2012	SAE	0
15053	AS3505B	INSERT - THIN WALL, LONG, SELF-LOCKING, 1025 ï°F, SILVER PLATED ON INTERNAL SURFACES ONLY, UNS N07718, UNJ THREAD	2012	SAE	0
15054	AS35091A	RECEPTACLES, ELECTRIC, AIRCRAFT STORAGE BATTERY (Stabilized Type)	2012	SAE	0
15055	AS352B	WRENCH - PROPELLER SHAFT (SHAFT SIZES NO. 10-20-30) (Stabilized Type)	2012	SAE	0
15056	AS351B	WRENCH - PROPELLER SHAFT (SHAFT SIZES NO. 40-50-60) (Stabilized Type)	2012	SAE	0
15057	AMS10139B	ZEE - UNEQUAL LEG EXTRUDED (Stabilized Type)	2012	SAE	0
15058	AMS10138B	ZEE - EQUAL LEG EXTRUDED (Stabilized Type)	2012	SAE	0
15059	AMS10137B	CHANNEL - EXTRUDED (Stabilized Type)	2012	SAE	0
15060	AS34091A	(R) CONNECTORS, PLUG, ELECTRIC, 45 DEGREES ASSEMBLY, CRIMP CONTACT, AN TYPE	2012	SAE	0
15061	AMS10136B	TEE - EXTRUDED (Stabilized Type)	2012	SAE	0
15062	AMS10134B	ANGLE - UNEQUAL LEG EXTRUDED (Stabilized Type)	2012	SAE	0
15063	AMS10133B	ANGLE - EQUAL LEG EXTRUDED (Stabilized Type)	2012	SAE	0
15064	AS34041B	(R) CONNECTORS, RECEPTACLE, ELECTRIC, JAM NUT MOUNTING, FRONT RELEASE, CRIMP CONTACT, AN TYPE	2012	SAE	0
15065	AMS10135B	ANGLE - BULB SECTION EXTRUDED (Stabilized Type)	2012	SAE	0
15066	AS3247C	(R) BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, NICKEL ALLOY, UNS N07718, 185 KSI MIN, .4375-20 UNJF-3A	2012	SAE	0
15067	AS3241C	(R) BOLT, MACHINE DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, NICKEL ALLOY, UNS N07718, 185 KSI MIN, .5000-20 UNJF-3A	2012	SAE	0
15068	AS3242C	(R) BOLT, MACHINE DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, NICKEL ALLOY, UNS N07718, 185 KSI MIN, .5625-18 UNJF-3A	2012	SAE	0

15069	AS3243C	(R) BOLT, MACHINE DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, NICKEL ALLOY, UNS N07718, 185 KSI UTS MIN, .1900-32 UNJF-3A	2012	SAE	0
15070	AS3244C	(R) BOLT, MACHINE DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, NICKEL ALLOY, UNS N07718, 185 KSI MIN UTS, .2500-28 UNJF-3A	2012	SAE	0
15071	AS3245C	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, NICKEL ALLOY, UNS N07718, 185 KSI MIN, .3125-24 UNJF-3A	2012	SAE	0
15072	AS3246C	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, NICKEL ALLOY, UNS N07718, 185 KSI MIN, .3750-24 UNJF-3A	2012	SAE	0
15073	AS33698A	(R) INSERT ARRANGEMENTS, ELECTRIC CONNECTOR, SHELL SIZE 3 (FOR AS81703 CONNECTORS)	2012	SAE	0
15074	AS3221B	COVER - ENGINE ACCESSORY DRIVE, SQUARE, 2.653 BOLT CIRCLE, AMS4490 (UNS M11910)	2012	SAE	0
15075	AS3222C	COVER - ENGINE ACCESSORY DRIVE, SQUARE, 5.000 BOLT CIRCLE, AMS 4490 (UNS M11910)	2012	SAE	0
15076	AS3223B	COVER - ENGINE ACCESSORY DRIVE, ROUND, 5.000 BOLT CIRCLE, AMS4490 (UNS M11910)	2012	SAE	0
15077	AS9933B	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, FULL SHANK, STEEL AMS6322, CADMIUM PLATED, .250-28 UNJF-3A (Stabilized Type)	2012	SAE	0
15078	AS9944A	(R) BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, FULL SHANK, STEEL AMS6322, CADMIUM PLATED, .3750-24 UNJF-3A	2012	SAE	0
15079	CS1939	Companion Spreadsheet (J1939) - See Also SAE J1939; Includes Access to Additional Content	2012	SAE	0
15080	J1015	Tonne Kilometer Per Hour Test Procedure	2012	SAE	0
15081	J1025	Test Procedures for Measuring Truck Tire Revolutions Per Kilometer/Mile (Stabilized Type)	2012	SAE	0
15082	J1073	Spring-Loaded Clutch Spin Test Procedure (Stabilized Type)	2012	SAE	0
15083	J1067	Seven Conductor Cable - Truck and Bus	2012	SAE	0
15084	J1069	Oil Change System for Quick Service of Off-Road Self-Propelled Work Machines (Stabilized Type)	2012	SAE	0
15085	J1086	Numbering Metals and Alloys (Stabilized Type)	2012	SAE	0
15086	J1079	Overcenter Clutch Spin Test Procedure (Stabilized Type)	2012	SAE	0
15087	J1083	Unauthorized Starting or Movement of Machines (Stabilized Type)	2012	SAE	0
15088	AMS2588	Ultrasonically Activated Needle Peen Forming	2012	SAE	0
15089	J1033	Procedure for Measuring Bore and Face Runout of Flywheels, Flywheel Housings, and Flywheel Housing Adapters (Stabilized Type)	2012	SAE	0
15090	J1042	Operator Protection for General - Purpose Industrial Machines (Stabilized Type)	2012	SAE	0
15091	J1061	Surface Discontinuities on General Application Bolts, Screws, and Studs	2012	SAE	0
15092	AS9887A	BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK AMS5616, .3125-24 UNJF-3A	2012	SAE	0
15093	AS9914B	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, STEEL AMS6322, CADMIUM PLATED, .190-32 UNJF-3A (Stabilized Type)	2012	SAE	0
15094	AS9916A	(R) BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, STEEL AMS6322, CADMIUM PLATED, .3125-24 UNJF-3A	2012	SAE	0
15095	AMS2518D	Thread Compound, Anti-Seize, Graphite-Petrolatum (Stabilized Type)	2012	SAE	0
15096	AS9732A	(R) BOLT, MACHINE DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, CRES AMS5643, .1900-32 UNJF-3A	2012	SAE	0
15097	AS9733A	(R) BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, PD SHANK, CRES AMS 5643, .2500-28 UNJF-3A	2012	SAE	0
15098	AS9734A	(R) BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, PD SHANK, CRES AMS5643, .3125-24 UNJF-3A	2012	SAE	0
15099	AS9633A	(R) BOLT, MACHINE - HEXAGON HEAD, PD SHANK, TITANIUM AMS4967 (UNS R56400), .190-32 UNJF-3A	2012	SAE	0
15100	AS9714A	(R) BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, DRILLED, SILVER PLATED, CORROSION AND HEAT RESISTANT NICKEL ALLOY UNS N07001, .190-32 UNJF-3A	2012	SAE	0

15101	AS9715B	(R) BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, DRILLED, SILVER PLATED, CORROSION AND HEAT RESISTANT NICKEL ALLOY, .2500-28 UNJF-3A	2012	SAE	0
15102	AS9207C	SCREW, MACHINE - STEEL, DIFFUSED NICKEL-CADMIUM PLATED, DOUBLE HEXAGON EXTENDED WASHER HEAD, UNS K14675, 195 KSI MIN, .1640-36 UNJF-3A (Stabilized Type)	2012	SAE	0
15103	AS9217C	BOLT, MACHINE - STEEL, DIFFUSED NICKEL-CADMIUM PLATED, DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, UNS K14675, 195 KSI MIN, .190-32 UNJF-3A (Stabilized Type)	2012	SAE	0
15104	AS9218E	BOLT, MACHINE - STEEL, DIFFUSED NICKEL-CADMIUM PLATED, DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, UNS K14675, 195 KSI MIN, .2500-28 UNJF-3A (Stabilized Type)	2012	SAE	0
15105	AS9219D	BOLT, MACHINE - STEEL, DIFFUSED NICKEL-CADMIUM PLATED, DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, UNS K14675, 195 KSI MIN, .3125-24 UNJF-3A (Stabilized Type)	2012	SAE	0
15106	AS9209C	BOLT, MACHINE - STEEL, DIFFUSED NICKEL-CADMIUM PLATED, DOUBLE HEXAGON EXTENDED WASHER HEAD, UNS K14675, 195 KSI MIN, .2500-28 UNJF-3A (Stabilized Type)	2012	SAE	0
15107	AS9210C	BOLT, MACHINE - STEEL, DIFFUSED NICKEL-CADMIUM PLATED, DOUBLE HEXAGON EXTENDED WASHER HEAD, UNS K14675, 195 KSI MIN, .3125-24 UNJF-3A (Stabilized Type)	2012	SAE	0
15108	AS9212B	BOLT, MACHINE - STEEL, DIFFUSED NICKEL-CADMIUM PLATED, DOUBLE HEXAGON EXTENDED WASHER HEAD, UNS K14675, 195 KSI MIN, .4375-20 UNJF-3A	2012	SAE	0
15109	AS9216C	SCREW, MACHINE - STEEL, DIFFUSED NICKEL-CADMIUM PLATED, DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, UNS K14675, 195 KSI MIN, .1640-36 UNJF-3A (Stabilized Type)	2012	SAE	0
15110	AS9316B	SCREW, MACHINE - HEXAGON HEAD, SLOTTED, FULL SHANK, ALLOY STEEL, UNS K14675, 135 KSI MIN, .1900-32 UNS-3A	2012	SAE	0
15111	AS9320B	WASHER, FLAT AMS6350 (Stabilized Type)	2012	SAE	0
15112	AS9349A	(R) CLAMP, LOOP, CUSHIONED, JOGGLED, CRES, .204 HOLE	2012	SAE	0
15113	AS9557D	(R) BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, UTS 130 KSI MIN, .2500-28 UNJF-3A	2012	SAE	0
15114	AS9558C	(R) BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, UTS 130 KSI MIN, .3125-24 UNJF-3A	2012	SAE	0
15115	AS9553B	NUT HEXAGON, BOSS CONNECTION, CRES UNS S30400, 75 ksi	2012	SAE	0
15116	AS9555C	(R) SCREW, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, UTS 130 KSI MIN, .1640-36 UNJF-3A	2012	SAE	0
15117	AS955	Metric Sockets, Wrenches, Hand Twelve Point, High Strength, Thin Wall	2012	SAE	0
15118	AS9489C	BOLT, MACHINE - HEXAGON HEAD, FULL, SHANK, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, 130 KSI MIN, .1900-32 UNJF-3A (Stabilized Type)	2012	SAE	0
15119	AS9482B	WASHER, FLAT STEEL AMS6437 OR AMS6485 DIFFUSED NICKEL-CADMIUM PLATED, COUNTERSUNK	2012	SAE	0
15120	AS9121B	Stockist Distributors Quality System Questionnaire Associated with AS9120	2012	SAE	0
15121	AS9131C	(R) Aerospace Series - Quality Management Systems - Nonconformance Data Definition and Documentation	2012	SAE	0
15122	AS91001C	NUT, HEXAGON, DRILLED, BOSS CONNECTION, CRES - UNS S30400	2012	SAE	0
15123	AS90387B	(R) WIRING INSTALLATION TOOLS FOR PLASTIC AND METAL TIEDOWN STRAPS	2012	SAE	0
15124	AS9103A	(R) Aerospace Series - Quality Management Systems - Variation Management of Key Characteristics	2012	SAE	0
15125	AS9104-1	Requirements for Aviation, Space, and Defense Quality Management System Certification Programs	2012	SAE	0
15126	AS9111A	Aerospace Series Quality Management System Assessment for Maintenance Organizations (Based on ISO 9001:2000)	2012	SAE	0
15127	AS9110B	Quality Management Systems - Requirements for Aviation Maintenance Organizations	2012	SAE	0
15128	AS9003A	(R) Inspection and Test Quality Systems Requirements for Aviation, Space, and Defense Organizations	2012	SAE	0
15129	AS8976A	(R) Bearings, Plain, Self-Aligning, All Metal General Specification for	2012	SAE	0
15130	AS90335A	CONNECTOR, RECEPTACLES, PLUGS, ADAPTOR, EL, EMBEDDED, PRINTED CIRCUIT BOARD LAMP LIGHTING PANELS (Stabilized Type)	2012	SAE	0
15131	AS9047B	PIN - SPRING, STEEL, PHOSPHATE FINISH (Stabilized Type)	2012	SAE	0

15132	AS8860A	Landing Gear Structural Requirements as Listed in the MIL-886X Series of Specifications (Stabilized Type)	2012	SAE	0
15133	AMS2454	Plating, Electroless Nickel, Codeposited with Polytetrafluoroethylene (PTFE)	2012	SAE	0
15134	AS8905A	Fittings and Cargo Rings, Tie-Down, Aircraft Floor (Stabilized Type)	2012	SAE	0
15135	AS85049-64A	(R) CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, SPLIT, STRAIGHT, CATEGORY 4C (FOR MIL-DTL-38999 SERIES I AND II CONNECTORS)	2012	SAE	0
15136	AS85049-65A	(R) CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, SPLIT, 90 DEGREE, CATEGORY 4C (FOR MIL-DTL-38999 SERIES I AND II CONNECTORS)	2012	SAE	0
15137	AS85049-74A	(R) CONNECTOR ACCESSORIES, ELECTRICAL, POTTING BOOT, CATEGORY 7 (FOR USE WITH AS85049/61 POTTING BOOT RING)	2012	SAE	0
15138	AS85049-75A	(R) CONNECTOR ACCESSORIES, ELECTRICAL, POTTING BOOT, CATEGORY 7 (FOR USE WITH AS85049/58 POTTING BOOT RING)	2012	SAE	0
15139	AS85049-88C	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, STRAIGHT, SELF-LOCKING, SHIELD BAND TERMINATION (RFI/EMI), SHRINK BOOT ACCOMMODATION, CATEGORY 3B (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2012	SAE	0
15140	AS85049-89C	(R) CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, 45?, SELF-LOCKING, SHIELD BAND TERMINATION (RFI/EMI), SHRINK SLEEVE ACCOMMODATION, CATEGORY 3B (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2012	SAE	0
15141	AS85049-8C	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, CABLE SEALING, 90?, SHIELD TERMINATION, CATEGORY 1A (FOR AS50151 CRIMP, MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, AND MIL-DTL-83723 SERIES III CONNECTORS)	2012	SAE	0
15142	AS85049-90C	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, 90?, SELF-LOCKING, SHIELD BAND TERMINATION, (RFI/EMI), SHRINK SLEEVE ACCOMMODATION, CATEGORY 3B (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2012	SAE	0
15143	AS85049-9C	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, CABLE SEALING, 90?, CATEGORY 1A (FOR AS50151 CRIMP, MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, AND MIL-DTL-83723 SERIES III CONNECTORS)	2012	SAE	0
15144	AS8568A	Binoculars, Prismatic, Hand-Held (for Aeronautical Use) (7 x 50 and 6 x 42 (Wide Field)) (Stabilized Type)	2012	SAE	0
15145	AMS2451-9B	Plating, Brush, Zinc-Nickel Low Hydrogen Embrittlement	2012	SAE	0
15146	AS85080-4A	INSULATION SLEEVING, ELECTRICAL, SHRINKABLE WITHOUT HEAT, CHLOROSULFONATED POLYETHYLENE FLEXIBLE	2012	SAE	0
15147	AS85080-5A	INSULATION SLEEVING, ELECTRICAL, SHRINKABLE WITHOUT HEAT, POLYCHLOROPRENE	2012	SAE	0
15148	AS85080A	Insulation Sleeving, Electrical, Shrinkable Without Heat, General Specification For (Stabilized Type)	2012	SAE	0
15149	AS85080-1A	INSULATION SLEEVING, ELECTRICAL, SHRINKABLE WITHOUT HEAT, POLYVINYL CHLORIDE, FLEXIBLE NON-CROSSLINKED	2012	SAE	0
15150	AS85080-2A	INSULATION SLEEVING, ELECTRICAL, NONHEAT SHRINK SILICONE RUBBER, FLEXIBLE	2012	SAE	0
15151	AS85080-3A	INSULATION SLEEVING, ELECTRICAL, SHRINKABLE WITHOUT HEAT, POLYURETHANE FLEXIBLE	2012	SAE	0
15152	AS85028B	(R) Connector, Electrical, Rectangular, Individual Contact Sealing, Polarized Center Jackscrew, General Specification For	2012	SAE	0
15153	AS85049-118C	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, STRAIGHT SELF-LOCKING, NON-SELF-LOCKING, CATEGORY 4B (FOR AS50151 CRIMP, MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, AND MIL-DTL-83723 SERIES III CONNECTORS)	2012	SAE	0
15154	AS85049-139A	(R) BUSHING, CABLE CLAMP TO CABLE, TELESCOPING FOR AS85049 CABLE CLAMPS CATEGORY 9	2012	SAE	0
15155	AS85049-140B	NULL	2012	SAE	0
15156	AS85049-141B	CONNECTOR ACCESSORIES, ELECTRICAL BOOTS, HEAT-SHRINKABLE, 90 DEGREE, CATEGORY 7	2012	SAE	0
15157	AS85049-142C	(R) CONNECTOR ACCESSORIES, ELECTRICAL BOOTS AND SLEEVES, TRANSITIONS, HEAT-SHRINKABLE, CATEGORY 7	2012	SAE	0
15158	AIR1361A	Transmission Interlocks (Stabilized Type)	2012	SAE	0

15159	AS85049-33C	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, SHIELDED TERMINATION, THREADED APAPTER, CATEGORY 7 (FOR MIL-DTL-38999 SERIES I AND II CONNECTORS)	2012	SAE	0
15160	AS85049-34C	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NON-ENVIRONMENTAL, THREADED ADAPTER, CATEGORY 7 (FOR MIL-DTL-26482 SERIES 1 JAM NUT RECEPTACLE CONNECTOR)	2012	SAE	0
15161	AMS2447D	Coating, Thermal Spray High Velocity Oxygen/Fuel Process	2012	SAE	0
15162	AS81914-8A	TUBING, PLASTIC, FLEXIBLE, CONVOLUTED, ANNULAR POLYVINYLIDENE FLUORIDE (PVDF), THERMALLY STABALIZED, STANDARD CONVOLUTIONS	2012	SAE	0
15163	AS81914-9A	TUBING, PLASTIC, FLEXIBLE, CONVOLUTED, HELICAL PERFLUOROALKOXY (PFA), STANDARD CONVOLUTION	2012	SAE	0
15164	AS81969-2	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE I, CLASS I, COMPOSITION C	2012	SAE	0
15165	AS81969-3	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE II, CLASS 1, COMPOSITION C	2012	SAE	0
15166	AS81824-7	NULL	2012	SAE	0
15167	AS81824-8	SPLICE, IN-LINE, ELECTRIC, CRIMP, NI/CU, ENVIRONMENTAL, HEAT-SHRINKABLE SLEEVE (175 ?C), 1 X 3 SEALANT OPENING	2012	SAE	0
15168	AS81824-9	SPLICE, IN-LINE, ELECTRIC, CRIMP, SN/CU, ENVIRONMENTAL, HEAT-SHRINKABLE SLEEVE (150 ?C), 3 X 3 SEALANT OPENING	2012	SAE	0
15169	AS81824-13	SPLICE, STUB, ELECTRIC, PERMANENT, CRIMP STYLE, NICKEL/COPPER, INSULATED, ENVIRONMENT RESISTANT, 175 ?C MAX	2012	SAE	0
15170	AS81824-10	SPLICE, IN-LINE, ELECTRIC, CRIMP, NI/CU, ENVIRONMENTAL, HEAT-SHRINKABLE SLEEVE (175 ?C), 3 X 3 SEALANT OPENING	2012	SAE	0
15171	AS81824-6	SPLICE, ELECTRIC, PERMANENT, CRIMP, NICKEL PLATED INSULATED WIRES, ENVIRONMENTAL CLASS 1, 175 ?C	2012	SAE	0
15172	AS81914-11A	TUBING, PLASTIC, LIGHTWEIGHT, ZERO HALOGEN, EXTRA FLEXIBLE, CONVOLUTED, HELICAL, CLOSE CONVOLUTION, POLYETHERETHERKEYTONE (PEEK)	2012	SAE	0
15173	AS81790-3	INSPECTION GAGE, FOR AS81790/1 CONNECTORS AIRCRAFT EXTERNAL ELECTRIC POWER	2012	SAE	0
15174	J1140	Filler Pipes and Openings of Motor Vehicle Fuel Tanks	2012	SAE	0
15175	J115	(R) Safety Signs for Off-Road Work Machines	2012	SAE	0
15176	J1153	Hydraulic Master Cylinders for Motor Vehicle Brakes Test Procedure (Stabilized Type)	2012	SAE	0
15177	J1154	Hydraulic Master Cylinders for Motor Vehicle Brakes - Performance Requirements (Stabilized Type)	2012	SAE	0
15178	J1165	Reporting Cleanliness Levels of Hydraulic Fluids	2012	SAE	0
15179	J1113-11	Immunity to Conducted Transients on Power Leads	2012	SAE	0
15180	J1098	Tonne Kilometer Per Hour Application	2012	SAE	0
15181	J1106	Laboratory Testing Machines for Measuring the Steady State Force And Moment Properties of Passenger Car Tires (Stabilized Type)	2012	SAE	0
15182	J1107	Laboratory Testing Machines and Procedures for Measuring the Steady State Force and Moment Properties of Passenger Car (Stabilized Type) Tires	2012	SAE	0
15183	J1118	Hydraulic Valves for Motor Vehicle Brake Systems Test Procedure (Stabilized Type)	2012	SAE	0
15184	J1137	Hydraulic Valves for Motor Vehicle Brake Systems - Performance Requirements (Stabilized Type)	2012	SAE	0
15185	J1114	Fuel Tank Filler Cap and Cap Retainer Threaded (Stabilized Type)	2012	SAE	0
15186	J1120	Spherical Rod Ends (Stabilized Type)	2012	SAE	0
15187	J1113-27	Electromagnetic Compatibility Measurements Procedure for Vehicle Components - Part 27 - Immunity to Radiated Electromagnetic Fields - Mode Stir Reverberation Method	2012	SAE	0
15188	J1175	Bystander Sound Level Measurement Procedure for Small Engine Powered Equipment	2012	SAE	0
15189	J1176	External Leakage Classifications for Hydraulic Systems (Stabilized Type)	2012	SAE	0

15190	J1172	Engine Flywheel Housings with Sealed Flanges (Stabilized Type)	2012	SAE	0
15191	J1133	School Bus Stop Arm Lamp	2011	SAE	0
15192	J1151	Methane Measurement Using Gas Chromatography (Stabilized Type)	2011	SAE	0
15193	J1145	Emissions Terminology and Nomenclature (Stabilized Type)	2011	SAE	0
15194	AS81790A	Connectors, Receptacle, External Electric Power, Aircraft General Specification for	2011	SAE	0
15195	AS81822-3A	WIRE, ELECTRICAL, SOLDERLESS WRAP, EXTRUDED POLYVINIDENE FLUORIDE (PVDF) INSULATION, SILVER COATED SOLID CONDUCTOR	2011	SAE	0
15196	AS81822-4A	WIRE, ELECTRICAL, SOLDERLESS WRAP, POLYIMIDE COATING OVER EXTRUDED POLYTETRAFLUOROETHYLENE (PTFE) INSULATION, SILVER COATED SOLID CONDUCTOR	2011	SAE	0
15197	AS81822-5A	WIRE, ELECTRICAL, SOLDERLESS WRAP, FLUOROCARBON POLYMIDE TAPE AND POLYTETRAFLUOROETHYLENE (PTFE) INSULATION, SILVER COATED SOLID CONDUCTOR	2011	SAE	0
15198	AS81822-6A	WIRE, ELECTRICAL, SOLDERLESS WRAP, EXTRUDED POLYTETRAFLUOROETHYLENE (PTFE) INSULATION, SILVER COATED SOLID CONDUCTOR	2011	SAE	0
15199	AS81822-7A	WIRE, ELECTRICAL, SOLDERLESS WRAP, POLYMIDE JACKET OVER EXTRUDED POLYVINYL CHLORIDE (PVC) INSULATION, TIN COATED SOLID CONDUCTOR	2011	SAE	0
15200	AS81822-8A	WIRE, ELECTRICAL, SOLDERLESS WRAP, POLYMIDE JACKET OVER EXTRUDED FLUORINATED ETHYLENE PROPYLENE (FEP) INSULATION, SILVER COATED SOLID CONDUCTOR	2011	SAE	0
15201	AS81822A	Wire, Electrical, Solderless Wrap, Insulated and Uninsulated, General Specification For (Stabilized Type)	2011	SAE	0
15202	AS81822-10A	WIRE, ELECTRICAL, SOLDERLESS WRAP, UNINSULATED, SILVER COATED SOLID CONDUCTOR	2011	SAE	0
15203	AS81822-11A	WIRE, ELECTRICAL, SOLDERLESS WRAP, UNINSULATED, GOLD COATED SOLID CONDUCTOR	2011	SAE	0
15204	AS81822-12A	WIRE, ELECTRICAL, SOLDERLESS WRAP, UNINSULATED, TIN COATED SOLID CONDUCTOR	2011	SAE	0
15205	AS81822-13A	WIRE, ELECTRICAL, SOLDERLESS WRAP, EXTRUDED ETHYLENE-TETRAFLUOROETHYLENE (ETFE) INSULATION, SILVER COATED SOLID CONDUCTOR	2011	SAE	0
15206	AS81822-15A	WIRE, ELECTRICAL, SOLDERLESS WRAP, EXTRUDED ETHYLENE-CHLOROTRIFLUOROETHYLENE (ECTFE) INSULATION, SILVER COATED SOLID CONDUCTOR	2011	SAE	0
15207	AS81822-1A	WIRE, ELECTRICAL, SOLDERLESS WRAP, POLYETHYLENE TEREPHTHALATE-POLYESTER LAMINATED TAPE INSULATION, SILVER COATED SOLID CONDUCTOR	2011	SAE	0
15208	AS81914-10	TUBING, PLASTIC, EXTRA FLEXIBLE, CONVOLUTED, HELICAL, PERFLUOROALKOXY (PFA), CLOSE CONVOLUTION	2011	SAE	0
15209	AS81914	Tubing, Plastic, Flexible, Convoluted, Conduit, General Specification for	2011	SAE	0
15210	AS81824-11	SPLICE, ELECTRIC, PERMANENT, CRIMP STYLE, NI /CU, INSULATED, ENVIRONMENT RESISTANT, CLASS 1, 200 ?C MAX, 1X1 SEALANT OPENING	2011	SAE	0
15211	AS81824-12	SPLICE, ELECTRIC, PERMANENT, CRIMP STYLE, TIN-COATED COPPER, INSULATED, ENVIRONMENT RESISTANT, CLASS 1, 150 ?C, HEATLESS SEALING	2011	SAE	0
15212	AS81969	Installing and Removal Tools, Connector Electrical Contact, General Specification For	2011	SAE	0
15213	AS81914-7	TUBING, PLASTIC, FLEXIBLE, CONVOLUTED WITH INTEGRAL BRAID (S)	2011	SAE	0
15214	AMS2434D	Plating, Tin-Zinc Alloy	2011	SAE	0
15215	AS81935-1A	(R) BEARING, PLAIN, ROD END, SELF-ALIGNING, SELF-LUBRICATING,WIDE, EXTERNALLY THREADED, -65 TO +325 ?F	2011	SAE	0
15216	AS81935-2B	BEARING, PLAIN, ROD END, SELF-ALIGNING, SELFLUBRICATING,WIDE, INTERNALLY THREADED, -65 TO +325 ?F	2011	SAE	0
15217	AS81969-1	INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE III, CLASS 2, COMPOSITION C	2011	SAE	0
15218	AS81935-4A	(R) BEARING, PLAIN, ROD END, SELF-ALIGNING, SELF-LUBRICATING, NARROW, EXTERNALLY THREADED, -65 TO +325 ?F	2011	SAE	0

15219	AS81935-5A	BEARING, PLAIN, ROD END, SELF-ALIGNING, SELFLUBRICATING, NARROW, INTERNALLY THREADED, -65 TO +325 ?F	2011	SAE	0
15220	AS81935-6A	BEARING, PLAIN, ROD END, SELF-ALIGNING, SELFLUBRICATING, WIDE, EXTERNALLY THREADED, STEEL, CORROSION RESISTANT (CRES)-65 TO +325 ?F	2011	SAE	0
15221	AS81935-7A	BEARING, PLAIN, ROD END, SELF-ALIGNING, SELFLUBRICATING, WIDE, INTERNALLY THREADED, STEEL, CORROSION RESISTANT (CRES)-65 TO +325 ?F	2011	SAE	0
15222	AS81935-8	BEARING, PLAIN, ROD END, SELF-ALIGNING, SELFLUBRICATING, NARROW, EXTERNALLY THREADED, STEEL, CORROSION RESISTANT (CRES)-65 TO +325 ?F	2011	SAE	0
15223	AS81935-9A	BEARING, PLAIN, ROD END, SELF-ALIGNING, SELFLUBRICATING, NARROW, INTERNALLY THREADED, STEEL, CORROSION RESISTANT (CRES)-65 TO +325 ?F	2011	SAE	0
15224	AS81935C	Bearings, Plain, Rod End, Self-Aligning, Self-Lubricating, General Specification For (-65 to +325 ī°F)	2011	SAE	0
15225	AS83519B	(R) Shield Termination, Solder Style, Insulated, Heat-Shrinkable, Environment Resistant General Specification For	2011	SAE	0
15226	AS85049-104B	(R) CONNECTORS, ACCESSORIES, COMPOSITE, RFI/EMI, ELECTRICAL, STRAIN RELIEF, 45?, SELF-LOCKING, CATEGORY 3C (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2011	SAE	0
15227	AS85049-105B	(R) CONNECTORS, ACCESSORIES, COMPOSITE, RFI/EMI, ELECTRICAL, STRAIN RELIEF, 90?, SELF-LOCKING, CATEGORY 3C (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2011	SAE	0
15228	AS85049-109C	(R) CONNECTOR ACCESSORIES, ELECTRICAL BACKSHELL, STRAIGHT, NON-SELF LOCKING AND SELF LOCKING, PRE-ATTACHED SHIELD TERMINATION (RFI/EMI), BOOT ACCOMMODATION, CATEGORY 3B (FOR MIL-DTL-83723 SERIES III, AS50151 SERIES I & II, AS81703 SERIES III, AND MIL-	2011	SAE	0
15229	AS85049-10B	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, CABLE SEALING, STRAIGHT, SHIELD TERMINATION, CATEGORY 1A (FOR AS50151 CRIMP, MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, AND MIL-DTL-83723 SERIES III CONNECTORS)	2011	SAE	0
15230	AS85049-30A	(R) CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, INDIVIDUAL SHIELDED WIRE TERMINATION, CATEGORY 3B (FOR MIL-C-38999 SERIES I AND II CONNECTORS)	2011	SAE	0
15231	AS85049-36B	(R) CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, SHIELD TERMINATION, CATEGORY 3B (FOR MIL-DTL-27599 SERIES I AND MIL-DTL-38999 SERIES I AND II CONNECTORS)	2011	SAE	0
15232	AS85049-37A	(R) CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, SPLIT 90?, EMI/RFI SHIELDED TERMINATION, CATEGORY 3B (FOR MIL-DTL-38999 SERIES I AND II CONNECTORS)	2011	SAE	0
15233	AS85049-25A	(R) CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, SHIELD TERMINATION, CATEGORY 3A (FOR AS50151 CRIMP, MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, AND MIL-DTL-83723 SERIES III CONNECTORS)	2011	SAE	0
15234	AS85049-26B	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NON-ENVIRONMENTAL, STRAIGHT, SHIELD TERMINATION, CATEGORY 3B (FOR AS50151 CRIMP, MIL-DTL-26482 SERIES 2, AS81703 SERIES 3 AND MIL-DTL-83723 SERIES III CONNECTORS)	2011	SAE	0
15235	AS85049-28A	NULL	2011	SAE	0
15236	AS85049-29B	(R) CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, CATEGORY 3B (FOR MIL-DTL-38999 SERIES I AND II CONNECTORS)	2011	SAE	0
15237	AS85049-14B	(R) CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, STRAIGHT, NON-SELF-LOCKING AND SELF-LOCKING, CATEGORY 3B (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2011	SAE	0
15238	AS85049-15B	(R) CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 45?, NON-SELF-LOCKING AND SELF-LOCKING, CATEGORY 4C (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2011	SAE	0
15239	AS85049-16B	(R) CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90?, NON-SELF-LOCKING AND SELF-LOCKING, CATEGORY 4C (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2011	SAE	0
15240	AS85049-17B	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, STRAIGHT, SHIELD TERMINATION, CATEGRY 2B (FOR MIL-DTL-38999 SERIES I AND II CONNECTORS)	2011	SAE	0
15241	AS85049-20B	(R) CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, STRAIGHT, RFI/EMI CATEGORY 3B (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2011	SAE	0

15242	AS85049-21B	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, CATEGORY 3B (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2011	SAE	0
15243	AS85049-23A	(R) CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, 45?, SHIELD TERMINATION, CATEGORY 3A (FOR AS50151 CRIMP, MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, AND MIL-DTL-83723 SERIES III CONNECTORS)	2011	SAE	0
15244	AS85049-18C	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, STRAIGHT, RFI/EMI, CATEGORY 2B (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2011	SAE	0
15245	AS85049-19B	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, RFI/EMI, CATEGORY 3B (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2011	SAE	0
15246	AS85049-138A	(R) CONNECTOR ACCESSORIES, ELECTRICAL, CAP, DUST, PLASTIC, CATEGORY 9	2011	SAE	0
15247	AS85049-132	CONNECTOR ACCESSORIES, FIBER OPTIC BACKSHELL, 45?, SELF-LOCKING CATEGORY 3B FOR MIL-DTL-38999 SERIES III & SAE AS5590/1 CONNECTORS.	2011	SAE	0
15248	AS85049-130B	(R) CONNECTOR ACCESSORIES, ELECTRICAL GASKETING MATERIAL, CONDUCTIVE/ NON-CONDUCTIVE, FLANGE MOUNT, CATEGORY 7	2011	SAE	0
15249	AS85049-111C	(R) CONNECTOR ACCESSORIES, ELECTRICAL BACKSHELL, 90 DEGREE, SELF LOCKING AND NON-SELF LOCKING, PRE-ATTACHED SHIELD TERMINATION (RFI/EMI), BOOT ACCOMMODATION, CATEGORY 3B (FOR MIL-DTL-83723 SERIES III, AS50151 SERIES I & II, AS81703 SERIES III, AND MIL-	2011	SAE	0
15250	AS85049-112C	(R) CONNECTOR ACCESSORIES, ELECTRICAL BACKSHELL, STRAIGHT, SELF LOCKING AND NON-SELF LOCKING, PRE-ATTACHED SHIELD TERMINATION (RFI/EMI), BOOT ACCOMMODATION, CATEGORY 3B (FOR MIL-DTL-38999 SERIES I AND II CONNECTORS)	2011	SAE	0
15251	AS85049-115C	(R) CONNECTOR ACCESSORIES, ELECTRICAL BACKSHELL, STRAIGHT, SELF LOCKING AND NON-SELF LOCKING, PRE-ATTACHED SHIELD TERMINATION (RFI/EMI), BOOT ACCOMMODATION, CATEGORY 3B (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2011	SAE	0
15252	AS85049-117C	NULL	2011	SAE	0
15253	AS85049-120A	(R) CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90? SELF-LOCKING AND NON-SELF-LOCKING, CATEGORY 4B (FOR AS50151 CRIMP, MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, AND MIL-DTL-83723 SERIES III CONNECTORS)	2011	SAE	0
15254	AS85049-121B	(R) CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, STRAIGHT SELF-LOCKING, AND NON-SELF-LOCKING, CATEGORY 4C (FOR MIL-DTL-38999 SERIES I AND II CONNECTORS)	2011	SAE	0
15255	AS85049-123B	(R) CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90? SELF-LOCKING, AND NON-SELF-LOCKING, CATEGORY 4C (FOR MIL-DTL-38999 SERIES I AND II CONNECTORS)	2011	SAE	0
15256	AS85049-124B	(R) CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, STRAIGHT SELF-LOCKING, AND NON-SELF-LOCKING CATEGORY 4C (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2011	SAE	0
15257	AS85049-126B	(R) CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90? SELF-LOCKING AND NON-SELF-LOCKING, CATEGORY 4C (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2011	SAE	0
15258	AS85485A	(R) Cable, Electric, Filter Line, Radio Frequency Absorptive	2011	SAE	0
15259	AS85731-1A	FASTENER, ELECTRONIC EQUIPMENT, POSITIVE SELF-LOCKING	2011	SAE	0
15260	AMS2451C	Plating, Brush General Requirements	2011	SAE	0
15261	AS85049C	(R) Connector Accessories, Electrical General Specification For	2011	SAE	0
15262	AS85049-94C	CONNECTOR ACCESSORIES, ELECTRICAL, MOUNTING DEVICE, FLANGE TYPE, CATEGORY 7, FULL PERIMETER	2011	SAE	0
15263	AS85049-95C	CONNECTOR ACCESSORIES, ELECTRICAL, MOUNTING DEVICE, FLANGE TYPE, CATEGORY 7, 3/4 PERIMETER	2011	SAE	0
15264	AS85049-96C	(R) CONNECTOR ACCESSORIES, ELECTRICAL, MOUNTING DEVICE, FLANGE TYPE, CATEGORY 7, 1/4 PERIMETER	2011	SAE	0
15265	AS85049-32B	(R) CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, 90?, SHIELDED TERMINATION, CATEGORY 3C (FOR MIL-DTL-38999 SERIES I AND II CONNECTORS)	2011	SAE	0

15266	AS85049-76B	(R) CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, 90?, SHIELD TERMINATION, CATEGORY 2B, NONSELF-LOCKING (MIL-DTL-38999 SERIES I AND II CONNECTORS)	2011	SAE	0
15267	AS85049-77B	NULL	2011	SAE	0
15268	AS85049-78B	(R) CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, 45?, SHIELD TERMINATION, CATEGORY 2B, NONSELF-LOCKING (MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2011	SAE	0
15269	AS85049-79B	(R) CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, 90?, SHIELD TERMINATION, CATEGORY 2B, NONSELF-LOCKING (MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2011	SAE	0
15270	AS85049-7B	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, CABLE SEALING, 45?, CATEGORY 1A (FOR AS50151 CRIMP, MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, AND MIL-DTL-83723 SERIES III CONNECTORS)	2011	SAE	0
15271	AS85049-80C	CONNECTOR ACCESSORIES, ELECTRICAL, DUMMY CONTACT, SIZES 16, 12 AND 8, CATEGORY 7 (FOR MIL-DTL-38999 CONNECTORS)	2011	SAE	0
15272	AS85049-83B	(R) CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, 45?, SELFLOCKING, SHIELD, BAND TERMINATION, (RFI/EMI), SHRINK SLEEVE ACCOMMODATION, CATEGORY 3B (FOR AS50151 CRIMP, MIL-DTL-26482 SERIES 2, AS81703 SERIES 3 AND MIL-DTL-83723 SERIES III CONNECTORS)	2011	SAE	0
15273	AS85049-84B	(R) CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, 90?, SELFLOCKING, SHIELD BAND TERMINATION, (RFI/EMI), SHRINK SLEEVE ACCOMMODATION, CATEGORY 3B (FOR AS50151 CRIMP, MIL-DTL-26482 SERIES 2, AS81703 SERIES 3 AND MIL-DTL-83723 SERIES III CONNECTORS)	2011	SAE	0
15274	AS85049-86B	(R) CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, 45?, SELF-LOCKING, SHIELD BAND TERMINATION, (RFI/EMI), SHRINK SLEEVE ACCOMMODATION, CATEGORY 3B (FOR MIL-DTL-38999 SERIES I AND II CONNECTORS)	2011	SAE	0
15275	AS85049-87C	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, 90?, SELF-LOCKING, SHIELD BAND TERMINATION (RFI/EMI), SHRINK SLEEVE ACCOMMODATION, CATEGORY 3B (FOR MIL-DTL-38999 SERIES I AND II CONNECTORS)	2011	SAE	0
15276	AS85049-69B	(R) CONNECTOR ACCESSORIES, ELECTRICAL, ADAPTER, SHRINKBOOT, CATEGORY 5 (MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2011	SAE	0
15277	AS85049-6B	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, ENVIRONMENTAL, CABLE SEALING, 45?, SHIELD TERMINATION, CATEGORY 1A (FOR AS50151 CRIMP, MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, AND MIL-DTL-83723 SERIES III CONNECTORS)	2011	SAE	0
15278	AS85049-5B	R) CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL CABLE SEALING, STRAIGHT, STEP-DOWN, CATEGORY 1A (FOR MIL-DTL-22992 CONNECTORS, CLASSES C, J, AND R)	2011	SAE	0
15279	AS85049-60C	CONNECTOR ACCESSORIES, ELECTRICAL, ADAPTER, SHRINK BOOT, CATEGORY 5 (FOR AS50151 CRIMP, MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, AND MIL-DTL-83723 SERIES III CONNECTORS)	2011	SAE	0
15280	AS85049-61B	(R) CONNECTOR ACCESSORIES, ELECTRICAL, RING, POTTING BOOT, CATEGORY 5 (MIL-DTL-27599 CONNECTORS)	2011	SAE	0
15281	AS85049-62A	(R) CONNECTOR ACCESSORIES, ELECTRICAL ADAPTER, SHRINK BOOT, CATEGORY 5 (FOR MIL-DTL-38999 SERIES I AND II CONNECTORS)	2011	SAE	0
15282	AS85049-63C	(R) CONNECTOR ACCESSORIES, ELECTRICAL,STRAIN RELIEF, 90?, SELF-LOCKING AND NON-SELF-LOCKING, CATEGORY 4C (MIL-DTL- 38999 SERIES I AND II CONNECTORS)	2011	SAE	0
15283	AS85049-52C	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, NONENVIRONMENTAL, SELF-LOCKING AND NON-SELF-LOCKING, STRAIGHT, CATEGORY 4B (FOR AS50151 CRIMP, MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, AND MIL-DTL-83723 SERIES III CONNECTORS)	2011	SAE	0
15284	AS85049-53B	(R) CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, NONENVIRONMENTAL, STRAIGHT, CATEGORY 4C (FOR AS50151 CRIMP, MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, AND MIL-DTL-83723 SERIES III CONNECTORS)	2011	SAE	0
15285	AS85049-54B	(R) CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, NONENVIRONMENTAL, 45?, CATEGORY 4C (FOR AS50151 CRIMP, MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, AND MIL-DTL-83723 SERIES III CONNECTORS)	2011	SAE	0

15286	AS85049-55C	(R) CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, NON-ENVIRONMENTAL, 90?, SELF-LOCKING AND NON-SELFLOCKING, CATEGORY 4C (FOR AS50151 CRIMP, MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, AND MIL-DTL-83723 SERIES III CONNECTORS)	2011	SAE	0
15287	AS85049-56A	(R) CONNECTOR ACCESSORIES, ELECTRICAL, STRAINRELIEF, STRAIGHT, CATEGORY 4C (MIL-DTL-38999 SERIES I AND II CONNECTORS)	2011	SAE	0
15288	AS85049-57C	(R) CONNECTOR ACCESSORIES, ELECTRICAL,STRAIN RELIEF, 45?, SELF-LOCKING AND NON-SELF-LOCKING, CATEGORY 4C (MIL-DTL-38999 SERIES I AND II CONNECTORS)	2011	SAE	0
15289	AS85049-58B	(R) CONNECTOR ACCESSORIES, ELECTRICAL, RING, POTTING BOOT, CATEGORY 5 (MIL-DTL-38999 SERIES I AND II CONNECTORS)	2011	SAE	0
15290	AS85049-59A	(R) CONNECTOR ACCESSORIES, ELECTRICAL, ADAPTER, SHRINK BOOT, CATEGORY 5 (FOR MIL-DTL-22992 CONNECTORS, CLASSES C, J, AND R)	2011	SAE	0
15291	AS85049-3A	(R) CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, CABLE SEALING, STRAIGHT, CATEGORY 1A (FOR MIL-DTL-22992 CONNECTORS, CLASSES C, J, AND R)	2011	SAE	0
15292	AS85049-41B	(R) CONNECTOR ACCESSORIES, ELECTRICAL, NON-ENVIRONMENTAL, STRAIN RELIEF, STRAIGHT, CATEGORY 4C (FOR AS50151 GENERAL DUTY A ENDBELL AND AS85049 ACCESSORIES)	2011	SAE	0
15293	AS85049-42B	(R) CONNECTOR ACCESSORIES, ELECTRICAL, NONENVIRONMENTAL, STRAIN RELIEF, STRAIGHT, CATEGORY 4A (FOR AS50151 SOLDER TYPE, V THREAD OF MS310X CLASSES A, B, C OR K CONNECTORS)	2011	SAE	0
15294	AS85049-44A	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, STRAIGHT, CATEGORY 4C (FOR MIL-C-83733 CONNECTORS)	2011	SAE	0
15295	AS85049-46B	(R) CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90?, NONMETALLIC, CATEGORY 4C (FOR MIL-DTL-27599 SERIES I AND MIL-DTL-38999 SERIES I AND II CONNECTORS)	2011	SAE	0
15296	AS85049-47D	(R) CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90?, SELF-LOCKING AND NON-SELF-LOCKING, CATEGORY 4C (FOR MIL-DTL-38999 SERIES I AND II CONNECTORS)	2011	SAE	0
15297	AS85049-48B	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, STRAIGHT, CATEGORY 4C (FOR MIL-DTL-24308 CONNECTORS)	2011	SAE	0
15298	AS85049-49C	(R) CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, STRAIGHT, SELF-LOCKING AND NON-SELF-LOCKING, CATEGORY 4C (MIL-DTL-38999 SERIES I AND II CONNECTORS)	2011	SAE	0
15299	AS85049-50B	(R) CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90?, CATEGORY 4C (FOR MIL-DTL-24308 CONNECTORS)	2011	SAE	0
15300	AMS2452	Superfinishing of HVOF Applied Tungsten Carbide Coatings	2011	SAE	0
15301	AS85896A	Ladder, Aircraft Maintenance, Aluminum, Three-Way Combination (Step, Straight and Extension), General Specification for	2011	SAE	0
15302	AS85731A	Fastener, Positive Locking, Electronic Equipment, General Specification For	2011	SAE	0
15303	AS90484A	GASKET, FLANGE MOUNT, CONNECTOR, ELECTRIC (Stabilized Type)	2011	SAE	0
15304	AS91111B	(R) BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, UNS S66286, 130 KSI MIN, .2500-28 UNJF-3A	2011	SAE	0
15305	AS91101B	(R) BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, UNS S66286, 130 KSI MIN, .1900-32 UNJF-3A	2011	SAE	0
15306	AS9144B	GASKET - TYPE XX ENGINE ACCESSORY DRIVE	2011	SAE	0
15307	AS92001B	NUT, HEXAGON, DRILLED, BOSS CONNECTION, ALUMINUM UNS A92014	2011	SAE	0
15308	AS9552C	(R) BRACKET, FLAT, CRES UNS S32100	2011	SAE	0
15309	AS9554C	SCREW, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, 130 KSI MIN, .1380-40 UNJF-3A	2011	SAE	0
15310	AS9390C	PIN, STRAIGHT, HEADLESS, DOWEL - CRES, UNS S66286, STANDARD AND OVERSIZE	2011	SAE	0
15311	AS9696E	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, CORROSION AND HEAT RESISTANT ALLOY, UNS N07001, 165 KSI MIN, .1900-32 UNJF-3A	2011	SAE	0
15312	AS954G	Wrenches, Hand, Twelve Point, High Strength, Thin Wall	2011	SAE	0

15313	J1059	Speedometer Test Procedure (Stabilized Type)	2011	SAE	0
15314	J1087	(R) One-Way Clutches - Nomenclature and Terminology	2011	SAE	0
15315	J1094	Constant Volume Sampler System for Exhaust Emissions Measurement (Stabilized Type)	2011	SAE	0
15316	J1024	Fuel-Fired Heaters - Air Heating - for Construction and Industrial Machinery (Stabilized Type)	2011	SAE	0
15317	J1017	Nomenclature - Rollers and Compactors	2011	SAE	0
15318	AS3236C	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, NICKEL ALLOY, UNS N07718, 185 KSI MIN, .1900-32 UNJF-3A	2011	SAE	0
15319	AS3238C	BOLT, MACHINE DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, NICKEL ALLOY UNS N07718, 185 KSI MIN, .3125-24 UNJF-3A	2011	SAE	0
15320	AS3237C	BOLT, MACHINE DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, NICKEL ALLOY, UNS N07718, 185 KSI MIN, .2500-28 UNJF-3A	2011	SAE	0
15321	AS3240C	BOLT, MACHINE DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, NICKEL ALLOY, UNS N07718, 185 KSI MIN, .4375-20 UNJF-3A	2011	SAE	0
15322	AS3239C	BOLT, MACHINE DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, NICKEL ALLOY UNS N07718, 185 KSI MIN, .3750-24 UNJF-3A	2011	SAE	0
15323	AS31821A	(R) COVER, PROTECTIVE, ELECTRONIC CONNECTOR, PLUG, PUSH-PULL COUPLING	2011	SAE	0
15324	AS31831	COVER, PROTECTIVE, ELECTRIC CONNECTOR, RECEPTACLE, PUSH-PULL COUPLING	2011	SAE	0
15325	AS31441A	(R) CONNECTOR, RECEPTACLE, ELECTRIC, CRIMP TYPE, JAM NUT MOUNTING, PUSH-PULL, COUPLING, SERIES 2 (CLASS E AND J)	2011	SAE	0
15326	AS33601A	TRACK AND STUD FITTING FOR CARGO TRANSPORT AIRCRAFT, STANDARD DIMENSIONS FOR (Stabilized Type)	2011	SAE	0
15327	AS3326A	NUT, SELF-LOCKING-CAPTIVE WASHER, STEEL	2011	SAE	0
15328	AS3332B	(R) GASKET COPPER, TUBE CONNECTION, PLAIN	2011	SAE	0
15329	AS34001B	CONNECTORS, RECEPTACLE, ELECTRIC, WALL MOUNTING, FRONT RELEASE, CRIMP CONTACT, AN TYPE (Stabilized Type)	2011	SAE	0
15330	AS34011A	CONNECTORS, RECEPTACLE, ELECTRIC, CABLE CONNECTING, FRONT RELEASE, CRIMP CONTACT, AN TYPE	2011	SAE	0
15331	AS34061A	CONNECTORS, PLUG, ELECTRIC, FRONT RELEASE, CRIMP CONTACT, AN TYPE (Stabilized Type)	2011	SAE	0
15332	AS3413A	(R) BOLT, MACHINE - HEXAGON HEAD, PD SHANK UNS N07718, .1900-32 UNJF-3A (STRESS RUPTURE RESISTANT)	2011	SAE	0
15333	AS3418A	(R) BOLT, MACHINE,DOUBLE HEX ,EXT WASHER HEAD,CLOSE TOLERANCE SHANK, UNS N07718 .2500-28UNJF-3A (STRESS RUPTURE RESISTANT)	2011	SAE	0
15334	AS3417A	(R) BOLT, MACHINE, DOUBLE HEX EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, UNS N07718 .1900-32 UNJF-3A (STRESS RUPTURE RESISTANT)	2011	SAE	0
15335	AS3414A	(R) BOLT, MACHINE - HEXAGON HEAD, PD SHANK UNS N07718, .2500-28 UNJF-3A (STRESS RUPTURE RESISTANT)	2011	SAE	0
15336	AS3415A	(R) BOLT, MACHINE - HEXAGON HEAD, PD SHANK UNS N07718, .3125-24 UNJF-3A (STRESS RUPTURE RESISTANT)	2011	SAE	0
15337	AS3416A	(R) BOLT, MACHINE - HEXAGON HEAD, PD SHANK UNS N07718, .3750-24 UNJF-3A (STRESS RUPTURE RESISTANT)	2011	SAE	0
15338	AS34361A	(R) CONNECTOR, PLUG, ELECTRIC, SOLDER CONTACT, UTILITY	2011	SAE	0
15339	AS34411A	(R) CONNECTOR, PLUG, ELECTRIC, UTILITY	2011	SAE	0
15340	AS34451A	(R) CONNECTOR, PLUG, ELECTRIC, CRIMP TYPE, RACK AND PANEL, SERIES 2 (CLASS E)	2011	SAE	0
15341	AS34461A	(R) CONNECTOR, PLUG, ELECTRIC, CRIMP TYPE, RACK AND PANEL, SERIES 3 (CLASS L AND E)	2011	SAE	0
15342	AS34501B	CONNECTORS, RECEPTACLE, ELECTRICAL, WALL MOUNTING, REAR RELEASE, CRIMP CONTACT, AN TYPE	2011	SAE	0

15343	AS34511A	(R) CONNECTORS, RECEPTACLE, ELECTRIC, CABLE CONNECTING, REAR RELEASE, CRIMP CONTACT, AN TYPE	2011	SAE	0
15344	AS34201A	ADAPTER, CABLE CLAMP TO CABLE, BUSHING, TELESCOPING (Stabilized Type)	2011	SAE	0
15345	AS3420A	(R) BOLT, MACHINE,DOUBLE HEX, EXT WASHER HEAD, CLOSE TOLERANCE SHANK, UNS N07718 .3750-24 UNJF-3A (STRESS RUPTURE RESISTANT)	2011	SAE	0
15346	AS35071A	CONNECTOR, PLUG, ELECTRIC, SOLDER CONTACT, QUICK DISCONNECT, UTILITY (Stabilized Type)	2011	SAE	0
15347	AS34641	CONNECTOR, RECEPTACLE, ELECTRIC, CRIMP TYPE, JAM NUT MOUNTING, PUSH-PULL COUPLING, SERIES 3 (CLASS L AND E)	2011	SAE	0
15348	AS34561A	(R) CONNECTORS, PLUG, ELECTRICAL, REAR RELEASE, CRIMP CONTACT, AN TYPE	2011	SAE	0
15349	AS34671A	(R) CONNECTOR, PLUG, ELECTRIC, CRIMP TYPE, PUSH-PULL COUPLING, SERIES 3 (CLASS L AND E)	2011	SAE	0
15350	AIR1269C	Molded Rigid Plastic Parts (Stabilized Type)	2011	SAE	0
15351	AS3564D	NUT, SELF-LOCKING, DOUBLE HEXAGON, SOLID FILM LUBRICATED, COUNTERBORED, 160 KSI, 800 Ī°F, UNS S66286	2011	SAE	0
15352	AS3618	CABLE, SAFETY, FERRULE, ELONGATED CORROSION AND HEAT RESISTANT STEEL, UNS S32100	2011	SAE	0
15353	AS36101A	Air Cargo Unit Load Devices Load Distribution Model (Stabilized Type)	2011	SAE	0
15354	AS3611A	BOLT, MACHINE DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, COBALT-NICKEL ALLOY UNS R30159, 260 KSI MIN	2011	SAE	0
15355	AS39029-105A	CONTACTS, ELECTRICAL CONNECTOR, CONCENTRIC TWINAX, SOCKET, SHIELDED, SIZE 8 (FOR MIL-C-28840)	2011	SAE	0
15356	AS39029-106B	(R) CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR MIL-DTL-38999 SERIES I, III, IV, MILDTL-55302 AND AS29600 SERIES A CONNECTORS)	2011	SAE	0
15357	AS39029-107B	(R) CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-DTL-38999 SERIES I, III, IV, MIL-DTL-55302 AND AS29600 SERIES A CONNECTORS)	2011	SAE	0
15358	AS39029-11A	(R) CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR AS81659 SERIES 2 CONNECTORS)	2011	SAE	0
15359	AS39029-100A	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, COAXIAL, SIZE 5 (FOR DOD-C-83527 CONNECTORS)	2011	SAE	0
15360	AS39029-56A	(R) CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-DTL-38999 SERIES I, III, AND IV CONNECTORS)	2011	SAE	0
15361	AS39029-3A	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-81659 SERIES 1 CONNECTORS)	2011	SAE	0
15362	AS39029-12A	(R) CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, (FOR AS81659 SERIES 2 CONNECTORS)	2011	SAE	0
15363	AS39029-31B	(R) CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR MIL-DTL-26482 SERIES 1, MIL-DTL-26500 AND MIL-DTL-26518 CONNECTORS)	2011	SAE	0
15364	AS39029-32B	(R) CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-DTL-26482 SERIES 1, MIL-DTL-26500 AND MIL-DTL-26518 CONNECTORS)	2011	SAE	0
15365	AS39029-2A	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, (FOR MIL-C-81659 SERIES 1 CONNECTORS)	2011	SAE	0
15366	AS39029C	Contacts, Electrical Connector, General Specification For	2011	SAE	0
15367	AS39029-94B	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-DTL-83527 CONNECTORS)	2011	SAE	0
15368	AS39029-8A	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED (FOR MIL-C-26482 SERIES 2 AND MIL-C-81703 SERIES 3 CONNECTORS)	2011	SAE	0
15369	AS39029-7A	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED (FOR MIL-C-26482 SERIES 2 AND MIL-C-81703 SERIES 3 CONNECTORS)	2011	SAE	0
15370	AS39029-83A	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR MIL-DTL-28840 CONNECTORS)	2011	SAE	0

15371	AS39029-84A	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-DTL-28840 CONNECTORS)	2011	SAE	0
15372	AS39029-85A	(R) CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, THERMOCOUPLE (FOR AS50151 AS34501 SERIES AND MIL-DTL-83723 SERIES II CONNECTORS)	2011	SAE	0
15373	AS39029-86A	(R) CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, THERMOCOUPLE (FOR AS50151 AS34501 SERIES AND MIL-DTL-83723 SERIES II CONNECTORS)	2011	SAE	0
15374	AS4407A	(R) FITTING ASSEMBLY, ELBOW 90ï°, REDUCER AND NONREDUCER, INTERNAL FLARE TO FLARED TUBE	2011	SAE	0
15375	AS4405A	(R) FITTING ASSEMBLY, ADAPTER, REDUCER AND NONREDUCER, INTERNAL FLARE TO FLARED TUBE	2011	SAE	0
15376	AS4406A	(R) FITTING ASSEMBLY, UNION, REDUCER AND NONREDUCER, INTERNAL FLARE	2011	SAE	0
15377	AS4410A	(R) FITTING ASSEMBLY, TEE, REDUCER AND NONREDUCER, INTERNAL FLARE ON RUN, TO FLARED TUBE	2011	SAE	0
15378	AS4411A	(R) FITTING ASSEMBLY, TEE, REDUCER AND NONREDUCER, INTERNAL FLARE ON SIDE TO FLARED TUBE	2011	SAE	0
15379	AS4361A	Minimum Performance Standards for Aerospace Electric Power Converters	2011	SAE	0
15380	AS4167B	(R) Wrenches; Flare Nut, Crowfoot, 12 Point Non-distorting	2011	SAE	0
15381	AS4088D	Aerospace Rod Scraper Gland Design Standard (Stabilized Type)	2011	SAE	0
15382	AS4283B	Handles and Attachments for Hand Socket Wrenches	2011	SAE	0
15383	AS4984A	(R) Coating Requirements for Aerospace Hand Tools	2011	SAE	0
15384	AS50861A	Wire, Electric, Polyvinyl Chloride Insulated, Copper or Copper Alloy	2011	SAE	0
15385	AS483C	Skid Control Equipment	2011	SAE	0
15386	AMS1640C	Corrosion Removing Compound for Aircraft Surfaces	2011	SAE	0
15387	AS4914C	(R) Aircraft Fluorescent Lighting Ballast/Fixture Safety Standard	2011	SAE	0
15388	AS4716B	(R) Gland Design, O-ring and Other Elastomeric Seals	2011	SAE	0
15389	AS4828A	(R) Technical Manual Requirements for Ground Support Equipment	2011	SAE	0
15390	AS4786A	(R) Driver Drills, Battery Powered	2011	SAE	0
15391	AS4662B	FITTING, PLUG, SHORT FLARELESS	2011	SAE	0
15392	AS4663B	FITTING, UNION, SHORT FLARELESS	2011	SAE	0
15393	AS4664B	FITTING, UNION, BULKHEAD, SHORT FLARELESS	2011	SAE	0
15394	AS4665B	FITTING, ADAPTER, UNION AND REDUCER, SHORT FLARELESS TO BOSS	2011	SAE	0
15395	AS4671B	FITTING, TEE, SHORT FLARELESS	2011	SAE	0
15396	AS4672C	FITTING, TEE, BULKHEAD ON RUN, SHORT FLARELESS	2011	SAE	0
15397	AS4673B	FITTING, TEE, BULKHEAD ON SIDE, SHORT FLARELESS	2011	SAE	0
15398	AS4669B	FITTING, ELBOW, 90 DEGREE, BULKHEAD, SHORT FLARELESS	2011	SAE	0
15399	AS5258-1A	Insulating Components, Molded, Electrical, Heat Shrinkable, Boot, Strain Relief and Sealing, Straight	2011	SAE	0
15400	AS5258-2A	Insulating Components, Molded, Electrical, Heat Shrinkable, Boot, Strain Relief and Sealing, Right Angle	2011	SAE	0
15401	AS5258-3A	Insulating Components, Molded, Electrical, Heat Shrinkable, Boot, Strain Relief and Sealing, Straight, Low Profile	2011	SAE	0
15402	AS5258-4A	nsulating Components, Molded, Electrical, Heat Shrinkable, Boot, Strain Relief and Sealing, Right Angle, Low Profile	2011	SAE	0
15403	AS5258-5A	Insulating Components, Molded, Electrical, Heat Shrinkable, Boot, Strain Relief and Sealing, Straight, Low Profile, Miniature	2011	SAE	0
15404	AS5258-6A	Insulating Components, Molded, Electrical, Heat Shrinkable, Boot, Strain Relief and Sealing, Right Angle, Low Profile, Miniature	2011	SAE	0
15405	AS5258-7A	Insulating Components, Molded, Electrical, Heat Shrinkable, Transition, Strain Relief and Sealing, T	2011	SAE	0
15406	AS5258-8A	Insulating Components, Molded, Electrical, Heat Shrinkable, Strain Relief and Sealing, Y	2011	SAE	0

15407	AS5258-9A	Insulating Components, Molded, Electrical, Heat Shrinkable, Transition, Strain Relief and Sealing, 1 to 3	2011	SAE	0
15408	AS5258-10A	Insulating Components, Molded, Electrical, Heat Shrinkable, Transition, Strain Relief and Sealing, T	2011	SAE	0
15409	AS5272E	Lubricant, Solid Film, Heat Cured, Corrosion Inhibiting, Procurement Specification	2011	SAE	0
15410	AS5304	Standard Specification for Turbine Flowmeters	2011	SAE	0
15411	AS5370A	Multi-Transmitter Bidirectional Fiber-Optic Data Bus for Distributed Aircraft Control Systems (Stabilized Type)	2011	SAE	0
15412	AS5488A	Regional Aircraft Towbar Attach Fitting Interface (Stabilized Type)	2011	SAE	0
15413	AS5440A	(R) Hydraulic Systems, Military Aircraft, Design and Installation, Requirements For	2011	SAE	0
15414	AS5506-2	SAE Architecture Analysis and Design Language (AADL) Annex Volume 2: Annex B: Data Modeling Annex Annex D: Behavior Model Annex Annex F: ARINC653 Annex	2011	SAE	0
15415	AMS2248G	Chemical Check Analysis Limits Corrosion and Heat-Resistant Steels and Alloys, Maraging and Other Highly-Alloyed Steels, and Iron Alloys	2011	SAE	0
15416	AS5382-2A	CABLE, FIBER OPTIC, MULTIMODE, 100/140/172 ?m GRADED INDEX, NONHERMETIC, LOOSE TUBE	2011	SAE	0
15417	AS5379A	Valves, Safety, Cabin Air, General Specification For	2011	SAE	0
15418	AS5382-6A	CABLE, FIBER OPTIC, MULTI-MODE, 200/230/500 ?m, STEP INDEX, TIGHT BUFFER	2011	SAE	0
15419	AS5382A	Aerospace Cable, Fiber Optic	2011	SAE	0
15420	AS5725A	Interface Standard, Miniature Mission Store Interface	2011	SAE	0
15421	AS5729	O-RING MOLDED FROM AMS7379 (FLUOROCARBON) MATERIAL	2011	SAE	0
15422	AS5756-1A	CABLE, POWER, ELECTRICAL, 600 VOLTS, PORTABLE, SINGLE CONDUCTOR, NON-OZONE RESISTANT	2011	SAE	0
15423	AS5756-2A	CABLE, POWER, ELECTRICAL, 600 VOLTS, PORTABLE, SINGLE CONDUCTOR, OZONE RESISTANT	2011	SAE	0
15424	AS5768-1B	TOOL, STRIPPER, MANUALLY ACTUATED, ELECTRICAL INSULATION, ROUND WIRE, SIZE 10 TO 30	2011	SAE	0
15425	AS5756A	Cable, Power, Electrical, Portable General Specification For	2011	SAE	0
15426	AMS2279B	Tolerances Rubber Products (Stabilized Type)	2011	SAE	0
15427	AS586C	Wheel and Brake (Sand and Permanent Mold) Castings - Minimum Requirements for Aircraft Applications	2011	SAE	0
15428	AMS2355K	Quality Assurance, Sampling and Testing Aluminum Alloys and Magnesium Alloy Wrought Products (Except Forging Stock), and Rolled, Forged, or Flash Welded Rings	2011	SAE	0
15429	AS6013A	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PARA ARAMID REINFORCED, 275 ī°F, 4000 MAX PSI, FLARELESS, TITANIUM FITTINGS, STRAIGHT TO STRAIGHT	2011	SAE	0
15430	AS6014A	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PARA ARAMID REINFORCED, 275 ī°F, 4000 PSI MAX, FLARELESS, TITANIUM FITTINGS, STRAIGHT TO 45 DEGREE	2011	SAE	0
15431	AS6015A	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PARA ARAMID REINFORCED, 275 ī°F, 4000 PSI MAX, FLARELESS, TITANIUM FITTINGS, STRAIGHT TO 90 DEGREE	2011	SAE	0
15432	AS6003	TTP Communication Protocol	2011	SAE	0
15433	AS6030	Interface Standard, Common Interface Control Plan	2011	SAE	0
15434	AS6038A	(R) Bearing, Ball, Bellcrank, Antifriction, Airframe	2011	SAE	0
15435	AS6057	JAUS Manipulator Service Set	2011	SAE	0
15436	AS6075	FITTING, BOLT, FLARED, 37ī° SPHERICAL	2011	SAE	0
15437	AS6105	FITTING, TEE, STANDARD AND REDUCER, 37ī° SPHERICAL, FLARED	2011	SAE	0
15438	AS6115	FITTING ASSEMBLY, STRAIGHT, MALE FLARELESS, AXIALLY SWAGED, HYDRAULIC, UP TO 1500 PSI	2011	SAE	0
15439	AS6092	FITTING, 37ī° SPHERICAL FLARED, CONNECTOR, MULTIPLE FLUID PRESSURE LINE, 75ī°	2011	SAE	0
15440	AS6093	FITTING, 37ī° SPHERICAL FLARED, CONNECTOR, MULTIPLE FLUID PRESSURE LINE, 90ī°	2011	SAE	0
15441	AS6094	FITTING, 37ī° SPHERICAL FLARED, CONNECTOR, MULTIPLE FLUID PRESSURE LINE, 45ī°	2011	SAE	0
15442	AS6095	FITTING, 37ī° SPHERICAL FLARED, CONNECTOR, MULTIPLE FLUID PRESSURE LINE, TEE	2011	SAE	0

15443	AS6098	FITTING, TEE, STANDARD AND REDUCER, BULKHEAD ON RUN, INTERNAL ON SIDE, FLARED, 37ï° SPHERICAL	2011	SAE	0
15444	AS6099	FITTING, ELBOW, 90ï°, STANDARD AND REDUCER, FLARED, 37ï° SPHERICAL	2011	SAE	0
15445	AS6102	FITTING, TEE, STANDARD AND REDUCER, BULKHEAD ON SIDE, FLARED, 37 DEGREE SPHERICAL	2011	SAE	0
15446	AS6103	FITTING, CROSS, STANDARD AND REDUCER, 37ï° SPHERICAL, FLARED	2011	SAE	0
15447	AS6118	FITTING ASSEMBLY, STRAIGHT, FEMALE FLARELESS, AXIALLY SWAGED, HYDRAULIC, UP TO 1500 PSI	2011	SAE	0
15448	AS6116	Aluminum Fittings, Axially Swaged Tube with Flareless Separable, Fluid System Up to 1500 psi (10 340 kPa) Maximum, Specification for	2011	SAE	0
15449	AS6117	FITTING ASSEMBLY, UNION, AXIALLY SWAGED, HYDRAULIC, UP TO 1500 PSI	2011	SAE	0
15450	AMS2370K	Quality Assurance Sampling and Testing Carbon and Low-Alloy Steel Wrought Products and Forging Stock	2011	SAE	0
15451	AS6120	FITTING ASSEMBLY, ELBOW, 45ï° AXIALLY SWAGED, HYDRAULIC, UP TO 1500 PSI	2011	SAE	0
15452	AS6119	FITTING ASSEMBLY, ELBOW, 90ï° AXIALLY SWAGED, HYDRAULIC, UP TO 1500 PSI	2011	SAE	0
15453	AS6122	FITTING ASSEMBLY, STRAIGHT, BULKHEAD, FLARELESS, AXIALLY SWAGED, HYDRAULIC, UP TO 1500 PSI	2011	SAE	0
15454	AS6123	FITTING ASSEMBLY, TEE, AXIALLY SWAGED ON THE RUN, MALE FLARELESS ON THE SIDE, HYDRAULIC, UP TO 1500 PSI	2011	SAE	0
15455	AS7241A	Washers, Spring Lock, Corrosion Resistant Steel 18Cr - 9Ni (UNS S30200), Procurement Specification for	2011	SAE	0
15456	AS70991B	Terminals: Lug and Splice, Crimp Style, Aluminum, For Aluminum Aircraft Wire	2011	SAE	0
15457	AMS2372F	Quality Assurance Sampling and Testing Carbon and Low-Alloy Steel Forgings	2011	SAE	0
15458	AMS2371J	Quality Assurance Sampling and Testing Corrosion and Heat-Resistant Steels and Alloys Wrought Products and Forging Stock	2011	SAE	0
15459	AS6144A	Sound and Thermal Insulation for Aircraft, General Specification for the Installation of (Stabilized Type)	2011	SAE	0
15460	AS6146	NUT, SELF-LOCKING, DOUBLE HEXAGON, REDUCED ENVELOPE, UNS S66286	2011	SAE	0
15461	AS6124	Aluminum Axially Swaged Fittings, Installation and Inspection Procedure	2011	SAE	0
15462	AS6192	FITTING ASSEMBLY, ELBOW, 90ï°, AXIALLY SWAGED, FEMALE FLARELESS, HYDRAULIC, UP TO 1500 PSI	2011	SAE	0
15463	AS6193	FITTING ASSEMBLY, ELBOW, 45ï°, AXIALLY SWAGED, FEMALE FLARELESS, HYDRAULIC, UP TO 1500 PSI	2011	SAE	0
15464	AS6194	FITTING ASSEMBLY, TEE, AXIALLY SWAGED, FEMALE FLARELESS ON THE RUN, AXIALLY SWAGED ON THE SIDE, HYDRAULIC, UP TO 1500 PSI	2011	SAE	0
15465	AS6195	FITTING ASSEMBLY, TEE, MALE FLARELESS, BULKHEAD FLARELSS ON THE RUN, AXIALLY SWAGED ON THE SIDE, HYDRAULIC, UP TO 1500 PSI	2011	SAE	0
15466	AS6158	FITTING ASSEMBLY, TEE, AXIALLY SWAGED ON THE RUN, FEMALE FLARELESS ON THE SIDE, HYDRAULIC, UP TO 1500 PSI	2011	SAE	0
15467	AS6159	FITTING ASSEMBLY, TEE, AXIALLY SWAGED TO FEMALE FLARELESS ON THE RUN, MALE FLARELESS ON THE SIDE, HYDRAULIC, UP TO 1500 PSI	2011	SAE	0
15468	AMS2374E	Quality Assurance Sampling and Testing Corrosion and Heat-Resistant Steel and Alloy Forgings	2011	SAE	0
15469	AS645A	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, METAL BRAID, MEDIUM PRESSURE, FLARED, 90ï° TO 90ï°	2011	SAE	0
15470	AS6458	FITTING ASSEMBLY, TEE, AXIALLY SWAGED TO FEMALE FLARELESS ON THE RUN, FEMALE FLARELESS ON THE SIDE, HYDRAULIC, UP TO 1500 PSI	2011	SAE	0
15471	AS6457	FITTING ASSEMBLY, TEE, AXIALLY SWAGED TO MALE FLARELESS ON THE RUN, MALE FLARELESS ON THE SIDE, HYDRAULIC, UP TO 1500 PSI	2011	SAE	0
15472	AS640A	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, METAL BRAID, MEDIUM PRESSURE, FLARED, STRAIGHT TO STRAIGHT	2011	SAE	0
15473	AS641A	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, METAL BRAID, MEDIUM PRESSURE, FLARED, STRAIGHT TO 45ï°	2011	SAE	0

15474	AS642A	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, METAL BRAID, MEDIUM PRESSURE, FLARED, STRAIGHT TO 90ï°	2011	SAE	0
15475	AS644A	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, METAL BRAID, MEDIUM PRESSURE, FLARED, 45ï° TO 90ï°	2011	SAE	0
15476	AS6446	FITTING ASSEMBLY, TEE, AXIALLY SWAGED ON THE RUN, INTERNAL PORT END ON THE SIDE, HYDRAULIC, UP TO 1500 PSI	2011	SAE	0
15477	AS643A	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, METAL BRAID, MEDIUM PRESSURE, FLARED, 45ï° TO 45ï°	2011	SAE	0
15478	AS6445	FITTING ASSEMBLY, TEE, AXIALLY SWAGED ON THE RUN, BULKHEAD FLARELESS ON THE SIDE, HYDRAULIC, UP TO 1500 PSI	2011	SAE	0
15479	AS6554	Cargo Stopper Devices	2011	SAE	0
15480	AS6802	Time-Triggered Ethernet	2011	SAE	0
15481	AS666D	Cavity Design and O-ring Selection for Static Seal Use in Aircraft Tubeless Tire Wheels	2011	SAE	0
15482	AS651C	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, METAL BRAID, MEDIUM PRESSURE, FLARELESS, 45ï° TO 90ï°	2011	SAE	0
15483	AS652C	(R) HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, METAL BRAID, MEDIUM PRESSURE, FLARELESS, 90ï° TO 90ï°	2011	SAE	0
15484	AS648C	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, METAL BRAID, MEDIUM PRESSURE, FLARELESS, STRAIGHT TO 45ï°	2011	SAE	0
15485	AS647C	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, METAL BRAID, MEDIUM PRESSURE, FLARELESS, STRAIGHT TO STRAIGHT	2011	SAE	0
15486	AS649C	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, METAL BRAID, MEDIUM PRESSURE, FLARELESS, STRAIGHT TO 90ï°	2011	SAE	0
15487	AS650C	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, METAL BRAID, MEDIUM PRESSURE, FLARELESS, 45ï° TO 45ï°	2011	SAE	0
15488	AS7928-11B	TERMINAL, LUG, CRIMP STYLE, COPPER, UNINSULATED, RING TONGUE, TIN WHISKER RESISTANT, TYPE I, CLASS I, FOR 175 ?C TOTAL CONDUCTOR TEMPERATURE	2011	SAE	0
15489	AS7788A	Panels, Information, Integrally Illuminated	2011	SAE	0
15490	AS7928-14	TERMINAL, ELECTRIC, PERMANENT, CRIMP STYLE, TIN-COATED COPPER, INSULATED, ENVIRONMENT RESISTANT, CLASS 1, 150 ?C, HEATLESS SEALING	2011	SAE	0
15491	AS7477E	Bolts and Screws, Steel, UNS S66286 Tensile Strength 130 ksi, Procurement Specification	2011	SAE	0
15492	AS7473B	Bolts and Screws, Roll Threaded Procurement Specification For	2011	SAE	0
15493	AS7474C	Bolts and Screws, Steel, Corrosion Resistant, UNS S17400 Tensile Strength 140 ksi Procurement Specification	2011	SAE	0
15494	AS7469A	Bolts and Screws, UNS N07041 Nickel Alloy, Corrosion and Heat Resistant, 155 ksi, Procurement Specification	2011	SAE	0
15495	AS8034B	(R) Minimum Performance Standard for Airborne Multipurpose Electronic Displays	2011	SAE	0
15496	AS8045A	Minimum Performance Standard for Underwater Locating Devices (Acoustic) (Self-Powered)	2011	SAE	0
15497	AS7928B	Terminals, Lug: Splices, Conductor: Crimp Style, Copper, General Specification For	2011	SAE	0
15498	AMS2418H	Plating, Copper	2011	SAE	0
15499	AS8011B	Minimum Performance Standards for A-C Generators and Associated Regulators	2011	SAE	0
15500	AS8017C	(R) Minimum Performance Standard for Anticollision Light Systems	2011	SAE	0
15501	AS8023B	Minimum Performance Standards for Static Electric Power Inverters	2011	SAE	0
15502	AS81044-10A	WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, SILVER-COATED HIGH STRENGTH COPPER ALLOY, MEDIUM WEIGHT, 600-VOLT, 150 ?C	2011	SAE	0
15503	AS81044-11A	WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, SILVER-COATED COPPER, LIGHT WEIGHT, 600-VOLT, 150 ?C	2011	SAE	0

15504	AS81044-12A	WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, TIN-COATED COPPER, LIGHT WEIGHT, 600-VOLT, 150 ?C	2011	SAE	0
15505	AS81044-13A	WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, SILVER-COATED HIGH STRENGTH COPPER ALLOY, LIGHT WEIGHT, 600-VOLT, 150 ?C	2011	SAE	0
15506	AS81044-5A	WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, SILVER-COATED COPPER, NORMAL WEIGHT, 600-VOLT, 150?C	2011	SAE	0
15507	AS81044-6A	WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, TIN-COATED COPPER, NORMAL WEIGHT, 600-VOLT, 150 ?C	2011	SAE	0
15508	AS81044-7A	WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, SILVER-COATED HIGH STRENGTH COPPER ALLOY, NORMAL WEIGHT, 600-VOLT, 150 ?C	2011	SAE	0
15509	AS81044-8A	WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, SILVER-COATED COPPER, MEDIUM WEIGHT, 600-VOLT, 150 ?C	2011	SAE	0
15510	AS81044-9A	(R) WIRE, ELECTRIC, CROSSLINKED POLYALKENE INSULATED, TIN-COATED COPPER, MEDIUM WEIGHT, 600-VOLT, 150 ?C	2011	SAE	0
15511	AS81044A	Wire, Electrical, Crosslinked Polyalkene, Crosslinked Alkane-Imide Polymer, or Polyarlyene Insulated, Copper or Copper Alloy	2011	SAE	0
15512	AS81582-6A	CONNECTOR, ADAPTER ASSEMBLY, UMBILICAL CABLE TO STORES INTERFACE LANYARD RELEASE	2011	SAE	0
15513	AS81582-7A	CONNECTOR, ADAPTER ASSEMBLY, UMBILICAL CABLE TO STORES INTERFACE LANYARD RELEASE	2011	SAE	0
15514	AS81582-8A	CONNECTOR, ADAPTER ASSEMBLY, UMBILICAL CABLE TO STORES INTERFACE LANYARD RELEASE	2011	SAE	0
15515	AS81582-10A	CONNECTORS, ELECTRICAL, BAYONET COUPLING, ENVIRONMENT RESISTING, UMBILICAL DUMMY STOWAGE RECEPTACLE	2011	SAE	0
15516	AS81582-1A	(R) CONNECTORS, ELECTRIC, BAYONET, COUPLING, UMBILICAL RECEPTACLE, JAM NUT MOUNTING, RFI SHIELDED, CRIMP CONTACT, CLASS E	2011	SAE	0
15517	AS81659-61A	(R) CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (SINGLE INSERT, TYPE III, CLASS 1, (-65?C TO +125?C), SERIES 2, SHELL DESIGNATOR A)	2011	SAE	0
15518	AMS2429D	Plating, Bronze Nitriding Stop-off 90Cu - 10Sn	2011	SAE	0
15519	AS81531A	Marking of Electrical Insulating Materials	2011	SAE	0
15520	AS81659-71A	(R) CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, CRIMP CONTACTS, (DUAL INSERT, TYPE IV, CLASS 1, (-65?C TO +125?C), SERIES 2, SHELL DESIGNATOR A, CLINCH NUT MOUNT)	2011	SAE	0
15521	AS81714-1A	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, BUSSING MODULES, FEEDBACK TYPE, SIZE 22, SERIES I	2011	SAE	0
15522	AS81714-23A	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, ELECTRONIC, IN-LINE JUNCTIONS, INTEGRAL FUSE, SERIES I	2011	SAE	0
15523	AS81714A	(R) Terminal Junction System (TJS), Environment Resistant General Specification For	2011	SAE	0
15524	AMS2431-5B	Peening Media Hardened Steel Peening Balls	2011	SAE	0
15525	AIR5431	Repair Tooling	2011	SAE	0
15526	AIR5875	Methodology for Investigation of Flight Control System Anomalies	2011	SAE	0
15527	ARP4916	MASKING AND CLEANING OF EPOXY AND POLYESTER MATRIX THERMOSETTING COMPOSITE MATERIALS	2011	SAE	0
15528	ARP5089	COMPOSITE REPAIR NDT/NDI HANDBOOK	2011	SAE	0
15529	ARP5584	Document for Electric Power Management	2011	SAE	0
15530	ARP5918	Standard Test Criteria for Aircraft Refuelers	2011	SAE	0
15531	AS35051	COVER FOR USE WITH MS90362 EXTERNAL POWER RECEPTACLE	2011	SAE	0
15532	J413	Mechanical Properties of Heat Treated Wrought Steels	2011	SAE	0
15533	J753	Maintenance Interval Chart	2011	SAE	0
15534	J974	(R) Flashing Warning Lamp for Agricultural Equipment	2011	SAE	0

15535	J2536	Anti-Lock Brake System (ABS) Road Test Evaluation Procedure for Trucks, Truck-Tractors and Buses	2011	SAE	0
15536	J2738	Improved Roadway Illumination: Information Resource	2011	SAE	0
15537	GEIA-STD-0008	Derating of Electronic Components - Formerly TechAmerica GEIA-STD-0008	2011	SAE	0
15538	STD-0016	Standard for Preparing a DMSMS Management Plan - Formerly TechAmerica STD-0016	2011	SAE	0
15539	J1197	Rated Operating Load for Loaders Equipped with Log or Material Forks Without Vertical Mast (Stabilized Type)	2011	SAE	0
15540	AMS2631D	(R) Ultrasonic Inspection Titanium and Titanium Alloy Bar, Billet and Plate	2011	SAE	0
15541	J1191	High Tension Ignition Cable Assemblies - Marine	2011	SAE	0
15542	J1231	(R) Formed Tube Ends for Hose Connections and Hose Fittings	2011	SAE	0
15543	J1226	Electric Speedometer Specification - On Road (Stabilized Type)	2011	SAE	0
15544	J1233	Commercial Literature Specifications - Off-Road Work Machines (Stabilized Type)	2011	SAE	0
15545	J1264	Joint RCCC/SAE Fuel Consumption Test Procedure (Short Term In-Service Vehicle) Type 1 (Stabilized Type)	2011	SAE	0
15546	J1283	Electrical Connector for Auxiliary Starting of Construction, Agricultural, and Off-Road Machinery (Stabilized Type)	2011	SAE	0
15547	J128	Occupant Restraint System Evaluation - Passenger Cars and Light-Duty Trucks (Stabilized Type)	2011	SAE	0
15548	J1291	Automotive Hydraulic Brake System - Metric Banjo Bolt Connections (Stabilized Type)	2011	SAE	0
15549	J1303	Cutting Edge - Cross Sections Loader Straight (Stabilized Type)	2011	SAE	0
15550	J1304	Cutting Edge - Cross Sections Loader Straight with Bolt Holes (Stabilized Type)	2011	SAE	0
15551	J1310	Electric Engine Preheaters and Battery Warmers for Diesel Engines (Stabilized Type)	2011	SAE	0
15552	J1325	Test Method for Measuring the Relative Drapeability of Flexible Insulation Materials (Stabilized Type)	2011	SAE	0
15553	J1337	(R) Off-Road Rim Maintenance Procedures and Service Precautions Diameter Code 20 and Larger	2011	SAE	0
15554	J133	Fifth Wheel Kingpin Performance Commercial Trailers and Semitrailers (Stabilized Type)	2011	SAE	0
15555	J1349	Engine Power Test Code - Spark Ignition and Compression Ignition - As Installed Net Power Rating	2011	SAE	0
15556	J1350	Selection and Application Guidelines for Diesel, Gasoline, and Propane Fired Liquid Cooled Engine Pre-Heaters (Stabilized Type)	2011	SAE	0
15557	J1389	Corrosion Test for Insulation Materials (Stabilized Type)	2011	SAE	0
15558	J1377	Transmission Mounted Vehicle Speed Signal Rotor Specification	2011	SAE	0
15559	J1378	Electric Hourmeter Specification (Stabilized Type)	2011	SAE	0
15560	J1410	Air Brake Valve - Performance Requirements	2011	SAE	0
15561	J1399	Electric Tachometer Specification	2011	SAE	0
15562	J1409	Air Brake Valves Test Procedure	2011	SAE	0
15563	J1422	Fuel Warmer - Diesel Engines (Stabilized Type)	2011	SAE	0
15564	J1505	(R) Brake Force Distribution Test Code - Commercial Vehicles, Recommended Practice - April 1995	2011	SAE	0
15565	J1515	Impact of Alternative Fuels on Engine Test and Reporting Procedures (Stabilized Type)	2011	SAE	0
15566	J1516	Accommodation Tool Reference Point for Class B Vehicles	2011	SAE	0
15567	J1517	Driver Selected Seat Position for Class B Vehicles - Seat Track Length and SgRP	2011	SAE	0
15568	J1527	Marine Fuel Hoses	2011	SAE	0
15569	J1498	Heating Value of Fuels	2011	SAE	0
15570	J1490	Measurement and Presentation of Truck Ride Vibrations (Stabilized Type)	2011	SAE	0
15571	J1462	External Automatic Brake Adjuster Test Procedure - Truck and Bus	2011	SAE	0
15572	J1460-2	Human Mechanical Impact Response Characteristics - Response of the Human Neck to Inertial Loading by the Head for Automotive Seated Postures (Stabilized Type)	2011	SAE	0
15573	J1580	Metric Countersunk Holes for Cutting Edges and End Bits (Stabilized Type)	2011	SAE	0

15574	J1581	Cutting Edge - Optional Cross-Sections and Dimensions Loader Straight (Stabilized Type)	2011	SAE	0
15575	J1601	Rubber Cups for Hydraulic Actuating Cylinders (Stabilized Type)	2011	SAE	0
15576	J1555	Recommended Practice for Optimizing Automobile Damageability and Repairability	2011	SAE	0
15577	J1559	(R) Determination of Effect of Solar Heating	2011	SAE	0
15578	J1573	OEM Plastic Parts Repair	2011	SAE	0
15579	J1544	Revolutions Per Mile and Static Loaded Radius for Off-Road Tires (Stabilized Type)	2011	SAE	0
15580	J1530	Test Method for Determining Resistance to Fiber Loss, Resistance to Abrasion and Bearding of Automotive Carpet Materials	2011	SAE	0
15581	J1650	Seamless Copper-Nickel 90-10 Tubing (Stabilized Type)	2011	SAE	0
15582	J1657	Selection Criteria for Retrofit Refrigerants to Replace CFC-12 (R-12) in Mobile Air-Conditioning Systems (Stabilized Type)	2011	SAE	0
15583	J1659	Vehicle Testing Requirements for Replacement Refrigerants for CFC-12 (R-12) Mobile Air-Conditioning Systems (Stabilized Type)	2011	SAE	0
15584	J1660	Fittings and Labels for Retrofit of CFC-12 (R-12) Mobile Air-Conditioning Systems to HFC-134a (R-134a) (Stabilized Type)	2011	SAE	0
15585	J1661	Procedure Retrofitting CFC-12 (R-12) Mobile Air-Conditioning Systems to HFC-134a (R-134a) (Stabilized Type)	2011	SAE	0
15586	J1662	Compatibility of Retrofit Refrigerants with Air-Conditioning System Materials (Stabilized Type)	2011	SAE	0
15587	J1645	(R) Fuel Systems and Components - Electrostatic Charge Mitigation	2011	SAE	0
15588	J1606	Headlamp Design Guidelines for Mature Drivers (Stabilized Type)	2011	SAE	0
15589	J1618	Continuously Variable Transmission Test Code For Passenger Cars (Stabilized Type)	2011	SAE	0
15590	AMS2700E	Passivation of Corrosion Resistant Steels	2011	SAE	0
15591	J163	Low Tension Wiring and Cable Terminals and Splice Clips (Stabilized Type)	2011	SAE	0
15592	J1630	Driver or Passenger Airbag Module Deployment Test Procedure, Recommended Practice - March 1995	2011	SAE	0
15593	J1627	Performance Criteria for Electronic Refrigerant Leak Detectors (Stabilized Type)	2011	SAE	0
15594	J1628	Technician Procedures for Refrigerant Leak Detection in Service of Mobile Air Conditioning Systems	2011	SAE	0
15595	J1707	Service Maintenance of SAE J1703 and J1704 Brake Fluids in Motor Vehicle Brake Systems	2011	SAE	0
15596	J1802-1	Test Component Specifications	2011	SAE	0
15597	J1794	SAE Restraint Systems Effluent Test Procedure (Stabilized Type)	2011	SAE	0
15598	J1787	Measurement of the Total Ash Content of Aviation Piston Engine Oils by a Calculation Method	2011	SAE	0
15599	J1771	Criteria for Refrigerant Identification Equipment for Use with Mobile Air-Conditioning Systems (Stabilized Type)	2011	SAE	0
15600	J1752-3	Measurement of Radiated Emissions from Integrated Circuitsâ__TEM/Wideband TEM (GTEM) Cell Method; TEM Cell (150 kHz to 1 GHz), Wideband TEM Cell (150 kHz to 8 GHz)	2011	SAE	0
15601	J1752-2	Measurement of Radiated Emissions from Integrated Circuitsâ__ Surface Scan Method (Loop Probe Method) 10 MHz to 3 GHz	2011	SAE	0
15602	J1732	HFC-134a (R-134a) Refrigerant Recovery Equipment for Mobile Automotive Air-Conditioning Systems (Stabilized Type)	2011	SAE	0
15603	J1735	Harmonized Vehicle Headlamp Performance Requirements (Stabilized Type)	2011	SAE	0
15604	AMS2772F	Heat Treatment of Aluminum Alloy Raw Materials	2011	SAE	0
15605	J1859	Test Procedures for Determining Air Brake Valve Input-Output Characteristics	2011	SAE	0
15606	J1860	Labeling Air Brake Valves with Their Performance (Input-Output) characteristics	2011	SAE	0
15607	J1922	Powertrain Control Interface for Electronic Controls Used in Medium- and Heavy-Duty Diesel On-Highway Vehicle Applications (Stabilized Type)	2011	SAE	0
15608	J1899	Lubricating Oil, Aircraft Piston Engine (Ashless Dispersant)	2011	SAE	0
15609	J1939-13	(R) Off-Board Diagnostic Connector	2011	SAE	0

15610	J1939-14	Physical Layer, 500 Kbps	2011	SAE	0
15611	J1937	Engine Testing with Low-Temperature Charge Air-cooler Systems in a Dynamometer Test Cell (Stabilized Type)	2011	SAE	0
15612	J1939-81	(R) Network Management	2011	SAE	0
15613	J1939-75	Application Layer - Generator Sets and Industrial	2011	SAE	0
15614	AMS2814G	Packaging and Marking of Packages of Welding Wire Premium Quality	2011	SAE	0
15615	J1989	Recommended Service Procedure for the Containment of CFC-12 (R-12) (Stabilized Type)	2011	SAE	0
15616	J1990	Recovery and Recycle Equipment for Mobile Automotive Air-Conditioning Systems (Stabilized Type)	2011	SAE	0
15617	J1991	Standard of Purity for Use in Mobile Air-Conditioning Systems (Stabilized Type)	2011	SAE	0
15618	J1986	Balance Weight and Rim Flange Design Specifications, Test Procedures, and Performance Recommendations	2011	SAE	0
15619	J200	Classification System for Rubber Materials	2011	SAE	0
15620	AMS2813G	Packaging and Marking of Packages of Welding Wire Standard Method	2011	SAE	0
15621	J195	Automatic Vehicle Speed Control - Motor Vehicles	2011	SAE	0
15622	J1961	Accelerated Exposure of Automotive Exterior Materials Using a Solar Fresnel Reflector Apparatus	2011	SAE	0
15623	J1966	Lubricating Oils, Aircraft Piston Engine (Non-Dispersant Mineral Oil)	2011	SAE	0
15624	J1967	(R) Retroreflective Materials for Vehicle Conspicuity	2011	SAE	0
15625	J1957	(R) Center High Mounted Stop Lamp Standard for Vehicles Less than 2032 mm Overall Width	2011	SAE	0
15626	J1980	Guidelines for Evaluating Out-of-Position Vehicle Occupant Interactions with Deploying Frontal Airbags (Stabilized Type)	2011	SAE	0
15627	J1979-DA	J1979-DA, Digital Annex of E/E Diagnostic Test Modes	2011	SAE	0
15628	J1970	(R) Shoreline Sound Level Measurement Procedure for Recreational Motorboats	2011	SAE	0
15629	J2189	Guidelines for Evaluating Child Restraint System Interactions with Deploying Airbags, Information Report - March 1993	2011	SAE	0
15630	J2180	A Tilt Table Procedure for Measuring the Static Rollover Threshold for Heavy Trucks (Stabilized Type)	2011	SAE	0
15631	J2181	Steady-State Circular Test Procedure for Trucks and Buses (Stabilized Type)	2011	SAE	0
15632	J2178-1	Class B Data Communication Network Messages - Detailed Header Formats and Physical Address Assignments (Stabilized Type)	2011	SAE	0
15633	J2178-2	Class B Data Communication Network Messages - Part 2: Data Parameter Definitions (Stabilized Type)	2011	SAE	0
15634	J2178-3	Class B Data Communication Network Messages - Part 3 - Frame IDs for Single-Byte Forms of Headers (Stabilized Type)	2011	SAE	0
15635	J2178-4	Class B Data Communication Network Messages - Message Definitions for Three Byte Headers (Stabilized Type)	2011	SAE	0
15636	J2196	Service Hose for Automotive Air Conditioning	2011	SAE	0
15637	J2197	Hfc-134a (R-134a) Service Hose Fittings for Automotive Air-Conditioning Service Equipment (Stabilized Type)	2011	SAE	0
15638	J2200	Passenger Car and Light Truck Axles	2011	SAE	0
15639	AIR1077A	Metallic Seal Rings for High Temperature Reciprocating Hydraulic Service (Stabilized Type)	2011	SAE	0
15640	J2132	Manual Transmissions and Transaxle High-Speed Lubrication, Unbalance, and Seizure Evaluation (Stabilized Type)	2011	SAE	0
15641	J2133	Disc Wheel Radial Runout Low Point Marking (Stabilized Type)	2011	SAE	0
15642	J2114	Dolly Rollover Recommended Test Procedure (Stabilized Type)	2011	SAE	0
15643	J2087	Daytime Running Light	2011	SAE	0
15644	J2079	Location of Atomizer of Ether Systems for Diesel Engines (Stabilized Type)	2011	SAE	0
15645	J2064	Coupled Automotive Refrigerant Air-Conditioning Hose Assemblies	2011	SAE	0
15646	J2052	Test Device Head Contact Duration Analysis	2011	SAE	0
15647	J2223-1	Connections for On-Board Road Vehicle Electrical Wiring Harnesses - Part 1: Single-Pole Connectors - Flat Blade Terminals - Dimensional Characteristics and Specific Requirements (Stabilized Type)	2011	SAE	0
15648	J2223-2	(R) Connections for On-Board Road Vehicle Electrical Wiring Harnesses Part 2: Tests and General Performance Requirements	2011	SAE	0

15649	J2223-3	Connections for On-Board Road Vehicle Electrical Wiring Harnesses - Part 3: Multipole Connectors - Flat Blade Terminals - Dimensional Characteristics and Specific Requirements (Stabilized Type)	2011	SAE	0
15650	J2209	CFC-12 (R-12) Refrigerant Recovery Equipment for Mobile Automotive Air-Conditioning Systems (Stabilized Type)	2011	SAE	0
15651	J2211	Recommended Service Procedure for the Containment of HFC-134a (R-134a) (Stabilized Type)	2011	SAE	0
15652	J2227	International Tests and Specifications for Automotive Engine Oils	2011	SAE	0
15653	J2219	Mobile Air Conditioning Industry Criteria and Guidelines (Stabilized Type)	2011	SAE	0
15654	J2233	(R) Bus Body Heating System Test	2011	SAE	0
15655	J2228	Kingpin Wear Limits - Commercial Trailers and Semitrailers (Stabilized Type)	2011	SAE	0
15656	AMS3022D	Reference Fluid for Testing Hydrocarbon Fuel Resistant Materials: 10% Aromatic Content (Stabilized Type)	2011	SAE	0
15657	J226	Engine Preheaters (Stabilized Type)	2011	SAE	0
15658	J2245	Recommended Practice for Splash and Spray Evaluation (Stabilized Type)	2011	SAE	0
15659	J2298	Ultraviolet Leak Detection: Procedure for Use of Refrigerant Leak Detection Dyes for Service of Mobile Air-Conditioning Systems (Stabilized Type)	2011	SAE	0
15660	J2282	Distributed Lighting Systems (DLS) (Stabilized Type)	2011	SAE	0
15661	J2314	Ethics for Accident Investigation and Reconstruction	2011	SAE	0
15662	J2310	(R) Rectangular Cross Section Polymeric Sealing Rings	2011	SAE	0
15663	J2302	(R) Thermal Effectiveness of Sleeve/Tubing/Tape Insulation	2011	SAE	0
15664	J2338	Recommendations of the SAE Task Force on Headlamp Mounting Height	2011	SAE	0
15665	J2388	Secondary Control Modifications	2011	SAE	0
15666	J2376	New-Vehicle Collision Repair Information	2011	SAE	0
15667	J244	Measurement of Intake Air or Exhaust Gas Flow of Diesel Engines (Stabilized Type)	2011	SAE	0
15668	J2453	Manual Transmission and Transaxle Efficiency and Parasitic Loss Measurement (Stabilized Type)	2011	SAE	0
15669	J2498	Minimum Performance of the Warning Light System Used on Emergency Vehicles	2011	SAE	0
15670	J2495	Thermal Containment Efficiency of Sleeve Materials (Stabilized Type)	2011	SAE	0
15671	J2496	Transport Area Network Cabling (Stabilized Type)	2011	SAE	0
15672	J2525	SAE Design Guideline: Metal Belt Drive Continuously Variable Ratio (CVT) Automatic Transmissions (Stabilized Type)	2011	SAE	0
15673	J2531	Impulse Noise from Automotive Inflatable Devices	2011	SAE	0
15674	J2494-1	Dimensional Specifications for Metallic Body Push-to-Connect Fittings Used on a Vehicular Air Brake System	2011	SAE	0
15675	J254	Instrumentation and Techniques for Exhaust Gas Emissions Measurement	2011	SAE	0
15676	J2584	Headlamp Mounting Height for Passenger and Pickup Truck Vehicles (Stabilized Type)	2011	SAE	0
15677	J2594	Recommended Practice to Design for Recycling Proton Exchange Membrane (PEM) Fuel Cell Systems (Stabilized Type)	2011	SAE	0
15678	J2574	Fuel Cell Vehicle Terminology (Stabilized Type)	2011	SAE	0
15679	J2568	Intrusion Resistance of Safety Glazing Systems for Road Vehicles	2011	SAE	0
15680	J257	(R) Brake Rating Power Requirementsâ Truck and Bus	2011	SAE	0
15681	J2684	FMVSS 105 Inertia Brake Dynamometer Test Procedure for vehicles above 4 540 kg GVWR	2011	SAE	0
15682	AMS3090B	Lubricant, Dry Film, Heat Cured, For Fasteners Polysulfide Sealant Compatible (Stabilized Type)	2011	SAE	0
15683	J2670	Stability and Compatibility Criteria for Additives and Flushing Materials Intended for Aftermarket Use in R-134a (HFC-134a) and R-1234yf (HFO-1234yf) Vehicle Air-Conditioning Systems	2011	SAE	0
15684	J2661	Optical Imaging Evaluation of Impact Damage Resistance Testing on Exterior Finishes	2011	SAE	0
15685	J2719	Hydrogen Fuel Quality for Fuel Cell Vehicles	2011	SAE	0
15686	J2721	(R) Recommended Corrosion Test Methods for Commercial Vehicle Components	2011	SAE	0
15687	J2697	Inverter Requirements for Class Eight Trucks - Truck and Bus	2011	SAE	0

15688	J2699	Liquefied Natural Gas (LNG) Vehicle Fuel	2011	SAE	0
15689	J2615	Testing Performance of Fuel Cell Systems for Automotive Applications (Stabilized Type)	2011	SAE	0
15690	J2616	Testing Performance of the Fuel Processor Subsystem of an Automotive Fuel Cell System	2011	SAE	0
15691	J2617	Recommended Practice for Testing Performance of PEM Fuel Cell Stack Sub-system for Automotive Applications (Stabilized Type)	2011	SAE	0
15692	J2629	Standard Formats for Presenting Acoustical Data	2011	SAE	0
15693	J2622	Battery Connections for 42 Volt Electrical Systems Tests and General Performance Requirements (Stabilized Type)	2011	SAE	0
15694	J2631	Defining Hydraulic Oil Compatibility with Hydraulic Hose Elastomers (Stabilized Type)	2011	SAE	0
15695	J2646	Cab Air-Conditioning Test Procedureâ Heavy Trucks with and without Sleepers	2011	SAE	0
15696	J2651	Jump Start Connections for 42 Volt Electrical Systems (Stabilized Type)	2011	SAE	0
15697	J2739	Absorptive and Interference Coatings Applied on Replaceable Headlamp Bulbs (Stabilized Type)	2011	SAE	0
15698	J2760	Pressure Terminology Used In Fuel Cells and Other Hydrogen Vehicle Applications (Stabilized Type)	2011	SAE	0
15699	J2762	Method for Removal of Refrigerant from Mobile Air Conditioning System to Quantify Charge Amount	2011	SAE	0
15700	J2772	Measurement of Passenger Compartment Refrigerant Concentrations Under System Refrigerant Leakage Conditions	2011	SAE	0
15701	J2773	Standard for Refrigerant Risk Analysis for Mobile Air Conditioning Systems	2011	SAE	0
15702	J2793	Fuel Dispensing Filter Test Methods	2011	SAE	0
15703	AMS3101B	Adhesion Promoter For Polysulfide Sealants, Non-crazing of Acrylic and Polycarbonate (Stabilized Type)	2011	SAE	0
15704	J2829	Pedestrian Visibility - Low Beam Optimization to Reduce Night-time Fatalities (Stabilized Type)	2011	SAE	0
15705	J2848-2	Tire Pressure Systems - Maintenance (ATIS) Type For Medium and Heavy Duty Highway Vehicles	2011	SAE	0
15706	J2842	R-1234yf and R744 Design Criteria and Certification for OEM Mobile Air Conditioning Evaporator and Service Replacements	2011	SAE	0
15707	J2836-2	Use Cases for Communication between Plug-in Vehicles and Off-Board DC Charger	2011	SAE	0
15708	J2857	Hybrid III 3-Year Old Child Dummy Users Manual	2011	SAE	0
15709	J2879	Automotive Hydraulic Brake Tube Joints	2011	SAE	0
15710	AMS3108G	Primer, Ocher Phenolic (Stabilized Type)	2011	SAE	0
15711	J2901	Misfire Generator Functional Requirements	2011	SAE	0
15712	J2894-1	Power Quality Requirements for Plug-In Electric Vehicle Chargers	2011	SAE	0
15713	J2913	R-1234yf [HFO-1234yf] Refrigerant Electronic Leak Detectors, Minimum Performance Criteria	2011	SAE	0
15714	J2926	Rollover Testing Methods	2011	SAE	0
15715	J2914	Exhaust Gas Recirculation (EGR) Cooler Nomenclature and Application	2011	SAE	0
15716	J2915	H-III5F Spine Box Update to Eliminate Noise	2011	SAE	0
15717	J2933	Verification of Brake Rotor Modal Frequencies	2011	SAE	0
15718	J2940	Use of Model Verification and Validation in Product Reliability and Confidence Assessments	2011	SAE	0
15719	J2948	Keyless Ignition Control Design	2011	SAE	0
15720	J2958	Report on Unmanned Ground Vehicle Reliability	2011	SAE	0
15721	J2956	Occupant Restraint and Equipment Mounting Integrity Side Impact System-Level Ambulance Patient Compartment	2011	SAE	0
15722	J3001	Brake Insulator Damping Measurement Procedure	2011	SAE	0
15723	J366	Exterior Sound Level for Heavy Trucks and Buses (Stabilized Type)	2011	SAE	0
15724	J378	Marine Propulsion System Wiring	2011	SAE	0
15725	J336	Sound Level for Truck Cab Interior (Stabilized Type)	2011	SAE	0
15726	J34	(R) Exterior Sound Level Measurement Procedure for Recreational Motorboats	2011	SAE	0
15727	J448	Surface Texture (Stabilized Type)	2011	SAE	0

15728	J449	Surface Texture Control (Stabilized Type)	2011	SAE	0
15729	J391	Definition for Particle Size (Stabilized Type)	2011	SAE	0
15730	J47	(R) Maximum Sound Level Potential for Motorcycles	2011	SAE	0
15731	J516	Hydraulic Hose Fittings	2011	SAE	0
15732	J581	Auxiliary High Beam Lamps (Stabilized Type)	2011	SAE	0
15733	J572	Requirements for Sealed Lighting Unit for Construction and Industrial Machines (Stabilized Type)	2011	SAE	0
15734	J573	(R) Signal & Marking Light Sources	2011	SAE	0
15735	J586	Stop Lamps for Use on Motor Vehicles Less than 2032 mm in Overall Width	2011	SAE	0
15736	AMS3175A	Non-Chromated Surface Pretreatment Prior to Painting	2011	SAE	0
15737	J583	Front Fog Lamp	2011	SAE	0
15738	J588	Turn Signal Lamps for Use on Motor Vehicles Less than 2032 mm in Overall Width	2011	SAE	0
15739	J591	Spot Lamps (Stabilized Type)	2011	SAE	0
15740	AMS3193D	Silicone Rubber Sponge Closed Cell, Medium, Extreme Low Temperature	2011	SAE	0
15741	J638	Motor Vehicle Heater Test Procedure (Stabilized Type)	2011	SAE	0
15742	J639	Safety Standards for Motor Vehicle Refrigerant Vapor Compression Systems	2011	SAE	0
15743	J614	Engine and Transmission Dipstick Marking (Stabilized Type)	2011	SAE	0
15744	J600	Headlamp Aim Test Machines (Stabilized Type)	2011	SAE	0
15745	J602	Headlamp Aiming Device for Mechanically Aimable Headlamp Units (Stabilized Type)	2011	SAE	0
15746	J604	Engine Terminology and Nomenclature - General (Stabilized Type)	2011	SAE	0
15747	J537	Storage Batteries	2011	SAE	0
15748	J774	Emergency Warning Device and Emergency Warning Device Protective Container (Stabilized Type)	2011	SAE	0
15749	J740	Countersunk Square Holes for Cutting Edges and End Bits (Stabilized Type)	2011	SAE	0
15750	J743	(R) Lift Capacity Calculation and Test Procedure Pipelayer and Sideboom	2011	SAE	0
15751	J764	Loading Ability Test Procedure - Scrapers (Stabilized Type)	2011	SAE	0
15752	J826-1	CAD Model for SAE J826 3-D H-Point Machine - Includes Access to Additional Content	2011	SAE	0
15753	J682	Rear Wheel Splash and Stone Throw Protection (Stabilized Type)	2011	SAE	0
15754	J683	Tire Chain Clearance - Trucks, Buses (Except Suburban, Intercity, and Transit Buses), and Combinations of Vehicles (Stabilized Type)	2011	SAE	0
15755	AMS3195F	Silicone Rubber Sponge Closed Cell, Medium	2011	SAE	0
15756	J678	Speedometers and Tachometers - Automotive (Stabilized Type)	2011	SAE	0
15757	J643	(R) Hydrodynamic Drive Test Code	2011	SAE	0
15758	J648	Automatic Transmission Hydraulic Control Systems - Terminology (Stabilized Type)	2011	SAE	0
15759	AMS3194D	Silicone Rubber Sponge Closed Cell, Firm, Extreme Low Temperature	2011	SAE	0
15760	J646	(R) Planetary Gears - Terminology	2011	SAE	0
15761	J662	Brake Block Chamfer	2011	SAE	0
15762	J691	Motor Truck CA Dimensions (Stabilized Type)	2011	SAE	0
15763	J693	Truck Overall Widths Across Dual Tires (Stabilized Type)	2011	SAE	0
15764	J640	Symbols for Hydrodynamic Drives - June 1988	2011	SAE	0
15765	J700	Upper Coupler Kingpin Commercial Trailers and Semitrailers (Stabilized Type)	2011	SAE	0
15766	J695	Turning Ability and Off Tracking - Motor Vehicles (Stabilized Type)	2011	SAE	0
15767	J697	Safety Chain of Full Trailers or Converter Dollies (Stabilized Type)	2011	SAE	0
15768	J699	Average Vehicle Dimensions for Use in Designing Docking Facilities for Motor Vehicles (Stabilized Type)	2011	SAE	0

15769	J924	Thrust Washers Design and Application (Stabilized Type)	2011	SAE	0
15770	J922	Turbocharger Nomenclature and Terminology (Stabilized Type)	2011	SAE	0
15771	J948	Test Method for Determining Resistance to Abrasion of Automotive Bodycloth, Vinyl, and Leather, and the Snagging of Automotive Bodycloth	2011	SAE	0
15772	J932	Definitions for Macrostrain and Microstrain (Stabilized Type)	2011	SAE	0
15773	J953	Passenger Car Backlight Defogging System (Stabilized Type)	2011	SAE	0
15774	J873	Drag Force Test Procedure for Construction, Forestry, and Industrial Machines (Stabilized Type)	2011	SAE	0
15775	J875	Trailer Axle Alignment, Recommended Practice	2011	SAE	0
15776	J880	Brake System Rating Test Code - Commercial Vehicles	2011	SAE	0
15777	J885	Human Tolerance to Impact Conditions as Related to Motor Vehicle Design (Stabilized Type)	2011	SAE	0
15778	J887	School Bus Warning Lamps	2011	SAE	0
15779	J902	(R) Passenger Car Windshield Demisting and Defrosting Systems	2011	SAE	0
15780	J896	Mounting Flanges for Engine Accessory Drives (Stabilized Type)	2011	SAE	0
15781	J862	Factors Affecting Accuracy of Mechanically Driven Automotive Speedometer-Odometers (Stabilized Type)	2011	SAE	0
15782	J851	Dimensions - Wheels for Demountable Rims, Demountable Rims, and Spacer Bands - Truck and Bus (Stabilized Type)	2011	SAE	0
15783	J847	Trailer Tow Bar Eye and Pintle Hook/Coupler Performance (Stabilized Type)	2011	SAE	0
15784	J848	Fifth Wheel Kingpin, Heavy-Duty - Commercial Trailers and Semitrailers (Stabilized Type)	2011	SAE	0
15785	J835	Split Type Bushings Design and Application (Stabilized Type)	2011	SAE	0
15786	J99	Lighting and Marking of Industrial Equipment on Highways (Stabilized Type)	2011	SAE	0
15787	JA1010	Maintainability Program Standard	2011	SAE	0
15788	JA1010-1	(R) Maintainability Program Standard Implementation Guide	2011	SAE	0
15789	MA1573A	Nut, Self-Locking - Steel, Class 1100 MPa/235 ī°C, MJ Thread Procurement Specification For, Metric	2011	SAE	0
15790	AMS3217-4B	Test Slabs, Fluoroelastomer (FKM) 65 - 75	2011	SAE	0
15791	JA1012	A Guide to the Reliability-Centered Maintenance (RCM) Standard	2011	SAE	0
15792	AMS3252K	Synthetic Rubber and Cork Composition General Purpose Firm (Stabilized Type)	2011	SAE	0
15793	AMS3262A	Sealing Compound, Silicone Rubber, Two-Part, Electrically Conductive and Corrosion Resistant (Nonchromated) for Use from -67 to 500 ī°F (-55 to 260 ī°C) (Stabilized Type)	2011	SAE	0
15794	AMS3258A	Sealing Compound, Polythioether For Aircraft Windshields and Canopies, For Use Up to 300 ī°F (149 ī°C) (Stabilized Type)	2011	SAE	0
15795	MA3375C	Studs, Corrosion and Heat Resistant Steel, UNS S66286 Tensile Strength 900 MPa, Procurement Specification, Metric	2011	SAE	0
15796	AMS3242H	(R) Chloroprene (CR) Rubber Weather Resistant 75 - 85	2011	SAE	0
15797	AMS3243G	Chloroprene (CR) Rubber Flame Resistant 55 - 65 (Stabilized Type)	2011	SAE	0
15798	AMS3244H	Chloroprene (CR) Rubber Flame Resistant 65 - 75 (Stabilized Type)	2011	SAE	0
15799	AMS3249D	Ethylene Propylene (EPDM) Rubber Hydrazine-Base-Fluid Resistant 75 - 85 (Stabilized Type)	2011	SAE	0
15800	AMS3240K	(R) Chloroprene (CR) Rubber Weather Resistant 35 - 45	2011	SAE	0
15801	AMS3241J	(R) Chloroprene (CR) Rubber Weather Resistant 55 - 65	2011	SAE	0
15802	AMS3220G	Rubber, Synthetic General Purpose, Fluid Resistant 55 - 65	2011	SAE	0
15803	AMS3269C	Sealing Compound, Polysulfide (T) Synthetic Rubber for Integral Fuel Tank and Fuel Cell Cavities High Strength, for Intermittent Use to 360 ī°F (182 ī°C) (Stabilized Type)	2011	SAE	0
15804	AMS3267-3B	Sealing Compound, Low Adhesion, Corrosion Inhibiting 200 to 600 Poises (20 to 60 Pa?s), 2 Hour Application Time (A-2)	2011	SAE	0
15805	AMS3272-1B	Cloth, Nylon, Polyurethane Coated Plain Weave, 6.0 ounces/square yard (200 g/m2)	2011	SAE	0
15806	AMS3271B	Cloth, Knitted Nylon Stretch Polychloroprene Coated (Stabilized Type)	2011	SAE	0

15807	USCAR-18	(R) FAKRA SMB RF CONNECTOR SUPPLEMENT - Revision 3	2011	SAE	0
15808	AMS3270K	Chloroprene (CR) Rubber Sheet, Cotton Fabric Reinforced Weather Resistant (Stabilized Type)	2011	SAE	0
15809	MS1006	Lubricants, Industrial Oils, and Related Products Type F Lubricant for Spindle Bearings, and Associated Clutches - Specification	2011	SAE	0
15810	AMS3335E	Silicone Rubber Extreme Low-Temperature Resistant 45 - 55 (Stabilized Type)	2011	SAE	0
15811	AMS3336E	Silicone (PVMQ) Rubber Extreme-Low-Temperature Resistant 55 - 65 (Stabilized Type)	2011	SAE	0
15812	AMS3301H	Silicone, Rubber General Purpose 40 Durometer	2011	SAE	0
15813	AMS3302H	Silicone Rubber General Purpose 50 Durometer	2011	SAE	0
15814	AMS3303K	Silicone, Rubber General Purpose 60 Durometer	2011	SAE	0
15815	AMS3272-3B	NULL	2011	SAE	0
15816	AMS3272B	Cloth, Nylon, Polyurethane Coated Thermally, Radio Frequency, or Ultrasonically Sealable (Stabilized Type)	2011	SAE	0
15817	AMS3273F	Chloroprene (CR) Rubber Sheet, Nylon Cloth Reinforced Weather Resistant (Stabilized Type)	2011	SAE	0
15818	AMS3274H	Acrylonitrile Butadiene (NBR) Rubber Sheet and Molded Shapes Nylon Cloth Reinforced Fuel Resistant (Stabilized Type)	2011	SAE	0
15819	AMS3285F	Felt, Back Check, White 100% Wool (Stabilized Type)	2011	SAE	0
15820	AMS3286F	Felt, Firm Pad, White 100% Wood (Stabilized Type)	2011	SAE	0
15821	AMS3283B	Sealing Compound, Polysulfide Non-Curing, Groove Injection Temperature and Fuel Resistant (Stabilized Type)	2011	SAE	0
15822	USCAR-40	Lead-Free Solder Validation Test Plan	2011	SAE	0
15823	AMS3272-2B	Cloth, Nylon, Polyurethane Coated Plain Weave, 4.0 ounces/square yard (135 g/m2)	2011	SAE	0
15824	AMS3374-1A	Sealing Compound, One-Part Silicone (Type 1) Aircraft Firewall	2011	SAE	0
15825	AMS3374-2A	Sealing Compound Two-Part, Addition Cured Silicone (Type 2) Firewall Sealant	2011	SAE	0
15826	AMS3374-3A	Sealing Compound Two-Part, Condensation Cured (Type 3) Firewall Sealant	2011	SAE	0
15827	AMS3374-4A	NULL	2011	SAE	0
15828	AIR1678B	Uncertainty of In-Flight Thrust Determination	2011	SAE	0
15829	AMS3677A	Fabric, Polybenzimidazole (PBI) Polyamide Fiberglass Polytetrafluoroethylene (PTFE) Impregnated, Sintered (Stabilized Type)	2011	SAE	0
15830	AMS3673C	Cloth, Glass Aluminum Face, Silicone Rubber Back	2011	SAE	0
15831	AMS3726-3B	Shims, Filled Resin Compound Liquid Precatalyzed	2011	SAE	0
15832	AMS3726E	Shims, Filled Resin Compound (Stabilized Type)	2011	SAE	0
15833	AMS3667E	Polytetrafluoroethylene (PTFE) Sheet, Molded General Purpose Grade, As Sintered (Stabilized Type)	2011	SAE	0
15834	AMS3668E	Polytetrafluoroethylene (PTFE) Moldings Premium Grade, As Sintered (Stabilized Type)	2011	SAE	0
15835	AMS3656H	Polytetrafluoroethylene (PTFE) Extrusions Normal Strength, As Sintered (Stabilized Type)	2011	SAE	0
15836	AMS3657F	Polytetrafluoroethylene (PTFE) Extrusions Premium Strength, As Sintered (Stabilized Type)	2011	SAE	0
15837	AMS3658F	Polytetrafluoroethylene (PTFE) Extrusions Premium Strength, Sintered and Stress-Relieved Radiographically Inspected (Stabilized Type)	2011	SAE	0
15838	AMS3659F	Polytetrafluoroethylene (PTFE) Extrusions Premium Strength, Sintered and Stress-Relieved (Stabilized Type)	2011	SAE	0
15839	AMS3660E	Polytetrafluoroethylene (PTFE) Moldings General Purpose Grade, As Sintered (Stabilized Type)	2011	SAE	0
15840	AMS3623E	Tubing, Irradiated Polychloroprene Elastomer, Electrical Insulation Flexible, Heat-Shrinkable, 1.750 to 1 Shrink Ratio (Stabilized Type)	2011	SAE	0
15841	AMS3611E	Plastic Sheet, Polycarbonate General Purpose (Stabilized Type)	2011	SAE	0
15842	AMS3626G	Plastic Moldings and Extrusions, Methyl Methacrylate (Stabilized Type)	2011	SAE	0
15843	AMS3628E	Plastic Extrusions and Moldings, Polycarbonate General Purpose (Stabilized Type)	2011	SAE	0
15844	AMS3643C	Plastic Moldings, Silicone, Thermosetting Glass Roving Filled Heat Resistant (Stabilized Type)	2011	SAE	0

15845	AMS3631D	Polyvinyl Chloride (PVC) Plastic Extrusions High Temperature, Flexible (Stabilized Type)	2011	SAE	0
15846	AMS3632F	Tubing, Plastic, Electrical Insulation Irradiated Polyvinylidene Fluoride, Semi-Rigid, Heat-Shrinkable 2 to 1 Shrink Ratio (Stabilized Type)	2011	SAE	0
15847	AMS3500G	Leather, Chrome-Vegetable Retanned, Cattle Hide Fuel and Hot Oil Resistant (Stabilized Type)	2011	SAE	0
15848	AMS3383A	Polytetrafluoroethylene (PTFE) - Fluorosilicone (FVMQ) Rubber High Temperature Fuel and Oil Resistant 75 - 85 (Stabilized Type)	2011	SAE	0
15849	AMS3564F	Vulcanized Fiber Sheet (Stabilized Type)	2011	SAE	0
15850	AMS3570F	Foam, Flexible Polyurethane Open Cell, Medium Flexibility	2011	SAE	0
15851	AMS3571-1C	NULL	2011	SAE	0
15852	AMS3571-2C	Resin, Polyether Urethane (EU) Casting Flexible, Solid, Unfilled 55 Durometer A	2011	SAE	0
15853	AMS3571-3C	Resin, Polyether Urethane (EU) Casting Flexible, Solid, Unfilled 65 Durometer A	2011	SAE	0
15854	AMS3571-4C	Resin, Polyether Urethane (EU) Casting Flexible, Solid, Unfilled 75 Durometer A	2011	SAE	0
15855	AMS3571-5C	NULL	2011	SAE	0
15856	AMS3571-6C	Resin, Polyether Urethane (EU) Casting Flexible, Solid, Unfilled 95 Durometer A	2011	SAE	0
15857	AMS3571-7C	Resin, Polyether Urethane (EU) Casting Flexible, Solid, Unfilled 55 Durometer D	2011	SAE	0
15858	AMS3571-8C	Resin, Polyether Urethane (EU) Casting Flexible, Solid, Unfilled 65 Durometer D	2011	SAE	0
15859	AMS3568-1B	Foam, Polyether Urethane (EU) Elastomer, Shock Absorbing 5 Pounds/Cubic Foot (80 kg/m3) Density	2011	SAE	0
15860	AMS3568-2B	Foam, Polyether Urethane (EU) Elastomer, Shock Absorbing 15 Pounds/Cubic Foot (240 kg/m3) Density	2011	SAE	0
15861	AMS3568-3B	Foam, Polyether Urethane (EU) Elastomer, Shock Absorbing 20 Pounds/Cubic Foot (320 kg/m3) Density	2011	SAE	0
15862	AMS3568B	Sheet, Polyether Urethane (EU) Elastomer Foam Shock Absorbing	2011	SAE	0
15863	AMS3571-9C	NULL	2011	SAE	0
15864	AMS3571C	Resin, Polyether Urethane (EU) Casting Flexible, Solid, Unfilled (Stabilized Type)	2011	SAE	0
15865	AMS3614C	Polycarbonate Sheet and Parts Optical Grade, Coated (Stabilized Type)	2011	SAE	0
15866	AMS3615F	Plastic Tubing Cotton Fabric Reinforced Phenol-Formaldehyde (Stabilized Type)	2011	SAE	0
15867	AMS3605G	Plastic Sheet, Post-Forming Cotton Fabric Reinforced Phenol-Formaldehyde (Stabilized Type)	2011	SAE	0
15868	AMS3607G	Plastic Sheet Cotton Fabric Reinforced Phenol-Formaldehyde (Stabilized Type)	2011	SAE	0
15869	AMS3609E	Methyl Methacrylate Plastic, Sheet Heat Resistant (Stabilized Type)	2011	SAE	0
15870	AMS3599B	Plastic Sheet, Copper Faced Glass Fabric Reinforced Epoxy Resin, Flammability Controlled (Stabilized Type)	2011	SAE	0
15871	AMS3601E	Plastic Sheet, Copper Faced Glass Fabric Reinforced Epoxy Resin Hot Strength Retention (Stabilized Type)	2011	SAE	0
15872	AMS3587E	Plastic Tubing, Electrical Insulation Irradiated Polyolefin, Pigmented, Very Flexible, Heat-Shrinkable Low Recovery Temperature 2 to 1 Shrink Ratio (Stabilized Type)	2011	SAE	0
15873	AMS3588E	Plastic Tubing, Electrical Insulation Irradiated Polyolefin, Clear, Very Flexible, Heat-Shrinkable 2 to 1 Shrink Ratio (Stabilized Type)	2011	SAE	0
15874	AMS3573C	Resin, Polyurethane (EU) Casting Polyether-type, Flexible, Solid Low-Temperature Resistant, 80 to 90 (Stabilized Type)	2011	SAE	0
15875	AIR1823B	Engineering Analysis System (EASY) Computer Program for Dynamic Analysis of Aircraft ECS	2011	SAE	0
15876	AMS3801-1B	NULL	2011	SAE	0
15877	AMS3801-2B	Cloth, Parachute, Meta-Aramid, Low Modulus 6.5(220) Weight, Special Weave	2011	SAE	0
15878	AMS3801-3B	Cloth, Parachute, Meta-Aramid, Low Modulus 12.0(407) Weight, Special Weave	2011	SAE	0
15879	AMS3801-4B	Cloth, Parachute, Meta-Aramid, Low Modulus 7.0(237) Weight, Plain Weave	2011	SAE	0
15880	AMS3801-5B	Cloth, Parachute, Meta-Aramid, Low Modulus 18.0(610) Weight, Basket Weave, Resin Treated	2011	SAE	0
15881	AMS3801C	Cloth, Parachute - Meta-Aramid, Low Modulus	2011	SAE	0
15882	AMS3756C	Moldings, Glass Fiber Filled Polytetrafluoroethylene (PTFE) 75% PTFE Resin, 25% Glass Fibers, As Sintered (Stabilized Type)	2011	SAE	0

15883	AMS4078J	Aluminum Alloy Sheet and Plate 5.6Zn 2.5Mg-1.6Cu-0.23Cr 7075: (-T73 Sheet, -T7351 Plate) Solution Heat Treated and Overaged - UNS A97075	2011	SAE	0
15884	AMS4031H	Aluminum Alloy, Sheet and Plate 6.3Cu - 0.30Mn - 0.18Zr - 0.10V - 0.06Ti (2219-0) Annealed or when specified, â__As Fabricatedâ (2219-F) - UNS A92219	2011	SAE	0
15885	AMS4035L	Aluminum Alloy, Sheet and Plate 4.4Cu - 1.5Mg - 0.60Mn (2024-0) Annealed; or when specified, â__As Fabricatedâ__ (2024-F) - UNS A92024	2011	SAE	0
15886	AMS4037P	Aluminum Alloy, Sheet and Plate 4.4Cu - 1.5Mg - 0.60Mn (2024; -T3 Flat Sheet, -T351 Plate) Solution Heat Treated - UNS A92024	2011	SAE	0
15887	AMS3960	Advanced Composites Prepreg - Nominal 250 Ï°F Cure - Carbon Fiber and Epoxy Resin, Unidirectional Tape	2011	SAE	0
15888	AMS3970-1A	(R) Carbon Fiber Fabric Repair Prepreg, 120 ?C (250 ?F) Vacuum Curing Part 1 - General Requirements	2011	SAE	0
15889	AMS3970-2A	(R) Carbon Fiber Fabric Repair Prepreg, 120 ?C (250 ?F) Vacuum Curing Part 2 - Qualification Program for Fiber, Fabric, Carbon Prepreg, Film Adhesive and Non-Structural Glass Prepreg	2011	SAE	0
15890	AMS3970-3A	(R) Carbon Fiber Fabric Repair Prepreg, 120 ?C (250 ?F) Vacuum Curing Part 3 - Purchasing Specification for Carbon Prepreg	2011	SAE	0
15891	AMS3970-4A	(R) Carbon Fiber Fabric Repair Prepreg, 120 ?C (250 ?F) Vacuum Curing Part 4 - Purchasing Specification for Film Adhesive	2011	SAE	0
15892	AMS3970-5	Carbon Fiber Fabric Repair Prepreg, 120 ?C (250 ?F) Vacuum Curing Part 5 - Purchasing Specification for Companion Non-Structural Glass Fiber Fabric Prepreg	2011	SAE	0
15893	AMS3970-6	Carbon Fiber Fabric Repair Prepreg, 120 ?C (250 ?F) Vacuum Curing Part 6 - Material Specification: Carbon Fiber Fabric Reinforced Epoxy Prepreg for Repair, Plain Weave Fabric, 193 g/m2, Adhesive Film for Repair and Non-Structural Glass Fiber Fabric Rei	2011	SAE	0
15894	AMS3970A	(R) Carbon Fiber Fabric Repair Prepreg, 120 Ï°C (250 Ï°F) Vacuum Curing Part 0 - Introduction	2011	SAE	0
15895	AIR1922A	(R) Aerospace - System Integration Factors That Affect Hydraulic Pump Life	2011	SAE	0
15896	AIR1102B	Transparent Area Washing Systems for Aircraft (Stabilized Type)	2011	SAE	0
15897	AIR1872B	Guide to Life Usage Monitoring and Parts Management for Aircraft Gas Turbine Engines	2011	SAE	0
15898	AIR1871C	(R) Lessons Learned from Developing, Implementing, and Operating a Health Management System for Propulsion and Drive Train Systems	2011	SAE	0
15899	AMS4085D	Aluminum Alloy Sheet 5.7Zn - 2.2Mg - 1.6Cu - 0.22Cr (7475-T761) Solution Heat Treated and Overaged - UNS A97475	2011	SAE	0
15900	AIR36105A	Air Cargo Unit Load Devices Reference Documents	2011	SAE	0
15901	AMS4183A	Aluminum Alloy, Extruded Profiles (2027-T3511) 4.4Cu - 1.2Mg - 0.8Mn - 0.10Zr Solution Heat Treated and Stress Relieved by Stretching - UNS A92027	2011	SAE	0
15902	AIR36107A	AS36100 Background and Development (Stabilized Type)	2011	SAE	0
15903	AMS4154P	Aluminum Alloy, Extrusions 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (7075-T6, 7075-T6510, 7075-T6511) Solution Heat Treated, Stress Relieved by Stretching When Required and Precipitation Heat Treated - UNS A97075	2011	SAE	0
15904	AMS4212K	Aluminum Alloy Castings 5.0Si - 1.2Cu - 0.50Mg (355.0-T6) Solution and Precipitation Heat Treated - UNS A03550	2011	SAE	0
15905	AMS4221D	Aluminum Alloy, Plate 4.4Cu - 1.5Mg - 0.60Mn (2124-T8151) Solution Heat Treated, Stress Relieved, and Precipitation Heat Treated - UNS A92124	2011	SAE	0
15906	AMS4206B	Aluminum Alloy, Plate (7055-T7751) 8.0Zn - 2.3Cu - 2.0Mg - 0.16Zr Solution Heat Treated, Stress Relieved, and Overaged - UNS A97055	2011	SAE	0
15907	AMS4285E	Aluminum Alloy Castings, Centrifugal 7.0Si - 0.30Mg (356.0-T6) Solution and Precipitation Heat Treated - UNS A03560	2011	SAE	0
15908	AMS4284J	Aluminum Alloy Castings, Permanent Mold 7.0Si - 0.30Mg (356.0-T6) Solution and Precipitation Heat Treated - UNS A03560	2011	SAE	0
15909	AMS4268	Aluminum Alloy, Sheet and Plate 4.4Cu - 1.5Mg - 0.60Mn; (2024-T81 Sheet, -T851 Plate) Solution Heat Treated, Cold Worked and Artificially Aged - UNS A92024	2011	SAE	0
15910	AMS4269	Aluminum Alloy, Sheet and Plate 4.4Cu - 1.5Mg - 0.60Mn; (2024-T361), Solution Heat Treated and Cold Worked - UNS A92024	2011	SAE	0

15911	AMS4273C	Aluminum Alloy, Sheet and Plate (2424-T3 Flat Sheet and 2424-T351 Plate) Solution Heat Treated and Cold Worked - UNS A92424	2011	SAE	0
15912	AMS4316A	Aluminum Alloy, Alclad Sheet and Plate 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr 7075: (-T76 Sheet, -T7651 Plate) Solution and Precipitation Heat Treated - UNS R87075	2011	SAE	0
15913	AMS4375L	Sheet and Plate, Magnesium Alloy 3.0Al - 1.0Zn - 0.20Mn (AZ31B-0) Annealed and Recrystallized - UNS M11311	2011	SAE	0
15914	AMS4376H	Plate, Magnesium Alloy 3.0Al - 1.0Zn - 0.20Mn (AZ31B-H26) Cold Rolled and Partially Annealed - UNS M11311	2011	SAE	0
15915	AMS4377J	Magnesium Alloy, Sheet and Plate 3.0Al - 1.0Zn 0.20Mn (AZ31B-H24) Cold Rolled, Partially Annealed - UNSM11311	2011	SAE	0
15916	AMS4344D	Aluminum Alloy, Extrusions 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (7175-T73511) Solution Heat Treated, Stress Relieved by Stretching, Straightened, and Overaged - UNS A97175	2011	SAE	0
15917	AMS4443G	Magnesium Alloy, Sand Castings 4.5Zn - 0.75Zr (ZK51A-T5) Precipitation Heat Treated - UNS M16510	2011	SAE	0
15918	AMS4434M	Magnesium Alloy Castings, Sand 9.0Al - 2.0Zn (AZ92-T6) Solution and Precipitation Heat Treated - UNS M11920	2011	SAE	0
15919	AMS4466	Aluminum Alloy, Sheet and Plate, Alclad 4.4Cu - 1.5Mg - 0.60Mn (Alclad 2024, -T361 Sheet & Plate) Solution Heat Treated, 6% Cold Worked and Naturally Aged - UNS A82024	2011	SAE	0
15920	AMS4462	Aluminum Alloy, Sheet and Plate, Alclad 4.4Cu - 1.5Mg - 0.60Mn (Alclad 2024, -T3 Sheet, -T351 Plate) Solution Heat Treated, Cold Worked and Naturally Aged - UNS A82024	2011	SAE	0
15921	AMS4417B	Castings, Sand, Magnesium Alloy 1.5Ag - 2.1Di - 0.08Cu - 0.70Zr (EQ21 - T6) Solution and Precipitation Heat Treated - UNS M18330	2011	SAE	0
15922	AMS4394	Magnesium Alloy Welding Wire 2.5Ag - 2.1Di - 0.70Zr (QE22A) - UNS M18220	2011	SAE	0
15923	AMS4401A	Aluminum Alloy Plate (7140-T7451) 6.6Zn - 1.8Cu - 2.0Mg - 0.10Zr Solution Heat Treated, Stress Relieved and Overaged - UNS A97140	2011	SAE	0
15924	AMS4599	Aluminum Alloy, Sheet and Plate 6.3Cu - 0.30Mn - 0.06Ti - 0.10V - 0.18Zr Solution and Precipitation Heat Treated (2219 -T81/-T851) - UNS A92219	2011	SAE	0
15925	AMS4597A	Copper-Nickel-Tin Alloy, Bars and Rods 77Cu - 15Ni - 8Sn Solution Annealed, Cold Finished and Spinodal Hardened (TX TS) - UNS C72900	2011	SAE	0
15926	AMS4600	Aluminum Alloy, Sheet and Plate 6.3Cu - 0.30Mn - 0.06Ti - 0.10V - 0.18Zr Solution Heat Treated, Cold Worked (8%) and Naturally Aged (2219 -T37) - UNS A92219	2011	SAE	0
15927	AMS4601	Aluminum Alloy, Sheet and Plate 6.3Cu - 0.30Mn - 0.06Ti - 0.10V - 0.18Zr Solution Heat Treated, Cold Worked and Naturally Aged (2219 -T31/-T351) - UNS A92219	2011	SAE	0
15928	AMS4595	Copper Nickel Tin Alloy Plate 77Cu 15Ni 8Sn Solution Annealed and Spinodal Hardened (TX 00) - UNS C72900	2011	SAE	0
15929	AMS4530J	Copper-Beryllium Alloy Sheet, Strip, and Plate 98Cu - 1.9Be Solution Heat Treated (TB00) - UNS C17200	2011	SAE	0
15930	AMS4532H	Copper-Beryllium Alloy, Sheet and Strip 98Cu - 1.9Be Half Hard (TD02) - UNS C17200	2011	SAE	0
15931	AMS4467	Aluminum Alloy, Sheet and Plate, Alclad 4.4Cu - 1.5Mg - 0.60Mn (Alclad 2024, -T861 Sheet & Plate) Solution Heat Treated, 6% Cold Worked and Artificially Aged - UNS A82024	2011	SAE	0
15932	AMS4472	Aluminum Alloy, Plate 4.0Cu - 1.0Li - 0.40Mg - 0.35Ag - 0.13Zr (2195-T34) Solution Heat Treated and Stress Relieved - UNS A92195	2011	SAE	0
15933	AMS4473	Aluminum Alloy Plate (2624-T39) 4.1Cu 1.4Mg - 0.6Mn Solution Heat Treated, Cold Worked and Naturally Aged - UNS A92624	2011	SAE	0
15934	AMS4490J	Magnesium Alloy Castings, Die 9.0Al - 0.70Zn (AZ91D, Temper F) As Cast - UNS M11916	2011	SAE	0
15935	AMS4617	Aluminum Alloy, Extrusions 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (7075-T73, 7075-T73511, 7075-T73510) Solution Heat Treated, Stress Relieved by Stretching when required, and Overaged - UNS A97075	2011	SAE	0
15936	AMS4613	Aluminum Alloy, Sheet and Plate 6.3Cu - 0.30Mn - 0.06Ti - 0.10V - 0.18Zr Solution Heat Treated, Cold Worked (8%) and Precipitation Heat Treated (2219 -T87) - UNS A92219	2011	SAE	0
15937	AMS4640H	Aluminum Bronze, Bars, Rods, Shapes, Tubes, and Forgings 81.5Cu - 10.0Al - 4.8Ni - 3.0Fe Drawn and Stress Relieved (HR50) or Temper Annealed (TQ50) - UNS C63000	2011	SAE	0
15938	AMS4675D	Nickel-Copper Alloy, Corrosion-Resistant, Bars and Forgings 67Ni - 30Cu - UNS N04400	2011	SAE	0
15939	AMS4897C	Titanium Alloy, Sheet and Strip 15Mo - 3.0Al - 2.8Cb - 0.20Si - UNS R58210	2011	SAE	0

15940	AMS4904B	Titanium Alloy Sheet, Strip, and Plate 6Al - 4V Solution Heat Treated and Aged - UNS R56400	2011	SAE	0
15941	AMS4903B	Titanium Alloy Sheet, Strip, and Plate 6Al - 4V Solution Heat Treated - UNS R56400	2011	SAE	0
15942	AMS4901S	Titanium Sheet, Strip, and Plate Commercially Pure Annealed, 70.0 ksi (485 MPa) - UNS R50700	2011	SAE	0
15943	AMS4899C	Titanium Alloy, Sheet, Strip, and Plate 4.5Al - 3V - 2Fe - 2Mo Annealed - UNS R54700	2011	SAE	0
15944	AMS4920E	Titanium Alloy, Forgings 6AI - 4V Alpha-Beta or Beta Processed, Annealed - UNS R56400	2011	SAE	0
15945	AMS4924G	Titanium Alloy Bars, Forgings, and Rings 5Al - 2.5Sn, Extra Low Interstitial Annealed - UNS R54521	2011	SAE	0
15946	AMS4926M	Titanium Alloy, Bars, Wire, and Rings 5Al - 2.5Sn Annealed, 110 ksi (758 MPa) Yield Strength - UNS R54520	2011	SAE	0
15947	AMS4932C	Titanium Alloy Sheet 6Al - 4V Driver Sheet - UNS R56400	2011	SAE	0
15948	AMS4934F	Titanium Alloy, Extrusions and Flash Welded Rings 6Al - 4V Solution Heat Treated and Aged - UNS R56400	2011	SAE	0
15949	AMS4931D	Titanium Alloy Bars, Forgings, and Rings 6Al - 4V Extra Low Interstitial (ELI) Duplex Annealed, Fracture Toughness - UNS R56400	2011	SAE	0
15950	AMS4930G	Titanium Alloy Bars, Wire, Forgings, and Rings 6Al - 4V, Extra Low Interstitial Annealed - UNS R56401	2011	SAE	0
15951	AIR1151A	Flight Compartment Glare	2011	SAE	0
15952	AIR4276A	Survey Results: Computerization or Reliability, Maintainability & Supportability (RM&S) in Design (Stabilized Type)	2011	SAE	0
15953	AMS4944J	Titanium Alloy Tubing, Seamless, Hydraulic 3.0Al - 2.5V Cold Worked, Stress Relieved - UNS R56320	2011	SAE	0
15954	AMS4984E	Titanium Alloy Forgings 10V - 2Fe - 3Al Consumable Electrode Melted, Solution Heat Treated and Aged 173 ksi (1193 MPa) Tensile Strength - UNS R56410	2011	SAE	0
15955	AMS4982E	Titanium Alloy Wire 44.5 Cb - UNS R58450	2011	SAE	0
15956	AMS4983E	Titanium Alloy, Forgings 10V - 2Fe - 3Al Consumable Electrode Melted, Single-Step Solution Heat Treated and Aged 180 ksi (1241 MPa) Tensile Strength - UNS R56410	2011	SAE	0
15957	AMS4999A	Titanium Alloy Direct Deposited Products 6Al - 4V Annealed	2011	SAE	0
15958	AMS4986D	Titanium Alloy, Forgings 10V - 2Fe - 3Al Consumable Electrode Melted, Single-Step Solution Heat Treated and Overaged 160 ksi (1103 MPa) Tensile Strength - UNS R56410	2011	SAE	0
15959	AMS4987D	Titanium Alloy, Forgings 10V - 2Fe - 3AI Consumable Electrode Melted, Single-Step Solution Heat Treated and Overaged 140 ksi (965 MPa) Tensile Strength - UNS R56410	2011	SAE	0
15960	AMS4957E	Titanium Alloy, Round Bar and Wire 3AI - 8V - 6Cr - 4Mo - 4Zr Consumable Electrode Melted Solution Heat Treated and Cold Drawn - UNS R58640	2011	SAE	0
15961	AMS4967K	Titanium Alloy, Bars, Wire, Forgings, and Rings 6.0Al - 4.0V Annealed, Heat Treatable - UNS R56400	2011	SAE	0
15962	AMS4964B	Titanium Alloy Bars, Wire, Forgings, and Rings 4.5Al - 3V - 2Fe - 2Mo Annealed	2011	SAE	0
15963	AMS4972G	Titanium Alloy Bars, Wire, and Rings 8Al - 1Mo - 1V Solution Heat Treated and Stabilized - UNS R54810	2011	SAE	0
15964	AMS4953F	Titanium Alloy Welding Wire 5Al - 2.5Sn - UNS R54520	2011	SAE	0
15965	AMS4952E	Titanium Alloy, Welding Wire 6Al - 2Sn - 4Zr - 2Mo - UNS R54620	2011	SAE	0
15966	AMS4950C	Titanium Alloy, Bars, Wire, Forgings, and Rings 6.0Al - 4.0V Solution Heat Treated and Aged Modified Strength - UNS R56400	2011	SAE	0
15967	AMS5357C	Steel, Corrosion-Resistant, Investment Castings 15Cr - 4.6Ni - 0.22Cb - 2.8Cu Solution Heat Treated, Precipitation Hardenable - UNS J92110	2011	SAE	0
15968	AMS5350J	Steel, Corrosion and Moderate Heat-Resistant, Investment Castings 12.5Cr (SAE 51410) Hardened and Tempered - UNS J91152	2011	SAE	0
15969	AMS5387E	Alloy, Corrosion and Heat Resistant, Investment Castings 60Co - 29Cr - 4.5W As Cast - UNS R30006	2011	SAE	0
15970	AMS5398G	Steel, Corrosion-Resistant, Sand and Centrifugal Castings 16Cr - 4.1Ni - 0.22Cb (Nb) - 2.8Cu Solution Heat Treated - UNS J92200	2011	SAE	0
15971	AMS5441A	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings Ni - 18Cr - 2.8Mo - 5.5Cb(Nb) - 0.70Ti - 1.50Al - 10Fe - 9Co - 1W Consumable Electrode Remelted or Vacuum Induction Melted 1775 ī°F (968 ī°C) Solution Heat Treated, Precipitation-Harden	2011	SAE	0

15972	AMS5442A	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings Ni - 18Cr - 2.8Mo - 5.5Cb(Nb) - 0.70Ti - 1.50Al - 10Fe - 9Co - 1W Consumable Electrode Remelted or Vacuum Induction Melted 1775 °F (968 °C) Solution and Precipitation Heat Treated - U	2011	SAE	0
15973	AIR4487A	(R) Investigation of Silver Plated Conductor Corrosion (Red Plague)	2011	SAE	0
15974	AMS5540N	Nickel Alloy, Corrosion and Heat-Resistant, Sheet, Strip, and Plate 74Ni - 15.5Cr - 8.0Fe Annealed - UNS N06600	2011	SAE	0
15975	AMS5647J	Steel, Corrosion-Resistant, Bars, Wire, Forgings, Tubing, and Rings 19Cr - 9.5Ni Solution Heat Treated - UNS S30403	2011	SAE	0
15976	AMS5646N	Steel, Corrosion and Heat-Resistant, Bars, Wire, Forgings, Tubing, and Rings 18Cr - 11 Ni - 0.60Cb(Nb) (347) Solution Heat Treated - UNS S34700	2011	SAE	0
15977	AMS5645R	Steel, Corrosion and Heat Resistant, Bars, Wire, Forgings, Tubing, and Rings 18Cr - 10Ni - 0.40Ti (321) Solution Heat Treated - UNS S32100	2011	SAE	0
15978	AMS5566M	Steel, Corrosion Resistant, Seamless or Welded Hydraulic Tubing 19Cr - 10Ni (304) High Pressure, Cold Drawn - UNS S30400	2011	SAE	0
15979	AMS5568G	Steel, Corrosion and Heat Resistant, Welded Tubing 17Cr - 7.1Ni - 1.1Al Solution Heat Treated, Precipitation-Hardenable - UNS S17700	2011	SAE	0
15980	AMS5569B	Steel, Corrosion and Heat Resistant, Seamless and Welded Hydraulic Tubing 19Cr - 9.5Ni - 0.03C max Cold Drawn, 1/8 Hard Temper - UNS S30403	2011	SAE	0
15981	AIR4543-1	Aerospace Hydraulics and Actuation Lessons Learned	2011	SAE	0
15982	AMS5554F	Steel, Corrosion and Heat-Resistant, Seamless Tubing 16.5Cr - 4.5Ni - 2.9Mo - 0.10N Annealed - UNS S35000	2011	SAE	0
15983	AMS5552G	Alloy, Corrosion and Heat-Resistant, Sheet, Strip, and Plate 46Fe - 20.5Cr - 32Ni - 1.1Ti Annealed - UNS N08801	2011	SAE	0
15984	AMS5718D	Steel, Bars, Forgings, Tubing, and Rings, Corrosion Resistant 11.8Cr - 2.5Ni - 1.8Mo - 0.33V (0.08 - 0.15C) Annealed - UNS S64152	2011	SAE	0
15985	AMS5648L	Steel, Corrosion and Heat-Resistant, Bars, Wire, Forgings, Tubing, and Rings, 17Cr - 12Ni - 2.5Mo (316) Solution Heat Treated - UNS S31600	2011	SAE	0
15986	AMS5654F	Steel, Corrosion and Heat Resistant, Bars, Wire, Forgings, Tubing, and Rings 18Cr - 11Ni - 0.60Cb (Nb) (347) Premium Aircraft Quality, Consumable Electrode Melted Solution Heat Treated - UNS S34700	2011	SAE	0
15987	AMS5692E	Steel, Corrosion and Heat-Resistant, Welding Wire 19Cr - 12.5Ni - 2.5Mo - UNS S31680	2011	SAE	0
15988	AMS5841F	Cobalt-Nickel Alloy, Corrosion and Heat-Resistant, Bars 19Cr - 36Co - 25Ni - 7.0Mo - 0.50Cb (Nb) - 2.9Ti - 0.20Al - 9.0Fe Vacuum Induction Plus Vacuum Consumable Electrode Melted Solution Heat Treated for Work Strengthening - UNS R30159	2011	SAE	0
15989	AMS5846C	Alloy, Corrosion and Heat-Resistant, Bars and Forgings 53Ni - 15Cr - 18.5Co - 5.0Mo - 3.2Ti - 4.2Al - 0.03B Double Vacuum Melted Solution, Stabilization, and Precipitation Heat Treated - UNS N13020	2011	SAE	0
15990	AMS5843F	Cobalt-Nickel Alloy, Corrosion and Heat-Resistant, Bars 19Cr - 36Co - 25Ni - 7.0Mo - 0.50Cb (Nb) - 2.9Ti - 0.20Al - 9.0Fe Vacuum Induction Plus Vacuum Consumable Electrode Melted Solution Heat Treated, Work Strengthened, and Aged - UNS R30159	2011	SAE	0
15991	AMS5842F	Cobalt-Nickel Alloy, Corrosion and Heat-Resistant, Bars 19Cr - 36Co - 25Ni - 7.0Mo - 0.50Cb (Nb) - 2.9Ti - 0.20Al - 9.0Fe Vacuum Induction Plus Vacuum Consumable Electrode Melted Solution Heat Treated and Work Strengthened - UNS R30159	2011	SAE	0
15992	AMS5802D	Iron-Nickel Alloy, Corrosion and Heat-Resistant, Welding Wire 41Fe - 37.5Ni - 14Co - 4.8Cb (Nb) - 1.5Ti Vacuum Melted, Low Expansion - UNS N19907	2011	SAE	0
15993	AIR4830A	(R) Aircraft Tire Pressure Monitoring Systems	2011	SAE	0
15994	AIR1168-11A	Spacecraft Boost and Entry Heat Transfer	2011	SAE	0
15995	AMS6250L	Steel Bars, Forgings, and Tubing 1.5Cr - 3.5Ni (0.07 - 0.13 C) (3310) - UNS K44910	2011	SAE	0
15996	AMS6257E	Steel Bars, Forgings, and Tubing 1.6Si - 0.82Cr - 1.8Ni - 0.40Mo - 0.08V (0.40 - 0.44C) Consumable Electrode Vacuum Remelted Normalized and Tempered - UNS K44220	2011	SAE	0
15997	AMS6263L	Steel Bars, Forgings, and Tubing 1.2Cr - 3.2Ni - 0.12Mo (0.11 - 0.17C) - UNS K44414	2011	SAE	0
15998	AMS6276K	Steel, Bars, Forgings, and Tubing 0.50Cr - 0.55Ni - 0.20Mo (0.18 - 0.23C) (SAE 8620) Consumable Electrode Vacuum Remelted - UNS G86200	2011	SAE	0

15999	AMS6277G	Steel, Bars, Forgings, and Tubing 0.50Cr - 0.55Ni - 0.20Mo (0.18 - 0.23C) (SAE 8620) Vacuum Arc or Electroslag Remelted - UNS G86200	2011	SAE	0
16000	AMS6274P	Steel, Bars, Forgings, and Tubing 0.50Cr - 0.55Ni - 0.20Mo (0.18 - 0.23C) (SAE 8620) - UNS G86200	2011	SAE	0
16001	AMS5917	Metal Injection Molded Nickel Based Alloy 718 Parts Hot Isostatically Pressed, Solutioned and Aged	2011	SAE	0
16002	AMS5918	Cobalt Alloy, Corrosion and Heat Resistant, Bars 62Co-28Cr-6Mo Warm-Worked	2011	SAE	0
16003	AMS6356G	Steel, Sheet, Strip, and Plate 0.95Cr - 0.20Mo - (0.30 - 0.35C)(4132) - UNS G41300	2011	SAE	0
16004	AMS6357K	Steel Sheet, Strip, and Plate 0.50Cr - 0.55Ni - 0.25Mo (0.33 - 0.38C) (8735) - UNS G87350	2011	SAE	0
16005	AMS6350M	Steel Sheet, Strip, and Plate 0.95Cr - 0.20Mo (0.28 - 0.33C) (SAE 4130) - UNS G41300	2011	SAE	0
16006	AMS6351J	Steel, Sheet, Strip, and Plate 0.95Cr - 0.20Mo (0.28 - 0.33C) (SAE 4130) Spheroidized - UNS G41300	2011	SAE	0
16007	AMS6358J	Steel Sheet, Strip, and Plate 0.50Cr - 0.55Ni - 0.25Mo (0.38 - 0.43C) (SAE 8740) - UNS G87400	2011	SAE	0
16008	AMS6359J	Steel, Sheet, Strip, and Plate 0.80Cr - 1.8Ni - 0.25Mo (0.38 - 0.43C) (SAE 4340) - UNS G43406	2011	SAE	0
16009	AMS6370N	Steel, Bars, Forgings, and Rings 0.95Cr - 0.20Mo (0.28 - 0.33C) (SAE 4130) - UNS G41300	2011	SAE	0
16010	AMS6345C	Steel, Sheet, Strip, and Plate 0.95Cr - 0.20Mo (0.28 - 0.33C) (SAE 4130) Normalized or Otherwise Heat Treated - UNS G41300	2011	SAE	0
16011	AIR4951	Test Cell Thrust Measurement	2011	SAE	0
16012	AMS6312H	Steel Bars, Forgings, and Tubing 1.8Ni - 0.25Mo (0.38 - 0.43C) (4640) - UNS K22440	2011	SAE	0
16013	AIR1168-12A	Spacecraft Thermal Balance	2011	SAE	0
16014	AMS6278D	Steel, Bars, Forgings, and Tubing 4.1Cr - 3.4Ni - 4.2Mo - 1.2V (0.11 - 0.15C) Premium Aircraft-Quality for Bearing Applications Double Vacuum Melted - UNS K91231	2011	SAE	0
16015	AMS6300F	Steel Bars and Forgings 0.25Mo (0.35 - 0.40C) (SAE 4037) - UNS G40370	2011	SAE	0
16016	AMS6385J	Steel Sheet, Strip, and Plate, Low Alloy, Heat-Resistant 0.65Si - 1.25Cr - 0.50Mo - 0.25V (0.27 - 0.33C) - UNS K23015	2011	SAE	0
16017	AMS6395G	Steel Sheet, Strip, and Plate 0.95Cr - 0.20Mo (0.38 - 0.43C) (SAE 4140) - UNS G41400	2011	SAE	0
16018	AMS6396E	Steel Sheet, Strip, and Plate 0.80Cr - 1.8Ni - 0.25Mo (0.49 - 0.55C) Annealed - UNS K22950	2011	SAE	0
16019	AIR1168-13A	Spacecraft Equipment Environmental Control	2011	SAE	0
16020	AMS6425C	Steel, Bars, Forgings, and Tubing 1.4Mn - 1.5Si - 0.30Cr - 1.8Ni - 0.40Mo (0.23 - 0.28C) Consumable Electrode Vacuum Melted - UNS K32550	2011	SAE	0
16021	AMS6421F	Steel, Bars, Forgings, and Tubing 0.80Cr - 0.85Ni - 0.20Mo - 0.003B (0.35 - 0.40C) (Modified 98B37)	2011	SAE	0
16022	AMS6422J	Steel, Bars, Forgings, and Tubing 0.80Cr - 0.85Ni - 0.20Mo - 0.003B - 0.04V (0.38 - 0.43C) (Modified 98BV40) - UNS K11940	2011	SAE	0
16023	AMS6417G	Steel, Bars, Forgings, and Tubing 1.6Si - 0.82Cr - 1.8Ni - 0.40Mo - 0.08V (0.38 - 0.43C) Consumable Electrode Vacuum Remelted	2011	SAE	0
16024	AMS6413L	Steel, Mechanical Tubing 0.80Cr - 1.8Ni - 0.25Mo (0.35 - 0.40C) (4337) - UNS G43370	2011	SAE	0
16025	AMS6419G	Steel, Bars, Forgings, and Tubing 1.6Si - 0.82Cr - 1.8Ni - 0.40Mo - 0.08V (0.40 - 0.45C) Consumable Electrode Vacuum Remelted - UNS K44220	2011	SAE	0
16026	AMS7273D	Rubber: Fluorosilicone (FVMQ) High Temperature Fuel and Oil Resistant For Seals In Fuel Systems and Specific Engine Oil Systems	2011	SAE	0
16027	AMS7276H	Rubber: Fluorocarbon (FKM) High-Temperature-Fluid Resistant Low Compression Set For Seals In Fuel Systems and Specific Engine Oil Systems	2011	SAE	0
16028	AIR1168-2A	Heat and Mass Transfer and Air-Water Mixtures	2011	SAE	0
16029	AMS7320F	Rings, Sealing, Cast Leaded-Tin Bronze 80Cu 16Sn 5Pb As Cast - UNS C92800	2011	SAE	0
16030	AIR5277A	(R) Aerospace Fluid Power - Waste Reduction Practices for Used Phosphate Ester Aviation Hydraulic Fluid	2011	SAE	0
16031	AMS6948	Titanium Alloy Bars, Wire, Forgings, Rings, and Drawn Shapes 4Al - 2.5V -1.5 Fe Annealed - UNS R54250	2011	SAE	0
16032	AMS6901A	Titanium Alloy Bars, Forgings and Forging Stock 5Al - 2.5Sn, Extra Low Interstitial Annealed - UNS R54521	2011	SAE	0

16033	AMS6947	Titanium Alloy, Bars, Wire, Forgings, Rings, and Drawn Shapes 4Al - 2.5V -1.5 Fe Annealed, Heat Treatable - UNS R54250	2011	SAE	0
16034	AIR5122A	Acrylic Window Terminology and Crazing Acceptance Criteria (Stabilized Type)	2011	SAE	0
16035	AMS6900A	Titanium Alloy Bars, Forgings and Forging Stock 5Al - 2.5Sn Annealed - UNS R54520	2011	SAE	0
16036	AMS6906A	Titanium Alloy Bars, Forgings and Forging Stock 6.0Al - 2.0Sn - 4.0Zr - 6.0Mo Solution Heat Treated and Aged - UNS R56260	2011	SAE	0
16037	AMS6920B	Titanium Alloy Bars, Forgings and Forging Stock 3Al - 8V - 6Cr - 4Mo - 4Zr Solution Heat Treated - UNS R58640	2011	SAE	0
16038	AMS6915A	Titanium Alloy Bars, Forgings and Forging Stock 7.0Al - 4.0Mo Annealed - UNS R56740	2011	SAE	0
16039	AMS6910A	Titanium Alloy Bars, Forgings and Forging Stock 8Al - 1Mo - 1V Duplex Annealed - UNS R54810	2011	SAE	0
16040	AMS6907A	Titanium Alloy Bars, Forgings and Forging Stock 6.0Al - 2.0Sn - 4.0Zr - 6.0Mo Duplex Annealed - UNS R56260	2011	SAE	0
16041	AMS6926A	Titanium Alloy Bars, Forgings and Forging Stock 13V - 11Cr - 3Al Solution Heat Treated and Aged - UNS R58010	2011	SAE	0
16042	AMS6925A	Titanium Alloy Bars, Forgings and Forging Stock 13V - 11Cr - 3Al Solution Heat Treated - UNS R58010	2011	SAE	0
16043	AMS6921A	Titanium Alloy Bars, Forgings and Forging Stock 3Al - 8V - 6Cr - 4Mo - 4Zr Solution Heat Treated and Aged - UNS R58640	2011	SAE	0
16044	AMS6932A	Titanium Alloy Bars, Forgings and Forging Stock 6.0Al 4.0V Extra Low Interstitial Annealed - UNS R56401	2011	SAE	0
16045	AMS6935A	Titanium Alloy Bars, Forgings and Forging Stock 6.0Al 6.0V 2.0Sn Solution Heat Treated and Aged - UNS R56620	2011	SAE	0
16046	AMS6940A	Titanium Alloy Bars, Forgings and Forging Stock 3.0Al - 2.5V Annealed - UNS R56320	2011	SAE	0
16047	AMS6936A	Titanium Alloy Bars, Forgings and Forging Stock 6Al - 6V - 2Sn Annealed - UNS R56620	2011	SAE	0
16048	AIR5026A	(R) Test Cell Instrumentation	2011	SAE	0
16049	AMS6476D	Steel, Bars, Forgings, and Tubing 0.50Cr - 0.12Mo (0.89 - 1.01C) - UNS K19526	2011	SAE	0
16050	AMS6479C	Steel, Bars, Forgings, and Tubing 1.45Cr (0.93-1.05C) (SAE 52100) Special Aircraft-Quality Cleanliness - UNS G52986	2011	SAE	0
16051	AMS6444L	Steel, Bars, Forgings, and Tubing 1.45Cr (0.93 - 1.05C) (SAE 52100) Premium Aircraft-Quality, Consumable Electrode Vacuum Remelted - UNS G52986	2011	SAE	0
16052	AMS6447G	Steel, Bars, Forgings, and Tubing 1.4Cr (0.93-1.05C) (SAE 52100) Electroslag Remelted - UNS G52986	2011	SAE	0
16053	AMS6454E	Steel, Sheet, Strip, and Plate 1.8Ni - 0.80Cr - 0.25Mo (0.38 - 0.43C) (SAE 4340) Vacuum Consumable Electrode Remelted - UNS G43406	2011	SAE	0
16054	AMS6455K	Steel, Sheet, Strip, and Plate 0.95Cr - 0.22V (0.48 - 0.53C) (SAE 6150) - UNS G61500	2011	SAE	0
16055	AMS6434G	Steel, Sheet, Strip, and Plate 0.78Cr - 1.8Ni - 0.35Mo - 0.20V (0.33 - 0.38C) (4335 Mod) - UNS K33517	2011	SAE	0
16056	AMS6435F	Steel, Sheet, Strip, and Plate 0.75Mn - 0.78Cr - 1.8Ni - 0.35Mo - 0.20V (0.33 - 0.38C) (4335 Mod) Vacuum Consumable Electrode Melted, Annealed - UNS K33517	2011	SAE	0
16057	AMS6437H	Steel, Sheet, Strip, and Plate 5.0Cr - 1.3Mo - 0.50V (0.38 - 0.43C) (H-11) - UNS T20811	2011	SAE	0
16058	AMS6439D	Steel Sheet, Strip, and Plate 1.05Cr - 0.55Ni - 1.0Mo - 0.12V (0.42 - 0.48C) (D6AC) Consumable Electrode Vacuum Melted, Annealed - UNS K24728	2011	SAE	0
16059	AMS6440R	Steel, Bars, Forgings, and Tubing 1.45Cr (0.93 - 1.05C) (SAE 52100) For Bearing Applications - UNS G52986	2011	SAE	0
16060	AMS6543E	Steel, Bars and Forgings 2.0Cr - 10Ni - 8.0Co - 1.0Mo (0.10 - 0.14C) (HY-180) Double Vacuum Melted Solution Heat Treated, Marage Hardenable - UNS K91970	2011	SAE	0
16061	AMS6523G	Steel, Sheet, Strip, and Plate 0.75Cr - 9.0Ni - 4.5Co - 1.0Mo - 0.09V (0.17 - 0.23C) Vacuum Consumable Electrode Melted, Annealed - UNS K91472	2011	SAE	0
16062	AMS6494A	Steel Bars, Forgings, and Tubing 1.0Cr 2.50Ni 2.0Mo 1.10Si (0.10 0.20C) Aircraft-Quality - UNS K51570	2011	SAE	0
16063	AMS6495A	Steel Bars, Forgings, and Tubing 1.0Cr 2.50Ni 2.0Mo 1.10Si (0.10 0.20C) Premium Aircraft-Quality Electroslag Remelted or Consumable Electrode Vacuum Remelted - UNS K51570	2011	SAE	0
16064	AIR5060A	(R) Electronic Engine Control Design Guide for Electromagnetic Environmental Effects	2011	SAE	0
16065	AMS6517	Steel, Bars, and Forgings 3.5Cr - 9.5Ni - 18Co - 1.1Mo (0.13 - 0.17C) Double Vacuum Melted, Normalized, Annealed - UNS K93061	2011	SAE	0

16066	AMS-A-21180B	Aluminum-Alloy Castings, High Strength	2011	SAE	0
16067	AMS-B-20148B	Brazing Sheet, Aluminum Alloy	2011	SAE	0
16068	AMS7909B	Aluminum Beryllium, NNS Preforms Hot Isostatic Pressed 38Al - 62Be	2011	SAE	0
16069	AMS7908C	Beryllium Near-Net Preforms Standard Grade Hot Isostatic Pressed	2011	SAE	0
16070	AMS-I-7171A	Insulation Blanket, Thermal-Acoustical (Stabilized Type)	2011	SAE	0
16071	AMS-QQ-A-250-13A	NULL	2011	SAE	0
16072	AMS-L-P-391A	Plastic Sheets, Rods and Tubing, Rigid Cast, Methacrylate (Multiapplication) (Stabilized Type)	2011	SAE	0
16073	AIR1168-5A	Aerothermodynamic Test Instrumentation and Measurement	2011	SAE	0
16074	AMS-P-83461-1B	PACKING, PREFORMED, PETROLEUM-HYDRAULIC FLUID RESISTANT, IMPROVED PERFORMANCE AT 275 ?F (135 ?C) FOR USE IN BOSS FITTINGS, SIZES AND TOLERANCES	2011	SAE	0
16075	AMS-P-83461-2A	Packing, Preformed, Petroleum Hydraulic Fluid Resistant Improved Performance at 275?F (135?C) Sizes and Tolerances	2011	SAE	0
16076	AMS-R-81828A	Rubber, Chlorosulfonated Polyethylene Elastomer, Sheet and Molded Shapes, Ozone Resistant (Stabilized Type)	2011	SAE	0
16077	AMS-R-83285A	Rubber, Ethylene-Propylene, General Purpose (Stabilized Type)	2011	SAE	0
16078	AMS-R-83412A	Rubber, Ethylene-Propylene, Hydrazine Resistant (Stabilized Type)	2011	SAE	0
16079	AMS-R-3065A	Rubber, Fabricated Products	2011	SAE	0
16080	AIR1168-6A	Aircraft Fuel Weight Penalty Due to Air Conditioning	2011	SAE	0
16081	AMS-S-8802C	(R) Sealing Compound, Temperature Resistant, Integral Fuel Tanks and Fuel Cell Cavities, High Adhesion	2011	SAE	0
16082	AMS-T-81914-1A	Tubing, Plastic, Flexible, Convoluted, Polytetrafluoroethylene, Standard Convolutions FSC 9330	2011	SAE	0
16083	AMS-T-81914-2A	Tubing, Plastic, Extra Flexible, Convoluted, Polytetrafluoroethylene, Close Convolution FSC 9330	2011	SAE	0
16084	AMS-T-81914-3A	Tubing, Plastic, Flexible, Convoluted, Fluorinated Ethylene Propylene, Standard Convolution FSC 9330	2011	SAE	0
16085	AMS-T-81914-4A	Tubing, Plastic, Extra Flexible, Convoluted, Fluorinated Ethylene Propylene, Close Convolution	2011	SAE	0
16086	AMS-T-81914-5A	Tubing, Plastic, Extra Flexible, Convoluted, Ethylene-Tetrafluoroethylene, Close Convolution	2011	SAE	0
16087	AIR5487B	(R) Aircraft Tire History	2011	SAE	0
16088	AMS-T-81914-6A	NULL	2011	SAE	0
16089	AMS-T-81914-7A	Tubing, Plastic, Flexible, Convoluted, Fluorinated Ethylene Propylene, Integral Braid FSC 5975	2011	SAE	0
16090	AMS-S-29574A	Sealing Compound, Polythioether, for Aircraft Structures, Fuel and High Temperature Resistant, Fast Curing At Ambient and Low Temperatures	2011	SAE	0
16091	AMS-S-7124B	Sealing Compound, Polysulfide, Accelerator Required, For Aircraft Structures (Stabilized Type)	2011	SAE	0
16092	AMS-S-85420A	Sealing Compounds, Quick Repair, Low Temperature Curing Polysulfide, for Aircraft Structures (Stabilized Type)	2011	SAE	0
16093	AMS-S-83318B	Sealing Compound, Polysulfide Type, Low Temperature Curing, Quick Repair, Integral Fuel Tanks and Fuel Cell Cavities	2011	SAE	0
16094	ARP1256D	Procedure for the Continuous Sampling and Measurement of Gaseous Emissions from Aircraft Turbine Engines	2011	SAE	0

16095	ARP1334C	Ground Equipment Requirements for Comaptability with Aircraft Unit Load Devices	2011	SAE	0
16096	ARP1348B	Baggage/Cargo Trailer Requirements	2011	SAE	0
16097	AIR1168-8A	Aircraft Fuel Weight Penalty Due to Air Conditioning	2011	SAE	0
16098	ARP1372C	Minimum Requirements for Air Cargo Unit Load Device Ground Handling and Transport Systems (Stabilized Type)	2011	SAE	0
16099	ARP1384D	(R) Passenger Safety Briefing Materials	2011	SAE	0
16100	ARP1179D	Aircraft Gas Turbine Engine Exhaust Smoke Measurement (Stabilized Type)	2011	SAE	0
16101	AIR1168-7A	Aerospace Pressurization System Design	2011	SAE	0
16102	AMS-WW-T-700-6B	Tube, Aluminum Alloy, Drawn, Seamless, 6061	2011	SAE	0
16103	ARP1971C	(R) Aircraft Deicing Vehicle Self-Propelled	2011	SAE	0
16104	ARP1832A	Color Identification for O-ring Seals (Stabilized Type)	2011	SAE	0
16105	AIR1168-9A	Thermophysical Properties of the Natural Environment, Gases, Liquids, and Solids	2011	SAE	0
16106	ARP4005B	(R) Selection and Application of Electro-Mechanical Relays for Proper Performance	2011	SAE	0
16107	ARP4049A	Cargo Restraint on Aircraft Passenger Seats Main Passenger Cabin (Stabilized Type)	2011	SAE	0
16108	ARP4087C	(R) Wing Inspection Lights Design Criteria	2011	SAE	0
16109	AIR5687	Inlet / Engine Compatibility From Model to Full Scale Development	2011	SAE	0
16110	ARP4466A	Dimensional Compatibility of Child Restraint Systems and Passenger Seat Systems in Civil Transport Airplanes (Stabilized Type)	2011	SAE	0
16111	ARP5021A	Oxygen Cylinder Installation Guide	2011	SAE	0
16112	ARP4915B	(R) Disposition of Landing Gear Components Involved in Accidents/Incidents	2011	SAE	0
16113	ARP4926B	Alloy Verification and Chemical Composition Inspection of Welding Wire	2011	SAE	0
16114	ARP5482A	Photometric Data Acquisition Procedures for Impact Test (Stabilized Type)	2011	SAE	0
16115	ARP5475A	Abuse Load Testing for In-Seat Deployable Video Systems (Stabilized Type)	2011	SAE	0
16116	ARP5289A	(R) Electronic Aeronautical Symbols	2011	SAE	0
16117	ARP5297A	Recommended Qualification Tests for Halogen Miniature Lamps Less Than 35 Watts for Aircraft Applications	2011	SAE	0
16118	ARP5606A	Composite Honeycomb NDI Reference Standards (Stabilized Type)	2011	SAE	0
16119	ARP5595A	Cargo Restraint Straps - Utilization Guidelines	2011	SAE	0
16120	ARP5605A	Solid Composite Laminate NDI Reference Standards (Stabilized Type)	2011	SAE	0
16121	ARP5585A	Replacement or Modification of Components on Aircraft Seat Restraint Systems by Non-Original Equipment Manufacturers (Stabilized Type)	2011	SAE	0
16122	ARP5483A	Rolling Element Bearing Test Methods	2011	SAE	0
16123	ARP5526C	(R) Aircraft Seat Design Guidance and Clarifications	2011	SAE	0
16124	ARP5890A	(R) Guidelines for Preparing Reliability Assessment Plans for Electronic Engine Controls	2011	SAE	0
16125	ARP5660A	Deicing Facility Operational Procedures	2011	SAE	0
16126	ARP5758	Trend Analysis for Maintaining Correlation of Gas Turbine Engine Test Cells	2011	SAE	0
16127	AIR5872	Aerospace Hydraulic Pump Controls	2011	SAE	0
16128	ARP6022A	Cargo Stopper Devices	2011	SAE	0
16129	ARP6178	Fraudulent/Counterfeit Electronic Parts; Tool for Risk Assessment of Distributors - Includes Access to Additional Content	2011	SAE	0
16130	ARP6161	Flight Compartment Glare	2011	SAE	0
16131	ARP6166	Minisimulator Method	2011	SAE	0
16132	ARP6179	Evaluation of Gas Turbine Engine Lubricant Compatibility with Elastomer O-Rings	2011	SAE	0
16133	ARP6253	LEDs and Aircraft Applications	2011	SAE	0

16134	AIR1186A	Installation and Use of Equilateral Triangle Cross-Section Hydraulic O-Ring Seal Backup Rings (Dyna-Baks) (Stabilized Type)	2011	SAE	0
16135	ARP735A	Aerospace Vehicle Cryogenic Duct Systems (Stabilized Type)	2011	SAE	0
16136	ARP711B	(R) Illuminated Signs	2011	SAE	0
16137	ARP6402A	LED Landing, Taxiing, Runway Turnoff, and Recognition Lights	2011	SAE	0
16138	ARP6404	Aircraft Tire Electrical Resistance Test	2011	SAE	0
16139	AIR5913	Landing Gear Shock Strut Heat Damage	2011	SAE	0
16140	ARP8615	Fuel System Components: General Specification For	2011	SAE	0
16141	AIR5938	Information on Hard Landings	2011	SAE	0
16142	ARP86C	Heater, Airplane, Engine Exhaust Gas to Air Heat Exchanger Type (Stabilized Type)	2011	SAE	0
16143	ARP900B	(R) Methods for Evaluating Cryogenic Filters	2011	SAE	0
16144	AIR6082	Calculations to Determine Dimensions for Backup Rings to AS5781, AS5782, AS5860, AS5861	2011	SAE	0
16145	AIR6110	Contiguous Aircraft/System Development Process Example	2011	SAE	0
16146	AS1065A	Quality & Serviceability Requirements for Aircraft Cylinder Assemblies Charged with Aviatorâ s Breathing Oxygen	2011	SAE	0
16147	AIR6052	Trimmable Horizontal Stabilizer Actuator Descriptions	2011	SAE	0
16148	AS100B	FITTING, CROSS, SHORT FLARELESS	2011	SAE	0
16149	AS102B	FITTING, CROSS, REDUCER, FLARELESS AND SHORT FLARELESS	2011	SAE	0
16150	AIR6130	Cadmium Plate Cyclic Corrosion Test	2011	SAE	0
16151	AS1290B	(R) Graphic Symbols for Aircraft Hydraulic and Pneumatic Systems	2011	SAE	0
16152	AS150401 THRU AS150425A	(R) NUT-HEX, CHECK, UNS G87400	2011	SAE	0
16153	AIR6197	Site Selection Considerations for New Re-Located Gas Turbine Engine Test Facilities	2011	SAE	0
16154	AIR6181	Electronic Propulsion Control/Aircraft Interface Control Documents	2011	SAE	0
16155	AS16781A	Fiber Optics Test Methods and Instrumentation	2011	SAE	0
16156	AS1730D	Coupling, Fuel, Rigid, Threaded Type	2011	SAE	0
16157	AIR6448	Gaining Approval for Seats with Integrated Electronics in Accordance with AC21-49 Option 7b	2011	SAE	0
16158	AS18029A	(R) COVER ASSEMBLY, ELECTRICAL, FOR MS27212 TERMINAL BOARD ASSEMBLY	2011	SAE	0
16159	AIR746C	Environmental Control for Civil Supersonic Transport (Stabilized Type)	2011	SAE	0
16160	AS20659D	TERMINAL, LUG, CRIMP STYLE, COPPER, UNINSULATED, RING TONGUE, TYPE I, CLASS 1, FOR 175 Ī°C TOTAL CONDUCTOR TEMPERATURE	2011	SAE	0
16161	AS20218A	(R) BEARING, BALL, ANTI-FRICTION, AIRFRAME	2011	SAE	0
16162	AS1985D	FITTING,ASSEMBLY, ADAPTER RING LOCKED PORT CONNECTION TO FLARED TUBE END	2011	SAE	0
16163	AS1986E	FITTING ASSEMBLY, ADAPTER RING LOCKED PORT CONNECTION TO BEAM SEAL 4000 PSI AND 5000 PSI /9/	2011	SAE	0
16164	AS20708-79A	Synchro, Control Transformer, Type 26V-08CT4C FSC 5990	2011	SAE	0
16165	AS20708-7A	Synchro, Control Transformer, Type 26V-11CT4D FSC 5990	2011	SAE	0
16166	AS20708-80A	NULL	2011	SAE	0
16167	AS20708-81A	Synchro, Control Differential Transmitter, Type 11CDX4B FSC 5990	2011	SAE	0
16168	AS20708-8A	Synchro, Control Transmitter, Type 26V-11CX4C FSC 5990	2011	SAE	0
16169	AS20708-94B	(R) Synchro, 60 and 400 Hz, Size 23 FSC 5990	2011	SAE	0
16170	AS20708-9A	Synchro, Control Differential Transmitter, Type 26V-11CDX4C FSC 5990	2011	SAE	0
16171	AS20708A	(R) Synchros, General Specification For	2011	SAE	0

16172	AS20708-5A	Synchro, Torque Receiver, Type 26V-11TR4C FSC 5990	2011	SAE	0
16173	AS20708-62A	Synchro, Torque Receiver Transmitter, Type 31TRX4A FSC 5990	2011	SAE	0
16174	AS20708-66A	Synchro, Torque Receiver Transmitter, Type 31TRX6A FSC 5990	2011	SAE	0
16175	AS20708-67A	Synchro, Torque Differential Receiver, Type 31TDR6B FSC 5990	2011	SAE	0
16176	AS20708-68A	NULL	2011	SAE	0
16177	AS20708-6A	Synchro, Torque Transmitter, Type 26V-11TX4C FSC 5990	2011	SAE	0
16178	AS20708-70A	Synchro, Torque Receiver Transmitter, Type 37TRX4A FSC 5990	2011	SAE	0
16179	AS20708-74A	Synchro, Torque Receiver Transmitter, Type 37TRX6A FSC 5990	2011	SAE	0
16180	AS20708-76A	Synchro, Torque Differential Transmitter, Type 37TDX6A FSC 5990	2011	SAE	0
16181	AS20708-78A	Synchro, Control Transmitter, Type 26V-08CX4C FSC 5990	2011	SAE	0
16182	AS20708-32A	NULL	2011	SAE	0
16183	AS20708-33A	Synchro, Control Transmitter, Type 18CX6C FSC 5990	2011	SAE	0
16184	AS20708-34A	Synchro, Control Transformer, Type 18CT6D FSC 5990	2011	SAE	0
16185	AS20708-35A	Synchro, Torque Receiver Transmitter, Type 18TRX6B FSC 5990	2011	SAE	0
16186	AS20708-36A	Synchro, Control Differential Transmitter, Type 18CDX6D FSC 5990	2011	SAE	0
16187	AS20708-39B	Synchro, Control Transformer, Type 19CTB4B FSC 5990	2011	SAE	0
16188	AS20708-3A	Synchro, Torque Receiver, Type 11TR4C FSC 5990	2011	SAE	0
16189	AS20708-45A	Synchro, Control Transmitter, Type 23CX4D FSC 5990	2011	SAE	0
16190	AS20708-46A	NULL	2011	SAE	0
16191	AS20708-47A	Synchro, Control Differential Transmitter, Type 23CDX4C FSC 5990	2011	SAE	0
16192	AS20708-48A	Synchro, Torque Differential Transmitter, Type 23TDX4C FSC 5990	2011	SAE	0
16193	AS20708-49A	Synchro, Differential Receiver, Type 23TDR4B FSC 5990	2011	SAE	0
16194	AS20708-4A	Synchro, Torque Transmitter, Type 11TX4C FSC 5990	2011	SAE	0
16195	AS20708-500A	Synchro, Torque Receiver, Type 26V-10TR4 FSC 5990	2011	SAE	0
16196	AS20708-50A	Synchro, Torque Receiver Transmitter, Type 23TRX4A FSC 5990	2011	SAE	0
16197	AS20708-52A	Synchro, Control Transformer, Type 23CT6D FSC 5990	2011	SAE	0
16198	AS20708-53A	NULL	2011	SAE	0
16199	AS20708-54A	Synchro, Control Differential Transmitter, Type 23CDX6C FSC 5990	2011	SAE	0
16200	AS20708-55A	Synchro, Torque Differential Transmitter, Type 23TDX6C FSC 5990	2011	SAE	0
16201	AS20708-56A	Synchro, Torque Receiver Transmitter, Type 23TRX6B FSC 5990	2011	SAE	0
16202	AS20708-131A	Synchro, Control Transmitter, Type 15CX4F FSC 5990	2011	SAE	0
16203	AS20708-139A	SYNCHRO CONTROL TRANSMITTER, TYPE 31CX6a	2011	SAE	0
16204	AS20708-14A	NULL	2011	SAE	0
16205	AS20708-15A	Synchro, Control Transformer, Type 15CT4C FSC 5990	2011	SAE	0
16206	AS20708-16A	Synchro, Control Differential Transmitter, Type 15CDX4D FSC 5990	2011	SAE	0
16207	AS20708-17A	Synchro, Torque Differential Transmitter, Type 15TDX4C FSC 5990	2011	SAE	0
16208	AS20708-19A	Synchro, Torque Receiver Transmitter, Type 15TRX4A FSC 5990	2011	SAE	0
16209	AS20708-1A	Synchro, Control Transformer, Type 11CT4E FSC 5990	2011	SAE	0
16210	AS20708-20A	(R) Synchro, Control Transmitter, Type 15CX6C FSC 5990	2011	SAE	0
16211	AS20708-21A	Synchro, Control Transformer, Type 15CT6D FSC 5990	2011	SAE	0
16212	AS20708-22A	NULL	2011	SAE	0

16213	AS20708-23A	Synchro, Control Transformer, Type 15CT6D FSC 5990	2011	SAE	0
16214	AS20708-25A	(R) Synchro, Control Transformer, Type 16CTB4b FSC 5990	2011	SAE	0
16215	AS20708-28A	Synchro, Control Transmitter, Type 18CX4D FSC 5990	2011	SAE	0
16216	AS20708-29A	Synchro, Control Transformer, Type 18CT4C FSC 5990	2011	SAE	0
16217	AS20708-2A	Synchro, Control Transmitter, Type 11CX4E FSC 5990	2011	SAE	0
16218	AS20708-30A	Synchro, Control Differential Transmitter, Type 18CDX4C FSC 5990	2011	SAE	0
16219	AS20708-31A	Synchro, Torque Differential Transmitter, Type 18TDX4C FSC 5990	2011	SAE	0
16220	AS21234A	FITTING, TIEDOWN, CARGO RING (5000 LB) AND SEAT STUD, TYPE I (Stabilized Type)	2011	SAE	0
16221	AS21235A	FITTING, TIEDOWN, CARGO RING (10 000 LB) AND SEAT STUD, TYPE II (Stabilized Type)	2011	SAE	0
16222	AS21236A	RING, CARGO TIEDOWN (10 000 LB), TYPE III (Stabilized Type)	2011	SAE	0
16223	AS21237A	RING, CARGO TIEDOWN (25 000 LB), TYPE IV (Stabilized Type)	2011	SAE	0
16224	AS21428-1	BEARING, BALL, AIRFRAME, ANTI-FRICTION, EXTRA LIGHT DUTY, PRECISION, CORROSION RESISTANT NITROGEN STEEL (CREN)	2011	SAE	0
16225	AS21154B	BEARING, PLAIN, SELF-ALIGNING, GROOVED OUTER RING	2011	SAE	0
16226	AS21155B	BEARING, PLAIN, SELF-ALIGNING, CHAMFERED OUTER RING	2011	SAE	0
16227	AS2094A	(R) Test Methods for Tube-Fitting Assemblies	2011	SAE	0
16228	AIR805C	(R) Jet Blast Windshield Rain Removal Systems for Commercial Transport Aircraft	2011	SAE	0
16229	AS21981	FERRULE, INNER, UNINSULATED, SHIELD TERMINATING , TYPE I, TWO PIECE, CLASS I, FOR SHIELDED CABLES	2011	SAE	0
16230	AS21985B	Wheels Cushion Tread (Semi-Pneumatic) for Mobile Ground Support Equipment (Stabilized Type)	2011	SAE	0
16231	AIR81C	(R) Importance of Physical and Chemical Properties of Aircraft Hydraulic Fluids	2011	SAE	0
16232	AS22520-17	CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION; FOR CRIMP TYPE REMOVABLE CONTACTS, ELECTRIC CONNECTORS	2011	SAE	0
16233	AS22520	Crimping Tools, Wire Termination, General Specification For	2011	SAE	0
16234	AS22520-38	CRIMPING TOOL, TERMINAL, HAND ACTUATED, WIRE TERMINATION, TYPE II, FOR EXTERNAL POWER PLUG SOCKET CONTACTS AND LUG TERMINAL SIZES 22-10	2011	SAE	0
16235	AS22520-35	CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION; IN-SERVICE INSPECTION GAGES FOR AS22520/34 CRIMP TOOLS	2011	SAE	0
16236	AS22520-42	CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION; IN-SERVICE INSPECTION GAGE FOR AS22520/41 CRIMP TOOLS	2011	SAE	0
16237	AS22520-43	NULL	2011	SAE	0
16238	AS22520-3A	CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION, INSPECTION GAGE FOR TYPE I AND II TOOLS	2011	SAE	0
16239	AS22759-47	WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, LOW FLUORIDE, LIGHTWEIGHT, 80 MICROINCH SILVER-COATED HIGHSTRENGTH COPPER ALLOY, 200 ?C, 600 VOLT	2011	SAE	0
16240	AS22759-48	WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED CROSSLINKED MODIFIED ETFE, LOW FLUORIDE, LIGHTWEIGHT, 80 MICROINCH SILVER-COATED COPPER, 200 ?C, 600 VOLT	2011	SAE	0
16241	AS22759-49	WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, LOW FLUORIDE, NORMAL WEIGHT, 80 MICROINCH SILVER-COATED HIGH-STRENGTH COPPER ALLOY, 200 ?C, 600 VOLT	2011	SAE	0
16242	AS22759B	Wire, Electrical, Fluoropolymer-Insulated, Copper or Copper Alloy	2011	SAE	0
16243	AS25064A	(R) CONDUIT, FLEXIBLE, RADIO FREQUENCY SHIELDING	2011	SAE	0
16244	AS25065A	(R) FERRULE, FLEXIBLE CONDUIT, RADIO FREQUENCY SHIELDING	2011	SAE	0
16245	AS25066	CONDUIT ASSEMBLY, NUT, FLEXIBLE, RADIO FREQUENCY SHIELDING	2011	SAE	0
16246	AS25067A	(R) CONDUIT ASSEMBLY, FLEXIBLE, RADIO FREQUENCY SHIELDING	2011	SAE	0

16247	AS25274B	(R) CAP, ELECTRICAL (WIRE END, CRIMP STYLE, TYPE II, CLASS 1) FOR 105 °C TOTAL CONDUCTOR TEMPERATURE	2011	SAE	0
16248	AIR860B	Aircraft Electrical Heating Systems (Stabilized Type)	2011	SAE	0
16249	AS25183A	(R) CONNECTOR, PLUG, ELECTRIC, POTTING SEAL, SOLDER CONTACT, AN TYPE	2011	SAE	0
16250	AS25486A	CONNECTOR, PLUG, ATTACHABLE, EXTERNAL ELECTRIC POWER, AIRCRAFT, 115/200 VOLT, 400 HERTZ	2011	SAE	0
16251	AS27644-1	BEARING, BALL, AIRFRAME, ANTI-FRICTION, DOUBLE ROW, HEAVY DUTY, CORROSION RESISTANT NITROGEN STEEL (CREN)	2011	SAE	0
16252	AS27643-1	BEARING, BALL, AIRFRAME, ANTI-FRICTION, SELF-ALIGNING, DOUBLE ROW, HEAVY DUTY, CORROSION RESISTANT NITROGEN STEEL (CREN)	2011	SAE	0
16253	AS27641-1	BEARING, BALL, AIRFRAME, ANTI-FRICTION, INTERMEDIATE DUTY, CORROSION RESISTANT NITROGEN STEEL (CREN)	2011	SAE	0
16254	AS27640-1	BEARING, BALL, AIRFRAME, ANTI-FRICTION, HEAVY DUTY, CORROSION RESISTANT NITROGEN STEEL (CREN)	2011	SAE	0
16255	AS26574A	CIRCUIT BREAKER - TRIP-FREE, PUSH-PULL, 1/2 THRU 20 AMP, TYPE I	2011	SAE	0
16256	AS27212A	(R) TERMINAL BOARD ASSEMBLY, MOLDED-IN-STUD, ELECTRIC	2011	SAE	0
16257	AS28431A	Aerospace Hand Torque Wrenches (Mechanical, Impulse)	2011	SAE	0
16258	AIR910C	Ozone in High Altitude Aircraft	2011	SAE	0
16259	AS27646-1	BEARING, BALL, AIRFRAME, ANTI-FRICTION, EXTRA LIGHT DUTY, CORROSION RESISTANT NITROGEN STEEL (CREN)	2011	SAE	0
16260	AS27645-1	BEARING, BALL, AIRFRAME, ANTI-FRICTION, SELF-ALIGNING, LIGHT AND HEAVY DUTY, CORROSION RESISTANT NITROGEN STEEL (CREN)	2011	SAE	0
16261	AS31001A	(R) CONNECTOR, RECEPTACLE, ELECTRIC, WALL MOUNTING, SOLDER CONTACTS, AN TYPE	2011	SAE	0
16262	AS31021A	(R) CONNECTOR, RECEPTACLE, ELECTRIC, BOX MOUNTING, SOLDER CONTACTS, AN TYPE	2011	SAE	0
16263	AS31031A	(R) CONNECTOR, RECEPTACLE, ELECTRIC, POTTING SEAL, SOLDER CONTACT, AN TYPE	2011	SAE	0
16264	AS31081A	(R) CONNECTORS, PLUG, ELECTRIC, SOLDER CONTACT, 90 DEGREE, AN TYPE	2011	SAE	0
16265	AS31071A	CONNECTOR PLUG, ELECTRIC, QUICK DISCONNECT	2011	SAE	0
16266	AIR999A	Cryogenically Fueled Dynamic Power Systems (Stabilized Type)	2011	SAE	0
16267	AS31051A	(R) CONNECTOR, RECEPTACLE, ELECTRIC, DUMMY STOWAGE	2011	SAE	0
16268	AS31061A	(R) CONNECTOR, PLUG, ELECTRIC, STRAIGHT, SOLDER CONTACTS, AN TYPE	2011	SAE	0
16269	AS31491A	(R) CONNECTOR, RECEPTACLE, ELECTRIC, HERMETIC CRIMP TYPE, SINGLE HOLE MOUNTING PUSH-PULL COUPLING, SERIES 3 (CLASS N)	2011	SAE	0
16270	AS31461A	(R) CONNECTOR, RECEPTACLE, ELECTRIC, HERMETIC, CRIMP TYPE, SOLDER MOUNTING, PUSHPULL, COUPLING, SERIES 3 (CLASS N)	2011	SAE	0
16271	AS31471A	(R) CONNECTOR, PLUG, ELECTRIC, CRIMP TYPE, PUSH-PULL, COUPLING, SERIES 2 (CLASS E AND J)	2011	SAE	0
16272	AS31301A	(R) CONNECTOR, RECEPTACLE, ELECTRIC, SOLDER TYPE, WALL MTG. FLANGE, PUSH-PULL COUPLING, SERIES 1 (CLASS E, P AND J)	2011	SAE	0
16273	AS31321A	(R) CONNECTOR, RECEPTACLE, ELECTRIC, BOX MOUNTING FLANGE, PUSH-PULL COUPLING, SERIES 1 (CLASS E AND H)	2011	SAE	0
16274	AS31381A	(R) CONNECTOR, PLUG, ELECTRIC, SOLDER TYPE LANYARD, PUSH-PULL COUPLING, SERIES 1 (CLASS E, P, AND J)	2011	SAE	0
16275	AS31391	CONNECTOR, RECEPTACLE, ELECTRIC THRU BULKHEAD, WALL MOUNTING FLANGE, SERIES I (CLASS E)	2011	SAE	0
16276	AS31341A	(R) CONNECTOR, RECEPTACLE, ELECTRIC, SOLDER TYPE, JAM NUT MOUNTING, PUSH-PULL, COUPLING, SERIES 1 (CLASS E, P, J AND H)	2011	SAE	0
16277	AS31351A	(R) CONNECTOR, RECEPTACLE, ELECTRIC, DUMMY STOWAGE, WALL MOUNTING FLANGE, PUSH-PULL COUPLING (SERIES 1 AND 2 CONNECTORS)	2011	SAE	0

16278	AS31401A	(R) CONNECTOR, RECEPTACLE, ELECTRIC, CRIMP TYPE, WALL MOUNTING FLANGE, PUSH-PULL, COUPLING, SERIES 2 (CLASS E AND J)	2011	SAE	0
16279	AS31551A	CONNECTOR, ELECTRIC, REAR ACCESSORY DESIGN STANDARD	2010	SAE	0
16280	AS2592	Flap Assemblies, Rotary Flap Peening	2010	SAE	0
16281	AS25050A	(R) Colors, Aeronautical Lights and Lighting Equipment, General Requirements For	2010	SAE	0
16282	AS24586A	SPRING, HELICAL, EXTENSION: FOR LOADS BELOW 30 POUNDS	2010	SAE	0
16283	AS22759-89C	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYIMIDE INSULATED, NORMAL WEIGHT, SILVER COATED, HIGH STRENGTH OR ULTRA HIGH STRENGTH COPPER, ALLOY, 200 ?C, 600 VOLTS	2010	SAE	0
16284	AS22759-192	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYIMIDE INSULATED, SMOOTH SURFACE, LIGHT WEIGHT, NICKEL-COATED COPPER CONDUCTOR, 260 ?C, 600 VOLTS	2010	SAE	0
16285	AS22759-191	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYIMIDE INSULATED, SMOOTH SURFACE, LIGHT WEIGHT, SILVER-COATED COPPER CONDUCTOR, 200 ?C, 600 VOLTS	2010	SAE	0
16286	AS22759-180	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYMIDE INSULATED, SMOOTH SURFACE, LIGHT WEIGHT, TIN-COATED COPPER CONDUCTOR, 150 ?C, 600 VOLTS	2010	SAE	0
16287	AS22759-190	NULL	2010	SAE	0
16288	AS22759-181	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYMIDE INSULATED, SMOOTH SURFACE, LIGHT WEIGHT, SILVERCOATED HIGH STRENGTH OR ULTRA HIGH STRENGTH COPPER ALLOY, 200 ?C, 600 VOLTS	2010	SAE	0
16289	AIR825-14	NULL	2010	SAE	0
16290	AS22759-185	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYMIDE INSULATED, SMOOTH SURFACE, NORMAL WEIGHT, TINCOATED COPPER CONDUCTOR, 150 ?C, 600 VOLTS	2010	SAE	0
16291	AS22759-184	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYMIDE INSULATED, SMOOTH SURFACE, NORMAL WEIGHT, NICKELCOATED COPPER CONDUCTOR, 260 ?C, 600 VOLTS	2010	SAE	0
16292	AS22759-183	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYMIDE INSULATED, SMOOTH SURFACE, NORMAL WEIGHT, SILVERCOATED COPPER CONDUCTOR, 200 ?C, 600 VOLTS	2010	SAE	0
16293	AS22759-182	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYMIDE INSULATED, SMOOTH SURFACE, LIGHT WEIGHT, NICKELCOATED HIGH STRENGTH OR ULTRA HIGH STRENGTH COPPER ALLOY, 260 ?C, 600 VOLTS	2010	SAE	0
16294	AS22759-189	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYIMIDE INSULATED, SMOOTH SURFACE, NORMAL WEIGHT, SILVERCOATED HIGH STRNGTH OR ULTRA HIGH STRENGTH COPPER ALLOY, 200 ?C, 600 VOLTS	2010	SAE	0
16295	AS22759-188	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYMIDE INSULATED, SMOOTH SURFACE, NORMAL WEIGHT, TINCOATED COPPER CONDUCTOR, 150 ?C, 600 VOLTS	2010	SAE	0
16296	AIR825-3	Gaseous Oxygen and Oxygen Equipment, Introductory	2010	SAE	0
16297	AS22759-186	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYMIDE INSULATED, SMOOTH SURFACE, NORMAL WEIGHT, SILVERCOATED COPPER CONDUCTOR, 200 ?C, 600 VOLTS	2010	SAE	0
16298	AS22759-187	WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/POLYMIDE INSULATED, SMOOTH SURFACE, NORMAL WEIGHT, NICKELCOATED COPPER CONDUCTOR, 260 ?C, 600 VOLTS	2010	SAE	0
16299	AS21984A	CIRCUIT BREAKER-AIRCRAFT, TRIP-FREE PUSH-PULL, 3-PHASE, 5 THRU 60 AMP., TYPE I	2010	SAE	0
16300	AS21938B	BOLT, CLUSTER FITTING, SINGLE PORT FLARELESS	2010	SAE	0
16301	AS21921C	NUT, SLEEVE COUPLING, FLARELESS	2010	SAE	0
16302	AS21240	BEARING, SLEEVE, PLAIN, SELF LUBRICATING -65 TO +250 ¡°F	2010	SAE	0
16303	AS21241	BEARING, SLEEVE, FLANGED, SELF LUBRICATING -65 TO +250 DEGREES F	2010	SAE	0
16304	AIR744C	Aerospace Auxiliary Power Sources	2010	SAE	0
16305	AIR6553	Measurement Uncertainty and Consumer Risk	2010	SAE	0
16306	AS18280E	Fittings, 24 Degrees Cone Flareless, Fluid Connection, 3000 psi	2010	SAE	0

16307	AS1895-12D	(R) FLANGE END, MALE, TYPE I STANDARD PROFILE, DESIGN STANDARD	2010	SAE	0
16308	AS1895-13D	(R) FLANGE END, FEMALE, TYPE I STANDARD PROFILE DESIGN STANDARD	2010	SAE	0
16309	AS1895-14D	(R) FLANGE END, MALE, TYPE II LOW PROFILE DESIGN STANDARD	2010	SAE	0
16310	AS1895-15E	(R) FLANGE END, FEMALE, TYPE II LOW PROFILE DESIGN STANDARD	2010	SAE	0
16311	AS1650B	(R) Coupling Assembly, Threadless, Flexible, Fixed Cavity, Self-Bonding, Procurement Specification	2010	SAE	0
16312	AS172236 THRU AS172270C	NUT, SPANNER, BEARING RETAINING, AERONAUTICAL, UNS G41400	2010	SAE	0
16313	AS14104D	BEARING, PLAIN, SELF-LUBRICATING, SELF-ALIGNING, LOW SPEED, NARROW, CHAMFERED RACE, -65 TO +325 DEGREES F	2010	SAE	0
16314	AS14101D	BEARING, PLAIN, SELF-LUBRICATING, SELF-ALIGNING, LOW SPEED, NARROW, GROOVED RACE, -65 TO +325 DEGREES F	2010	SAE	0
16315	AS14102D	BEARING, PLAIN, SELF-LUBRICATING, SELF-ALIGNING, LOW SPEED, WIDE, CHAMFERED RACE, -65 TO +325 DEGREES F	2010	SAE	0
16316	AS14103E	BEARING, PLAIN, SELF-LUBRICATING, SELF-ALIGNING, LOW SPEED, WIDE, GROOVED RACE, -65 TO +325 degrees F	2010	SAE	0
16317	AS1421A	Aerospace Selected Diameter - Pitch Combinations of Metric 60 degrees Screw Threads for Shaft or Bearing Retaining Screw Threads	2010	SAE	0
16318	AS15005C	FITTING, LUBRICATION, HYDRAULIC, THROAT OR SURFACE CHECK, 1/8 PIPE THREADS, NICKEL-COPPER ALLOY, TYPE V	2010	SAE	0
16319	AS15001C	FITTING, LUBRICATION, HYDRAULIC, SURFACE CHECK, .250-28 TAPER THREADS, STEEL, TYPE I	2010	SAE	0
16320	AS15002C	FITTING, LUBRICATION, HYDRAULIC, SURFACE CHECK, STRAIGHT THREADS, STEEL, TYPE II	2010	SAE	0
16321	AS15004C	FITTING, LUBRICATION, HYDRAULIC, SURFACE CHECK, .250-28 TAPER THREADS, NICKEL-COPPER ALLOY, TYPE IV	2010	SAE	0
16322	AS153201 THRU AS153500A	(R) STUD, STEPPED, DRILLED 1.5 DIA ENGAGEMENT, CADMIUM PLATED, STEEL UNS G87400, .3750-16 UNS X .3125-24 UNF-3A	2010	SAE	0
16323	AS15720C	FITTING, LUBRICATION, HYDRAULIC, THROAT OR SURFACE CHECK, .250-28 TAPER THREADS, CORROSION RESISTANT STEEL, TYPE VII	2010	SAE	0
16324	AS15721C	FITTING, LUBRICATION, HYDRAULIC, THROAT OR SURFACE CHECK, 1/8 PIPE THREADS, CORROSION RESISTANT STEEL, TYPE VIII	2010	SAE	0
16325	AIR6113	Guidelines for Design of Digital Fiber Optic Link Loss Budget Methodology	2010	SAE	0
16326	AS1393	Serial Hi-Rel Ring Network for Aerospace Applications (RingNet)	2010	SAE	0
16327	AS1031F	FITTING, TEE, STANDARD AND REDUCER, BULKHEAD ON RUN, INTERNAL PORT ON SIDE, FLARED	2010	SAE	0
16328	AS1032F	FITTING, TEE, STANDARD AND REDUCER, BULKHEAD ON RUN, INTERNAL PORT ON RUN, FLARED	2010	SAE	0
16329	AS1033F	FITTING, TEE, STANDARD AND REDUCER, BULKHEAD ON RUN, FLARED	2010	SAE	0
16330	AS1034F	FITTING, ELBOW, 90 DEGREES, STANDARD AND REDUCER, FLARED	2010	SAE	0
16331	AIR6037	Aircraft Exhaust Nonvolatile Particle Matter Measurement Method Development	2010	SAE	0
16332	AS1035F	FITTING, TEE, STANDARD AND REDUCER, FLARED	2010	SAE	0
16333	AS1036H	FITTING, CROSS, STANDARD AND REDUCER, FLARED	2010	SAE	0
16334	AS1037G	FITTING, UNION, STANDARD AND REDUCER, BULKHEAD, FLARED	2010	SAE	0
16335	AS1038F	FITTING, ELBOW, 90 DEGREES, STANDARD AND REDUCER, BULKHEAD, FLARED	2010	SAE	0
16336	AS1005G	FITTING, TEE, STANDARD AND REDUCER, FLARELESS	2010	SAE	0
16337	AS1006F	FITTING, CROSS, STANDARD AND REDUCER, FLARELESS	2010	SAE	0
16338	AS1007H	FITTING, UNION, STANDARD AND REDUCER, BULKHEAD, FLARELESS	2010	SAE	0

16339	AS1004F	FITTING, ELBOW, 90 DEGREES, STANDARD AND REDUCER, FLARELESS	2010	SAE	0
16340	ARP987B	(R) The Control of Excess Humidity in Avionics Cooling	2010	SAE	0
16341	AS1040F	FITTING, ELBOW, 45 DEGREES, STANDARD AND REDUCER, BULKHEAD, FLARED	2010	SAE	0
16342	AS1039F	FITTING, TEE, STANDARD AND REDUCER, BULKHEAD ON SIDE, FLARED	2010	SAE	0
16343	AIR6079	Selection of Metallic Spring Energized Seals for Aerospace	2010	SAE	0
16344	ARP9137	Guidance for the Application of AQAP 2110 within a 9100 Quality Management System	2010	SAE	0
16345	ARP6400	Recommended Practice for Processing and Handling Wire and Cable with Silver Plated Conductors and Shields	2010	SAE	0
16346	AIR5919A	(R) Alternatives to Cadmium Plating	2010	SAE	0
16347	ARP743C	Procedure for the Determination of Particulate Contamination of Air in Dust Controlled Spaces by the Manual Particle Count Method	2010	SAE	0
16348	ARP6068	Gas Turbine Engine Test Facility Vibration Measurement	2010	SAE	0
16349	ARP6137	Tire Pressure Monitoring Systems (TPMS) for Aircraft	2010	SAE	0
16350	ARP5741	Air Mode Active Containers Conditioning Performance	2010	SAE	0
16351	ARP5777	Maintenance and Inspection Procedures for Acme Screw Assemblies	2010	SAE	0
16352	ARP5707	Pilot Training Recommendations for Unmanned Aircraft Systems (UAS) Civil Operations	2010	SAE	0
16353	ARP5879	Aerospace Test Methodology for Electrohydrostatic Actuators	2010	SAE	0
16354	ARP5812	Actuators, Linear Mechanical, General Specification Guide	2010	SAE	0
16355	AIR5742	Packaging and Transportation of Oxygen Equipment	2010	SAE	0
16356	ARP5564	Airport Runway Brooms	2010	SAE	0
16357	ARP5583A	(R) Guide to Certification of Aircraft in a High-Intensity Radiated Field (HIRF) Environment	2010	SAE	0
16358	ARP5602	A Guideline for Aerospace Platform Fiber Optic Training and Awareness Education	2010	SAE	0
16359	ARP5632	Rotorcraft: Application of Existing Aircraft Designed Tires, Wheels and Brakes	2010	SAE	0
16360	ARP5305	Structural Design and Construction Considerations for Enclosed Turbofan/Turbojet Engine Test Cells	2010	SAE	0
16361	ARP5316C	(R) Storage of Elastomer Seals and Seal Assemblies Which Include an Elastomer Element Prior to Hardware Assembly	2010	SAE	0
16362	ARP5376B	Methods, Locations And Criteria For System Sampling And Measuring The Solid Particle Contamination Of Hydraulic Fluids	2010	SAE	0
16363	ARP5369A	Guidelines for Wire Identification Marking Using the Hot Stamp Process	2010	SAE	0
16364	ARP5257B	Tire Overspeed Landing Test	2010	SAE	0
16365	ARP5481A	Recommended Wheel Tie Bolt Preload Procedure	2010	SAE	0
16366	ARP5403A	(R) Aircraft Crash Axes	2010	SAE	0
16367	AIR5686	A Methodology for Assessing Inlet Swirl Distortion	2010	SAE	0
16368	ARP4754A	(R) Guidelines for Development of Civil Aircraft and Systems	2010	SAE	0
16369	ARP488E	(R) Exits and Their Operation Air Transport Cabin Emergency	2010	SAE	0
16370	AIR5661	Compartment Decompression Analysis	2010	SAE	0
16371	ARP4101-5A	Aircraft Circuit Breaker and Fuse Arrangement	2010	SAE	0
16372	ARP4386C	(R) Terminology and Definitions for Aerospace Fluid Power, Actuation and Control Technologies	2010	SAE	0
16373	ARP1915D	Aircraft Tow Bar	2010	SAE	0
16374	AIR5567A	Test Method for Catalytic Carbon Brake Disk Oxidation	2010	SAE	0
16375	ARP1178B	(R) Aircraft Evacuation Signal System	2010	SAE	0
16376	ARP1088B	(R) Aircraft Indicating Systems	2010	SAE	0
16377	ARP1247D	Aircraft Ground Support Equipment â General Requirements	2010	SAE	0
16378	ARP1270B	(R) Aircraft Cabin Pressurization Criteria	2010	SAE	0

16379	AIR5552	Development and Qualification of Composite Landing Gears	2010	SAE	0
16380	AMS-S-83474A	Shims, Molded, Filled Resin Compound and Sheet Prepeg	2010	SAE	0
16381	AMS-S-4383A	(R) Sealing Compound, Topcoat, Fuel Tank Buna-N Type	2010	SAE	0
16382	AMS-R-6855B	Elastomer, Synthetic, Sheets, Strips, Molded or Extruded Shapes, General Specification for	2010	SAE	0
16383	AMS-P-5516A	Packing, Preformed, Petroleum Hydraulic Fluid Resistant, 160°F	2010	SAE	0
16384	AMS-QQ-A-225-8B	Aluminum Alloy 6061, Bar, Rod, Wire, and Special Shapes; Rolled, Drawn, or Cold Finished (Composition similar to A96061)	2010	SAE	0
16385	AIR5416	Maintenance Life Cycle Cost Model	2010	SAE	0
16386	AMS-H-81200C	Heat Treatment of Titanium and Titanium Alloys	2010	SAE	0
16387	AMS-H-6875B	Heat Treatment of Steel Raw Materials	2010	SAE	0
16388	AMS-C-83873A	Cleaning Compound, Precoating Surface, Aircraft and Aerospace Ground Equipment (AGE)	2010	SAE	0
16389	AIR5373A	(R) Fuels in Ground Support Equipment (Other Than Gasoline or Diesel)	2010	SAE	0
16390	AMS7907C	Beryllium Bars, Rods, Tubing, and Shapes Instrument Grade	2010	SAE	0
16391	AMS7905C	Beryllium Bars, Rods, Tubing, and Shapes Optical Grade	2010	SAE	0
16392	AMS7906C	Beryllium Bars, Rods, Tubing, and Shapes Standard Grade	2010	SAE	0
16393	AMS7904D	Beryllium Bars, Rods, Tubing, and Shapes High Ductility Grade	2010	SAE	0
16394	AMS7910C	Beryllium Near-Net Preforms Standard Grade Cold Isostatic Pressed, Sintered	2010	SAE	0
16395	AMS7912C	Aluminum-Beryllium Alloy, Extrusions 38Al - 62Be Annealed	2010	SAE	0
16396	AMS7911C	Aluminum Beryllium, Preforms Hot Isostatic Pressed and Heat Treated 38Al - 62Be	2010	SAE	0
16397	AMS7902F	Beryllium Sheet and Plate 98Be - UNS R19801	2010	SAE	0
16398	AMS7913C	Aluminum-Beryllium Alloy, Sheet and Plate 38Al - 62Be	2010	SAE	0
16399	AMS7701F	Nickel-Iron Alloy, Magnetic, Sheet and Strip Annealed	2010	SAE	0
16400	AMS7702F	Nickel-Iron Alloy, Magnetic, Sheet and Strip Cold Rolled, Half-Hard Temper	2010	SAE	0
16401	AMS7705F	Nickel-Iron Magnetic Alloy, Bars and Forgings	2010	SAE	0
16402	AIR5303	Infrasound Phenomenon in Engine Test Cells	2010	SAE	0
16403	AMS6499	Steel, Bars, Forgings, and Tubing 2.7Si - 0.85Cr - 1.8Ni - 0.4Mo 0.2V (0.37 - 0.44C) Double Vacuum Melted - UNS K54015	2010	SAE	0
16404	AMS6519C	Steel, Maraging, Bars, Forgings, Tubing, and Rings 19Ni - 3.0Mo - 1.4Ti - 0.10Al Premium Aircraft-Quality Double Vacuum Melted, Annealed - UNS K92150	2010	SAE	0
16405	AMS6433F	Steel, Sheet, Strip, and Plate 0.75Mn - 0.78Cr - 1.8Ni - 0.35Mo - 0.20V (0.33 - 0.38C) (4335 Mod) - UNS K33517	2010	SAE	0
16406	AMS6470M	Steel, Nitriding, Bars, Forgings, and Tubing 1.6 Cr 0.35Mo 1.13Al (0.38 0.43C) (135 Mod) - UNS K24065	2010	SAE	0
16407	AMS6477B	Steel, Bars, Forgings, and Tubing 0.80Cr (0.90 - 1.03C) For Bearing Applications - UNS G51985	2010	SAE	0
16408	AMS6472E	Steel, Bars and Forgings, Nitriding 1.6Cr 0.35Mo 1.1Al (0.38 0.43C) (135 Mod) Hardened and Tempered, 112 ksi (772 MPa) Tensile Strength - UNS K24065	2010	SAE	0
16409	AMS6471G	Steel, Nitriding, Bars, Forgings, and Tubing 1.6Cr 0.35Mo 1.13Al (0.38 0.43C) (135 Mod) Consumable Electrode Vacuum Melted - UNS K24065	2010	SAE	0
16410	AIR1059C	(R) Oxygen Cylinder Quality, Serviceability, Maintenance Transfilling and Marking	2010	SAE	0
16411	AMS7310L	Rings, Piston, Cast Iron As Cast	2010	SAE	0
16412	AMS7270L	Rings, Sealings, Butadiene-Acrylonitrile (NBR) Rubber Fuel Resistant 65 - 75	2010	SAE	0
16413	AMS7271J	Rings, Sealing, Butadiene-Acrylonitrile (NBR) Rubber Fuel and Low Temperature Resistant 60 - 70	2010	SAE	0

16414	AMS6423G	Steel Bars, Forgings, and Tubing 0.92Cr - 0.75Ni - 0.52Mo - 0.003B - 0.04V (0.40 - 0.46C) (Modified 96BV40) - UNS K24336	2010	SAE	0
16415	AMS6428J	Steel, Bars, Forgings, and Tubing 0.80Cr-1.8Ni-0.35Mo-0.20V(0.32-0.38C) (4335 Mod) - UNS K33517	2010	SAE	0
16416	AIR5005A	(R) Aerospace - Commercial Aircraft Hydraulic Systems	2010	SAE	0
16417	AMS6429G	Steel Bars, Forgings, Tubing, and Rings 0.78Cr 1.8Ni 0.35Mo 0.20V (0.33 0.38C) (4335 Mod) Consumable Electrode Vacuum Melted - UNS K33517	2010	SAE	0
16418	AMS6412M	Steel, Bars and Forgings 0.80Cr - 1.8Ni - 0.25Mo (0.35 - 0.40C) (4337) - UNS G43370	2010	SAE	0
16419	AMS6382N	Steel, Bars, Forgings, and Rings 0.95Cr - 0.20Mo (0.38 - 0.43C) (SAE 4140) Annealed - UNS G41400	2010	SAE	0
16420	AMS6294H	Steel Bars and Forgings, Carburizing 1.8Ni - 0.25Mo (0.17 - 0.22C) (SAE 4620) - UNS G46200	2010	SAE	0
16421	AMS6292H	Steel Bars and Forgings, Carburizing 1.8Ni - 0.25Mo (0.15 - 0.20C) (SAE 4617) - UNS G46170	2010	SAE	0
16422	AMS6324H	Steel Bars, Forgings, and Tubing 0.65Cr 0.70Ni 0.25Mo (0.38 0.43C) - UNS K11640	2010	SAE	0
16423	AMS6325J	Steel, Bars and Forgings 0.50Cr 0.55Ni 0.25Mo (0.38 0.43C) (SAE 8740) Heat Treated, 105 ksi (724 MPa) Tensile Strength - UNS G87400	2010	SAE	0
16424	AMS6340A	Steel Bars, Forgings, and Tubing 0.88Cr - 1.8Ni - 0.42Mo - 0.08V (0.28 - 0.33C) (4330 Mod) Consumable Electrode Vacuum Remelted - UNS K23080	2010	SAE	0
16425	AMS5926	Steel, Corrosion-Resistant, Bars, Wire, Tubing, and Forgings 15.5Cr 1.5Si 0.3Mo 0.1N (0.45 0.60C) for Bearing Applications - UNS S42716	2010	SAE	0
16426	AMS5928	Steel, Corrosion-Resistant, Bars, Wire, and Forgings 12Cr - 9Ni - 2Mo 0.7Al 0.3Ti Vacuum Induction Plus Vacuum Consumable Electrode Melted Solution Heat Treated, Precipitation Hardenable - UNS S11800	2010	SAE	0
16427	AMS5935	Steel, Corrosion-Resistant, Bars, Wire, and Forgings 12Cr - 10Ni - 2Mo - 0.9Al - 0.3Ti Vacuum Induction Plus Vacuum Consumable Electrode Melted Solution Heat Treated, Precipitation Hardenable - UNS S10120	2010	SAE	0
16428	AMS5951	Nickel Alloy, Corrosion and Heat-Resistant, Sheet, Strip, and Plate 57Ni - 20Cr - 10Co - 8.5Mo - 2.1Ti - 1.5Al - 0.005B Vacuum Induction and Consumable Electrode Melted, Solution Heat Treated Precipitation Heat Treatable - UNS N07208	2010	SAE	0
16429	AMS6270P	Steel, Bars, Forgings, and Tubing 0.50Cr - 0.55Ni - 0.20Mo (0.13 - 0.18C) (SAE 8615) - UNS G86150	2010	SAE	0
16430	AMS6272L	Steel Bars, Forgings, and Tubing 0.50Cr - 0.55Ni - 0.20Mo (0.15 - 0.20C) (SAE 8617) - UNS G86170	2010	SAE	0
16431	AMS6264K	Steel, Carburizing Grade, Bars, Forgings, and Tubing 1.2Cr - 3.2Ni - 0.12Mo (0.14 - 0.20C) (SAE 9317) - UNS K44414	2010	SAE	0
16432	AMS5896B	Steel, Corrosion and Heat-Resistant, Seamless or Welded Hydraulic Tubing 18.5Cr - 10.5Ni - 0.55Ti (321) Solution Heat Treated and Cold Drawn, 1/8 Hard Temper - UNS S32100	2010	SAE	0
16433	AMS5889C	Nickel Alloy, Corrosion and Heat Resistant, Sheet and Strip 54Ni - 22Cr - 12.5Co - 9.0Mo - 1.2Al Consumable Electrode or Vacuum Induction Melted Annealed - UNS N06617	2010	SAE	0
16434	AMS5922A	Steel, Corrosion-Resistant, Bars, and Forgings 10Cr - 5.5Ni - 14Co - 2Mo - 1W (0.19-0.23C) Vacuum Induction Melted, Vacuum Arc Remelted, Normalized, Annealed - UNS S10500	2010	SAE	0
16435	AMS5867B	Steel, Corrosion and Heat Resistant, Forgings 12.5Cr (410) Enhanced Fracture Toughness, Annealed - UNS S41000	2010	SAE	0
16436	AMS5865E	Nickel, Corrosion and Heat Resistant, Sheet and Strip Thoria Dispersion Strengthened 2.2Th02 - UNS N03260	2010	SAE	0
16437	AMS5854B	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Wire, Forgings, and Rings 61Ni - 20.5Cr - 8.5Mo - 3.4Cb(Nb) - 1.3Ti - 5.0Fe Consumable Electrode or Vacuum Induction Melted Solution Heat Treated - UNS N07716	2010	SAE	0
16438	AMS5803F	Steel, Corrosion and Heat-Resistant, Welding Wire 16.4Cr - 4.8Ni - 0.22Cb (Nb) - 3.6Cu Consumable Electrode or Vacuum Induction Melted - UNS S17480	2010	SAE	0
16439	AMS5840E	Steel, Corrosion and Heat Resistant, Welding Wire 13Cr - 8.0Ni - 2.3Mo - 1.1Al Vacuum Melted - UNS S13889	2010	SAE	0
16440	AMS5832G	Nickel Alloy, Corrosion and Heat Resistant, Welding Wire 52.5Ni - 19Cr - 3.0Mo - 5.1Cb(Nb) - 0.90Ti - 0.50Al - 18Fe Consumable Electrode or Vacuum Induction Melted - UNS N07718	2010	SAE	0
16441	AMS5786G	Nickel Alloy, Corrosion and Heat-Resistant, Welding Wire 62.5Ni - 5.0Cr - 24.5Mo - 5.5Fe - UNS N10004	2010	SAE	0
16442	AMS5763D	Steel, Corrosion Resistant Bars, Forgings, Tubing, and Rings 15Cr - 6.5Ni - 0.75Mo - 0.50Cb (Nb) - 1.5Cu Solution Heat Treated - UNS S45000	2010	SAE	0
16443	AMS5762F	Steel, Corrosion Resistant, Bars, Wire, and Forgings 5.8Mn - 17Cr - 5.8Ni - 2.0Cu - 0.26S Free Machining, Solution Heat Treated - UNS S20300	2010	SAE	0

16444	AMS5656E	Steel, Corrosion Resistant, Bars, Wire, Forgings, Extrusions, and Rings 9.0Mn - 20Cr - 6.5Ni - 0.27N Solution Heat Treated - UNS S21904	2010	SAE	0
16445	AMS5652H	Steel, Corrosion and Heat Resistant, Bars, Wire, Forgings, Tubing, and Rings 25Cr - 20Ni - 2.0Si (SAE 30314) Solution Heat Treated - UNS S31400	2010	SAE	0
16446	AIR4740A	Safety Considerations Smoking in Lavatories of Transport Aircraft	2010	SAE	0
16447	AMS5694J	Steel, Corrosion and Heat-Resistant, Welding Wire 27Cr - 21.5Ni - UNS S31080	2010	SAE	0
16448	AMS5716J	Iron-Nickel Alloy, Heat Resistant, Bars, Wire, Forgings, and Rings 44Fe - 18.5Cr - 35.5Ni - 1.1Si Solution Heat Treated - UNS N08330	2010	SAE	0
16449	AMS5562E	Steel, Corrosion and Heat Resistant, Seamless Tubing 9.0Mn - 20Cr - 6.5Ni - 0.28N Solution Heat Treated - UNS S21904	2010	SAE	0
16450	AMS5585G	Alloy, Corrosion and Heat Resistant, Welded Tubing 32Fe - 21Cr - 20Ni - 20Co - 3Mo - 2.5W - 1.0Cb (Nb) - 0.15N Solution Heat Treated - UNS R30155	2010	SAE	0
16451	AMS5590F	Nickel Alloy, Corrosion and Heat-Resistant, Seamless Tubing 52.5Ni - 19Cr - 3.0Mo - 5.1Cb (Nb) - 0.90Ti - 0.50Al - 18Fe Consumable Electrode or Vacuum Induction Melted 1950 Degree F (1066 Degrees C) Solution Heat Treated - UNS N07718	2010	SAE	0
16452	AMS5587F	Nickel Alloy, Corrosion and Heat Resistant, Seamless Tubing 47.5Ni - 22Cr - 1.5Co - 9.0Mo - 0.60W - 18.5Fe Solution Heat Treated - UNS N06002	2010	SAE	0
16453	AMS5588G	Nickel Alloy, Corrosion and Heat-Resistant, Welded Tubing 47.5Ni - 22Cr - 1.5Co - 9.0Mo - 0.60W - 18.5Fe Solution Heat Treated - UNS N06002	2010	SAE	0
16454	AIR4543B	(R) Aerospace Hydraulics and Actuation Lessons Learned	2010	SAE	0
16455	AMS5581F	Nickel Alloy, Corrosion and Heat-Resistant, Seamless or Welded Tubing 62Ni - 21.5Cr - 9.0Mo - 3.7Cb (Nb) Annealed - UNS N06625	2010	SAE	0
16456	AMS5638G	Steel, Corrosion-Resistant, Bars and Forgings 0.14S - 18Cr - 9.5Ni - 0.50Mo - 0.80Al (303MA) Free-Machining; Swaging or Upsetting Solution Heat Treated - UNS S30345	2010	SAE	0
16457	AIR4566A	Crashworthy Landing Gear Design	2010	SAE	0
16458	AMS5608F	Cobalt Alloy, Corrosion and Heat Resistant, Sheet, Strip, and Plate 40Co - 22Cr - 22Ni - 14.5W - 0.07La Solution Heat Treated - UNS R30188	2010	SAE	0
16459	AMS5621F	Steel, Corrosion Resistant, Bars, Wire, and Forgings 13Cr (0.30-0.40C) (SAE 51420) Annealed - UNS S42000	2010	SAE	0
16460	AMS5545F	Nickel Alloy, Corrosion and Heat-Resistant, Sheet, Strip, and Plate 54Ni 19Cr 11Co 9.8Mo 3.2Ti 1.5Al 0.006B Vacuum Induction and Consumable Electrode Melted, Solution Heat Treatable Precipitation Heat Treated - UNS N07041	2010	SAE	0
16461	AMS5410B	Nickel Alloy, Corrosion and Heat Resistant, Investment Castings 61Ni - 16Cr - 8.5Co - 1.8Mo - 2.6W - 0.85Cb - 3.4Ti - 1.8Ta - 3.4Al - 0.010B - 0.05Zr Vacuum Melted, Vacuum Cast As Cast, or Solution Treated, or Solution and Precipitation Hardened	2010	SAE	0
16462	AMS5356C	Steel, Corrosion Resistant, Investment Castings 15Cr - 4.6Ni - 0.22Cb - 2.8Cu Solution and Precipitation Heat Treated (H1100) 130 ksi (896 MPa) Tensile Strength - UNS J92110	2010	SAE	0
16463	AMS4989B	Titanium Alloy Sheet, Strip, and Plate 3Al - 2.5V Annealed - UNS R56320	2010	SAE	0
16464	AMS5035B	Steel, Welding Wire 0.65Si - 1.25Cr - 0.50Mo - 0.30V (0.28 - 0.33C) - UNS K23015	2010	SAE	0
16465	AMS5121K	Sheet and Strip, Steel (0.90 - 1.04C) (SAE 1095) Annealed - UNS G10950	2010	SAE	0
16466	AMS4942F	Titanium Tubing, Seamless Annealed, 40.0 ksi (275 MPa) Yield Strength - UNS R50400	2010	SAE	0
16467	AMS4937C	Titanium Alloy, Extrusions and Flash Welded Rings 6Al - 6V - 2Sn Beta Extruded Plus Annealed, Heat Treatable - UNS R56620	2010	SAE	0
16468	AMS4919G	Titanium Alloy Sheet, Strip, and Plate 6AI - 2Sn - 4Zr - 2Mo - 0.08Si Duplex Annealed - UNS R54620	2010	SAE	0
16469	AMS4922C	Titanium Alloy, Seamless, Hydraulic Tubing 15V - 3.0Cr - 3.0Al - 3.0Sn Cold Worked and Precipitation Heat Treated - UNS R58153	2010	SAE	0
16470	AMS4918M	Titanium Alloy, Sheet, Strip, and Plate 6AI - 6V - 2Sn Annealed - UNS R56620	2010	SAE	0
16471	AMS4916K	Titanium Alloy Sheet, Strip, and Plate 8Al - 1Mo - 1V Duplex Annealed - UNS R54810	2010	SAE	0
16472	AMS4900N	Titanium Sheet, Strip, and Plate Commercially Pure Annealed, 55 ksi (379 MPa) Yield Strength - UNS R50550	2010	SAE	0

16473	AMS4871G	Aluminum Bronze, Centrifugal and Chill Castings 85Cu - 11Al - 3.6Fe Solution Heat Treated and Tempered - UNS C95420	2010	SAE	0
16474	AMS4803E	Zinc Alloy Castings, Die 4.0Al 0.04Mg (AG40A) As Cast - UNS Z33520	2010	SAE	0
16475	AMS4775J	Nickel Alloy, Brazing Filler Metal 73Ni - 0.75C - 4.5Si - 14Cr - 3.1B - 4.5Fe 1790 to 1970 Degrees F (977 to 1077 Degrees C) Solidus-Liquidus Range - UNS N99600	2010	SAE	0
16476	AMS4776H	Nickel Alloy, Brazing Filler Metal 73Ni - 4.5Si - 14Cr - 3.1B - 4.5Fe (Low Carbon) 1790 to 1970 ï°F (977 to 1077 ï°C) Solidus-Liquidus Range - UNS N99610	2010	SAE	0
16477	AMS4777H	Nickel Alloy, Brazing Filler Metal 82Ni - 4.5Si - 7.0Cr - 3.1B - 3.0Fe 1780 to 1830 ï°F (971 to 999 ï°C) Solidus-Liquidus Range. - UNS N99620	2010	SAE	0
16478	AMS4458	Aluminum Alloy, Plate (2.7 Cu - 1.8 Li - 0.7 Zn) 2099-T86 Solution Heat Treated, Cold Worked and Artificially Aged - UNS A92099	2010	SAE	0
16479	AMS4596B	Copper Nickel Tin Alloy, Bars and Rods 77Cu 15Ni 8Sn Solution Annealed and Spinodal Hardened (TX 00) - UNS C72900	2010	SAE	0
16480	AMS4398	Magnesium Alloy Welding Wire 8.7Al - 0.70Zn - 0.26Mn (AZ91E) - UNS M11919	2010	SAE	0
16481	AMS4399	Magnesium Alloy Welding Wire 5.1Y - 3.0Re - 0.7Zr (WE54A) - UNS M18410	2010	SAE	0
16482	AMS4400	Magnesium Alloy Welding Wire 1.5Ag - 2.1Di - 0.08Cu - 0.70Zr (EQ21A) - UNS M18330	2010	SAE	0
16483	AMS4395F	Magnesium Alloy Welding Wire 9.0Al - 2.0Zn (AZ92A) - UNS M11922	2010	SAE	0
16484	AMS4396F	Magnesium Alloy Welding Wire 3.2 Rare Earths - 2.5Zn - 0.72Zr (EZ33A) - UNS M12331	2010	SAE	0
16485	AMS4391	Magnesium Alloy Welding Wire 2.8Nd - 1.4Gd - 0.4Zn - 0.6Zr (EV31A) - UNS M12310	2010	SAE	0
16486	AMS4392	Magnesium Alloy Welding Wire 4.2Zn - 1.2 Rare Earths - 0.7Zr (ZE41A) - UNS M16410	2010	SAE	0
16487	AMS4393	Magnesium Alloy Welding Wire 4.0Y - 2.3Nd - 0.7Zr (WE43B) - UNS M18432	2010	SAE	0
16488	AIR4071A	Lubricants for Oxygen Use	2010	SAE	0
16489	AIR4069B	(R) Sealing of Integral Fuel Tanks	2010	SAE	0
16490	AMS4313D	Aluminum Alloy, Rolled or Forged Rings 6.3Cu - 0.30Mn - 0.18Zr - 0.10V - 0.06Ti (2219-T351, 2219-T352) Solution Heat Treated and Mechanically Stress Relieved - UNS A92219	2010	SAE	0
16491	AMS4291H	Aluminum Alloy, Die Castings 8.5Si - 3.5Cu (A380.0-F) As Cast - UNS A13800	2010	SAE	0
16492	AMS4294A	Aluminum Alloy Extrusions 1.0Mg - 0.60Si - 0.28Cu - 0.20Cr (6061-T5511) Press Heat Treated, Stress Relieved by Stretching, Straightened, and Artificially Aged - UNS A96061	2010	SAE	0
16493	AMS4290L	Aluminum Alloy, Die Castings 9.5Si - 0.50Mg (360.0-F) As Cast - UNS A03600	2010	SAE	0
16494	AMS4208C	Aluminum Alloy Sheet 6.0Cu - 0.40Zr - (2004-F) As Rolled - UNS A92004	2010	SAE	0
16495	AMS4209C	Aluminum Alloy Sheet, Alclad 6.0Cu - 0.40Zr - (2004-F) As Rolled - UNS A82004	2010	SAE	0
16496	AMS4218J	Aluminum Alloy Castings 7.0Si - 0.35Mg (A356.0-T6) (Formerly T6P Temper) Solution and Precipitation Heat Treated - UNS A13560	2010	SAE	0
16497	AMS4219F	Aluminum Alloy Castings 7.0Si - 0.55Mg - 0.12Ti - 0.06Be (A357.0 T6) Solution and Precipitation Heat Treated - UNS A13570	2010	SAE	0
16498	AMS4224C	Aluminum Alloy Castings, Sand 4.0Cu - 2.1Ni - 2.0Mg - 0.30Cr - 0.30Mn - 0.13T - 0.13V (243.0) Stabilized - UNS A02430	2010	SAE	0
16499	AMS4245E	Aluminum Alloy, Welding Wire 5.0Si 1.2Cu 0.50Mg (C355.0) - UNS A03550	2010	SAE	0
16500	AMS4184G	Filler Metal, Aluminum Brazing 10Si - 4.0Cu (4145) - UNS A94145	2010	SAE	0
16501	AIR38B	(R) Guide for the Design of Threaded Screw or Stud Type Electrical Equipment Terminations	2010	SAE	0
16502	AMS4096C	Aluminum Alloy Sheet and Plate, Alclad 6.3Cu - 0.30Mn - 0.18Zr - 0.10V - 0.06Ti (Alclad 2219-O) Annealed - UNS A92219	2010	SAE	0
16503	AMS4100E	Aluminum Alloy, Alclad, Sheet 5.7Zn - 2.2Mg - 1.6Cu - 0.22Cr (Alclad 7475-T761) Solution and Precipitation Heat Treated - UNS A87475	2010	SAE	0

16504	AMS4044M	Aluminum Alloy, Sheet and Plate 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr Annealed (7075-O) or when specified, "As Fabricated" (7075-F) - UNS A97075	2010	SAE	0
16505	AMS4045K	Aluminum Alloy Sheet and Plate 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr 7075: (-T6 Sheet, -T651 Plate) Solution and Precipitation Heat Treated - UNS A97075	2010	SAE	0
16506	AMS4048N	Aluminum Alloy Sheet and Plate, Alclad 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (Alclad 7075-O) Annealed or when specified, â As Fabricatedâ (Alclad 7075-F) - UNS A97075	2010	SAE	0
16507	AMS4049L	Aluminum Alloy, Sheet and Plate, Alclad 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (Alclad 7075; -T6 Sheet - T651 Plate) Solution and Precipitation Heat Treated - UNS A97075	2010	SAE	0
16508	AMS3612C	Polyester Film Electrical Grade, General Purpose	2010	SAE	0
16509	AMS3613D	Film, Copper Clad Polyester	2010	SAE	0
16510	AMS3619D	Resin, Polyimide, Laminating High Temperature Resistant, 315 Ï°C (599 Ï°F)	2010	SAE	0
16511	AIR1706C	The Advanced Environmental Control System (AECS) Computer Program for Steady State Analysis and Preliminary System Sizing	2010	SAE	0
16512	AMS3678-11	Type 11 10% Aromatic Polymer Filled Virgin Polytetrafluoroethylene (PTFE) Moldings or Extrusions	2010	SAE	0
16513	AMS3678-10A	Type 10 Virgin Polytetrafluoroethylene (PTFE) Moldings or Extrusions with 15% Carbon Fiber	2010	SAE	0
16514	AMS3678-15	Type 15 15% Aromatic Polymer Filled Virgin Polytetrafluoroethylene (PTFE) Moldings or Extrusions	2010	SAE	0
16515	AMS3678-14	Type 14 40% Bronze Filled Virgin Polytetrafluoroethylene (PTFE) Moldings or Extrusions	2010	SAE	0
16516	AMS3678-13	Type 13 10% Polyimide Filled Virgin Polytetrafluoroethylene (PTFE) Moldings or Extrusions	2010	SAE	0
16517	AMS3678-12	Type 12 10% Mineral, 2.5% Molybdenum Disulfide Filled Virgin Polytetrafluoroethylene (PTFE) Moldings or Extrusions	2010	SAE	0
16518	AMS3678-7A	Type 7 Virgin Polytetrafluoroethylene (PTFE) Moldings or Extrusions with 25% Carbon and Graphite	2010	SAE	0
16519	AMS3678-6A	Type 6 60% Bronze Filled Virgin Polytetrafluoroethylene (PTFE) Moldings or Extrusions	2010	SAE	0
16520	AMS3678-5A	Type 5 Virgin Polytetrafluoroethylene (PTFE) Moldings or Extrusions with Pigment	2010	SAE	0
16521	AMS3678-4A	Type 4 25% Glass Filled Virgin Polytetrafluoroethylene (PTFE) Moldings or Extrusions	2010	SAE	0
16522	AMS3678-3A	Type 3 15% Glass, 5% Molybdenum Disulfide Filled Virgin Polytetrafluoroethylene (PTFE) Moldings or Extrusions	2010	SAE	0
16523	AMS3678-2A	Type 2 15% Graphite Filled Virgin Polytetrafluoroethylene (PTFE) Moldings or Extrusions	2010	SAE	0
16524	AMS3678-1B	Type 1 Virgin Polytetrafluoroethylene (PTFE) Moldings and Extrusions	2010	SAE	0
16525	AMS3678-16	Type 16 15% Polyimide Filled Virgin Polytetrafluoroethylene (PTFE) Moldings or Extrusions	2010	SAE	0
16526	AMS3678C	Polytetrafluoroethylene (PTFE) Moldings and Extrusions Unfilled, Pigmented, and Filled	2010	SAE	0
16527	AMS3678-9B	Type 9 Virgin Polytetrafluoroethylene (PTFE) Moldings with Pigment for AS4716 and AS5857 Backup Rings	2010	SAE	0
16528	AMS3678-8A	Type 8 Virgin Polytetrafluoroethylene (PTFE) Moldings or Extrusions with 10% Carbon Fiber	2010	SAE	0
16529	AIR1594C	Plain Bearing Selection for Landing Gear Applications	2010	SAE	0
16530	AMS3328B	Fluorosilicone (FVMQ) Rubber Fuel and Oil Resistant 35 - 45	2010	SAE	0
16531	AMS3281E	Sealing Compound, Polysulfide (T) Synthetic Rubber for Integral Fuel Tank and Fuel Cell Cavities Low Density for Intermittent Use to 360 Ï°F (182 Ï°C)	2010	SAE	0
16532	AMS3320H	Silicone (VMQ) Rubber Sheet, Glass Cloth Reinforced Heat and Weather Resistant 60 - 80	2010	SAE	0
16533	AMS3337E	Silicone (PVMQ) Rubber Extreme-Low-Temperature Resistant 65 - 75	2010	SAE	0
16534	AMS3329B	Fluorosilicone (FVMQ) Rubber Fuel and Oil Resistant, High Strength 45 - 55	2010	SAE	0
16535	AMS3330B	(R) Fluorosilicone (FVMQ) Rubber Fuel and Oil Resistant 45 - 55	2010	SAE	0
16536	AMS3331B	Fluorosilicone (FVMQ) Rubber Fuel and Oil Resistant 65 - 75	2010	SAE	0
16537	USCAR-15	SPECIFICATION FOR TESTING AUTOMOTIVE LIGHT BULB SOCKETS - REVISION 3	2010	SAE	0
16538	USCAR-3	SPECIFICATION FOR TESTING AUTOMOTIVE MINIATURE BULBS - Revision 3	2010	SAE	0
16539	MS1001	(R) Lubricants, Industrial Oils, and Related Products Type A Lubricant for General Purpose and Total Loss Systems - Specification	2010	SAE	0

16540	MS1002	Lubricants, Industrial Oils, and Related Products Type C (Gears) Specification	2010	SAE	0
16541	MS1004	Lubricants, Industrial Oils, and Related Products Type H (Hydrualic Fluids) - Specification	2010	SAE	0
16542	MS1005	Lubricants, Industrial Oils, and Related Products Type HF Fire-Resistant Hydraulic Fluidsâ Specification	2010	SAE	0
16543	MA5405A	(R) Splices, Fiber Optics, For Aerospace Inter-Connection Systems	2010	SAE	0
16544	MA3302B	NUT, PLAIN HEX - UNS G87400, CADMIUM PLATE, MJ THREAD, METRIC	2010	SAE	0
16545	MA3354B	NUT, PLAIN HEX - THIN, UNS G87400, CADMIUM PLATE, MJ THREAD, METRIC	2010	SAE	0
16546	MA3353B	NUT, SELF LOCKING - SPLINE DRIVE, EXTENDED WASHER, UNS G87400, CADMIUM PLATE, MJ THREAD, METRIC	2010	SAE	0
16547	AMS3248C	(R) Ethylene Propylene (EPM) Rubber Phosphate Ester Resistant 55-65	2010	SAE	0
16548	AMS3253A	Ethylene Propylene Rubber Phosphate Ester Resistant 65 - 75	2010	SAE	0
16549	AMS3255A	(R) Sealing Tape, Sheet, or Gasket, Polytetrafluoroethylene, Expanded (EPTFE) Oil and Water Resistant	2010	SAE	0
16550	AMS3205M	Synthetic Rubber Low-Temperature Resistant 45 - 55	2010	SAE	0
16551	J941	Motor Vehicle Driversâ Eye Locations	2010	SAE	0
16552	J96	Flashing Warning Lamp for Industrial Equipment	2010	SAE	0
16553	AIR1494B	Verification of Landing Gear Design Strength	2010	SAE	0
16554	J92	Snowmobile Throttle Control Systems	2010	SAE	0
16555	J647	(R) Automatic Transmissions - Schematic Diagrams	2010	SAE	0
16556	J649	Automatic Transmission Functions - Terminology	2010	SAE	0
16557	J526	(R) Welded Low-Carbon Steel Tubing Suitable for Bending, Flaring, Beading, Forming and Brazing	2010	SAE	0
16558	J551-1	Performance Levels and Methods of Measurement of Electromagnetic Compatibility of Vehicles, Boats (up to 15 m), and Machines (16.6 Hz to 18 GHz)	2010	SAE	0
16559	J565	(R) Semiautomatic Headlamp Beam Switching Devices	2010	SAE	0
16560	J567	Light Source Retention System (Stabilized Type)	2010	SAE	0
16561	J551-17	Vehicle Electromagnetic Immunity - Power Line Magnetic Fields (Stabilized Type)	2010	SAE	0
16562	J551-11	Vehicle Electromagnetic Immunity - Off-Vehicle Source	2010	SAE	0
16563	J594	Reflex Reflectors	2010	SAE	0
16564	J593	Backup Lamp (Reversing Lamp)	2010	SAE	0
16565	J576	Plastic Material or Materials for Use in Optical Parts Such as Lenses and Reflex Reflectors of Motor Vehicle Lighting Devices	2010	SAE	0
16566	J515	(R) Specification for O-Ring Materials Used with Hydraulic Connectors	2010	SAE	0
16567	J4002	(R) H-Point Machine (HPM-II) Specifications and Procedure for H-Point DeterminationAuditing Vehicle Seats	2010	SAE	0
16568	J443	(R) Procedures for Using Standard Shot Peening Almen Strip	2010	SAE	0
16569	J361	Procedure for Visual Evaluation of Interior and Exterior Automotive Trim	2010	SAE	0
16570	J371	Drain, Fill, and Level Plugs for Off-Road, Self-Propelled Work Machines	2010	SAE	0
16571	J312	Automotive Gasolines	2010	SAE	0
16572	J2917	Occupant Restraint and Equipment Mounting Integrity Frontal Impact System-Level Ambulance Patient Compartment	2010	SAE	0
16573	J2904	Power Cylinder Friction: Mechanisms	2010	SAE	0
16574	J2909	Light Vehicle Dry Stopping Distance	2010	SAE	0
16575	J2881	Measurement of Aerodynamic Performance for Mass-Produced Cars and Light-Duty Trucks	2010	SAE	0
16576	J2878	Low Speed Thorax Impact Test Procedure for the HIII5F Dummy	2010	SAE	0
16577	J2890	Hydraulic Fluid Power - Accelerated Method for Determining the Wear Characteristics of a Hydraulic Component Due to Contaminants	2010	SAE	0

16578	J2891	Auxiliary Power Unit Electrical Interface Requirements for Class Eight Trucks	2010	SAE	0
16579	J2873	Electric Drive Cooling Fan Motor Mounting	2010	SAE	0
16580	J2868	Pedestrian Dummy Full Scale Test Results and Resource Materials	2010	SAE	0
16581	J2869	Mechanical Systems Physics-of-Failure Analysis Experimental Validation	2010	SAE	0
16582	J2836-1	Use Cases for Communication Between Plug-in Vehicles and the Utility Grid	2010	SAE	0
16583	J2846	Laboratory Measurement of the Acoustical Performance of Body Cavity Filler Materials	2010	SAE	0
16584	J2839	Heavy Duty High Speed Datalink Connector	2010	SAE	0
16585	J2841	(R) Utility Factor Definitions for Plug-In Hybrid Electric Vehicles Using Travel Survey Data	2010	SAE	0
16586	J2848-1	Tire Pressure Monitoring Systemsâ For Medium and Heavy Duty Highway Vehicles	2010	SAE	0
16587	J2828	Off-Road Tire Fire Handling Guidelines	2010	SAE	0
16588	J2802	Blind Spot Monitoring System (BSMS): Operating Characteristics and User Interface	2010	SAE	0
16589	J2790	(R) Test Method for Evaluating the Electrical Resistance of Coolant System Hose Covers	2010	SAE	0
16590	J2789	Inertia Calculation for Single-Ended Inertia-Dynamometer Testing	2010	SAE	0
16591	J277	Maintenance of Design Voltage - Snowmobile Electrical Systems	2010	SAE	0
16592	J2782	Performance Specifications for a Midsize Male Pedestrian Research Dummy	2010	SAE	0
16593	J2752	Personnel Protection - Compact Tool Carriers	2010	SAE	0
16594	J2728	Heavy Vehicle Event Data Recorder (HVEDR) Standard - Tier 1	2010	SAE	0
16595	J2612	Internal Combustion Enginesâ Piston Vocabulary	2010	SAE	0
16596	J2611	Off-Road Tire Replacement Guidelines	2010	SAE	0
16597	J2602-3	File Structures for a Node Capability File (NCF)	2010	SAE	0
16598	J2597	Computer Generated Shot Peening Saturation Curves	2010	SAE	0
16599	J2601	(R) Fueling Protocols for Light Duty Gaseous Hydrogen Surface Vehicles	2010	SAE	0
16600	J2716	SENT Single Edge Nibble Transmission for Automotive Applications	2010	SAE	0
16601	J2656	Fastener Part Standardâ Hexagon Socket, Square Head, and Slotted Headless Set Screwsâ Inch Dimensioned	2010	SAE	0
16602	J2663	Test Procedure to Measure Permeation of Elastomeric Hose or Tube by Weight Loss	2010	SAE	0
16603	J2675	(R) Combined Cornering and Braking Test for Truck and Bus Tires	2010	SAE	0
16604	J2679	Charge Air Cooler Leakage	2010	SAE	0
16605	J2577	Heavy Duty Lamp Electrical Connector Standard	2010	SAE	0
16606	J2534-2	(R) Optional Pass-Thru Features	2010	SAE	0
16607	J2556	Radiated Emissions (RE) Narrowband Data Analysis - Power Spectral Density (PSD) (Stabilized Type)	2010	SAE	0
16608	J2505	Measurement of Vehicle-Roadway Frictional Drag	2010	SAE	0
16609	J2517	Hybrid III Family Chest Potentiometer Calibration Procedure	2010	SAE	0
16610	J2420	COE Frontal Strength Evaluationâ Dynamic Loading Heavy Trucks	2010	SAE	0
16611	J2422	Cab Roof Strength Evaluationâ Quasi-Static Loading Heavy Trucks	2010	SAE	0
16612	J2414	Application Testing of Oil-to-Water Oil Coolers for Heat Transfer Performance	2010	SAE	0
16613	J2402	(R) Road Vehiclesâ Symbols for Controls, Indicators, and Tell-tales	2010	SAE	0
16614	J2387	Dimensions and Tolerances for Coolant System Hoses	2010	SAE	0
16615	J2344	(R) Guidelines for Electric Vehicle Safety	2010	SAE	0
16616	J2358	Low Speed Vehicles	2010	SAE	0
16617	J2281	Selecting and Specifying Hot-Rolled Steel Bar Products	2010	SAE	0
16618	J2275	Internal Combustion Enginesâ Piston Ring-Grooves	2010	SAE	0

16619	J2284-3	High-Speed CAN (HSC) for Vehicle Applications at 500 KBPS	2010	SAE	0
16620	J2286	Vendor Component Program Data File Interface for OEM Assembly Operations (Stabilized type)	2010	SAE	0
16621	J2258	Light Utility Vehicles	2010	SAE	0
16622	J2261	(R) Stop Lamps and Front- and Rear-Turn Signal Lamps for Use on Motor Vehicles 2032 mm or More in Overall Width	2010	SAE	0
16623	J2236	Standard Method for Determining Continuous Upper Temperature Resistance of Elastomers	2010	SAE	0
16624	J2210	HFC-134a Recycling Equipment for Mobile Air-Conditioning Systems	2010	SAE	0
16625	AMS2825B	Material Safety Data Sheets	2010	SAE	0
16626	J2111	Headlamp Cleaners	2010	SAE	0
16627	J2129	Guidelines for Requests Received from Outside Sources for the Conag Council to Originate or Review Technical Reports, Information Report	2010	SAE	0
16628	J216	Motor Vehicle Glazingâ Electrical Circuits	2010	SAE	0
16629	J2192	Recommended Testing Methods for Physical Protection of Wiring Harnesses	2010	SAE	0
16630	J1942-1	(R) Qualified Hoses for Marine Applications	2010	SAE	0
16631	J1982	Nomenclatureâ Wheels for Passenger Cars, Light Trucks, and Multipurpose Vehicles	2010	SAE	0
16632	J2040	Tail Lamps (Rear Position Lamps) for Use on Vehicles 2032 mm or More in Overall Width	2010	SAE	0
16633	J1939-21	Data Link Layer	2010	SAE	0
16634	J1926-2	(R) Connections for General Use and Fluid Powerâ__Ports and Stud Ends with ASME B1.1 Threads and O-Ring Sealingâ Part 2: Heavy-Duty (S Series) Stud Ends	2010	SAE	0
16635	J1926-1	Connections for General Use and Fluid Powerâ__Ports and Stud Ends with ASME B1.1 Threads and O-Ring Sealingâ Part 1: Threaded Port with O-Ring Seal in Truncated Housing	2010	SAE	0
16636	J1926-3	(R) Connections for General Use and Fluid Powerâ__Ports and Stud Ends with ASME B1.1 Threads and O-Ring Sealingâ Part 3: Light-Duty (L-Series) Stud Ends	2010	SAE	0
16637	J1926-4	Connector for Fluid Power and General Useâ__Ports and Stud End with ASME B1.1 Threads and O-Ring Sealâ__Part 4: External Hex and Internal Hex Inch Port Plugsâ Dimensions, Design, Test Methods and Requirements	2010	SAE	0
16638	J1868	Restricted Hardenability Bands for Selected Alloy Steels	2010	SAE	0
16639	J1839	Coarse Droplet Water/Fuel Separation Test Procedure	2010	SAE	0
16640	J1742	Connections for High Voltage On-Board Vehicle Electrical Wiring Harnesses - Test Methods and General Performance Requirements	2010	SAE	0
16641	J1726	Charge Air Cooler Internal Cleanliness, Leakage, and Nomenclature	2010	SAE	0
16642	J1727	(R) Calculation Guidelines for Impact Testing	2010	SAE	0
16643	J1750	(R) Describing and Evaluating the Truck Drivers Viewing Environment	2010	SAE	0
16644	J1754-2	Hose Assemblies, Rubber, Hydraulic, Steel Wire Reinforced - Part 2: Ordering Information	2010	SAE	0
16645	J1754-3	Hose Assemblies, Hydraulic, J517 100R Series Hose - Part 3: Procurement and Ordering Information	2010	SAE	0
16646	J1770	Automotive Refrigerant Recovery/Recycling Equipment Intended for Use with Both R12 and R134a, Standard	2010	SAE	0
16647	AMS2759-7B	Carburizing and Heat Treatment of Carburizing Grade Steel Parts	2010	SAE	0
16648	J1810	Electrical Indicating System Specification (Stabilized Type)	2010	SAE	0
16649	AMS2768C	Heat Treatment of Magnesium Alloy Castings	2010	SAE	0
16650	AMS2759-2F	NULL	2010	SAE	0
16651	J1708	Serial Data Communications Between Microcomputer Systems in Heavy-Duty Vehicle Applications	2010	SAE	0
16652	J1711	(R) Recommended Practice for Measuring the Exhaust Emissions and Fuel Economy of Hybrid-Electric Vehicles, Including Plug-in Hybrid Vehicles	2010	SAE	0
16653	J1609	Air Reservoir Capacity Performance Guide-Trucks and Buses	2010	SAE	0
16654	J1612	Cab Heating Systems Test Procedure and Performance Requirementsâ Trucks, and Multipurpose Vehicles	2010	SAE	0

16655	J1538	Glossary of Automotive Inflatable Restraint Systems	2010	SAE	0
16656	J1594	(R) Vehicle Aerodynamics Terminology	2010	SAE	0
16657	J1468	(R) Oil Cooler Application Testing and Nomenclature	2010	SAE	0
16658	J1488	Emulsified Water/Fuel Separation Test Procedure	2010	SAE	0
16659	J1432	(R) Rear High Mounted Stop Lamps and Rear High Mounted Turn Signal Lamps for Use on Vehicles 2032 mm or More in Overall Width	2010	SAE	0
16660	J1402	Automotive Air Brake Hose and Hose Assemblies	2010	SAE	0
16661	J1400	(R) Laboratory Measurement of the Airborne Sound Barrier Performance of Flat Materials and Assemblies	2010	SAE	0
16662	J1383	Performance Requirements for Motor Vehicle Headlamps	2010	SAE	0
16663	J1355	(R) Test Method for Measuring Thickness of Resilient Insulating Paddings	2010	SAE	0
16664	J1373	Rear Cornering Lamps for Use on Motor Vehicles Less than 9.1 m in Overall Length	2010	SAE	0
16665	J1319	Rear Fog Lamp Systems	2010	SAE	0
16666	J1294	Ignition DistributorsMarine	2010	SAE	0
16667	J1298	Connections for Fluid Power and General Useâ Hydraulic Couplingsâ Diagnostic Port Sizes and Locations	2010	SAE	0
16668	J129	(R) Engine and Transmission Identification Numbers	2010	SAE	0
16669	AMS2642D	Structural Examination of Titanium Alloys Etch-Anodize Inspection Procedure	2010	SAE	0
16670	J1279	Snowmobile Drive Mechanisms	2010	SAE	0
16671	J1268	Hardenability Bands for Carbon and Alloy H Steels	2010	SAE	0
16672	J1263	Road Load Measurement and Dynamometer Simulation Using Coastdown Techniques	2010	SAE	0
16673	J1239	Four-, Five-, and Eight-Conductor Electrical Connectors for Automotive Type Trailers	2010	SAE	0
16674	J1244	(R) Oil Cooler Nomenclature and Glossary	2010	SAE	0
16675	J1192	Performance of Audible Warning Devices for Motorcycles	2010	SAE	0
16676	AMS2630C	Inspection, Ultrasonic Product Over 0.5 Inch (12.7 mm) Thick	2010	SAE	0
16677	AS81714-63A	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, GROUNDING MODULES, STUD AND FLANGE TYPE MOUNTING, SERIES II	2010	SAE	0
16678	AMS2431-2E	Peening Media (ASH) Cast Steel Shot, High Hardness (55 to 62 HRC)	2010	SAE	0
16679	AS81714-12A	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, WIRE IN-LINE JUNCTIONS, DOUBLE, SERIES I	2010	SAE	0
16680	AMS2431-1E	Peening Media (ASR) Cast Steel Shot, Regular Hardness (45 to 52 HRC)	2010	SAE	0
16681	AS81306-1	BAND INSTALLATION TOOL, HAND, ONE-STEP, FOR AS85049/128 CONNECTOR ACCESSORY CABLE SHIELD TERMINATING BANDS	2010	SAE	0
16682	AS81582-2A	(R) CONNECTOR, PLUG, ELECTRIC, BAYONET COUPLING, LANYARD RELEASE, RFI SHIELDED, CRIMP-TYPE CONTACTS, CLASS E	2010	SAE	0
16683	AS8049-1	Performance Standards for Single-Occupant, Side-Facing Seats in Civil Rotorcraft, Transport Aircraft, and General Aviation Aircraft	2010	SAE	0
16684	AS81306	Wiring Installation Tools for Bands and Tiedown Straps	2010	SAE	0
16685	AMS2424F	Plating, Nickel Low-Stressed Deposit	2010	SAE	0
16686	AS7974-5	CABLE ASSEMBLY, EXTERNAL ELECTRIC POWER, AIRCRAFT, SINGLE-JACKETED 270 VDC, 90 KW	2010	SAE	0
16687	AS7974A	(R) Cable Assemblies and Attachable Plugs, External Electrical Power, Aircraft, General Specification For	2010	SAE	0
16688	AS7475D	Bolts, Cobalt-Chromium-Nickel Alloy, UNS R30159, Tensile Strength 260 ksi, Procurement Specification	2010	SAE	0
16689	AS7472A	(R) Bolts and Screws, Steel, Corrosion Resistant 125 000 psi Tensile Strength Roll Threaded	2010	SAE	0
16690	AS7928-1C	TERMINALS, LUG AND SPLICES, CONDUCTOR, CRIMP STYLE, COPPER TERMINAL, LUG, CRIMP STYLE, COPPER, INSULATED, RING TONGUE, FOR THIN WALL WIRE, TYPE II CLASS 1 FOR 105 ?C TOTAL CONDUCTOR TEMPERATURE	2010	SAE	0

16691	AMS2416L	Plating, Nickel-Cadmium Diffused	2010	SAE	0
16692	AS7928-6A	TERMINALS, LUG AND SPLICES, CONDUCTOR, CRIMP STYLE, SPLICE, ELECTRIC, (PERMANENT, TYPE II, CLASS 1) FOR 150?C TOTAL CONDUCTOR TEMPERATURE	2010	SAE	0
16693	AS6140	NUT, SPANNER BEARING RETAINING, PHOSPHATE TREATED AERONAUTICAL, UNS G41400	2010	SAE	0
16694	AS6141	FITTING, UNION AND REDUCER, FLARELESS, PRECISION TYPE	2010	SAE	0
16695	AS7225A	Rivets, Carbon Steel Procurement Specification for	2010	SAE	0
16696	AS7456B	Studs, Steel, Low Alloy Heat Treated, Roll Threaded	2010	SAE	0
16697	AMS2410K	Plating, Silver Nickel Strike, High Bake	2010	SAE	0
16698	AS611E	(R) Hose Assembly and Tubing, Polytetrafluoroethylene, Cleaning Methods for	2010	SAE	0
16699	AS6107	FITTING ASSEMBLY, ADAPTER, EXTENDED BULKHEAD SHANK, FLARELESS, AXIALLY SWAGED, HYDRAULIC, 3000 PSI	2010	SAE	0
16700	AS6106	FITTING ASSEMBLY, ADAPTER, EXTENDED BULKHEAD SHANK, FLARELESS, AXIALLY SWAGED, HYDRAULIC, 5080 PSI	2010	SAE	0
16701	AS6060	JAUS Environment Sensing Service Set	2010	SAE	0
16702	AS6062	JAUS Mission Spooling Service Set	2010	SAE	0
16703	AS6040	JAUS HMI Service Set	2010	SAE	0
16704	AS6009 ASCII	JAUS Mobility Service Set with ASCII files - See Also SAE AS6009; Includes Access to Additional Content	2010	SAE	0
16705	AS5901B	(R) Water Spray and High Humidity Endurance Test Methods for SAE AMS1424 and SAE AMS1428 Aircraft Deicing/Anti-icing Fluids	2010	SAE	0
16706	AS5870	Thread Inspection Practices	2010	SAE	0
16707	AMS2304B	Steel Cleanliness, Special Aircraft-Quality Magnetic Particle Inspection Procedure	2010	SAE	0
16708	AMS2303F	Steel Cleanliness, Aircraft Quality Martensitic Corrosion-Resistant Steels Magnetic Particle Inspection Procedure	2010	SAE	0
16709	AMS2300L	Steel Cleanliness, Premium Aircraft-Quality Magnetic Particle Inspection Procedure	2010	SAE	0
16710	AS5857A	Gland Design, O-ring and Other Elastomeric Seals, Static Applications	2010	SAE	0
16711	AMS2301K	Steel Cleanliness, Aircraft Quality Magnetic Particle Inspection Procedure	2010	SAE	0
16712	AS595D	(R) Aerospace Civil Type Variable Delivery, Pressure Compensated, Hydraulic Pump	2010	SAE	0
16713	AS5756-4A	CABLE, ELECTRICAL, 600 VOLTS, PORTABLE, MULTICONDUCTOR, OZONE RESISTANT	2010	SAE	0
16714	AS5750A	Loss Budget Specification for Fiber Optic Links	2010	SAE	0
16715	AS5768-2A	TOOL, STRIPPER, MANUALLY ACTUATED, SMALL GRIP, ELECTRICAL INSULATION, ROUND WIRE, SIZE 16 TO 30	2010	SAE	0
16716	AS5756-3A	CABLE, POWER, ELECTRICAL, 600 VOLTS, PORTABLE, MULTICONDUCTOR	2010	SAE	0
16717	AS5756-7	CABLE, LOW INDUCTANCE, 270 VOLT DC	2010	SAE	0
16718	AS5402A	(R) Design and Performance Criteria Aircraft Crash Axes	2010	SAE	0
16719	AS5457A	Aerospace Standard for Hand-Held Wire Stripper Tools	2010	SAE	0
16720	AS5710 ASCII	JAUS Core Service Set with ASCII Files - See Also SAE AS5710; Includes Access to Additional Content	2010	SAE	0
16721	AS5710A	(R) JAUS Core Service Set	2010	SAE	0
16722	AS5684 ASCII	JAUS Service Interface Definition Language with ASCII files - See Also SAE AS5684; Includes Access to Additional Content	2010	SAE	0
16723	AS5684A	(R) JAUS Service Interface Definition Language	2010	SAE	0
16724	AS5603A	(R) Digital Fiber Optic Link Loss Budget Methodology for Aerospace Platforms	2010	SAE	0
16725	AS5545	NUT COUPLING, FLARELESS, EXTRA FINE THREAD, 5080 PSI,	2010	SAE	0
16726	AS5551A	Fitting Assembly 24Degree Cone Flareless per AS5827, 5080 psi, Port Connection Port Preparation, Installation and Removal of AS5550 and AS5865	2010	SAE	0

16727	AMS2175A	Castings, Classification and Inspection of	2010	SAE	0
16728	AS5234	NUT, COUPLING FLARELESS	2010	SAE	0
16729	AS4796C	HOSE ASSEMBLY, LINED SILICONE, 125 PSI, FIXED CAVITY COUPLING, POTABLE WATER, STRAIGHT FEMALE TO STRAIGHT MALE	2010	SAE	0
16730	AS4797C	HOSE ASSEMBLY, LINED SILICONE, 125 PSI, FIXED CAVITY COUPLING, POTABLE WATER, STRAIGHT FEMALE TO 45 DEGREES MALE	2010	SAE	0
16731	AS4798C	HOSE ASSEMBLY, LINED SILICONE, 125 PSI, FIXED CAVITY COUPLING, POTABLE WATER, STRAIGHT FEMALE TO 90 DEGREES MALE	2010	SAE	0
16732	AS4802C	HOSE ASSEMBLY, LINED SILICONE, 125 PSI, FIXED CAVITY COUPLING, POTABLE WATER, STRAIGHT MALE TO 45 DEGREES FEMALE	2010	SAE	0
16733	AS4803C	HOSE ASSEMBLY, LINED SILICONE, 125 PSI, FIXED CAVITY COUPLING, POTABLE WATER, STRAIGHT MALE TO 90 DEGREES FEMALE	2010	SAE	0
16734	AS4706C	HOSE ASSEMBLY, LINED SILICONE, 125 PSI, FIXED CAVITY COUPLING, POTABLE WATER, STRAIGHT MALE TO 90 DEGREES MALE	2010	SAE	0
16735	AS4704C	HOSE ASSEMBLY, LINED SILICONE, 125 PSI, FIXED CAVITY COUPLING, POTABLE WATER, STRAIGHT MALE TO STRAIGHT MALE	2010	SAE	0
16736	AS4705C	HOSE ASSEMBLY, LINED SILICONE, 125 PSI, FIXED CAVITY COUPLING, POTABLE WATER, STRAIGHT MALE TO 45 DEGREES MALE	2010	SAE	0
16737	AMS1625C	Desmutter, Aluminum Powdered	2010	SAE	0
16738	AMS1626C	Desmutter, Aluminum Liquid	2010	SAE	0
16739	AS50571A	Lights, Instrument, Individual, General Specification For	2010	SAE	0
16740	AS5162B	FITTING, CONNECTOR, MULTIPLE FLUID PRESSURE LINE, 90 DEGREES	2010	SAE	0
16741	AMS1454	Cleaning/Scale Removing Compound Aircraft Vacuum Toilet Systems	2010	SAE	0
16742	AMS1427B	Deicing/Anti-icing Fluid, Aircraft Propylene Glycol Base	2010	SAE	0
16743	AS39029-75A	(R) CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, SIZE 12 (FOR MIL-DTL-38999 SERIES I, III, AND IV CONNECTORS)	2010	SAE	0
16744	AS39029-9B	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, THERMOCOUPLE, (FOR MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, MIL-DTL-83723 SERIES I AND III, AND MIL-DTL-83733 CONNECTORS)	2010	SAE	0
16745	AS39029-92A	(R) CONTACTS, ELECTRICAL CONNECTOR, SOCKET, REMOVABLE (FOR MIL-PRF-6106 AND MIL-DTL-12883/40 AND /41 RELAY SOCKETS)	2010	SAE	0
16746	AMS1428G	Fluid, Aircraft Deicing/Anti-Icing, Non-Newtonian (Pseudoplastic), SAE Types II, III, and IV	2010	SAE	0
16747	AS39029-1B	(R) CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR AS81714 TERMINAL JUNCTION SYSTEM)	2010	SAE	0
16748	AS39029-34B	(R) CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR MIL-DTL-28748/3 AND MIL-DTL-28748/13 CONNECTORS)	2010	SAE	0
16749	AS39029-35B	(R) CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-DTL-28748/3 AND MIL-DTL-28748/13 CONNECTORS)	2010	SAE	0
16750	AS39029-27A	(R) CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, SIZE 12 (FOR MIL-DTL-38999 SERIES II CONNECTORS)	2010	SAE	0
16751	AS39029-28A	(R) CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED, SIZE 12 (FOR MILDTL-38999 SERIES I, II, III AND IV CONNECTORS)	2010	SAE	0
16752	AS39029-29B	(R) CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR AS50151 SERIES, AS34501 AND MIL-DTL-83723 SERIES 2 CONNECTORS)	2010	SAE	0
16753	AS39029-17B	NULL	2010	SAE	0
16754	AS39029-18B	(R) CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR MIL-C-81511 SERIES 3 AND 4 CONNECTORS)	2010	SAE	0

16755	AS39029-44B	(R) CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR AS50151 SERIES AS34001 CONNECTORS)	2010	SAE	0
16756	AS39029-45B	(R) CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR AS50151 SERIES AS34001 CONNECTORS)	2010	SAE	0
16757	AS39029-48A	(R) CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE (FOR MIL-DTL-22992 CLASS L CONNECTORS)	2010	SAE	0
16758	AS39029-49A	(R) CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-DTL-22992 CLASS L CONNECTORS)	2010	SAE	0
16759	AS39029-54A	(R) CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED (FOR MIL-DTL-26500 AND MIL-DTL-26518 CONNECTORS)	2010	SAE	0
16760	AS39029-50A	(R) CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED (FOR MIL-DTL-83733 CONNECTOR)	2010	SAE	0
16761	AMS1425D	Deicing Fluid, Aircraft Ethylene Glycol Base	2010	SAE	0
16762	AS39029-51A	(R) CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED (FOR MIL-DTL-83733 CONNECTOR)	2010	SAE	0
16763	AS39029-59A	(R) CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED, SIZE 8 (FOR MIL-DTL-38999 SERIES I, III, AND IV CONNECTORS)	2010	SAE	0
16764	AS39029-5B	(R) CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, MIL-DTL-83723 SERIES I AND III, AND MIL-DTL-83733 CONNECTORS AND MIL-DTL-12883/40 AND /41 RELAY SOCKETS)	2010	SAE	0
16765	AS39029-60A	(R) CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED, SIZE 8 (FOR MIL-DTL-38999 SERIES I, III, AND IV CONNECTORS)	2010	SAE	0
16766	AS39029-71A	(R) CONTACTS, ELECTRICAL CONNECTOR, PIN, REMOVABLE, SOLDERLESS WRAPPOST TERMINATION (FOR MIL-DTL- 38999 SERIES I, II, III AND IV,MIL-DTL-24308, MIL-DTL-83733, AND MIL-DTL-55302/69 CONNECTORS)	2010	SAE	0
16767	AS39029-72A	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, REMOVABLE, SOLDERLESS WRAPPOST TERMINATION (FOR MIL-DTL-38999 SERIES I, II, III, AND IV,MIL-DTL-24308, AND MIL-DTL-55302/68, /71, AND /75 CONNECTORS)	2010	SAE	0
16768	AS39029-10B	(R) CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, THERMOCOUPLE (FOR MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, MIL-DTL-83723 SERIES I AND III, AND MIL-DTL-83733 CONNECTORS)	2010	SAE	0
16769	AS3650A	(R) BOLT, MACHINE DOUBLE HEX HEAD, REDUCED SHANK, UNS N07718 185 KSI	2010	SAE	0
16770	AS3589B	PIN AND PLUG, EXPANSION SET OF PARTS, AL ALLOY 2024-T4 AND 2024-T351, LONG; STD AND .010 OVERSIZE DIAMETERS (UNS A92024)	2010	SAE	0
16771	AS35769A	(R) GASKET, METALLIC, ENCASED, ANNULAR, COPPER	2010	SAE	0
16772	AS35411C	Fittings, Lubrication	2010	SAE	0
16773	AS34661A	CONNECTOR, RECEPTACLE, ELECTRIC, HERMETIC, SOLDER TYPE, BOX MOUNTING, PUSH-PULL COUPLING, SERIES 3 (CLASS H)	2010	SAE	0
16774	AS3486D	NUT, SELF-LOCKING, EXTENDED DOUBLE HEXAGON, REDUCED FLANGE, DRY FILM LUBE, UNS S66286, CLASS: 160 KSI/800 DEGREES F	2010	SAE	0
16775	AS34121B	CONNECTORS, RECEPTACLE, ELECTRIC, WALL MOUNTING, FRONT RELEASE, CRIMP CONTACT, AN TYPE - WITH ACCESSORY THREADS	2010	SAE	0
16776	AS33702A	INSERT ARRANGEMENTS, ELECTRIC CONNECTOR, SHELL SIZE 27	2010	SAE	0
16777	AS33701A	Insert Arrangements, Electric Connector, Shell Size 19	2010	SAE	0
16778	AS33703A	INSERT ARRANGEMENTS, ELECTRIC CONNECTOR, SHELL SIZE 37	2010	SAE	0
16779	AS33931B	(R) PACKING, PREFORMED, STRAIGHT THREAD TUBE FITTING BOSS, HYDRAULIC, -65 DEGREE F TO +275 DEGREE F	2010	SAE	0
16780	AS33391A	(R) PLATE, MOUNTING, PLASTIC FOR USE WITH MS3367 PLASTIC TIEDOWN STRAPS	2010	SAE	0

16781	AS33481A	CONTACT BUSHING, ELECTRIC, WIRE BARREL	2010	SAE	0
16782	AS3322D	STUD - STRAIGHT, RING LOCKED, CRES AMS 5731 .375-16UNJC X .375-24UNJF	2010	SAE	0
16783	AS3320D	STUD - STRAIGHT, RING LOCKED, CRES AMS 5731 .250-20UNJC X .250-28UNJF	2010	SAE	0
16784	AS3321D	STUD - STRAIGHT, RING LOCKED, CRES AMS 5731 .3125-18UNJC X .3125-24UNJF	2010	SAE	0
16785	AS33401A	(R) BULKHEAD BRACKET FOR USE WITH MS3367 PLASTIC TIEDOWN STRAPS	2010	SAE	0
16786	AS33411A	(R) BRACKET, MOUNTING, PLASTIC FOR USE WITH MS3367 PLASTIC TIEDOWN STRAPS	2010	SAE	0
16787	AS33699A	INSERT ARRANGEMENTS, ELECTRIC CONNECTOR, SHELL SIZE 7	2010	SAE	0
16788	AS33700A	INSERT ARRANGEMENTS, ELECTRIC CONNECTOR, SHELL SIZE 12	2010	SAE	0
16789	AS3319D	STUD - STRAIGHT, RING LOCKED, CRES AMS 5731 .190-24UNJC X .190-32UNJF	2010	SAE	0
16790	CS2629	Companion Spreadsheet to J2629 - See Also SAE J2629; Includes Access to Additional Content	2010	SAE	0
16791	AS9902D	PLUG, MACHINE THREAD DRILLED, PREFORMED PACKING, AS8879 THREAD (UNS S34700)	2010	SAE	0
16792	AMS2590	Rotary Flap Peening of Metal Parts	2010	SAE	0
16793	J1052	Motor Vehicle Driver and Passenger Head Position	2010	SAE	0
16794	AMS2477A	Conversion Coating for Aluminum Alloys Low Electrical Resistance Coating	2010	SAE	0
16795	AMS2481J	Phosphate Treatment Antichafing	2010	SAE	0
16796	AMS2482D	Hard Anodic Coating on Aluminum Alloys Polytetrafluoroethylene (PTFE)-Impregnated or Codeposited	2010	SAE	0
16797	AMS2483C	Blackening Solution for Aluminum Touch-Up Solution	2010	SAE	0
16798	AMS2486E	Conversion Coating of Titanium Alloys Fluoride-Phosphate Type	2010	SAE	0
16799	AS9115	Quality Management Systems Requirements for Aviation, Space and Defense Organizations Deliverable Software (Supplement to 9100)	2010	SAE	0
16800	AS9101DW	Quality Management Systems Audit Requirements for Aviation, Space, and Defense Organizations - See Also AS9101	2010	SAE	0
16801	AS90362A	CONNECTOR, RECEPTACLE, EXTERNAL ELECTRIC POWER, AIRCRAFT, 115/200 VOLT, 400 HERTZ	2010	SAE	0
16802	AS8943	Bearings, Sleeve, Plain and Flanged, Self Lubricating -65 to +250 degrees F	2010	SAE	0
16803	AMS2453	Low Stress Grinding of Steel Parts Heat Treated to 180 ksi or Over, and Low Stress Grinding of Chrome Plating Applied to Steel Parts Heat Treated to 180 ksi or Over	2010	SAE	0
16804	AS85049-81A	(R) CONNECTOR ACCESSORIES, ELECTRICAL, SEAL PLUG, SIZE 10, CATEGORY 7 (FOR MIL-DTL-38999 CONNECTORS)	2010	SAE	0
16805	AS85049-92B	(R) CONNECTOR ACCESSORIES, COMPOSITE, ELECTRICAL, STRAIN RELIEF, 90?, SELF-LOCKING, CATEGORY 4C (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2010	SAE	0
16806	AS85049-91C	(R) CONNECTOR ACCESSORIES, COMPOSITE, ELECTRICAL, STRAIN RELIEF, STRAIGHT, SELF-LOCKING, CATEGORY 4C (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2010	SAE	0
16807	AS85049-143	CONNECTOR ACCESSORIES, BACKSHELL, STRAIN RELIEF, CATEGORY 4C, FOR AS81714, SIZE 22, 20 AND 16 TERMINAL JUNCTION BLOCKS	2010	SAE	0
16808	AS85028-1A	CONNECTOR, ELECTRIC, RECTANGULAR, INDIVIDUAL CONTACT SEALING, POLARIZED CENTER JACKSCREW, PLUG, CRIMP REMOVABLE PIN CONTACTS, CLASS E	2010	SAE	0
16809	AS85028-6A	CONNECTOR, ELECTRIC, RECTANGULAR, INDIVIDUAL CONTACT SEALING, POLARIZED CENTER JACKSCREW, REPLACEMENT TOOL, WIRE SEAL, SIZE 16, CRIMP REMOVABLE CONTACTS	2010	SAE	0
16810	AS85028-2A	CONNECTOR, ELECTRIC, RECTANGULAR, INDIVIDUAL CONTACT SEALING, POLARIZED CENTER HARDWARE, RECEPTACLE, CRIMP REMOVABLE SOCKET CONTACTS, CLASS E	2010	SAE	0
16811	AS8243A	Anti-Icing and Deicing-Defrosting Fluids	2010	SAE	0
16812	AMS2431C	Peening Media General Requirements	2010	SAE	0
16813	AS81820-4C	BEARING, PLAIN, SELF-ALIGNING, SELFLUBRICATING, LINED BORE, LOW SPEED, NARROW, CHAMFERED RACE, -65 TO +325 ?F	2010	SAE	0
16814	AS81819-1A	(R) BEARINGS, PLAIN, SELF-LUBRICATING SELF-ALIGNING, HIGH SPEED OSCILLATION -65 TO +160 ?F	2010	SAE	0

16815	AS81819A	(R) Bearings, Plain, Self-Aligning, Self-Lubricating, High Speed Oscillation -65 to +160 Degrees F General Specification For	2010	SAE	0
16816	AS81820-1C	BEARING, PLAIN, SELF-ALIGNING, SELFLUBRICATING, LINED BORE, LOW SPEED, NARROW, GROOVED RACE, -65 TO +325 ?F	2010	SAE	0
16817	AS81820-3C	BEARING, PLAIN, SELF-ALIGNING, SELFLUBRICATING, LINED BORE, LOW SPEED, WIDE, GROOVED RACE, -65 TO +325 ?F	2010	SAE	0
16818	AS81820-2C	BEARING, PLAIN, SELF-ALIGNING, SELFLUBRICATING, LINED BORE, LOW SPEED, WIDE, CHAMFERED RACE, -65 TO +325 ?F	2010	SAE	0
16819	J1148	(R) Engine Charge Air Cooler (CAC) Nomenclature	2010	SAE	0
16820	J1139	Direction-of-Motion Stereotypes for Automotive Hand Controls	2010	SAE	0
16821	J1113-28	Electromagnetic Compatibility Measurements Procedure for Vehicle ComponentsPart 28 Immunity to Radiated Electromagnetic FieldsReverberation Method (Mode Tuning)	2010	SAE	0
16822	J1113-3	Conducted Immunity, 250 kHz to 400 MHz, Direct Injection of Radio Frequency (RF) Power	2010	SAE	0
16823	J1113-42	Electromagnetic CompatibilityComponent Test Procedure Part 42Conducted Transient Emissions	2010	SAE	0
16824	J1113-2	(R) Electromagnetic Compatibility Measurement Procedures and Limits for Vehicle Components (Except Aircraft)Conducted Immunity, 15 Hz to 250 kHzAll Leads	2010	SAE	0
16825	J1113-22	Electromagnetic Compatibility Measurement Procedure for Vehicle Componentsâ__Part 22â__Immunity to Radiated Magnetic Fields	2010	SAE	0
16826	J1113-24	Immunity to Radiated Electromagnetic Fields; 10 kHz to 200 MHz Crawford TEM Cell and 10 kHz to 5 GHzWideband TEM Cell	2010	SAE	0
16827	J1100	(R) Motor Vehicle Dimensions	2009	SAE	0
16828	J1158	Specification Definitionsâ Winches for Crawler Tractors and Skidders	2009	SAE	0
16829	AS81790-1	CONNECTOR, RECEPTACLE, EXTERNAL ELECTRIC POWER, AIRCRAFT, 270 VDC, 90 KW	2009	SAE	0
16830	AIR1358B	Aerospace Information Report for Continuous Flow Oxygen Hose Disconnect Fittings	2009	SAE	0
16831	AS83461-1	PACKING, PREFORMED û M83461 O-RING	2009	SAE	0
16832	AMS2438D	Plating, Chromium Thin, Hard, Dense Deposit	2009	SAE	0
16833	AS85049-27B	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, SELF-LOCKING AND NON-SELF-LOCKING, CATEGORY 3B (FOR MIL-DTL-38999 SERIES I AND II CONNECTORS)	2009	SAE	0
16834	AS85049-38B	CONNECTOR ACCESSORIES, ELECTRICAL,STRAIN RELIEF, STRAIGHT, SELF-LOCKING AND NON-SELF-LOCKING, CATEGORY 4C (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2009	SAE	0
16835	AS85049-31B	CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, NON-SELF-LOCKING AND SELF-LOCKING, CATEGORY 3B (FOR MIL-DTL-5015 CRIMP, MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, AND MIL-DTL-83723 SERIES III CONNECTORS)	2009	SAE	0
16836	AS85049-93B	(R) CONNECTOR ACCESSORIES, ELECTRICAL, TERMINATION, SHIELD SPLIT SUPPORT RING, COMPOSITE, NONENVIRONMENTAL, STRAIGHT, CATEGORY 7	2009	SAE	0
16837	AS85049-4B	(R) CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, CABLE SEALING, STRAIGHT, SET-UP, CATEGORY 1A (FOR MIL-DTL-22992 CONNECTORS, CLASSES C, J, AND R)	2009	SAE	0
16838	AS85049-39B	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90?, SELF-LOCKING AND NON-SELF-LOCKING, CATEGORY 4C (FOR MIL-DTL-38999 SERIES III AND IV CONNECTORS)	2009	SAE	0
16839	AS85049-43B	CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, NONENVIRONMENTAL, SELF-LOCKING AND NON-SELF-LOCKING, 45?, CATEGORY 4B (FOR MIL-DTL-5015 CRIMP, MIL-DTL-26482 SERIES 2, AS81703 SERIES 3, AND MIL-DTL-83723 SERIES III CONNECTORS)	2009	SAE	0
16840	AS8791B	Hydraulic and Pneumatic Retainers (Back-Up Rings), Polytetrafluoroethylene (PTFE) Resin	2009	SAE	0
16841	AS9016	Aerospace Series Notice of Change (NOC) Requirements	2009	SAE	0
16842	AS9017	Control of Aviation Critical Safety Items	2009	SAE	0

16843	AS897D	FITTING, ELBOW, 90 DEGREES, STANDARD AND REDUCER, FLARELESS TUBE TO PIPE, EXTERNAL THREAD	2009	SAE	0
16844	AS893D	FITTING, TEE, STANDARD AND REDUCER, FLARELESS TUBE TO PIPE ON SIDE, EXTERNAL THREAD	2009	SAE	0
16845	AMS2466B	Hard Anodic Coating of Magnesium Alloys Alkaline Type, High Voltage	2009	SAE	0
16846	AS9100C	Quality Management Systems - Requirements for Aviation, Space and Defense Organizations	2009	SAE	0
16847	AS9131BW	Quality Management Systems Nonconformance Documentation Word Format	2009	SAE	0
16848	AS9120A	(R) Quality Management Systems Requirements for Aviation, Space and Defense Distributors	2009	SAE	0
16849	AMS2491E	(R) Surface Treatment of Polytetrafluoroethylene (PTFE) Preparation for Bonding	2009	SAE	0
16850	AS9307B	STUD, SHOULDERED, STEPPED, HEX., WRENCHING, STEEL UNS G87400, CADMIUM PLATED, 125 KSI MIN, .2500-28 UNF-3A X .3750-24 UNF-3A - UNS G87400	2009	SAE	0
16851	AS9306B	STUD, SHOULDERED, STEPPED, HEX., WRENCHING, STEEL UNS G87400, CADMIUM PLATED, 125 KSI MIN, .2500-28 UNF-3A X .3125-24 UNF-3A - UNS G87400	2009	SAE	0
16852	AS9305B	STUD, SHOULDERED, HEXAGON WRENCHING, STEEL UNS G87400, CADMIUM PLATED, 125 KSI MIN, .2500-28 UNF-3A X .2500-28 UNF-3A - UNS G87400	2009	SAE	0
16853	AS9304B	STUD, SHOULDERED, STEPPED, HEX., WRENCHING, STEEL UNS G87400, CADMIUM PLATED, 125 KSI MIN, .1900-32 UNF-3A X .2500-28 UNF-3A - UNS G87400	2009	SAE	0
16854	AMS2475G	Protective Treatments Magnesium Alloys	2009	SAE	0
16855	AS9303B	STUD, SHOULDERED, HEXAGON WRENCHING, STEEL UNS G87400, CADMIUM PLATED, 125 KSI MIN, .1900-32 UNF-3A X .1900-32 UNF-3A - UNS G87400	2009	SAE	0
16856	AMS2480H	Phosphate Treatment Paint Base	2009	SAE	0
16857	AS9449B	SCREW MACHINE - STEEL, DIFFUSED NICKEL-CADMIUM PLATED, HEXAGON HEAD UNS K14675, 195 KSI MIN, .1380-40 UNJF-3A	2009	SAE	0
16858	J1095	Fatigue Test Procedures: Hubs and Wheels for Demountable Rims	2009	SAE	0
16859	J1065	(R) Nominal Reference Working Pressures for Steel Hydraulic Tubing	2009	SAE	0
16860	HS-806	SAE Oil Filter Test Procedure - 1995 Edition	2009	SAE	0
16861	AS9593B	BRACKET, ANGLE, 90ï°, CRES UNS S32100, .190 X .250 BOLT	2009	SAE	0
16862	AS3584A	(R) PIN AND PLUG, EXPANSION, SET OF PARTS CRES, 416 OR 416SE, LONG; STD AND .010 OVERSIZE DIAMETERS, UNS S41600/UNS S41623	2009	SAE	0
16863	AS3585A	(R) PIN AND PLUG, EXPANSION, SET OF PARTS CRES, 416 OR 416SE, STD AND .010 OVERSIZE DIAMETERS, SHORT, UNS S41600/UNS S41623	2009	SAE	0
16864	AS3586A	(R) PIN AND PLUG, EXPANSION, SET OF PARTS CRES, 303, LONG, UNS S30300	2009	SAE	0
16865	AS3587A	(R) PIN AND PLUG, EXPANSION, SET OF PARTS, STD AND .010 OVERSIZE DIAMETERS, CRES 303, SHORT, UNS S30300	2009	SAE	0
16866	AS3588A	(R) PIN AND PLUG, EXPANSION, SET OF PARTS AL ALLOY 2024-T4 AND 2024-T351, SHORT; STD AND .010 OVERSIZE DIAMETERS, UNS A92024	2009	SAE	0
16867	AS3655	CABLE, SAFETY, NICKEL ALLOY, CORROSION RESISTANT - UNS N06625	2009	SAE	0
16868	AS3658A	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, COBALT-NICKEL ALLOY, UNS R30159, 260 KSI MIN	2009	SAE	0
16869	AS39029-108A	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SOCKET, SINGLE WIRE	2009	SAE	0
16870	AS39029-109A	CONTACTS, ELECTRICAL CONNECTOR PIN, CRIMP REMOVABLE SOCKET, MULTIPLE WIRES	2009	SAE	0
16871	AS39029-73A	(R) CONTACTS, ELECTRICAL CONNECTORS, SOCKET, SOLDER, REMOVABLE, SHIELDED, SIZE 12 (FOR MIL-DTL- 83723 SERIES III, MIL-DTL-26482 SERIES 2, MIL-DTL-83733, AND MIL-DTL-83527 CONNECTORS)	2009	SAE	0
16872	AS39029-74A	(R) CONTACTS, ELECTRICAL CONNECTORS, PIN, SOLDER, REMOVABLE, SHIELDED, SIZE 12 (FOR MIL-DTL-83723 SERIES III, MIL-DTL-26482 SERIES 2, MIL-DTL-83733 AND MIL-DTL-83527 CONNECTORS)	2009	SAE	0
16873	AS39029-69A	(R) CONNECTOR CONTACT, ELECTRICAL SOCKET, CRIMP REMOVABLE, FOR AS85028 CONNECTORS	2009	SAE	0

16874	AS39029-47A	(R) CONTACTS, ELECTRICAL CONNECTOR, PIN CRIMP REMOVABLE (FOR MIL-C-81511 SERIES 1 & 2 CONNECTORS)	2009	SAE	0
16875	AS39029-16A	(R) CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (FOR MIL-C-81511 SERIES 4 CONNECTORS)	2009	SAE	0
16876	AS39029-70A	(R) CONNECTOR CONTACT, ELECTRICAL PIN, CRIMP REMOVABLE, FOR AS85028 CONNECTORS	2009	SAE	0
16877	AS39029-79A	NULL	2009	SAE	0
16878	AS39029-80A	(R) CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED (FOR MIL-DTL-28748/10 CONNECTORS)	2009	SAE	0
16879	AS39029-87A	(R) CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, THERMOCOUPLE (FOR MIL-DTL-38999 SERIES I, II, III, AND IV, MIL-DTL-24308, AND MIL-DTL-83733)	2009	SAE	0
16880	AS39029-88A	(R) CONTACTS, ELECTRICAL CONNECTOR SOCKET, CRIMP REMOVABLE, THERMOCOUPLE (FOR MIL-DTL-38999 SERIES I, III, IV CONNECTORS)	2009	SAE	0
16881	AS39029-89A	(R) CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE (THERMOCOUPLE FOR MIL-DTL-38999 SERIES II, MIL-DTL-83733, AND MIL-DTL-24308 CONNECTORS)	2009	SAE	0
16882	AS4300B	FITTING ASSEMBLY, CAP, FLARELESS PROTECTIVE CLOSURE, LOW PRESSURE	2009	SAE	0
16883	AS42701	Validation Methods For MIL-STD-1760D Mission Stores	2009	SAE	0
16884	AS4370D	NUT, FITTING, RETAINED	2009	SAE	0
16885	AS4309C	FITTING, NIPPLE, FLARED TUBE TO PIPE THREAD, FOR SEAL RING	2009	SAE	0
16886	AS4506B	Bolts and Screws, Steel, UNS S66286 Tensile Strength 160 ksi, Procurement Specification	2009	SAE	0
16887	AS5169A	FITTING, PORT PLUG AND BLEEDER	2009	SAE	0
16888	AS5127-1B	Aerospace Standard Test Methods for Aerospace Sealants Two-Component Synthetic Rubber Compounds	2009	SAE	0
16889	AS4862A	FITTING, PLUG, PIPE, EXTERNAL THREAD, HEX HEAD	2009	SAE	0
16890	AS4696A	FITTING, SLEEVE, FLARELESS, NONREDUCER AND REDUCER, SHORT ACORN TO WELD TUBE END	2009	SAE	0
16891	AS4678C	NUT, BULKHEAD, SHORT FLARELESS	2009	SAE	0
16892	AS4684C	FITTING ASSEMBLY, ELBOW, 45â °, FLARELESS AND SHORT FLARELESS, REDUCER, RETAINED NUT	2009	SAE	0
16893	AS4687D	FITTING ASSEMBLY, ELBOW, 90â °, FLARELESS AND SHORT FLARELESS, REDUCER, RETAINED NUT	2009	SAE	0
16894	AS4692E	FITTING ASSEMBLY, TEE, FLARELESS AND SHORT FLARELESS, REDUCER, RETAINED NUT ON SIDE	2009	SAE	0
16895	AS4623D	Hose Assembly, Polytetrafluoroethylene, Para-Aramid Reinforced, 3000 psi, 275 Degrees F, Heavy Duty, Aircraft Hydraulic Systems	2009	SAE	0
16896	AS4626D	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PARA ARAMID REINFORCED, HEAVY-DUTY, 275 â_°F, 3000 PSI FLARELESS TITANIUM FITTINGS, INCLUDING JUMP SIZE, STRAIGHT TO 90â °	2009	SAE	0
16897	AS4627D	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PARA ARAMID REINFORCED, HEAVY-DUTY, 275 â_°F, 3000 PSI FLARELESS TITANIUM FITTINGS, INCLUDING JUMP SIZE, 45â ° TO 45â °	2009	SAE	0
16898	AS4628D	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PARA ARAMID REINFORCED, HEAVY-DUTY, 275 â_°F, 3000 PSI FLARELESS TITANIUM FITTINGS, INCLUDING JUMP SIZE, 45â ° TO 90â °	2009	SAE	0
16899	AS4629D	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PARA ARAMID REINFORCED, HEAVY-DUTY, 275 DEGREE F, 3000 PSI FLARELESS, TITANIUM FITTINGS, INCLUDING JUMP SIZE, 90 DEGREES TO 90 DEGREES	2009	SAE	0
16900	AS4624D	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PARA ARAMID REINFORCED, HEAVY-DUTY, 275 DEGREE F, 3000 PSI FLARELESS TITANIUM FITTINGS, INCLUDING JUMP SIZE, STRAIGHT TO STRAIGHT	2009	SAE	0
16901	AS4625D	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PARA ARAMID REINFORCED, HEAVY-DUTY, 275 â_°F, 3000 PSI FLARELESS TITANIUM FITTINGS, INCLUDING JUMP SIZE, STRAIGHT TO 45â °	2009	SAE	0
16902	AS5235B	FITTING, SLEEVE, COUPLING, FLARELESS	2009	SAE	0
16903	AS5238A	FITTING, ADAPTER, FLARELESS TO FLARED	2009	SAE	0
16904	AS5239A	FITTING, ADAPTER, BULKHEAD, FLARELESS TO FLARED	2009	SAE	0

16905	AS5233A	FITTING ASSEMBLY, CAP, FLARELESS	2009	SAE	0
16906	AS5232A	FITTING, ADAPTER, REDUCER, PORT TO FLARELESS	2009	SAE	0
16907	AS5242A	FITTING, ELBOW, 45 DEGREES, BULKHEAD, FLARELESS TO FLARED	2009	SAE	0
16908	AS5241A	FITTING, ELBOW, 90 DEGREES, BULKHEAD, FLARED TO FLARELESS	2009	SAE	0
16909	AS5231A	FITTING, PLUG, TUBE END, FLARELESS	2009	SAE	0
16910	AS5230A	FITTING, UNION AND REDUCER, FLARELESS	2009	SAE	0
16911	AS5172B	(R) FITTING, ADAPTER, PORT, REDUCER	2009	SAE	0
16912	AS5174E	FITTING, UNION AND REDUCER, FLARED	2009	SAE	0
16913	AS5193A	FITTING, CROSS, INTERNAL STRAIGHT THREAD PORT	2009	SAE	0
16914	AS5240A	FITTING, ELBOW, 90 DEGREES, BULKHEAD, FLARELESS TO FLARED	2009	SAE	0
16915	AMS2249G	Chemical Check Analysis Limits Titanium and Titanium Alloys	2009	SAE	0
16916	AS5587B	CLAMP, LOOP, PLAIN, SUPPORT, AIRCRAFT	2009	SAE	0
16917	AS5692A	(R) ARC Fault Circuit Breaker (AFCB), Aircraft, Trip-Free Single Phase and Three Phase 115 VAC, 400 Hz - Constant Frequency	2009	SAE	0
16918	AS5658	Platform/Subsystem Common Interface Control Document Format	2009	SAE	0
16919	AS5669A	(R) JAUS / SDP Transport Specification	2009	SAE	0
16920	AS5528A	Lubricant Application, Solid Film, Heat Cured, Corrosion Inhibiting	2009	SAE	0
16921	AS5728	PACKING, PREFORMED, O-RING MOLDED FROM AMS7268 MATERIAL	2009	SAE	0
16922	AS5752	Aerospace - Visual Inspection Standard for Elastomeric Sealing Elements Other than O-Rings	2009	SAE	0
16923	AS5804A	FITTING ASSEMBLY, TEE, FEMALE FLARELESS AND AXIALLY SWAGED ON THE RUN, AXIALLY SWAGED ON THE BRANCH, HYDRAULIC, 3000 PSI	2009	SAE	0
16924	AS5808B	FITTING ASSEMBLY, TEE FEMALE FLARELESS AND AXIALLY SWAGED ON THE RUN, FEMALE FLARELESS ON THE BRANCH, HYDRAULIC, 3000 PSI	2009	SAE	0
16925	AS5807A	FITTING ASSEMBLY, TEE, AXIALLY SWAGED ON THE RUN, MALE FLARELESS ON THE BRANCH HYDRAULIC, 3000 PSI	2009	SAE	0
16926	AS5860A	Retainers, (Back-Up Rings), Hydraulic and Pneumatic, Polytetrafluoroethylene Resin, Single Turn, Static Gland	2009	SAE	0
16927	AS5974C	FITTING ASSEMBLY, STRAIGHT, FEMALE FLARELESS, AXIALLY SWAGED, HYDRAULIC, 5080 PSI	2009	SAE	0
16928	AS5977A	(R) FITTING ASSEMBLY, 90 DEGREES, MALE FLARELESS, AXIALLY SWAGED, HYDRAULIC, 5080 PSI	2009	SAE	0
16929	AS5972D	(R) FITTING ASSEMBLY, TEE, AXIALLY SWAGED, HYDRAULIC, 5080 PSI	2009	SAE	0
16930	AS5964A	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE CRES BRAID REINFORCED, 400 DEGREES F, 5080 PSI FLARELESS, 45 DEGREES ELBOW TO 45 DEGREES ELBOW	2009	SAE	0
16931	AS5965A	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE CRES BRAID REINFORCED, 400 DEGREES F, 5080 PSI FLARELESS, 45 DEGREES ELBOW TO 90 DEGREES ELBOW	2009	SAE	0
16932	AS5966A	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE CRES BRAID REINFORCED, 400 DEGREE F, 5080 PSI FLARELESS, 90 DEGREES ELBOW TO 90 DEGREES ELBOW	2009	SAE	0
16933	AS5961A	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE CRES BRAID REINFORCED, 400 DEGREES F, 5080 PSI FLARELESS, STRAIGHT TO STRAIGHT	2009	SAE	0
16934	AS5962A	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE CRES BRAID REINFORCED, 400 DEGREE F, 5080 PSI FLARELESS, STRAIGHT TO 45 DEGREES ELBOW	2009	SAE	0
16935	AS5963A	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE CRES BRAID REINFORCED, 400 DEGREE F, 5080 PSI FLARELESS, STRAIGHT TO 90 DEGREES ELBOW	2009	SAE	0
16936	AS6009	JAUS Mobility Service Set	2009	SAE	0
16937	AS6041	FITTING, TEE, STANDARD AND REDUCER, BULKHEAD ON RUN, INTERNAL PORT ON SIDE, FLARELESS, PRECISION TYPE	2009	SAE	0

16938	AS6042	FITTING, TEE, STANDARD AND REDUCER, BULKHEAD AND INTERNAL PORT ON RUN, FLARELESS, PRECISION TYPE	2009	SAE	0
16939	AS6039D	(R) Bearings, Ball, Rod End, Double Row, Self-Aligning	2009	SAE	0
16940	AS603B	Impulse Testing of Hydraulic Hose, Tubing, and Fitting Assemblies	2009	SAE	0
16941	AS6050	FITTING, ELBOW, 45 DEGREES, STANDARD AND REDUCER, BULKHEAD, FLARELESS, PRECISION TYPE	2009	SAE	0
16942	AS6049	FITTING, TEE, STANDARD AND REDUCER, BULKHEAD ON SIDE, FLARELESS, PRECISION TYPE	2009	SAE	0
16943	AS7458A	(R) Studs, Steel, Low Alloy, Heat Resistant Normalized and Tempered, Roll Threaded 135 000 psi Tensile Strength	2009	SAE	0
16944	AMS2412J	Plating, Silver Copper Strike, Low Bake	2009	SAE	0
16945	AS7460A	Bolts and Screws, Titanium Alloy 6.0Al 4.0V Procurement Specification For	2009	SAE	0
16946	AS7459B	Bolts and Screws, Steel UNS K14675 Tensile Strength 195 ksi Fatigue and Stress-Rupture Rated Procurement Specification	2009	SAE	0
16947	AS7452A	(R) Bolts and Screws, Steel, Low Alloy Heat Treated, Roll Threaded	2009	SAE	0
16948	AS7454A	(R) Bolts and Screws, Steel, Low Alloy, Heat Resistant 135 000 psi Tensile Strength, Normalized and Tempered, Roll Threaded	2009	SAE	0
16949	AS7455A	(R) Bolts and Screws, Steel, Low Alloy, Heat Resistant Hardened and Tempered, Roll Threaded - UNS K14675	2009	SAE	0
16950	AS7108C	NADCAP Audit Criteria for Chemical Processing	2009	SAE	0
16951	AS7109B	NADCAP Requirements for Coatings	2009	SAE	0
16952	AS7108-1B	National Aerospace and Defense Contractors Accreditation Program Requirements for Painting and Dry Film Coatings	2009	SAE	0
16953	AS7928-4A	(R) TERMINALS, LUG AND SPLICES, CONDUCTOR, CRIMP STYLE, COPPER TERMINAL, LUG, INSULATED, RING TONGUE, BELL-MOUTHED, TYPE II, CLASS 1 (FOR 150?C TOTAL CONDUCTOR TEMPERATURE)	2009	SAE	0
16954	AS7928-13	TERMINALS, LUG AND SPLICES, CONDUCTOR, CRIMP STYLE, COPPER TERMINAL, LUG, INSULATED, TIN WHISKER RESISTANT, RING TONGUE, BELL-MOUTHED, TYPE II, CLASS 1 (FOR 150?C TOTAL CONDUCTOR TEMPERATURE)	2009	SAE	0
16955	AS7482B	Studs, Corrosion and Heat Resistant Steel, UNS S66286 Tensile Strength 130 ksi 1800 °F Solution Heat Treated, Aged Before Roll Threading Procurement Specification	2009	SAE	0
16956	AMS2419C	(R) PLATING, CADMIUM-TITANIUM	2009	SAE	0
16957	J1229	Truck Identification Terminology	2009	SAE	0
16958	J1261	Agricultural Tractor Tire Dynamic Indices	2009	SAE	0
16959	J1273	Recommended Practices for Hydraulic Hose Assemblies	2009	SAE	0
16960	J1281	(R) Operator Sound Pressure Level Exposure Measurement Procedure for Powered Recreational Craft	2009	SAE	0
16961	J1339	(R) Test Method for Measuring Performance of Engine Cooling Fans	2009	SAE	0
16962	J1326	(R) Test Method for Measuring Wet Color Transfer Characteristics	2009	SAE	0
16963	J1323	Standard Classification System for Fiberboards	2009	SAE	0
16964	J1318	Gaseous Discharge Warning Lamp for Authorized Emergency, Maintenance, and Service Vehicles	2009	SAE	0
16965	AMS2658C	Hardness and Conductivity Inspection of Wrought Aluminum Alloy Parts	2009	SAE	0
16966	J1368	Child Restraint Anchorages and Attachment Hardware	2009	SAE	0
16967	J1449	Small Craft - Graphic Symbols	2009	SAE	0
16968	J1450	Air Brake Actuator Diaphragm Test Procedure	2009	SAE	0
16969	J1453	FITTING - O-RING FACE SEAL	2009	SAE	0
16970	J1469	Air Brake Actuator Test Procedure, Truck-Tractor, Bus, and Trailers	2009	SAE	0
16971	J1459	V-Ribbed Belts and Pulleys	2009	SAE	0
16972	J1508	Hose Clamp Specifications	2009	SAE	0
16973	J1598	Laboratory Testing of Vehicle and Industrial Heat Exchangers for Durability Under Vibration-Induced Loading	2009	SAE	0

16974	J1562	Selection of Zinc and Zinc-Alloy (Hot-Dipped and Electrodeposited) Coated Steel Sheet	2009	SAE	0
16975	J1542	Laboratory Testing of Vehicle and Industrial Heat Exchangers for Thermal Cycle Durability	2009	SAE	0
16976	J1611	Operator Controls - Horizontal Earthboring Machines	2009	SAE	0
16977	J1626-1	Recommended Practice for Braking, Stability, and Control Performance Test Procedure for Air-Brake-Equipped Truck-Tractors	2009	SAE	0
16978	AMS2755F	Nitriding, Molten Salt Bath	2009	SAE	0
16979	J17	LATEX FOAM RUBBERS	2009	SAE	0
16980	AMS2759-1E	Heat Treatement of Carbon and Low-Alloy Steel Parts Minimum Tensile Strength Below 220 ksi (1517 MPa)	2009	SAE	0
16981	J1674	Early Acquisition and Preservation of Information in a Motor Vehicle Crash	2009	SAE	0
16982	J1677	Tests and Procedures for Carbon Steel and Low Alloy Steel Tubing	2009	SAE	0
16983	AMS2769B	Heat Treatment of Parts in a Vacuum	2009	SAE	0
16984	AMS2759-9D	Hydrogen Embrittlement Relief (Baking) of Steel Parts	2009	SAE	0
16985	J1739	(R) Potential Failure Mode and Effects Analysis in Design (Design FMEA), Potential Failure Mode and Effects Analysis in Manufacturing and Assembly Processes (Process FMEA)	2009	SAE	0
16986	J1843	Accelerator Pedal Position Sensor for Use with Electronic Controls in Medium- and Heavy-Duty Vehicle Applicationsâ Truck and Bus	2009	SAE	0
16987	J187	Truck Vehicle Identification Numbers	2009	SAE	0
16988	J1911	Test Procedure for Air Reservoir Capacity - Truck and Bus	2009	SAE	0
16989	J2030	Heavy-Duty Electrical Connector Performance Standard	2009	SAE	0
16990	J1942	Hose and Hose Assemblies for Marine Applications	2009	SAE	0
16991	J218	Passenger Car Identification Terminology	2009	SAE	0
16992	J2174	Heavy-Duty Wiring Systems for Trailers 2032 mm or More in Width	2009	SAE	0
16993	J2120	Personal Watercraft - Electrical Systems	2009	SAE	0
16994	J2121	Requirements for Composite Lighting Assemblies Used on Construction and Industrial Machinery	2009	SAE	0
16995	J2130	Self-Propelled Sweepers and Cleaning Equipment	2009	SAE	0
16996	J2044	(R) Quick Connect Coupling Specification for Liquid Fuel and Vapor/Emissions Systems	2009	SAE	0
16997	J2074	The Air Bag Systems in Your Car What the Public Needs to Know	2009	SAE	0
16998	J2271	Ship Systems and Equipmentâ Part Standard for Studsâ Continuous and Double End (Inch Series)	2009	SAE	0
16999	AMS3025C	Polyalkylene Glycol Heat Treat Quenchant	2009	SAE	0
17000	J2337-1	Connections for Fluid Power and High Pressure Use-Ports, Stud Ends, and Plugs with ISO 261 Threads and O-Ring Sealing-Part 1: Ports with Recessed Conical Seat Requirements, Dimensions, Design, and Test Methods (Stabilized Type)	2009	SAE	0
17001	J2392	Categorization and Properties of SAE Cold Rolled Strip Steels	2009	SAE	0
17002	J2377	Test Procedure for Air Supply of Truck-Tractors and Towing Trucks	2009	SAE	0
17003	AMS3046F	Magnetic Particles, Fluorescent Wet Method, Oil Vehicle, Aerosol Packaged	2009	SAE	0
17004	J2470	Hydraulic Fluid Powerâ Valvesâ Method for Assessing the Lock Sensitivity to Contaminants	2009	SAE	0
17005	J2464	(R) Electric and Hybrid Electric Vehicle Rechargeable Energy Storage System (RESS) Safety and Abuse Testing	2009	SAE	0
17006	J2540-2	ITIS Phrase Lists (International Traveler Information Systems)	2009	SAE	0
17007	J2552	Push-On Hose and Mating Hose Fittings (Stabilized Type)	2009	SAE	0
17008	J2530	Aftermarket Wheelsâ Passenger Cars and Light Truckâ Performance Requirements and Test Procedures	2009	SAE	0
17009	J2570	(R) Performance Specifications for Anthropomorphic Test Device Transducers	2009	SAE	0
17010	J2578	Recommended Practice for General Fuel Cell Vehicle Safety	2009	SAE	0
17011	J2725	Road Vehiclesâ Friction Materialsâ Elastic Properties Measurements	2009	SAE	0

17012	J2694	Anti-Noise Brake Pads Shims: T-pull Test	2009	SAE	0
17013	J2613	Welded Flash Controlled, High Strength (500 MPa Tensile Strength) Low Alloy Steel Hydraulic Tubing, Sub-Critically Annealed for Bending, Double Flaring, and Bending	2009	SAE	0
17014	J2614	Welded and Cold-Drawn, High Strength (500 MPa Tensile Strength) Low Alloy Steel Hydraulic Tubing, Sub-Critically Annealed for Bending and Flaring	2009	SAE	0
17015	J2645	Liquefied Natural Gas (LNG) Vehicle Metering and Dispensing Systemsâ Truck and Bus	2009	SAE	0
17016	J2627	Braking System Definitionsâ Truck and Bus	2009	SAE	0
17017	J2735	Dedicated Short Range Communications (DSRC) Message Set Dictionary	2009	SAE	0
17018	J2746	Software Assessment Repository	2009	SAE	0
17019	J2784	FMVSS Inertia Dynamometer Test Procedure for Vehicles Below 4540 kg GVWR	2009	SAE	0
17020	J2786	Automotive Brake Noise and Vibration Standard Nomenclature	2009	SAE	0
17021	J2766	Life Cycle Analysis to Estimate the CO2-Equivalent Emissions from MAC Operation	2009	SAE	0
17022	J2806	Off-Vehicle Brake Testing for Service Brakes Over 10 000 lb GVWâ Air, Hydraulic, and Mechanical Actuation	2009	SAE	0
17023	J2832	Welded Flash Controlled, High Strength (690 MPa Tensile Strength) Low Alloy Steel Hydraulic Tubing, Stress Relieved Annealed for Bending and Double Flaring	2009	SAE	0
17024	J2833	Welded and Cold-Drawn, High Strength (690 MPa Tensile Strength) Low Alloy Steel Hydraulic Tubing, Stress Relieved Annealed for Bending and Flaring	2009	SAE	0
17025	J2816	Guide for Reliability Analysis Using the Physics-of-Failure Process	2009	SAE	0
17026	J2856	Users Manual for the 50th Percentile Male Hybrid III Dummy	2009	SAE	0
17027	J2876	Low Speed Knee Slider Test Procedure for the Hybrid III 50th Male Dummy	2009	SAE	0
17028	J2884	Thermoset Elastomer Specification System	2009	SAE	0
17029	J3000	Thermoplastic Elastomer Classification System	2009	SAE	0
17030	J299	Stopping Distance Test Procedure	2009	SAE	0
17031	AMS3138-4C	Coating Material, Fluorocarbon (FKM) Elastomeric Anti-Static Topcoating, Black	2009	SAE	0
17032	AMS3138-5C	NULL	2009	SAE	0
17033	AMS3138-3C	Coating Material, Fluorocarbon (FKM) Elastomeric Rain-Erosion Resistant, Color Matched	2009	SAE	0
17034	AMS3138-2C	Coating Material, Fluorocarbon (FKM) Elastomeric Rain-Erosion and Thermal-Flash Resistant, White	2009	SAE	0
17035	AMS3138-1C	NULL	2009	SAE	0
17036	J381	(R) Windshield Defrosting Systems Test Procedure and Performance Requirementsâ__Trucks, Buses, and Multipurpose Vehicles	2009	SAE	0
17037	J322	Nonmetallic Trim Materialsâ Test Method for Determining the Staining Resistance to Hydrogen Sulfide Gas	2009	SAE	0
17038	J323	Test Method for Determining Cold Cracking of Flexible Plastic Materials	2009	SAE	0
17039	AMS3138-6C	Coating Material, Fluorocarbon (FKM) Elastomeric Anti-Static Topcoating, Color Matched	2009	SAE	0
17040	J44	(R) Service Brake System Performance Requirements - Snowmobiles	2009	SAE	0
17041	J441	Cut Wire Shot	2009	SAE	0
17042	AMS3151C	Fluid, Aircraft Compass	2009	SAE	0
17043	J403	Chemical Compositions of SAE Carbon Steels	2009	SAE	0
17044	J404	Chemical Compositions of SAE Alloy Steels	2009	SAE	0
17045	J406	Methods of Determining Hardenability of Steels	2009	SAE	0
17046	AMS3158C	(R) Solution, Fluorescent Penetrant Water Base for LOX Compatibility	2009	SAE	0
17047	J45	Brake System Test Procedureâ Snowmobiles	2009	SAE	0
17048	AMS3157D	Oil Fluorescent Penetrant High Fluorescence, Solvent Soluble	2009	SAE	0
17049	J592	Sidemarker Lamps for Use on Road Vehicles Less than 2032 mm in Overall Width	2009	SAE	0

17050	J551-12	Vehicle Electromagnetic Immunityâ__On-Board Transmitter Simulation	2009	SAE	0
17051	J551-13	Vehicle Electromagnetic Immunity - Bulk Current Injection	2009	SAE	0
17052	J551-15	Vehicle Electromagnetic Immunity - Electrostatic Discharge (ESD)	2009	SAE	0
17053	J563	(R) Standard for 12 Volt Cigarette Lighters, Power Outlets, and Accessory Plugs	2009	SAE	0
17054	J560	Primary and Auxiliary Seven Conductor Electrical Connector for Truck-Trailer Jumper Cable	2009	SAE	0
17055	J645	(R) Automotive Transmission Terminology	2009	SAE	0
17056	J689	Curbstone Clearance, Approach, Departure, and Ramp Breakover Anglesâ__Passenger Car and Light Truck	2009	SAE	0
17057	J709	Agricultural Tractor Tire Loadings, Torque Factors, and Inflation Pressures	2009	SAE	0
17058	J711	Tire Selection Tables for Agricultural Tractors of Future Design, Recommended Practice - March 1991 (ASAE S220.4)	2009	SAE	0
17059	AMS3197L	Sponge, Chloroprene (CR) Rubber Soft	2009	SAE	0
17060	AMS3201L	Butadiene Acrylonitrile (NBR) Rubber Dry Heat Resistant 35 - 45	2009	SAE	0
17061	AMS3202M	Butadiene Acrylonitrile (NBR) Rubber Dry Heat Resistant 55 - 65	2009	SAE	0
17062	J817	Engineering Design Serviceability Guidelinesâ__Construction and Industrial Machineryâ__Maintainability Indexâ__Off-Road Work Machines	2009	SAE	0
17063	J817-1	Engineering Design Serviceability Guidelines - Construction and Industrial Machinery - Serviceability Definitions - Off-Road Work Machines, Information Report	2009	SAE	0
17064	J817-2	Engineering Design Serviceability Guidelines - Construction and Industrial Machinery - Maintainability Index - Off-Road Work Machines, Information Report - March 1991	2009	SAE	0
17065	J819	Engine Cooling System Field Test (Air-to-Boil)	2009	SAE	0
17066	J80	AUTOMOTIVE RUBBER MATS	2009	SAE	0
17067	J800	Motor Vehicle Seat Belt Assembly Installations	2009	SAE	0
17068	J79	Brake Disc and Drum Thermocouple Installation	2009	SAE	0
17069	J745	Hydraulic Power Pump Test Procedure	2009	SAE	0
17070	J746	Hydraulic Motor Test Procedures	2009	SAE	0
17071	J754	Lubricant Typesâ__Construction and Industrial Machinery	2009	SAE	0
17072	J755	Marine Propeller-Shaft Ends and Hubs, Standard;	2009	SAE	0
17073	J905	Fuel Filter Test Methods	2009	SAE	0
17074	J914	Side Turn Signal Lamps for Vehicles Less than 12 m in Length	2009	SAE	0
17075	J949	Test Method for Determining Stiffness of Interior Trim Materials and Substrates by a Three Point Bending Test	2009	SAE	0
17076	J947	Glossary of Fiberboard Terminology	2009	SAE	0
17077	J972	Moving Rigid Barrier Collision Tests (Stabilized Type)	2009	SAE	0
17078	AMS3204M	Rubber Synthetic Low-Temperature Resistant 25 - 35	2009	SAE	0
17079	J852	Front Cornering Lamps for Use on Motor Vehicles	2009	SAE	0
17080	J853	Vehicle Identification Numbers	2009	SAE	0
17081	J855	Test Method of Stretch and Set of Textiles and Plastics	2009	SAE	0
17082	J850	Fixed Rigid Barrier Collision Tests (Stabilized Type)	2009	SAE	0
17083	J860	Test Method for Measuring Mass (Weight) of Organic Trim Materials	2009	SAE	0
17084	J884	Liquid Ballast Table for Drive Tires of Agricultural Tractors, Recommended Practice - (ASAE S346.1)	2009	SAE	0
17085	MA1565B	Inserts, Screw Thread, Helical Coil Metric Series Procurement Specification For	2009	SAE	0
17086	JA1011	(R) Evaluation Criteria for Reliability-Centered Maintenance (RCM) Processes	2009	SAE	0
17087	J994	Alarm-Backup-Electric Laboratory Performance Testing	2009	SAE	0
17088	J975	Headlamps for Agricultural Equipment	2009	SAE	0

17089	MA2078B	Test Methods, Hose Assemblies, Polytetrafluoroethylene (PTFE), Metric	2009	SAE	0
17090	AMS3260C	Ethylene-Propylene-Diene (EPDM) Rubber General Purpose 45 - 55	2009	SAE	0
17091	MA3367B	BOLT, MACHINE-SPLINE DRIVE HEAD, DRILLED, PD SHANK-LONG THREAD AMS6322, CADMIUM PLATED, METRIC	2009	SAE	0
17092	MA3339B	BOLT, MACHINE-SPLINE EXTENDED WASHER, PD SHANK, LONG THREAD, AMS6322, CADMIUM PLATED, METRIC	2009	SAE	0
17093	MA3289B	BOLT, MACHINE-HEX HEAD-PD SHANK MJ THREAD, AMS6322, CADMIUM PLATE, METRIC	2009	SAE	0
17094	AMS3232N	Asbestos and Synthetic Rubber Sheet Hot Oil Resistant	2009	SAE	0
17095	MA5405-1A	(R) SPLICE, FIBER OPTIC, AEROSPACE INTER-CONNECT, GRADED INDEX 100/140/172 CABLE SIZE	2009	SAE	0
17096	USCAR-34	SPECIFICATION FOR TESTING AUTOMOTIVE LAMP ASSEMBLIES	2009	SAE	0
17097	USCAR-12	Wiring Component Design Guidelines - Revision 3	2009	SAE	0
17098	AMS3332E	Silicone Rubber Extreme Low-Temperature Resistant 15 - 30	2009	SAE	0
17099	AMS3325E	(R) Fluorosilicone (FVMQ) Rubber Fuel and Oil Resistant 55 - 65	2009	SAE	0
17100	AMS3334E	Silicone Rubber Extreme Low-Temperature Resistant 35 - 45	2009	SAE	0
17101	AMS3307D	Rubber, Silicone (VMQ) Low Compression Set, Non-Oil-Resistant 65 - 75	2009	SAE	0
17102	AMS3275C	Sheet, Acrylonitrile Butadiene (NBR) Rubber and Non-Asbestos Fiber Fuel and Oil Resistant	2009	SAE	0
17103	USCAR-38	PERFORMANCE SPECIFICATION FOR ULTRASONICALLY WELDED WIRE/CABLE TERMINATION	2009	SAE	0
17104	AMS3353	Rubber: Fluorocarbon Elastomer (FKM) 70 to 80 Hardness, Low Temperature Sealing Tg -40 Degree F (-40 Degree C) For Elastomeric Parts in Aircraft Engine Oil, Fuel and Hydraulics Systems	2009	SAE	0
17105	AMS3327D	Fluorosilicone (FVMQ) Rubber High Temperature Fuel and Oil Resistant 70 - 80	2009	SAE	0
17106	AMS3412F	Flux, Aluminum Brazing For Torch or Furnace Brazing	2009	SAE	0
17107	AMS3371A	Silicone Resin, Elastomeric, Opaque Room Temperature Cure	2009	SAE	0
17108	AMS3376B	(R) Sealing Compound, Non-Curing, Fluorosilicone Groove Injection Temperature and Fuel Resistant	2009	SAE	0
17109	AIR1589A	(R) Aircraft Damage Caused by Ground Support Equipment	2009	SAE	0
17110	AMS3690C	Adhesive Compound, Epoxy Room Temperature Curing	2009	SAE	0
17111	AMS3625C	Elastomeric Tubing, Electrical Insulation Crosslinked Silicone, Pigmented, Flexible, Heat-Shrinkable 1.750 to 1 Shrink Ratio	2009	SAE	0
17112	AMS3753B	Microspheres, Carbon Hollow	2009	SAE	0
17113	AMS3755C	Powder, Fumed Silicon Dioxide	2009	SAE	0
17114	AMS4079G	Aluminum Alloy, Drawn, Round, Seamless, Tubing 1.0Mg - 0.60Si - 0.28Cu - 0.20Cr (6061-O) Close Tolerance, Annealed - UNS A96061	2009	SAE	0
17115	AMS4068E	Aluminum Alloy, Drawn Seamless Tubing 6.3Cu - 0.30Mn - 0.18Zr - 0.10V - 0.06Ti (2219-T3511) Solution Heat Treated and Stress Relieved by Stretching - UNS A92219	2009	SAE	0
17116	AMS4077G	Aluminum Alloy Sheet and Plate, Alclad One Side 4.4Cu - 1.5Mg - 0.60Mn (Clad One Side 2024-0) Annealed - UNS A82024	2009	SAE	0
17117	AMS4071M	Aluminum Alloy, Drawn, Round, Seamless Hydraulic Tubing 2.5Mg 0.25Cr (5052-O) Annealed - UNS A95052	2009	SAE	0
17118	AMS4070M	Aluminum Alloy, Drawn, Round Seamless Tubing 2.5Mg - 0.25Cr (5052-0) Annealed - UNS A95052	2009	SAE	0
17119	AMS4069E	Aluminum Alloy, Drawn, Round Seamless Tubing Close Tolerance 2.5Mg - 0.25Cr (5052-0) Annealed - UNS A95052	2009	SAE	0
17120	AMS4011D	Aluminum, Foil and Light Gage Sheet 99.45Al (1145-0) Annealed - UNS A91145	2009	SAE	0
17121	AMS4004D	Aluminum Alloy, Foil 2.5Mg - 0.25Cr (5052-H191) Strain Hardened - UNS A95052	2009	SAE	0
17122	AIR1869C	Wide-Body and Standard-Body Aircraft Lower Deck Cargo Compartment ULD Capacities	2009	SAE	0
17123	AMS4115H	Aluminum Alloy, Rolled or Cold-Finished, Bars, Rods, Wire, and Flash Welded Rings Annealed 1.0Mg - 0.60Si - 0.28Cu - 0.20Cr (6061-0) - UNS A96061	2009	SAE	0
17124	AMS4080N	Aluminum Alloy, Drawn Seamless Tubing 1.0Mg - 0.60Si - 0.28Cu - 0.20Cr (6061-O) Annealed - UNS A96061	2009	SAE	0

17125	AMS4140J	Aluminum Alloy Die Forgings 4.0Cu 2.0Ni 0.68Mg (2018-T61) Solution and Precipitation Heat Treated - UNS A92018	2009	SAE	0
17126	AMS4133E	Aluminum Alloy Forgings and Rolled Rings 4.4Cu - 0.85Si - 0.80Mn - 0.50Mg (2014-T6) Solution and Precipitation Heat Treated - UNS A92014	2009	SAE	0
17127	AMS4130M	Aluminum Alloy Die Forgings 4.4Cu 0.85Si 0.80Mn (2025-T6) Solution and Precipitation Heat Treated - UNS A 92025	2009	SAE	0
17128	AMS4125K	Aluminum Alloy Die Forgings, and Rolled or Forged Rings 0.9Si 0.62Mg 0.25Cr (6151-T6) Solution and Precipitation Heat Treated - UNS A 96151	2009	SAE	0
17129	AMS4118L	Aluminum Alloy, Rolled or Cold Finished Bars, Rods, and Wire 4.0Cu - 0.70Mn - 0.60Mg - 0.50Si (2017; -T4, -T451) Solution Heat Treated - UNS A92017	2009	SAE	0
17130	AMS4117J	Aluminum Alloy, Rolled or Cold Finished Bars, Rods, and Wire and Flash Welded Rings 1.0Mg - 0.60Si - 0.28Cu - 0.20Cr (6061; -T6, -T651) Solution and Precipitation Heat Treated - UNS A96061	2009	SAE	0
17131	AMS4116H	Aluminum Alloy, Bars, Rods, and Wire 1.0Mg - 0.60Si - 0.30Cu - 0.20Cr (6061-T4) Cold Finished, Solution Heat Treated and Naturally Aged - UNS A96061	2009	SAE	0
17132	AMS4190J	Aluminum Alloy, Welding Wire 5.2Si (4043) - UNS A94043	2009	SAE	0
17133	AMS4182G	Aluminum Alloy, Wire 5.0Mg - 0.12Mn - 0.12Cr (5056-0) Annealed - UNS A95056	2009	SAE	0
17134	AMS4191J	Aluminum Alloy, Welding Wire 6.3Cu - 0.30Mn - 0.18Zr - 0.15Ti - 0.10V (2319) - UNS A92319	2009	SAE	0
17135	AMS4189H	Aluminum Alloy Welding Wire 4.1 Si -0.20 Mg (4643) - UNS A94643	2009	SAE	0
17136	AMS4241D	Aluminum Alloy Castings 7.0Si - 0.58Mg - 0.15Ti - 0.06Be (D357.0-T6) Solution and Precipitation Heat Treated Dendrite Arm Spacing (DAS) Controlled - UNS A43570	2009	SAE	0
17137	AMS4286F	Aluminum Alloy Castings, Permanent Mold 7.0Si - 0.32Mg (356.0-T51) As-Cast then Precipitation Heat Treated - UNS A03560	2009	SAE	0
17138	AMS4261F	Aluminum Alloy Castings, Investment 7.0Si - 0.32Mg (356.0-T51) Precipitation Heat Treated - UNS A03560	2009	SAE	0
17139	AMS4304B	Aluminum Alloy, Discontinuously Reinforced Sheet 2009/SiC/15w (T8P) Solution Heat Treated, Stretched, and Precipitation Heat Treated	2009	SAE	0
17140	AMS4333C	Aluminum Alloy, Die Forgings 6.2Zn - 2.3Cu - 2.2Mg - 0.12Zr (7050-T7452) Solution Heat Treated, Compression Stress-Relieved, and Overaged - UNS A97050	2009	SAE	0
17141	AMS4460	Aluminum Alloy, Clad Two Sides Sheet 0.6Mg - 0.35Si - 0.28Cu (No. 24 Brazing Sheet) As Fabricated - UNS A86951	2009	SAE	0
17142	AMS4465	Aluminum Alloy, Clad One Side Sheet 0.6Mg - 0.35Si - 0.28Cu (No. 23 Brazing Sheet) As Fabricated - UNS A86951	2009	SAE	0
17143	AMS4412A	Aluminum Alloy, Sheet 3.2Cu 0.52Mg 0.30Ag 0.12Zr (2198-T8) Solution Heat Treated, Cold Worked, and Artificially Aged - UNS A92198	2009	SAE	0
17144	AMS4520K	Leaded Phosphor Bronze Strip 88.5Cu - 4.0Sn - 4.0Pb - 3.0Zn - 0.26P Cold Rolled, Half Hard (HO2) - UNS C54400	2009	SAE	0
17145	AMS4590C	Extrusions, Nickel-Aluminum Bronze, Martensitic 78.5Cu 10.5Al 5.1Ni 4.8Fe Quenched and Tempered (TQ50) - UNS C63020	2009	SAE	0
17146	AIR4150A	Inspection of Inservice Airborne Accumulators for Corrosion and Damage	2009	SAE	0
17147	AMS4554B	Brass Tubing, Seamless 66.5Cu - 33Zn - 0.45Pb Annealed - UNS C33000	2009	SAE	0
17148	AMS4555J	Leaded Brass, Seamless Tubing 66.5Cu - 32.5Zn - 0.48Pb Light Annealed (050) - UNS C33000	2009	SAE	0
17149	AMS4505K	Copper Alloy (Brass), Sheet, Strip, and Plate 70Cu - 30Zn Annealed (OS035) - UNS C26000	2009	SAE	0
17150	AMS4700D	Copper Wire, Bare High Purity - UNS C10100	2009	SAE	0
17151	AMS4701G	Copper Wire, Oxygen-Free 99.95(Cu+Ag) Annealed - UNS C10200	2009	SAE	0
17152	AMS4634B	Aluminum Bronze Bars, Rods, and Forgings 90.5Cu - 7.5Al - 1.9Si Stress Relieved - UNS C64200	2009	SAE	0
17153	AMS4635F	Aluminum Bronze Bars, Rods, and Forgings 87Cu 9Al - 3Fe Stress Relieved - UNS C62300	2009	SAE	0
17154	AMS4720F	Wire, Phosphor Bronze 94Cu 5.0Sn 0.19P Cold Drawn, Spring Temper (H08) - UNS C51000	2009	SAE	0
17155	AMS4785H	Gold-Palladium-Nickel Alloy, Brazing Filler Metal, High Temperature 30Au 34Pd 36Ni 2075 to 2130 Degree F (1135 to 1166 Degree C) Solidus-Liquidus Range - UNS P00300	2009	SAE	0
17156	AMS4786H	Gold-Palladium-Nickel Alloy, Brazing Filler Metal, High Temperature 70Au 8.0Pd 22Ni 1845 to 1915 Degree F (1007 to 1046 Degree C) Solidus-Liquidus Range - UNS P00700	2009	SAE	0

17157	AMS4822F	Bearings, Leaded Bronze 71.5Cu 25Pb 3.0Sn Steel Back	2009	SAE	0
17158	AMS4855G	Leaded Red Brass, Sand and Centrifugal Castings 85Cu 5.0Sn 5.0Pb 5.0Zn As Cast - UNS C83600	2009	SAE	0
17159	AMS4860F	Manganese Bronze, Sand and Centrifugal Castings 58Cu 39Zn 1.2Fe 1.0Al 0.80Mn As Cast - UNS C86500	2009	SAE	0
17160	AMS4845H	Tin Bronze Castings, Sand and Centrifugal 87.5Cu - 10Sn - 2Zn As Cast - UNS C90500	2009	SAE	0
17161	AMS4938A	Forgings, Titanium Alloys Heat-Treated, Finished-Part Properties: Short-Transverse Tensile, Fracture Toughness, and Longitudinal Time-Dependent-Tension	2009	SAE	0
17162	AMS5120M	Steel Strip 0.68 - 0.80C (SAE 1074) - UNS G10740	2009	SAE	0
17163	AMS5077G	Steel Tubing, Welded (0.22 - 0.28C) (SAE 1025) Normalized or Stress Relieved - UNS G10250	2009	SAE	0
17164	AMS5225F	Iron-Nickel Alloy, Strip 49Fe - 5.3Cr - 42Ni - 2.5Ti - 0.55Al Solution Heat Treated, Cold Rolled, 50% Reduction - UNS N09902	2009	SAE	0
17165	AMS5028E	Steel, Welding Wire 1.05Cr 0.55Ni 1.0Mo 0.07V (0.34 0.40C) (D6AC) Vacuum Melted, Environment-Controlled Packaging - UNS K23725	2009	SAE	0
17166	AMS5029D	Steel, Welding Wire 0.78Cr - 1.8Ni - 0.35Mo - 0.20V (0.33 - 0.38C)(4335 Mod) Vacuum Melted, Environment Controlled Packaging - UNS K33517	2009	SAE	0
17167	AMS5042M	Steel, Sheet and Strip 0.15 Carbon, Maximum Forming Grade	2009	SAE	0
17168	AMS5053J	Steel Tubing, Welded 0.13 Carbon, Maximum Annealed - UNS G10100	2009	SAE	0
17169	AMS5061G	Steel, Low Carbon Bars, and Wire 0.08 0.20 - UNS K00802	2009	SAE	0
17170	AMS5062H	Steel, Low Carbon Bars, Forgings, Tubing, Sheet, Strip, and Plate 0.25 Carbon, Maximum - UNS K02508	2009	SAE	0
17171	AMS5355J	Steel, Corrosion Resistant, Investment Castings 16Cr - 4.1Ni - 0.28Cb - 3.2Cu Homogenization and Solution Heat Treated or Homogenization, Solution, and Precipitation Heat Treated - UNS J92200	2009	SAE	0
17172	AMS5362L	Steel, Corrosion and Heat Resistant, Investment Castings 19Cr - 12Ni - 1.0Cb (Nb) Solution Heat Treated - UNS J92811	2009	SAE	0
17173	AMS5352F	Steel, Corrosion-Resistant, Investment Castings 17Cr - 0.55Mo (0.95 - 1.20C) Annealed - UNS J91639	2009	SAE	0
17174	AMS5513J	Steel, Corrosion-Resistant, Sheet, Strip, and Plate 19Cr 9.2Ni (SAE 30304) Solution Heat Treated - UNS S30400	2009	SAE	0
17175	AMS5520G	Steel, Corrosion and Heat-Resistant, Sheet, Strip, Foil, and Plate 15Cr - 7.1Ni - 2.5Mo - 1.1AI Solution Heat Treated, Precipitation Hardenable - UNS S15700	2009	SAE	0
17176	AIR4567B	(R) Composite Electrical Connectors	2009	SAE	0
17177	AMS5597F	Nickel Alloy, Corrosion and Heat Resistant, Sheet, Strip, and Plate 52.5Ni - 19Cr - 3.0Mo - 5.1Cb (Nb) - 0.90Ti - 0.50Al - 18Fe Consumable Electrode or Vacuum Induction Melted - UNS N07718	2009	SAE	0
17178	AMS5560M	Steel, Corrosion Resistant, Seamless Tubing 19Cr - 10Ni (SAE 30304) Solution Heat Treated - UNS S30400	2009	SAE	0
17179	AMS5715F	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 60.5Ni - 23Cr - 14Fe - 1.4Al Annealed - UNS N06601	2009	SAE	0
17180	AMS5675G	Nickel Alloy, Corrosion and Heat Resistant, Welding Wire 70Ni 2.4Mn 15.5Cr 3.0Ti 7.0Fe - UNS N07092	2009	SAE	0
17181	AIR4771A	Recommended Brace Positions	2009	SAE	0
17182	AMS5759L	Cobalt Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 52Co 20Cr 10Ni 15W - UNS R30605	2009	SAE	0
17183	AMS5778H	Nickel Alloy, Corrosion and Heat Resistant, Welding Wire 72Ni 15.5Cr 1.0Cb(Nb) 2.4Ti 0.70Al 7.0Fe - UNS N07069	2009	SAE	0
17184	AMS5771F	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 74Ni 7.0Cr 16.5 Mo Solution Heat Treated - UNS N10003	2009	SAE	0
17185	AMS5791C	Cobalt Alloy, Powder, Plasma Spray 56.5Co 25.5Cr 10.5Ni 7.5W	2009	SAE	0
17186	AMS5839B	Nickel Alloy, Corrosion and Heat-Resistant, Welding Wire 59Ni - 22Cr - 2.0Mo - 14W - 0.35Al - UNS N06231	2009	SAE	0
17187	AMS5836C	Nickel Alloy, Corrosion and Heat-Resistant, Welding Wire 72Ni - 3.0Mn - 20Cr - 2.5Cb(Nb) - UNS N06082	2009	SAE	0
17188	AMS5848D	Steel, Corrosion-Resistant, Bars, Wire, Forgings, Extrusions, Tubing, and Rings Wear and Galling Resistant 8.0Mn 4.0Si 17Cr 8.5Ni 0.13N Solution Heat Treated - UNS S21800	2009	SAE	0
17189	AMS5858D	Steel, Corrosion and Heat Resistant, Sheet, Strip, and Plate 15Cr - 25.5Ni - 1.2Mo - 2.1Ti - 0.006B - 0.30V Multiple Melted, 1800 Ï°F (982 Ï°C) Solution Heat Treated, Welding Grade Precipitation Hardenable - UNS S66286	2009	SAE	0

17190	AIR4869A	Design Considerations for Enclosed Turbofan/Turbojet Engine Test Cells	2009	SAE	0
17191	AMS5812G	Steel, Corrosion and Heat Resistant, Welding Wire 15Cr - 7.1Ni - 2.4Mo - 1.0Al Vacuum Induction Melted - UNS S15789	2009	SAE	0
17192	AIR4827A	Modeling Techniques for Jet Engine Test Cell Aerodynamics	2009	SAE	0
17193	AMS5831C	Alloy, Corrosion and Heat-Resistant, Welding Wire 29Fe - 22Cr - 21Ni - 18.5Co - 3.2Mo - 2.8W - 0.78Ta 0.30Al - 0.05Zr - 0.05La - 0.20N - UNS R30556	2009	SAE	0
17194	AMS5863E	Steel, Corrosion Resistant, Sheet, Strip, and Plate 15Cr - 6.5Ni - 0.75Mo - 0.60Cb - 1.5Cu Solution Heat Treated, Precipitation Hardenable - UNS S45000	2009	SAE	0
17195	AMS5871E	Alloy, Corrosion and Heat-Resistant, Sheet, Strip and Plate 21Cr - 32.5Ni - 0.38Ti - 0.38Al - 45Fe Solution Heat Treated - UNS N08800	2009	SAE	0
17196	AMS5887C	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 54Ni - 22Cr - 12.5Co - 9.0Mo - 1.2Al Consumable Electrode or Vacuum Induction Melted Annealed - UNS N06617	2009	SAE	0
17197	AMS5876D	Cobalt Alloy, Corrosion and Heat-Resistant, Strip 20Cr - 15Ni - 40Co - 7.0Mo - 16Fe Vacuum Induction Plus Consumable Electrode Remelted Solution Heat Treated and Cold Rolled - UNS R30003	2009	SAE	0
17198	AMS5916A	Alloy, Corrosion and Heat-Resistant, Sheet, Strip, and Plate 35Fe - 24Cr - 37Ni - 0.65Cb(Nb) - 0.2N Annealed - UNS N08120	2009	SAE	0
17199	AMS5911B	Steel, Corrosion-Resistant, Sheet and Strip 19Cr - 9.2Ni (SAE 30304) Cold Rolled, 1/2 Hard, 150 ksi (1034 MPa) Tensile Strength - UNS S30400	2009	SAE	0
17200	AMS5912B	Steel, Corrosion-Resistant, Sheet and Strip 19Cr - 9.2Ni (SAE 30304) Cold Rolled, 3/4 Hard, 175 ksi (1207 MPa) Tensile Strength - UNS S30400	2009	SAE	0
17201	AMS5913B	Steel, Corrosion-Resistant, Sheet and Strip 19Cr - 9.2Ni (SAE 30304) Cold Rolled, Full Hard, 185 ksi (1276 MPa) Tensile Strength - UNS S30400	2009	SAE	0
17202	AMS5890E	Nickel, Corrosion and Heat-Resistant, Bars, Forgings, and Extrusions Thoria Dispersion Strengthened 2.2ThO2 Stress-Relieved - UNS N03260	2009	SAE	0
17203	AMS5888C	Nickel Alloy, Corrosion and Heat-Resistant, Plate 54Ni - 22Cr - 12.5Co - 9.0Mo - 1.2Al Annealed - UNS N06617	2009	SAE	0
17204	AMS5895E	Steel, Corrosion and Heat-Resistant, Bars, Wire, Forgings, Tubing, and Rings 15Cr - 25.5Ni - 1.2Mo - 2.1Ti - 0.006B - 0.30V Consumable Electrode Melted, 1750 °F (954 °C) Solution Heat Treated, Welding Grade Precipitation Hardenable - UNS S66286	2009	SAE	0
17205	AMS5884C	Iron-Nickel Alloy, Bars, Forgings, and Rings 42Fe - 37.5Ni - 14Co - 4.8Cb(Nb) - 1.6Ti Solution Heat Treated, Precipitation Hardenable Multiple Melted, High Temperature, Low Expansion - UNS N19909	2009	SAE	0
17206	AMS5894C	Cobalt Alloys, Bars, Sheet, and Plate 60Co 28Cr 4.5W 1.15C Solution Heat Treated	2009	SAE	0
17207	AIR4986A	Engine Electrostatic Gas Path Monitoring	2009	SAE	0
17208	AMS7301H	Steel, Highly-Stressed Springs 0.95Cr - 0.20V (0.48 - 0.53C) (SAE 6150) Case Hardened - UNS G61500	2009	SAE	0
17209	AMS6465D	Wire, Steel Welding 2.0Cr - 10Ni - 8.0Co - 1.0Mo - 0.02Al - 0.06V (0.10 - 0.14C) (HY-180) Vacuum Melted, Environment Controlled Packaging - UNS K91971	2009	SAE	0
17210	AMS7490Q	Rings, Flash Welded Corrosion and Heat-Resistant Austenitic Steels, Austenitic-Type Iron, Nickel or Cobalt Alloys, or Precipitation-Hardenable Alloys	2009	SAE	0
17211	AMS7730F	Depleted Uranium Castings	2009	SAE	0
17212	AMS7819D	Molybdenum Alloy Bars 0.48Ti - 0.09Zr - 0.02C Arc Cast, Stress Relieved - UNS R03640	2009	SAE	0
17213	AMS-I-83387A	(R) Inspection Process, Magnetic Rubber	2009	SAE	0
17214	AMS-QQ-P-416C	Plating, Cadmium (Electrodeposited)	2009	SAE	0
17215	AMS-QQ-A-591A	Aluminum Alloy Die Castings	2009	SAE	0
17216	AMS-QQ-N-290B	Nickel Plating (Electrodeposited)	2009	SAE	0
17217	AMS-QQ-A-250-24B	Aluminum Alloy, 7075, Plate and Sheet (Improved Exfoliation Resistant) (Composition similar to UNS A97075)	2009	SAE	0

17218	AMS-QQ-A-250-25B	Aluminum Alloy, Alclad 7075 Plate and Sheet Improved Exfoliation Resistant (Composition similar to UNS A97075)	2009	SAE	0
17219	AMS-S-7916B	Sealing Compound, Thread and Gasket, Fuel, Oil, and Water Resistant	2009	SAE	0
17220	AIR5478A	U.S. Government Document Retention Status and Non-Government Document Replacement - Aerospace Couplings, Fittings, Hoses, and Tube Supports	2009	SAE	0
17221	AIR5556	Landing Gear Alignment	2009	SAE	0
17222	ARP1311C	(R) Landing Gear Structures and Mechanisms	2009	SAE	0
17223	ARP1313C	(R) Determination of Trace Elements in High Temperature Alloys	2009	SAE	0
17224	ARP1280B	(R) Aerospace - Application Guide for Hydraulic Power Transfer Units	2009	SAE	0
17225	ARP1322B	(R) Overpressurization Release Devices	2009	SAE	0
17226	AIR5558	Ultraviolet (UV) Laser Marking Performance of Aerospace Wire Constructions	2009	SAE	0
17227	ARD6481	TSO for Berthing Divans and Seats with Features that Require the Release of the Occupant Restraint	2009	SAE	0
17228	AIR5504A	Aircraft Inflight Icing Terminology	2009	SAE	0
17229	AIR5493B	Requirements for Development, Implementation and Control of Aerospace Auditor Training	2009	SAE	0
17230	ARP1554D	Vehicle Transport Unit Load Device (ULD)	2009	SAE	0
17231	ARP1590A	Recommended Part Numbering Guidelines for Fluid System Components Inch System of Measurements	2009	SAE	0
17232	ARP1827B	Measuring Aircraft Gas Turbine Engine Fine Fuel Filter Element Performance	2009	SAE	0
17233	AIR5631	Catalog of Landing Gear Systems and Suppliers	2009	SAE	0
17234	ARP1816C	(R) Charger for Battery Powered Ground Support Equipment	2009	SAE	0
17235	ARP1907B	Automatic Braking Systems	2009	SAE	0
17236	AIR5651	History of Commercial Aircraft New Tire Qualification Testing	2009	SAE	0
17237	ARP4387B	Accommodation for Passengers with Ambulatory Disabilities in Transport Category Aircraft Cabins with Seating Capacities Greater than 44	2009	SAE	0
17238	ARP4277A	Placard and Marking Standards for Operation of Inflatable Slides and Slide/Rafts	2009	SAE	0
17239	AIR5670	Issues in Stairway Design Aboard Transport Category Airplanes	2009	SAE	0
17240	AIR5667	Fiber Optic Wavelength Division Multiplexed (WDM) Singlemode Interconnect and Component Standards Mapping for Aerospace Platform Applications Device Level Specification	2009	SAE	0
17241	ARP4191D	Gas Turbine Engine Performance Presentation for Digital Computer Programs Using FORTRAN 77	2009	SAE	0
17242	AIR5654	IEEE-1394b for Military and Aerospace Vehicles Applications Handbook	2009	SAE	0
17243	AIR5689A	Light Transmitting Glass Covers for Exterior Aircraft Lighting	2009	SAE	0
17244	ARP4740	Safety Considerations â Smoking in Lavatories of Transport Aircraft	2009	SAE	0
17245	ARP4378B	Aerospace - Accumulator, Hydraulic, Welded Bellows, Factory Precharged	2009	SAE	0
17246	ARP5130A	Requirements for Alternative Coatings Used in Lieu of Nickel-Chromium Plating for Aerospace Hand Tools	2009	SAE	0
17247	AIR5717	Mitigating Wire Insulation Damage During Processing and Handling	2009	SAE	0
17248	AIR5719	Teaching Points for an Awareness Class on "Critical Issues in Composite Maintenance and Repair"	2009	SAE	0
17249	ARP5265A	Minimum Operational and Maintenance Responsibilities for Aircraft Tire Usage	2009	SAE	0
17250	AIR5715	Procedure for the Calculation of Aircraft Emissions	2009	SAE	0
17251	ARP5598	Unauthorized Laser Illuminations: Pilot Operational Procedures	2009	SAE	0
17252	ARP5483-3A	Rolling Element Bearing Axial and Radial Internal Clearance	2009	SAE	0
17253	ARP5862	Shipping Caps, Covers and Plugs	2009	SAE	0
17254	ARP5672	Aircraft Precipitation Static Certification	2009	SAE	0
17255	ARP5655	Safety Briefings for Passengers in Exit Rows	2009	SAE	0

17256	AIR5800	Tire Prerotation at Landing	2009	SAE	0
17257	ARP6028	Configuration Control for Maintaining Correlation of Gas Turbine Engine Test Cells	2009	SAE	0
17258	ARP6012	JAUS Compliance and Interoperability Policy	2009	SAE	0
17259	AIR6005	General Requirements for WDM Backbone Networks	2009	SAE	0
17260	AIR6004	Optical Networking Terminology	2009	SAE	0
17261	AIR5992	Descriptions of Systems Integration Test Rigs (Iron Birds) For Aerospace Applications	2009	SAE	0
17262	AS115601 THRU AS115650	Screw - Flat Fillister Head, Drilled Shank, .190-32	2009	SAE	0
17263	AS115951 THRU AS116000B	SCREW FLAT FILLISTER, DRILLED HEAD, CADMIUM PLATED, STEEL UNS G87400, 125 KSI MIN .3125-18 UNC 3A	2009	SAE	0
17264	AIR6006	Modeling and Simulation Capabilities for Aerospace WDM LAN Applications	2009	SAE	0
17265	AS138G	(R) HOSE ASSEMBLY, METAL - MEDIUM PRESSURE, FLARELESS, WELDED, STRAIGHT TO 90¡°	2009	SAE	0
17266	AIR1204A	(R) Control of Water Carryover from the Environmental Control System and Condensation on the Structure	2009	SAE	0
17267	AS13341A	Process for Barrier Coating of Anti-Friction Bearings	2009	SAE	0
17268	AS15003C	FITTING, LUBRICATION, HYDRAULIC, SURFACE CHECK, 1/8 PIPE THREADS, STEEL, TYPE III	2009	SAE	0
17269	AS1710D	Coupling, Fuel, Flexible, Variable Cavity, Threaded Type With Ferrules	2009	SAE	0
17270	AS18280-1B	(R) Sleeve, Bite Type, 24? Cone Flareless Fitting, 3000 psi	2009	SAE	0
17271	AS1731C	COUPLING, RIGID, FIXED CAVITY, THREADED FERRULE TYPE TUBE ENDS, ENVELOPE DIMENSIONS DESIGN STANDARD	2009	SAE	0
17272	AS1732E	BODY, COUPLING, RIGID, FIXED CAVITY, THREADED, FERRULE TYPE TUBE ENDS, TYPE I	2009	SAE	0
17273	AS1733E	BODY, COUPLING, RIGID, FIXED CAVITY, THREADED, FERRULE TYPE TUBE ENDS, TYPE II	2009	SAE	0
17274	AS1737C	FERRULE, COUPLING, RIGID, FIXED CAVITY THREADED, FERRULE TYPE TUBE ENDS	2009	SAE	0
17275	AS1738C	NUT ASSEMBLY COUPLING, RIGID, FIXED CAVITY, THREADED FERRULE TYPE TUBE ENDS	2009	SAE	0
17276	AS1734D	NUT, COUPLING, RIGID, FIXED CAVITY, THREADED, FERRULE TYPE TUBE ENDS, TYPE I	2009	SAE	0
17277	AS1735D	NUT, COUPLING, RIGID, FIXED CAVITY, THREADED, FERRULE TYPE TUBE ENDS, TYPE II	2009	SAE	0
17278	AS21153E	BEARING, BALL, ROD END, DOUBLE ROW, PRECISION, INTERNAL THREAD, SELF-ALIGNING, AIRFRAME, TYPE IV, -65 TO 300 DEGREE F	2009	SAE	0
17279	AS21150E	BEARING, BALL, ROD END, DOUBLE ROW, PRECISION, SOLID SHANK, SELF-ALIGNING, AIRFRAME, TYPE I, -65 TO 300 DEGREE F	2009	SAE	0
17280	AS21151E	BEARING, BALL, ROD END, DOUBLE ROW, PRECISION, EXTERNAL THREAD, SELF-ALIGNING, AIRFRAME, TYPE II, -65 TO 300 DEGREES F	2009	SAE	0
17281	AS21909D	TEE, BULKHEAD AND UNIVERSAL, FLARELESS TUBE	2009	SAE	0
17282	AS21910D	TEE, BULKHEAD, FLARELESS TUBE, INTERNAL THREAD ON SIDE	2009	SAE	0
17283	AS21913D	PLUG, FLARELESS TUBE	2009	SAE	0
17284	AS21936	CONTOUR AND MOUNTING END, CLUSTER FITTING BODY, SEMIFINISHED, DESIGN STANDARD	2009	SAE	0
17285	AIR1228A	(R) Standard Impulse Machine Equipment and Operation	2009	SAE	0
17286	AS25018	CONNECTOR, RECEPTACLE EXTERNAL ELECTRIC POWER, AIRCRAFT, 28 VOLT DC, JET STARTING	2009	SAE	0
17287	AS31421	CONNECTORS, RECEPTACLE, ELECTRICAL, BOX MOUNTING, SOLDER CONTACT, HERMETIC, AN TYPE	2009	SAE	0
17288	AS3123A	(R) PLUG, EXPANSION - ALUMINUM, 2024-T4 AND 2024-T351, SHORT; STD AND .010 OVERSIZE DIAMETERS, UNS A92024	2009	SAE	0
17289	AS3124A	(R) PIN, EXPANSION - ALUMINUM, 2024-T4 AND 2024-T351, SHORT, UNS A92024	2009	SAE	0

17290	AS3125B	(R) PLUG, EXPANSION - CRES, 416 OR 416SE, LONG; STD AND .010 OVERSIZE DIAMETERS, UNS S41600/UNS S41623	2009	SAE	0
17291	AS28772A	(R) PACKING, PREFORMED (D RING, SHOCK STRUT)	2009	SAE	0
17292	AS28778A	(R) PACKING, PREFORMED, STRAIGHT THREAD TUBE FITTING BOSS	2009	SAE	0
17293	AS27488A	PLUG, END SEAL, ELECTRICAL CONNECTOR	2009	SAE	0
17294	AS29512A	(R) PACKING, PREFORMED, HYDROCARBON FUEL RESISTANT, TUBE FITTING, O RING	2009	SAE	0
17295	AS29561A	(R) PACKING, PREFORMED, O RING, SYNTHETIC LUBRICANT RESISTANT	2009	SAE	0
17296	AS27198A	Seal, Plain, Rubber, (-65 to + 350 Degrees F Fuel Resistant), Mold in Groove	2008	SAE	0
17297	AIR887C	(R) Liquid Filter Ratings, Parameters and Tests	2008	SAE	0
17298	AS27197A	Seal, Plain, Rubber, (Hot Air Resistant 400 Degree F), Mold in Groove	2008	SAE	0
17299	AS27196A	GASKET, RUBBER, FLUID RESISTANT, OILS, SYNTHETIC OILS AND FUELS (-65 TO +400 Ī°F), MOLD IN GROOVE	2008	SAE	0
17300	AS28775A	(R) PACKING, PREFORMED - MS28775 O-RING	2008	SAE	0
17301	AS28889A	VALVE, AIR, HIGH PRESSURE CHARGING, 5000 PSI	2008	SAE	0
17302	AS3121A	(R) PLUG, EXPANSION - ALUMINUM, 2024-T4 AND 2024-T351, LONG; STD AND .010 OVERSIZE DIAMETERS - UNS A92024	2008	SAE	0
17303	AS3122A	(R) PIN, EXPANSION - ALUMINUM, 2024-T4 AND 2024-T351, LONG - UNS A92024	2008	SAE	0
17304	AS31171B	BOOTS, HEAT-SHRINKABLE, STRAIN-RELIEF, RIGHT ANGLE	2008	SAE	0
17305	AS3159A	BOLT, MACHINE-DOUBLE HEXAGON EXTENDED WASHER HD, DRILLED, CLOSE TOLERANCE SHANK, TI ALLOY, UNS R56400, 160 KSI MIN .3750-24, UNJF-3A	2008	SAE	0
17306	AS31091B	BOOTS, HEAT-SHRINKABLE, STRAIN-RELIEF, STRAIGHT	2008	SAE	0
17307	AS25189	TERMINAL, LUG, FLAG TYPE, CRIMP STYLE, COPPER, CLASS I	2008	SAE	0
17308	AIR869B	(R) V-Couplings, Including V-Band and V-Retainer Coupling Assemblies, Flange and Seal Design, Application of	2008	SAE	0
17309	AS23190-3A	(R) STRAPS, CLAMPS, AND MOUNTING HARDWARE, PLASTIC AND METAL FOR CABLE HARNESS TYING AND SUPPORT STRAP, TIE DOWN, ADJUSTABLE, CORROSION RESISTANT STEEL, TYPE VI, CLASS 1	2008	SAE	0
17310	AS23190-4	MOUNTING HARDWARE, CUSHION CLAMP, METAL FOR CABLE HARNESS TYING AND SUPPORT, TYPE V, CLASS 1	2008	SAE	0
17311	AS21924C	UNION, FLARELESS TUBE, BULKHEAD AND UNIVERSAL	2008	SAE	0
17312	AS21925C	ELBOW, 90â ° UNIVERSAL, FLARELESS TUBE, HIGH PROFILE	2008	SAE	0
17313	AS21926B	ELBOW, 90â ° UNIVERSAL, FLARELESS TUBE, LOW PROFILE	2008	SAE	0
17314	AS21916D	REDUCER, EXTERNAL THREAD, FLARELESS TUBE	2008	SAE	0
17315	AS21914C	CAP, PRESSURE SEAL, FLARELESS TUBE FITTING	2008	SAE	0
17316	AS21915C	ADAPTER, STRAIGHT, TUBE TO BOSS	2008	SAE	0
17317	AS21944B	BODY, CLUSTER FITTING, TWO WAY, 180Ī°, FLARELESS	2008	SAE	0
17318	AS21904C	ELBOW, FLARELESS TUBE, 90Ī°	2008	SAE	0
17319	AS21911C	TEE, BULKHEAD, FLARELESS TUBE, INTERNAL THREAD ON RUN	2008	SAE	0
17320	AS21912C	TEE, FLARELESS TUBE WITH BULKHEAD ON RUN	2008	SAE	0
17321	AS21905C	TEE, FLARELESS TUBE	2008	SAE	0
17322	AS21906C	CROSS, FLARELESS TUBE	2008	SAE	0
17323	AS21907C	ELBOW, BULKHEAD UNIVERSAL, 45Ī°, FLARELESS TUBE	2008	SAE	0
17324	AS21908D	ELBOW, BULKHEAD UNIVERSAL 90Ī°, FLARELESS TUBE	2008	SAE	0
17325	AS21902C	UNION, FLARELESS TUBE	2008	SAE	0

17326	AS21152D	(R) BEARING, BALL, ROD END, DOUBLE ROW, PRECISION, HOLLOW SHANK, SELF-ALIGNING, AIRFRAME, TYPE III, -65 TO 300 DEGREES F	2008	SAE	0
17327	AS2078A	(R) Test Methods, Hose Assemblies, Polytetrafluoroethylene (PTFE)	2008	SAE	0
17328	AS1790H	NUT, FITTING, RETAINED, LIGHTWEIGHT	2008	SAE	0
17329	AS1792E	NUT, FITTING, LIGHTWEIGHT, FLARELESS	2008	SAE	0
17330	AS17108A	(R) BEARING, BALL, ANNULAR, PRIMARILY FOR AIRCRAFT GENERATORS AND MOTOR-GENERATORS, WIDE CARTRIDGE, TYPE II	2008	SAE	0
17331	AS1715E	WASHER, COUPLING, FLEXIBLE, VARIABLE CAVITY, THREADED, FERRULE TYPE TUBE ENDS	2008	SAE	0
17332	AS141G	(R) HOSE ASSEMBLY, METAL - MEDIUM PRESSURE, FLARELESS, WELDED, 90ĭ° TO 90ĭ°	2008	SAE	0
17333	AS1301E	Adapters - Port Connection, Ring Locked Design, Installation and Removal of	2008	SAE	0
17334	AS140G	(R) HOSE ASSEMBLY, METAL - MEDIUM PRESSURE, FLARELESS, WELDED, 45ĭ° TO 90ĭ°	2008	SAE	0
17335	AS137G	(R) HOSE ASSEMBLY, METAL - MEDIUM PRESSURE, FLARELESS, WELDED, STRAIGHT TO 45ĭ°	2008	SAE	0
17336	AS139G	(R) HOSE ASSEMBLY, METAL - MEDIUM PRESSURE, FLARELESS, WELDED, 45ĭ° TO 45ĭ°	2008	SAE	0
17337	AS136G	(R) HOSE ASSEMBLY, METAL - MEDIUM PRESSURE, FLARELESS, WELDED, STRAIGHT TO STRAIGHT	2008	SAE	0
17338	AS121651 THRU AS121700A	(R) PIN, STRAIGHT, HEADED, CADMIUM PLATED, UNS G87400, .187 NOM	2008	SAE	0
17339	AS121751 THRU AS121800A	(R) PIN, STRAIGHT, HEADED, CADMIUM PLATED, UNS G87400, .312 NOM	2008	SAE	0
17340	AS121701 THRU AS121750A	(R) PIN, STRAIGHT, HEADED, CADMIUM PLATED, UNS G87400, .250 NOM	2008	SAE	0
17341	AS121601 THRU AS121650A	(R) PIN, STRAIGHT, HEADED, CADMIUM PLATED, UNS G87400, .125 NOM	2008	SAE	0
17342	AS122676 THRU AS122774B	PIN, STRAIGHT, HEADLESS, STEEL UNS G10950	2008	SAE	0
17343	AS121801 THRU AS121850A	(R) PIN, STRAIGHT, HEADED, CADMIUM PLATED, UNS G87400, .375 NOM	2008	SAE	0
17344	AS121851 THRU AS121925A	(R) PIN, STRAIGHT, HEADED, CADMIUM PLATED, UNS G87400, .500 NOM	2008	SAE	0
17345	ARP9536	Declarable Substances Recommended Practice	2008	SAE	0
17346	AS115401 THRU AS115450A	(R) SCREW FLAT FILLISTER HEAD, CADMIUM PLATED, STEEL UNS G87400, 125 KSI MIN. .1900-32 UNF-3A	2008	SAE	0
17347	AS1132H	Bolts, Screws and Nuts - External Wrenching UNJ Thread, Inch - Design Standard	2008	SAE	0
17348	ARP603G	Impulse Testing of Hydraulic Hose, Tubing, and Fitting Assemblies	2008	SAE	0
17349	ARP599D	Aerospace - Dynamic Test Method for Determining the Relative Degree of Cleanliness of the Downstream Side of Filter Elements	2008	SAE	0
17350	AIR5871	Prognostics for Gas Turbine Engines	2008	SAE	0
17351	ARP5941	Aerospace Fluid Power - Contamination Sensitivity - Considerations for Establishing Test Procedures for Flight Control Actuators	2008	SAE	0
17352	ARP597D	(R) Wheels and Brakes, Supplementary Criteria for Design Endurance Civil Transport Aircraft	2008	SAE	0

17353	ARP5757	Guidelines for Engine Component Tests	2008	SAE	0
17354	ARP5646	Quality Program Guidelines for Deicing/Anti-icing of Aircraft on the Ground	2008	SAE	0
17355	AIR5797	Aircraft Tire Wear Profile Development and Execution for Laboratory Testing	2008	SAE	0
17356	ARP5783	Health and Usage Monitoring Metrics Monitoring the Monitor	2008	SAE	0
17357	AIR5829	Air in Aircraft Hydraulic Systems	2008	SAE	0
17358	ARP5891	Achieving Cleanliness Standards for Aircraft Hydraulic Systems During Manufacture	2008	SAE	0
17359	ARP5908	Landing Gear Servicing	2008	SAE	0
17360	AIR5866	An Assessment of Planar Waves	2008	SAE	0
17361	AIR5747	EMC Laboratory RF Radiated Emission Report for Passive Radio Frequency Identification (RFID) Tags	2008	SAE	0
17362	ARP5560	Safety Considerations for High-Intensity Lights (HIL) Directed into the Navigable Airspace	2008	SAE	0
17363	ARP5543	Aircraft Wheel Inflation Valves Incorporating an Inflation Pressure Gauge	2008	SAE	0
17364	ARP5602-10	A Guideline for Aerospace Platform Fiber Optic Training and Awareness Education Aerospace Fiber Optics Engineer Knowledge Competencies	2008	SAE	0
17365	ARP5624	Aircraft Inflight Icing Terminology	2008	SAE	0
17366	ARP5602-5	A Guideline for Aerospace Platform Fiber Optic Training and Awareness Education Aerospace Fiber Optics Installer Knowledge Competencies	2008	SAE	0
17367	ARP5602-6	A Guideline for Aerospace Platform Fiber Optic Training and Awareness Education Introduction to Aerospace Fiber Optics Installer Hands-on Competencies	2008	SAE	0
17368	ARP5602-7	A Guideline for Aerospace Platform Fiber Optic Training and Awareness Education Aerospace Fiber Optics Technician Knowledge Competencies	2008	SAE	0
17369	ARP5602-8	NULL	2008	SAE	0
17370	ARP5602-9	A Guideline for Aerospace Platform Fiber Optic Training and Awareness Education Aerospace Fiber Optics Quality Assurance Knowledge Competencies	2008	SAE	0
17371	ARP5374A	Method of Testing Pre-Conditioned Air Equipment	2008	SAE	0
17372	AIR5713	In-Service Reliability Data of Continuously Active Ballscrew and Geared Flight Control Actuation Systems	2008	SAE	0
17373	ARP5454A	Multi-Pass Method for Evaluating Filtration Performance of Fine Lube Filter Elements Utilized in Aerospace Power and Propulsion Lubrication Systems	2008	SAE	0
17374	ARP490F	(R) Electrohydraulic Servovalves	2008	SAE	0
17375	ARP4553A	(R) Aerospace - Accumulator, Hydraulic, Self-Displacing	2008	SAE	0
17376	ARP4418A	(R) Procedure for Sampling and Measurement of Engine and APU Generated Contaminants in Bleed Air Supplies from Aircraft Engines	2008	SAE	0
17377	ARP4737H	Aircraft Deicing/Anti-icing Methods	2008	SAE	0
17378	ARP4741	Aerospace-Hydraulic Switching Valve, Pressure or Pilot Operated	2008	SAE	0
17379	ARP4771	Recommended Brace Positions	2008	SAE	0
17380	ARP4834A	(R) Aircraft Tire Retreading Practice - Bias and Radial	2008	SAE	0
17381	AIR5656	Statistical Stability Assessment	2008	SAE	0
17382	ARP1974A	Clamps, Support, Comparative Fatigue Strengths, Test Method	2008	SAE	0
17383	ARP1836B	Aircraft Cargo Conveyor - Battery Powered	2008	SAE	0
17384	ARP1846A	(R) Measurement of Far Field Noise from Gas Turbine Engines During Static Operation	2008	SAE	0
17385	AMS-WW-T-700-7A	Tube, Aluminum Alloy, Drawn, Seamless, 7075	2008	SAE	0
17386	AMS-T-81915A	Titanium and Titanium-Alloy Castings, Investment	2008	SAE	0
17387	ARP1070C	(R) Design and Testing of Antiskid Brake Control Systems for Total Aircraft Compatibility	2008	SAE	0

17388	ARD5700	Issues Associated With Development and Implementation of Vertical Flight Aircraft	2008	SAE	0
17389	ARP1146C	Combination Evacuation Slide/Raft - Civil Air Transport	2008	SAE	0
17390	AMS-T-21014A	Tungsten Base Metal, High Density	2008	SAE	0
17391	AMS-T-6736B	Tubing, Chrome-Molybdenum (4130 or 8630) Steel, Seamless and Welded	2008	SAE	0
17392	AMS-QQ-C-320B	Chromium Plating (Electrodeposited)	2008	SAE	0
17393	AIR5450	Advanced Ducted Propulsor In-Flight Thrust Determination	2008	SAE	0
17394	AMS-QQ-A-200-4B	Aluminum Alloy 5083, Bar, Rod, Shapes, Tube, and Wire, Extruded A95083	2008	SAE	0
17395	AMS-QQ-A-250-11A	Aluminum Alloy 6061, Plate and Sheet UNS A96061	2008	SAE	0
17396	AMS-D-81956A	Detergent, External Removable Fuel Tanks	2008	SAE	0
17397	AMS-DTL-22499-4A	SHIM STOCK, LAMINATED, CARBON STEEL	2008	SAE	0
17398	AMS-H-81829A	Heat Transfer Fluid, Fluorochemical	2008	SAE	0
17399	AMS-G-952B	Guns, Spray, Oil and Solvent	2008	SAE	0
17400	AMS7918A	Beryllium Aluminum Alloy Investment Castings 64.9Be - 30Al - 3Ag - 1Co - 0.75Ge As Cast	2008	SAE	0
17401	AMS-C-27725C	Coating, Corrosion Preventative, for Aircraft Integral Fuel Tanks for Use to 250 ï°F (121 ï°C)	2008	SAE	0
17402	AIR5359C	Requirements for Certification/Registration of Aerospace Quality Management Systems	2008	SAE	0
17403	AMS6466F	Steel, Corrosion-Resistant, Welding Wire 5.2Cr 0.55Mo - UNS S50280	2008	SAE	0
17404	AMS6467E	Steel Welding Electrodes, Covered 5Cr - 0.55Mo - UNS S50200	2008	SAE	0
17405	AMS6469D	Steel, Welding Wire 1.75Mn - 0.78Cr - 2.8Ni - 0.85Mo - (0.09 - 0.12C) Vacuum Melted, Environment-Controlled Packaging	2008	SAE	0
17406	AMS6461K	Steel, Welding Wire 0.95Cr - 0.20V (0.28 - 0.33C) (SAE 6130) Vacuum Melted, Environment Controlled Packaging - UNS K13148	2008	SAE	0
17407	AMS6462J	Steel, Welding Wire 0.95Cr - 0.20V (0.28 - 0.33C) (SAE 6130) - UNS K13149	2008	SAE	0
17408	AMS6474A	Forgings, Hardenable Steels and Corrosion-Resistant Steels Heat-Treated, Finished-Part Properties Short-Transverse Tensile Strength and Fracture Toughness	2008	SAE	0
17409	AMS6450J	Steel, Spring Wire 0.95Cr - 0.22V (0.48 - 0.53C) (SAE 6150) Annealed and Cold Drawn - UNS G61500	2008	SAE	0
17410	AMS6488H	Steel, Bars and Forgings 5.0Cr - 1.3Mo - 0.5V - (0.38 - 0.43C) - UNS T20811	2008	SAE	0
17411	AMS7379	Rubber: Fluorocarbon Elastomer (FKM) 70 to 80 Hardness, Low Temperature Sealing Tg -40 ï°F (-40 ï°C) For Elastomeric Seals in Aircraft Engine Oil, Fuel and Hydraulics Systems	2008	SAE	0
17412	AMS7205G	Spring Pins, Tubular Carbon Steel	2008	SAE	0
17413	AMS5892B	Alloy, Sheet and Strip 42Fe - 37.5Ni - 14Co - 4.8Cb (Nb) - 1.6Ti Solution Heat Treated, Precipitation Hardenable Multiple Melted, High Temperature, Low Expansion - UNS N19909	2008	SAE	0
17414	AMS5901C	Steel, Corrosion-Resistant, Sheet, Strip, and Plate 18Cr - 8Ni (SAE 30301) Solution Heat Treated - UNS S30100	2008	SAE	0
17415	AMS5902C	Steel, Corrosion-Resistant, Sheet and Strip 18Cr 8Ni (SAE 30301) Cold Rolled, 3/4 Hard, 175 ksi (1207 MPa) Tensile Strength - UNS S30100	2008	SAE	0
17416	AMS5869C	Nickel Alloy, Corrosion and Heat-Resistant, Sheet, Strip, and Plate 62Ni - 21.5Cr - 9.0Mo - 3.7Cb Solution Heat Treated - UNS N06625	2008	SAE	0
17417	AMS5950B	Nickel Alloy, Corrosion and Heat-Resistant, Sheet and Strip 52.5Ni - 19Cr - 3.0Mo - 5.0Cb - 0.90Ti - 0.50AI - 18Fe Vacuum Induction and Consumable Electrode Melted Solution Heat Treated, Precipitation Hardenable - UNS N07719	2008	SAE	0

17418	AMS5929	Steel, Corrosion-Resistant, Bars and Forgings 11.5Cr -10Ni 1.0Al 0.5Ti 1.0Cu 1.0W Vacuum Induction Plus Vacuum Consumable Electrode Melted Solution Heat Treated, Precipitation Hardenable	2008	SAE	0
17419	AMS5810B	Steel, Corrosion and Heat Resistant, Flat Wire 15Cr - 25.5Ni - 1.2Mo - 2.1Ti - 0.006B - 0.30V 1800 °F (982 °C) Solution Treated, Cold Drawn or Cold Rolled and Aged, Consumable Electrode Remelted - UNS S66286	2008	SAE	0
17420	AMS5798G	Nickel Alloy, Corrosion and Heat-Resistant, Welding Wire 47.5Ni 22Cr 1.5Co 9.0Mo 0.60W 18.Fe - UNS N06002	2008	SAE	0
17421	AMS5776G	Steel, Corrosion and Heat-Resistant, Welding Wire 12.5Cr (SAE 51410) - UNS S41001	2008	SAE	0
17422	AMS5779E	Alloy Welding Electrodes, Covered, Corrosion and Heat Resistant 75Ni - 15Cr - 1.5 (Cb+Ta) - 1.9Ti - 0.55Al - 5.5Fe - UNS N07750	2008	SAE	0
17423	AIR4782A	Hydrant Valve and Coupler Historical Background	2008	SAE	0
17424	AMS5667M	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 72Ni - 15.5Cr - 0.95Cb - 2.5Ti - 0.70Al - 7.0Fe Equalized, Precipitation Hardenable - UNS N07750	2008	SAE	0
17425	AMS5660K	Nickel-Iron Alloy, Corrosion and Heat-Resistant, Bars and Forgings 12.5Cr - 42.5Ni - 6.0Mo - 2.7Ti - 0.015B - 34Fe Consumable Electrode Remelted or Vacuum Induction Melted Solution, Stabilization, and Precipitation Heat Treated - UNS N09901	2008	SAE	0
17426	AMS5706L	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 57Ni - 19.5Cr - 13.5Co - 4.3Mo - 3.0Ti - 1.4Al - 0.006B - 0.05Zr Consumable Electrode or Vacuum Induction Melted 1825 to 1900 °F Solution Heat Treated - UNS N07001	2008	SAE	0
17427	AMS5708K	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Wire Forgings, and Rings 58Ni - 19.5Cr - 13.5Co - 4.3Mo - 3.0Ti - 1.4Al Consumable Electrode or Vacuum Induction Melted 1975 °F (1079 °C) Solution Heat Treated - UNS N07001	2008	SAE	0
17428	AMS5709H	Nickel Alloy, Corrosion and Heat-Resistant, Bars and Forgings 58Ni - 19.5Cr - 13.5Co - 4.3Mo - 3.0Ti - 1.4Al - 0.05Zr - 0.006B Consumable Electrode or Vacuum Induction Melted 1975 °F (1079 °C) Solution, Stabilization, and Precipitation Heat Treated - UN	2008	SAE	0
17429	AMS5696D	Steel, Corrosion and Heat-Resistant, Welding Wire 19Cr - 12.5Ni - 2.5Mo High Ferrite Grade - UNS S31683	2008	SAE	0
17430	AMS5707L	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 58Ni - 19.5Cr - 13.5Co - 4.3Mo - 3.0Ti - 1.4Al - 0.05Zr - 0.006B Consumable Electrode Remelted or Vacuum Induction Melted 1825 to 1900 °F (996 to 1038 °C) Solution, Stabilization, and	2008	SAE	0
17431	AMS5704J	Nickel Alloy, Corrosion and Heat Resistant, Forgings 57Ni - 19.5Cr - 13.5Co - 4.3Mo - 3.0Ti - 1.4Al - 0.05Zr - 0.006B Consumable Electrode or Vacuum Induction Melted 1825 to 1900 °F (996 to 1038 °C) Solution, Stabilization, and Precipitation Heat Treate	2008	SAE	0
17432	AMS5726E	Steel, Corrosion and Heat-Resistant, Bars and Wire 15Cr - 25.5Ni - 1.2Mo - 2.1Ti - 0.006B - 0.30V 1800 °F (982 °C) Solution Heat Treated and Work-Strengthened Consumable Electrode Remelted 200 ksi (1379 MPa) Tensile Strength Capability - UNS S66286	2008	SAE	0
17433	AMS5595G	Steel, Corrosion Resistant, Sheet, Strip, and Plate 9.0Mn - 20Cr - 6.5Ni - 0.28N Solution Heat Treated - UNS S21904	2008	SAE	0
17434	AMS5518L	Steel, Corrosion Resistant, Sheet and Strip 18Cr - 8Ni Cold Rolled, 150 ksi (1034 MPa) Tensile Strength - UNS S30100	2008	SAE	0
17435	AMS5519N	Steel, Corrosion Resistant, Sheet and Strip 18Cr 8Ni (SAE 30301) Cold Rolled, 185 ksi (1276 MPa) Tensile Strength - UNS S30100	2008	SAE	0
17436	AMS5510S	Steel, Corrosion and Heat-Resistant, Sheet, Strip and Plate 18Cr - 10.5Ni - 0.40Ti (SAE 30321) Solution Heat Treated - UNS S32100	2008	SAE	0
17437	AMS5544J	Nickel Alloy, Corrosion and Heat-Resistant, Sheet, Strip, and Plate 57Ni - 19.5Cr - 13.5Co - 4.2Mo - 3.0Ti - 1.4Al - 0.05Zr - 0.006B Consumable Electrode or Vacuum Induction Melted, Annealed - UNS N07001	2008	SAE	0
17438	AMS5524L	Steel, Corrosion and Heat-Resistant, Sheet, Strip and Plate 18Cr - 13Ni - 2.5Mo (SAE 30316) Solution Heat Treated - UNS S31600	2008	SAE	0
17439	AIR4365A	400 Hz Connection Aircraft Electrical Maintenance Procedures	2008	SAE	0
17440	AMS5397D	(R) Alloy Castings, Investment, Corrosion and Heat-Resistant 50Ni - 9.5Cr - 15Co - 3.0Mo - 4.8Ti - 5.5Al - 0.015B - 0.95V - 0.06Zr Vacuum Melted, Vacuum Cast As Cast - UNS N13100	2008	SAE	0
17441	AMS5385H	Cobalt Alloy, Corrosion and Heat-Resistant, Investment Castings 62Co - 27Cr - 2.8Ni - 5.5Mo As-Cast - UNS R30021	2008	SAE	0
17442	AMS5380G	Cobalt Alloy, Corrosion and Heat-Resistant, Investment Castings 50.5Co - 26Cr - 15Ni - 6.0Mo As-Cast - UNS R30030	2008	SAE	0
17443	AMS5060J	Steel, Bars, Forgings, and Tubing 0.13 - 0.18C (SAE 1015) - UNS G10150	2008	SAE	0

17444	AMS5030J	Steel, Welding Wire 0.06 Carbon, Maximum - UNS K00606	2008	SAE	0
17445	AMS5020F	Steel Bars, Forgings, and Tubing, Free-Cutting 1.5Mn 0.25Pb (0.32 0.39C) (11L37)	2008	SAE	0
17446	AIR4362	NBC Protection Considerations for ECS Design	2008	SAE	0
17447	AMS5112M	Carbon Steel, Wire Spring Quality Music Wire 0.70 1.00C Cold Drawn - UNS G10900	2008	SAE	0
17448	AMS5122J	Steel Strip (0.90 - 1.04C) (SAE 1095) Hard Temper - UNS G10950	2008	SAE	0
17449	AMS4951H	Titanium Welding Wire Commercially Pure Environment Controlled Packaging - UNS R50120	2008	SAE	0
17450	AMS4956F	Titanium Alloy Welding Wire 6Al 4V, Extra Low Interstitial Environment Controlled Packaging - UNS R56408	2008	SAE	0
17451	AMS4959E	Titanium Alloy Wire 13.5V - 11Cr - 3Al Spring Temper - UNS R58010	2008	SAE	0
17452	AMS4730G	Nickel-Copper Alloy Wire, Corrosion-Resistant 67Ni - 31Cu Annealed (400) - UNS N04400	2008	SAE	0
17453	AIR4129	Metallic Whiskers	2008	SAE	0
17454	AMS4501E	Copper Sheet, Strip, and Plate Oxygen-Free, Light Cold Rolled - UNS 10200	2008	SAE	0
17455	AMS4457	Aluminum Alloy, Sheet 3.5Cu - 1.1Li - 0.50Mg - 0.40Ag - 0.12Zr (2098-T8) Solution Heat Treated, Cold Worked, and Artificially Aged - UNS A92098	2008	SAE	0
17456	AMS4415A	Aluminum Alloy Extrusions 8.9Zn - 2.2Cu - 2.2Mg - 0.15Zr (7136-T76511, -T76510) Solution Heat Treated, Stress-Relieved, Straightened, and Overaged	2008	SAE	0
17457	AMS4414	Aluminum Alloy, Hand Forgings 7.5Zn - 1.6Cu - 1.5Mg - 0.12Zr (7085-T7452) Solution Heat Treated, Compression Stress-Relieved, and Overaged - UNS A97085	2008	SAE	0
17458	AMS4404A	Aluminum Alloy, Extruded Profiles (6056-T4511) 1.0Si 0.90Mg 0.80Cu 0.60Mn 0.40Zn Solution Heat Treated and Stress-Relieved by Stretching - UNS A96056	2008	SAE	0
17459	AIR4061B	(R) Guidelines for Integrating Typical Engine Health Management Functions Within Aircraft Systems	2008	SAE	0
17460	AMS4310E	Aluminum Alloy, Rolled or Forged Rings 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (7075-T651, 7075-T652) Solution Heat Treated, Mechanically Stress Relieved, and Precipitation Heat Treated - UNS A97075	2008	SAE	0
17461	AMS4312D	Aluminum Alloy, Rolled or Forged Rings 1.0Mg - 0.60Si - 0.28Cu - 0.20Cr (6061-T651, 6061-T652) Solution Heat Treated, Mechanically Stress Relieved, and Precipitation Heat Treated - UNS A96061	2008	SAE	0
17462	AMS4274A	Aluminum Alloy, Alclad Sheet 4.4Cu - 1.5Mg - 0.60Mn (Alclad 2024-0) Annealed, Fine Grain - UNS A82024	2008	SAE	0
17463	AMS4280J	Aluminum Alloy Castings, Permanent Mold 5.0Si - 1.2Cu - 0.5Mg (355.0-T71) Solution Heat Treated and Overaged - UNS A03550	2008	SAE	0
17464	AMS4281G	Aluminum Alloy Castings, Permanent Mold 5.0Si - 1.2Cu - 0.50Mg (355.0-T6) Solution and Precipitation Heat Treated - UNS A03550	2008	SAE	0
17465	AMS4244B	Aluminum Alloy, Welding Wire 4.6Cu - 0.35Mn - 0.25Mg - 0.22Ti For Welding A206.0 Type Alloys	2008	SAE	0
17466	AMS4235B	Aluminum Alloy Castings 4.6Cu - 0.35Mn - 0.25Mg - 0.22Ti (A206.0-T71) Solution and Precipitation Heat Treated - UNS A12060	2008	SAE	0
17467	AMS4246D	Aluminum Alloy, Welding Wire 7.0Si - 0.52Mg (357) - UNS A03570	2008	SAE	0
17468	AMS4260G	Aluminum Alloy, Investment Castings 1.0Si - 0.32Mg (356.0-T6) Solution and Precipitation Heat Treated - UNS A03560	2008	SAE	0
17469	AMS4214J	Castings, Aluminum Alloy Sand 5.0Si - 1.2Cu - 0.50Mg (355.0-T71) Solution Heat Treated and Overaged - UNS A03550	2008	SAE	0
17470	AMS4215H	Aluminum Alloy, Castings 5.0Si - 1.2Cu - 0.50Mg (C355.0-T6) Solution and Precipitation Heat Treated - UNS A33550	2008	SAE	0
17471	AMS4178E	Core, Flexible Honeycomb, Aluminum Alloy, Treated for Sandwich Construction 5052, 350 (177)	2008	SAE	0
17472	AIR36108	AS36100 Background and Development Record	2008	SAE	0
17473	AMS4146G	Aluminum Alloy Forgings and Rolled or Forged Rings 1.0Mg - 0.60Si - 0.28Cu - 0.20Cr (6061 - T4) Solution Heat Treated and Naturally Aged - UNS A96061	2008	SAE	0
17474	AIR36106A	Air Cargo Unit Load Devices - Use of Airworthiness Reference Documents	2008	SAE	0
17475	AMS4141F	Aluminum Alloy Die Forgings 5.6Zn 2.5Mg 1.6Cu 0.23Cr (7075-T73) Solution and Precipitation Heat Treated - UNS A97075	2008	SAE	0
17476	AMS4090E	Aluminum Alloy, Plate 5.7Zn 2.2Mg 1.6Cu 0.22Cr (7475-T651) Solution Heat Treated, Stress Relieved, and Precipitation Heat Treated - UNS A97475	2008	SAE	0

17477	AMS3901-10C	NULL	2008	SAE	0
17478	AMS3901-11C	Yarn, Organic Fiber (Para-Aramid), High Modulus 1420 (1580 d tex) Denier, 1.2% Finish	2008	SAE	0
17479	AMS3901-12C	Yarn, Organic Fiber (Para-Aramid), High Modulus 2160 (2400 d tex) Denier, 1.2% Finish	2008	SAE	0
17480	AIR1903	Aircraft Inerting Systems	2008	SAE	0
17481	AMS3901-13B	Yarn, Organic Fiber (Para-Aramid), High Modulus 2450 (2720 d tex) Denier, 0.6% Finish	2008	SAE	0
17482	AMS3901-14B	Yarn, Organic Fiber (Para-Aramid), High Modulus 2840 (3160 d tex) Denier, 0.6% Finish	2008	SAE	0
17483	AMS3901-15B	Roving, Organic Fiber (Para-Aramid), High Modulus 7350 Denier, (8200 d tex), 0.6% Finish	2008	SAE	0
17484	AMS3901-16B	Roving, Organic Fiber (Para-Aramid), High Modulus 8520 Denier, (9500 d tex), 0.6% Finish	2008	SAE	0
17485	AMS3901-17B	Yarn, Organic Fiber (Para-Aramid), High Modulus 720 Denier, (800 d tex), 1.2% Finish	2008	SAE	0
17486	AMS3901-1D	NULL	2008	SAE	0
17487	AMS3901-2D	Yarn, Organic Fiber (Para-Aramid), High Modulus 380 Denier, (420 d tex), 0.6% Finish	2008	SAE	0
17488	AMS3901-3D	Yarn, Organic Fiber (Para-Aramid), High Modulus 1140 Denier (1270 d tex), 0.6% Finish	2008	SAE	0
17489	AMS3901-4D	Yarn, Organic Fiber (Para-Aramid), High Modulus 1420 Denier (1580 d tex), 0.6% Finish	2008	SAE	0
17490	AMS3901-5D	Roving, Organic Fiber (Para-Aramid), High Modulus 7100 Denier, (7900 d tex), 0.6% Finish	2008	SAE	0
17491	AMS3901-6D	Roving, Organic Fiber (Para-Aramid), High Modulus 4560 Denier, (5070 d tex), 0.6% Finish	2008	SAE	0
17492	AMS3901-7D	Yarn, Organic Fiber (Para-Aramid), High Modulus 2160 Denier, (2400 d tex), 0.6% Finish	2008	SAE	0
17493	AMS3901-8C	Yarn, Organic Fiber (Para-Aramid), High Modulus 195 Denier (215 d tex), 1.2% Finish	2008	SAE	0
17494	AMS3901-9C	NULL	2008	SAE	0
17495	AMS3909B	Cloth, Aramid Intermediate Modulus	2008	SAE	0
17496	AMS4063E	Aluminum Alloy, Clad One Side, Sheet 1.25Mn - 0.12Cu (No. 11-0 Brazing Sheet) Annealed - UNS A83003	2008	SAE	0
17497	AMS4064F	Aluminum Alloy, Clad Two Sides Sheet 1.25Mn - 0.12Cu (No. 12-0 Brazing Sheet) Annealed - UNS A83003	2008	SAE	0
17498	AMS4081J	Aluminum Alloy Tubing, Hydraulic, Seamless, Drawn, Round 1.0Mg - 0.60Si - 0.28Cu - 0.20Cr (6061-T4) Solution Heat Treated and Naturally Aged - UNS A96061	2008	SAE	0
17499	AMS4082P	Aluminum Alloy, Seamless Drawn Tubing 1.0Mg - 0.60Si - 0.28Cu - 0.20Cr (6061-T6) Solution and Precipitation Heat Treated - UNS A96061	2008	SAE	0
17500	AMS4025L	Aluminum Alloy, Sheet and Plate 1.0Mg - 0.60Si - 0.28Cu - 0.20Cr (6061-0) Annealed - UNS A96061	2008	SAE	0
17501	AMS4026M	Aluminum Alloy, Sheet and Plate 1.0Mg - 0.60Si - 0.28Cu - 0.20Cr (6061; -T4 Sheet, -T451 Plate) Solution Heat Treated and Naturally Aged - UNS A96061	2008	SAE	0
17502	AMS4027N	Aluminum Alloy, Sheet and Plate 1.0Mg - 0.60Si - 0.28Cu - 0.20Cr (6061; -T6 Sheet, -T651 Plate) Solution and Precipitation Heat Treated - UNS A96061	2008	SAE	0
17503	AIR1839C	(R) A Guide to Aircraft Turbine Engine Vibration Monitoring Systems	2008	SAE	0
17504	AIR1590A	Recommended Part Numbering Guidelines for Fluid System Components Inch System of Measurements	2008	SAE	0
17505	AMS3276E	Sealing Compound, Integral Fuel Tanks and General Purpose, Intermittent Use to 360 ĵ°F (182 ĵ°C)	2008	SAE	0
17506	AMS3278A	Sealing and Coating Compound: Polyurethane (PUR) Fuel Resistant High Tensile Strength / Elongation For Integral Fuel Tanks / Fuel Cavities / General Purpose	2008	SAE	0
17507	USCAR-37	High Voltage Connector Performance Supplement to SAE/USCAR-2	2008	SAE	0
17508	USCAR-25	ELECTRICAL CONNECTOR ASSEMBLY ERGONOMIC DESIGN CRITERIA - Revision 1	2008	SAE	0
17509	USCAR-21	PERFORMANCE SPECIFICATION FOR CABLE-TO-TERMINAL ELECTRICAL CRIMPS - Revision 3	2008	SAE	0
17510	MAM2771B	Heat Treatment of Aluminum Alloy Castings	2008	SAE	0
17511	AMS3265D	Sealing Compound, Polysulfide (T) Rubber, Fuel Resistant, Non-Chromated Corrosion Inhibiting For Intermittent Use to 360 ĵ°F (182 ĵ°C)	2008	SAE	0
17512	MAM2221D	Tolerances, Metric Copper and Copper Alloy Bars and Rods	2008	SAE	0
17513	MAM2222D	Tolerances, Metric Copper and Copper Alloy Sheet, Strip, and Plate	2008	SAE	0

17514	MAM2223D	Tolerances, Metric Copper and Copper Alloy Seamless Tubing	2008	SAE	0
17515	MAM2224D	Tolerances, Metric Copper and Copper Alloy Wire	2008	SAE	0
17516	MAM2355E	Quality Assurance, Sampling and Testing Aluminum Alloys and Magnesium Alloys Wrought Products, Except Forging Stock, and Rolled, Forged, or Flash Welded Rings	2008	SAE	0
17517	AMS3222H	Synthetic Rubber Hot Oil Resistant, High Swell 45 - 55	2008	SAE	0
17518	AMS3239F	Butyl (IIR) Rubber Phosphate Ester Resistant 85 - 95	2008	SAE	0
17519	MA3377B	Bolts and Screws, Nickel Alloy UNS N07718, Tensile Strength 1275 MPa Procurement Specification, Metric	2008	SAE	0
17520	AMS3251J	Synthetic Rubber and Cork Composition General Purpose Medium (Stabilized Type)	2008	SAE	0
17521	J90	Standard Classification System for Nonmetallic Automotive Gasket Materials	2008	SAE	0
17522	J883	Test Method for Determining Dimensional Stability of Automotive Textile Materials	2008	SAE	0
17523	J826	Devices for Use in Defining and Measuring Vehicle Seating Accommodation	2008	SAE	0
17524	J971	Brake Power Rating Test Code - Commercial Vehicle Inertia Dynamometer	2008	SAE	0
17525	AMS3214L	Acrylonitrile Butadiene (NBR) Rubber Aromatic Fuel Resistant 35 - 45	2008	SAE	0
17526	J760	Dimensional Specifications for General Service Sealed Lighting Units	2008	SAE	0
17527	AMS3200K	Butadiene Acrylonitrile (NBR) Rubber Petroleum-Base Hydraulic Fluid Resistant 55 - 65	2008	SAE	0
17528	J670	(R) Vehicle Dynamics Terminology	2008	SAE	0
17529	J534	(R) Lubrication Fittings	2008	SAE	0
17530	J585	Tail Lamps (Rear Position Lamps) for Use on Motor Vehicles Less than 2032 mm in Overall Width	2008	SAE	0
17531	AMS3170G	Thinner, Alcohol-Ester	2008	SAE	0
17532	J615	Engine Mountings	2008	SAE	0
17533	J616	Engine Foot Mounting (Front and Rear)	2008	SAE	0
17534	J4003	H-Point Machine (HPM-II)â Procedure for H-Point Determinationâ Benchmarking Vehicle Seats	2008	SAE	0
17535	J4004	Positioning the H-Point Design Tool â Seating Reference Point and Seat Track Length	2008	SAE	0
17536	AMS3155E	Oil Fluorescent Penetrant Solvent Soluble	2008	SAE	0
17537	AMS3156E	Oil, Fluorescent Penetrant Water Washable	2008	SAE	0
17538	J321	Tire Guards for Operator Protectionâ Earthmoving Haulage Machines	2008	SAE	0
17539	J360	Truck and Bus Grade Parking Performance Test Procedure	2008	SAE	0
17540	AMS3128G	Aluminum Pigment Paste	2008	SAE	0
17541	J288	Snowmobile Fuel Tanks	2008	SAE	0
17542	J2880	(R) Recommended Green Racing Protocols	2008	SAE	0
17543	J292	Snowmobile and Snowmobile Cutter Lamps, Reflective Devices, and Associated Equipment	2008	SAE	0
17544	J2830	Process for Comprehension Testing of In-Vehicle Icons	2008	SAE	0
17545	J2817	Definition and Measurement of Torque Biasing Differentials	2008	SAE	0
17546	J2818	Keyword Protocol 1281	2008	SAE	0
17547	J2819	TP2.0 Vehicle Diagnostic Protocol	2008	SAE	0
17548	J2805	Measurement of Noise Emitted by Accelerating Road Vehicles	2008	SAE	0
17549	AMS3100-3A	Adhesion Promoter For Polysulfide Sealing Compounds Water Based	2008	SAE	0
17550	J2792	Test Methodology for Evaluating the Chemical Compatibility of Wheel Finishes with Various Chemicals (Stabilized type)	2008	SAE	0
17551	J2744	Requirements for Built-In Service Port for On Board Diagnostics	2008	SAE	0
17552	AMS3100-1B	Adhesion Promoter For Polysulfide Sealing Compounds Nonhalogenated Solvent	2008	SAE	0
17553	J2749	High Strain Rate Tensile Testing of Polymers	2008	SAE	0
17554	J2763	Test Procedure for Determining Refrigerant Emissions from Mobile Air Conditioning Systems	2008	SAE	0

17555	J2765	Procedure for Measuring System COP [Coefficient of Performance] of a Mobile Air Conditioning System on a Test Bench	2008	SAE	0
17556	J276	Steering Frame Lock for Articulated Loaders and Tractors	2008	SAE	0
17557	AMS3100-2B	NULL	2008	SAE	0
17558	J2732	Motor Vehicle Seat Dimensions	2008	SAE	0
17559	J2625	Automotive Vehicle Brake Squeal Test Recommend Practice	2008	SAE	0
17560	J2703	Cranesâ Access and Egress	2008	SAE	0
17561	J2698	Primary Single Phase Nominal 120 VAC Wiring Distribution Assembly Design - Truck and Bus	2008	SAE	0
17562	J272	Vehicle Identification Number Systems	2008	SAE	0
17563	J2640	(R) General Automotive Embedded Software Design Requirements	2008	SAE	0
17564	J2572	Recommended Practice for Measuring Fuel Consumption and Range of Fuel Cell and Hybrid Fuel Cell Vehicles Fueled by Compressed Gaseous Hydrogen	2008	SAE	0
17565	J2591	Adaptive Forward Lighting System	2008	SAE	0
17566	J2457	Air Quality for Air Braked Vehicles	2008	SAE	0
17567	J2467	Welded and Cold-Drawn, SAE 1021 Carbon Steel Tubing Normalized for Bending and Flaring	2008	SAE	0
17568	J2475	(R) Wheel End Assembly and Axle Spindle Interface Dimensions - Truck and Bus	2008	SAE	0
17569	AMS3058	Grease: Wide Temperature Range Lithium or Lithium Complex Thickened for Aircraft Wheel Bearings	2008	SAE	0
17570	J2513	Earthmoving Machineryâ Coupling of Attachments to Skid Steer Loaders	2008	SAE	0
17571	AMS3045E	Magnetic Particles, Fluorescent Wet Method, Oil Vehicle, Ready-to-Use	2008	SAE	0
17572	J2450-1	SAE J2450 Supplemental Training Document	2008	SAE	0
17573	J2435	Welded Flash Controlled, SAE 1021 Carbon Steel Tubing, Normalized for Cold Forming, Welding and Brazing	2008	SAE	0
17574	AMS3044F	Magnetic Particles, Fluorescent Wet Method, Dry Powder	2008	SAE	0
17575	AMS3042E	Magnetic Particles, Nonfluorescent Wet Method, Dry Powder	2008	SAE	0
17576	AMS3043D	Magnetic Particles, Nonfluorescent Wet Method, Oil Vehicle, Aerosol Packaged	2008	SAE	0
17577	AMS3040D	Magnetic Particles, Nonfluorescent Dry Method	2008	SAE	0
17578	J2343	Recommended Practice for LNG Medium and Heavy-Duty Powered Vehicles	2008	SAE	0
17579	J2362	(R) Lubricating Oil, Automotive Engine, API Service SM for Military Administrative Service	2008	SAE	0
17580	J2363	(R) Lubricating Oil for Wheeled Military Vehicles with Heavy-Duty Diesel Engines	2008	SAE	0
17581	AMS3041E	Magnetic Particles, Nonfluorescent Wet Method, Oil Vehicle, Ready-to-Use	2008	SAE	0
17582	J2289	Electric-Drive Battery Pack System: Functional Guidelines	2008	SAE	0
17583	J2318	Air Brake Actuator Test Performance Requirementsâ Truck and Bus	2008	SAE	0
17584	J2237	Heavy-Duty Starter Remanufacturing Procedures	2008	SAE	0
17585	J2229	Accelerated Exposure of Automotive Interior Trim Materials Using an Outdoor Under Glass Variable Angle Controlled Temperature Apparatus, Standard	2008	SAE	0
17586	J2226	Internal Combustion Engines - Piston Rings - Steel Rectangular Rings	2008	SAE	0
17587	J2263	Road Load Measurement Using Onboard Anemometry and Coastdown Techniques	2008	SAE	0
17588	J2240	Starter Armature Remanufacturing Procedures	2008	SAE	0
17589	J2241	Automotive Starter Drive Remanufacturing Procedures	2008	SAE	0
17590	J2242	Automotive Starter Solenoid Remanufacturing Procedures	2008	SAE	0
17591	J2075	Alternator Remanufacturing/Rebuilding Procedures Includes Passenger Car, Heavy Duty, Industrial, Agricultural, and Marine	2008	SAE	0
17592	AMS2819B	Identification, Welding Wire Direct Color Code System	2008	SAE	0
17593	AMS2817F	(R) Packaging and Identification Preformed Packings	2008	SAE	0

17594	J2046	Personal Watercraft Fuel Systems	2008	SAE	0
17595	J212	Brake System Dynamometer Test Procedure - Passenger Car, Recommended Practice	2008	SAE	0
17596	J2073	Autmotive Starter Remanufacturing Procedures	2008	SAE	0
17597	AMS2950-1	Paste Adhesive for Core Restoration Part 1 - General Requirements	2008	SAE	0
17598	J2130-1	Identification of Self-Propelled Sweepers and Cleaning Equipment Part 1 - Machines with a Gross Vehicle Mass Greater than 5000 kg	2008	SAE	0
17599	J2130-2	Identification of Self-Propelled Sweepers and Cleaning Equipment Part 2â__Machines with a Gross Vehicle Mass Up to 5000 kg	2008	SAE	0
17600	J2190	Enhanced E/E Diagnostic Test Modes	2008	SAE	0
17601	J1939-82	Compliance	2008	SAE	0
17602	AMS2806C	Identification Bars, Wire, Mechanical Tubing, and Extrusions Carbon and Alloy Steels and Corrosion and Heat-Resistant Steels and Alloys	2008	SAE	0
17603	AMS2807B	Identification Carbon and Low-Alloy Steels, Corrosion and Heat-Resistant Steels and Alloys Sheet, Strip, Plate, and Aircraft Tubing	2008	SAE	0
17604	J1960	Accelerated Exposure of Automotive Exterior Materials Using a Controlled Irradiance Water-cooled Xenon Arc Apparatus	2008	SAE	0
17605	AMS2816W	Identification Welding Wire, Tab Marking Method	2008	SAE	0
17606	J2016	Chemical Stress Resistance of Polymers	2008	SAE	0
17607	AMS2810G	(R) Identification and Packaging Elastomeric Products	2008	SAE	0
17608	J1994	Laboratory Testing of Vehicle and Industrial Heat Exchangers for Heat Transfer and Pressure Drop Performance	2008	SAE	0
17609	J2000	Internal Combustion Engines - Piston Rings - Keystone Rings, Standard	2008	SAE	0
17610	J2001	Internal Combustion Engines - Piston Rings - Half Keystone Rings	2008	SAE	0
17611	J2002	Internal Combustion Engines - Piston Rings - Oil Control Rings	2008	SAE	0
17612	J2003	Internal Combustion Engines - Piston Rings Coil Spring Loaded Oil Control Rings	2008	SAE	0
17613	J2004	Internal Combustion Engines - Piston Rings - Expander/Segment Oil Control Rings	2008	SAE	0
17614	J1996	Internal Combustion Engines - Piston Rings - Quality Requirements	2008	SAE	0
17615	J1997	Internal Combustion Engines - Piston Rings - Rectangular Rings	2008	SAE	0
17616	J1998	Internal Combustion Engines - Piston Rings - Rectangular Rings with Narrow Ring Width	2008	SAE	0
17617	J1999	Internal Combustion Engines - Piston Rings - Scraper Rings	2008	SAE	0
17618	J1930	(R) Electrical/Electronic Systems Diagnostic Terms, Definitions, Abbreviations, and Acronymsâ__Equivalent to ISO/TR 15031-2	2008	SAE	0
17619	J1939-03	On Board Diagnostics Implementation Guide	2008	SAE	0
17620	J1939-15	Physical Layer, 250 Kbps, Un-Shielded Twisted Pair (UTP)	2008	SAE	0
17621	J1939-05	Marine Stern Drive and Inboard Spark-Ignition Engine On-Board Diagnostics Implementation Guide	2008	SAE	0
17622	J1885	Accelerated Exposure of Automotive Interior Trim Components Using a Controlled Irradiance Water Cooled Xenon-Arc Apparatus	2008	SAE	0
17623	J1828	Uniform Reference and Dimensional Guidelines for Collision Repair	2008	SAE	0
17624	J1853	Hand Winches-Boat Trailer Type	2008	SAE	0
17625	AMS2759-4C	Heat Treatment Austenitic Corrosion-Resistant Steel Parts	2008	SAE	0
17626	J1729	Parking Brake Drawbar Pull Test Procedureâ__Truck and Bus	2008	SAE	0
17627	J1715	(R) Hybrid Electric Vehicle (HEV) and Electric Vehicle (EV) Terminology	2008	SAE	0
17628	AMS2759-3E	Heat Treatment Precipitation-Hardening Corrosion-Resistant and Maraging Steel parts	2008	SAE	0
17629	J1718	Measurement of Hydrogen Gas Emission from Battery-Powered Passenger Cars and Light Trucks During Battery Charging	2008	SAE	0
17630	AMS2759E	Heat Treatment of Steel Parts General Requirements	2008	SAE	0

17631	J1802	Brake Block Effectiveness Rating	2008	SAE	0
17632	J1670	Type "F" Clamps for Plumbing Applications	2008	SAE	0
17633	AMS2756B	Gas Nitriding of Steel Parts	2008	SAE	0
17634	AMS2753C	(R) Liquid Salt Bath Ferritic Nitrocarburizing Non-Cyanide Bath	2008	SAE	0
17635	J1623	(R) Off-Highway Vehicle Headlamps	2008	SAE	0
17636	J1531	Seam Damage Test Procedure	2008	SAE	0
17637	J1591	Internal Combustion Engines - Piston Rings - General Specifications	2008	SAE	0
17638	J1597	Laboratory Testing of Vehicle and Industrial Heat Exchangers for Pressure-Cycle Durability	2008	SAE	0
17639	J1603	Rubber Seals for Hydraulic Disc Brake Cylinders (Stabilized Type)	2008	SAE	0
17640	J1588	Internal Combustion Engines - Piston Rings - Vocabulary	2008	SAE	0
17641	J1589	Internal Combustion Engines - Piston Rings - Inspection Measuring Principles	2008	SAE	0
17642	J151	Pressure Relief for Cooling System	2008	SAE	0
17643	J1497	Design Guide for Formed-in-Place Gaskets	2008	SAE	0
17644	J1476	Parking Brake Structural Integrity Test Procedure Vehicles Over 4500 kg (10 000 lb) GVWR-Truck and Bus	2008	SAE	0
17645	J1492	(R) Measurement of Light Vehicle Stationary Exhaust System Sound Level Engine Speed Sweep Method	2008	SAE	0
17646	J1388	Personnel Protection - Skid Steer Loaders	2008	SAE	0
17647	J1351	(R) Hot Odor Test for Insulation Materials	2008	SAE	0
17648	J1287	(R) Measurement of Exhaust Sound Pressure Levels of Stationary Motorcycles	2008	SAE	0
17649	J1292	(R) Automobile and Motor Coach Wiring	2008	SAE	0
17650	J1212	Fire Prevention on Forestry Machinery	2008	SAE	0
17651	AS8043B	(R) Restraint Systems for Civil Aircraft	2008	SAE	0
17652	AS8021	Minimum Performance Standard for Direction Instrument, Non-Magnetic (Gyroscopically Stabilized)	2008	SAE	0
17653	AS8048	Performance Standard for Passenger Smoke and Toxic Fumes Respiratory Protective Equipment	2008	SAE	0
17654	AS8057	Minimum Design and Performance of Airplane Galley Insert Equipment, Electrical/Pressurized	2008	SAE	0
17655	AS7470C	Bolts and Screws, Steel, Corrosion and Moderate Heat Resistant Heat Treated, Roll Threaded	2008	SAE	0
17656	AMS2415J	Plating, Lead and Indium	2008	SAE	0
17657	AS7928-5A	(R) TERMINALS, LUG AND SPLICES, CONDUCTOR, CRIMP STYLE, SPLICE, ELECTRIC (PERMANENT, TYPE II, CLASS 1) FOR 105 ?C TOTAL CONDUCTOR TEMPERATURE	2008	SAE	0
17658	AS7116-1A	NULL	2008	SAE	0
17659	AS7116-2A	National Aerospace and Defense Contractors Accreditation Program Requirements for Electrochemical Grinding (ECG)	2008	SAE	0
17660	AS7116-3A	National Aerospace and Defense Contractors Accreditation Program Requirements for Electrical Discharge Machining (EDM)	2008	SAE	0
17661	AS7114-1A	NADCAP Requirements for Nondestructive Testing Facility Penetrant Survey	2008	SAE	0
17662	AS7114-2A	NADCAP Requirements for Nondestructive Testing Magnetic Particle Survey	2008	SAE	0
17663	AS7114-3A	NADCAP Requirements for Nondestructive Testing Facility Ultrasonic Survey	2008	SAE	0
17664	AS7114-4A	NADCAP Requirements for Nondestructive Testing Facility Radiography	2008	SAE	0
17665	AS7114A	National Aerospace and Defense Contractors Accreditation Program Requirements for Nondestructive Testing	2008	SAE	0
17666	AS7116-4A	National Aerospace and Defense Contractors Accreditation Program Requirements for Laser Beam Machining (LBM)	2008	SAE	0
17667	AS7116A	National Aerospace and Defense Contractors Accreditation Program Requirements for Nonconventional Machining	2008	SAE	0
17668	AS7117A	National Aerospace and Defense Contractors Accreditation Program Requirements for Shot Peening, Peen Forming, Glass Bead Peening	2008	SAE	0
17669	AS7118-1A	Nadcap Requirements for Prepreg/Adhesive Bonding	2008	SAE	0

17670	AS7118-2A	Nadcap Requirements for Metal Bonding	2008	SAE	0
17671	AS7118-3A	Nadcap Requirements for Core Processing	2008	SAE	0
17672	AS7118A	Nadcap Requirements for Composites	2008	SAE	0
17673	AS71051B	Pipe Threads, Taper, Aeronautical National Form, Symbol ANPT - Design and Inspection Standard	2008	SAE	0
17674	AS7100-1B	National Aerospace and Defense Contractors Accreditation Program (NADCAP) Survey Checklists for the NDT Suppliers Accreditation Program	2008	SAE	0
17675	AS7003D	(R) Nadcap Program Requirements	2008	SAE	0
17676	AS7102-1A	National Aerospace and Defense Contractors Accreditation Program Requirements for Brazing	2008	SAE	0
17677	AS7102B	National Aerospace and Defense Contractors Accreditation Program Requirements for Heat Treating	2008	SAE	0
17678	AS681J	(R) Gas Turbine Engine Performance Presentation for Computer Programs	2008	SAE	0
17679	AMS2380F	Approval and Control of Premium-Quality Titanium Alloys	2008	SAE	0
17680	AS5979A	(R) FITTING ASSEMBLY, 45°, MALE FLARELESS, AXIALLY SWAGED, HYDRAULIC, 5080 PSI	2008	SAE	0
17681	AS5978A	(R) FITTING ASSEMBLY, 45°, FEMALE FLARELESS, AXIALLY SWAGED, HYDRAULIC, 5080 PSI	2008	SAE	0
17682	AS5976A	(R) FITTING ASSEMBLY, 90 , FEMALE FLARELESS, AXIALLY SWAGED, HYDRAULIC, 5080 PSI	2008	SAE	0
17683	AIR1329B	(R) Electrical Connectors and Wiring, Compatibility of	2008	SAE	0
17684	AS5801	FITTING ASSEMBLY, 90°, FEMALE FLARELESS, AXIALLY SWAGED, HYDRAULIC, 3000 PSI	2008	SAE	0
17685	AS5874	CLAMP, LOOP TYPE, CUSHIONED SUPPORT	2008	SAE	0
17686	AS5951C	Hose Assembly, Polytetrafluoroethylene, Para-Aramid Reinforced, 5080 psi (35,000 kPa), 275 °F (135 °C), Aircraft Hydraulic Systems	2008	SAE	0
17687	AS5806	FITTING ASSEMBLY, TEE, AXIALLY SWAGED ON THE RUN, FEMALE FLARELESS ON THE BRANCH, HYDRAULIC, 3000 PSI	2008	SAE	0
17688	AS5805	FITTING ASSEMBLY, 90 , FLARELESS BULKHEAD, AXIALLY SWAGED, HYDRAULIC, 3000 PSI	2008	SAE	0
17689	AS5809	FITTING ASSEMBLY, TEE, FEMALE FLARELESS AND AXIALLY SWAGED ON THE RUN, MALE FLARELESS ON BRANCH, HYDRAULIC, 3000 PSI	2008	SAE	0
17690	AS5810	FITTING ASSEMBLY, TEE, MALE FLARELESS ON THE RUN, AXIALLY SWAGED ON THE RUN AND THE BRANCH, HYDRAULIC, 3000 PSI	2008	SAE	0
17691	AS5803	FITTING ASSEMBLY, 45 ELBOW, FEMALE FLARELESS, AXIALLY SWAGED, HYDRAULIC, 3000 PSI	2008	SAE	0
17692	AS5802	FITTING ASSEMBLY, 90 , MALE FLARELESS, AXIALLY SWAGED, HYDRAULIC, 3000 PSI	2008	SAE	0
17693	AS5763	CLAMP ASSEMBLY, SADDLE TYPE, CUSHIONED, FUEL AND PETROLEUM BASED HYDRAULIC FLUID	2008	SAE	0
17694	AS5768	Tool, Stripper, Electrical Insulation, General Specification For	2008	SAE	0
17695	AS5458B	(R) HOSE ASSEMBLY, METAL - MEDIUM PRESSURE, FLARED, WELDED, STRAIGHT TO STRAIGHT	2008	SAE	0
17696	AS5459B	(R) HOSE ASSEMBLY, METAL MEDIUM PRESSURE, FLARED, WELDED, STRAIGHT TO 45°	2008	SAE	0
17697	AMS2242G	Tolerances Corrosion and Heat Resistant Steel, Iron Alloy, Titanium. And Titanium Alloy Sheet, Strip, and Plate	2008	SAE	0
17698	AS5460B	(R) HOSE ASSEMBLY, METAL - MEDIUM PRESSURE, FLARED, WELDED, STRAIGHT TO 90°	2008	SAE	0
17699	AS5461B	(R) HOSE ASSEMBLY, METAL - MEDIUM PRESSURE, FLARED, WELDED, 45° TO 45	2008	SAE	0
17700	AS5463B	(R) HOSE ASSEMBLY, METAL - MEDIUM PRESSURE, FLARED, WELDED, 90° TO 90°	2008	SAE	0
17701	AS5259	Crimping Tool and Accessories, Electrical, Size 8 to 700 KCMIL, General Purpose Use, Die and Dieless	2008	SAE	0
17702	AS5190A	(R) FITTING, ELBOW, 90 , INTERNAL STRAIGHT THREAD PORT	2008	SAE	0
17703	AS5173C	(R) FITTING, BUSHING, PORT, REDUCER	2008	SAE	0
17704	AS5176C	FITTING, SLEEVE, FLARED	2008	SAE	0
17705	AMS1540C	Cleaner, Thrust Reverser Water-Base	2008	SAE	0
17706	AMS1531D	Cleaner for Aircraft Exterior Surfaces Wipe-On, Wipe-Off, Containing Suspended Abrasive Solids	2008	SAE	0
17707	AMS1547A	Cleaner, Anodic, Electrolytic, Alkaline For Steel, Tank Type	2008	SAE	0

17708	AMS1545B	Cleaner, Thrust Reverser Alkaline, Water-Base	2008	SAE	0
17709	AMS1551A	Cleaner, Turbine Engine Gas Path Aqueous Type	2008	SAE	0
17710	AS4892A	Insert, Screw Thread, Self-Locking, UNS S66286, Locked In, Key Locked Procurement Specification For	2008	SAE	0
17711	AS51007A	GASKET, RUBBER, SYNTHETIC	2008	SAE	0
17712	AS4536B	Safety Cable Kit Procurement Specification and Requirement for Use	2008	SAE	0
17713	AMS1530C	Cleaner for Aircraft Exterior Surfaces, Wipe-On, Wipe-Off	2008	SAE	0
17714	AMS1532D	Cleaner for Aircraft Exterior Surfaces Wipe-On, Wipe-Off, Emulsion-Type	2008	SAE	0
17715	AMS1533B	Cleaner for Exterior Aircraft Surfaces Gel-Type, Solvent-Base	2008	SAE	0
17716	AMS1526C	Cleaner for Aircraft Exterior Surfaces Water-Miscible, Pressure-Spraying Type	2008	SAE	0
17717	AMS1529D	Cleaner for Aircraft Exterior Surfaces Emulsion, Foam-On, Pressure-Spray Type	2008	SAE	0
17718	AMS1528D	Cleaner for Aircraft Exterior Surfaces, Emulsion, Pressure-Spray Type	2008	SAE	0
17719	AS4372C	Performance Requirements for Wire, Electric, Insulated Copper or Copper Alloy	2008	SAE	0
17720	AMS1523B	Cleaner for Exterior Aircraft Surfaces Thickened or Gel-Type, Water-Base	2008	SAE	0
17721	AS4228B	FITTING, ADAPTER, EXTERNAL THREAD, BEAM SEAL TO INTEGRAL WELD RING	2008	SAE	0
17722	AS4223A	FITTING, UNION, BULKHEAD BEAM SEAL	2008	SAE	0
17723	AS4191	Gas Turbine Engine Performance Presentation for Computer Programs Using FORTRAN	2008	SAE	0
17724	AS39029-6A	CONTACTS, ELECTRICAL CONNECTOR PIN, CRIMP REMOVEABLE, SHIELDED, (FOR MIL-C-81511 SERIES 1 AND 2 CONNECTORS)	2008	SAE	0
17725	AS4052B	(R) Gland Design: Scraper, Landing Gear, Installation	2008	SAE	0
17726	AS39029-13A	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED (FOR MIL-C-81511 SERIES 1 CONNECTORS)	2008	SAE	0
17727	AS39029-14A	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, SHIELDED (FOR MIL-C-81511 SERIES 2 CONNECTORS)	2008	SAE	0
17728	AS39029-113A	(R) CONTACT, ELECTRICAL CONNECTOR, CONCENTRIC TWINAX, PIN, SIZE 8, MIL-DTL-38999 SERIES I, III, AND IV	2008	SAE	0
17729	AS39029-114A	(R) CONTACT, ELECTRICAL CONNECTOR, CONCENTRIC TWINAX, SOCKET, SIZE 8, MIL-DTL- 38999 SERIES I, III, AND IV	2008	SAE	0
17730	AS33681B	(R) STRAP, TIEDOWN, ELECTRICAL COMPONENTS, IDENTIFICATION, ADJUSTABLE, SELF-CLINCHING, PLASTIC, TYPE II, CLASS 1	2008	SAE	0
17731	AS33514C	FITTING END, STANDARD DIMENSIONS FOR FLARELESS TUBE CONNECTION AND GASKET SEAL	2008	SAE	0
17732	AS33515C	FITTING END, STANDARD DIMENSIONS FOR BULKHEAD FLARELESS TUBE CONNECTIONS	2008	SAE	0
17733	AS3220A	(R) FITTING, SLEEVE, FLARED, ALUMINUM	2008	SAE	0
17734	AMS1370A	Compound, Rust Remover, Liquid Aircraft and Aerospace Components, Immersion Tank Method	2008	SAE	0
17735	AS3511B	CABLE, SAFETY, KIT, CORROSION RESISTANT STEEL, UNS S30400	2008	SAE	0
17736	AS3509B	CABLE, SAFETY, KIT, NICKEL ALLOY, UNS N0660	2008	SAE	0
17737	AS3510B	CABLE, SAFETY, KIT, CORROSION AND HEAT RESISTANT STEEL, UNS S32100	2008	SAE	0
17738	AS3479E	NUT, SELF-LOCKING, PLATE, ONE LUG, FLOATING, LOW HEIGHT, UNS S66286, CLASS: 125 KSI/800 Ï°F	2008	SAE	0
17739	AMS2505F	Aluminum Paint Finishing Low Baking	2008	SAE	0
17740	J 1973	Personal Watercraftâ Flotation	2008	SAE	0
17741	AS9956A	PACKING, PREFORMED (PTFE) - AMS3668, SEAL	2008	SAE	0
17742	J1084	Operator Protective Structure Performance Criteria for Certain Forestry Equipment	2008	SAE	0
17743	J1082	Fuel Economy Measurement Road Test Procedure	2008	SAE	0
17744	J1062	Snowmobile Passenger Handgrips	2008	SAE	0

17745	AS9442B	BOLT, MACHINE - HEXAGON, DRILLED, 6 HOLES, PD SHANK, NICKEL CADMIUM PLATED, STEEL UNS K14675, 195 KSI MIN, .3125-24 UNJF-3A - UNS K 14675	2008	SAE	0
17746	AS9535	Substance Declaration Standard	2008	SAE	0
17747	AMS2485K	Coating, Black Oxide	2008	SAE	0
17748	AS895C	(R) FITTING, ELBOW, 45 , STANDARD AND REDUCER, FLARELESS TUBE TO PIPE, EXTERNAL THREAD	2008	SAE	0
17749	AS896C	(R) FITTING, NIPPLE, REDUCER, FLARELESS TUBE TO PIPE, EXTERNAL THREAD	2008	SAE	0
17750	AS894C	(R) FITTING, TEE, STANDARD AND REDUCER, FLARELESS TUBE TO PIPE ON RUN, EXTERNAL THREAD	2008	SAE	0
17751	AS85720A	Fittings, Tube, Fluid Systems, Separable, High Pressure Dynamic Beam Seal, 5000/8000 psi, General Specification For	2008	SAE	0
17752	AS85052-1A	(R) CLAMP, LOOP, TUBE, 17-7PH, 275 ?F, FUEL AND PETROLEUM BASED HYDRAULIC FLUID RESISTANT	2008	SAE	0
17753	AS85052-2A	(R) CLAMP, LOOP TUBE 17-7PH, CRES, 275 ?F, PHOSPHATE ESTER FLUID RESISTANT	2008	SAE	0
17754	AS85052-3A	(R) CLAMP, LOOP, TUBE 17-7 PH CRES, 500 ?F	2008	SAE	0
17755	AS85052-4A	CLAMP SUPPORT, LOOP, CLAMP	2008	SAE	0
17756	AS85052A	(R) Clamp Assembly, Loop Type, Cushioned, General Specification For	2008	SAE	0
17757	AS85421-3C	FITTING, TEE, REDUCER, BEAM SEAL, 3000/4000 PSI, 3 MALE ENDS	2008	SAE	0
17758	AS85421-4C	FITTING, TEE, REDUCER AND NON-REDUCER, BEAM SEAL, 3000/4000 PSI, MALE ON RUN, SWIVEL NUT ON BRANCH	2008	SAE	0
17759	AS85421-5C	FITTING, TEE, REDUCER AND NON-REDUCER, BEAM SEAL, 3000/4000 PSI, MALE ON RUN AND, BRANCH, SWIVEL NUT ON RUN	2008	SAE	0
17760	AS85421-6A	FITTING, CROSS, BEAM SEAL, 3000/4000 PSI, MALE ENDS	2008	SAE	0
17761	AS85421-7A	FITTING ASSEMBLY, CROSS, BEAM SEAL, 3000/4000 PSI, 4 FEMALE ENDS	2008	SAE	0
17762	AS85421-8A	FITTING, CROSS, REDUCER, BEAM SEAL 3000/4000 PSI, 4 MALE ENDS	2008	SAE	0
17763	AS85421-9A	FITTING ASSEMBLY, CROSS, REDUCER BEAM SEAL, 3000/4000 PSI, 4 FEMALE ENDS	2008	SAE	0
17764	AS85421-10C	FITTING, ADAPTER, BEAM SEAL, 3000/4000 PSI, MALE TO FLARELESS	2008	SAE	0
17765	AS85421-11C	FITTING, UNION, BEAM SEAL, 3000/4000 PSI, MALE ENDS	2008	SAE	0
17766	AS85421-12C	FITTING, ELBOW, 90?, BEAM SEAL, 3000/4000 PSI, MALE TO MALE	2008	SAE	0
17767	AS85421-13C	FITTING, ELBOW, 90?, BEAM SEAL, 3000/4000 PSI, BULKHEAD MALE ENDS	2008	SAE	0
17768	AS85421-14C	FITTING, ELBOW, 90?, BEAM SEAL, 3000/4000 PSI, MALE TO FEMALE	2008	SAE	0
17769	AS85421-15C	FITTING, ELBOW, 45?, BEAM SEAL, 3000/4000 PSI, BULKHEAD, MALE ENDS	2008	SAE	0
17770	AS85421-16C	FITTING, TEE, BEAM SEAL, 3000/4000 PSI, BULKHEAD ON RUN, MALE ENDS	2008	SAE	0
17771	AS85421-17C	FITTING, TEE, BEAM SEAL, 3000/4000 PSI, BULKHEAD ON BRANCH, MALE ENDS	2008	SAE	0
17772	AMS2448A	Application of Tungsten Carbide Coatings on Ultra High Strength Steels High Velocity Oxygen / Fuel Process	2008	SAE	0
17773	AS81820C	(R) Bearings, Plain, Self-Aligning, Self-Lubricating, Low Speed Oscillation	2008	SAE	0
17774	J1166	(R) Sound Measurement-Off-Road Self-Propelled Work Machines Operator-Work Cycle	2008	SAE	0
17775	J1097	Hydraulic Excavator Lift Capacity Calculation and Test Procedure - Reissued	2008	SAE	0
17776	J1179	Hydraulic Excavator and Backhoe Digging Forces	2008	SAE	0
17777	J1169	(R)Measurement of Light Vehicle Exhaust Sound Level Under Stationary Conditions	2007	SAE	0
17778	J1149	Metallic Air Brake System Tubing and Pipe (Stabilized Type)	2007	SAE	0
17779	AMS2431-8B	Peening Media (AWCH) Conditioned Carbon Steel Cut Wire Shot, High Hardness (55 to 62 HRC)	2007	SAE	0
17780	AMS2431-6C	Peening Media Glass Shot	2007	SAE	0
17781	AS81935-3A	LOCKING DEVICES (FOR ROD END BEARINGS)	2007	SAE	0
17782	AMS2435G	Coating, Tungsten Carbide-Cobalt Coating, Detonation Process	2007	SAE	0
17783	AMS2440B	(R) Inspection of Ground, Chromium Plated Steel Parts	2007	SAE	0

17784	AMS2450G	Sprayed Metal Finish, Aluminum	2007	SAE	0
17785	AMS2442A	Magnetic Particle Acceptance Criteria for Parts	2007	SAE	0
17786	AS85049-135	CONNECTOR ACCESSORIES, FIBER OPTIC BACKSHELL, SPLIT, STRAIGHT, SELF-LOCKING CATEGORY 3B FOR MIL-DTL-38999 SERIES III AND AS5590/1 CONNECTORS	2007	SAE	0
17787	AS85049-136	CONNECTOR ACCESSORIES, FIBER OPTIC BACKSHELL, SPLIT, 45?, SELF-LOCKING CATEGORY 3B FOR MIL-DTL-38999 SERIES III AND AS5590/1 CONNECTORS	2007	SAE	0
17788	AS85049-137	CONNECTOR ACCESSORIES, FIBER OPTIC BACKSHELL, SPLIT, 90?, SELF-LOCKING CATEGORY 3B FOR MIL-DTL-38999 SERIES III AND AS5590/1 CONNECTORS	2007	SAE	0
17789	AS85421A	(R) Fittings, Tube, Fluid Systems, Separable, Beam Seal, 3000/4000 psi, General Specification For	2007	SAE	0
17790	AMS2451-4B	Plating, Brush, Cadmium Corrosion Protective, Low Hydrogen Embrittlement	2007	SAE	0
17791	AS85421 SUP 1	Fittings, Tube, Fluid Systems, Separable, Beam Seal, 3000/4000 psi, General Specification For (Supplement 1)	2007	SAE	0
17792	AMS2451-10A	Plating, Brush, Tin-Zinc Low Hydrogen Embrittlement	2007	SAE	0
17793	AMS2451-11A	Plating, Brush, Cobalt	2007	SAE	0
17794	AS8791-1B	RETAINER, PACKING, HYDRAULIC AND PNEUMATIC, POLYTETRAFLUOROETHYLENE, SINGLE TURN	2007	SAE	0
17795	AS9015	Supplier Self Verification Process Delegation Programs	2007	SAE	0
17796	AS9025A	Clamp - Loop Type Support (Heat Resistant) .265 Hole	2007	SAE	0
17797	AS90376A	CAP, DUST, PLASTIC, ELECTRIC CONNECTOR	2007	SAE	0
17798	AS9201C	NUT, PLAIN, HEXAGON, BOSS CONNECTION, SILVER PLATED, 347 CRES UNS S34700	2007	SAE	0
17799	AS9104-2	Requirements for Oversight of Aerospace Quality Management System Registration/Certification Programs	2007	SAE	0
17800	AS9104-2W	NULL	2007	SAE	0
17801	AS9104-3	Requirements for Aerospace Auditor Competency and Training Courses	2007	SAE	0
17802	AS94900	Aerospace - Flight Control Systems - Design, Installation and Test of Piloted Military Aircraft, General Specification For	2007	SAE	0
17803	AS9518B	BOLT, MACHINE - STEEL, CADMIUM PLATED, HEXAGON HEAD, UNS G87400, 125 KSI MIN, .1900-32 UNJF-3A	2007	SAE	0
17804	AS9519B	BOLT, MACHINE - HEXAGON HEAD, STEEL, CADMIUM PLATED, UNS G87400, 125 KSI MIN, .2500-28 UNJF-3A	2007	SAE	0
17805	AS9521B	BOLT, MACHINE - STEEL, CADMIUM PLATED, HEXAGON HEAD, UNS G87400, 125 KSI MIN, .3750-24 UNJF-3A	2007	SAE	0
17806	AS9520B	BOLT, MACHINE - STEEL, CADMIUM PLATED, HEXAGON HEAD, UNS G87400, 125 KSI MIN, .3125-24 UNJF-3A	2007	SAE	0
17807	AS9523B	BOLT, MACHINE - STEEL, CADMIUM PLATED, HEXAGON HEAD, UNS G87400, 125 KSI MIN, .5000-20 UNJF-3A	2007	SAE	0
17808	AS9522B	BOLT, MACHINE - HEXAGON HEAD, STEEL, CADMIUM PLATED, UNS G87400, 125 KSI MIN, .4375-20 UNJF-3A	2007	SAE	0
17809	AS9534A	BOLT, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, CADMIUM PLATED, STEEL UNS G87400, 125 KSI MIN, .5000-20 UNJF-3A	2007	SAE	0
17810	AS9533A	BOLT, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, CADMIUM PLATED, STEEL UNS G87400, 125 KSI MIN, .4375-20 UNJF-3A	2007	SAE	0
17811	AS9532A	BOLT, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, CADMIUM PLATED, STEEL UNS G87400, 125 KSI MIN, .3750-24 UNJF-3A	2007	SAE	0
17812	AS9531A	BOLT, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, CADMIUM PLATED, STEEL UNS G87400, 125 KSI MIN, .3125-24 UNJF-3A	2007	SAE	0
17813	AS9524B	BOLT, MACHINE - HEXAGON HEAD, STEEL, CADMIUM PLATED, UNS G87400, 125 KSI MIN, .5625-18 UNJF-3A	2007	SAE	0

17814	AS9525B	BOLT, MACHINE - STEEL, CADMIUM PLATED, HEXAGON HEAD, UNS G87400, 125 KSI MIN, .6250-18 UNJF-3A	2007	SAE	0
17815	AS9526B	BOLT, MACHINE - STEEL, CADMIUM PLATED, HEXAGON HEAD, UNS G87400, 125 KSI MIN, .7500-16 UNJF-3A	2007	SAE	0
17816	AS9527A	SCREW, MACHINE STEEL UNS G87400, CADMIUM PLATE, DRILLED, 1 HOLE, HEXAGON HEAD, .1380-40 UNJF-3A	2007	SAE	0
17817	AS9528A	SCREW, MACHINE STEEL UNS G87400, CADMIUM PLATE, DRILLED, 1 HOLE, HEXAGON HEAD, .164-36 UNJF-3A	2007	SAE	0
17818	AS9530A	BOLT, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, CADMIUM PLATED, STEEL UNS G87400, 125 KSI MIN, .2500-28 UNJF-3A	2007	SAE	0
17819	AS9529A	BOLT, MACHINE - STEEL UNS G87400, CADMIUM PLATE, DRILLED, 1 HOLE, HEXAGON HEAD, .1900-32 UNJF-3A	2007	SAE	0
17820	AS9556C	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, 130 KSI MIN, .1900-32 UNJF-3A	2007	SAE	0
17821	AS9565C	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, CRES UNS S66286, 130 KSI MIN .1900-32 UNJF-3A	2007	SAE	0
17822	AS9576B	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, 130 KSI MIN, .3125-24 UNJF-3A	2007	SAE	0
17823	AS9575B	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, 130 KSI MIN, .2500-28 UNJF-3A	2007	SAE	0
17824	AS9359A	NUT, CASTELLATED, HEXAGON, SILVER PLATED, CRES UNS S66286, 130 KSI MIN	2007	SAE	0
17825	AMS2472F	Anodic Treatment of Aluminum Alloys Sulfuric Acid Process, Dyed Coating	2007	SAE	0
17826	J1032	Definitions for Machine Availability (Off-Road Work Machines)	2007	SAE	0
17827	J1029	Lighting and Marking of Construction, Earthmoving Machinery	2007	SAE	0
17828	J1038	(R) Recommendations for Children$^{\bar{1}}$ s Snowmobile, Recommended Practice	2007	SAE	0
17829	J1075	Sound Measurement - Construction Site	2007	SAE	0
17830	J 2641	Stationary Sound Testing of Snowmobiles, Procedure and Enforcement Issues	2007	SAE	0
17831	J1019	Tests and Procedures for High Temperature Transmission Oil Hose, Engine Lubricating Oil Hose, and Hose Assemblies, Standard	2007	SAE	0
17832	J1008	Sound Measurement - Self- Propelled Agricultural Equipment - Exterior	2007	SAE	0
17833	J1013	(R) Measurement of Whole Body Vibration of the Seated Operator of Off- Highway Work Machines, Standard - August 1992	2007	SAE	0
17834	AS9592B	BRACKET, ANGLE, 90$^{\bar{1}\circ}$, CRES UNS S32100, .190 BOLT	2007	SAE	0
17835	AS9698B	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, CORROSION AND HEAT RESISTANT STEEL, UNS N07001, 165 KSI MIN, .3125-24 UNJF-3A	2007	SAE	0
17836	AS9716A	BOLT, MACHINE-DOUBLE HEXAGON, EXTENDED WASHER HEAD, DRILLED, SILVER PLATED, CORROSION AND HEAT RESISTANT STEEL, .3125-24 UNJF-3A	2007	SAE	0
17837	AS9895A	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, AMS 5616, .2500-28 UNJF-3A	2007	SAE	0
17838	AS9890A	(R) BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, CRES UNS S41800, .5000-20 UNJF-3A	2007	SAE	0
17839	AS3484B	GASKET - 37$^{\bar{1}\circ}$ FLARED TUBE FITTING, NICKEL, AMS 5553	2007	SAE	0
17840	AS3534A	NUT, SELF-LOCKING, SHANK, UNS S66286 SILVER PLATE ON THD ONLY, UNJ THREAD	2007	SAE	0
17841	AS3502	INSERT, SCREW THREAD, SELF LOCKING PLASTIC LOCKING DEVICE, SOLID FILM LUBRICATED SELF-BROACHING KEYS, UNS S66286	2007	SAE	0
17842	AS3503	INSERT, SCREW THREAD, SELF LOCKING PLASTIC LOCKING DEVICE, SOLID FILM LUBRICATED, SELF-BROACHING KEYS, OVERSIZE UNS S66286	2007	SAE	0
17843	AS31971A	(R) GAGE PIN FOR SOCKET CONTACT ENGAGEMENT TEST	2007	SAE	0

17844	AS33671D	(R) STRAP, TIEDOWN, ELECTRICAL COMPONENTS, ADJUSTABLE, SELFCLINCHING, PLASTIC, TYPE I, CLASS 1	2007	SAE	0
17845	AS3282B	GASKET - 37ï° FLARED TUBE FITTING, NICKEL, AMS 5553	2007	SAE	0
17846	AS3659	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, CLOSE TOLERANCE SHANK, COBALT-NICKEL ALLOY, UNS R30159, 260 KSI MIN	2007	SAE	0
17847	AS38999-30A	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, HIGH DENSITY, QUICK DISCONNECT (BAYONET, THREADED, AND BREECH COUPLING), ENVIRONMENT RESISTANT, REMOVABLE CRIMP AND HERMETIC SOLDER CONTACTS, PLUG, LANYARD RELEASE, FAIL-SAFE, TRIPLE START THREADED COUPLING,	2007	SAE	0
17848	AS3622A	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, CLOSE TOLERANCE SHANK, COBALT-NICKEL ALLOY, UNS R30159, 260 KSI MIN	2007	SAE	0
17849	AS3573A	Insert, Screw Thread, Non-Locking, Locked in, Key Locked, Extra Heavy-Duty, Self-Broaching Keys, UNS S66286	2007	SAE	0
17850	AS3613A	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK. COBALT-NICKEL ALLOY, UNS R30159, 260 KSI MIN	2007	SAE	0
17851	AS3616	NUT, SELF-LOCKING, DOUBLE HEXAGON REDUCED FLANGE, SOLID FILM LUBE COUNTERBORED 180 KSI, 1400 ï°F, UNS N07001	2007	SAE	0
17852	AS3535A	NUT, SELF-LOCKING, SHANK, UNS N07001 SILVER PLATE, UNJ THREAD	2007	SAE	0
17853	AS3546A	INSERT, SCREW THREAD, SELF-LOCKING, LOCKED IN, KEY LOCKED, EXTRA HEAVY-DUTY, SELF-BROACHING KEYS, UNS S66286	2007	SAE	0
17854	AS3552A	NUT, SELF-LOCKING, DOUBLE HEXAGON, SILVER PLATED, EXTENDED WRENCH PAD 180 KSI, 1400 ï°F, UNS N07001	2007	SAE	0
17855	AS3553A	NUT, SELF-LOCKING, DOUBLE HEXAGON, SILVER PLATED, COUNTERBORED 180 KSI, 1400 ï°F, UNS N07001	2007	SAE	0
17856	AS3554A	NUT, SELF-LOCKING, DOUBLE HEXAGON, SILVER PLATED, REDUCED HEIGHT 180 KSI, 1400 ï°F, UNS N07001	2007	SAE	0
17857	AS39029-19B	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, SHIELDED (FOR MIL-C-81511 SERIES 3 AND 4 CONNECTORS)	2007	SAE	0
17858	AS4194A	Sheet and Strip Surface Finish Nomenclature	2007	SAE	0
17859	AS4220C	FITTING, ELBOW, 45â °, BEAM SEAL BULKHEAD	2007	SAE	0
17860	AS4221C	FITTING, ELBOW, 90ï°, BEAM SEAL BULKHEAD	2007	SAE	0
17861	AS4224C	FITTING ASSEMBLY, TEE, BEAM SEAL, RETAINED NUT ON SIDE	2007	SAE	0
17862	AS4230C	FITTING, ELBOW, 45â °, EXTERNAL THREAD, BEAM SEAL TO INTEGRAL WELD RING	2007	SAE	0
17863	AS4231C	FITTING, ELBOW, 45ï°, BULKHEAD, EXTERNAL THREAD, BEAM SEAL TO INTEGRAL WELD RING	2007	SAE	0
17864	AS4232C	FITTING, ELBOW, 90ï°, EXTERNAL THREAD, BEAM SEAL TO INTEGRAL WELD RING	2007	SAE	0
17865	AS4233C	FITTING, ELBOW, 90ï°, BULKHEAD, EXTERNAL THREAD, BEAM SEAL TO INTEGRAL WELD RING	2007	SAE	0
17866	AS4210D	FITTING, TEE, BEAM SEAL	2007	SAE	0
17867	AS4211D	FITTING, CROSS, BEAM SEAL	2007	SAE	0
17868	AS4273A	(R) Fire Testing of Fluid Handling Components for Aircraft Engines and Aircraft Engine Installations	2007	SAE	0
17869	AS4470B	HOSE ASSEMBLY, LINED SILICONE, 125 PSI, FLARELESS, POTABLE WATER, STRAIGHT TO 45ï°	2007	SAE	0
17870	AS4471B	HOSE ASSEMBLY, LINED SILICONE, 125 PSI, FLARELESS, POTABLE WATER, STRAIGHT TO 90ï°	2007	SAE	0
17871	AS4472B	HOSE ASSEMBLY, LINED SILICONE, 125 PSI, FLARELESS, POTABLE WATER, 45ï° TO 45ï°	2007	SAE	0
17872	AS4473B	HOSE ASSEMBLY, LINED SILICONE, 125 PSI, FLARELESS, POTABLE WATER, 45ï° TO 90ï°	2007	SAE	0
17873	AS4474B	HOSE ASSEMBLY, LINED SILICONE, 125 PSI, FLARELESS, POTABLE WATER, 90ï° TO 90ï°	2007	SAE	0
17874	AS4475B	HOSE ASSEMBLY, LINED SILICONE, 125 PSI, FLARELESS, POTABLE WATER, STRAIGHT MALE TO STRAIGHT FEMALE	2007	SAE	0

17875	AS4476B	HOSE ASSEMBLY, LINED SILICONE, 125 PSI, FLARELESS, POTABLE WATER, STRAIGHT MALE TO 45Ï° FEMALE	2007	SAE	0
17876	AS4477B	HOSE ASSEMBLY, LINED SILICONE, 125 PSI, FLARELESS, POTABLE WATER, STRAIGHT MALE TO 90Ï° FEMALE	2007	SAE	0
17877	AS4478B	HOSE ASSEMBLY, LINED SILICONE, 125 PSI, FLARELESS, POTABLE WATER, STRAIGHT MALE TO STRAIGHT MALE	2007	SAE	0
17878	AS4499C	HOSE ASSEMBLY, CONVOLUTED, POLYTETRAFLUOROETHYLENE, METALLIC REINFORCED CONDUCTIVE, FLARED, STRAIGHT TO STRAIGHT	2007	SAE	0
17879	AS4500C	HOSE ASSEMBLY, CONVOLUTED, POLYTETRAFLUOROETHYLENE, METALLIC REINFORCED CONDUCTIVE, FLARED, STRAIGHT TO 45Ï°	2007	SAE	0
17880	AS4469B	HOSE ASSEMBLY, LINED SILICONE, 125 PSI, FLARELESS, POTABLE WATER, STRAIGHT TO STRAIGHT	2007	SAE	0
17881	AS4504C	HOSE ASSEMBLY, CONVOLUTED, POLYTETRAFLUOROETHYLENE, METALLIC REINFORCED CONDUCTIVE, FLARED, 90â_° TO 90â_°	2007	SAE	0
17882	AS4503C	HOSE ASSEMBLY, CONVOLUTED, POLYTETRAFLUOROETHYLENE, METALLIC REINFORCED CONDUCTIVE, FLARED, 45â_° TO 90â_°	2007	SAE	0
17883	AS4502C	HOSE ASSEMBLY, CONVOLUTED, POLYTETRAFLUOROETHYLENE, METALLIC REINFORCED CONDUCTIVE, FLARED, 45â_° TO 45â_°	2007	SAE	0
17884	AS4501C	HOSE ASSEMBLY, CONVOLUTED, POLYTETRAFLUOROETHYLENE, METALLIC REINFORCED CONDUCTIVE, FLARED, STRAIGHT TO 90â_°	2007	SAE	0
17885	AMS1741	Compound, Alkaline Degreaser Aircraft Turbine Engine Components	2007	SAE	0
17886	AS5116C	Minimum Operational Performance Specification for Ground Ice Detection Systems	2007	SAE	0
17887	AMS1742	Compound, Alkaline Solvent Cleaner Aircraft Turbine Engine Components Room Temperature Application	2007	SAE	0
17888	AMS1740	Compound, Alkaline Aqueous Cleaner Aircraft Turbine Engine Components	2007	SAE	0
17889	AS5039	FITTING, BODY END - THREADED COUPLING, RIGID, SELF-BONDING, DESIGN STANDARD	2007	SAE	0
17890	AS4941A	(R) Aerospace - General Requirements for Commercial Aircraft Hydraulic Components	2007	SAE	0
17891	AS4950B	(R) Design and Performance Criteria Transport Aircraft Portable Megaphones	2007	SAE	0
17892	AS5002C	FITTING, ELBOW, 90Ï°, BEAM SEAL	2007	SAE	0
17893	AS5003C	FITTING, TEE, BEAM SEAL, BULKHEAD ON RUN	2007	SAE	0
17894	AS5004C	FITTING, TEE, BEAM SEAL, BULKHEAD ON SIDE	2007	SAE	0
17895	AS4847A	Shank Nuts, Captive Blind Fastener, Mating Retaining Flange, Design Standard For	2007	SAE	0
17896	AS47642A	Validation Methods for MIL-STD-1760C Aircraft Station Interfaces	2007	SAE	0
17897	AS478N	Identification Marking Methods	2007	SAE	0
17898	AS4800B	HOSE ASSEMBLY, LINED SILICONE, 125 PSI, FIXED CAVITY COUPLING, POTABLE WATER, STRAIGHT FEMALE TO 45Ï° FEMALE	2007	SAE	0
17899	AS4801B	HOSE ASSEMBLY, LINED SILICONE, 125 PSI, FIXED CAVITY COUPLING, POTABLE WATER, STRAIGHT FEMALE TO 90Ï° FEMALE	2007	SAE	0
17900	AS4824B	GASKET, FITTING END, 37Ï° FLARED	2007	SAE	0
17901	AS4805	Solid State Power Controller, General Standard For	2007	SAE	0
17902	AS4807C	FITTING ASSEMBLY, ELBOW, 90Ï°, BEAM SEAL, RETAINED NUT	2007	SAE	0
17903	AS4808B	FITTING ASSEMBLY, ELBOW, 45â_°, BEAM SEAL, RETAINED NUT	2007	SAE	0
17904	AS4809C	FITTING ASSEMBLY, TEE, BEAM SEAL, RETAINED NUT ON RUN	2007	SAE	0
17905	AS4723	Insert, Screw Thread, Self-Locking, UNS S66286, Key Locked, Plastic Self Locking Device, Solid Film Lubricant Procurement Specification For	2007	SAE	0
17906	AS4724	Studs and Inserts, Locked In, Self-Broaching Keys - Hole Dimensions and Installation Requirements	2007	SAE	0
17907	AS45909	Stud, Locked In, Ring Locked, Serrated, General Specification For	2007	SAE	0

17908	AS5227A	FLANGE, STRAIGHT THREAD PORT, WELD	2007	SAE	0
17909	AS51992A	STUD, LOCKED IN-RING, SERRATED, HIGH STRENGTH	2007	SAE	0
17910	AMS2241R	Tolerances, Corrosion and Heat-Resistant Steel, Iron Alloy, Titanium, and Titanium Alloy Bars and Wire	2007	SAE	0
17911	AS5355B	Couplings, Clamp, Grooved, V-Band	2007	SAE	0
17912	AS5309A	FITTING END, SPHERICAL, 37ï° FLARED TUBE CONNECTION DESIGN STANDARD	2007	SAE	0
17913	AS5310A	FITTING END, BULKHEAD, SPHERICAL, 37ï° FLARED TUBE CONNECTION DESIGN STANDARD	2007	SAE	0
17914	AS5491C	Calculation of Electron Vacancy Number in Superalloys	2007	SAE	0
17915	AS5503A	HOSE ASSEMBLY, LINED SILICONE, 125 PSI, FLARELESS TO FIXED CAVITY, POTABLE WATER	2007	SAE	0
17916	AS5382-5A	CABLE, FIBER OPTIC, MULTI-MODE, 50/125/450 ?m, GRADED INDEX, HERMETIC COATED, TIGHT BUFFER	2007	SAE	0
17917	AS5385C	(R) Cargo Restraint Straps - Design Criteria and Testing Methods	2007	SAE	0
17918	AS5382-1A	CABLE, FIBER OPTIC, MULTIMODE, 100/140/172 ?m GRADED INDEX, HERMETIC COATED, TIGHT BUFFER	2007	SAE	0
17919	AMS2259E	Chemical Check Analysis Limits Wrought Low-Alloy and Carbon Steels	2007	SAE	0
17920	AS5657	Test Plan/Procedure for AS5643 IEEE-1394b Interface Requirements for Military and Aerospace Vehicle Applications	2007	SAE	0
17921	AS5649	Wire and Cable Marking Process, UV Laser	2007	SAE	0
17922	AS5706	Test Plan/Procedure for AS5643/1 S400 Copper Media Interface Characteristics Over Extended Distances	2007	SAE	0
17923	AS5692-1	ARC FAULT CIRCUIT BREAKER, TRIP FREE, PUSH-PULL, FUSIBLE LINK DESIGN, 2 ? -15 AMPS, TYPE I	2007	SAE	0
17924	AS5692-2	ARC FAULT CIRCUIT BREAKER - AIRCRAFT, TRIP FREE, 1-20 AMP, TYPE I	2007	SAE	0
17925	AS5625	Minimum Performance Standards for Static Electric Power Frequency Converters	2007	SAE	0
17926	AS5767	FITTING ASSEMBLY, TEE, FEMALE FLARELESS, AXIALLY SWAGED, HYDRAULIC, 5080 PSI	2007	SAE	0
17927	AS5781	Retainers (Backup Rings), Hydraulic and Pneumatic, Polytetrafluoroethylene Resin, Single Turn, Scarf-Cut, For Use in AS4716 Glands	2007	SAE	0
17928	AS5782	Retainers (Backup Rings), Hydraulic and Pneumatic, Polytetrafluoroethylene Resin, Solid, Un-Cut, For Use in AS4716 Glands	2007	SAE	0
17929	AS5798	Aerospace Size Standard for Oversize O-rings	2007	SAE	0
17930	AS5947	FITTING, FERRULE END - THREADED COUPLING, RIGID, SELF-BONDING, DESIGN STANDARD	2007	SAE	0
17931	AS5948	FITTING, BULKHEAD END - THREADED COUPLING, RIGID, SELF-BONDING, DESIGN STANDARD	2007	SAE	0
17932	AS5956C	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PARA ARAMID REINFORCED, 275 ï°F, 5080 PSI, FLARELESS, TITANIUM FITTINGS, 45ï° TO 90ï°	2007	SAE	0
17933	AS5953C	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PARA ARAMID REINFORCED, 275 ï°F, 5080 PSI, FLARELESS, TITANIUM FITTINGS, STRAIGHT TO 45ï°	2007	SAE	0
17934	AS5954C	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PARA ARAMID REINFORCED, 275 ï°F, 5080 PSI, FLARELESS, TITANIUM FITTINGS, STRAIGHT TO 90ï°	2007	SAE	0
17935	AS5900B	(R) Standard Test Method for Aerodynamic Acceptance of SAE AMS 1424 and SAE AMS 1428 Aircraft Deicing/Anti-icing Fluids	2007	SAE	0
17936	AMS2309A	Magnetic Rubber Inspection Material	2007	SAE	0
17937	AS59158	Tools, Inserting and Extracting Helical Coil Wire Screw Thread Inserts Inch and Spark Plug Sizes	2007	SAE	0
17938	AS5877A	Detailed Specification for Aircraft Pressure Refueling Nozzle	2007	SAE	0
17939	AS5827A	FITTING END, FLARELESS, EXTRA FINE THREAD, DESIGN STANDARD	2007	SAE	0
17940	AS5975A	FITTING ASSEMBLY, STRAIGHT, MALE FLARELESS, AXIALLY SWAGED, HYDRAULIC, 5080 PSI	2007	SAE	0
17941	AMS2360D	Room Temperature Tensile Properties of Castings	2007	SAE	0
17942	AMS2361D	Elevated Temperature Tensile Properties of Castings	2007	SAE	0
17943	AMS2362C	Stress-Rupture Properties of Castings	2007	SAE	0
17944	AMS2375D	Control of Forgings Requiring First Article Approval	2007	SAE	0

17945	AS7103A	National Aerospace and Defense Contractors Accreditation Program (NADCAP) Requirements for Accreditation of Pass Through Distributors	2007	SAE	0
17946	AS7104A	NADCAP Requirements for Accreditation of Full Distributors	2007	SAE	0
17947	AS7101C	NATIONAL AEROSPACE AND DEFENSE CONTRACTORS ACCREDITATION PROGRAM (NADCAP) GENERAL REQUIREMENTS FOR MATERIALS TEST LABORATORY ACCREDITATION PROGRAM	2007	SAE	0
17948	AS7110-10A	National Aerospace and Defense Contractors Accreditation Program Requirements for Foundry In-Process Welding of Castings	2007	SAE	0
17949	AS7110-11A	National Aerospace and Defense Contractors Accreditation Program Requirements for Gas Arc Fusion Spot Welding	2007	SAE	0
17950	AS7110-1D	Nadcap Requirements for Brazing (Torch and Induction)	2007	SAE	0
17951	AS7110-2D	Nadcap Requirements for Flash Welding	2007	SAE	0
17952	AS7110-3D	Nadcap Requirements for Electron Beam Welding	2007	SAE	0
17953	AS7110-4D	Nadcap Requirements for Resistance Welding (Spot, Seam, Projection)	2007	SAE	0
17954	AS7110-5D	Nadcap Requirements for Fusion Welding	2007	SAE	0
17955	AS7110-6D	Nadcap Requirements for Laser Welding	2007	SAE	0
17956	AS7110-7D	Nadcap Requirements for Rotational Friction/Inertia Welding	2007	SAE	0
17957	AS7110-8D	Nadcap Requirements for Diffusion Welding	2007	SAE	0
17958	AS7110-9D	Nadcap Requirements for Percussion Stud Welding	2007	SAE	0
17959	AS7110D	Nadcap Requirements for Welding/Brazing	2007	SAE	0
17960	AS7245A	Inserts, Screw Thread, Helical Coil 19Cr-9.2Ni, Corrosion Resistant Steel, Procurement Specification For	2007	SAE	0
17961	AS7205	Spring Pins, Tubular, Carbon Steel, Procurement Specification for	2007	SAE	0
17962	AS7928-8	TERMINALS, LUG AND SPLICES, CONDUCTOR, CRIMP STYLE, COPPER TERMINAL, LUG, CRIMP STYLE, COPPER, INSULATED, RING TONGUE, FOR THIN WALL WIRE, TIN WHISKER RESISTANT, TYPE II CLASS 1 FOR 105 ?C TOTAL CONDUCTOR TEMPERATURE	2007	SAE	0
17963	AS7928-9	TERMINALS, LUG AND SPLICES, CONDUCTOR, CRIMP STYLE, COPPER, INSULATED, RECTANGULAR TONGUE, TIN WHISKER RESISTANT FOR THIN WALL WIRE, TYPE II, CLASS 1 FOR 105 ?C TOTAL CONDUCTOR TEMPERATURE	2007	SAE	0
17964	AS7928-2B	(R) TERMINALS, LUG AND SPLICES, CONDUCTOR, CRIMP STYLE, COPPER, INSULATED, RECTANGULAR TONGUE, FOR THIN WALL WIRE, TYPE II, CLASS 1 FOR 105 ?C TOTAL CONDUCTOR TEMPERATURE	2007	SAE	0
17965	AS7928-10	TERMINALS, LUG AND SPLICES, CONDUCTOR, CRIMP STYLE, SPLICE, ELECTRIC, TIN WHISKER (PERMANENT, TYPE II, CLASS 1) FOR 105 ?C TOTAL CONDUCTOR TEMPERATURE	2007	SAE	0
17966	AS81021A	Copper-Beryllium Alloy (Copper Alloy Numbers C17500 and C17510), Strip	2007	SAE	0
17967	AMS2427D	Aluminum Coating Ion Vapor Deposition	2007	SAE	0
17968	AMS2431-3D	Peening Media (AWCR) Conditioned Carbon Steel Cut Wire Shot, Regular Hardness (45 to 52 HRC)	2007	SAE	0
17969	AMS2431-4C	Peening Media (AWS) Conditioned Stainless Steel Cut Wire Shot	2007	SAE	0
17970	AMS2633C	Ultrasonic Inspection Centrifugally-Cast, Corrosion-Resistant Steel Tubular Cylinders	2007	SAE	0
17971	J1236	Cast Iron Sealing Rings (Metric) (Stabilized Type)	2007	SAE	0
17972	J1297	Alternative Automotive Fuels	2007	SAE	0
17973	J1260	Standard Oil Filter Test Oil	2007	SAE	0
17974	J1330	(R) Photometry Laboratory Accuracy Guidelines	2007	SAE	0
17975	J1384	Vibration Performance Evaluation of Operator Seats	2007	SAE	0
17976	J1386	Classification of Agricultural Wheeled Tractors for Vibration Tests of Operator Seats	2007	SAE	0
17977	J1404	Service Brake Structural Integrity Requirements-Truck and Bus	2007	SAE	0
17978	J1406	Application of Hydraulic Brake Hose to Motor Vehicles - Wheel End and Axle	2007	SAE	0
17979	J1541	Fuel Injection Nomenclature - Spark Ignition Engines	2007	SAE	0

17980	AMS2685E	Welding, Tungsten Arc, Inert Gas (GTAW Method)	2007	SAE	0
17981	AMS2745A	Induction Hardening of Steel Parts	2007	SAE	0
17982	J1647	Plastic Materials and Coatings for Use In or On Optical Parts Such as Lenses and Reflectors of High-Intensity Discharge Forward Lighting Devices Used in Motor Vehicles	2007	SAE	0
17983	J1644	Metallic Tube Connections for Fluid Power and General Use-Test Methods for Threaded Hydraulic Fluid Power Connectors	2007	SAE	0
17984	J1637	Laboratory Measurement of the Composite Vibration Damping Properties of Materials on a Supporting Steel Bar	2007	SAE	0
17985	J1691	Plastic Motor Vehicle Safety Glazingâ Tolerances and Fabrication Details	2007	SAE	0
17986	AMS2759-12A	Gaseous Nitrocarburizing, Automatically Controlled by Potentials	2007	SAE	0
17987	J1705	Low Water Tolerant Brake Fluids	2007	SAE	0
17988	J1717	Interior Automotive Plastic Part Testing	2007	SAE	0
17989	J1733	(R) Sign Convention for Vehicle Crash Testing	2007	SAE	0
17990	J1748	Methods for Determining Physical Properties of Polymeric Materials Exposed to Hydrocarbon Fuels or Their Surrogates and Their Blends with Oxygenated Additives	2007	SAE	0
17991	AMS2759-8A	(R)Ion Nitriding	2007	SAE	0
17992	J1757-1	(R) Standard Metrology for Vehicular Displays	2007	SAE	0
17993	J1754-1	Hose Assemblies, Rubber, Hydraulic, Steel Wire Reinforced - Part 1: Procurement Document	2007	SAE	0
17994	J1834	Seat Belt Comfort, Fit, and Convenienceâ Truck and Bus	2007	SAE	0
17995	J1890	Performance Assurance of Remanufactured, Hydraulically-Operated Rack and Pinion Steering Gears	2007	SAE	0
17996	J1865	Dimensional Compatibility for Commercial Vehicles Fitment of Complete Wheels in Drum Brake Applications - Truck and Bus	2007	SAE	0
17997	J1861	Air Brake Valve Input-Output Characteristic Requirements	2007	SAE	0
17998	J1916	Engine Water Pump Remanufacture Procedures and Acceptance Criteria	2007	SAE	0
17999	AMS2809A	Identification Titanium and Titanium Alloy Wrought Products	2007	SAE	0
18000	J2017	Guidelines for the Development of Performance-Based Technician Training Programs	2007	SAE	0
18001	J2024	Contaminants for Testing Air Brake Components and Auxiliary Pneumatic Devices-Truck and Bus	2007	SAE	0
18002	J1946	Companion Flanges, Type A (External Pilot) and Type S (Internal Pilot)	2007	SAE	0
18003	J2184	(R) Vehicle Lift Points for Service Garage Lifting	2007	SAE	0
18004	J2081	Test Procedure for Determining the Resistance of Safety-Glazing Materials, of which One Surface is Plastic, to Simulated Weathering	2007	SAE	0
18005	J2244-1	Connections for Fluid Power and General Use - Ports and Stud Ends with ISO 261 Threads and O-Ring Sealing Part 1: Port with O-Ring Seal in Truncated Housing - ISO 6149-1	2007	SAE	0
18006	J2244-2	Connections for Fluid Power and General Use - Ports and Stud Ends with ISO 261 Threads and O-Ring Sealing Part 2: Heavy-Duty (S Series) Stud Ends - Dimensions, Design, Test Methods, and Requirements - ISO 6149-2	2007	SAE	0
18007	J2244-3	Connections for Fluid Power and General Useâ__Ports and Stud Ends with ISO 261 Metric Threads and O-Ring Sealing, Part 3: Light-Duty (L Series) Stud Endsâ Dimensions, Design, Test Methods, and Requirements	2007	SAE	0
18008	J2244-4	Connections for Fluid Power and General Useâ__Ports and Stud Ends with ISO 261 Threads and O-Ring Sealingâ__Part 4: Heavy-Duty (S Series) External Hex Port Plugsâ Dimensions, Design, Test Methods, and Requirements	2007	SAE	0
18009	AMS3021D	Fluid, Reference for Testing Di-Ester (Polyol) Resistant Material	2007	SAE	0
18010	J2267	Minimum Performance Criteria for Operator Front Protective Structure (OFPS) for Certain Equipment	2007	SAE	0
18011	J2208	Park Standard for Automatic Transmissions	2007	SAE	0
18012	J2356	A Graphical Model for Interactive Distributed Control	2007	SAE	0
18013	AMS3052	Grease, Aircraft, General Purpose, Low Temperature Range, Lithium Thickened	2007	SAE	0

18014	J2494-3	Performance Requirements for SAE J844 Non-metallic Air Brake Tubing and Push to Connect Fitting Assemblies Used in Vehicular Air Brake Systems	2007	SAE	0
18015	J2560	Forward Lighting Halogen Bulb Performance Requirements for Motor Vehicles	2007	SAE	0
18016	AMS3072E	Compound, Corrosion Preventive Aircraft Engine	2007	SAE	0
18017	J267	Wheels/Rims - Trucks - Test Procedures and Performance Requirements - January 1991	2007	SAE	0
18018	J2723	Engine Power Test Codeâ__Engine Power and Torque Certification	2007	SAE	0
18019	J2715	Gasoline Fuel Injector Spray Measurement and Character	2007	SAE	0
18020	J2709	Coolant Filter Test Procedure	2007	SAE	0
18021	J2633	Wheel and Wheel Trim Weathering Testing for Paint Coatings	2007	SAE	0
18022	J2635	Filiform Corrosion Test Procedure for Painted Aluminum Wheels and Painted Aluminum Wheel Trim	2007	SAE	0
18023	AMS3085	Fluid, Reference for Testing AS5780 HPC Class (Polyol) Resistant Material	2007	SAE	0
18024	J2604	Recommended Test Procedure for Powered Gas Brake Control Systems	2007	SAE	0
18025	J2603	(R) Recommended Practice for Powered Gas Brake Control Systems	2007	SAE	0
18026	J2743	Air Compressor Size Rating Recommended Practice - Truck and Bus	2007	SAE	0
18027	J2758	Determination of the Maximum Available Power from a Rechargeable Energy Storage System on a Hybrid Electric Vehicle	2007	SAE	0
18028	J2750	Assigned Identification Number Structure and Usage for North American Vehicles/Watercraft Other than Certified to Federal Regulations	2007	SAE	0
18029	J2745	Categorization and Properties of Advanced High Strength Automotive Sheet Steels	2007	SAE	0
18030	J2798	Power Cylinder Blow-by: Problem Solving	2007	SAE	0
18031	J2796	Power Cylinder Oil Consumption: Methods of Measurements	2007	SAE	0
18032	J2797	(R) Power Cylinder Blow-By: Blow-By Mechanisms	2007	SAE	0
18033	J2794	Power Cylinder Oil Consumption: Transport Mechanisms	2007	SAE	0
18034	J2795	Power Cylinder Oil Consumption: Problem Solving	2007	SAE	0
18035	J2777	Recommended Best Practice for Climatic Wind Tunnel Correlation	2007	SAE	0
18036	J2779	Low Speed Thorax Impact Test Procedure for the HIII 50th Male Dummy	2007	SAE	0
18037	J2801	Comprehensive Life Test for 12 V Automotive Storage Batteries	2007	SAE	0
18038	J2800	Laboratory Corrosion/Fatigue Testing of Vehicle Suspension Coil Springs	2007	SAE	0
18039	J2808	Road/Lane Departure Warning Systems: Information for the Human Interface	2007	SAE	0
18040	J2809	Honda Diagnostic Serial Data Link Protocolâ__ABS/VSA System	2007	SAE	0
18041	J2810	HFC-134a (R-134a) Refrigerant Recovery Equipment for Mobile Automotive Air-Conditioning Systems	2007	SAE	0
18042	J287	Driver Hand Control Reach	2007	SAE	0
18043	AMS3138D	Coating Materials, Fluorocarbon (FKM) Elastomeric	2007	SAE	0
18044	J377	Vehicular Traffic Sound Signaling Devices (Horns)	2007	SAE	0
18045	J304	(R) Engine Oil Tests	2007	SAE	0
18046	J308	(R) Axle and Manual Transmission Lubricants	2007	SAE	0
18047	J430	Mechanical and Chemical Requirements for Nonthreaded Fasteners Carbon Steel Solid Rivets - Inch Series	2007	SAE	0
18048	J64	Vehicle Identification Numbers - Snowmobiles	2007	SAE	0
18049	J533	(R) Flares for Tubing	2007	SAE	0
18050	J524	Seamless Low-Carbon Steel Tubing Annealed for Bending and Flaring	2007	SAE	0
18051	J525	Welded and Cold Drawn Low-Carbon Steel Tubing Annealed for Bending and Flaring	2007	SAE	0
18052	J694	(R) Disc Wheel and Hub or Drum Interface Dimensions - Truck and Bus	2007	SAE	0

18053	J737	Hole Spacing for Scraper and Dozer Cutting Edges	2007	SAE	0
18054	J739	Cutting EdgeCurved Grader	2007	SAE	0
18055	J731	Component Nomenclature - Loader	2007	SAE	0
18056	J95	Headlamps for Industrial Equipment	2007	SAE	0
18057	J912	Test Method for Determining Blocking Resistance and Associated Characteristics of Automotive Trim Materials	2007	SAE	0
18058	J915	Automatic Transmissions - Manual Control Sequence	2007	SAE	0
18059	J840	(R) Test Procedures for Shear Strength of Automotive Brake Pads and Brake Lining Assemblies	2007	SAE	0
18060	J901	Universal Joints and Driveshafts - Nomenclature - Terminology - Application	2007	SAE	0
18061	J882	Test Method for Measuring Thickness of Automotive Textiles and Plastics	2007	SAE	0
18062	J876	(R) Wide Base Disc Wheels and Demountable Rims	2007	SAE	0
18063	MAM2300D	Steel Cleanliness, Premium Aircraft-Quality Magnetic Particle Inspection Procedure Metric (SI) Measurement	2007	SAE	0
18064	MAM2301C	Steel Cleanliness, Aircraft Quality Magnetic Particle Inspection Procedure Metric (SI) Measurement	2007	SAE	0
18065	MAM2303E	Steel Cleanliness, Aircraft Quality Martensitic Corrosion-Resistant Steels Magnetic Particle Inspection Procedure Metric (SI) Measurement	2007	SAE	0
18066	MAM2304C	Steel Cleanliness, Special Aircraft-Quality Magnetic Particle Inspection Procedure Metric (SI) Measurement	2007	SAE	0
18067	MAM2231C	Tolerances, Metric Carbon Steel Bars	2007	SAE	0
18068	MAM2232C	Tolerances, Metric Carbon Steel, Sheet, Strip, and Plate	2007	SAE	0
18069	MAM2263B	Tolerances, Metric Nickel, Nickel Alloy, and Cobalt Alloy Tubing	2007	SAE	0
18070	MAM2241E	Tolerances, Metric Corrosion and Heat Resistant Steel, Iron Alloy, Titanium, and Titanium Alloy Bars and Wire	2007	SAE	0
18071	MAM2242D	Tolerances, Metric Corrosion and Heat Resistant Steel, Iron Alloy, Titanium, and Titanium Alloy Sheet, Strip, and Plate	2007	SAE	0
18072	MAM2243D	Tolerances, Metric Corrosion and Heat Resistant Steel Tubing	2007	SAE	0
18073	MAM2244C	Tolerances, Metric Titanium and Titanium Alloy Tubing	2007	SAE	0
18074	MAM2245C	Tolerances, Metric Titanium and Titanium Alloy Tubing	2007	SAE	0
18075	MAM2251C	Tolerances, Metric Low-Alloy Steel Bars	2007	SAE	0
18076	MAM2252C	Tolerances, Metric Low-Alloy Steel Sheet, Strip, and Plate	2007	SAE	0
18077	MAM2253B	Tolerances, Metric Carbon and Alloy Steel Tubing	2007	SAE	0
18078	MAM2261D	Tolerances, Metric Nickel, Nickel Alloys, and Cobalt Alloy Bars, Rods, and Wire	2007	SAE	0
18079	MAM2262D	Tolerances, Metric Nickel, Nickel Alloy, and Cobalt Alloy Sheet, Strip, and Plate	2007	SAE	0
18080	MA5405-2	SPLICE, FIBER OPTIC, AEROSPACE INTER-CONNECT (MIL-PRF-29504 TERMINI)	2007	SAE	0
18081	MS1008	Lubricants, Industrial Oils and Related Products Type M (Metal Removal Fluids) Specification	2007	SAE	0
18082	USCAR-27	Specification for Testing Gas Discharge Light Source Subsystem	2007	SAE	0
18083	USCAR-35	Test Procedures for Evaluating Bolt-Load Retention of Magnesium Alloys	2007	SAE	0
18084	USCAR-32	NEW FINISH DEVELOPMENT DOCUMENT	2007	SAE	0
18085	AIR1539B	(R) Environmental Control System Contamination	2007	SAE	0
18086	USCAR-10	Test for Evaluating the Torque-Tension Relationship of Both External an Internal Metric Threaded Fasteners - Revision 1	2007	SAE	0
18087	USCAR-11	Torque-Tension Testing and Evaluation of Fastener Finishes - Revision 1	2007	SAE	0
18088	AMS3414E	Flux, Aluminum Welding	2007	SAE	0
18089	AMS3417C	Flux, Brazing High Temperature	2007	SAE	0
18090	AMS3819C	Cloths, Cleaning For Aircraft Primary and Secondary Structural Surfaces	2007	SAE	0
18091	AMS4065K	Aluminum Alloy, Drawn Seamless Tubing 1.2Mn - 0.12Cu (3003-0) Annealed - UNS A93003	2007	SAE	0
18092	AMS4067J	Aluminum Alloy, Drawn Round Seamless Tubing 1.25Mn - 0.12Cu (3003-H14) Strain Hardened - UNS A93003	2007	SAE	0
18093	AMS4062J	Aluminum Alloy, Drawn Seamless Round Tubing (1100-H14) Strain Hardened - UNS A91100	2007	SAE	0

18094	AMS4015L	Aluminum Alloy, Sheet and Plate 2.5Mg - 0.25Cr (5052-0) Annealed - UNS A95052	2007	SAE	0
18095	AMS4001J	Aluminum Sheet and Plate 0.12Cu (1100-0) Annealed - UNS A91100	2007	SAE	0
18096	AMS4003H	Aluminum Alloy, Sheet and Plate 0.12 Cu (1100-H14) Strain Hardened - UNS A91100	2007	SAE	0
18097	AMS4006K	Aluminum Alloy, Sheet and Plate 1.25Mn - 0.12Cu (3003-0) Annealed - UNS A93003	2007	SAE	0
18098	AMS4088K	Aluminum Alloy, Drawn, Seamless Tubing 4.4Cu - 1.5Mg - 0.60Mn (2024-T3) Solution Heat Treated and Cold Worked - UNS A92024	2007	SAE	0
18099	AMS4111D	Aluminum Alloy Forgings 7.7Zn - 2.5Mg - 1.5Cu - 0.16Cr (7049-T73) Solution and Precipitation Heat Treated - UNS A97049	2007	SAE	0
18100	AMS4121H	Aluminum Alloy Bars, Rods, and Wire, Rolled or Cold Finished 4.5Cu - 0.85Si - 0.80Mn - 0.50Mg (2014-T6) Solution and Precipitation Heat Treated - UNS A92014	2007	SAE	0
18101	AMS4128D	Aluminum Alloy Bars, Rolled or Cold Finished 1.0Mg - 0.60Si - 0.30Cu - 0.20Cr (6061-T451) Solution Heat Treated and Stress Relieved by Stretching - UNS A96061	2007	SAE	0
18102	AMS4147D	Aluminum Alloy Forgings 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (7075-T7352) Solution Heat Treated, Stress Relieved by Compression, and Overaged - UNS A97075	2007	SAE	0
18103	AMS4143E	Aluminum Alloy Forgings and Rolled or Forged Rings 6.3Cu - 0.30Mn - 0.18Zr - 0.10V - 0.06Ti (2219-T6) Solution and Precipitation Heat Treated - UNS A92219	2007	SAE	0
18104	AMS4152M	Aluminum Alloy Extrusions 4.4Cu - 1.5Mg - 0.60Mn (2024-T3) Solution Heat Treated - UNS A92024	2007	SAE	0
18105	AMS4157D	Aluminum Alloy Extrusions 7.7Zn - 2.4Mg - 1.6Cu - 0.16Cr (7049-T73511) Solution Heat Treated, Stress Relieved, and Overaged - UNS A97049	2007	SAE	0
18106	AMS4180G	Aluminum Wire 99.0Al Minimum (1100-H18) - UNS A91100	2007	SAE	0
18107	AMS4211B	Aluminum Alloy, Plate 6.2Zn - 1.9Cu - 2.1Mg - 0.10Zr (7040-T7451) Solution Heat Treated, Stress Relieved, and Overaged - UNS A97040	2007	SAE	0
18108	AMS4225D	Aluminum Alloy, Heat-Resistant, Castings 5.0Cu - 1.5Ni - 0.25Mn - 0.25Sb - 0.25Co - 0.20Ti - 0.20Zr (203.0-T6) Solution Heat Treated and Precipitation Heat Treated - UNS A02030	2007	SAE	0
18109	AMS4223D	Aluminum Alloy, Castings 4.5Cu - 0.70Ag - 0.30Mn - 0.25Mg - 0.25Ti (A201.0-T4) Solution Heat Treated and Naturally Aged - UNS A12010	2007	SAE	0
18110	AMS4217H	Aluminum Alloy, Castings 7.0Si - 0.32Mg (356.0-T6) Solution and Precipitation Heat Treated - UNS A03560	2007	SAE	0
18111	AMS4242B	Aluminum Alloy, Castings 4.7Cu - 0.60Ag - 0.35Mn - 0.25Mg - 0.25Ti (B201.0-T7) Solution Heat Treated and Overaged - UNS A02010	2007	SAE	0
18112	AMS4237B	Aluminum Alloy Castings, Sand 4.6Cu - 0.35Mn - 0.25Mg - 0.22Ti (206.0 -T71) Solution Heat Treated and Naturally Aged - UNS A02060	2007	SAE	0
18113	AMS4287A	Aluminum Alloy, Extrusion 2.7 Cu - 1.8 Li - 0.7 Zn - 0.3 Mn - 0.3 Mg - 0.08 Zr (2099-T83) Solution Heat Treated, Stress Relieved by Stretching 1% to 4% and Aged - UNS A92099	2007	SAE	0
18114	AIR4023B	(R) Aircraft Turbine Fuel Contamination History and Endurance Test Requirements	2007	SAE	0
18115	AMS4270B	Aluminum Alloy, Alclad Flat Sheet 4.1Cu - 1.4Mg - 0.45Mn (Alclad 2424-T3) Solution Heat Treated and Cold Worked - UNS A82424	2007	SAE	0
18116	AMS4303B	Aluminum Alloy Plate 2.7Cu - 2.2Li - 0.12Zr (2090-T81) Solution Heat Treated, Cold Worked, and Aged	2007	SAE	0
18117	AMS4311E	Aluminum Alloy, Rolled or Forged Rings 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (7075-T7351, 7075-T7352) Solution Heat Treated, Mechanically Stress Relieved, and Precipitation Heat Treated - UNS A97075	2007	SAE	0
18118	AIR4066B	(R) Aerospace Fluid Power - Materials and Characteristics of Flight Control Servoactuators of Various Aircraft	2007	SAE	0
18119	AMS4306B	Aluminum Alloy, Plate 6.4Zn - 2.4Mg - 2.2Cu - 0.12Zr (7150-T6151) Solution Heat Treated, Stress Relieved, and Aged - UNS A97150	2007	SAE	0
18120	AMS4296B	Aluminum Alloy, Alclad Sheet and Plate 4.3Cu - 1.4Mg - 0.60Mn (Alclad 2524-T3) Solution Heat Treated and Cold Worked - UNS A82524	2007	SAE	0
18121	AMS4406	Aluminum Alloy, Centrifugal Castings 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (709.0-T61) Hot Isostatically Pressed, Solution and Precipitation Heat Treated - UNS A07090	2007	SAE	0

18122	AMS4407	Aluminum Alloy, Plate (7056-T7651) 9.1Zn - 1.6Cu - 1.9Mg Solution Heat Treated, Stress Relieved, and Overaged - UNS A97056	2007	SAE	0
18123	AMS4408	Aluminum Alloy, Plate (7140-T7651) 6.6Zn - 1.8Cu - 2.0Mg - 0.10Zr Solution Heat Treated, Stress Relieved, and Overaged - UNS A97140	2007	SAE	0
18124	AMS4409	Aluminum Alloy, Plate 4.0Zn - 2.0Mg - 0.32Mn (7019-T651) Solution Heat Treated, Stress Relieved and Artificially Aged - UNS A97019	2007	SAE	0
18125	AMS4410	Aluminum Alloy Plate (7081-T7451) 7.2Zn - 1.5Cu - 2.0Mg - 0.10Zr Solution Heat Treated, Stress Relieved and Overaged - UNS A97081	2007	SAE	0
18126	AMS4411	Aluminum Alloy Plate (7081-T7651) 7.2Zn - 1.5Cu - 2.0Mg - 0.10Zr Solution Heat Treated, Stress Relieved and Overaged - UNS A97081	2007	SAE	0
18127	AMS4338A	Aluminum Alloy, Extrusions 4.0Cu - 1.3Mg - 0.60Mn (2026-T3511) Solution Heat Treated and Stress Relieved by Stretching - UNS A92026	2007	SAE	0
18128	AMS4342E	Aluminum Alloy, Extrusions 6.2Zn - 2.3Cu - 2.2Mg - 0.12Zr (7050-T74511) Solution Heat Treated, Stress Relieved, Straightened, and Overaged - UNS A97050	2007	SAE	0
18129	AMS4347C	Aluminum Alloy Sheet 1.0Mg - 0.8Si - 0.8Cu - 0.5Mn (6013-T4) Solution Heat Treated and Naturally Aged - UNS A96013	2007	SAE	0
18130	AIR4072A	Safety Considerations of Carry-On Items During the Emergency Evacuation of Transport Aircraft	2007	SAE	0
18131	AIR4127	Steel: Chemical Composition and Hardenability	2007	SAE	0
18132	AMS4575E	Nickel-Copper Alloy Tubing, Brazed, Corrosion Resistant 67Ni - 31Cu Annealed - UNS N04400	2007	SAE	0
18133	AMS4725E	Copper-Beryllium Alloy Wire 98Cu - 1.9Be Solution Heat Treated - UNS C17200	2007	SAE	0
18134	AMS4731C	Nickel-Copper Alloy Wire and Ribbon, Corrosion-Resistant 67Ni - 31Cu Annealed - UNS N04400	2007	SAE	0
18135	AMS4732D	Copper-Nickel Alloy Wire and Ribbon 77.5Cr - 22.5Ni - UNS C71110	2007	SAE	0
18136	AMS4740D	Copper Powder 99.0 Cu, Minimum As Fabricated	2007	SAE	0
18137	AMS4764F	Copper Alloy, Brazing Filler Metal 52.5Cu - 38Mn - 9.5Ni 1615 to 1700 ī°F (879 to 927 ī°C) Solidus-Liquidus Range - UNS C69950	2007	SAE	0
18138	AMS4710G	Brass Wire, Tinned 65Cu - 35Zn Annealed (061) - UNS C27000	2007	SAE	0
18139	AMS5132K	Steel, Bars 0.90 - 1.03C - UNS G10950	2007	SAE	0
18140	AMS5082G	Steel Tubing, Seamless 0.31 - 0.38C (SAE 1035) Stress Relieved - UNS G10350	2007	SAE	0
18141	AMS5337D	Steel, Maraging, Investment Castings 18.5Ni - 9.0Co - 5.0Mo - 0.70Ti - 0.12Al Vacuum Melted Homogenized, Overaged, and Solution Heat Treated - UNS J93150	2007	SAE	0
18142	AMS5334H	Steel, Investment Castings 0.50Cr - 0.55Ni - 0.20Mo (0.25 - 0.35C) (SAE 8630 Mod) Normalized and Tempered - UNS J13042	2007	SAE	0
18143	AMS5047F	Steel, Sheet and Strip 0.08 - 0.13C, Aluminum Killed (SAE 1010) Deep Forming Grade - UNS G10100	2007	SAE	0
18144	AMS4805E	Bearings, Sintered Metal Powder 89Cu - 10Sn Oil Impregnated	2007	SAE	0
18145	AMS4815G	Bearings, Silver Plated Steel Back	2007	SAE	0
18146	AMS5383E	Nickel Alloy, Corrosion and Heat-Resistant, Investment Castings 52.5Ni - 19Cr - 3.0Mo - 5.1Cb(Nb) - 0.90Ti - 0.60Al - 18Fe Vacuum Melted Homogenization and Solution Heat Treated - UNS N07718	2007	SAE	0
18147	AIR4367A	(R) Aircraft Inflight Ice Detectors and Icing Rate Measuring Instruments	2007	SAE	0
18148	AMS5378F	Alloy Castings, Investment, Corrosion and Heat Resistant 65.5Co - 25Cr - 1.8Ni - 5.0W as Cast - UNS R30023	2007	SAE	0
18149	AMS5375F	Alloy Castings, Investment, Corrosion and Heat Resistant 65.5Co - 25Cr - 1.8Ni - 5.0W As Cast - UNS R30023	2007	SAE	0
18150	AMS5369E	Steel Castings, Sand, Corrosion and Heat Resistant 19.5Cr - 9.5Ni - 1.4Mo - 1.4W - 0.50 (Cb+Ta) - 0.32Ti Solution and Precipitation Heat Treated - UNS J92843	2007	SAE	0
18151	AMS5371E	Steel Castings, Sand, Corrosion and Heat Resistant 19.5Cr - 9.5Ni (Low Carbon) (304L) Solution Heat Treated - UNS J92620	2007	SAE	0
18152	AMS5372D	Steel Castings, Sand, Corrosion Resistant 16Cr - 1.9Ni (Type 431 Mod) Normalized and Tempered - UNS J91601	2007	SAE	0

18153	AMS5392M	Alloy Iron Castings, Sand, Moderate Corrosion and Heat Resistant 2.1Cr - 15Ni - 6.5Cu (2.4 - 2.8C) as Cast - UNS F47004	2007	SAE	0
18154	AMS5393G	Alloy Iron Castings, Sand, Moderate Corrosion and Heat Resistant 2.0Cr-20Ni (2.4-2.8C) Stress Relieved - UNS F47005	2007	SAE	0
18155	AMS5394D	Alloy Iron Castings, Ductile, Sand, Corrosion and Heat Resistant 2.0Cr - 20Ni (2.4 - 3.0C) Stress Relieved - UNS F47006	2007	SAE	0
18156	AMS5400B	Steel, Corrosion-Resistant, Investment Castings 15Cr - 4.6Ni - 0.22Cb - 2.8Cu Solution and Precipitation Heat Treated (H935) 170 ksi (1172 MPa) Tensile Strength - UNS J92110	2007	SAE	0
18157	AMS5339F	Steel, Maraging, Investment Castings 17Ni - 10Co - 4.6Mo - 0.30Ti - 0.06Al Vacuum Melted Homogenized, Overaged, and Solution Heat Treated - UNS J93010	2007	SAE	0
18158	AMS5344F	(R) Steel, Corrosion-Resistant, Investment Castings 16Cr - 4.1Ni - 0.28Cb - 3.2Cu Homogenization, Solution, and Precipitation Heat Treated (H900) 180 ksi (1241 MPa) Tensile Strength (17-4) - UNS J92180 and J92200	2007	SAE	0
18159	AIR4366A	Issues and Concerns Associated with Electronic Propulsion Control System Partitioning	2007	SAE	0
18160	AMS5359E	Steel Castings, Sand, Corrosion and Heat Resistant 15Cr - 4.0Ni - 2.3Mo - 0.08N Solution Heat Treated - UNS J92001	2007	SAE	0
18161	AMS5525J	Steel, Corrosion and Heat-Resistant, Sheet, Strip, and Plate 15Cr - 25.5Ni - 1.2Mo - 2.1Ti - 0.006B - 0.30V 1800 ī°F (982 ī°C) Solution Heat Treated - UNS S66286	2007	SAE	0
18162	AMS5526J	Steel Sheet, Strip, and Plate, Corrosion and Heat Resistant 19.5Cr - 9.5Ni - 1.4Mo - 1.4W - 0.42(Cb+Ta) - 0.22Ti Solution Heat Treated - UNS K63198	2007	SAE	0
18163	AMS5528H	Steel, Corrosion-Resistant, Sheet, Strip, and Plate 17Cr - 7.1Ni - 1.1Al Solution Heat Treated, Precipitation Hardenable - UNS S17700	2007	SAE	0
18164	AMS5542N	Nickel Alloy, Corrosion and Heat-Resistant, Sheet, Strip, and Plate 72Ni - 15.5Cr - 0.95Cb(Nb) - 2.5Ti - 0.70Al - 7.0Fe Annealed - UNS N07750	2007	SAE	0
18165	AMS5548P	Steel, Corrosion and Heat-Resistant, Sheet and Strip 16.5Cr - 4.5Ni - 2.9Mo - 0.10N 1850 to 1975 ī°F (1010 to 1079 ī°C) Annealed - UNS S35000	2007	SAE	0
18166	AMS5512L	Steel, Corrosion and Heat-Resistant, Sheet, Strip, and Plate 18Cr - 10.5Ni - 0.80Cb (SAE 30347) Solution Heat Treated - UNS S34700	2007	SAE	0
18167	AMS5516P	Steel, Corrosion-Resistant, Sheet, Strip, and Plate 18Cr - 9.0Ni (SAE 30302) Solution Heat Treated - UNS S30200	2007	SAE	0
18168	AMS5407B	Alloy Castings, Investment, Corrosion and Heat Resistant 60Ni - 9.0Cr - 10Co - 12.5W - 1.0Cb - 2.0Ti - 5.0Al - 0.015B - 0.06Zr Vacuum Melted, Vacuum Cast as Cast	2007	SAE	0
18169	AMS5408B	Alloy Castings, Centrifugal, Corrosion and Heat Resistant 64Ni - 16Cr - 15Mo - 0.30Al - 0.05La Solution Heat Treated	2007	SAE	0
18170	AMS5403B	Alloy Castings, Investment, Corrosion and Heat Resistant 60Ni - 14Cr - 9.5Co - 4.0Mo - 4.0W - 5.0Ti - 3.0Al - 0.015B - 0.06Zr Vacuum Melted, Vacuum Cast	2007	SAE	0
18171	AMS5404B	Alloy Castings, Investment, Corrosion and Heat Resistant 59Ni - 12.6Cr - 9.0Co - 1.9Mo - 4.2W - 4.0Ti - 4.2Ta - 3.4Al - 0.015B - 0.10Zr - 0.90Hf Vacuum Melted, Vacuum Cast Solution and Precipitation Heat Treated	2007	SAE	0
18172	AMS5405B	Alloy Castings, Investment, Corrosion and Heat Resistant 64Ni - 8.0Cr - 10Co - 6.0Mo - 1.0Ti - 4.2Ta - 6.0Al - 0.015B - 0.08Zr Vacuum Melted, Vacuum Cast as Cast	2007	SAE	0
18173	AMS5406B	Alloy Castings, Investment, Corrosion and Heat Resistant 63Ni - 8.0Cr - 10Co - 6.0Mo - 1.0Ti - 4.2Ta - 6.0Al - 0.015B - 0.03Zr - 1.2Hf Vacuum Melted, Vacuum Cast as Cast	2007	SAE	0
18174	AMS5596K	Nickel Alloy, Corrosion and Heat-Resistant, Sheet, Strip, Foil and Plate 52.5Ni - 19Cr - 3.0Mo - 5.1Cb (Nb) - 0.90Ti - 0.50Al - 18Fe Consumable Electrode Remelted or Vacuum Induction Melted 1775 ī°F (968 ī°C) Solution Heat Treated - UNS N07718	2007	SAE	0
18175	AMS5598E	Nickel Alloy, Corrosion and Heat-Resistant, Sheet, Strip, and Plate 72Ni - 15.5Cr - 0.95 (Cb (Nb) + Ta) - 2.5Ti - 0.70Al - 7.0Fe Consumable Electrode, Remelted or Vacuum Induction Melted, Solution Heat Treated, Precipitation-Hardenable - UNS N07750	2007	SAE	0
18176	AMS5599G	Nickel Alloy, Corrosion and Heat-Resistant, Sheet, Strip, and Plate 62Ni - 21.5Cr - 9.0Mo - 3.7 Cb (Nb) Solution Heat Treated - UNS N06625	2007	SAE	0
18177	AMS5600E	Steel, Corrosion-Resistant, Sheet Laminated, Edge Bonded - UNS S30200	2007	SAE	0
18178	AMS5579D	Steel, Corrosion and Heat Resistant, Tubing Welded 19.5Cr - 9.5Ni - 1.4Mo -1.4W - 0.42(Cb + Ta) - 0.22Ti Thin Wall - UNS S63198	2007	SAE	0

18179	AMS5586G	Nickel Alloy, Corrosion and Heat-Resistant, Welded Tubing 57Ni - 19.5Cr - 13.5Co - 4.2Mo - 2.9Ti - 1.4Al - 0.006B - 0.08Zr Consumable Electrode Remelted or Vacuum Induction Melted, Annealed - UNS N07001	2007	SAE	0
18180	AMS5561G	Steel, Corrosion and Heat-Resistant, Welded and Drawn or Seamless and Drawn Tubing 9.0Mn - 20Cr - 6.5Ni - 0.28N High-Pressure Hydraulic - UNS S21900	2007	SAE	0
18181	AMS5612J	Steel, Corrosion and Heat-Resistant, Bars, Wire, Forgings, Tubing, and Rings 12Cr Ferrite Controlled, Annealed - UNS S41001	2007	SAE	0
18182	AMS5640U	Steel, Corrosion-Resistant, Bars, Wire, and Forgings 18Cr - 9.0Ni Free Machining - UNS S30300 (Type 1); UNS S30323 (Type 2); UNS S30310 (Type 3)	2007	SAE	0
18183	AMS5641G	Steel, Corrosion-Resistant, Bars, Wire, and Forgings 18.5Cr - 10Ni - 0.22Se (SAE 30303Se) Free-Machining; Swaging or Upsetting Solution Heat Treated	2007	SAE	0
18184	AIR4766	Air Quality for Commercial Aircraft Cabins	2007	SAE	0
18185	AMS5701D	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 41.5Ni - 16Cr - 37Fe - 2.9Cb (Nb) - 1.8Ti Consumable Electrode Remelted or Vacuum Induction Melted 1800 °F (982 °C) Solution Heat Treated	2007	SAE	0
18186	AMS5702D	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 41.5Ni - 16Cr - 37Fe - 2.9Cb (Nb) - 1.8Ti Consumable Electrode Remelted or Vacuum Induction Melted 1750 °F (954 °C) Solution Heat Treated - UNS N09706	2007	SAE	0
18187	AMS5710F	Steel, Bars and Forgings, Corrosion and Heat-Resistant 20Cr - 2.2Si - 1.3Ni (0.76 - 0.86) - UNS S65006	2007	SAE	0
18188	AMS5713J	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 53Ni - 19Cr - 11Co - 9.8Mo - 3.2Ti - 1.6Al - 0.006B Vacuum Melted, Solution and Precipitation Heat Treated - UNS N07041	2007	SAE	0
18189	AMS5657C	Steel Bars and Forgings, Corrosion and Moderate Heat-Resistant 15Cr - 7.1Ni - 2.5Mo - 1.1Al - UNS S15700	2007	SAE	0
18190	AMS5668J	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 72Ni - 15.5Cr - 7.0Fe - 2.5Ti - 1.0Cb (Nb) - 0.70Al 2100 °F (1149 °C) Solution and Precipitation Heat Treated - UNS N07750	2007	SAE	0
18191	AMS5688L	Steel, Corrosion-Resistant, Wire 18Cr - 9.0Ni (SAE 30302) Spring Temper - UNS S30200	2007	SAE	0
18192	AMS5685L	Steel, Corrosion Resistant, Safety Wire, 18Cr - 11.5Ni (SAE 30305) Solution Heat Treated, Cold Finished - UNS S30500	2007	SAE	0
18193	AMS5775E	Welding Electrodes, Covered, Corrosion and Heat-Resistant Steel 16.5Cr - 4.5Ni - 2.9Mo - 0.10N - UNS W35010	2007	SAE	0
18194	AMS5754M	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 47.5Ni - 22Cr - 1.5Co - 9.0Mo - 0.60W - 18.5Fe Solution Heat Treated - UNS N06002	2007	SAE	0
18195	AMS5773E	Steel, Corrosion-Resistant, Bars, Wire, Forgings, Tubing, and Rings 15Cr - 6.5Ni - 0.75Mo - 0.30 Cb (Nb) - 1.5Cu Consumable Electrode Remelted, Solution Heat Treated Precipitation Hardenable - UNS S45000	2007	SAE	0
18196	AMS5830C	Nickel-Iron Alloy, Corrosion and Heat-Resistant, Welding Wire 12.5Cr - 42.5Ni - 6.0Mo - 2.7Ti - 0.015B - 35Fe - UNS N09901	2007	SAE	0
18197	AMS5850D	Steel, Corrosion and Heat-Resistant, Honeycomb Core Resistance Welded, Square Cell	2007	SAE	0
18198	AMS5936C	Steel, Corrosion-Resistant, Bars, Wire, and Forgings 12Cr - 11Ni - 1.7Ti - 1Mo Vacuum Induction Plus Vacuum Consumable Electrode Remelted Solution Heat Treated, Precipitation Hardenable - UNS S46500	2007	SAE	0
18199	AMS5937	Steel, Corrosion-Resistant, Bars, Wire, and Forgings 12Cr - 11Ni - 2Mo 1.5Al 0.3Ti Vacuum Induction Plus Vacuum Consumable Electrode Melted Solution Heat Treated, Precipitation Hardenable	2007	SAE	0
18200	AMS5964	Nickel Alloy, Corrosion and Heat-Resistant, Welding Wire Ni - 18Cr - 2.8Mo - 5.5Cb(Nb) - 0.70Ti - 1.50Al - 10Fe - 9Co - 1W Consumable Electrode Remelted or Vacuum Induction Melted - UNS N07818	2007	SAE	0
18201	AMS5873E	Nickel Alloy, Corrosion and Heat-Resistant, Sheet, Strip, and Plate 65Ni - 15.8Cr - 15.2Mo - 0.30AI - 0.05La Consumable Electrode Remelted, Solution Heat Treated - UNS N06635	2007	SAE	0
18202	AMS5874C	Alloy, Corrosion and Heat-Resistant, Sheet, Strip, and Plate 29Fe - 22Cr - 21Ni - 18.5Co - 3.2Mo - 2.8W - 0.78Ta - 0.30Al - 0.05Zr - 0.05La - 0.20N Solution Heat Treated - UNS R30556	2007	SAE	0
18203	AMS5878C	Nickel Alloy, Corrosion and Heat-Resistant, Sheet, Strip, and Plate 59Ni - 22Cr - 2Mo - 14W - 0.35AI - 0.03La Solution Heat Treated - UNS N06230	2007	SAE	0
18204	AMS5891B	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 60Ni - 22Cr - 2.0Mo - 14W - 0.35Al - 0.03La Annealed - UNS N06230	2007	SAE	0
18205	AMS6400	Forgings, Steel For Aircraft/Aerospace Equipment	2007	SAE	0
18206	AMS6354F	Steel, Sheet, Strip, and Plate 0.75Si - 0.62Cr - 0.20Mo - 0.10Zr (0.10 - 0.17C) - UNS K11914	2007	SAE	0

18207	AMS7240F	Washers, Spring Lock Carbon Steel	2007	SAE	0
18208	AMS7241C	Washers, Spring Lock, Corrosion Resistant Steel 18Cr - 19Ni - S30200	2007	SAE	0
18209	AMS6501D	Steel, Maraging, Welding Wire 18Ni - 8.0Co - 4.9Mo - 0.40Ti - 0.10Al Vacuum Induction Melted, Environment Controlled Packaging - UNS K92890	2007	SAE	0
18210	AMS6456D	Steel, Welding Wire 0.80Cr - 1.8Ni - 0.25Mo (0.35 - 0.40C) (SAE 4340 Mod) Vacuum Melted, Environment-Controlled Packaging	2007	SAE	0
18211	AMS7880C	Tungsten Carbide-Cobalt Powder Sintered and Crushed	2007	SAE	0
18212	AMS7881A	Tungsten Carbide-Cobalt Powder Agglomerated and Sintered	2007	SAE	0
18213	AMS7882B	Tungsten Carbide-Cobalt Chrome Powder Agglomerated and Sintered	2007	SAE	0
18214	AMS7731C	Gold Wire and Ribbon 99.97Au Annealed - UNS P00020	2007	SAE	0
18215	AMS7721C	Lead Alloy Sheet and Extrusions 93Pb - 6.5Sb - 0.50Sn As Fabricated - UNS L53131	2007	SAE	0
18216	AMS-F-7190A	Forging, Steel, For Aircraft/Aerospace Equipment and Special Ordnance Applications	2007	SAE	0
18217	AMS-I-23011B	Iron-Nickel Alloys for Sealing to Glasses and Ceramic	2007	SAE	0
18218	AMS-QQ-A-250-14B	Aluminum Alloy 7178, Plate and Sheet (Composition similar to UNS A97178)	2007	SAE	0
18219	AMS-QQ-A-225-7A	Aluminum Alloy, Bar, Rod, and Wire, Rolled, Drawn, or Cold Finished, 5052 (Composition similar to UNS A95052)	2007	SAE	0
18220	AMS-QQ-A-225-10A	Aluminum Alloy, Bar, Rod, and Wire, Rolled, Drawn, or Cold Finished, 6262 (Composition similar to UNS A96262)	2007	SAE	0
18221	AMS-QQ-A-225-1B	Aluminum Alloy, Bar, Rod, and Wire, Rolled, Drawn, or Cold Finished, 1100 (Composition similar to UNS A91100)	2007	SAE	0
18222	AMS-QQ-A-225-2A	Aluminum Alloy, Bar, Rod, and Wire, Rolled, Drawn, or Cold Finished, 3003 (Composition similar to UNS A93003)	2007	SAE	0
18223	AMS-QQ-A-225-3A	Aluminum Alloy, Bar, Rod, and Wire, Rolled, Drawn, or Cold Finished, 2011 (Composition similar to UNS A92011)	2007	SAE	0
18224	AMS-QQ-A-200-5A	Aluminum Alloy 5086, Bar, Rod, Shapes, Tube, and Wire, Extruded (Composition similar to UNS A95086)	2007	SAE	0
18225	AMS-QQ-A-200-6B	Aluminum Alloy 5454, Bar, Rod, Shapes, Tube, and Wire, Extruded	2007	SAE	0
18226	AMS-QQ-A-200-7B	Aluminum Alloy 5456, Bar, Rod, Shapes, Tube, and Wire, Extruded A95456	2007	SAE	0
18227	AMS-QQ-A-200-9A	Aluminum Alloy 6063, Bar, Rod, Shapes, Tube, and Wire, Extruded (Composition similar to UNS A96063)	2007	SAE	0
18228	AMS-QQ-A-200-1A	Aluminum Alloy 3003, Bar, Rod, Shapes, Tube, and Wire, Extruded A93003	2007	SAE	0
18229	AMS-QQ-A-200-16A	Aluminum Alloy, Structural Shapes, Extruded, 6061 A96061	2007	SAE	0
18230	AMS-QQ-A-200-17A	Aluminum Alloy 6162, Bar, Rod, Shapes, Tube, and Wire, Extruded (Composition similar to UNS A96162)	2007	SAE	0
18231	AMS-QQ-A-200-13B	Aluminum Alloy 7178, Bar, Rod, Shapes, Tube, and Wire, Extruded UNS A97178	2007	SAE	0
18232	AMS-QQ-A-200-14A	Aluminum Alloy, Bar, Rod, Shapes, and Wire, Extruded, 7178-T76 Improved Exfoliation Resistance (Composition similar to UNS A97178)	2007	SAE	0
18233	AMS-QQ-A-200-10A	Aluminum Alloy 6066, Bar, Rod, Shapes, Tube, and Wire, Extruded (Composition similar to UNS A96066)	2007	SAE	0
18234	AMS-L-18331A	Lead Alloy Pig	2007	SAE	0

18235	AMS-M-7866A	Molybdenum Disulfide, Technical, Lubrication Grade	2007	SAE	0
18236	AMS-QQ-S-700B	Steel, Sheet and Strip, Medium and High Carbon	2007	SAE	0
18237	AMS-QQ-A-250-7A	Aluminum Alloy 5086, Plate and Sheet A95086	2007	SAE	0
18238	AMS-QQ-A-250-26B	Aluminum 7075, Plate and Sheet Alclad 7011 (Composition similar to UNS A97075)	2007	SAE	0
18239	AMS-QQ-A-250-2A	Aluminum Alloy 3003, Plate and Sheet (Composition similar to UNS A93003)	2007	SAE	0
18240	AMS-QQ-A-250-1A	Aluminum 1100, Plate and Sheet (Composition similar to UNS A91100)	2007	SAE	0
18241	AMS-T-6735B	Tubing, Chrome-Molybdenum, 4135 Steel, Seamless Aircraft Quality	2007	SAE	0
18242	AIR5479A	(R) Environmentally Compliant Processes for Landing Gear	2007	SAE	0
18243	AMS-STD-66A	Steel: Chemical Composition and Hardenability	2007	SAE	0
18244	AMS-S-8949B	Steel Bars, Plates, Sheets, Billets, and Reforging Stock Type D6AC	2007	SAE	0
18245	AMS-S-7947B	Steel, Sheet and Strip (1095) (Aircraft Quality)	2007	SAE	0
18246	AMS-S-7420B	Steel Bars, Alloy, Chromium, High Carbon E52100 (Aircraft Quality)	2007	SAE	0
18247	AMS-S-8559B	Steel Bars, Carbon, AISI (1095), Aircraft Quality	2007	SAE	0
18248	AMS-S-5000A	Steel, Chrome-Nickel-Molybdenum (E4340) Bars and Reforging Stock	2007	SAE	0
18249	AMS-S-13165A	Shot Peening of Metal Parts	2007	SAE	0
18250	AMS-T-8506B	Tubing, Steel, Corrosion-Resistant, (304), Annealed, Seamless and Welded	2007	SAE	0
18251	AMS-T-7081A	Tube, Aluminum Alloy, Seamless, Round, Drawn, 6061, Aircraft Hydraulic Quality	2007	SAE	0
18252	AMS-T-81533A	Trichloroethane 1, 1, 1, (Methyl Chloroform) Inhibited, Vapor Degreasing	2007	SAE	0
18253	AMS-W-6858B	Welding, Resistance: Spot and Seam	2007	SAE	0
18254	AMS-WW-T-700-1A	Tube, Aluminum, Drawn, Seamless, 1100 (Composition similar to UNS A9100)	2007	SAE	0
18255	AMS-WW-T-700-2A	Tube, Aluminum, Alloy, Drawn, Seamless, 3003 (Composition similar to UNS A93003)	2007	SAE	0
18256	AMS-WW-T-700-3A	Tube, Aluminum Alloy, Drawn, Seamless, 2024	2007	SAE	0
18257	AMS-WW-T-700-4A	Tube, Aluminum Alloy, Drawn, Seamless, 5052	2007	SAE	0
18258	AMS-WW-T-700-5A	Tube, Aluminum Alloy, Drawn, Seamless, 5086	2007	SAE	0
18259	AMS-WW-T-700A	Tube, Aluminum and Aluminum Alloy, Drawn, Seamless, General Specification for	2007	SAE	0
18260	ARP1333A	Nondestructive Testing of Electron Beam Welded Joints in Titanium-Base Alloys	2007	SAE	0
18261	ARP1840B	Aircraft Engine Transport Devices	2007	SAE	0
18262	AIR5645	JAUS Transport Considerations	2007	SAE	0
18263	ARP1947B	Dendrite Arm Spacing of Structural Aircraft Quality D357 Aluminum Alloy Castings, Determination and Acceptance of	2007	SAE	0
18264	ARP1820B	Chord Method of Evaluating Surface Microstructural Characteristics	2007	SAE	0
18265	ARP1796A	(R) Engine Bleed Air Systems for Aircraft	2007	SAE	0
18266	AIR5615	Procedure for Determining the Dimensional Relationship of Rotating Components Coupled with Thrust Wires	2007	SAE	0

18267	ARP1575B	Surface Preparation and Priming of Aluminum Alloy Parts for High Durability Structural Adhesive Bonding Hand Applied Phosphoric Acid Anodizing	2007	SAE	0
18268	ARP1587B	Aircraft Gas Turbine Engine Health Management System Guide	2007	SAE	0
18269	ARP1631A	Manufacturing Sequence for Fabrication of High-Strength Steel Parts 300M or 4340 Modified Low-Alloy Steels 270,000 psi (1860 MPa) Tensile Strength and Higher	2007	SAE	0
18270	ARP1538B	(R) Arresting Hook Installation, Land-Based Aircraft	2007	SAE	0
18271	ARP4043B	Flight Line Grounding and Bonding of Aircraft	2007	SAE	0
18272	ARP36104A	Air Cargo Pallets and Nets Compatibility	2007	SAE	0
18273	ARP210	Definition of Commonly Used Day Types (Atmospheric Ambient Temperature Characteristics Versus Pressure Altitude)	2007	SAE	0
18274	ARP4058A	(R) Actuators: Mechanical, Geared Rotary, General Specification For	2007	SAE	0
18275	ARP3050	Suitable Test Sizes for O-ring Specifications	2007	SAE	0
18276	ARP4379A	(R) Aerospace - Accumulator, Hydraulic, Cylindrical, Piston Separated	2007	SAE	0
18277	AIR5683	High Performance 1553 Research and Development	2007	SAE	0
18278	ARP4912B	Design Recommendations for Spare Seals in Landing Gear Shock Struts	2007	SAE	0
18279	ARP4991A	Core Restoration of Thermosetting Composite Components	2007	SAE	0
18280	ARP4955A	(R) Recommended Practice for Measurement of Static and Dynamic Characteristic Properties of Aircraft Tires	2007	SAE	0
18281	ARP496D	Stowage of Cabin Emergency Flotation Equipment	2007	SAE	0
18282	AIR5704	Field Viscosity Test for Thickened Aircraft Anti-Icing Fluids	2007	SAE	0
18283	AIR5699	A Guide for the Damaging Effects of Tire and Wheel Failures	2007	SAE	0
18284	ARP5448-8A	Plain Spherical Bearing Radial and Axial Clearance Measurement	2007	SAE	0
18285	ARP5448-9A	Plain Bearing Lined Inside Diameter Plug Gaging	2007	SAE	0
18286	ARP5413A	Certification of Aircraft Electrical/Electronic Systems for the Indirect Effects of Lightning	2007	SAE	0
18287	ARP5435	APU Gas Turbine Engine Test Cell Correlation	2007	SAE	0
18288	ARP5448-2	Plain Bearing High Speed Oscillation Test	2007	SAE	0
18289	ARP5602-1	A Guideline for Aerospace Platform Fiber Optic Training and Awareness Education Introduction to Aerospace Fiber Optics Knowledge Competencies	2007	SAE	0
18290	ARP5602-2	A Guideline for Aerospace Platform Fiber Optic Training and Awareness Education Introduction to Aerospace Fiber Optics Hands-on Competencies	2007	SAE	0
18291	ARP5602-3	A Guideline for Aerospace Platform Fiber Optic Training and Awareness Education Aerospace Fiber Optics Fabricator Knowledge Competencies	2007	SAE	0
18292	ARP5602-4	A Guideline for Aerospace Platform Fiber Optic Training and Awareness Education Aerospace Fiber Optics Fabricator Hands-on Competencies	2007	SAE	0
18293	ARP5485A	Endurance Time Tests for Aircraft Deicing/Anti-Icing Fluids SAE Type II, III, and IV	2007	SAE	0
18294	ARP5873	LED Passenger Reading Light Assembly	2007	SAE	0
18295	ARP5935	Use of HVOF Thermal Spray Coatings for Hard Chrome Replacement in Landing Gear Applications	2007	SAE	0
18296	ARP5945	Endurance Time Tests for Aircraft Deicing/Anti-icing Fluids SAE Type I	2007	SAE	0
18297	ARP823E	Minimizing Stress-Corrosion Cracking in Wrought Heat-Treatable Aluminum Alloy Products	2007	SAE	0
18298	AIR5937	Information on Electric Brakes	2007	SAE	0
18299	ARP798A	(R) Design Criteria for White Incandescent Lighted Aerospace Instruments	2007	SAE	0
18300	ARP982D	Minimizing Stress-Corrosion Cracking in Wrought Titanium Alloy Products	2007	SAE	0
18301	AS122026 THRU AS122075A	(R) WASHER - LOCK, SPRING, CADMIUM PLATED	2007	SAE	0
18302	AS1229C	Insert, Screw Thread, Helical Coil, Stud Locking, Performance Standard for	2007	SAE	0

18303	AS1182C	Standard Stock Removal Allowance Aircraft-Quality and Premium Aircraft-Quality Steel Bars and Mechanical Tubing	2007	SAE	0
18304	AS125851 THRU AS125875B	(R) PLUG - PIPE, CADMIUM PLATED, STEEL UNS G87400, COUNTERSUNK HEX	2007	SAE	0
18305	AS123601 THRU AS123750B	RIVET, SOLID, 100ï° FLUSH HEAD, NICKEL ALLOY UNS N06600	2007	SAE	0
18306	AS1300C	PORT - RING LOCKED FLUID CONNECTION TYPE STANDARD DIMENSIONS FOR	2007	SAE	0
18307	AS14153B	CIRCUIT BREAKER - AIRCRAFT, TRIP-FREE, PUSH-PULL 3 PHASE, 1 THRU 35 AMP, TYPE 1	2007	SAE	0
18308	AS14105A	(R) CIRCUIT BREAKER - AIRCRAFT, TRIP-FREE, PUSH PULL, 25 THRU 35 AMPS, TYPE I -55 TO +121 ï°C	2007	SAE	0
18309	AS14154B	Circuit Breaker - Aircraft, Trip-Free, Push-Pull, 3 Phase, 1 Thru 20 Amp, Type 1	2007	SAE	0
18310	AS1424G	(R) Hose Assemblies, Metal, Medium Pressure, High Temperature	2007	SAE	0
18311	AS15006B	FITTING, LUBRICATION, HYDRAULIC, LEAKPROOF, 1/8 PIPE THREADS, STEEL, TYPE VI	2007	SAE	0
18312	AS150171 THRU AS150190B	(R) GASKET - COPPER, CADMIUM PLATED, TUBE CONNECTION	2007	SAE	0
18313	AS155901 THRU AS156200A	(R) STUD, STEPPED, 2 DIA ENGAGEMENT, CADMIUM PLATED, STEEL UNS G87400, .5000-13 UNS X .4375-20 UNF-3A	2007	SAE	0
18314	AS155301 THRU AS155600A	(R) STUD, STEPPED, 2 DIA ENGAGEMENT, CADMIUM PLATED, STEEL UNS G87400, .3750-16 UNS X .3125-24 UNF-3A	2007	SAE	0
18315	AS158901 THRU AS159200A	(R) STUD, STEPPED, NECKED, 1.5 DIA ENGAGEMENT, CADMIUM PLATED, STEEL UNS G87400, .4375-14 UNS X .3750-24 UNF-3A	2007	SAE	0
18316	AS155001 THRU AS155300A	(R) STUD, STEPPED, 2 DIA ENGAGEMENT, CADMIUM PLATED, STEEL UNS G87400, .3125-18 UNS X .2500-28 UNF-3A	2007	SAE	0
18317	AS17109	(R) BEARING, BALL, ANNULAR, PRIMARILY FOR AIRCRAFT GENERATORS AND MOTOR-GENERATORS, THIN EXTRA LIGHT, TYPE III	2007	SAE	0
18318	AS17107A	(R) BEARING, BALL, ANNULAR, PRIMARILY FOR AIRCRAFT GENERATORS AND MOTOR-GENERATORS, STANDARD LIGHT, TYPE I	2007	SAE	0
18319	AS1653C	MALE FERRULE, THREADLESS - FLEXIBLE, FIXED CAVITY, SELF-BONDING, SWAGED	2007	SAE	0
18320	AS1654D	SLEEVE, THREADLESS - FLEXIBLE, FIXED CAVITY, SELF-BONDING	2007	SAE	0
18321	AS1655C	COUPLING BODY, THREADLESS - FLEXIBLE, FIXED CAVITY, SELF-BONDING	2007	SAE	0
18322	AS1656C	FITTING END, THREADLESS - FLEXIBLE, FIXED CAVITY, SELF-BONDING, MALE AND FEMALE DESIGN STANDARD	2007	SAE	0
18323	AS162501 THRU AS162800A	(R) STUD, STEPPED, DRILLED, NECKED, 2 DIA ENGAGEMENT, CADMIUM PLATED, STEEL UNS G87400, .4375-14 UNS X .3750-24 UNF-3A	2007	SAE	0
18324	AS1633D	HOSE ASSEMBLY, CONVOLUTED, POLYTETRAFLUOROETHYLENE, METALLIC REINFORCED CONDUCTIVE, FLARELESS, STRAIGHT TO STRAIGHT	2007	SAE	0
18325	AS1634D	HOSE ASSEMBLY, CONVOLUTED, POLYTETRAFLUOROETHYLENE, METALLIC REINFORCED CONDUCTIVE, FLARELESS, STRAIGHT TO 45ï°	2007	SAE	0
18326	AS1635D	HOSE ASSEMBLY, CONVOLUTED, POLYTETRAFLUOROETHYLENE, METALLIC REINFORCED CONDUCTIVE, FLARELESS, STRAIGHT TO 90ï°	2007	SAE	0
18327	AS1636D	HOSE ASSEMBLY, CONVOLUTED, POLYTETRAFLUOROETHYLENE, METALLIC REINFORCED CONDUCTIVE, FLARELESS, 45ï° TO 45ï°	2007	SAE	0

18328	AS1637D	HOSE ASSEMBLY, CONVOLUTED, POLYTETRAFLUOROETHYLENE, METALLIC REINFORCED CONDUCTIVE, FLARELESS, 45Ï° TO 90Ï°	2007	SAE	0
18329	AS1638D	HOSE ASSEMBLY, CONVOLUTED, POLYTETRAFLUOROETHYLENE, METALLIC REINFORCED CONDUCTIVE, FLARELESS, 90Ï° TO 90Ï°	2007	SAE	0
18330	AS1814C	Terminology for Titanium Microstructures	2007	SAE	0
18331	AS21447A	(R) BEARING, ROLLER, NEEDLE, TRACK ROLLER, CROWN RADIUSED O.D. INTEGRAL STUD, TYPE VII ANTIFRICTION, INCH	2007	SAE	0
18332	AS21432A	(R) BEARING, ROLLER, NEEDLE, TRACK ROLLER, INTEGRAL STUD, TYPE VII, ANTIFRICTION, INCH	2007	SAE	0
18333	AS21945A	(R) BODY, CLUSTER FITTING, THREE-WAY, FLARELESS	2007	SAE	0
18334	AS21937A	(R) NUT, CLUSTER FITTING, RETAINER	2007	SAE	0
18335	AS21939A	(R) BOLT, CLUSTER FITTING, SINGLE PORT THROUGH, FLARELESS	2007	SAE	0
18336	AS21940A	(R) BOLT, CLUSTER FITTING, DOUBLE PORT FLARELESS	2007	SAE	0
18337	AS21941A	(R) BOLT, CLUSTER FITTING, DOUBLE PORT THROUGH, FLARELESS	2007	SAE	0
18338	AS21942A	(R) BODY, CLUSTER FITTING, ONE WAY, FLARELESS	2007	SAE	0
18339	AS21943A	(R) BODY, CLUSTER FITTING, TWO WAY, 90Ï°, FLARELESS	2007	SAE	0
18340	AS22073A	(R) CIRCUIT BREAKER, TRIP-FREE, PUSH-PULL 1/2 THRU 20 AMP, TYPE I	2007	SAE	0
18341	AS22227A	(R) Bearing, Ball, Annular, Generator and Motor Generator	2007	SAE	0
18342	AIR1064D	(R) Braking System Dynamics	2007	SAE	0
18343	AS2390	Chemical Process Test Specimen Material	2007	SAE	0
18344	AS22759-88B	(R) WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYIMIDE INSULATED, NORMAL WEIGHT, TIN COATED, COPPER CONDUCTOR, 150 ?C, 600 VOLTS	2007	SAE	0
18345	AS22759-87B	(R) WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYIMIDE INSULATED, NORMAL WEIGHT, NICKEL COATED, COPPER CONDUCTOR, 260 ?C, 600 VOLTS	2007	SAE	0
18346	AS22759-86B	(R) WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYIMIDE INSULATED, NORMAL WEIGHT, SILVER COATED, COPPER CONDUCTOR, 200 ?C, 600 VOLTS	2007	SAE	0
18347	AS22759-82B	(R) WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYIMIDE INSULATED, LIGHT WEIGHT, NICKEL COATED, HIGH STRENGTH OR ULTRA HIGH STRENGTH COPPER ALLOY, 260?C, 600 VOLTS	2007	SAE	0
18348	AS22759-92B	(R) WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYIMIDE INSULATED, LIGHT WEIGHT, NICKEL COATED, COPPER CONDUCTOR, 260?C, 600 VOLTS	2007	SAE	0
18349	AS22759-91B	(R) WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYIMIDE INSULATED, LIGHT WEIGHT, SILVER COATED, COPPER CONDUCTOR, 200 ?C, 600 VOLTS	2007	SAE	0
18350	AS25244A	CIRCUIT BREAKER, TRIP-FREE, PUSH-PULL, 5 THRU 50 AMP, TYPE I	2007	SAE	0
18351	AS25361A	CIRCUIT BREAKER - AIRCRAFT, TRIP-FREE, PUSH-PULL, 50 THRU 100 AMP, TYPE I	2007	SAE	0
18352	AS24509A	(R) CIRCUIT BREAKER - AIRCRAFT, TRIP-FREE, TOGGLE, 5 THRU 15 AMP, TYPE I	2007	SAE	0
18353	AS24510A	(R) CIRCUIT BREAKER - AIRCRAFT, TRIP-FREE, PUSH-PULL, 5 THRU 15 AMP, TYPE I	2007	SAE	0
18354	AIR825-2	Effects of Acute Altitude Exposure in Humans: Requirements for Physiological Protection	2007	SAE	0
18355	AS22759-81B	(R) WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYIMIDE INSULATED, LIGHT WEIGHT, SILVER COATED, HIGH STRENGTH OR ULTRA HIGH STRENGTH COPPER ALLOY, 200 ?C, 600 VOLTS	2007	SAE	0
18356	AS3087A	(R) STUD - STRAIGHT, KEY LOCKED, CADMIUM PLATED, STEEL, .250-28 UNJF-3A X .250-28 UNJF-3A	2007	SAE	0
18357	AS3086A	(R) STUD - STRAIGHT, KEY LOCKED, CADMIUM PLATED, STEEL, .1900-32 UNJF-3A X .1900-32 UNJF-3A	2007	SAE	0
18358	AS3089A	(R) STUD, STRAIGHT, KEY LOCKED, CADMIUM PLATED, STEEL, .3750-24 UNJF-3A X .3750-24 UNJF-3A	2007	SAE	0
18359	AS3088A	(R) STUD, STRAIGHT, KEY LOCKED, CADMIUM PLATED, STEEL, .3125-24 UNJF-3A X .3125-24 UNJF-3A	2007	SAE	0
18360	AS27444A	Net, Cargo Tiedown, Pallets, HCU-7/E, HCU-15/C, HCU-11/C, and HCU-16/C	2007	SAE	0
18361	AS3075D	GASKET - 37Ï° FLARED TUBE FITTING, NICKEL, AMS 5553	2007	SAE	0

18362	AS3074C	GASKET - 37Ï° FLARED TUBE FITTING, NICKEL, AMS 5553	2007	SAE	0
18363	AS27429	Splice, Conductor, Disconnect, Crimp Style, Copper, Insulated Barrel, Type II, Class 1 for 105 Degrees C Total Conductor Temperature	2006	SAE	0
18364	AS26780A	Tie Down, Cargo, Aircraft, Nylon Web Net	2006	SAE	0
18365	AS27260A	Tie Down, Cargo, Aircraft, CGU-1/B	2006	SAE	0
18366	AS3078B	FITTING, INSERT, FLUID CONNECTION, MS33649 BOSS TO RING LOCKED BOSS	2006	SAE	0
18367	AS22759-80B	(R) WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYIMIDE INSULATED, LIGHT WEIGHT, TIN COATED, COPPER CONDUCTOR, 150 ?C, 600 VOLTS	2006	SAE	0
18368	AS25959A	Tie Downs, Cargo, Aircraft	2006	SAE	0
18369	AS25439A	SPLICE-PERMANENT CRIMP STYLE, 2 WAY TYPE FOR ALUMINUM AIRCRAFT WIRE, CLASS 1	2006	SAE	0
18370	AS25435A	TERMINAL-LUG, CRIMP STYLE, STRAIGHT TYPE, FOR ALUMINUM AIRCRAFT WIRE, CLASS 1	2006	SAE	0
18371	AS25436A	TERMINAL-LUG, CRIMP STYLE, 90Ï° UPRIGHT TYPE, FOR ALUMINUM AIRCRAFT WIRE, CLASS 1	2006	SAE	0
18372	AS22759-90B	(R) WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYIMIDE INSULATED, NORMAL WEIGHT, NICKEL COATED, HIGH STRENGTH OR ULTRA HIGH STRENGTH COPPER, ALLOY, 260 ?C, 600 VOLTS	2006	SAE	0
18373	AS22759-83B	(R) WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYIMIDE INSULATED, NORMAL WEIGHT, SILVER COATED, COPPER CONDUCTOR, 200 ?C, 600-VOLT	2006	SAE	0
18374	AS22759-85B	(R) WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYIMIDE INSULATED, NORMAL WEIGHT, TIN COATED, COPPER CONDUCTOR, 150 ?C, 600-VOLT	2006	SAE	0
18375	AS22759-84B	(R) WIRE, ELECTRICAL, POLYTETRAFLUOROETHYLENE/ POLYIMIDE INSULATED, NORMAL WEIGHT, NICKEL COATED, COPPER CONDUCTOR, 260 ?C, 600-VOLT	2006	SAE	0
18376	AIR822B	Oxygen Systems for General Aviation	2006	SAE	0
18377	AS21922B	SLEEVE, COUPLING, FLARELESS	2006	SAE	0
18378	AIR811C	Disposition of Wheels Which Have Been Overheated	2006	SAE	0
18379	AIR790C	(R) Considerations on Ice Formation in Aircraft Fuel Systems	2006	SAE	0
18380	AS18280-2A	Sleeves, Internally or Externally Swaged or Welded, 24? Cone Flareless Fitting, 3000 psi	2006	SAE	0
18381	AS1791D	WIRE, RETAINER - TUBE COUPLING NUT	2006	SAE	0
18382	AS1712C	COUPLING SUBASSEMBLY, FLEXIBLE, VARIABLE CAVITY, THREADED, FERRULE TYPE TUBE ENDS	2006	SAE	0
18383	AS1713C	HALF COUPLING SUBASSEMBLY, FLEXIBLE, VARIABLE CAVITY, THREADED FERRULE TYPE TUBE ENDS	2006	SAE	0
18384	AS1716D	FERRULE, COUPLING, FLEXIBLE, VARIABLE CAVITY, THREADED, FERRULE TUBE END	2006	SAE	0
18385	AS1717D	RETAINER, COUPLING, FLEXIBLE, VARIABLE CAVITY, THREADED FERRULE TYPE TUBE ENDS	2006	SAE	0
18386	AS1718D	COUPLING BODY, FLEXIBLE, VARIABLE CAVITY, THREADED FERRULE TYPE TUBE ENDS	2006	SAE	0
18387	AS152901 THRU AS153200A	(R) STUD, STEPPED, DRILLED 1.5 DIA ENGAGEMENT, CADMIUM PLATED, STEEL UNS G87400, .3125-18 UNS X .2500-28 UNF-3A	2006	SAE	0
18388	AS152601 THRU AS152900A	(R) STUD, STEPPED, DRILLED 1.5 DIA ENGAGEMENT, CADMIUM PLATED, STEEL UNS G87400, .2500-20 UNS X .1900-32 UNF-3A	2006	SAE	0
18389	AS151401 THRU AS151700A	(R) STUD, STEPPED, 1.5 DIA ENGAGEMENT, CADMIUM PLATED, STEEL UNS G87400, .4375-14 UNS X .3750-24 UNF-3A	2006	SAE	0
18390	AS1368B	FITTING, REDUCER-EXTERNAL THREAD FLARED TUBE FOR SEAL RING	2006	SAE	0
18391	AS1369B	FITTING, PLUG, FLARED TUBE, FOR SEAL RING	2006	SAE	0
18392	AS123451 THRU AS123600B	RIVET, SOLID, 100Ï° FLUSH HEAD, HIGH TEMPERATURE, 347 CRES, UNS S34700	2006	SAE	0

18393	AS1251C	FITTING, UNION, FLARED TUBE, FOR SEAL RING	2006	SAE	0
18394	AS123151 THRU AS123300A	RIVET, UNIVERSAL HEAD, HIGH TEMPERATURE, 347 CRES UNS S34700	2006	SAE	0
18395	AIR1189A	Airborne Internal Interface Standards for Moderate Bit Rate Digital Time Division-Multiplex Systems	2006	SAE	0
18396	AS1100C	FITTING, UNION, FLARED TUBE BULKHEAD AND UNIVERSAL, FOR SEAL RING	2006	SAE	0
18397	AS1046C	(R) Minimum Standard for Portable Gaseous, Oxygen Equipment	2006	SAE	0
18398	AS115851 THRU AS115900A	(R) SCREW - FLAT FILLISTER, DRILLED HEAD, CADMIUM PLATED, STEEL UNS G87400, 125 KSI MIN .2500-20 UNC - 3A	2006	SAE	0
18399	AS115801 THRU AS115850B	SCREW - FLAT FILLISTER, DRILLED HEAD, CADMIUM PLATED, STEEL UNS G87400, 125 KSI MIN .1900-32 UNF-3A	2006	SAE	0
18400	AS116001 THRU AS116050A	(R) SCREW - FLAT FILLISTER, DRILLED HEAD, CADMIUM PLATED, STEEL UNS G87400, 125 KSI MIN .3125-24 UNF-3A	2006	SAE	0
18401	AS116051 THRU AS116100A	(R) SCREW - FLAT FILLISTER, DRILLED HEAD, CADMIUM PLATED, STEEL UNS G87400, 125 KSI MIN .3750-16 UNC-3A	2006	SAE	0
18402	AS116101 THRU AS116150A	(R) SCREW - FLAT FILLISTER, DRILLED HEAD, CADMIUM PLATED, STEEL UNS G87400, 125 KSI MIN .3750-24 UNF-3A	2006	SAE	0
18403	ARP891B	Determination of Aluminum Alloy Tempers Through Electrical Conductivity Measurement (Eddy Current)	2006	SAE	0
18404	ARP9004A	Direct Ship - Recommended Practices for Aerospace Companies	2006	SAE	0
18405	ARP9062A	Aerospace Operator Self-Verification Programs	2006	SAE	0
18406	ARP9009	Aerospace Contract Clauses	2006	SAE	0
18407	ARP767C	Impact Protective Design of Occupant Environment Transport Aircraft	2006	SAE	0
18408	ARP5943	Snowplows and Hitches	2006	SAE	0
18409	AIR5883	Landing Gear Shock Struts Bearing Selection	2006	SAE	0
18410	ARP5789	Aviation Fuel Facilities	2006	SAE	0
18411	ARP5918	Standard Test Criteria for Aircraft Refuelers	2006	SAE	0
18412	ARP5674	Safety Considerations for Aircraft-Mounted Lasers Projected Into the Navigable Airspace	2006	SAE	0
18413	ARP5627	Flammability Test Method For Aircraft Comfort Blankets	2006	SAE	0
18414	ARP5151	Safety Assessment of General Aviation Airplanes and Rotorcraft in Commercial Service	2006	SAE	0
18415	ARP5056	Flight Crew Interface Considerations in the Flight Deck Design Process for Part 25 Aircraft	2006	SAE	0
18416	ARP5107B	Guidelines for Time-Limited-Dispatch (TLD) Analysis for Electronic Engine Control Systems	2006	SAE	0
18417	AIR5696	Aerospace Fluid Power - FAA Regulatory History - Transport Airplane Hydraulic Systems	2006	SAE	0
18418	ARP4721 PART 1	Monitoring Aircraft Noise and Operations in the Vicinity of Airports: System Description, Acquisition, and Operation	2006	SAE	0
18419	ARP4721 PART 2	Monitoring Aircraft Noise and Operations in the Vicinity of Airports: System Validation	2006	SAE	0
18420	ARP4835	Aerospace Fluid Power-Hydraulic Thermal Expansion Relief Valves	2006	SAE	0
18421	ARP4895A	(R) Flight Control Actuators - Dynamic Seals, Collection of Duty Cycle Data	2006	SAE	0
18422	AIR5690	Considerations for the Carriage and Use of Visual Distress Signals in Airline Overwater Survival Kits	2006	SAE	0
18423	ARP4822	Night Vision Imaging System (NVIS) Compatible Illuminated Pushbutton Switches and Indicators	2006	SAE	0

18424	AIR5662	Method for Predicting Lateral Attenuation of Airplane Noise	2006	SAE	0
18425	ARP378C	Passenger Reading Lights	2006	SAE	0
18426	ARP4252A	Instrumental Methods of Determining Surface Cleanliness	2006	SAE	0
18427	ARP4258A	Application of Low Speed Avionic System Discrete Signal Interfaces	2006	SAE	0
18428	ARP4156B	Color-Coded Incandescent Flange Base T-1 and T-1 3/4 Lamps for Voltage Identification	2006	SAE	0
18429	AMS-T-9046B	Titanium and Titanium Alloy, Sheet, Strip, and Plate	2006	SAE	0
18430	AMS-T-9047A	Titanium and Titanium Alloy, Bars (Rolled or Forged) and Reforging Stock, Aircraft Quality; S/S by SAE AMS4921, AMS6900, AMS6901, AMS6910, AMS6940, AMS6931, AMS6930, AMS6932, AMS6936, AMS6935, AMS6905, AMS6907, AMS6906, AMS6915,AMS6920,AMSD6921,AMS6926	2006	SAE	0
18431	ARP1048B	(R) Instrument and Cockpit Illumination for General Aviation Aircraft	2006	SAE	0
18432	ARP1110B	Minimizing Stress Corrosion Cracking in Wrought Forms of Steels and Corrosion Resistant Steels and Alloys	2006	SAE	0
18433	AMS-S-18728B	Steel Plate, Sheet and Strip, Alloy 8630, Aircraft Quality	2006	SAE	0
18434	AMS-S-6049B	Steel, Chrome-Nickel-Molybdenum (8740) Bars and Reforging Stock (Aircraft Quality)	2006	SAE	0
18435	AMS-S-6090B	Steel Carburizing and Nitriding, Processes for	2006	SAE	0
18436	AMS-S-7108A	Steel, Alloy (Manganese-Silicon-Nickel), Bars and Forging Stock (Aircraft Quality)	2006	SAE	0
18437	AMS-STD-753A	Corrosion-Resistant Steel Parts: Sampling, Inspection and Testing for Surface Passivation	2006	SAE	0
18438	AMS-STD-184A	Identification Marking of Aluminum, Magnesium, and Titanium	2006	SAE	0
18439	AMS-QQ-A-250-20A	Aluminum Alloy 5456, Plate and Sheet, for Sea Water Applications	2006	SAE	0
18440	AMS-QQ-A-250-19A	Aluminum Alloy 5086, Plate and Sheet for Sea Water Applications	2006	SAE	0
18441	AMS-M-6857A	Magnesium Alloy Castings, Heat Treatment of	2006	SAE	0
18442	AMS7726G	Iron-Nickel-Cobalt Alloy, Wire 53Fe - 29Ni - 17Co Low Expansion, Glass Sealing, Annealed - UNS K94610	2006	SAE	0
18443	AMS7727E	Iron-Nickel-Cobalt Alloy, Bars and Forgings 53Fe - 29Ni - 17Co Low Expansion, Glass Sealing - UNS K94610	2006	SAE	0
18444	AMS7728H	Iron-Nickel-Cobalt Alloy, Sheet, Strip, and Plate 53Fe - 29Ni - 17Co Low Expansion Glass Sealing, Annealed - UNS K94610	2006	SAE	0
18445	AIR5317	A Guide to APU Health Management	2006	SAE	0
18446	AMS7734D	Nickel-Iron Alloy Wire, Copper Clad, Round 42Ni - 56.5Fe Annealed Dumet	2006	SAE	0
18447	AMS7735D	Alloy Wire, Round 35Pd - 30Ag - 14Cu - 10Au - 10Pt - 0.85Zn Solution Heat Treated - UNS P03300	2006	SAE	0
18448	AMS7510-1B	Magnets, Rare-Earth/Cobalt, Permanent Samarium-Cobalt, 33/67 - 15 (119) 250	2006	SAE	0
18449	AMS7510-2B	Magnets, Rare-Earth/Cobalt, Permanent Samarium-Cobalt, 33/67 - 18 (143) 250	2006	SAE	0
18450	AMS7510B	Magnets, Rare-Earth/Cobalt, Permanent Powder-Metallurgy Product	2006	SAE	0
18451	AMS7713B	Iron, Electrical, Bar and Strip Cold Finished, Annealed	2006	SAE	0
18452	AIR5314	Introduction to Generic Open Architecture (GOA) Family of Documents	2006	SAE	0
18453	AMS7903B	Beryllium Bars, Rods, Tubing, and Shapes 4.25BeO - 94Be High Micro-Yield Strength	2006	SAE	0
18454	AMS7846A	Tantalum Alloy Bars and Rods 90Ta - 10W Annealed - UNS R05255	2006	SAE	0
18455	AMS7847C	Tantalum Alloy Sheet, Strip, and Plate 90Ta - 10W - UNS R05255	2006	SAE	0
18456	AMS7849D	Tantalum Sheet, Strip, and Plate Annealed - UNS R05210	2006	SAE	0
18457	AMS7848C	Tantalum Alloy, Bars and Rods 90Ta - 10W - UNS R05255	2006	SAE	0
18458	AMS-B-8964A	Beryllium Sheet and Plate General Requirements for - FSC 9535;: 2006	2006	SAE	0
18459	AMS9226A	Wire - Steel, Corrosion and Heat Resistant Safety, 1800 Degrees F	2006	SAE	0

18460	AMS6460F	Wire, Steel Welding 0.75Si - 0.62Cr - 0.20Mo - 0.10Zr (0.10 - 0.17C) - UNS K11365	2006	SAE	0
18461	AMS6464G	Welding Electrodes, Covered, Steel 1.05Mo - 0.20V (0.06 - 0.12C) - UNS W10013	2006	SAE	0
18462	AMS6473B	Steel Welding Wire 0.88Cr - 1.8Ni - 1.6Co - 0.42Mo - 0.08V (0.28 - 0.33C) (SAE 4330V) Vacuum Melted, Environment Controlled Packaging	2006	SAE	0
18463	AMS6449E	Steel, Bars, Forgings, and Tubing 1.0Cr (0.98 - 1.10C) (SAE 51100) for Bearing Applications	2006	SAE	0
18464	AMS6445G	Steel, Bars, Forgings, and Tubing 1.05Cr - 1.1Mn (0.92 - 1.02C) (Modified 51100) Consumable Electrode Vacuum Melted - UNS K22097	2006	SAE	0
18465	AMS6446E	Steel, Bars, Forgings, and Tubing 1.0Cr (0.98 - 1.10C) (SAE 51100) Electroslag Remelted - UNS G51986	2006	SAE	0
18466	AMS6438F	Steel, Sheet, Strip, and Plate 1.05Cr - 0.55Ni - 1.0Mo - 0.12V (0.45 - 0.50C) Consumable Electrode Vacuum Melted - UNS K24728	2006	SAE	0
18467	AMS6485H	Steel Bars and Forgings 5.0Cr - 1.3Mo - 0.50V (0.38 - 0.43C) - UNS T20811	2006	SAE	0
18468	AIR5120	Engine Monitoring System Reliability and Validity	2006	SAE	0
18469	AMS7295-1C	Radiographic Film 5-80	2006	SAE	0
18470	AMS7295-2C	Radiographic Film 5-60	2006	SAE	0
18471	AMS7295-3C	NULL	2006	SAE	0
18472	AMS7295-4C	Radiographic Film 4-60	2006	SAE	0
18473	AMS7295-5C	Radiographic Film 3-80	2006	SAE	0
18474	AMS7295-6C	Radiographic Film 3-60	2006	SAE	0
18475	AMS7295-7C	Radiographic Film 3-30	2006	SAE	0
18476	AMS7295-8C	Radiographic Paper 2.5-80	2006	SAE	0
18477	AMS7295-9C	Radiographic Paper 2.0-80	2006	SAE	0
18478	AMS7295C	Radiographic Film and Paper Industrial Grade	2006	SAE	0
18479	AMS6373G	Steel, Welded Tubing 0.95Cr - 0.20Mo (0.28 - 0.33C) (SAE 4130) - UNS G41300	2006	SAE	0
18480	AMS6375C	Steel, Welding Wire 0.50Cr - 0.55Ni - 0.20Mo (0.18 - 0.23C) (SAE 8620) Vacuum Melted, Environment Controlled Packaging - UNS G86200	2006	SAE	0
18481	AMS6374C	Steel Tubing, Seam-Free, Round 0.95Cr - 0.20Mo (0.28 - 0.33C) (SAE 4130) 95.0 ksi (655 MPa) Tensile Strength - UNS G41300	2006	SAE	0
18482	AMS5893B	Iron-Nickel Alloy, Bars, Forgings, and Rings 42Fe - 37.5Ni - 14Co - 4.8 (Cb + Ta)(Nb + Ta) - 1.6Ti Solution Heat Treated, Short-Time Precipitation Hardenable Multiple Melted, High Temperature, Low Expansion - UNS N19909	2006	SAE	0
18483	AMS5897B	Steel, Corrosion and Heat-Resistant, Seamless or Welded Hydraulic Tubing 18.5Cr - 11Ni - 0.80Cb (Nb) (SAE 30347) Solution Heat Treated and Cold Drawn, 1/8 Hard Temper - UNS S34700	2006	SAE	0
18484	AMS5903B	Steel, Corrosion-Resistant, Sheet, Strip, and Plate 18Cr - 9.0Ni (SAE 30302) Cold Rolled, 1/4 Hard, 125 ksi (862 MPa) Tensile Strength - UNS S30200	2006	SAE	0
18485	AMS5905B	Steel, Corrosion Resistant, Sheet and Strip 18Cr - 9.0Ni (SAE 30302) Cold Rolled, 3/4 Hard, 175 ksi (1207 MPa) Tensile Strength - UNS S30200	2006	SAE	0
18486	AMS5906B	Steel, Corrosion Resistant, Sheet Strip 18Cr - 9.0Ni (SAE 30302) Cold Rolled, Full Hard, 185 ksi (1276 MPa) Tensile Strength - UNS S30200	2006	SAE	0
18487	AMS5907B	Steel, Corrosion and Heat Resistant, Sheet, Strip, and Plate 17Cr - 12Ni - 2.5Mo (SAE 30316) Cold Rolled, 1/4 Hard, 125 ksi (862 MPa) Tensile Strength - UNS S31600	2006	SAE	0
18488	AMS5882D	Nickel Alloy, Corrosion and Heat Resistant, Forgings 55Ni - 15Cr - 17Co - 5.0Mo - 3.5Ti - 4.0Al - 0.025B Solution, Stabilization, and Precipitation Heat Treated Powder- Metallurgy Product - UNS N13017	2006	SAE	0
18489	AMS5872E	Nickel Alloy, Corrosion and Heat-Resistant, Sheet, Strip, and Plate 48Ni - 20Cr - 20Co - 5.9Mo - 2.2Ti - 0.45Al Consumable Electrode or Vacuum Induction Melted Solution Heat Treated - UNS N07263	2006	SAE	0
18490	AMS5868B	Steel, Corrosion-Resistant, Seamless and Welded Aircraft Tubing 19Cr - 9.5Ni (SAE 30304) Cold Drawn, 1/2 Hard Temper - UNS S30400	2006	SAE	0

18491	AMS5866D	Steel, Corrosion-Resistant, Flat Wire 18Cr - 9.0Ni (SAE 30302) Spring Temper - UNS S30200	2006	SAE	0
18492	AMS5910B	Steel, Corrosion-Resistant, Sheet, Strip, and Plate 19Cr - 9.2Ni (SAE 30304) Cold Rolled, 125 ksi (862 MPa) Tensile Strength - UNS S30400	2006	SAE	0
18493	AMS5925A	Steel, Corrosion-Resistant, Bars, Wire, and Forgings 15.5Cr - 1.8Mo - 0.20N (0.37 - 0.45C) Electroslag Remelted - UNS S42025	2006	SAE	0
18494	AMS6281J	Steel, Mechanical Tubing 0.50Cr - 0.55Ni - 0.20Mo (0.28 - 0.33C) (SAE 8630) - UNS G86300	2006	SAE	0
18495	AMS6282J	Steel Tubing, Mechanical 0.50Cr - 0.55Ni - 0.25Mo (0.33 - 0.38C) (SAE 8735) - UNS G87350	2006	SAE	0
18496	AMS5853C	Steel, Corrosion and Heat-Resistant, Bars and Wire 15Cr - 25.5Ni - 1.2Mo - 2.1Ti - 0.006B - 0.30V Consumable Electrode Melted 1800 ¡°F (982 ¡°C) Solution Treated and Work-Strengthened 160 ksi (1103 MPa) Tensile Strength - UNS S66286	2006	SAE	0
18497	AMS5860F	Steel, Corrosion-Resistant, Sheet, Strip, and Plate 12Cr - 8.5Ni - 0.30Cb - 1.1Ti - 2.0Cu Multiple Melted, Solution Heat Treated, Precipitation Hardenable - UNS S45500	2006	SAE	0
18498	AMS5837G	Nickel Alloy, Corrosion and Heat-Resistant, Welding Wire 62Ni - 21.5Cr - 9.0Mo - 3.7Cb(Nb) - UNS N06625	2006	SAE	0
18499	AMS5838E	Nickel Alloy, Corrosion and Heat-Resistant, Welding Wire 65Ni - 16Cr - 15Mo - 0.30Al - 0.06La - UNS N06635	2006	SAE	0
18500	AMS5829E	Nickel Alloy, Corrosion and Heat-Resistant, Welding Wire 56Ni - 19.5Cr - 16.5Co - 2.5Ti - 1.5Al Vacuum Induction Melted - UNS N07090	2006	SAE	0
18501	AMS5824E	Steel, Corrosion-Resistant, Welding Wire 17Cr - 7.1Ni - 1.0Al - UNS S17780	2006	SAE	0
18502	AMS5821G	Steel, Corrosion-Resistant, Welding Wire 12Cr (SAE 51410 Modified) Ferrite Control Grade - UNS S41081	2006	SAE	0
18503	AMS5822D	Steel, Corrosion and Heat-Resistant, Welding Wire 11.8Cr - 2.8Ni - 1.6Co - 1.8Mo - 0.32V Vacuum Induction Melted - UNS S41780	2006	SAE	0
18504	AMS5825G	Steel, Corrosion-Resistant, Welding Wire 16.4Cr - 4.8Ni - 0.22Cb(Nb) - 3.6Cu - UNS S17480	2006	SAE	0
18505	AMS5826D	Steel, Corrosion and Heat-Resistant, Welding Wire 15Cr - 5.1Ni - 0.30Cb(Nb) - 3.2Cu - UNS S15500	2006	SAE	0
18506	AMS5814C	Cobalt Alloy, Corrosion and Heat-Resistant, Welding Wire 52Co - 20Cr - 20Ni - 7.5Ta Vacuum Melted - UNS R30918	2006	SAE	0
18507	AMS5817F	Steel, Corrosion and Heat-Resistant, Welding Wire 13Cr - 2.0Ni - 3.0W - UNS S41800	2006	SAE	0
18508	AMS5808C	Steel, Corrosion and Heat-Resistant, Welding Wire 19Cr - 13Ni - 2.5Mo High Ferrite Grade, Trace Element Controlled	2006	SAE	0
18509	AMS5784E	Steel, Corrosion and Heat-Resistant, Welding Wire 29Cr - 9.5Ni - UNS S64299	2006	SAE	0
18510	AMS5780E	Steel, Corrosion and Heat-Resistant, Welding Wire 15.5Cr - 4.5Ni - 2.9Mo - 0.10N - UNS S35500	2006	SAE	0
18511	AMS5800F	Nickel Alloy, Corrosion and Heat-Resistant, Welding Wire 54Ni - 19Cr - 11Co - 10Mo - 3.2Ti - 1.5Al - 0.006B Vacuum Induction Melted - UNS N07041	2006	SAE	0
18512	AMS5801F	Cobalt Alloy, Corrosion and Heat-Resistant, Welding Wire 39Co - 22Cr - 22Ni - 14.5W - 0.07La - UNS R30188	2006	SAE	0
18513	AMS5796E	Cobalt Alloy, Corrosion and Heat-Resistant, Welding Wire 52Co - 20Cr - 10Ni - 15W - UNS R30605	2006	SAE	0
18514	AMS5788F	Cobalt Alloy, Corrosion and Heat-Resistant, Hard Facing Rods and Wire 62Co - 29Cr - 4.5W - 1.2C - UNS R30006	2006	SAE	0
18515	AMS5792B	Powder, Plasma Spray 50 (88WC - 12Co) + 35 (70Ni - 16.5Cr - 4Fe - 4Si - 3.8B) + 15 (80Ni - 20A1) Three-Component Mixture	2006	SAE	0
18516	AMS5793B	Powder, Plasma Spray 95Ni - 5Al	2006	SAE	0
18517	AMS5680J	Steel, Corrosion and Heat-Resistant, Welding Wire 18.5Cr - 11Ni - 0.40Cb (Nb) (SAE 30347) - UNS S34781	2006	SAE	0
18518	AMS5682E	Nickel Alloy, Corrosion and Heat-Resistant, Welding Wire 78Ni - 20Cr - UNS 06003	2006	SAE	0
18519	AMS5676F	Nickel Alloy, Corrosion and Heat-Resistant, Welding Wire 80Ni - 20Cr - UNS N06003	2006	SAE	0
18520	AMS5650F	Steel, Corrosion and Heat-Resistant, Bars, Wire, Forgings, Tubing, and Rings 23Cr - 13.5Ni (SAE 30309S) Solution Heat Treated - UNS S30908	2006	SAE	0
18521	AMS5714D	Alloy Bars, Forgings, and Rings, Corrosion and Heat-Resistant 73Ni - 15.5Cr - 2.5Ti - 0.70Al - 7.0Fe Precipitation-Hardenable - UNS N07722	2006	SAE	0
18522	AMS5712J	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 53Ni - 19Cr - 11Co - 9.8Mo - 3.2Ti - 1.6Al - 0.006B Vacuum Melted, Solution Heat Treated Precipitation Hardenable - UNS N07041	2006	SAE	0

18523	AMS5703D	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 41.5Ni - 16Cr - 37Fe - 2.9Cb - 1.8Ti Consumable Electrode or Vacuum Induction Melted 1750 °F (954 °C) Solution, Stabilization, and Precipitation Heat Treated - UNS N09706	2006	SAE	0
18524	AMS5700F	Steel, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 13.5Cr - 13.5Ni - 0.35Mo - 2.2W Annealed - UNS S66009	2006	SAE	0
18525	AMS5719D	Steel Bars, Wire, Forgings, Tubing, Rings, and Extrusions, Corrosion-Resistant 11.8Cr - 2.5Ni - 1.8Mo - 0.33V (0.08 - 0.15C) Annealed, Vacuum Arc or Electroslag Remelted - UNS S64152	2006	SAE	0
18526	AMS5731L	Steel, Corrosion and Heat-Resistant, Bars, Wire, Forgings, Tubing, and Rings 15Cr - 25.5Ni - 1.2Mo - 2.1Ti - 0.006B - 0.30V Consumable Electrode Melted, 1800 °F (982 °C) Solution Heat Treated - UNS S66286	2006	SAE	0
18527	AMS5732J	Steel, Corrosion and Heat-Resistant, Bars, Wire, Forgings, Tubing, and Rings 15Cr - 25.5Ni - 1.2Mo - 2.1Ti - 0.006B - 0.30V Consumable Electrode Melted 1800 °F (982 °C) Solution and Precipitation Heat Treated - UNS S66286	2006	SAE	0
18528	AMS5734K	Steel, Corrosion and Heat-Resistant, Bars, Wire, Forgings, and Tubing 15Cr - 25.5Ni - 1.2Mo - 2.1Ti - 0.006B - 0.30V Consumable Electrode Melted, 1650 °F (899 °C) Solution Heat Treated - UNS S66286	2006	SAE	0
18529	AMS5737P	Steel, Corrosion and Heat-Resistant, Bars, Wire, Forgings, and Tubing 15Cr - 25.5Ni - 1.2Mo - 2.1Ti - 0.006B - 0.30V Consumable Electrode Melted 1650 °F (899 °C) Solution and Precipitation Heat Treated - UNS S66286	2006	SAE	0
18530	AMS5739E	Steel, Corrosion and Moderate Heat Resistant, Bars, Forgings, and Rings 14.5Cr - 6.5Ni - 0.72Ti Solution Heat Treated and Maraged, 180,000 psi (1240 MPa) Tensile Strength - UNS S36200	2006	SAE	0
18531	AMS5740E	Steel, Corrosion and Moderate Heat Resistant, Bars, Forgings, and Rings 14.5Cr - 6.5Ni - 0.72Ti Solution Heat Treated and Maraged, 155,000 psi (1070 MPa) Tensile Strength - UNS S36200	2006	SAE	0
18532	AMS5747D	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 72Ni - 15.5Cr - 0.95Cb(Nb) - 2.5Ti - 0.70Al - 7.0Fe Solution Heat Treated, Precipitation Hardenable - UNS N07750	2006	SAE	0
18533	AMS5631E	Steel, Corrosion-Resistant, Bars and Forgings 17Cr (0.60 - 0.75C) (SAE 51440A) - UNS S44002	2006	SAE	0
18534	AMS5632H	Steel, Corrosion-Resistant, Bars, Wire, and Forgings 17Cr - 0.50Mo (0.95 - 1.20C) (SAE 51440F) Free-Machining, Annealed - UNS S44020 (Type I) or UNS S44023 (Type II)	2006	SAE	0
18535	AMS5635F	Steel, Corrosion-Resistant, Bars, Wire, and Forgings 18Cr - 9Ni - 0.21Pb (303Pb) Free-Machining, Solution Heat Treated - UNS S30360	2006	SAE	0
18536	AMS5636F	Steel, Corrosion-Resistant, Bars and Wire 18Cr - 9.0Ni (SAE 30302) Solution Heat Treated and Cold Drawn 100 ksi (689 MPa) Tensile Strength - UNS S30200	2006	SAE	0
18537	AMS5617J	Steel, Corrosion-Resistant, Bars, Wire, and Forgings 12Cr - 8.5Ni - 1.2Ti - 2.0Cu Vacuum Induction Plus Vacuum Consumable Electrode Melted Solution Heat Treated, Precipitation Hardenable - UNS S45500	2006	SAE	0
18538	AMS5610N	Steel, Corrosion and Heat-Resistant, Bars, Wire, and Forgings 12.5Cr - Low Carbon (SAE 51416, 51416Se) Free-Machining - UNS S41600 and UNS S41623	2006	SAE	0
18539	AMS5611F	Steel, Corrosion and Heat Resistant, Bars, Wire, Forgings, Tubing, and Rings 12Cr Ferrite Controlled, Consumable Electrode Melted - UNS S41001	2006	SAE	0
18540	AMS5620G	Steel, Corrosion and Heat-Resistant, Bars, Wire, and Forgings 13Cr (0.30 - 0.40C) (SAE 51420F, 51420FSe) Free-Machining Grade - UNS S42020 (Type 2); S42023 (Type 1)	2006	SAE	0
18541	AMS5591K	Steel, Corrosion and Heat-Resistant, Tubing, Seamless 12.5Cr (SAE 51410) Annealed - UNS S41000	2006	SAE	0
18542	AMS5580K	Nickel Alloy, Corrosion and Heat-Resistant, Seamless Tubing 74Ni - 15.5Cr - 8.0Fe Annealed - UNS N06600	2006	SAE	0
18543	AMS5503E	Steel, Corrosion-Resistant, Sheet, Strip, and Plate 17Cr (SAE 51430) Annealed - UNS S43000	2006	SAE	0
18544	AMS5547H	Steel, Corrosion and Heat-Resistant, Sheet and Strip 15.5Cr - 4.5Ni - 2.9Mo - 0.10N Solution Heat Treated - UNS S35500	2006	SAE	0
18545	AMS5532G	Iron Alloy, Corrosion and Heat Resistant, Sheet, Strip, and Plate 30Fe - 21Cr - 20Ni - 20Co - 3.0Mo - 2.5W - 1.0Cb - 0.15N Solution Heat Treated - UNS R30155	2006	SAE	0
18546	AMS5346C	Steel, Corrosion-Resistant, Investment Castings 15Cr - 4.6Ni - 0.22Cb (Nb) - 2.8Cu Solution and Precipitation Heat Treated (H925) 180 ksi (1241 MPa) Tensile Strength (15-5) - UNS J92110	2006	SAE	0
18547	AMS5347B	Steel, Corrosion-Resistant, Investment Castings 15Cr - 4.6Ni - 0.22Cb (Nb) - 2.8Cu Solution and Precipitation Heat Treated (H1000) 150 ksi (1034 MPa) Tensile Strength (15-5) - UNS J92110	2006	SAE	0
18548	AMS5342E	Steel, Corrosion-Resistant, Investment Castings 16Cr - 4.1Ni - 0.28Cb (Nb) - 3.2Cu Homogenization, Solution, and Precipitation Heat Treated (H1100) 130 ksi (896 MPa) Tensile Strength (17-4) - UNS J91280 and UNS J92200	2006	SAE	0

18549	AMS5343E	Steel, Corrosion-Resistant, Investmment Castings 16Cr - 4.1Ni - 0.28Cb - 3.2Cu Homogenization, Solution, and Precipitation Heat Treated (H1000) 150 ksi (1034 MPa) Tensile Strength (17-4) - UNS J92200; UNS J92180	2006	SAE	0
18550	AMS5399D	Nickel Alloy, Corrosion and Heat-Resistant, Investment Castings 52Ni - 19Cr - 11Co - 9.8Mo - 3.2Ti - 1.6Al - 0.006B Vacuum-Melted, Vacuum-Cast, Solution Heat Treated - UNS N07041	2006	SAE	0
18551	AMS5382J	Cobalt Alloy, Corrosion and Heat-Resistant, Investment Castings 54Co - 25.5Cr - 10.5Ni - 7.5W As-Cast - UNS R30031	2006	SAE	0
18552	AMS4816D	Bearings, Silver-Clad Steel Strip	2006	SAE	0
18553	AMS4800E	Bearings, Babbitt 91Sn - 4.5Sb - 4.5Cu - UNS L13910	2006	SAE	0
18554	AMS4825D	Bearings, Leaded Bronze 74Cu - 15.5Pb - 10Sn Steel Back	2006	SAE	0
18555	AMS4892C	Alloy Castings, Corrosion and Heat-Resistant 66Ni - 29Cu - 4.0Si As Cast - UNS N04019	2006	SAE	0
18556	AMS4893C	Alloy Castings, Corrosion and Heat-Resistant 66Ni - 29Cu - 4.0Si Solution Treated - UNS N04019	2006	SAE	0
18557	AIR4272A	Power Controllers: Signal Interface Applications and Considerations	2006	SAE	0
18558	AMS5034A	Steel, Welding Wire 0.95Cr - 0.20Mo (0.28 - 0.33C) (SAE 4130) - UNS G41300	2006	SAE	0
18559	AMS5022N	Steel, Bars, Forgings, and Tubing, Free-Cutting 0.14 - 0.20C (SAE 1117) - UNS G11170	2006	SAE	0
18560	AMS5024H	Steel, Bars, Forgings, and Tubing, Free-Cutting 1.5Mn (0.32 - 0.39C) (SAE 1137) - UNS G11370	2006	SAE	0
18561	AMS5040M	Steel, Sheet and Strip 0.15 Carbon, Maximum Deep Forming Grade - UNS G10100	2006	SAE	0
18562	AMS5110J	Carbon Steel, Wire and Springs 0.75 - 0.88C (SAE 1080) Spring Temper, Cold Drawn - UNS G10800	2006	SAE	0
18563	AMS5210C	Steel Castings, Investment, Electrical Induction Melted, Annealed	2006	SAE	0
18564	AMS5010K	Steel Bars Free-Machining Cold Drawn (SAE 1212 or SAE 1215) - UNS G12120	2006	SAE	0
18565	AMS4994A	Titanium Alloy Powdered Metal Products 6Al - 4V Hot Isostatically Pressed, Annealed - UNS R56400	2006	SAE	0
18566	AMS4674G	Nickel - Copper Alloy, Corrosion-Resistant, Bars and Forgings 67Ni - 30Cu - 0.04S Free Machining - UNS N04405	2006	SAE	0
18567	AMS4348D	Core, Honeycomb, Aluminum Alloy, Corrosion Inhibited For Sandwich Construction 5052, 350 (177)	2006	SAE	0
18568	AMS4349D	Core, Honeycomb, Aluminum Alloy, Corrosion Inhibited For Sandwich Construction 5056, 350 (177)	2006	SAE	0
18569	AMS4382D	Magnesium Alloy, Plate, Extra Flat 3.0Al 1.0Zn 0.20Mn (AZ31B-0) Annealed - UNS M11311	2006	SAE	0
18570	AMS4383F	Magnesium Alloy, Sheet and Plate 2.0Th - 0.78Mn Solution Heat Treated, Cold Worked, and Precipitation Heat Treated - UNS M13210	2006	SAE	0
18571	AMS4384J	Magnesium Alloy, Sheet and Plate 3.2Th - 0.70Zr Annealed Recrystallized - UNS M13310	2006	SAE	0
18572	AMS4385K	Magnesium Alloy, Sheet and Plate 3.2Th - 0.70Zr Cold Rolled and Partially Annealed - UNS M13310	2006	SAE	0
18573	AMS4363G	Forgings, Magnesium Alloy 2.0Th - 0.78Mn (HM21A - T5) Precipitation Heat Treated - UNS M13210	2006	SAE	0
18574	AMS4340E	Aluminum Alloy, Extrusions 6.2Zn - 2.3Cu - 2.2Mg - 0.12Zr (7050-T76511) Solution Heat Treated, Stress Relieved, Straightened, and Overaged - UNS A97050	2006	SAE	0
18575	AMS4341E	Aluminum Alloy, Extrusions 6.2Zn - 2.3Cu - 2.2Mg - 0.12Zr (7050-T73511) Solution Heat Treated, Stress Relieved by Stretching, Straightened, and Overaged - UNS A97050	2006	SAE	0
18576	AMS4337A	Aluminum Alloy, Extruded Profiles (7055-T77511) 8.0Zn - 2.3Cu - 2.0Mg - 0.16Zr Solution Heat Treated, Stress Relieved, and Overaged - UNS A97055	2006	SAE	0
18577	AMS4328A	Aluminum Alloy, Plate (2397-T87) 2.8Cu - 1.4Li - 0.30Mn - 0.12Zr - 0.10Zn Solution Heat Treated, Cold Worked, and Artificially Aged - UNS A92397	2006	SAE	0
18578	AMS4329A	Aluminum Alloy, Plate (7085-T7651) 7.5Zn - 1.6Cu - 1.5Mg - 0.12Zr Solution Heat Treated, Stress-Relieved, and Overaged - UNS A97085	2006	SAE	0
18579	AMS4419C	Magnesium Alloy Castings, Sand 2.5Ag - 1.1Th - 1.0Di - 0.70Zr (QH21-T6) Solution and Precipitation Heat Treated - UNS M12350	2006	SAE	0
18580	AMS4420N	Magnesium Alloy Castings, Sand 6Al - 3Zn (AZ63A-F) As Cast - UNS M11630	2006	SAE	0
18581	AMS4422P	Magnesium Alloy Castings, Sand 6.0Al - 3.0Zn (AZ63 - T4) Solution Heat Treated - UNS M11630	2006	SAE	0
18582	AMS4387E	Magnesium Alloy Extrusions 2.3Zn - 0.62Zr (ZK21A-F) As Extruded - UNS M16210	2006	SAE	0

18583	AMS4390K	Sheet and Plate, Magnesium Alloy 2.0Th - 0.78Mn (HM21A-T8) Solution Heat Treated, Cold Worked, and Precipitation Heat Treated - UNS M13210	2006	SAE	0
18584	AMS4388F	Magnesium Alloy Extrusions 3.0Th - 1.5Mn (HM31A-F) As Extruded	2006	SAE	0
18585	AMS4402	Aluminum Alloy, Extruded Profiles (2024-T432) 4.4Cu - 1.5Mg - 0.6Mn Annealed, Stretch Formed, Solution Heat Treated and Stress Relieved by Stretching - UNS A92027	2006	SAE	0
18586	AMS4403	Aluminum Alloy, Die Forgings 7.5Zn - 1.6Cu - 1.5Mg - 0.12Zr (7085-T7452) Solution Heat Treated, Compression Stress-Relieved, and Overaged - UNS A97085	2006	SAE	0
18587	AMS4447F	Magnesium Alloy Castings, Sand 3.3Th - 2.1Zn - 0.75Zr (HZ32A-T5) Precipitation Heat Treated - UNS M13320	2006	SAE	0
18588	AMS4441E	Magnesium Alloy Castings, Sand 3.5Ce - 0.70Zr (EK41A-T6) Solution and Precipitation Heat Treated	2006	SAE	0
18589	AMS4444D	Magnesium Alloy Castings, Sand 6.0Zn - 0.80Zr (ZK61A-T5) Precipitation Heat Treated - UNS M16610	2006	SAE	0
18590	AMS4438E	Magnesium Alloy Castings, Sand 5.7Zn - 1.8Th (ZH62A-T5) Precipitation Heat Treated - UNS M16620	2006	SAE	0
18591	AMS4425C	Magnesium Alloy Castings, Sand 5.8Zn - 2.5RE - 0.70Zr (ZE63-T6) Solution and Precipitation Heat Treated - UNS M16630	2006	SAE	0
18592	AMS4300C	Boron-Aluminum Composite Sheet 50 v/o 5.6B, 6061-0, For Diffusion Bonding	2006	SAE	0
18593	AMS4302B	Aluminum Alloy, Laminated Sheet, Aramid Fiber Reinforced 5.7Zn - 2.2Mg - 1.6Cu - 0.22Cr (7475-T761) 3, 5, 7, or 9 Ply	2006	SAE	0
18594	AMS4253B	Aluminum Alloy-Aramid Fiber Reinforced-Laminated Sheet 5.7Zn - 2.2Mg - 1.6Cu - 0.22Cr (7475-T61) 3, 5, 7, or 9 Ply	2006	SAE	0
18595	AMS4279B	Aluminum Alloy, Alclad Sheet 4.4Cu - 1.5Mg - 0.60Mn (2024-T4 Flat Sheet) Solution Heat Treated, High Formability - UNS A82024	2006	SAE	0
18596	AMS4238E	Aluminum Alloy Castings, Sand 6.8Mg - 0.18Ti - 0.18Mn (535.0-F) as Cast	2006	SAE	0
18597	AMS4239D	Aluminum Alloy Castings, Sand 6.8Mg - 0.18Ti - 0.18Mn (535.0-0) Annealed	2006	SAE	0
18598	AMS4258A	Laminated Sheet, Aluminum Alloy, Aramid Fiber Reinforced 5.7Zn - 2.2Mg - 1.6Cu - 0.22Cr (Alclad, One Side 7475-T761) 5 or 7 Ply	2006	SAE	0
18599	AMS4254B	Aluminum Alloy, Aramid Fiber Reinforced, Laminated Sheet 4.4Cu - 1.5Mg - 0.6Mn (2024-T3) 3, 5, 7, or 9 Ply	2006	SAE	0
18600	AMS4247B	Aluminum Alloy, Hand Forgings 7.7Zn - 2.4Mg - 1.6Cu - 0.16Cr (7049-T7352) Solution Heat Treated, Stress Relieved by Compression, and Precipitation Heat Treated - UNS A97049	2006	SAE	0
18601	AMS4251A	Aluminum Alloy Sheet 2.7Cu - 2.2Li - 0.12Zr (2090-T83) Solution Heat Treated, Cold Worked, and Precipitation Heat Treated - UNS A92090	2006	SAE	0
18602	AMS4177D	Core, Flexible Honeycomb, Aluminum Alloy For Sandwich Construction 5056, 350 (177)	2006	SAE	0
18603	AMS4187C	Bars, and Rods, Rolled, Drawn, or Cold Finished 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr Annealed - UNS A97075	2006	SAE	0
18604	AMS4144F	Aluminum Alloy, Hand Forgings and Rolled Rings 6.3Cu - 0.30Mn - 0.18Zr - 0.10V - 0.06Ti (2219-T852/T851) Solution Heat Treated, Mechanically Stress Relieved, and Precipitation Heat Treated - UNS A92219	2006	SAE	0
18605	AMS4148E	Aluminum Alloy Die Forgings (7175-T66) Solution and Precipitation Heat Treated - UNS A97175	2006	SAE	0
18606	AMS4138B	Aluminum Alloy Forgings 4.3Zn - 3.3Mg - 0.60Cu - 0.20Mn - 0.18Cr (7079-T6)	2006	SAE	0
18607	AMS4123H	Aluminum Alloy, Rolled or Cold Finished Bars and Rods (7075-T651) Solution and Precipitation Heat Treated - UNS A97075	2006	SAE	0
18608	AMS4086N	Aluminum Alloy, Drawn, Round, Seamless Hydraulic Tubing 4.4Cu - 1.5Mg - 0.60Mn (2024-T3) Solution Heat Treated, Cold Worked, and Naturally Aged - UNS A92024	2006	SAE	0
18609	AMS4087H	Aluminum Alloy Tubing, Seamless, Drawn (2024-0) Reinstate Composition Annealed - Composition similar to UNS A92024	2006	SAE	0
18610	AMS4005D	Aluminum Alloy Foil 5.0Mg - 0.12Mn - 0.12Cr (5056-H191) Strain Hardened - UNS A95056	2006	SAE	0
18611	AMS4010C	Aluminum Alloy Foil 1.2Mn - 0.12Cu (3003-H18) - UNS A93003	2006	SAE	0
18612	AMS4008K	Aluminum Alloy, Sheet and Plate 1.25Mn - 0.12Cu (3003-H14) Strain Hardened - UNS A93003	2006	SAE	0
18613	AMS4028G	Aluminum Alloy Sheet and Plate 4.4Cu - 0.85Si - 0.80Mn - 0.50Mg (2014-O) Annealed - UNS A92014	2006	SAE	0
18614	AMS4036K	Aluminum Alloy Sheet and Plate, Alclad One Side 4.4Cu - 1.5Mg - 0.60Mn Alclad One Side 2024 and 1-1/2% Alclad One Side 2024-T3 Sheet; 1-1/2% Alclad One Side 2024-T351 Plate - UNS A82024	2006	SAE	0

18615	AMS3846D	Cloth, Quarts Finished for Resin Laminates	2006	SAE	0
18616	AMS3644G	Plastic: Polyimide For Molded Rod, Bar, and Tube, Plaque, and Formed Parts	2006	SAE	0
18617	AMS3415D	Flux, Aluminum Dip Brazing 1030 ï°F (554 ï°C) or Lower Liquidus	2006	SAE	0
18618	USCAR-14	Specification for Testing Automotive Halogen Light Sources - Revision 2	2006	SAE	0
18619	USCAR-30	Performance Specification for Automotive Universal Serial Bus (USB) Connection System	2006	SAE	0
18620	USCAR-29	Automotive Grade Coaxial Cable Performance Specification	2006	SAE	0
18621	MA2111C	FITTING ASSEMBLY, ADAPTER RING LOCKED PORT CONNECTION TO 8â_°30â__ BEAM SEAL 28,000 KPA, METRIC	2006	SAE	0
18622	J928	Electrical Terminalsâ__Pin and Receptacle Type	2006	SAE	0
18623	J703	Fuel Systems - Truck and Truck Tractors (Stabilized type)	2006	SAE	0
18624	J528	Seamless Copper Tube	2006	SAE	0
18625	J551-2	Test Limits and Methods of Measurement of Radio Disturbance Characteristics of Vehicles, Motorboats, and Spark-Ignited Engine-Driven Devices	2006	SAE	0
18626	J551-4	Test Limits and Methods of Measurement of Radio Disturbance Characteristics of Vehicles and Devices, Broadband and Narrowband, 150 kHz to 1000 MHz	2006	SAE	0
18627	J482	Hexagon High Nuts	2006	SAE	0
18628	J483	High and Low Crown (Blind, Acorn) Hex Nuts	2006	SAE	0
18629	J386	Operator Restraint System for Off-Road Work Machines	2006	SAE	0
18630	J370	Bolt and Capscrew Sizes for Use in Construction and Industrial Machinery	2006	SAE	0
18631	J357	Physical and Chemical Properties of Engine Oils	2006	SAE	0
18632	J280	Snowmobile Headlamps	2006	SAE	0
18633	J278	Snowmobile Stop Lamp	2006	SAE	0
18634	J279	Snowmobile Tail Lamp (Rear Position Lamp)	2006	SAE	0
18635	J2747	Hydraulic Pump Airborne Noise Bench Test	2006	SAE	0
18636	J2748	VHDL-AMS Statistical Analysis Packages	2006	SAE	0
18637	J273	Passenger Car Vehicle Identification Number System	2006	SAE	0
18638	J2730	Dynamic Cleat Test with Perpendicular and Inclined Cleats	2006	SAE	0
18639	J2636	Corrosion Test Master Establishment	2006	SAE	0
18640	J2718	Test for Tire Quasi-Static Longitudinal Force vs. Longitudinal Displacement and Quasi-Static Lateral Force vs. Lateral Displacement	2006	SAE	0
18641	J2724	Measurement of Disc Brake Friction Material Underlayer Distribution	2006	SAE	0
18642	J2685	Positive Temperature Coefficient Overcurrent Protection Devices (PTCs) (Stabilized Type)	2006	SAE	0
18643	J2669	Voltage Regulators for Automotive-Type Generators	2006	SAE	0
18644	J2664	Trailer Sway Response Test Procedure	2006	SAE	0
18645	J2665	Test Procedure to Measure the Fuel Permeability of Materials by the Cup Weight Loss Method	2006	SAE	0
18646	J2593	Information Report for the Installation of Fluid Conductors and Connectors	2006	SAE	0
18647	J2595	Performance Requirements for Sealed Beam Motor Vehicle Headlamps	2006	SAE	0
18648	J2468	(R) Road Vehicles - Brake Linings - Compressibility Test Procedure	2006	SAE	0
18649	AIR1412B	(R) Designing for Long Life With Elastomers	2006	SAE	0
18650	J2510	Harmonized Front Fog Lamp	2006	SAE	0
18651	J2305	Hazard Reduction for Horizontal Earthboring Machines	2006	SAE	0
18652	J2295	Fastener Part Standard - Caps Screws, Hex Bolts, and Hex Nuts (inch Dimensioned)	2006	SAE	0

18653	J2295M	FastenersPart StandardCap Screws, Hex Bolts, and Hex Nuts (Metric)	2006	SAE	0
18654	J2118	Braking Performance - Asphalt Pavers	2006	SAE	0
18655	J2115	(R) Air Brake Performance and Wear Test Code Commercial Vehicle Inertia Dynamometer	2006	SAE	0
18656	J2053	(R) Brake Master Cylinder Plastic Reservoir Assembly for Road Vehicles	2006	SAE	0
18657	J1945	Cross-Tooth Companion Flanges, Type T	2006	SAE	0
18658	J20	Coolant System Hoses	2006	SAE	0
18659	AMS2800D	Identification Finished Parts	2006	SAE	0
18660	J1752-1	(R) Electromagnetic Compatibility Measurement Procedures for Integrated Circuits - Integrated Circuit EMC Measurement Procedures - General and Definitions	2006	SAE	0
18661	J1756	(R) Determination of the Fogging Characteristics of Interior Automotive Materials	2006	SAE	0
18662	J176	(R) Fast Fill Fueling Installation for Off-Road Self-Propelled Work Machines	2006	SAE	0
18663	J18	Sponge and Expanded Cellular Rubber Products - July 1992	2006	SAE	0
18664	J1781	Ship Systems and Equipment Materials for Fluid Systems	2006	SAE	0
18665	J1709	European Brake Fluid Technology	2006	SAE	0
18666	AMS2759-10A	Automated Gaseous Nitriding Controlled by Nitriding Potential	2006	SAE	0
18667	J1671	Outboard Mounted Brake Drum/Disc Wheel Hub Interface Dimensions - Truck and Bus	2006	SAE	0
18668	J1491	(R) Vehicle Acceleration Measurement	2006	SAE	0
18669	AMS2670J	Brazing, Copper	2006	SAE	0
18670	J1269	Rolling Resistance Measurement Procedure for Passenger Car, Light Truck, and Highway Truck and Bus Tires	2006	SAE	0
18671	J1270	Measurement of Passenger Car, Light Truck, and Highway Truck and Bus Tire Rolling Resistance	2006	SAE	0
18672	AS7240	Washers, Spring Lock, Carbon Steel, Procurement Specification for - :1992	2006	SAE	0
18673	AS5973	FITTING ASSEMBLY, CROSS, AXIALLY SWAGED, HYDRAULIC, 5080 PSI	2006	SAE	0
18674	AS5830	Coupling Assembly, Threadless, Flexible, Fixed Cavity, Current Carrying, Self-Bonding, Procurement Specification	2006	SAE	0
18675	AS5831	ASSEMBLED COUPLING, THREADLESS-FLEXIBLE, FIXED CAVITY, CURRENT CARRYING, SELF BONDING, ENVELOPE DIMENSIONS	2006	SAE	0
18676	AS5832	ASSEMBLED COUPLING COMPONENTS, THREADLESS-FLEXIBLE, FIXED CAVITY, CURRENT CARRYING, SELF BONDING	2006	SAE	0
18677	AS5833	MALE FERRULE, THREADLESS-FLEXIBLE, FIXED CAVITY, CURRENT CARRYING, SELF BONDING, SWAGED	2006	SAE	0
18678	AS5834	SLEEVE, THREADLESS-FLEXIBLE, FIXED CAVITY, CURRENT CARRYING, SELF BONDING	2006	SAE	0
18679	AS5835	COUPLING BODY, THREADLESS-FLEXIBLE, FIXED CAVITY, CURRENT CARRYING, SELF BONDING	2006	SAE	0
18680	AS5836	FITTING END, THREADLESS-FLEXIBLE, FIXED CAVITY, CURRENT CARRYING, SELF BONDING MALE AND FEMALE DESIGN STANDARD	2006	SAE	0
18681	AS5837	MALE FERRULE, THREADLESS-FLEXIBLE, FIXED CAVITY, CURRENT CARRYING, SELF BONDING, BUTT WELDED	2006	SAE	0
18682	AS5838	FEMALE FERRULE, THREADLESS-FLEXIBLE, FIXED CAVITY, CURRENT CARRYING, SELF BONDING, SWAGED	2006	SAE	0
18683	AS5839	FEMALE FERRULE, THREADLESS-FLEXIBLE, FIXED CAVITY, CURRENT CARRYING, SELF BONDING, BUTT WELDED	2006	SAE	0
18684	AS5868A	FITTING ASSEMBLY, ADAPTER, BULKHEAD FLARELESS, AXIALLY SWAGED, HYDRAULIC, 5080 PSI	2006	SAE	0
18685	AS5863	FITTING END, 24°° CONE, FLARELESS, FLUID CONNECTION, DESIGN STANDARD	2006	SAE	0
18686	AS5864	FITTING END, BULKHEAD, 24°° CONE, FLARELESS, FLUID CONNECTION, DESIGN STANDARD	2006	SAE	0
18687	AMS2310F	Qualification Sampling and Testing of Steels for Transverse Tensile Properties	2006	SAE	0

18688	AS5955B	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PARA ARAMID REINFORCED, 275 ï°F, 5080 PSI, FLARELESS, TITANIUM FITTINGS, 45ï° TO 45ï°	2006	SAE	0
18689	AS5957B	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PARA ARAMID REINFORCED, 275 ï°F, 5080 PSI, FLARELESS, TITANIUM FITTINGS, 90ï° TO 90ï°	2006	SAE	0
18690	AS5929	BEARING, ROLLER, NEEDLE, TRACK ROLLER, CROWN RADIUSED O.D., INTEGRAL STUD, TYPE VII, ANTI-FRICTION, CORROSION RESISTANT NITROGEN (CREN) STEEL AND CORROSION RESISTANT (CRES) STEEL, INCH	2006	SAE	0
18691	AS5952B	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PARA ARAMID REINFORCED, 275 ï°F, 5080 PSI, FLARELESS, TITANIUM FITTINGS, STRAIGHT TO STRAIGHT	2006	SAE	0
18692	AS5791	FITTING ASSEMBLY, ADAPTER, BULKHEAD FLARELESS, AXIALLY SWAGED, HYDRAULIC	2006	SAE	0
18693	AS5793	FITTING ASSEMBLY, STRAIGHT, MALE FLARELESS, AXIALLY SWAGED, HYDRAULIC	2006	SAE	0
18694	AMS2269F	Chemical Check Analysis Limits Nickel, Nickel Alloys, and Cobalt Alloys	2006	SAE	0
18695	AMS2263E	Tolerances Nickel, Nickel Alloy, and Cobalt Alloy Tubing	2006	SAE	0
18696	AS5620A	Titanium Hydraulic Tubing, Ti-3Al-2.5V Cold Worked and Stress Relieved, Up to 35,000 kPa (5080 psi), Requirements for Qualification Testing and Control	2006	SAE	0
18697	AS5643A	IEEE-1394b Interface Requirements for Military and Aerospace Vehicle Applications	2006	SAE	0
18698	AMS2251H	Tolerances Low-Alloy Steel Bars	2006	SAE	0
18699	AS5685	Steel, Corrosion Resistant, Safety Wire, 18Cr - 11.5Ni (UNS S30500) Solution Heat Treated, Cold Finished	2006	SAE	0
18700	AS5678	Passive RFID Tags Intended for Aircraft Use	2006	SAE	0
18701	AS5382-4A	CABLE, FIBER OPTIC, SINGLE-MODE, 4.6/125/450 ?m, HERMETIC COATED, TIGHT BUFFER	2006	SAE	0
18702	AS5395	Health and Usage Monitoring System Data Interchange Specification	2006	SAE	0
18703	AS5506-1	SAE Architecture Analysis and Design Language (AADL) Annex Volume 1: Annex A: Graphical AADL Notation, Annex C: AADL Meta-Model and Interchange Formats, Annex D: Language Compliance and Application Program Interface Annex E: Error Model Annex	2006	SAE	0
18704	AS5529	SLEEVE, FLARELESS TUBE FITTING, INTERNALLY SWAGED	2006	SAE	0
18705	AS5530	UNION, FLARELESS TUBE FITTING, INTERNALLY SWAGED	2006	SAE	0
18706	AS5531	UNION, SHORT FLARELESS TUBE FITTING, INTERNALLY SWAGED	2006	SAE	0
18707	AS5452A	Night Vision Goggles (NVG) Compatible Lighting for Civil Aircraft	2006	SAE	0
18708	AS5443A	WRENCHING ELEMENT, SPLINE DRIVE - DIMENSIONS FOR	2006	SAE	0
18709	AMS2224G	Tolerances Copper and Copper Alloy Wire	2006	SAE	0
18710	AMS2221G	Tolerances Copper and Copper Alloy Bars and Rods	2006	SAE	0
18711	AMS2222J	Tolerances Copper and Copper Alloy Sheet, Strip, and Plate	2006	SAE	0
18712	AMS2223H	Tolerances Copper and Copper Alloy Seamless Tubing	2006	SAE	0
18713	AS5188A	FITTING, ELBOW, 90 DEGREES, BULKHEAD, HOSE	2006	SAE	0
18714	AS51989A	Stud, Locked In-Ring Locked, Serrated	2006	SAE	0
18715	AS4308B	FITTING, BUSHING-SCREW THREAD EXPANDER FOR SEAL RING	2006	SAE	0
18716	AS4318A	FITTING, ADAPTER, FLARED TUBE, .375 BULKHEAD TO BOSS FOR SEAL RING	2006	SAE	0
18717	AS4319B	FITTING, EXPANDER, ADAPTER, FLARED TUBE TO BOSS FOR SEAL RING	2006	SAE	0
18718	AS4328B	FITTING, UNION, REDUCER, BULKHEAD, FLARED TUBE, FOR SEAL RING	2006	SAE	0
18719	AS4340B	FITTING, BUSHING, SCREW THREAD REDUCER, FOR SEAL RING	2006	SAE	0
18720	AS4317B	FITTING, REDUCER, ADAPTER, FLARED TUBE TO BOSS FOR SEAL RING	2006	SAE	0
18721	AS4307B	FITTING, FLARED TUBE, EXTERNAL STRAIGHT THREAD FOR SEAL RING	2006	SAE	0
18722	AS4301B	FITTING, ADAPTER, CONICAL END TO FLARED TUBE REDUCER FOR SEAL RING	2006	SAE	0
18723	AS36100A	Air Cargo Unit Load Devices Performance Requirements and Test Parameters	2006	SAE	0

18724	AS9697C	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, CORROSION AND HEAT RESISTANT STEEL, UNS N07001, 165 KSI MIN, .2500-28 UNJF-3A	2006	SAE	0
18725	J1044	World Manufacturer Identifier	2006	SAE	0
18726	AS9284A	(R) BOLT, MACHINE - HEXAGON HEAD, PD SHANK, BLACK OXIDE, STEEL UNS G87400, 125 KSI MIN, .2500-28 UNJF-3A	2006	SAE	0
18727	AS9283A	(R) BOLT, MACHINE - HEXAGON HEAD, PD SHANK, BLACK OXIDE, STEEL UNS G87400, 125 KSI MIN, .1900-32 UNJF-3A	2006	SAE	0
18728	AS9294A	(R) BOLT, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, PD SHANK, BLACK OXIDE, STEEL UNS G87400, 125 KSI MIN, .1900-32 UNJF-3A	2006	SAE	0
18729	AMS2474D	Chemical Treatment for Aluminum Alloys Low Electrical Resistance Coating	2006	SAE	0
18730	AS9292A	(R) SCREW, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, PD SHANK, BLACK OXIDE, STEEL UNS G87400, 125 KSI MIN, .1380-40 UNJF-3A	2006	SAE	0
18731	AS9286A	(R) BOLT, MACHINE - HEXAGON HEAD, PD SHANK, BLACK OXIDE, STEEL UNS G87400, 125 KSI MIN, .3750-24 UNJF-3A	2006	SAE	0
18732	AS9285A	(R) BOLT, MACHINE - HEXAGON HEAD, PD SHANK, BLACK OXIDE, STEEL UNS G87400, 125 KSI MIN, .3125-24 UNJF-3A	2006	SAE	0
18733	AS9297A	(R) BOLT, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, PD SHANK, BLACK OXIDE, STEEL UNS G87400, 125 KSI MIN, .3750-24 UNJF-3A	2006	SAE	0
18734	AS9296A	(R) BOLT, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, PD SHANK, BLACK OXIDE, STEEL UNS G87400, 125 KSI MIN, .3125-24 UNJF-3A	2006	SAE	0
18735	AS9318A	RIVET, SOLID - 100° FLUSH HEAD, MONEL UNS N04400	2006	SAE	0
18736	AS9319A	RIVET, SOLID - UNIVERSAL HEAD, MONEL UNS N04400	2006	SAE	0
18737	AS9444B	BOLT, MACHINE - HEXAGON, DRILLED, 6 HOLES, PD SHANK, NICKEL CADMIUM PLATED, STEEL UNS K14675, 195 KSI MIN, .4375-20 UNJF-3A (Stabilized Type)	2006	SAE	0
18738	AS9568D	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, CRES UNS S66286, 130 KSI MIN .3750-24 UNJF-3A	2006	SAE	0
18739	AS9014	Americas Aerospace Quality Group (AAQG) Requirements for Aerospace Quality Management System Certification/Registrations Programs	2006	SAE	0
18740	AS87132	Lubricant, Cetyl Alcohol, 1-Hexadecanol, Application to Fasteners	2006	SAE	0
18741	AS861B	Minimum General Standards for Oxygen Systems	2006	SAE	0
18742	AMS2451-1A	Plating, Brush, Nickel General Purpose	2006	SAE	0
18743	AMS2451-2A	Plating, Brush, Nickel Low Stress, Hard Deposit	2006	SAE	0
18744	AMS2451-5A	Plating, Brush, Chromium Hard Deposit, Trivalent	2006	SAE	0
18745	AMS2451-7A	Plating, Brush, Nickel Low Stress, Medium-Hardness Deposit	2006	SAE	0
18746	AMS2451-8A	Plating, Brush, Non-Cyanide Silver General Purpose	2006	SAE	0
18747	AMS2451-3A	Plating, Brush, Nickel Low Stress, Low-Hardness Deposit	2006	SAE	0
18748	AMS2451-6A	Plating, Brush, Copper General Purpose	2006	SAE	0
18749	AS81936-1A	BEARING, PLAIN, SELF-ALIGNING, CU-BE BALL, CRES RACE, (WITH GROOVED RACE) -65 ?F TO +350 ?F	2006	SAE	0
18750	AS81936-2A	BEARING, PLAIN, SELF-ALIGNING, CU-BE BALL, CRES RACE, (CHAMFERED RACE) -65 TO +350 ?F	2006	SAE	0
18751	AS81936A	(R) Bearings, Plain, Self-Aligning (Cu-Be Ball, CRES Race) General Specification For	2006	SAE	0
18752	J1108	Truck and Truck Tractor Vehicle Identification Number Systems	2006	SAE	0
18753	J1105	(R) HornForward WarningElectricPerformance, Test, and Application	2006	SAE	0
18754	J1113-12	Electrical Interference by Conduction and CouplingCapacitive and Inductive Coupling via Lines Other than Supply Lines	2006	SAE	0
18755	J1113-41	Limits and Methods of Measurement of Radio Disturbance Characteristics of Components and Modules for the Protection of Receivers Used on Board Vehicles	2006	SAE	0

18756	AMS2615F	Pressure Testing, Hydraulic Pressure as Specified	2006	SAE	0
18757	J1121	Helical Compression and Extension Spring Terminology	2006	SAE	0
18758	J1177	Hydraulic Excavator Operator Controls	2006	SAE	0
18759	J1113-25	Electromagnetic Compatibility Measurement Procedure for Vehicle Components-Immunity to Radiated Electromagnetic Fields, 10 KHz to 1000 MHz-Tri-Plate Line Method	2005	SAE	0
18760	AS81934A	(R) Bearings, Sleeve, Plain and Flanged, Self-Lubricating	2005	SAE	0
18761	AS85049-131	CONNECTOR ACCESSORIES, FIBER OPTIC BACKSHELL, STRAIGHT, SELF-LOCKING CATEGORY 3B FOR MIL-DTL-38999 SERIES III & SAE AS5590/1 CONNECTORS	2005	SAE	0
18762	AS85049-133	NULL	2005	SAE	0
18763	AS85049-134	CONNECTOR ACCESSORIES, FIBER OPTIC BACKSHELLS FILLER PLUG, CATEGORY 7	2005	SAE	0
18764	AS8952A	Bearings, Roller, Rod End, Antifriction Self-Aligning	2005	SAE	0
18765	AMS2465C	Disilicide Diffusion Coating of Molybdenum and Molybdenum Alloys Pack Cementation Method	2005	SAE	0
18766	AS9104A	Requirements for Aerospace Quality Management System Certification/Registrations Programs	2005	SAE	0
18767	AS9111W	Quality Management System Assessment for Maintenance Organizations (Based on ISO 9001:2000) Word Format - See Also SAE AS9111; Includes Access to Additional Content	2005	SAE	0
18768	AS91761A	Plug, Expansion - Tapered, AMS 5040	2005	SAE	0
18769	AS91641A	PIN, STRAIGHT, HEADLESS, OVERSIZE, STEEL, UNS G10950	2005	SAE	0
18770	AS9132A	(R) Data Matrix Quality Requirements for Parts Marking	2005	SAE	0
18771	AS9566A	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, CRES UNS S66286, 130 KSI MIN .2500-28 UNJF-3A	2005	SAE	0
18772	AS9567B	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, CRES UNS S66286, 130 KSI MIN .3125-24 UNJF-3A	2005	SAE	0
18773	AS9564A	SCREW, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, CRES UNS S66286, 130 KSI MIN .1640-36 UNJF-3A	2005	SAE	0
18774	AS9551A	(R) BRACKET, FLAT, STEEL UNS G41300, CADMIUM PLATED	2005	SAE	0
18775	AS9514A	CUSHION, LOOP CLAMP-MULTIPLE, 3-TUBE, AMS 3677	2005	SAE	0
18776	AS9515A	CUSHION, LOOP CLAMP-MULTIPLE, 2-TUBE, AMS 3677	2005	SAE	0
18777	AS9464C	PIN, STRAIGHT, HEADED, .248 DIAMETER, CRES, UNS S66286	2005	SAE	0
18778	AS933D	FITTING, ADAPTER, UNION, FLARED TO BOSS	2005	SAE	0
18779	AS9317B	(R) SCREW, MACHINE - HEXAGON HEAD, SLOTTED, FULL SHANK, ALLOY STEEL, UNS K14675, 135 KSI MIN, .2500-28 UNS-3A, NI - CAD. PLATE	2005	SAE	0
18780	J100	Class "A" Vehicle Glazing Shade Bands	2005	SAE	0
18781	AS9594A	BRACKET, ANGLE, 90ï°, CRES UNS S32100, .190 X .312 BOLT	2005	SAE	0
18782	AS9595A	BRACKET, ANGLE, 90ï°, CRES UNS S32100, .190 X .375 BOLT	2005	SAE	0
18783	AS9600A	BRACKET, ANGLE, 90ï°, CORROSION AND HEAT RESISTANT STEEL UNS S41000, .190 BOLT	2005	SAE	0
18784	AS9601A	BRACKET, ANGLE, 90ï°, CRES UNS S41000, .190 X .250 BOLT	2005	SAE	0
18785	AS9602A	BRACKET, ANGLE, 90ï°, CRES UNS S41000, .190 X .312 BOLT	2005	SAE	0
18786	AS9603A	BRACKET, ANGLE, 90ï°, CRES UNS S41000, .190 X .375 BOLT	2005	SAE	0
18787	AS9885A	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, CORROSION AND HEAT RESISTANT STEEL, UNS S41800, 140 KSI MIN, .1900-32 UNJF-3A	2005	SAE	0
18788	AS9741B	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, CRES UNS S17400, 140 KSI MIN .1900-32 UNJF-3A	2005	SAE	0
18789	AS9742A	(R) BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, CRES UNS S17400, 140 KSI MIN .2500-28 UNJF-3A	2005	SAE	0

18790	AS39631A	Universal Joint, Antifriction Bearings	2005	SAE	0
18791	AS3507B	Insert -Thin Wall , Self-Locking Short and Long Length Installation and Removal of	2005	SAE	0
18792	AS33649A	BOSSES, FLUID CONNECTION, INTERNAL STRAIGHT THREAD	2005	SAE	0
18793	AS4227A	FITTING ASSEMBLY, ADAPTER, INTERNAL THREAD, BEAM SEAL TO INTEGRAL WELD RING	2005	SAE	0
18794	AIR1277B	(R) Cooling of Military Avionic Equipment	2005	SAE	0
18795	AS4751-3	FLANGE END, SOLID, WIDE DESIGN STANDARD	2005	SAE	0
18796	AS4751	Coupling Assembly, V-Band Sheet Metal Wide Flange, Pneumatic Tube	2005	SAE	0
18797	AS4751-1	COUPLING, SHEET METAL, 40? V-BAND, WIDE, STANDARD LATCH	2005	SAE	0
18798	AS4751-2	FLANGE, SHEET METAL, WIDE	2005	SAE	0
18799	AMS1541C	Cleaner, Fuel Drop Tank Water-Soluble	2005	SAE	0
18800	AS4851A	Relative Thermal Life and Temperature Index for Insulated Electric Wire	2005	SAE	0
18801	AS4859A	FITTING, COUPLING, PIPE, INTERNAL THREAD	2005	SAE	0
18802	AMS1631C	Cleaner, Carpet Water Extraction Type	2005	SAE	0
18803	AS5054A	Areas for Calculating Stress or Load Values for Externally and Internally Threaded Fasteners	2005	SAE	0
18804	AMS1725C	Skin Protective Compound Chemical Barrier	2005	SAE	0
18805	AS5195C	FI TTING, ELBOW, 90%, FLARED TO PIPE	2005	SAE	0
18806	AS5196C	FITTING, ELBOW, 45, FLARED TO PIPE	2005	SAE	0
18807	AS5198C	FITTING, TEE, FLARED TO PIPE ON RUN	2005	SAE	0
18808	AS51990A	Ring, Lock, Serrated	2005	SAE	0
18809	AS5182B	FITTING, ELBOW, 45 DEGREES, BULKHEAD, FLARED TO HOSE	2005	SAE	0
18810	AS5202A	PORT OR FITTING END, INTERNAL STRAIGHT THREAD, DESIGN STANDARD - Best Copy Available	2005	SAE	0
18811	AS51997B	RING, LOCKED, SERRATEDHIGH STRENGTH	2005	SAE	0
18812	AS5406C	FITTING, UNION, TUBE, .375 BULKHEAD	2005	SAE	0
18813	AS5652	10 Megabit/sec Network Configuration Digital Time Division Command/Response Multiplex Data Bus	2005	SAE	0
18814	AS5590-1	CONNECTOR, FIBER OPTIC, CIRCULAR, ENVIRONMENT RESISTANT, REMOVEABLE TERMINI	2005	SAE	0
18815	AS5586	Aerospace - General Requirements for Hydraulic System Reservoirs	2005	SAE	0
18816	AS5635	Message Boards (Deicing Facilities)	2005	SAE	0
18817	AS5927	BEARING, ROLLER, NEEDLE, SINGLE ROW, HEAVY DUTY, TRACK ROLLER, SEALED, TYPE V, ANTI-FRICTION, CORROSION RESISTANT NITROGEN (CREN) STEEL, INCH	2005	SAE	0
18818	AS5928	BEARING, ROLLER, NEEDLE, DOUBLE ROW, HEAVY DUTY, TRACK ROLLER, SEALED, TYPE VI, ANTI-FRICTION, CORROSION RESISTANT NITROGEN (CREN) STEEL, INCH	2005	SAE	0
18819	AMS2308A	Magnetic Rubber Inspection	2005	SAE	0
18820	AS5865	FITTING REDUCER ASSEMBLY, RING LOCKED, ADAPTER, FLARELESS TO PORT, EXTRA FINE THREADS, 5080 PSI	2005	SAE	0
18821	AS5861	Retainers, (Back-Up Rings), Hydraulic and Pneumatic, Polytetrafluoroethylene Resin, Solid, Static Gland	2005	SAE	0
18822	AS5878	Nut, Self-Locking, Nickel Alloy, UNS N07001, 1400 Ī°F, 180,000 psi, UNJ Thread Procurement Specification	2005	SAE	0
18823	AS5828	FITTING END, BULKHEAD, FLARELESS, EXTRA FINE THREAD, DESIGN STANDARD	2005	SAE	0
18824	AS7108-2A	National Aerospace and Defense Contractors Accreditation Program Requirements for Etch Processes (Macrostructure, Nital, Temper, Blue Etch Anodize)	2005	SAE	0
18825	AS7109-7A	(R) Nadcap Requirements for Heat Treating for Suppliers of Coatings	2005	SAE	0
18826	AS7119A	Nadcap Aerospace Standard for Electronics Printed Circuit Boards	2005	SAE	0
18827	AS7109-1A	(R) Nadcap Requirements for Thermal Spray	2005	SAE	0

18828	AS7109-2A	(R) Nadcap Requirements for Vapor Deposited Coatings	2005	SAE	0
18829	AS7109-3A	(R) Nadcap Requirements for Diffusion Coating Processes	2005	SAE	0
18830	AS7109-4A	(R) Nadcap Requirements for Stripping of Coated Material	2005	SAE	0
18831	AS7109-5A	(R) Nadcap Requirements for Coating Evaluation Laboratory Practices	2005	SAE	0
18832	AS7109-6A	(R) Nadcap Requirements for Plating of Coated Parts	2005	SAE	0
18833	AMS2414G	Plating, Lead	2005	SAE	0
18834	AMS2421C	Plating Magnesium for Solderability Zinc Immersion Process	2005	SAE	0
18835	AS8049B	Performance Standard for Seats in Civil Rotorcraft, Transport Aircraft, and General Aviation Aircraft	2005	SAE	0
18836	AS8009B	(R) Pressure Altimeter Systems	2005	SAE	0
18837	J119	Fiberboard Crease Bending Test	2005	SAE	0
18838	J1403	Vacuum Brake Hose (Stabilized Type)	2005	SAE	0
18839	J1352	Compression and Recovery of Insulation Paddings	2005	SAE	0
18840	J1532	(R) Transmission Oil Cooler Hose	2005	SAE	0
18841	J1545	(R) Instrumental Color Difference Measurement for Exterior Finishes, Textiles and Colored Trim	2005	SAE	0
18842	J1684	Test Method for Evaluating the Electrochemical Resistance of Coolant System Hoses and Materials	2005	SAE	0
18843	J1685	Classification System for Automotive Acrylonitrile/Butadiene/Styrene (ABS) and ABS + Polycarbonate Blends (ABS+PC) Based Plastics	2005	SAE	0
18844	AMS2759-11	Stress Relief of Steel Parts	2005	SAE	0
18845	AMS2759-6B	Gas Nitriding and Heat Treatment of Low-Alloy Steel Parts	2005	SAE	0
18846	J19	Latex-Dipped Goods and Coatings for Automotive Applications	2005	SAE	0
18847	J1889	(R) L.E.D. Signal and Marking Lighting Devices	2005	SAE	0
18848	J1884	Vehicle Jack Requirements and Test Procedure	2005	SAE	0
18849	J2009	(R) Discharge Forward Lighting System and Subsystems	2005	SAE	0
18850	J2051	Qualifications for Four-Way Subbase Mounted Air Valves for Automotive Manufacturing Applications	2005	SAE	0
18851	J2301	Universal Joint End Yoke Connection (Earwork)	2005	SAE	0
18852	J2450	Translation Quality Metric	2005	SAE	0
18853	J2587	Optimized Fuel Tank Sender Closure	2005	SAE	0
18854	J2580	Identification and Installation of Air Brake System Components	2005	SAE	0
18855	J2558	Classification System for Thermoplastic Elastomers	2005	SAE	0
18856	J2562	Biaxial Wheel Fatigue Test	2005	SAE	0
18857	J2566	Personal WatercraftDisplay of Persons Capacity Information	2005	SAE	0
18858	J2683	Refrigerant Purity and Container Requirements for Carbon Dioxide (CO2 R-744) Used in Mobile Air-Conditioning Systems	2005	SAE	0
18859	J2710	Modal Testing and Identification of Lower Order Tire Natural Frequencies of Radial Tires	2005	SAE	0
18860	J2704	Tire Normal Force/Deflection and Gross Footprint Dimension Test	2005	SAE	0
18861	J2695	Heavy Duty Vehicle Lubricating Greases	2005	SAE	0
18862	J2738	Improved Roadway Illumination: Information Resource	2005	SAE	0
18863	J2740	General Motors UART Serial Data Communications	2005	SAE	0
18864	J328	WheelsPassenger Car and Light Truck Performance Requirements and Test Procedures	2005	SAE	0
18865	J306	Automotive Gear Lubricant Viscosity Classification	2005	SAE	0
18866	J310	Automotive Lubricating Greases	2005	SAE	0

18867	J3046-1	Reciprocating Internal Combustion Enginesâ__Performanceâ__Part 1: Standard Reference Conditions, Declarations of Power, Fuel and Lubricating Oil Consumptions, and Test Methods	2005	SAE	0
18868	AMS3159F	Leak Test Solution Liquid Oxygen Compatible	2005	SAE	0
18869	J492	Guide for Rivet Selection and Design Consideration	2005	SAE	0
18870	J402	(R) New Steel Designation System for Wrought or Rolled Steel	2005	SAE	0
18871	AMS3167B	(R)Solvents, Wipe for Cleaning Prior to Application of Primer and Top Coat Materials, or Sealing Compounds	2005	SAE	0
18872	J582	Auxiliary Low Beam Lamps	2005	SAE	0
18873	J577	(R) Vibration Test Machine and Operation Procedure	2005	SAE	0
18874	J562	Nonmetallic Loom	2005	SAE	0
18875	J673	Automotive Safety Glazing Materials	2005	SAE	0
18876	J684	Trailer Couplings, Hitches, and Safety Chains-Automotive Type	2005	SAE	0
18877	J651	Passenger Car and Light Truck Automatic Transmission and Automatic Transaxle Test Code	2005	SAE	0
18878	J756	Marine Propeller-Shaft Couplings	2005	SAE	0
18879	AMS3216G	Fluorocarbon (FKM) Rubber High-Temperature - Fluid Resistant Low Compression Set 70 to 80	2005	SAE	0
18880	AMS3218C	Fluorocarbon (FKM) Rubber High-Temperature-Fluid Resistant Low Compression Set 85 to 95	2005	SAE	0
18881	MA2085B	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 204 â_°C, 21,000 KPA, 60-DEG CONE, TO 90-DEG TO 90-DEG, LIGHTWEIGHT, METRIC	2005	SAE	0
18882	MA2048B	(R) FITTING ASSEMBLY, ELBOW, 45â °, THIN WALL, RETAINED NUT, FLARELESS, METRIC	2005	SAE	0
18883	MA2049B	(R) FITTING ASSEMBLY, TEE, THIN WALL, RETAINED NUT ON RUN, FLARELESS, METRIC	2005	SAE	0
18884	MA2050B	(R) FITTING ASSEMBLY, ELBOW, 90â °, THIN WALL, RETAINED NUT, FLARELESS, METRIC	2005	SAE	0
18885	MA2051B	(R) FITTING ASSEMBLY, TEE, THIN WALL, RETAINED NUT ON SIDE, FLARELESS, METRIC	2005	SAE	0
18886	MA2126B	Hose Assembly, Polytetrafluoroethylene (PTFE), up to 232 ï°C and 10 500 kPa Procurement Specification, Metric (ISO/DIS 10502)	2005	SAE	0
18887	USCAR-28	Initiator Technical Requirements and Validation	2005	SAE	0
18888	AMS3259B	Sealing Compound, Polythioether Nonchromated, Corrosion Inhibiting for Intermittent Use to 360 Degrees F (182 Degrees C)	2005	SAE	0
18889	AMS3416B	Flux, Aluminum Dip Brazing 1090ï°F (588ï°C), Fusion Point	2005	SAE	0
18890	AIR1564B	Cross Reference for Materials for Fluid Systems Components Including Military and Federal Specifications and Their International Equivalents	2005	SAE	0
18891	AIR1609A	(R) Aircraft Humidification	2005	SAE	0
18892	AIR1828B	(R) Guide to Engine Lubrication System Monitoring	2005	SAE	0
18893	AMS4051G	Aluminum Alloy Sheet and Plate, Alclad 6.8Zn - 2.8Mg - 2.0Cu - 0.23Cr (Alclad 7178-0) Annealed	2005	SAE	0
18894	AMS4046F	Aluminum Alloy Sheet and Plate, Alclad One Side 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (Alclad One Side 7075; -T6 Sheet - T651 Plate) Solution and Precipitation Heat Treated - UNS A87075	2005	SAE	0
18895	AMS4056G	Aluminum Alloy, Sheet and Plate 4.4Mg - 0.70Mn - 0.15Cr (5083-0) Annealed - UNS A95083	2005	SAE	0
18896	AMS4009B	Aluminum Alloy Foil 1.0Mg 0.6Si - 0.30Cu - 0.20Cr (6061-0) Annealed - UNS A96061	2005	SAE	0
18897	AMS4021G	(R) Aluminum Alloy, Alclad Sheet and Plate, 1.0Mg - 0.60Si - 0.28Cu - 0.20Cr (Alclad 6061-0) Annealed - UNS A86061	2005	SAE	0
18898	AMS4084D	(R) Aluminum Alloy Sheet 5.7Zn - 2.2Mg - 1.6Cu - 0.22Cr (7475-T61) Solution and Precipitation Heat Treated - UNS A97475	2005	SAE	0
18899	AMS4107F	Aluminum Alloy Die Forgings (7050-T74) Solution Heat Treated and Overaged - UNS A97050	2005	SAE	0
18900	AMS4131D	Aluminum Alloy, Die and Hand Forgings 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (7075-T74) Solution Heat Treated and Aged - UNS A97075	2005	SAE	0
18901	AMS4126C	Aluminum Alloy, Die and Hand Forgings and Rolled Rings 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (7075-T6) Solution and Precipitation Heat Treated - UNS A97075	2005	SAE	0

18902	AMS4127J	Aluminum Alloy, Forgings and Rolled or Forged Rings (6061-T6) Solution and Precipitation Heat Treated - UNS A96061	2005	SAE	0
18903	AMS4174D	Aluminum Alloy, Flash Welded Rings 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (7075-T73) Solution and Precipitation Heat Treated - UNS A97075	2005	SAE	0
18904	AMS4193C	Aluminum Alloy Sheet and Plate 4.4Cu - 1.5Mg - 0.60Mn (2024-T861) Solution Heat Treated, Cold Worked, and Precipitation Heat Treated - UNS A92024	2005	SAE	0
18905	AMS4202D	Aluminum Alloy Plate 5.7Zn - 2.2Mg - 1.6Cu - 0.22Cr (7475-T7351) Solution Heat Treated, Stress Relieved by Stretching, and Precipitation Heat Treated - UNS A97475	2005	SAE	0
18906	AMS4203C	Aluminum Alloy, Plate 6.2Zn - 1.8Cu - 2.4Mg - 0.13Zr (7010-T7351) Solution Heat Treated, Stress Relieved, and Precipitation Heat Treated - UNS A97010	2005	SAE	0
18907	AMS4200B	Aluminum Alloy Plate 7.7Zn - 2.4Mg - 1.6Cu - 0.16Cr (7049-T7351) Solution Heat Treated, Stress Relieved, and Precipitation Heat Treated - UNS A97049	2005	SAE	0
18908	AMS4252B	Aluminum Alloy, Plate 6.4Zn - 2.4Mg - 2.2Cu - 0.12Zr (7150-T7751) Solution Heat Treated, Stress Relieved, and Overaged - UNS A97150	2005	SAE	0
18909	AMS4249A	Aluminum Alloy Castings 7.0Si - 0.58Mg - 0.15Ti - 0.06Be (D357.0-T6) Solution and Precipitation Heat Treated (Requiring Fatigue and Fracture Toughness Testing) - UNS A43570	2005	SAE	0
18910	AMS4250A	Aluminum Alloy, Plate 8.1Zn - 2.3Mg - 1.0Cu - Zr (7449-T7651) Solution Heat Treated, Stress Relieved, and Overaged - UNS A97449	2005	SAE	0
18911	AMS4255B	Aluminum Allloy, Clad One Side Sheet 0.6Mg - 0.35Si - 0.28Cu (No. 21 Brazing Sheet) As Fabricated - UNS A86951	2005	SAE	0
18912	AMS4256B	Aluminum Alloy, Clad Two Sides Sheet 0.6Mg - 0.35Si - 0.28Cu (No. 22 Brazing Sheet) As Fabricated - UNS A86951	2005	SAE	0
18913	AMS4240G	Castings, Sand 10Mg Solution Heat Treated and Naturally Aged	2005	SAE	0
18914	AMS4231G	Castings, Sand 4.5Cu - 1.1Si Solution and Precipitation Heat Treated	2005	SAE	0
18915	AMS4210K	Aluminum Alloy, Castings 5.0Si - 1.2Cu - 0.50Mg (355.0-T51) Precipitation Heat Treated - UNS A03550	2005	SAE	0
18916	AMS4276A	Aluminum Alloy, Sheet 4.4Cu - 1.5Mg - 0.60Mn (2024-0) Annealed, Fine Grained - UNS A92024	2005	SAE	0
18917	AMS4277A	Aluminum Alloy, Sheet 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (7075-0) Annealed, Fine Grained - UNS A97075	2005	SAE	0
18918	AMS4307B	Aluminum Alloy, Extrusions 6.4Zn - 2.4Mg - 2.2Cu - 0.12Zr (7150-T61511) Solution Heat Treated, Stress Relieved by Stretching, Straightened, and Precipitation Heat Treated - UNS A97150	2005	SAE	0
18919	AMS4305	Aluminum Alloy, Extruded Profiles (7449-T79511) 8.1Zn - 1.8Cu - 2.2Mg - 0.16Zr Solution Heat Treated, Stress Relieved, and Overaged - UNS A97449	2005	SAE	0
18920	AMS4299	Aluminum Alloy, Plate (7449-T7951) 8.1Zn - 1.8Cu - 2.3Mg Solution Heat Treated, Stress Relieved, and Overaged - UNS A97449	2005	SAE	0
18921	AMS4318A	Aluminum Alloy, Rolled or Cold Finished Bars and Rods 12.2Si - 1.0Mg - 0.90Cu - 0.90Ni (4032-T86) Solution Heat Treated, Cold Worked, and Artificially Aged - UNS A94032	2005	SAE	0
18922	AMS4314D	Aluminum Alloy Rings, Rolled or Forged 4.5Cu - 0.85Si - 0.80Mn - 0.50Mg (2014-T651, 2014-T652) Solution Heat Treated, Mechanically Stress Relieved, and Precipitation Heat Treated - UNS A92014	2005	SAE	0
18923	AMS4315	Aluminum Alloy Sheet and Plate 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr 7075: (-T76 Sheet, -T7651 Plate) Solution and Precipitation Heat Treated - UNS R97075	2005	SAE	0
18924	AMS4332	Aluminum Alloy, Extruded Profiles (7349-T76511) 8.1Zn - 1.7Cu - 2.2Mg - 0.16Zr Solution Heat Treated, Stress-Relieved, and Overaged	2005	SAE	0
18925	AMS4322A	Aluminum Alloy, Die Forgings 4.0Mg - 1.3Li - 1.2C - 0.45O (AL-905XL), Mechanically Alloyed, As-Fabricated	2005	SAE	0
18926	AMS4320B	Aluminum Alloy Forgings 7.7Zn - 2.5Mg - 1.5Cu - 0.16Cr (7149-T73) Solution and Precipitation Heat Treated - UNS A97149	2005	SAE	0
18927	AMS4334A	Aluminum Alloy, Forgings 7.8Zn - 2.2Mg - 1.6Cu - 0.15Cr (7249-T74 and -T7452)	2005	SAE	0
18928	AMS4345B	Aluminum Alloy, Extrusions 6.4Zn - 2.4Mg - 2.2Cu - 0.12Zr (7150-T77511) Solution Heat Treated, Stress-Relieved, Straightened, and Overaged - UNS A97150	2005	SAE	0
18929	AMS4651C	Copper-Beryllium Alloy, Bars and Rods 98Cu - 1.9Be (CDA 172) Hard Temper (TD04) - UNS C17200	2005	SAE	0
18930	AIR4175A	(R) A Guide to the Development of a Ground Station for Engine Condition Monitoring	2005	SAE	0

18931	AMS4750D	Solder, Tin-Lead 45Sn - 55Pb	2005	SAE	0
18932	AMS4751C	Tin - Lead Eutectic 63Sn - 37Pb - UNS L13630	2005	SAE	0
18933	AMS5032G	Wire, Steel 0.18 - 0.23C (SAE 1020) Annealed - UNS G10200	2005	SAE	0
18934	AMS5045H	Steel, Sheet and Strip 0.25 Carbon, Maximum Hard Temper - UNS G10200	2005	SAE	0
18935	AMS5044J	Steel, Sheet and Strip 0.15 Carbon, Maximum Half Hard Temper - UNS G10100	2005	SAE	0
18936	AMS4890C	Copper-Beryllium Alloy Castings 97Cu - 2.1Be - 0.52Co - 0.28Si Solution Heat Treated (TB00) - UNS C82500	2005	SAE	0
18937	AMS4873F	Aluminum Bronze Alloy, Sand Castings 85Cu - 11Al - 3.6Fe Solution Heat Treated and Tempered - UNS C95420	2005	SAE	0
18938	AMS4880D	Aluminum Bronze Alloy, Centrifugal and Continuous-Cast Castings 81.5Cu - 10.3Al - 5.0Ni - 2.8Fe Quench Hardened and Temper Annealed (TQ50) - UNS C95510	2005	SAE	0
18939	AMS4779G	Nickel Alloy, Brazing Filler Metal 94Ni - 3.5Si - 1.8B 1800 to 1950 Ï°F (982 to 1066 Ï°C) Solidus-Liquidus Range - UNS N99640	2005	SAE	0
18940	AMS4782F	Nickel Alloy, Brazing Filler Metal 71Ni - 10Si - 19Cr 1975 to 2075 Ï°F (1080 to 1135 Ï°C) Solidus-Liquidus Range - UNS N99650	2005	SAE	0
18941	AMS5576K	Steel, Corrosion and Heat-Resistant, Welded Tubing 18Cr - 10.5Ni - 0.40Ti (SAE 30321) Solution Heat Treated - UNS S32100	2005	SAE	0
18942	AIR4766-2	Airborne Chemicals in Aircraft Cabins	2005	SAE	0
18943	AIR4766-1	Air Quality for Commercial Aircraft Cabin Particulate Contaminants	2005	SAE	0
18944	AMS5661F	Nickel-Iron Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 42.5Ni - 12.5Cr - 5.8Mo - 2.9Ti - 0.015B - 35Fe Consumable Electrode or Vacuum Induction Melted Solution, Stabilization, and Precipitation Heat Treated - Composition similar to UNS	2005	SAE	0
18945	AMS5670F	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 72Ni - 15.5Cr - 0.95Cb(Nb) - 2.5Ti - 0.70Al - 7.0Fe 1800 Ï°F (982 Ï°C) Solution Heat Treated, Precipitation-Hardenable - UNS N07750	2005	SAE	0
18946	AMS5746F	Alloy, Corrosion and Heat-Resistant, Bars and Forgings 15Cr - 45Ni - 4.1Mo - 4.1W - 3.0Ti - 1.0Al - 31Fe (D979) Consumable Electrode Vacuum Melted Solution and Precipitation Heat Treated - UNS N09979	2005	SAE	0
18947	AMS5930A	Steel, Corrosion-Resistant, Bars and Forgings 13.0Cr - 2.5Ni - 5.5Co - 2.0Mo - 0.60V (0.05 - 0.09C) Vacuum Induction Plus Vacuum Consumable Electrode Melted - UNS S42670	2005	SAE	0
18948	AMS5931A	Steel, Bars, Wire, Forgings, Extrusions, Tubing, and Rings Wear, Galling, and Corrosion-Resistant 5.0Mn - 3.5Si - 16.5Cr - 5.0Ni - 0.14N Solution Heat Treated - UNS S20161	2005	SAE	0
18949	AMS5932B	Steel, Corrosion and Heat-Resistant, Bars, Forgings and Tubing 14.5Cr - 2.3Ni - 12.5Co - 4.0Mo - 0.60V - 0.03Cb(Nb) Carburizing, Premium Aircraft-Quality, Double Vacuum Melted - UNS S42640	2005	SAE	0
18950	AIR4985	A Methodology for Quantifying the Performance of an Engine Monitoring System	2005	SAE	0
18951	AMS6432C	Steel Bars, Forgings, and Tubing 1.05Cr - 0.55Ni - 1.0Mo - 0.12V (0.43 - 0.49C)	2005	SAE	0
18952	AMS6361E	Steel Tubing, Seamless 0.95Cr - 0.20Mo (0.28 - 0.33C) (SAE 4130) 125 ksi (862 MPa) Tensile Strength - UNS G41300	2005	SAE	0
18953	AMS6362F	Steel Tubing, Seamless 0.95Cr - 0.20Mo (0.28 - 0.33C) (SAE 4130) 150 ksi (1034 MPa) Tensile Strength - UNS G41300	2005	SAE	0
18954	AMS6322N	Steel Bars, Forgings, and Rings 0.50Cr - 0.55Ni - 0.25Mo (0.38 - 0.43C) (SAE 8740) - UNS G87400	2005	SAE	0
18955	AIR4964	Exposure Levels of UV Radiation in Nondestructive Inspection Processes	2005	SAE	0
18956	AMS6521C	Steel Sheet, Strip, and Plate, Maraging 18.5Ni - 9.0Co - 4.9Mo - 0.65Ti - 0.10AI Consumable Electrode Melted, Solution Heat Treated - UNS K93160	2005	SAE	0
18957	AMS6522C	Steel Plate 2.0Cr - 10Ni - 14Co - 1.0Mo (0.13 - 0.17C) Vacuum Melted, Normalized, and Overaged - UNS K92571	2005	SAE	0
18958	AMS6544D	Maraging Steel, Plate 2.0Cr - 10Ni - 8.0Co - 1.0Mo (0.10 - 0.14C) Double Vacuum Melted, Solution Heat Treated - UNS K91971	2005	SAE	0
18959	AMS6533C	Steel, Welding Wire 2.0Cr - 10Ni - 14Co - 1.0Mo - (0.13 - 0.17C) Vacuum Melted, Environment Controlled Packaging - UNS K92571	2005	SAE	0
18960	AMS6443G	Steel Bars, Forgings, and Tubing 1.0Cr (0.98 - 1.10C) (SAE 51100) Consumable Electrode Vacuum Melted	2005	SAE	0
18961	AMS6451C	Steel, Spring Wire 1.4Si - 0.65Cr (0.51 - 0.59C) (SAE 9254) Oil Tempered - G92540	2005	SAE	0

18962	AMS6478B	Steel, Bars and Forgings 3.1Cr - 11.5Ni - 13.5Co - 1.2Mo (0.21 - 0.25C) Vacuum Melted, Annealed Heat Treatable to 290 ksi (1999 MPa) Tensile Strength - UNS K92580	2005	SAE	0
18963	AMS-QQ-P-35A	Passivation Treatments for Corrosion-Resistant Steel	2005	SAE	0
18964	AIR5451	A Guide to Landing Gear System Integration	2005	SAE	0
18965	AMS-R-83248A	Rubber, Fluorocarbon Elastomer, High Temperature, Fluid, and Compression Set Resistant	2005	SAE	0
18966	AMS-T-5066A	Tubing, Carbon Steel (1025), (Aircraft Quality)	2005	SAE	0
18967	AMS-S-6050B	Steel, Chrome-Nickel-Molybdenum (8630) Bars and Reforging Stock (Aircraft Quality)	2005	SAE	0
18968	AMS-S-11310B	Steel Bars, Carbon, Hot Rolled, for Cold Shaping, Including Cold Extrusion	2005	SAE	0
18969	AMS-W-21425B	Wire, Steel, High Carbon, Square, Uncoated, for Mechanical Springs (General Purpose)	2005	SAE	0
18970	AMS-T-81556A	Titanium and Titanium Alloys, Extruded Bars snd Shapes, Aircraft Quality	2005	SAE	0
18971	ARP1328B	Aircraft Ground Support Equipment - Wind Stability Determination	2005	SAE	0
18972	ARP4171A	Safety Considerations of Food and Beverage Service Carts	2005	SAE	0
18973	ARP4205	Aerospace Fluid Power - Hydraulic Filter Elements - Method for Evaluating Dynamic Efficiency with Cyclic Flow	2005	SAE	0
18974	ARP1804A	(R) Electric Baggage/Cargo Tractor	2005	SAE	0
18975	AIR5601	A Guideline for Application of RF Photonics to Aerospace Platforms	2005	SAE	0
18976	AIR5642	The Effect of Installation Power Losses on the Overall Performance of a Helicopter	2005	SAE	0
18977	ARP5146	Assessment of Aircraft Wheel Sealing Systems	2005	SAE	0
18978	ARP5007A	Development Process - Aerospace Fly-By-Wire Actuation System	2005	SAE	0
18979	ARP5293	Safety Considerations for Lasers Projected in the Navigable Airspace	2005	SAE	0
18980	ARP5414A	Aircraft Lightning Zone	2005	SAE	0
18981	ARP5628	Final Approach Spacing System (FASS)	2005	SAE	0
18982	ARP5637	Design and Maintenance Considerations For Aircraft Exterior Lighting Plastic Lenses	2005	SAE	0
18983	ARP5607A	Legibility of Print on Aerospace Wires and Cables	2005	SAE	0
18984	ARP5600	Disposition of Damaged Wheels Involved in Accidents/Incidents	2005	SAE	0
18985	ARP5589	Human Engineering Considerations for Design and Implementation of Perspective Flight Guidance Displays	2005	SAE	0
18986	ARP5533	(R) Stationary Runway Weather Information System (In-Pavement)	2005	SAE	0
18987	ARP5539	Rotary Plow With Carrier Vehicle	2005	SAE	0
18988	ARP5638	RMS Terms and Definitions	2005	SAE	0
18989	ARP5825	Design Requirements and Test Procedures for Dual Mode Exterior Lights	2005	SAE	0
18990	ARP5936	Landing Gear Storage	2005	SAE	0
18991	AIR5875	Methodology for Investigation of Flight Control System Anomalies	2005	SAE	0
18992	ARP9005	Aerospace Guidance for Non-Deliverable Software	2005	SAE	0
18993	ARP9013	Statistical Product Acceptance Requirements	2005	SAE	0
18994	ARP9013-1	Statistical Product Acceptance Requirements Using Isolated Lot Sampling Methods	2005	SAE	0
18995	ARP9013-2	Statistical Product Acceptance Requirements Using Attribute or Variable Lot Acceptance Sampling Plans	2005	SAE	0
18996	ARP9013-3	Statistical Product Acceptance Requirements Using Process Control Methods	2005	SAE	0
18997	ARP9013-4	Statistical Product Acceptance Requirements Using Continuous Sampling, Skip-Lot Sampling, or Methods for Special Cases	2005	SAE	0
18998	ARP9107	Direct Delivery Authorization Guidance for Aerospace Companies	2005	SAE	0

18999	ARP9162	Aerospace Operator Self-Verification Programs	2005	SAE	0
19000	AS1219A	Aircraft Oxygen Replenishment Coupling for Civil Transport Aircraft (Design Standard)	2005	SAE	0
19001	AS1214B	(R) Minimum Standards for Valve, High Pressure Oxygen, Line Shut Off, Manually Operated	2005	SAE	0
19002	AS126275 THRU AS126586B	STUD - STRAIGHT, CADMIUM PLATED, STEEL, UNS G87400, 125 KSI MIN, .3125 - 18 UNS X .3125 - 24 UNF-3A	2005	SAE	0
19003	AS150E	(R) Hose Assembly, Type Classifications of, Basic Performance and Fire Resistance	2005	SAE	0
19004	AS15000A	FITTING END, LUBRICATION, HYDRAULIC - DESIGN STANDARD	2005	SAE	0
19005	AS16842A	Clamp, Wire, Rope, Saddled, Single Grip, Steel	2005	SAE	0
19006	AS21221A	(R) BEARING, ROLLER, ROD END, EXTERNAL THREAD, SELF-ALIGNING, ANTI-FRICTION, AIRFRAME, HEAVY DUTY, TYPE II, -67¡° TO 350¡°F, SEALED	2005	SAE	0
19007	AS21223A	(R) BEARING, ROLLER, ROD END, EXTERNAL THREAD, SELF-ALIGNING, ANTI-FRICTION, AIRFRAME, HEAVY DUTY, TYPE I, -67¡° TO 350¡°F, SEALED	2005	SAE	0
19008	AS24462A	(R) BEARING, ROLLER, NEEDLE, SINGLE ROW, THIN SHELL, TYPE II, ANTIFRICTION	2005	SAE	0
19009	AS24463B	(R) BEARING, ROLLER, NEEDLE-SINGLE ROW, HEAVY DUTY, SELF-ALIGNING, TYPE III, ANTIFRICTION, INCH	2005	SAE	0
19010	AS24334B	COUPLING ASSEMBLY, HYDRAULIC, SELF-SEALING, FLARELESS FITTING TO INTERNAL THREAD BOSS	2005	SAE	0
19011	AS24333B	COUPLING ASSEMBLY, HYDRAULIC, SELF-SEALING, QUICK DISCONNECT, FLARED FITTING TO INTERNAL THREAD BOSS	2005	SAE	0
19012	AS25281A	Clamp, Loop, Plastic, Wire Support	2005	SAE	0
19013	AS24563B	FLANGE PROFILES, V-COUPLING, DESIGN STANDARD	2005	SAE	0
19014	AS24464A	(R) BEARING, ROLLER, NEEDLE-DOUBLE ROW, HEAVY DUTY, SELF-ALIGNING, TYPE IV, ANTIFRICTION, INCH	2005	SAE	0
19015	AS25337	CIRCUIT BREAKER, AIRCRAFT TRIP-FREE TOGGLE, 5-50 AMP	2004	SAE	0
19016	AS25427	Coupling Assembly, Hydraulic, Self-Sealing, Quick Disconnect	2004	SAE	0
19017	AS24122	WIRING HARNESS - EXTERNAL POWER, 115 VOLT AC, SINGLE PHASE	2004	SAE	0
19018	AS24208	CABLE AND PLUG ASSEMBLY, EXTERNAL POWER 115/200 VOLTS 3 PHASE, SINGLE POINT REFUELING	2004	SAE	0
19019	AIR825-6	On Board Oxygen Generating Systems (Molecular Sieve)	2004	SAE	0
19020	AS22598A	Interpretation Kit, Photographic, Pocket-Size BS-5( )	2004	SAE	0
19021	AS3077A	(R) LOCKRING - FLUID CONNECTION BOSS INSERT, INTERNAL STRAIGHT THREAD	2004	SAE	0
19022	AIR9968A	Viscosity Test of Thickened Aircraft Deicing/Anti-icing Fluids	2004	SAE	0
19023	AS28912B	Bearing, Roller, Self-Aligning, Single Row Airframe, Anti-Friction, Sealed, Type I	2004	SAE	0
19024	AS29600-5	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, SELF LOCKING, ENVIRONMENTAL RESISTANT, REMOVABLE CRIMP CONTACTS, DUST COVER (SERIES A)	2004	SAE	0
19025	AS29600-7	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, THREADED, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, NUT, HEXAGON, CONNECTOR MOUNTING	2004	SAE	0
19026	AS29600-6	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENTAL RESISTANT, REMOVABLE CRIMP CONTACTS, STOWAGE RECEPTACLE (SERIES B)	2004	SAE	0
19027	AS29600-4	CONNECTOR, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENTAL RESISTANT, REMOVABLE CRIMP CONTACT, BACKSHELL 45?, SELF LOCKING (SERIES A AND B)	2004	SAE	0
19028	AS29600-11	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, RECEPTACLE, JAM NUT (SERIES A)	2004	SAE	0

19029	AS29600-21	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, RECEPTACLE, JAM NUT (SERIES B)	2004	SAE	0
19030	AS29600-10	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, RECEPTACLE, FLANGED (SERIES A)	2004	SAE	0
19031	AS29600-20	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, RECEPTACLE, FLANGED (SERIES B)	2004	SAE	0
19032	AS29600-12	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, PLUG (SERIES A)	2004	SAE	0
19033	AS29600-22	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, PLUG (SERIES B)	2004	SAE	0
19034	AIR944C	Pneumatic Ground Power Supplies for Starting Aircraft	2004	SAE	0
19035	AS29600-3	CONNECTOR, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENTAL RESISTANT, REMOVABLE CRIMP CONTACTS, BACKSHELL 90?, SELF LOCKING (SERIES A AND B)	2004	SAE	0
19036	AS29600-24	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, CONTACTS, PIN, CRIMP REMOVABLE (SERIES B)	2004	SAE	0
19037	AS21429A	(R) BEARING, ROLLER, ANTIFRICTION, ROD END, EXTERNAL THREAD, SELF-ALIGNING, AIR FRAME, -67 DEGREES F, TO 350 DEGREES F TYPE 1, HEAVY DUTY, SEALED	2004	SAE	0
19038	AS21378	PLUGS AND CABLE ASSEMBLIES, EXTERNAL POWER, AIRCRAFT, 230/400 VOLT, 400 HERTZ	2004	SAE	0
19039	AS21446A	BEARING, ROLLER, SELF-ALIGNING SINGLE ROW, BARREL ROLLER, TORQUE TUBE, AIRFRAME, ANTIFRICTION, SEALED TYPE V	2004	SAE	0
19040	AS22074	CIRCUIT BREAKER, RECYCLING, TRIP-FREE, PUSH-PULL, 1/2 THRU 5 AMPERE, TYPE I	2004	SAE	0
19041	AS20005	DRIVE - TYPE XV ENGINE ACCESSORY - DESIGN STANDARD FOR	2004	SAE	0
19042	AS20010	DRIVE - TYPE XX ENGINE ACCESSORY - DESIGN STANDARD FOR	2004	SAE	0
19043	AS1988A	Air Cargo Pallet Extenders	2004	SAE	0
19044	AS123751 THRU AS123850B	(R) PIN, COTTER - CRES, UNS S30200, AS7210	2004	SAE	0
19045	AS13441A	Test Methods for Electrical Connectors	2004	SAE	0
19046	AIR5995	Evaluation of Human Factor Considerations for Outdoor Laser Operations in the Navigable Airspace	2004	SAE	0
19047	ARP81490	Transmission Lines, Transverse Electromagnetic Mode	2004	SAE	0
19048	ARP712B	Galley Lighting	2004	SAE	0
19049	ARP694B	Aerial Refueling Lights- Design Criteria	2004	SAE	0
19050	AIR5885	Landing Gear Common Repair	2004	SAE	0
19051	ARP583H	Flight Attendant Stations	2004	SAE	0
19052	AIR5826	Distortion Synthesis/Estimation Techniques	2004	SAE	0
19053	ARP5572	Control Measures for Laser Safety in the Navigable Airspace	2004	SAE	0
19054	ARP5492	Aircraft Cargo Systems - Missing Restraint Limitations Layouts (Stabilized Type)	2004	SAE	0
19055	ARP5621	Electronic Display of Aeronautical Information (Charts)	2004	SAE	0
19056	ARP5448-1	Plain Bearing Radial Limit and Ultimate Load Tests	2004	SAE	0
19057	ARP503F	Emergency Evacuation Illumination	2004	SAE	0
19058	ARP5058A	Enclosed Operators Cabin for Aircraft Ground Deicing Equipment	2004	SAE	0
19059	ARP495D	Passenger Evacuation Devices - Civil Air Transport	2004	SAE	0
19060	AIR5693	Compatibility of PTFE Hose Assemblies With Typical Fluids Found in Aerospace Applications	2004	SAE	0
19061	ARP1928A	Torque Recommendations for Attaching Electrical Wiring Devices to Terminal Boards or Blocks, Studs, Posts, etc.	2004	SAE	0

19062	ARP1785B	Standard Codes for Outer Sleeving on Hose Assemblies	2004	SAE	0
19063	ARP4168A	Night Vision Goggle (NVG) Compatible Light Sources	2004	SAE	0
19064	ARP4047A	Aircraft Deicing Vehicle Self-Propelled, Small Capacity	2004	SAE	0
19065	ARP4072	Safety Considerations of Carry-On Baggage Relating to the Emergency Evacuation of Transport Category Aircraft	2004	SAE	0
19066	AMS-R-81841A	Rotary Flap Peening of Metal Parts	2004	SAE	0
19067	AMS-QQ-A-250A	Aluminum and Aluminum Alloy, Plate and Sheet General Specification for	2004	SAE	0
19068	AIR5431	Repair Tooling	2004	SAE	0
19069	AIR5358	Landing Gear Shock Strut Hydraulic Fluid	2004	SAE	0
19070	AMS-L-81846A	Lubricating Oil, Instrument, Ball Bearing, High Flash Point	2004	SAE	0
19071	AMS-P-81985A	Peening of Metals	2004	SAE	0
19072	AMS-QQ-A-200B	Aluminum Alloy, Bar, Rod, Shapes, Structural Shapes, Tube, and Wire, Extruded: General Specification for	2004	SAE	0
19073	AMS-QQ-A-225B	Aluminum and Aluminum Alloy, Bar, Rod, Wire, or Special Shapes; Rolled, Drawn, or Cold Finished; General Specification For	2004	SAE	0
19074	AMS6518C	Steel Sheet, Strip, and Plate, Maraging 19Ni - 3.0Mo - 1.4Ti - 0.10AI Double Vacuum Melted, Solution Heat Treated	2004	SAE	0
19075	AIR5052A	Crack Initiation and Growth Considerations for Landing Gear Steel with Emphasis on AerMet 100	2004	SAE	0
19076	AMS7311G	Piston Rings, Centrifugally-Case Alloyed Iron 0.50Mo - 0.50Cu	2004	SAE	0
19077	AIR5121A	Software Supportability - An Overview	2004	SAE	0
19078	AMS5934	Steel, Extra High Toughness, Corrosion-Resistant, Bars, Wire, Forgings, Rings, and Extrusions 13Cr - 8.0Ni - 2.2Mo - 1.1Al Vacuum Induction Plus Consumable Electrode Melted Solution Heat Treated, Precipitation-Hardenable - UNS S13800	2004	SAE	0
19079	AMS5772D	Cobalt Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 40Co - 22Cr - 22Ni - 14.5W - 0.07La Solution Heat Treated - UNS R30188	2004	SAE	0
19080	AMS5663M	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 52.5Ni - 19Cr - 3.0Mo - 5.1Cb (Nb) - 0.90Ti - 0.50Al - 18Fe Consumable Electrode or Vacuum Induction Melted 1775 Degree F (968 Degree C) Solution and Precipitation Heat Treated - UNS N0	2004	SAE	0
19081	AIR4545A	(R) Method of Evaluating Pneumatic Ground Power Units	2004	SAE	0
19082	AMS5370D	Steel, Corrosion and Heat-Resistant, Investment Castings 19Cr - 9.5Ni (CF-3) Solution Heat Treated - UNS J92620	2004	SAE	0
19083	AMS5401C	Nickel Alloy, Corrosion and Heat-Resistant, Investment Castings 62Ni - 21.5Cr - 9.0Mo - 3.6Cb (Nb) Vacuum Melted, Vacuum Cast As Cast - UNS N26625	2004	SAE	0
19084	AMS5402C	Nickel Alloy, Corrosion and Heat-Resistant, Investment Castings 62Ni - 21.5Cr - 9.0Mo - 3.6Cb (Nb) As Cast - UNS N26010	2004	SAE	0
19085	AMS5360F	Steel, Corrosion and Heat-Resistant, Investment Castings 17Cr - 13Ni - 1.9Mo Solution Heat Treated - UNS J92951	2004	SAE	0
19086	AMS5368D	Steel, Corrosion-Resistant, Investment Castings 15Cr - 4.0Ni - 2.3Mo - 0.09N Solution Heat Treated - UNS J92001	2004	SAE	0
19087	AMS5366E	Steel, Corrosion and Heat-Resistant, Investment Castings 25Cr - 20Ni (CK-20) As-Cast - UNS J94211	2004	SAE	0
19088	AMS5364C	Steel, Corrosion and Heat-Resistant, Investment Castings 19.5Cr - 10.5Ni - 0.65Cb (CF-8C) Solution Heat Treated - UNS J92710	2004	SAE	0
19089	AMS4870F	Aluminum Bronze, Centrifugal and Chill Castings 85Cu - 11Al - 3.6Fe As Cast - UNS C95420	2004	SAE	0
19090	AMS4827E	Bearings, Leaded Bronze 80Cu - 10Pb - 10Sn Steel Back	2004	SAE	0
19091	AMS4842E	Castings, Leaded Bronze, Sand and Centrifugal 80Cu - 10Sn - 9.5Pb As Cast - UNS C93700	2004	SAE	0
19092	AMS4712F	Copper Alloy, Wire 65Cu - 35Zn Annealed (061) - UNS C27000	2004	SAE	0

19093	AMS4616F	Silicon Bronze Bars, Rods, Forgings, and Tubing 92Cu - 3.2Si - 2.8Zn - 1.5Fe Stress Relieved - UNS C65620	2004	SAE	0
19094	AMS4558G	Brass, Seamless Tubing 66.5Cu - 31.5Zn - 1.6Pb Drawn Temper (H58) - UNS C33200	2004	SAE	0
19095	AMS4553C	Brass, Seamless, Tubing 85Cu - 15Zn Annealed (061) - UNS C23000	2004	SAE	0
19096	AMS4612J	Brass, Naval, Bars and Rods 60.5Cu - 38.5Zn - 0.75Sn Hard Temper (H04) - UNS C46400	2004	SAE	0
19097	AMS4511A	Copper-Beryllium Alloy Castings 97Cu - 2.1Be - 0.52(Co + Ni) - 0.28Si Solution and Precipitation Heat Treated (TFOO) - UNS C82500	2004	SAE	0
19098	AMS4339A	Aluminum Alloy, Rolled or Cold Finished Bars and Rods 4.4Cu - 1.5Mg - 0.60Mn (2024-T851) Solution Heat Treated, Cold Worked, and Artificially Aged - UNS A92024	2004	SAE	0
19099	AMS4343D	Aluminum Alloy, Extrusions 7.7Zn - 2.4Mg - 1.6Cu - 0.16Cr (7149-T73511) Solution Heat Treated, Stress Relieved by Stretching, and Overaged - UNS A97149	2004	SAE	0
19100	AMS4326	Aluminum Alloy, 2013, Extruded Bar, Rod, and Profiles 1.0 Mg - 0.80 Si - 1.8 Cu - 0.20 Cr (2013 -T6511) Solution Heat Treated, Stress-Relieved by Stretching, and Aged - UNS A92013	2004	SAE	0
19101	AMS4330B	Aluminum Alloy, Plate (2297-T87) 2.8Cu - 1.5Li - 0.30Mn - 0.12Zr Solution Heat Treated, Stretched, and Artificially Aged - UNS A92297	2004	SAE	0
19102	AMS4298	Aluminum Alloy, Alclad Sheet 3.8Cu - 1.0Mg - 0.30Mn - 0.60Zn (Alclad 2056-T3) Solution Heat Treated and Cold Worked	2004	SAE	0
19103	AMS4094C	(R) Aluminum Alloy, Sheet and Plate, Alclad 6.3Cu - 0.30Mn - 0.18Zr - 0.10V - 0.06Ti Alclad 2219-T81 Sheet Solution Heat Treated, Cold Worked, and Precipitation Heat Treated Alclad 2219-T851 Plate Solution Heat Treated, Stress Relieved, and Precipitation	2004	SAE	0
19104	AMS4095C	Aluminum Alloy, Alclad Sheet and Plate 6.3Cu - 0.30Mn - 0.18Zr - 0.10V - 0.06Ti Alclad 2219-T31; Sheet, Solution Heat Treated and Cold Worked Alclad 2219-T351; Plate, Solution Heat Treated and Stress Relieved - UNS A82219	2004	SAE	0
19105	AMS4017K	Aluminum Alloy Sheet and Plate 2.5Mg - 0.25Cr (5052-H34) Strain-Hardened, Half-Hard, and Stabilized - UNS A95052	2004	SAE	0
19106	AMS3715D	Core, Honeycomb, Glass/Phenolic	2004	SAE	0
19107	USCAR-20	Field Correlated Life Test Supplement to SAE/USCAR-2 - Revision 1	2004	SAE	0
19108	AMS3267B	Sealing Compound, Low Adhesion, Corrosion Inhibiting for Removable Panels and Fuel Tank Inspection Plates	2004	SAE	0
19109	MA2095C	(R) FITTING END, 24Ï° CONE, DESIGN STANDARD, METRIC	2004	SAE	0
19110	MA2096C	(R) FITTING END, 24Ï° CONE, BULKHEAD, DESIGN STANDARD, METRIC	2004	SAE	0
19111	MA2178B	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PTFE CRES REINFORCED, 232 â_°C, 10,500 KPA, BEAM SEAL, STRAIGHT TO 90â °, METRIC	2004	SAE	0
19112	MA3259A	(R) PIN, COTTER - CRES, UNS S32100, AS7211 METRIC SERIES	2004	SAE	0
19113	MA3286B	(R) BOLT, MACHINE - HEXAGON HEAD, PD SHANK, MJ THREAD, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, 900 MPA MIN, METRIC	2004	SAE	0
19114	MA2101A	HOSE ASSEMBLY, METAL, MEDIUM PRESSURE FLARELESS, WELDED, STRAIGHT TO STRAIGHT FITTING ENDS, METRIC	2004	SAE	0
19115	MA2102A	HOSE ASSEMBLY, METAL, MEDIUM PRESSURE FLARELESS, WELDED, STRAIGHT TO 45Ï° FITTING ENDS, METRIC	2004	SAE	0
19116	MA2103A	HOSE ASSEMBLY, METAL, MEDIUM PRESSURE, FLARELESS, WELDED, STRAIGHT TO 90â_° FITTING ENDS, METRIC	2004	SAE	0
19117	MA2104A	HOSE ASSEMBLY, METAL, MEDIUM PRESSURE, FLARELESS, WELDED, 45â_° TO 45â_° FITTING ENDS, METRIC	2004	SAE	0
19118	MA2105A	HOSE ASSEMBLY, METAL, MEDIUM PRESSURE FLARELESS, WELDED, 45Ï° TO 90Ï° FITTING ENDS, METRIC	2004	SAE	0
19119	MA2106B	HOSE ASSEMBLY, METAL, MEDIUM PRESSURE FLARELESS, WELDED, 90Ï° TO 90Ï° FITTING ENDS, METRIC	2004	SAE	0
19120	JA1005	Software Supportability Program Implementation Guide	2004	SAE	0
19121	JA1006	Software Support Concept	2004	SAE	0
19122	JA1002	Software Reliability Program Standard	2004	SAE	0
19123	JA1003	Software Reliability Program Implementation Guide	2004	SAE	0

19124	JA1004	Software Supportability Program Standard	2004	SAE	0
19125	J917	Marine Push-Pull Control Cables	2004	SAE	0
19126	J913	Test Method for Wicking of Automotive Fabrics and Fibrous Materials	2004	SAE	0
19127	J891	Spring Nuts	2004	SAE	0
19128	J775	(R) Engine Poppet Valve Information Report	2004	SAE	0
19129	J772	Clearance Envelopes for Six-Bolt, Eight-Bolt, and Rear Truck Transmission Mounted Power Takeoffs	2004	SAE	0
19130	J68	Tests for Snowmobile Switching Devices and Components	2004	SAE	0
19131	J553	Circuit Breakers	2004	SAE	0
19132	J434	(R) Automotive Ductile (Nodular) Iron Castings	2004	SAE	0
19133	J51	Refrigerant 12 Automotive Air-Conditioning Hose (Stabilized Type)	2004	SAE	0
19134	J494	Grooved Straight Pins	2004	SAE	0
19135	J495	Straight Pins (Solid)	2004	SAE	0
19136	J496	Spring Type Straight Pins - November 1972	2004	SAE	0
19137	J497	Unhardened Ground Dowel Pins	2004	SAE	0
19138	J315	Fiberboard Test Procedure	2004	SAE	0
19139	J313	Diesel Fuels	2004	SAE	0
19140	J379	(R) Gogan Hardness of Brake Lining	2004	SAE	0
19141	J274	Rated Suspension Spring Capacity	2004	SAE	0
19142	J293	(R) Truck And Bus Grade Parking Performance Requirements	2004	SAE	0
19143	J294	(R) Service Brake Structural Integrity Test Procedure-Vehicles over 4500 kg (10 000 lb) GVWR - January 1993	2004	SAE	0
19144	AMS3095A	Paint: High Gloss For Airline Exterior System	2004	SAE	0
19145	J268	Rear View Mirrorsâ Motorcycles	2004	SAE	0
19146	J2678	Navigation and Route Guidance Function Accessibility While Driving Rationale	2004	SAE	0
19147	J2671	Reduced Effort Brakes and Reduced Effort Vacuum Powered Brake Backup Systems	2004	SAE	0
19148	J2673	Straight-Line Braking Test for Truck and Bus Tires	2004	SAE	0
19149	J2667	STRSW (Squeeze Type Resistance Spot Welding) Equipment Acceptance Criteria for the Collision Repair Industry	2004	SAE	0
19150	J2657	Tire Pressure Monitoring Systems for Light Duty Highway Vehicles	2004	SAE	0
19151	J2654	Hardness of Brake Lining (Stabilized Type)	2004	SAE	0
19152	J2642	Recommended Practice for Developing Specifications for Automotive Thermoplastic Materials	2004	SAE	0
19153	J2649	Strain-Life Overload Fatigue Data File Format	2004	SAE	0
19154	J2621	Qualifying Aftermarket Two-Component Structural Foams	2004	SAE	0
19155	J2564	Automotive Stability Enhancement Systems	2004	SAE	0
19156	J2582	Automotive Ductile Iron Castings for High Temperature Applications	2004	SAE	0
19157	J2588	Remote Steering Control Systems	2004	SAE	0
19158	J2567	Measurement of Exhaust Sound Levels of Stationary Snowmobiles2	2004	SAE	0
19159	J2575	Standardized Dent Resistance Test Procedure	2004	SAE	0
19160	J2534-1	(R) Recommended Practice for Pass-Thru Vehicle Programming	2004	SAE	0
19161	J2536	Anti-Lock Brake System (ABS) Road Test Evaluation Procedure for Trucks, Truck-Tractors and Buses	2004	SAE	0
19162	J2527	Performance Based Standard for Accelerated Exposure of Automotive Exterior Materials Using A Controlled Irradiance Xenon-Arc Apparatus	2004	SAE	0
19163	J2477	Automotive Austempered Ductile (Nodular) Iron Castings (ADI)	2004	SAE	0
19164	J2429	Free-Rolling Cornering Test for Truck and Bus Tires	2004	SAE	0

19165	J2409	(R) Strain-Life Fatigue Data File Format	2004	SAE	0
19166	J2412	(R) Accelerated Exposure of Automotive Interior Trim Components Using a Controlled Irradiance Xenon-Arc Apparatus	2004	SAE	0
19167	J2423	Cab Roof Strength Evaluation - Dynamic Loading Heavy Trucks	2004	SAE	0
19168	J2421	COE Frontal Strength Evaluation - Quasi-Static	2004	SAE	0
19169	J2354	Message Sets for Advanced Traveler Information System (ATIS)	2004	SAE	0
19170	J2364	Navigation and Route Guidance Function Accessibility While Driving (Stabilized Type)	2004	SAE	0
19171	J2202	(R) Heavy-Duty Wiring Systems for On-Highway Trucks	2004	SAE	0
19172	J2214	Vehicle Electronic Programming Stations (VEPS) System Specification for Programming Components at OEM Assembly Plants	2004	SAE	0
19173	J2266	Location Referencing Message Specification (LRMS)	2004	SAE	0
19174	J2260	Nonmetallic Fuel System Tubing with One or More Layers	2004	SAE	0
19175	J2055	Identification Terminology and Component Nomenclature Knuckle Boom Log Loader	2004	SAE	0
19176	J213	(R) Motorcycle Classifications	2004	SAE	0
19177	J2005	Stationary Sound Level Measurement Procedure for Recreational Motorboats	2004	SAE	0
19178	J1941	Coolant Concentrate (Low Silicate, Ethylene Glycol Type Requiring an Initial Charge of Supplemental Coolant Additive) for Heavy-Duty Engines	2004	SAE	0
19179	J1939-74	Application-Configurable Messaging	2004	SAE	0
19180	AMS2775B	Case Hardening of Titanium and Titanium Alloys	2004	SAE	0
19181	AMS2759-5D	Heat Treatment Martensitic Corrosion-Resistant Steel Parts	2004	SAE	0
19182	J1774	Design Guidelines for Fiberboard Materials	2004	SAE	0
19183	J1683	MS-DOS Interface for SAE J1708 Communications	2004	SAE	0
19184	AMS2757B	Gaseous Nitrocarburizing	2004	SAE	0
19185	J1638	Compression Set of Hoses or Solid Discs (Stabilized Type)	2004	SAE	0
19186	J1556	Stationary Safety Glazing Replacement	2004	SAE	0
19187	J1464	Identification Terminology of Loaders/Tractors with Forks and Rough Terrain Forklifts	2004	SAE	0
19188	J1503	Performance Test for Air-Conditioned, Heated, and Ventilated Off-Road, Self-Propelled Work Machines	2004	SAE	0
19189	J1513	External Automatic Slack Adjuster Performance Requirements	2004	SAE	0
19190	J1209	Identification Terminology of Mobile Forestry Machines	2004	SAE	0
19191	AS7949B	(R) Bearings, Ball, Airframe, Antifriction, General Standard for	2004	SAE	0
19192	AS8056	Minimum Design and Performance of Airplane Galley In-Flight Carts, Containers, and Associated Components	2004	SAE	0
19193	AS81714-69	TERMINAL JUNCTION SYSTEM, BLOCK REMOVAL TOOLS, SERIES II	2004	SAE	0
19194	AS81714-65	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, WIRE IN-LINE JUNCTIONS, SERIES II	2004	SAE	0
19195	AS81714-60	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, BUSSING MODULES, FEEDBACK TYPE, SERIES II	2004	SAE	0
19196	AS81714-61	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, BUSSING MODULES, FEEDBACK TYPE, SERIES II	2004	SAE	0
19197	AS81099	Electric Devices, Simple, General Specification For	2004	SAE	0
19198	AS81366A	Boundary Layer Control System; Pressure	2004	SAE	0
19199	AS7112-6	National Aerospace and Defense Contractors Accreditation Program Titanium 3Al-2.5V Alloy, Seamless Hydraulic Tubing Manufacturing Requirements	2004	SAE	0
19200	AS7283B	Gaskets, Type XX Engine Accessory Drive Corrosion Resistant Steel Screen Reinforced Controlled Performance	2004	SAE	0
19201	AMS2403L	Plating, Nickel General Purpose	2004	SAE	0

19202	AS5942	Marking of Electrical Insulating Materials	2004	SAE	0
19203	AS5643-1	S400 Copper Media Interface Characteristics Over Extended Distances	2004	SAE	0
19204	AS5688A	Cable Assemblies; Aircraft, Proof Testing and Prestretching of	2004	SAE	0
19205	AS5382-3	CABLE, FIBER OPTIC, SINGLE-MODE, 6/125/250 ?m, HERMETIC COATED, TIGHT BUFFER	2004	SAE	0
19206	AS5537	Weather Support to Deicing Decision Making (WSDDM) Winter Weather Nowcasting System	2004	SAE	0
19207	AS55151A	Pump, Hydraulic, Ram, Hand Driven	2004	SAE	0
19208	AS5175	NUT, COUPLING, FLARED	2004	SAE	0
19209	AS506	High Temperature Insulated Terminals & Splices	2004	SAE	0
19210	AS5104A	Plugs, Port Connection, Ring Locked, AS1300 Port, Installation and Removal of	2004	SAE	0
19211	AS4734C	MALE FERRULE, THREADLESS - FLEXIBLE, FIXED CAVITY, SELF-BONDING, BUTT WELDED	2004	SAE	0
19212	AS4775A	Aircraft Maintenance Jacks - General Requirements	2004	SAE	0
19213	AS4135B	TEE, BULKHEAD ON SIDE, REDUCED BODY, FLARELESS	2004	SAE	0
19214	AS4136B	CROSS, STANDARD AND REDUCER, REDUCED BODY, FLARELESS	2004	SAE	0
19215	AS4138B	ELBOW, 90°, SWIVEL, REDUCED BODY, FLARELESS	2004	SAE	0
19216	AS34801	TOOL, CONNECTOR ASSEMBLY; FOR MIL-C-5015 CONNECTORS	2004	SAE	0
19217	AS4074-1A	Type F-1 Fiber Optic Media Interface Characteristics	2004	SAE	0
19218	AS4074-2A	Type F-2 Fiber Optic Media Interface Characteristics	2004	SAE	0
19219	AS4074-3A	Type E-1 Electrical Media Interface Characteristics	2004	SAE	0
19220	AS4074A	Linear Token Passing Multiplex Data Bus	2004	SAE	0
19221	AS3623	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, COBALT-NICKEL ALLOY, UNS R30159, 260 KSI MIN	2004	SAE	0
19222	AS9846A	PIN, STRAIGHT, HEADED, .3124 DIAMETER, UNS S41800	2004	SAE	0
19223	AS9847A	PIN, STRAIGHT, HEADED, .3749 DIAMETER, UNS S41800	2004	SAE	0
19224	AS9848A	PIN, STRAIGHT, HEADED, .49999 DIAMETER, UNS S41800	2004	SAE	0
19225	AS9842A	(R) PIN, STRAIGHT, HEADED, .0937 DIAMETER, UNS S41800	2004	SAE	0
19226	AS9843A	PIN, STRAIGHT, HEADED, .1249 DIAMETER, UNS S41800	2004	SAE	0
19227	AS9844A	PIN, STRAIGHT, HEADED, .1874 DIAMETER, UNS S41800	2004	SAE	0
19228	AS9845A	PIN, STRAIGHT, HEADED, .2499 DIAMETER, UNS S41800	2004	SAE	0
19229	AS9681A	(R) BOLT, MACHINE - DOUBLE HEX, EXTENDED WASHER HD, PD SHANK, CUP WASHER LOCKED, CADMIUM PLATED, STEEL, UNS G87400, 125 KSI MIN, .2500-28 UNJF-3A	2004	SAE	0
19230	AS9680A	(R) BOLT, MACHINE - DOUBLE HEX, EXTENDED WASHER HD, PD SHANK, CUP WASHER LOCKED, CADMIUM PLATED, STEEL, UNS G87400, 125 KSI MIN, .1900-32 UNJF-3A	2004	SAE	0
19231	AMS2546	Laser Peening	2004	SAE	0
19232	AMS2602E	Pressure Testing 25 psi	2004	SAE	0
19233	AMS2601G	Pressure Testing, Gaseous Media 10 psi	2004	SAE	0
19234	AMS2604G	Pressure Testing, Gaseous Media 40 psi	2004	SAE	0
19235	AMS2605E	Pressure Testing 55 psi	2004	SAE	0
19236	AS9310B	(R) STUD, SHOULDERED, HEX, WRENCHING, DRILLED, STEEL UNS G87400, CAD, PLATED, 125 KSI MIN, .2500-28 UNF-3A X .2500-28 UNF-3A (Stabilized Type)	2004	SAE	0
19237	AS9203B	GASKET - METAL O-RING, .094 TUBE X .006 WALL, CRES - UNS S32100	2004	SAE	0
19238	AS9204B	Gasket - Metal O-Ring, .094 Tube x .010 Wall, Cres - UNS S31200	2004	SAE	0
19239	AS9205B	GASKET - METAL O-RING, .125 TUBE X .010 WALL, CRES - UNS S32100	2004	SAE	0

19240	AS9226A	WIRE - STEEL, CORROSION AND HEAT RESISTANT, SAFETY, 1800 DEGREES F (Stabilized Type)	2004	SAE	0
19241	AS9371B	GASKET - METAL O-RING, .035 TUBE X .006 WALL, SILVER PLATED, CRES - UNS S32100	2004	SAE	0
19242	AS9372B	GASKET - METAL O-RING, .062 TUBE X .006 WALL, SILVER PLATED, CRES - UNS S32100	2004	SAE	0
19243	AS9373B	GASKET - METAL O-RING, .062 TUBE X .010 WALL, SILVER PLATED, CRES - UNS S32100	2004	SAE	0
19244	AS9374B	GASKET - METAL O-RING, .094 TUBE X .006 WALL, SILVER PLATED, CRES - UNS S32100	2004	SAE	0
19245	AS9375B	GASKET - METAL O-RING, .094 TUBE X .010 WALL, SILVER PLATED, CRES - UNS S32100	2004	SAE	0
19246	AS9376B	GASKET - METAL O-RING, .125 TUBE X .010 WALL, SILVER PLATED, CRES - UNS S32100	2004	SAE	0
19247	AS9490A	(R) BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, 130 KSI MIN, .2500-28 UNJF-3A	2004	SAE	0
19248	AS9491A	BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, 130 KSI MIN, .3125-24 UNJF-3A	2004	SAE	0
19249	AS9492A	BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, 130 KSI MIN, .3750-24 UNJF-3A	2004	SAE	0
19250	AS9493A	BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, 130 KSI MIN, .4375-20 UNJF-3A	2004	SAE	0
19251	AS9494A	BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, 130 KSI MIN, .5000-20 UNJF-3A	2004	SAE	0
19252	AS9496A	BOLT, MACHINE - HEXAGON HEAD, FULL SHANK, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, 130 KSI MIN, .6250-18 UNJF-3A	2004	SAE	0
19253	AMS2503F	Black Finishing Low Baking Enamel	2004	SAE	0
19254	AS9586B	BOLT, MACHINE - HEXAGON, DRILLED, 6 HOLES, FULL SHANK, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, 130 KSI MIN, .3750-24 UNJF-3A	2004	SAE	0
19255	AS9141B	GASKET - METAL O-RING, .035 TUBE X .006 WALL, CRES - UNS S32100	2004	SAE	0
19256	AS9142B	GASKET - METAL O-RING, .062 TUBE X .006 WALL, CRES - UNS S32100	2004	SAE	0
19257	AS91601B	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, BLACK OXIDE, STEEL, UNS G87400, 125 KSI MIN, .3750-24 UNF-3A	2004	SAE	0
19258	AS9202B	GASKET - METAL O-RING, .062 TUBE X .010 WALL, CRES - UNS S32100	2004	SAE	0
19259	AS9102A	(R) Aerospace First Article Inspection Requirement	2004	SAE	0
19260	AS90347	CABLE ASSEMBLY, EXTERNAL ELECTRIC POWER, AIRCRAFT 28 VOLT DC, OPERATING POWER	2004	SAE	0
19261	AS8914A	(R) Bearing, Roller, Self-Aligning, Airframe, Antifriction	2004	SAE	0
19262	AS8879D	Screw Threads - UNJ Profile, Inch Controlled Radius Root with Increased Minor Diameter	2004	SAE	0
19263	AS85731-2	FASTENER, ELECTRONIC EQUIPMENT, POSITIVE SELF-LOCKING, FORCE LIMITING	2004	SAE	0
19264	AS85485-10	CABLE, ELECTRIC, FILTER LINE, COMPONENT WIRE, SILVERCOATED HIGH-STRENGTH COPPER ALLOY CONDUCTOR, RADIO FREQUENCY ABSORPTIVE, 150?C, 600-VOLT	2004	SAE	0
19265	AS85485-11	CABLE, ELECTRIC, FILTER LINE, UNSHIELDED, UNJACKETED, MULTIPLE-COMPONENT, RADIO FREQUENCY ABSORPTIVE, 150?C, 600-VOLT	2004	SAE	0
19266	AS85485-12	CABLE, ELECTRIC, FILTER LINE, SHIELDED, JACKETED, RADIO FREQUENCY ABSORPTIVE, 150?C, 600-VOLT	2004	SAE	0
19267	AS85485-5	CABLE, ELECTRIC, FILTER LINE, COMPONENT WIRE, TIN-COATED COPPER CONDUCTOR, RADIO FREQUENCY ABSORPTIVE, 150?C, 600-VOLT	2004	SAE	0
19268	AS85485-6	CABLE, ELECTRIC, FILTER LINE, COMPONENT WIRE, SILVER-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, RADIO FREQUENCY ABSORPTIVE, 150?C, 600-VOLT	2004	SAE	0
19269	AS85485-8	CABLE, ELECTRIC, FILTER LINE, SHIELDED, JACKETED, RADIO FREQUENCY ABSORPTIVE, 150?C, 600-VOLT	2004	SAE	0
19270	AS85485-9	CABLE, ELECTRIC, FILTER LINE, COMPONENT WIRE, TIN-COATED COPPER CONDUCTOR, RADIO FREQUENCY, ABSORPTIVE, 150?C, 600-VOLT	2004	SAE	0

19271	AS85049-127A	CONNECTOR ACCESSORIES, ELECTRICAL, BUSHING STRIP CATEGORY 7 (FOR USE WITH SAE AS85049/118, /120, /121, /123, /124, /126)	2004	SAE	0
19272	AS83413-8A	CONNECTORS AND ASSEMBLIES, ELECTRICAL, AIRCRAFT GROUNDING: TYPE IV JUMPER CABLE ASSEMBLY, LEAD, ELECTRICAL	2004	SAE	0
19273	AS85028-3	CONNECTOR, ELECTRIC, RECTANGULAR, INDIVIDUAL CONTACT SEALING, POLARIZED CENTER JACKSCREW, INTERFACIAL SEAL, SIZE 16, CRIMP CONTACTS	2004	SAE	0
19274	AS85028-4	CONNECTOR, ELECTRIC, RECTANGULAR, INDIVIDUAL CONTACT SEALING, POLARIZED CENTER JACKSCREW, SEALING PLUG, SIZE 16, CRIMP REMOVABLE CONTACTS	2004	SAE	0
19275	AS85028-5	CONNECTOR, ELECTRIC, RECTANGULAR, INDIVIDUAL CONTACT SEALING, POLARIZED CENTER JACKSCREW, WIRE SEAL, SIZE 16, CRIMP REMOVABLE CONTACTS	2004	SAE	0
19276	AMS2449	Grinding of HVOF Sprayed Tungsten Carbide Coatings Applied to High Strength Steels	2004	SAE	0
19277	AS81934-1A	(R) BEARING, SLEEVE, PLAIN, SELF-LUBRICATING, -65 ?F TO 325 ?F	2004	SAE	0
19278	AS81934-2A	(R) BEARING, SLEEVE, FLANGED, SELF-LUBRICATING, -65 ?F TO 325 ?F	2004	SAE	0
19279	AS83	SCREW THREADS, AERONAUTICAL	2004	SAE	0
19280	AS81807A	Marking of Aircraft Ground Support Equipment and Other Flight Line Vehicles with Retro-Reflective Materials; Process For	2004	SAE	0
19281	AMS2433C	Plating, Nickel-Thallium-Boron or Nickel-Boron Electroless Deposition	2004	SAE	0
19282	AS81824-4	SPLICES, ELECTRIC, PERMANENT, CRIMP STYLE, COPPER, INSULATED, ENVIRONMENT RESISTANT, SPLICE, SHIELD, SOLDER TYPE, INSULATED, CLASS 1	2004	SAE	0
19283	AS81824-5	SPLICES, ELECTRIC, PERMANENT, CRIMP STYLE, COPPER, INSULATED, ENVIRONMENT RESISTANT, KIT,SHIELDED CABLE, CLASS 1	2004	SAE	0
19284	J1113-13	Electromagnetic Compatibility Measurement Procedure for Vehicle Components - Part 13: Immunity to Electrostatic Discharge (Stabilized Type)	2004	SAE	0
19285	AMS2607E	Pressure Testing 100 psi	2004	SAE	0
19286	AMS2606F	Pressure Testing 70 psi	2004	SAE	0
19287	J1122	Helical Springs: Specification Check Lists	2004	SAE	0
19288	J1160	Operator Ear Sound Level Measurement Procedure for Snow Vehicles	2004	SAE	0
19289	J1161	Operational Sound Level Measurement Procedure for Snow Vehicles	2004	SAE	0
19290	J1150	Terminology for Agricultural Equipment	2003	SAE	0
19291	J1110	Specification Definitions - Articulated Rubber- Tired Log Skidder, Standard; - April 1988	2003	SAE	0
19292	AIR1387C	Designing with Elastomers for Use at Low Temperatures, Near or Below Glass Transition	2003	SAE	0
19293	J1112	(R) Specification Definitions - Skidder- Grapple, Standard - February 1994	2003	SAE	0
19294	AMS2610	Pressure Testing, Gaseous Media Pressure as Specified	2003	SAE	0
19295	AMS2437C	Coating, Plasma Spray Deposition	2003	SAE	0
19296	AS85049-2A	(R) ENVIRONMENTAL, CABLE SEALING, STRAIGHT, CATEGORY 1C CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, (FOR MIL-DTL-5015 SOLDER TYPE, V THREAD OF MS310X CLASSES A, B, C OR K CONNECTORS)	2003	SAE	0
19297	AS85049-1A	(R) ENVIRONMENTAL, CABLE SEALING, STRAIGHT, GROUNDING CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, (WITHOUT STRAIN RELIEF), CATEGORY 1C (FOR MIL-DTL-5015 SOLDER TYPE, V THREAD OF MS310X CLASSES A, B, C OR K CONNECTORS)	2003	SAE	0
19298	AS85449-1	CLAMP ASSEMBLY, SADDLE TYPE, CUSHIONED, FUEL AND PETROLEUM BASED HYDRAULIC FLUID	2003	SAE	0
19299	AS85449-2	CLAMP ASSEMBLY, SADDLE TYPE, CUSHIONED, PHOSPHATE ESTER FLUID RESISTANT	2003	SAE	0
19300	AS85449-3	CLAMP ASSEMBLY, SADDLE TYPE, CUSHIONED, HIGH TEMPERATURE	2003	SAE	0
19301	AS85449-4	CLAMP ASSEMBLY, SADDLE TYPE, CUSHIONED, PTFE	2003	SAE	0

19302	AS85449-5	CLAMP ASSEMBLY, SADDLE TYPE, CUSHIONED, FIRE RESISTANCE, LOW SMOKE DENSITY AND TOXICITY	2003	SAE	0
19303	AS85449	Clamp Assembly, Saddle Type, Cushioned, General Specification For	2003	SAE	0
19304	AS9058B	RING - BACK-UP, BOSS CONNECTION, AMS 3652, AMS 3656, AMS 3660, AMS 3667	2003	SAE	0
19305	AS9012A	Aerospace First Article Inspection Requirement	2003	SAE	0
19306	AS9000 APPENDIX 1A	AS9000 AUDIT SUMMARY AND SUPPLIER PROFILE INSTRUCTIONS	2003	SAE	0
19307	AS9112B	BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, UNS S66286, 130 KSI, .3125-24 UNJF-3A	2003	SAE	0
19308	AS91721A	(R) Bolt, Machine - Double Hexagon Extended Washer Head, Drilled, PD Shank, Black Oxide, Steel, UNS G87400, 125 KSI MIN .3750-24 UNF-3A	2003	SAE	0
19309	AS91691A	(R) Bolt, Machine - Double Hexagon Extended Washer Head, Drilled, PD Shank, Black Oxide, Steel, UNS G87400, 125 KSI MIN .1900-32 UNF-3A	2003	SAE	0
19310	AS91711A	(R) Bolt, Machine - Double Hexagon Extended Washer Head, Drilled, PD Shank, Black Oxide, Steel, UNS G87400, 125 KSI MIN .3125-24 UNF-3A	2003	SAE	0
19311	AMS2489	Blackening of Steel, Touch Up Method	2003	SAE	0
19312	AS9500A	(R) BOLT, MACHINE - HEXAGON HEAD, DRILLED, 1 HOLE, FULL SHANK, CRES, UNS S66286, 130 KSI MIN, .1900-32 UNJF-3A	2003	SAE	0
19313	AS9501A	(R) BOLT, MACHINE - HEXAGON HEAD, DRILLED, 1 HOLE, FULL SHANK, CRES, UNS S66286, 130 KSI MIN, .2500-28 UNJF-3A	2003	SAE	0
19314	AS9503A	(R) BOLT, MACHINE - HEXAGON HEAD, DRILLED, 1 HOLE, FULL SHANK, CRES, UNS S66286, 130 KSI MIN, .3750-24 UNJF-3A	2003	SAE	0
19315	AS9502A	(R) BOLT, MACHINE - HEXAGON HEAD, DRILLED, 1 HOLE, FULL SHANK, CRES, UNS S66286, 130 KSI MIN, .3125-24 UNJF-3A	2003	SAE	0
19316	AS9458B	BOLT, MACHINE - STEEL, DIFFUSED NICKEL-CADMIUM PLATED, HEXAGON HEAD, UNS K14675, 195 KSI MIN, .6250-18 UNJF-3A	2003	SAE	0
19317	AS9459A	Bolt, Machine-Steel, AMS 6304, Diffused Nickel-Cadmium Plated Hexagon Head, .750-16 UNJF-3A	2003	SAE	0
19318	AS9505A	(R) BOLT, MACHINE - HEXAGON HEAD, DRILLED, 1 HOLE, FULL SHANK, CRES, UNS S66286, 130 KSI MIN, .5000-20 UNJF-3A	2003	SAE	0
19319	AMS2478E	Anodic Treatment of Magnesium Alloys Acid Type, Full Coat	2003	SAE	0
19320	AMS2479D	Anodic Treatment of Magnesium Alloys Acid Type, Thin Coat	2003	SAE	0
19321	AS934C	FITTING, ADAPTER, REDUCER/EXPANDER, FLARED TO BOSS	2003	SAE	0
19322	AS9451B	BOLT, MACHINE - STEEL, DIFFUSED NICKEL- CADMIUM PLATED, HEXAGON HEAD, UNS K14675, 195 KSI MIN, .1900-32 UNJF-3A	2003	SAE	0
19323	AS9452B	BOLT, MACHINE - STEEL, DIFFUSED NICKEL-CADMIUM PLATED, HEXAGON HEAD, UNS K14675, 195 KSI MIN, .2500-28 UNJF-3A	2003	SAE	0
19324	AS9453B	BOLT, MACHINE - STEEL, DIFFUSED NICKEL-CADMIUM PLATED, HEXAGON HEAD, UNS K14675, 195 KSI MIN, .3125-24 UNJF-3A	2003	SAE	0
19325	AS9454B	BOLT, MACHINE - STEEL, DIFFUSED NICKEL-CADMIUM PLATED, HEXAGON HEAD, UNS K14675, 195 KSI MIN, .3750-24 UNJF-3A	2003	SAE	0
19326	AS9455B	BOLT, MACHINE - STEEL, DIFFUSED NICKEL-CADMIUM PLATED, HEXAGON HEAD, UNS K14675, 195 KSI MIN, .4375-20 UNJF-3A	2003	SAE	0
19327	AS9456B	BOLT, MACHINE - STEEL, DIFFUSED NICKEL-CADMIUM PLATED, HEXAGON HEAD, UNS K14675, 195 KSI MIN, .5000-20 UNJF-3A	2003	SAE	0
19328	AS9457B	BOLT, MACHINE - STEEL, DIFFUSED NICKEL-CADMIUM PLATED, HEXAGON HEAD, UNS K14675, 195 KSI MIN, .5625-18 UNJF-3A	2003	SAE	0
19329	AS9398B	BOLT, TEE HEAD, CHAMFERED - CADMIUM PLATED, STEEL, UNS G87400, 125 KSI MIN, .2500-28 UNJF-3A	2003	SAE	0

19330	AS9400A	BOLT, TEE HEAD - CADMIUM PLATED, STEEL, UNS G87400, 125 KSI MIN, CHAMFERED, .3750-24 UNJF-3A	2003	SAE	0
19331	AS9399A	(R) BOLT, TEE HEAD - CADMIUM PLATED, STEEL, UNS G87400, 125 KSI MIN, CHAMFERED, .3125-24 UNJF-3A	2003	SAE	0
19332	AS9432B	BOLT, TEE HEAD, CHAMFERED - CRES, UNS S66286, 130 KSI MIN, .1900-32 UNJF-3A	2003	SAE	0
19333	AS9433B	BOLT, TEE HEAD, CHAMFERED - CRES, UNS S66286, 130 KSI MIN, .2500-28 UNJF-3A	2003	SAE	0
19334	AS9434B	BOLT, TEE HEAD, CHAMFERED - CRES, UNS S66286, 130 KSI MIN, .3125-24 UNJF-3A	2003	SAE	0
19335	AS9402A	(R) BOLT, TEE HEAD - CADMIUM PLATED, STEEL, UNS G87400, 125 KSI MIN, CHAMFERED, .5000-20 UNJF-3A	2003	SAE	0
19336	AS9401A	(R) BOLT, TEE HEAD - CADMIUM PLATED, STEEL, UNS G87400, 125 KSI MIN, CHAMFERED, .4375-20 UNJF-3A	2003	SAE	0
19337	AS9208B	BOLT, MACHINE - STEEL, DIFFUSED NICKEL-CADMIUM PLATED, DOUBLE HEXAGON EXTENDED WASHER HEAD, UNS K14675, 195 KSI MIN, .1900-32 UNJF-3A	2003	SAE	0
19338	AS91701A	(R) Bolt, Machine - Double Hexagon Extended Washer Head, Drilled, PD Shank, Black Oxide, Steel, UNS G87400, 125 KSI MIN .2500-28 UNF-3A	2003	SAE	0
19339	AMS2476C	Electrolytic Treatment for Magnesium Alloys Alkaline Type, Full Coat	2003	SAE	0
19340	J1092	(R) Nomenclature- Industrial Tractors (General Purpose Wheel), Standard	2003	SAE	0
19341	J1071	Operator Controls for Graders	2003	SAE	0
19342	J1050	(R) Describing and Measuring the Drivers Field of View	2003	SAE	0
19343	J1040	Performance Criteria for Rollover Protective Structures (ROPS) for Construction, Earthmoving, Forestry and Mining Machines	2003	SAE	0
19344	AS9924A	(R) BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, CADMIUM PLATED, STEEL, UNS G87400, 125 KSI MIN, .2500-28 UNJF-3A	2003	SAE	0
19345	AS9923A	(R) BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, CADMIUM PLATED, STEEL, UNS G87400, 125 KSI MIN, .1900-32 UNJF-3A	2003	SAE	0
19346	AS9928A	(R) BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, CADMIUM PLATED, STEEL, UNS G87400, 125 KSI MIN, .5000-20 UNJF-3A	2003	SAE	0
19347	AS9679A	(R) BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, CUP WASHER LOCKED, CRES, UNS S66286, 130 KSI MIN, .3750-24 UNJF-3A	2003	SAE	0
19348	AS9685A	(R) BOLT, MACHINE - HEXAGON HEAD, DRILLED, 1 HOLE, PD SHANK, STEEL, UNS K14675, DIFFUSED NICKELCADMIUM PLATE, 195 KSI MIN, .1900-32 UNJF-3A	2003	SAE	0
19349	AS9686A	(R) BOLT, MACHINE - HEXAGON HEAD, DRILLED, 1 HOLE, PD SHANK, STEEL, UNS K14675, DIFFUSED NICKELCADMIUM PLATE, 195 KSI MIN, .2500-28 UNJF-3A	2003	SAE	0
19350	AS9687A	(R) BOLT, MACHINE - HEXAGON HEAD, DRILLED, 1 HOLE, PD SHANK, STEEL, UNS K14675, DIFFUSED NICKELCADMIUM PLATE, 195 KSI MIN, .3125-24 UNJF-3A	2003	SAE	0
19351	AS9699A	(R) BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, CORROSION AND HEAT RESISTANT STEEL, UNS N07001, 165 KSI MIN, .3750-24 UNJF-3A	2003	SAE	0
19352	AMS2506D	Coating of Fasteners Aluminum Filled, Ceramic Bonded Coating	2003	SAE	0
19353	AS9678A	(R) BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, CUP WASHER LOCKED, CRES, UNS S66286, 130 KSI MIN, .3125-24 UNJF-3A	2003	SAE	0
19354	AS9676A	(R) BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, PD SHANK, CUP WASHER LOCKED, CRES, UNS S66286, 130 KSI MIN, .1900-32 UNJF-3A	2003	SAE	0
19355	AS38386-1A	CONNECTOR, AIR DUCT HOSE, GROUND COOLING, MALE	2003	SAE	0
19356	AS38386-2A	CONNECTOR, AIR DUCT HOSE, GROUND COOLING, FEMALE	2003	SAE	0
19357	AS3257A	CLAMP, LOOP-CUSHIONED, CRES, HIGH TEMP., .204 HOLE	2003	SAE	0
19358	AS4222A	FITTING, UNION, BEAM SEAL	2003	SAE	0
19359	AS4375C	FITTING END, FLARELESS, DESIGN STANDARD	2003	SAE	0

19360	AS4377C	FITTING END, BULKHEAD, FLARELESS, DESIGN STANDARD	2003	SAE	0
19361	AS4395B	FITTING END, FLARED, TUBE CONNECTION, DESIGN STANDARD	2003	SAE	0
19362	AS4396B	FITTING END, BULKHEAD, FLARED, TUBE CONNECTION, DESIGN STANDARD	2003	SAE	0
19363	AS4831A	Software Interfaces for Ground-Based Monitoring Systems	2003	SAE	0
19364	AS4604B	Hose Assembly, 3000 psi, Polytetrafluoroethylene, Metallic Reinforced, 400 ï°F, Heavy Duty, Aircraft Hydraulic Systems	2003	SAE	0
19365	AS5170	FITTING, PLUG, PORT, STRAIGHT THREAD, O-RING SEAL	2003	SAE	0
19366	AS5165A	FITTING, CONNECTOR, MULTIPLE FLUID PRESSURE LINE, TEE	2003	SAE	0
19367	AS5166A	FITTING, TEE, AIR PRESSURE GAUGE	2003	SAE	0
19368	AS5167A	FITTING, ADAPTER, FLARED, AIR PRESSURE GAUGE	2003	SAE	0
19369	AS5168A	FITTING, PLUG, TUBE END, FLARED	2003	SAE	0
19370	AS5164A	Fitting, Connector, Multiple Fluid Pressure Line, 45ï°	2003	SAE	0
19371	AS5160A	FITTING, BOLT, FLARED	2003	SAE	0
19372	AS5161B	FITTING, BOLT, FLUID PASSAGE	2003	SAE	0
19373	AS4882A	CLAMP, LOOP, CUSHIONED, HINGED, QUICK RELEASE - CABLE OR WIRE	2003	SAE	0
19374	AS4864A	FITTING, PLUG, PIPE, EXTERNAL THREAD, COUNTERSUNK HEX HEAD	2003	SAE	0
19375	AS4860A	FITTING, NIPPLE, PIPE, EXTERNAL THREAD	2003	SAE	0
19376	AS4861A	FITTING, BUSHING, PIPE, INTERNAL AND EXTERNAL THREAD	2003	SAE	0
19377	AS4854A	FITTING, ELBOW, 90ï°, PIPE, INTERNAL AND EXTERNAL THREAD	2003	SAE	0
19378	AS4855A	FITTING, ELBOW, 45ï°, PIPE, INTERNAL AND EXTERNAL THREAD	2003	SAE	0
19379	AS4856A	FITTING, ELBOW, 90ï° , PIPE, INTERNAL THREAD	2003	SAE	0
19380	AS4857A	FITTING, TEE, PIPE, INTERNAL THREAD	2003	SAE	0
19381	AS4858A	FITTING, CROSS, PIPE, INTERNAL THREAD	2003	SAE	0
19382	AS5178A	NUT, FITTING, BULKHEAD	2003	SAE	0
19383	AS5197B	FITTING, TEE, FLARED TO PIPE ON SIDE	2003	SAE	0
19384	AS5194B	FITTING, ADAPTER, STRAIGHT PIPE TO FLARED	2003	SAE	0
19385	AS5229	PORT, INTERNAL STRAIGHT THREAD, AIR CONNECTION, DESIGN STANDARD	2003	SAE	0
19386	AS5205B	NUT, FITTING, ENGINE, FLARED	2003	SAE	0
19387	AS5206A	NUT, FLARED, LONG	2003	SAE	0
19388	AS5449	FITTING END, WELD RING, SHORT TAPERED, DESIGN STANDARD	2003	SAE	0
19389	AMS2245B	Tolerances Titanium and Titanium Alloy Extruded Bars, Rods, and Shapes	2003	SAE	0
19390	AS5419	Cable, Thermocouple Extension, Shielded and Unshielded	2003	SAE	0
19391	AMS2244C	Tolerances (R) Titanium and Titanium Alloy Tubing	2003	SAE	0
19392	AS5419-2	WIRE, THERMOCOUPLE, FLUOROPOLYMER INSULATED, ABRASION RESISTANT, EXTRUDED PTFE NICKEL/CHROMIUM (KP); NICKEL/ALUMINUM/MANGANESE (KN) THERMOCOUPLE EXTENSION MEDIUM WEIGHT, 260 ?C	2003	SAE	0
19393	AS5419-3	WIRE, THERMOCOUPLE, FLUOROPOLYMER INSULATED, EXTRUDED TFE NICKEL/CHROMIUM (KP); NICKEL/ALUMINUM/ MANGANESE (KN) THERMOCOUPLE EXTENSION, 260 ?C	2003	SAE	0
19394	AS5419-4	WIRE, THERMOCOUPLE, CROSSLINKED POLYALKENE INSULATED NICKEL/CHROMIUM (KP); NICKEL/ALUMINUM/MANGANESE (KN) THERMOCOUPLE EXTENSION, LIGHT WEIGHT, 150 ?C	2003	SAE	0
19395	AS5419-5	WIRE, THERMOCOUPLE, FLUOROPOLYMER INSULATED, CROSSLINKED MODIFIED ETFE, NORMAL WEIGHT, NICKEL/ CHROMIUM (KP); NICKEL/ALUMINUM/MANGANESE (KN), THERMOCOUPLE EXTENSION, 200 ?C	2003	SAE	0

19396	AS5419-6	WIRE, THERMOCOUPLE, FP/POLYIMIDE/FP INSULATED, NICKEL/ CHROMIUM (KP); NICKEL/ALUMINUM/MANGANESE (KN) THERMOCOUPLE EXTENSION, LIGHT WEIGHT, 260 ?C	2003	SAE	0
19397	AS5419-7	WIRE, THERMOCOUPLE, FP/POLYIMIDE/FP INSULATED, NICKEL/ CHROMIUM (KP); NICKEL/ALUMINUM/MANGANESE (KN) THERMOCOUPLE EXTENSION, NORMAL WEIGHT, 260 ?C	2003	SAE	0
19398	AS6852A	Splice, Conductor, Electric, Disconnect	2003	SAE	0
19399	AS7365	Duct Assembly, Ground, Conditioned Air, Metallic Reinforced, Low Pressure, 350 Ï°F	2003	SAE	0
19400	AS7365-1	PIN, FEMALE COUPLING	2003	SAE	0
19401	AS7365-2	COUPLING, FEMALE, 12 INCH AIR DUCT	2003	SAE	0
19402	AS7365-3	COUPLING, MALE, 12 INCH AIR DUCT	2003	SAE	0
19403	AS7365-4	COUPLING, FEMALE, 6 INCH AIR DUCT	2003	SAE	0
19404	AS7365-5	COUPLING, MALE, 6 INCH AIR DUCT	2003	SAE	0
19405	AS7365-6	BAND, FEMALE COUPLING, 12 INCH AIR DUCT	2003	SAE	0
19406	AS7365-7	BAND, MALE COUPLING, 12 INCH AIR DUCT	2003	SAE	0
19407	AS7365-8	BAND, FEMALE COUPLING, 6 INCH AIR DUCT	2003	SAE	0
19408	AS7365-9	BAND, MALE COUPLING, 6 INCH AIR DUCT	2003	SAE	0
19409	AS7112-3	Nadcap Requirements for Couplings and Formed Sheet Metal Components	2003	SAE	0
19410	J1234	Specification Definitions - Off-Road Work Machines, Standard	2003	SAE	0
19411	J1272	Felling Head Terminology and Nomenclature (Stabilized Type)	2003	SAE	0
19412	J1265	Capacity Rating - Dozer Blades, Standard	2003	SAE	0
19413	J1255	(R) Specification Definitions - Feller/ Buncher, Standard	2003	SAE	0
19414	J1295	Identification Terminology and Specification Definitions - Pipelayers and Side Booms, Tractor or Loader Mounted, Standard	2003	SAE	0
19415	J1334	Hydraulic Cylinder Integrity Test	2003	SAE	0
19416	J1385	Classification of Earthmoving Machines for Vibration Tests of Operator Seats	2003	SAE	0
19417	J1382	(R) Classification, Nomenclature, and Specification Definitions for Trenching Machines, Standard - June 1993	2003	SAE	0
19418	J1442	(R) High-Strength, Hot-Rolled Steel Bars	2003	SAE	0
19419	J1444	Procedure for Evaluating Transient Response of Small Engine Driven Generator Sets	2003	SAE	0
19420	J1446	On-Machine Alarm Test and Evaluation Procedure for Construction and General Purpose Industrial Machinery	2003	SAE	0
19421	J1423	(R) Classification of Energy Conserving Engine Oil and Resource Conserving Engine Oil for Passenger Cars, Vans, Sport Utility Vehicles, and Light-Duty Trucks	2003	SAE	0
19422	J154	(R) Operator Space Envelope Dimensions for Off-Road Machines	2003	SAE	0
19423	J1578	Motorcycle Side Stand Retraction Test Procedure (Stabilized Type)	2003	SAE	0
19424	J158	Automotive Malleable Iron Castings - June 1986	2003	SAE	0
19425	J1779	Ship Systems and Equipment - Hydraulic System Design Criteria for Marine Vehicles	2003	SAE	0
19426	J1823	Specification Definitions - Articulated Rubber- Tired Forwarder, Recommended Practice - June 1991	2003	SAE	0
19427	J1761	Information Report on ITS Terms and Definitions, Information Report - December 1995	2003	SAE	0
19428	J1763	A Conceptual ITS Architecture: An ATIS Perspective, Information Report	2003	SAE	0
19429	J191	Power Steering Pressure Hose - Low Volumetric Expansion Type (Stabilized Type)	2003	SAE	0
19430	J1846	Characterizing a Test Surface for Motorcycle Side Stand Retraction Performance Testing (Stabilized Type)	2003	SAE	0
19431	J1854	Brake Force Distribution Performance Guide - Truck and Bus	2003	SAE	0
19432	J1857	Flywheel Dimensions for Truck and Bus Applications	2003	SAE	0
19433	AMS2801B	Heat Treatment of Titanium Alloy Parts	2003	SAE	0

19434	J1965	(R) Road Vehicles - Wheels for Commercial Vehicles and Multipurpose Passenger Vehicles - Fixing Nuts - Test Methods	2003	SAE	0
19435	J2023	Operating Precautions for Horizontal Earthboring Machines	2003	SAE	0
19436	J2020	Accelerated Exposure of Automotive Exterior Materials Using a Fluorescent UV and Condensation Apparatus	2003	SAE	0
19437	AIR1402A	Common Termination Method, Electrical Wiring System, Application of	2003	SAE	0
19438	J214	Hydraulic Cylinder Test Procedure	2003	SAE	0
19439	J2116	Two-Stroke-Cycle Gasoline Engine Lubricants Performance and Service Classification	2003	SAE	0
19440	J209	Instrument Face Design and Location for Construction and Industrial Equipment	2003	SAE	0
19441	J225	Brake Force Distribution Field Test Procedure for Truck and Bus	2003	SAE	0
19442	J232	Industrial Rotary Mowers	2003	SAE	0
19443	J2334	Laboratory Cyclic Corrosion Test	2003	SAE	0
19444	J2370	Geometric Dimensions and Tolerancing for Curved Hose	2003	SAE	0
19445	J2378	Test Procedure for Trailer Air Reservoir Fill and Parking Brake Release Times	2003	SAE	0
19446	J2393	Swing Performance And Rating Procedure, Material Handlers, Knuckle Boom Log Loaders and Certain Forestry Equipment	2003	SAE	0
19447	J2413	Protocol To Verify Performance of New Xenon Arc Test Apparatus	2003	SAE	0
19448	J2399	Adaptive Cruise Control (ACC) Operating Characteristics and User Interface	2003	SAE	0
19449	J2400	Human Factors in Forward Collision Warning Systems: Operating Characteristics and User Interface Requirements	2003	SAE	0
19450	AMS3055B	Petroleum Base Instrument Bearing Lubricant Viscosity 15	2003	SAE	0
19451	J2523	Rolling Circumference Index Groups for Radial Tractor Drive Tires	2003	SAE	0
19452	J2571	Advanced Driver Interface Systems for Commercial Vehicle Operations	2003	SAE	0
19453	J2581	Thermal Transport Properties Germane to Friction Materials and Brakes	2003	SAE	0
19454	J2554	Engine Intake Air Water Separation Test Procedure	2003	SAE	0
19455	J2606	Drain and Fill Plug for use on Engines, Transmissions, and Axles	2003	SAE	0
19456	J2608	Off Throttle Steering Capabilities of Personal Watercraft	2003	SAE	0
19457	J2609	Multi-Dimensional Thermal Properties of Insulated Heat Shield Material Systems	2003	SAE	0
19458	AMS3081B	Anti-Scuffing Treatment, Graphite Varnish - Includes Revision A	2003	SAE	0
19459	J2655	(R) Fastener Part Standard - Washers and Lockwashers (Inch Dimensioned)	2003	SAE	0
19460	J2638	Fifth Wheel and Gooseneck Attachment Performance Up to 13 608/kg (30 000/lb) Trailer GVW	2003	SAE	0
19461	J2634	Scribing of Coatings in Preparation for Testing of Wheels and Wheel Trim	2003	SAE	0
19462	J2630	Converting ATIS Message Standards From ASN.1 to XML	2003	SAE	0
19463	J2662	Torque Ratings for Power Take-off Mounting Pads	2003	SAE	0
19464	J2666	Hose Gauge Evaluation Procedure	2003	SAE	0
19465	AMS3092	Release Agent, for Use During Form-In-Place Gasket Preparation	2003	SAE	0
19466	J367	Passenger Car Door System Crush Test Procedure - March 1970	2003	SAE	0
19467	AMS3143A	Powder Coating Materials, Epoxy	2003	SAE	0
19468	J452	General Information - Chemical Compositions, Mechanical and Physical Properties of SAE Aluminum Casting Alloys	2003	SAE	0
19469	J43	Axle Application Load Rating for Industrial Wheel Loaders and Backhoe Loaders	2003	SAE	0
19470	J392	Motorcycle and Motor Driven Cycle Electrical System Maintenance of Design Voltage	2003	SAE	0
19471	J584	Motorcycle Headlamps	2003	SAE	0
19472	J587	License Plate Illumination Devices (Rear Registration Plate Illumination Devices)	2003	SAE	0
19473	J609	(R) Mounting Flanges and Power Take-Off Shafts for Small Engines	2003	SAE	0

19474	J716	Application of Hydraulic Remote Control to Agricultural Tractors and Trailing Type Agricultural Implements, Standard; - March 1991 (ASAE S201.4)	2003	SAE	0
19475	J725	Mounting Brackets and Socket for Warning Lamp and Slow-Moving Vehicle (SMV) Identification Emblem, Standard; - March 1991 (ASAE S277.2)	2003	SAE	0
19476	J706	Rating of Winches	2003	SAE	0
19477	J708	Agricultural Tractor Test Code	2003	SAE	0
19478	J741	(R) Capacity Rating-Scraper, Open Bowl	2003	SAE	0
19479	J821	Electrical Wiring Systems for Construction, Agricultural and Off-Road Machines	2003	SAE	0
19480	J872	Drawbar Test Procedure for Construction, Forestry, and Industrial Machines, Standard	2003	SAE	0
19481	J897	Machine Slope Operation Test Code, Standard	2003	SAE	0
19482	J833	Human Physical Dimensions, Recommended Practice - May 1989	2003	SAE	0
19483	J861	Method of Testing Resistance to Crocking of Organic Trim Materials	2003	SAE	0
19484	J964	Recommended Practice for Measuring Haze and Reflectance of Mirrors	2003	SAE	0
19485	MA2058B	(R) UNION, REDUCER/EXPANDER BULKHEAD, FLARELESS TUBE, METRIC	2003	SAE	0
19486	MA2076A	(R) FITTING END, ACORN SHORT FLARELESS, DESIGN STANDARD, METRIC	2003	SAE	0
19487	MA2041B	(R) SLEEVE, COUPLING, FLARELESS, METRIC	2003	SAE	0
19488	MA2043B	(R) UNION, BULKHEAD, FLARELESS TUBE, METRIC	2003	SAE	0
19489	MA2035B	(R) PLUG, FLARELESS TUBE, METRIC	2003	SAE	0
19490	MA2038B	(R) UNION, REDUCER, FLARELESS TUBE, METRIC	2003	SAE	0
19491	MA2025B	(R) UNION, FLARELESS, NON-REDUCER, METRIC	2003	SAE	0
19492	USCAR-19	COAXIAL CABLE CONNECTOR INTERFACE SQUARE OUTER CONDUCTOR - Revision 1	2003	SAE	0
19493	USCAR-26	Test Procedure for Electrical Ground Attachments	2003	SAE	0
19494	MAM2601C	Pressure Testing, Gaseous Media 70 kPa	2003	SAE	0
19495	MAM2602B	Pressure Testing 170 kPa	2003	SAE	0
19496	MAM4131B	Aluminum Alloy, Die and Hand Forgings 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (7075-T74) Solution Heat Treated and Aged - UNS A97075	2003	SAE	0
19497	MAM4141B	Aluminum Alloy Die Forgings 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (7075-T73) Solution and Precipitation Heat Treated - UNS A97075	2003	SAE	0
19498	MAM2604C	Pressure Testing, Gaseous Media 275 kPa	2003	SAE	0
19499	MAM2605B	Pressure Testing 380 kPa	2003	SAE	0
19500	MAM2606B	Pressure Testing 485 kPa	2003	SAE	0
19501	MAM2607B	Pressure Testing 690 kPa	2003	SAE	0
19502	MAM4208B	Aluminum Alloy Sheet 6.0Cu - 0.40Zr (2004-F) As Rolled - UNS A92004	2003	SAE	0
19503	MAM4209B	Aluminum Alloy Sheet, Alclad 6.0Cu - 0.40Zr (2004-F) As Rolled - UNS A82004	2003	SAE	0
19504	MAM4247B	Aluminum Alloy, Hand Forgings 7.7Zn - 2.4Mg - 1.6Cu - 0.16Cr (7049-T7352) Solution Heat Treated, Stress Relieved by Compression, and Precipitation Heat Treated - UNS A97049	2003	SAE	0
19505	MAM4248B	Aluminum Alloy Hand Forgings and Rolled Rings 1.0Mg - 0.60Si - 0.28Cu - 0.20Cr (6061-T652) Solution Heat Treated, Stress Relieved by Compression, and Precipitation Heat Treated	2003	SAE	0
19506	MAM4323B	Aluminum Alloy, Hand Forgings 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (7075-T7452) Solution Heat Treated, Stress Relieved, and Precipitation Heat Treated - UNS A97075	2003	SAE	0
19507	MAM4427A	Magnesium Alloy Sand Castings 4.0Y - 2.3Nd - 0.7Zr (WE43A - T6) Solution and Precipitation Heat Treated - UNS M18430	2003	SAE	0
19508	MAM4778D	Nickel Alloy, Brazing Filler Metal 92Ni - 4.5Si - 3.1B 980 to 1040 Ī°C Solidus-Liquidus Range - UNS N99630	2003	SAE	0
19509	MAM4911B	Titanium Alloy Sheet, Strip, and Plate 6Al - 4V Annealed - UNS R56400	2003	SAE	0

19510	MAM5401B	(R) Nickel Alloy, Corrosion and Heat Resistant, Investment Castings 62Ni - 21.5Cr - 9.0Mo - 3.6Cb Vacuum Melted, Vacuum Cast As Cast - UNS N26625	2003	SAE	0
19511	MAM5536B	Nickel Alloy, Corrosion and Heat Resistant, Sheet, Strip, and Plate 47.5Ni - 22Cr - 1.5Co - 9.0Mo - 0.60W - 18.5Fe Solution Heat Treated - UNS N06002	2003	SAE	0
19512	MAM5598C	Nickel Alloy, Corrosion and Heat Resistant, Sheet, Strip, and Plate 72Ni - 15.5Cr - 0.95 (Cb + Ta) - 2.5Ti - 0.70Al - 7.0Fe Consumable Electrode or Vacuum Induction Melted Solution Heat Treated, Precipitation Hardenable - UNS N07750	2003	SAE	0
19513	MAM5599C	Nickel Alloy, Corrosion and Heat Resistant, Sheet, Strip, and Plate 62Ni - 21.5Cr - 9.0Mo - 3.7 (Cb+Ta) Annealed - UNS N06625	2003	SAE	0
19514	MAM5706C	Alloy Bars, Forgings, and Rings, Corrosion and Heat Resistant 57Ni - 19.5Cr - 13.5Co - 4.3Mo - 3.0Ti - 1.4A1 - 0.006B - 0.05Zr Consumable Electrode or Vacuum Induction Melted 995 Degrees - 1040 Degrees C Solution Heat Treated - UNS N07001	2003	SAE	0
19515	MAM5822B	Steel, Corrosion and Heat Resistant, Welding Wire 11.8Cr - 2.8Ni - 1.6Co - 1.8Mo - 0.32V Vacuum Induction Melted - UNS S41780	2003	SAE	0
19516	MAM5914A	Nickel Alloy, Corrosion and Heat Resistant, Sheet, Strip, and Foil 52.5Ni - 19Cr - 3.0Mo - 5.0Cb - 0.90Ti - 0.50AI - 18Fe Consumable Electrode or Vacuum induction Melted Precision Cold Rolled, Solution Heat Treated	2003	SAE	0
19517	MAM6304B	Low-Alloy Steel, Heat-Resistant, Bars, Forgings, and Tubing 0.95Cr - 0.55Mo - 0.30V (0.40 - 0.50C) - UNS K14675	2003	SAE	0
19518	MAM6415C	Steel, Bars, Forgings, and Tubing 0.80Cr - 1.8Ni - 0.25Mo (0.38 - 0.43C) (SAE 4340) - UNS G43406	2003	SAE	0
19519	AIR1707A	Patterns of O-ring Failures	2003	SAE	0
19520	AIR1657B	(R) Handbook of Hydraulic Metric Calculations	2003	SAE	0
19521	AIR1810C	(R) Design, Development and Test Criteria - Solid State Proximity Switches/Systems for Landing Gear Applications	2003	SAE	0
19522	AMS4066C	Aluminum Alloy, Drawn, Round Seamless Tubing 6.3Cu - 0.30Mn - 0.18Zr - 0.10V - 0.06Ti - (2219-T8511) Solution Heat Treated, Stress Relieved by Stretching and Precipitation Heat Treated - UNS A92219	2003	SAE	0
19523	AMS4050H	Aluminum Alloy, Plate 6.2Zn - 2.3Cu - 2.2Mg - 0.12Zr (7050-T7451) Solution Heat Treated, Stress Relieved, and Overaged - UNS A97050	2003	SAE	0
19524	AMS4089D	Aluminum Alloy, Plate 1.6Cu - 2.2Mg - 0.22Cr - 5.7Zn (7475-T7651) Solution Heat Treated, Stress Relieved by Stretching, and Precipitation Heat Treated - UNS A97475	2003	SAE	0
19525	AMS4108F	Aluminum Alloy, Hand Forgings 6.2Zn - 2.3Cu - 2.2Mg - 0.12Zr (7050-T7452) Solution Heat Treated, Compression Stress-Relieved, and Overaged - UNS A97050	2003	SAE	0
19526	AMS4113E	Aluminum Alloy, Extruded Profiles 1.0Mg - 0.60Si - 0.28Cu - 0.20Cr (6061-T6) Solution and Precipitation Heat Treated - UNS A96061	2003	SAE	0
19527	AMS4201E	Aluminum Alloy Plate 6.2Zn - 2.3Cu - 2.2Mg - 0.12Zr (7050-T7651) Solution Heat Treated, Stress Relieved, and Overaged - UNS A97050	2003	SAE	0
19528	AMS4204C	Aluminum Alloy, Plate 6.2Zn - 1.8Cu - 2.4Mg - 0.13Zr (7010-T7651) Solution Heat Treated, Stress Relieved, and Precipitation Heat Treated - UNS A97010	2003	SAE	0
19529	AMS4205C	Aluminum Alloy, Plate 6.2Zn - 1.8Cu - 2.4Mg - 0.13Zr (7010-T73651) or (7010-T7451) Solution Heat Treated, Stress Relieved, and Precipitation Heat Treated - UNS 97010	2003	SAE	0
19530	AMS4181C	Aluminum Alloy, Welding Wire 7.0Si - 0.38Mg - 0.10Ti (4008 or 356) - UNS A94008	2003	SAE	0
19531	AMS4159D	Aluminum Alloy, Extrusions 7.7Zn - 2.4Mg - 1.6Cu - 0.16Cr (7049-T76511) Solution Heat Treated, Stress Relieved, Straightened, and Overaged - UNS A97049	2003	SAE	0
19532	AMS4164H	Aluminum Alloy, Extrusions 4.4Cu - 1.5Mg - 0.60Mn (2024-T3510) Stress-Relief Stretched, Unstraightened - UNS A92024	2003	SAE	0
19533	AMS4165H	Aluminum Alloy, Extrusions 4.4Cu - 1.5Mg - 0.60Mn (2024-T3511) Solution Heat Treated, Stress-Relieved by Stretching, and Straightened - UNS A92024	2003	SAE	0
19534	AMS4162D	Aluminum Alloy, Extrusions 6.3Cu - 0.30Mn - 0.18Zr - 0.10V - 0.06Ti (2219-T8511) Solution Treated, Stress Relief Stretched, Straightened, and Precipitation Heat Treated - UNS A92219	2003	SAE	0
19535	AMS4156K	Aluminum Alloy, Extrusions 0.68Mg - 0.40Si (6063-T6) Solution and Precipitation Heat Treated - UNS A96063	2003	SAE	0

19536	AMS4153K	Aluminum Alloy, Extrusions 4.5Cu - 0.85Si - 0.80Mn - 0.50Mg (2014-T6) Solution and Precipitation Heat Treated - UNS A92014	2003	SAE	0
19537	AMS4293	Aluminum Alloy Extrusions 7.9Zn - 1.6Cu - 2.2Mg - 0.16Cr (7249-T76511) Solution Heat Treated, Stress-Relieved, Straightened, and Overaged	2003	SAE	0
19538	AMS4319B	Aluminum Alloy, Rolled or Cold Finished, Bars and Rods 12.2Si - 1.0Mg - 0.90Cu - 0.90Ni (4032-T651) Solution Heat Treated, Stress-Relieved, and Artificially Aged - UNS A94032	2003	SAE	0
19539	AMS4308A	Aluminum Alloy, Sheet 8.6Fe - 1.8Si - 1.3V (8009-H112) Powder Metallurgy Product, Strain Hardened - UNS A98009	2003	SAE	0
19540	AMS4309A	Aluminum Alloy Extrusions 8.6Fe - 1.8Se - 1.3V (8009-H112) Powder Metallurgy Product, Strain-Hardened - UNS A98009	2003	SAE	0
19541	AMS4278B	Aluminum Alloy, Alclad Sheet 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (Alclad 7075-0) Annealed, Fine Grained - UNS A87075	2003	SAE	0
19542	AMS4216B	Aluminum Alloy, Sheet 1.0Mg - 0.8Si - 0.8Cu - 0.50Mn (6013-T6) Solution Heat Treated and Artificially Aged - UNS A96013	2003	SAE	0
19543	AMS4243B	Aluminum Alloy, Alclad Sheet 6.2Zn - 2.3Cu - 2.2Mg - 0.12Zr (Alclad 7050-T76) Solution Heat Treated and Overaged - UNS A87050	2003	SAE	0
19544	AMS4331	Aluminum Alloy Extrusions 7.8Zn - 2.6Mg - 2.0Cu - 0.10Zr - (7068-T6511) Solution Heat Treated, Stress Relieved, and Precipitation Heat Treated	2003	SAE	0
19545	AMS4327	Aluminum Alloy, Plate (2098-O) 3.5Cu - 1.1Li - 0.50Mg - 0.40Ag - 0.11Zr Annealed - UNS A92098	2003	SAE	0
19546	AMS4323B	Aluminum Alloy, Hand Forgings 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (7075-T7452) Solution Heat Treated, Stress Relieved, and Precipitation Heat Treated - UNS A97075	2003	SAE	0
19547	AMS4325	Aluminum Alloy, Extruded Wide Panel Profiles (7150-T77511) 6.4Zn - 2.4Mg - 2.2Cu - 0.12Zr Solution Heat Treated, Stress-Relieved, Straightened and Overaged - UNS A97150	2003	SAE	0
19548	AMS4336A	Aluminum Alloy, Extruded Rod, Bar, and Profiles (7055-T76511) 8.0Zn - 2.3Cu - 2.0Mg - 0.16Zr Solution Heat Treated, Stress-Relieved, and Overaged - UNS A97055	2003	SAE	0
19549	AMS4610N	Brass, Free-Cutting Bars and Rods 61.5Cu - 35Zn - 3.1Pb Half Hard (H02) - UNS C36000	2003	SAE	0
19550	AMS4611H	Brass, Naval, Bars and Rods 60.5Cu - 38.7Zn - 0.8Sn Half Hard (H02) - UNS C46400	2003	SAE	0
19551	AMS4602D	Copper Bars, Rods, and Shapes Oxygen-Free, Hard Temper (HO4) - UNS C10200	2003	SAE	0
19552	AMS4535C	Copper-Beryllium Alloy, Mechanical Tubing 98Cu - 1.9Be Solution and Precipitation Heat Treated (TF00, formerly AT) - UNS C17200	2003	SAE	0
19553	AMS4574E	Nickel-Copper Alloy, Corrosion Resistant, Tubing, Seamless 67Ni - 31Cu Annealed - UNS N04400	2003	SAE	0
19554	AMS4614H	Brass Forgings, Free Cutting 60Cu - 2.0Pb - 37.5Zn As Forged (M10) - UNS C37700	2003	SAE	0
19555	AMS4633A	Bronze, Aluminum Silicon, Rods, Bars, and Forgings 90Cu - 7.0Al - 1.8Si Drawn and Stress Relieved (HR50) - UNS C64200	2003	SAE	0
19556	AMS4713F	Brass, Wire 65Cu - 35Zn Eighth-Hard (H00) - UNS C27000	2003	SAE	0
19557	AMS4676E	Nickel-Copper Alloy, Corrosion-Resistant, Bars and Forgings 66.5Ni - 3.0Al - 0.62Ti - 28Cu Hot-Finished, Precipitation Hardenable - UNS N05500	2003	SAE	0
19558	AMS4677B	Nickel-Copper Alloy, Corrosion Resistant, Bars and Forgings 66.5Ni - 2.9Al - 30Cu Annealed - UNS N05502	2003	SAE	0
19559	AMS4820E	Bearings, Leaded Copper 70Cu - 28.5Pb Steel Back - UNS C98400	2003	SAE	0
19560	AMS4783F	Cobalt Alloy, High Temperature Brazing Filler Metal 50Co - 8.0Si - 19Cr - 17Ni - 4.0W - 0.80B 2050 to 2100 °F (1121 to 1149 °C) Solidus-Liquidus Range - UNS R30040	2003	SAE	0
19561	AMS4908G	Titanium Alloy, Sheet and Strip 8Mn Annealed, 110 ksi (758 MPa) Yield Strength - UNS R56080	2003	SAE	0
19562	AMS4997B	Titanium Alloy Powder 5Al - 2Sn - 2Zr - 4Cr - 4Mo - 0.100 Premium Quality - UNS R58650	2003	SAE	0
19563	AMS4962A	Titanium Alloy, Investment Castings 6Al - 4V Hot Isostatically Pressed	2003	SAE	0
19564	AMS5511H	Steel, Corrosion-Resistant, Sheet, Strip, and Plate 19Cr - 9.5Ni (304L) Solution Heat Treated - UNS S30403	2003	SAE	0
19565	AMS5578G	Steel, Corrosion and Heat-Resistant, Welded Tubing 12Cr - 8.5Ni - 0.30Cb - 1.1Ti - 2.0Cu Vacuum Induction Plus Consumable Electrode Vacuum Melted Solution Heat Treated, Precipitation Hardenable - UNS S45500	2003	SAE	0

19566	AMS5558G	Steel, Corrosion and Heat-Resistant, Welded Tubing 18Cr - 10.5Ni - 0.70Cb (SAE 30347) Thin Wall Solution Heat Treated - UNS S34700	2003	SAE	0
19567	AMS5556H	Steel, Corrosion and Heat-Resistant, Seamless or Welded Hydraulic Tubing 18Cr - 11Ni - 0.70Cb (SAE 30347) Solution Heat Treated - UNS S34700	2003	SAE	0
19568	AMS5627G	Steel, Corrosion and Heat-Resistant, Bars, Wire, Forgins, Tubing, and Rings 17Cr (SAE 51430) Annealed - UNS S43000	2003	SAE	0
19569	AMS5616L	Steel, Corrosion and Heat-Resistant, Bars, Wire, Forgings, Tubing, and Rings 13Cr - 2.0Ni - 3.0W Annealed - UNS S41800	2003	SAE	0
19570	AMS5651J	Steel, Corrosion and Heat-Resistant, Bars, Wire, Forgings, Tubing, and Rings 25Cr - 20Ni (SAE 30310) Solution Heat Treated - UNS S31008	2003	SAE	0
19571	AMS5671G	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 72Ni - 15.5Cr - 0.95Cb - 2.5Ti - 0.70Al - 7.0Fe Consumable Electrode or Vacuum Induction Melted 1800 °F (982 °C) Solution Heat Treated, Precipitation Hardenable - UNS N07750	2003	SAE	0
19572	AMS5743J	Steel, Corrosion and Heat-Resistant, Bars and Forgings 15.5Cr - 4.5Ni - 2.9Mo - 0.10N Solution Heat Treated, Sub-Zero Cooled, Equalized, and Over-Tempered - UNS S35500	2003	SAE	0
19573	AMS5744E	Steel, Corrosion and Heat-Resistant, Bars and Forgings 15.5Cr - 4.5Ni - 2.9Mo - 0.10N Heat Treated, 170 ksi (1172 MPa) Tensile Strength - UNS S35500	2003	SAE	0
19574	AMS5745F	Steel, Corrosion and Heat-Resistant, Bars and Forgings 16.5Cr - 4.5Ni - 2.9Mo - 0.10N Equalized and Over-Tempered - UNS S35000	2003	SAE	0
19575	AMS5749E	Steel, Corrosion-Resistant, Bars, Wire, Forgings, and Tubing 14.5Cr - 4.0Mo - 1.2V (1.10-1.20C) Premium Quality for Bearing Applications, Double Vacuum Melted - UNS S42700	2003	SAE	0
19576	AMS5698G	Nickel Alloy, Corrosion and Heat-Resistant, Wire 72Ni - 15.5Cr - 0.95Cb - 2.5Ti - 0.70Al - 7.0Fe No. 1 Temper, Precipitation Hardenable - UNS N07750	2003	SAE	0
19577	AMS5699G	Nickel Alloy, Corrosion and Heat-Resistant, Wire 72Ni - 15.5Cr - 0.95Cb - 2.5Ti - 0.70Al - 7.0Fe Spring Temper, Precipitation Hardenable - UNS N07750	2003	SAE	0
19578	AMS5717H	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 45.5Ni - 25.5Cr - 3.2Co - 3.2Mo - 3.2W - 18.5Fe Solution Heat Treated - UNS N06333	2003	SAE	0
19579	AMS5789D	Cobalt Alloy, Corrosion and Heat-Resistant, Welding Wire 54Co - 25.5Cr - 10.5Ni - 7.5W - UNS R30031	2003	SAE	0
19580	AIR4789B	(R) Aerospace Information Report on Evaluating Corrosion Testing of Electrical Connectors and Accessories for the Purpose of Qualification	2003	SAE	0
19581	AMS5769F	Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings, 21Cr - 20Ni - 20Co - 3.0Mo - 2.5W - 1.0(Cb+Ta) - 0.15N - 32Fe Solution Heat Treated - UNS R30155	2003	SAE	0
19582	AMS5766D	Alloy, Corrosion and Heat-Resistant, Bars and Forgings 21Cr - 32.5Ni - 0.38Ti - 0.38Al - 45Fe Solution Heat Treated - UNS N08800	2003	SAE	0
19583	AMS5764E	Steel, Corrosion-Resistant, Bars, Wire, Forgings, Extrusions, and Rings 5.0Mn - 22Cr - 12.5Ni - 2.2Mo - 0.20Cb - 0.30N - 0.20V Solution Heat Treated - UNS S20910	2003	SAE	0
19584	AMS5962A	Nickel Alloy, Corrosion and Heat-Resistant, Round Bars and Wire 52.5Ni - 19Cr - 3.0Mo - 5.1Cb - 0.90Ti - 0.50Al - 18Fe Consumable Electrode or Vacuum Induction Melted 1775 °F (968 °C) Solution Treated and Work Strengthened Precipitation Hardenable - UNS	2003	SAE	0
19585	AMS5886B	Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 50Ni - 20Cr - 20Co - 5.8Mo - 2.2Ti - 0.45Al Consumable Electrode or Vacuum Induction Melted 2100 °F (1149 °C) Solution Heat Treated - UNS N07263	2003	SAE	0
19586	AMS6524E	Steel, Sheet, Strip, and Plate 1.0Cr - 7.5Ni - 4.5Co - 1.0Mo - 0.09V (0.29 - 0.34C) Consumable Electrode Vacuum Melted, Annealed - UNS K91313	2003	SAE	0
19587	AMS6442G	Steel Bars and Forgings 0.50Cr (0.98 - 1.10C) (SAE 50100) for Bearing Applications - UNS G50986	2003	SAE	0
19588	AMS-PRF-46194A	FOAM, RIGID, STRUCTURAL, CLOSED CELL	2003	SAE	0
19589	AMS-L-P-390A	Plastic, Molding and Extrusion Material Polyethylene and Copolymers (Low, Medium, and High Density)	2003	SAE	0
19590	AMS-P-25732A	Packaging, Preformed, Petroleum Hydraulic Fluid Resistant, Limited Service at 275°F (135°C)	2003	SAE	0

19591	AIR5372	Information on Brake-By-Wire (BBW) Brake Control Systems	2003	SAE	0
19592	AMS-C-5541A	Chemical Conversion Coatings on Aluminum and Aluminum Alloys - AREA MFFP	2003	SAE	0
19593	AMS-A-8625A	Anodic Coatings for Aluminum and Aluminum Alloys	2003	SAE	0
19594	AMS7493L	Rings, Flash Welded Ferritic and Martensitic Corrosion-Resistant Steels	2003	SAE	0
19595	AMS7817B	MOLYBDENUM ALLOY SHEET, STRIP, AND PLATE 0.48Ti - 0.09Zr - 0.02C Arc Cast, Stress Relieved	2003	SAE	0
19596	AMS-QQ-W-428-1A	Wire, Steel, High Carbon, Round, Type I	2003	SAE	0
19597	AMS-QQ-W-428-2A	Wire, Steel, High Carbon, Round, Type III	2003	SAE	0
19598	AMS-QQ-W-428A	Wire, Steel, High Carbon, Round, Type I	2003	SAE	0
19599	AMS-S-22141A	Steel, Investment Castings Alloy and Carbon	2003	SAE	0
19600	AMS-S-6758A	Steel, Chrome-Molybdenum (4130) Bars and Reforging Stock (Aircraft Quality)	2003	SAE	0
19601	AMS-STD-182A	Continuous Identification Marking of Nickel and Nickel Base Alloys	2003	SAE	0
19602	AMS-STD-183A	Continuous Identification Marking of Iron and Steel Products	2003	SAE	0
19603	AMS-STD-2175A	Castings, Classification and Inspection of - AREA NDTI	2003	SAE	0
19604	ARP1395B	Minimum Requirements for Future Wide-Body Aircraft Cargo Systems and Compartments (Intermodal)	2003	SAE	0
19605	ARP1409C	(R) Aircraft On Board Weight and Balance System Requirements	2003	SAE	0
19606	ARP4163	Balancing Machines: Tooling Design Criteria	2003	SAE	0
19607	ARP4148B	Gas Turbine Engine Real Time Performance Model Presentation for Digital Computers	2003	SAE	0
19608	ARP4192A	Passenger Safety Video Briefings	2003	SAE	0
19609	ARP1942A	Across Hex Corner Dimension for Fluid Fittings and Nuts	2003	SAE	0
19610	ARP4925A	Aerospace Design and Installation of Commercial Transport Helicopter Hydraulic Systems	2003	SAE	0
19611	ARP4945A	Aerospace-Solenoid Valve, Hydraulic, Three Way, Two Position, Direct Acting	2003	SAE	0
19612	ARP4988	Procedure for Determining Thrust Wire Lengths and Minimum Insertion Depths	2003	SAE	0
19613	ARP5061	Guidelines for Testing and Support of Aerospace, Fiber Optic, Inter-Connect Systems	2003	SAE	0
19614	ARP5015A	Ground Equipment - 400 Hertz Ground Power Performance Requirements	2003	SAE	0
19615	ARP5448-5	Plain Bearing No-Load Rotational Breakaway Torque Measurement	2003	SAE	0
19616	ARP5483-2	Rolling Element Bearing Hardness Test	2003	SAE	0
19617	ARP5150	Safety Assessment of Transport Airplanes in Commercial Service	2003	SAE	0
19618	ARP5298	Aircraft Fueling Adapter Wear Limits	2003	SAE	0
19619	ARP5364	Human Factor Considerations in the Design of Multifunction Display Systems for Civil Aircraft	2003	SAE	0
19620	ARP5535	Observers for Laser Safety in the Navigable Airspace	2003	SAE	0
19621	ARP577D	(R) Emergency Placarding - Internal and External	2003	SAE	0
19622	ARP5818	Design and Operation of Aircraft Refueling Tanker Vehicles	2003	SAE	0
19623	ARP5889	Alternative (Ecological) Method for Measuring Electronic Product Immunity to External Electromagnetic Fields	2003	SAE	0
19624	ARP5905	Calibration and Acceptance of Icing Wind Tunnels	2003	SAE	0
19625	ARP5996B	Evaluation of Coking Propensity of Aviation Lubricants Using the Hot Liquid Process Simulator (HLPS) Single Phase Flow Technique	2003	SAE	0
19626	ARP598C	(R) Aerospace Microscopic Sizing and Counting of Particulate Contamination for Fluid Power Systems	2003	SAE	0

19627	ARP592A	Terminal, Taper Pin, Design and Application	2003	SAE	0
19628	ARP5903	Droplet Impingement and Ice Accretion Computer Codes	2003	SAE	0
19629	ARP725A	(R) Evaluating Effectiveness of Filter Element Cleaning Methods	2003	SAE	0
19630	ARP731C	(R) General Requirements for Application of Vapor Cycle Refrigeration Systems for Aircraft	2003	SAE	0
19631	ARP807A	Flight Deck Interior Doors and Their Operation	2003	SAE	0
19632	AIR5926	White Paper to Support Supersession of MIL-S-8879C With AS8879C	2003	SAE	0
19633	ARP9034	A Process Standard for the Storage, Retrieval and Use of Three-Dimensional Type Design Data	2003	SAE	0
19634	AS1299C	ADAPTER - PORT CONNECTION RING LOCKED TO FLARELESS TUBE END	2003	SAE	0
19635	AS126587 THRU AS126652A	(R) STUD - STRAIGHT, CADMIUM PLATED, STEEL, UNS G87400, 125 KSI MIN, .3750 - 16 NS X .3750 - 24 UNF-3A	2003	SAE	0
19636	ARP988	Electrohydraulic Mechanical Feedback Servoactuators	2003	SAE	0
19637	AS1990C	Aluminum Alloy Tempers	2003	SAE	0
19638	AS1895-4D	COUPLING, V-RETAINER, SINGLE LATCH, TYPE II LOW PROFILE	2003	SAE	0
19639	AS1909C	(R) HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 400 ¡°F, 3000 PSI, LIGHTWEIGHT, BEAM SEAL, STRAIGHT TO STRAIGHT	2003	SAE	0
19640	AS1910C	(R) HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 400 ¡°F, 3000 PSI, LIGHTWEIGHT, BEAM SEAL, STRAIGHT TO 45¡°	2003	SAE	0
19641	AS1911C	(R) HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 400 ¡°F, 3000 PSI, LIGHTWEIGHT, BEAM SEAL, STRAIGHT TO 90¡°	2003	SAE	0
19642	AS1912C	(R) HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 400 ¡°F, 3000 PSI, LIGHTWEIGHT, BEAM SEAL, 45¡° TO 45¡°	2003	SAE	0
19643	AS1913C	(R) HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 400 ¡°F, 3000 PSI, LIGHTWEIGHT, BEAM SEAL, 45¡° TO 90¡°	2003	SAE	0
19644	AS1914C	(R) HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 400 ¡°F, 3000 PSI, LIGHTWEIGHT, BEAM SEAL, 90¡° TO 90¡°	2003	SAE	0
19645	AS1974	Clamps, Support, Comparative Fatigue Strengths, Test Method	2003	SAE	0
19646	AIR787A	(R) Filter-Element Cleaning Methods	2003	SAE	0
19647	AS1624A	HOSE, POLYTETRAFLUOROETHYLENE (TFE), LIGHTWEIGHT 3,000 PSI, HIGH TEMPERATURE, HYDRAULIC AND PNEUMATIC	2003	SAE	0
19648	AS1614C	Main Line Aircraft Tow Bar Attach Fitting Interface	2003	SAE	0
19649	AS1722A	HOSE, POLYTETRAFLUOROETHYLENE (TFE) LIGHTWEIGHT HIGH TEMPERATURE AND HIGH PRESSURE (3000 PSIG) WITH INTEGRAL FIRE PROTECTION	2003	SAE	0
19650	AS172321 THRU AS172370A	NUT, SPANNER, AERONAUTICAL, UNS G41400	2003	SAE	0
19651	AS1895-20B	NULL	2003	SAE	0
19652	AS1895-22B	COUPLING, V-RETAINER, DOUBLE LATCH, TYPE I STANDARD PROFILE	2003	SAE	0
19653	AS14227B	(R) LOCK, ROD END, IMPROVED STRENGTH, NAS LUG	2003	SAE	0
19654	AS1424 SUP 1A	(R) Hose Assemblies, Metal, Medium Pressure, High Temperature (Supplement 1)	2003	SAE	0
19655	AS14237A	BUSHING, SLEEVE PLAIN, PRESS FIT, REAM TYPE	2003	SAE	0
19656	AS28913B	(R) BEARING, ROLLER, SELF-ALIGNING, DOUBLE ROW AIRFRAME, ANTI-FRICTION, SEALED, TYPE II	2003	SAE	0
19657	AS28914B	(R) BEARING, ROLLER, SELF-ALIGNING, DOUBLE ROW AIRFRAME, ANTI-FRICTION, SEALED, TYPE III	2003	SAE	0
19658	AIR825-12A	Oxygen System Integration and Performance Precautions	2003	SAE	0

19659	AIR825-13	Guide for Evaluating Combustion Hazards in Aircraft Oxygen Systems	2003	SAE	0
19660	AIR825-5A	Liquid Oxygen Systems	2003	SAE	0
19661	AS24585B	SPRING, HELICAL, COMPRESSION: FOR LOADS BELOW 20 POUNDS	2003	SAE	0
19662	AS24465	Bearing, Roller, Needle-Single Row, Heavy Duty, Track Roller, Type V, Antifriction, Inch	2002	SAE	0
19663	AS24466	Bearing, Roller, Needle-Double Row, Heavy Duty, Track Roller, Type VI, Antifriction, Inch	2002	SAE	0
19664	AS25438	TERMINAL-LUG, CRIMP STYLE, RIGHT ANGLE TYPE, FOR ALUMINUM AIRCRAFT WIRE, CLASS 1	2002	SAE	0
19665	AS25472	GAGE, IN-SERVICE-INSPECTION, FOR USE WITH MS25442 CRIMPING DIES (FOR USE WITH ALUMINUM WIRE TERMINALS)	2002	SAE	0
19666	AS25442	DIES, FOR MS25441, HYDRAULIC CRIMPING, TOOL (FOR USE WITH ALUMINUM WIRE TERMINALS)	2002	SAE	0
19667	AIR825-4A	Chemical Oxygen Systems	2002	SAE	0
19668	AIR825-9	NULL	2002	SAE	0
19669	AIR825-8	Continuous Flow Oxygen Systems	2002	SAE	0
19670	AIR825-10A	Protective Breathing Equipment for Flight Deck and Cabin Crew Members	2002	SAE	0
19671	AIR825-11A	Closed-Cycle Protective Breathing Devices	2002	SAE	0
19672	AS28937	FUSE, LIMITER TYPE, ENCLOSED LINK,5-60 AMP, AIRCRAFT	2002	SAE	0
19673	AS27645B	(R) Bearing, Ball, Airframe, Anti-Friction, Self-Aligning, Light and Heavy Duty	2002	SAE	0
19674	AS28938	FUSE, LIMITER TYPE, ENCLOSED LINK, INTERMEDIATE RATING, AIRCRAFT	2002	SAE	0
19675	AS17845	(R) SHIELD FOR USE WITH AS90362 EXTERNAL POWER RECEPTACLES	2002	SAE	0
19676	AS210041	Canister, Lithium Hydroxide, Screened Ends, Friction Type Covers	2002	SAE	0
19677	AS1066B	(R) Minimum Standards for Valve, High Pressure Oxygen, Cylinder Shut Off, Manually Operated	2002	SAE	0
19678	AS1131C	Air and Air/Surface (Platform) Cargo Pallet Nets	2002	SAE	0
19679	ARP862B	Skid Control Performance	2002	SAE	0
19680	ARP741B	Turbofan and Turbojet Gas Turbine Engine Test Cell Correlation	2002	SAE	0
19681	ARP688A	Reusable Lock for Spanner Nuts	2002	SAE	0
19682	ARP5904	Airborne Icing Tankers	2002	SAE	0
19683	ARP5991	Test Method for the Determination of Water Concentration in Polyol Ester and Diester Aerospace Lubricants by Coulometric Karl Fischer Titration	2002	SAE	0
19684	ARP5898	Human Interface Criteria for Flight Deck Surface Operations Displays	2002	SAE	0
19685	ARP5577	Aircraft Lightning Direct Effects Certification	2002	SAE	0
19686	ARP5486	Air Cargo Pallets - Utilization Guidelines	2002	SAE	0
19687	ARP5507	Aircraft Tire-to-Wheel Performance Characteristics	2002	SAE	0
19688	ARP5584	Document for Electric Power Management	2002	SAE	0
19689	AIR5784	A Review of Literature on the Relationship Between Gas Turbine Engine Lubricants and Aircraft Cabin Air Quality	2002	SAE	0
19690	ARP5311	Aerospace-Interface Definition for Mechanical Actuation Subsystems	2002	SAE	0
19691	ARP5319	Impregnation of Dry Fabric and Ply Lay-Up	2002	SAE	0
19692	ARP5448-6	Plain Spherical Bearing Conformity Examination	2002	SAE	0
19693	ARP5448-7	Plain Bearing Wear Measurement	2002	SAE	0
19694	ARP5448-3	NULL	2002	SAE	0
19695	ARP5448-4	Plain Bearing Bond Integrity - Peelable Woven Fabric PTFE Liners	2002	SAE	0
19696	ARP5143	Vacuum Bagging of Thermosetting Composite Repairs	2002	SAE	0
19697	ARP1876B	Weldability Test for Weld Filler Metal Wire	2002	SAE	0
19698	ARP1917A	(R) Clarification of Terms Used in Aerospace Metals Specifications	2002	SAE	0

19699	AIR5575	Hot Stamp Wire Marking Concerns for Aerospace Vehicle Applications	2002	SAE	0
19700	ARP4102-11C	(R) Airborne Windshear Systems	2002	SAE	0
19701	ARP1420B	Gas Turbine Engine Inlet Flow Distortion Guidelines	2002	SAE	0
19702	ARP1308C	Preferred Electrical Connectors for Aerospace Vehicles and Associated Equipment	2002	SAE	0
19703	ARP1281C	(R) Actuators: Aircraft Flight Controls, Power Operated, Hydraulic, General Specification For	2002	SAE	0
19704	ARP1210D	Gas Turbine Engine Interface Test Data Reduction Computer Programs - Removed per SAEs Request	2002	SAE	0
19705	AIR5490	Carbon Brake Contamination	2002	SAE	0
19706	ARP1161A	Crew Station Lighting Commercial Aircraft	2002	SAE	0
19707	AMS-STD-2219A	Fusion Welding for Aerospace Applications	2002	SAE	0
19708	AMS-STD-1595A	Qualification of Aircraft, Missile and Aerospace Fusion Welders	2002	SAE	0
19709	AMS-S-8690A	Steel, Chrome-Nickel-Molybdenum, 8620, Bars Aircraft Quality	2002	SAE	0
19710	AMS-S-8503A	Steel Bars, Chrome-Vanadium (6150), Aircraft Quality	2002	SAE	0
19711	AIR5464	Metal Clad Fibers for Electrical Shielding & Harness Overbraid	2002	SAE	0
19712	AMS-S-7952A	Steel, Sheet and Strip, Uncoated, Carbon (1020 and 1025) (Aircraft Quality)	2002	SAE	0
19713	AMS-S-18729A	Steel Plate, Sheet, and Strip, Alloy 4130, Aircraft Quality	2002	SAE	0
19714	AMS-S-6709A	Steel, Chrome-Molybdenum-Aluminum; Bars, Rods, Billets and Forging Stock (for Nitriding) (Aircraft Quality)	2002	SAE	0
19715	AMS-S-5626A	Steel: Chrome-Molybdenum (4140) Bars, Rods, and Forging Stock (For Aircraft Applications)	2002	SAE	0
19716	AIR5386	Hose and Hose Assembly Selection, Installation, Inspection and Maintenance Guidelines, Listing of	2002	SAE	0
19717	AIR5113	Legal Issues Associated with the Use of Probabilistic Design Methods	2002	SAE	0
19718	AIR5109	Applications of Probabilistic Methods	2002	SAE	0
19719	AIR5271	A Guideline for Application of High-Density Fiber Optic Interconnects to Aerospace Platforms	2002	SAE	0
19720	AMS5875C	Cobalt Alloy, Corrosion and Heat-Resistant, Strip 20Cr - 15Ni - 40Co - 7.0Mo - 16Fe Solution Heat Treated, Cold Rolled, and Aged Vacuum Induction Plus Vacuum Consumable Electrode Melted - UNS S30003	2002	SAE	0
19721	AMS5877B	Iron Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 29Fe - 22Cr - 21Ni - 18.5Co - 3.2Mo - 2.8W - 0.78Ta - 0.30Al - 0.05La - 0.20N Solution Heat Treated - UNS R30556	2002	SAE	0
19722	AMS5879C	Nickel Alloy, Corrosion and Heat-Resistant, Sheet, Strip, and Foil 62Ni - 21.5Cr - 9.0Mo - 3.7Cb Cold Rolled and Annealed - UNS N06625/N06626	2002	SAE	0
19723	AMS5961A	Nickel Alloy, Corrosion and Heat-Resistant, Wire 74Ni - 15.5Cr - 8.0Fe Cold Reduced, Spring Temper - UNS N06600	2002	SAE	0
19724	AIR4978B	Temporary Methods for Assessing the Load Carrying Capacity of Aircraft Propulsion System Lubricating Oils	2002	SAE	0
19725	AMS5768K	Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 21Cr - 20Ni - 20Co - 3.0Mo - 2.5W - 1.0Cb - 0.15N - 31Fe Solution and Precipitation Heat Treated - UNS R30155	2002	SAE	0
19726	AMS5774E	Steel, Corrosion and Heat-Resistant, Welding Wire 16.5Cr - 4.5Ni - 2.9Mo - 0.10N - UNS S35080	2002	SAE	0
19727	AMS5797D	Cobalt Alloy, Corrosion and Heat-Resistant, Covered Welding Electrodes 51.5Co - 20Cr - 10Ni - 15W - UNS W73605	2002	SAE	0
19728	AMS5794E	Iron Alloy, Corrosion and Heat-Resistant, Welding Wire 31Fe - 21Cr - 20Ni - 20Co - 3.0Mo - 2.5W - 1.0Cb - 0.15N Annealed - UNS R30155	2002	SAE	0
19729	AMS5711D	Nickel Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 65Ni - 15.8Cr - 15.2Mo - 0.30Al - 0.05La Solution Heat Treated - UNS N06635	2002	SAE	0
19730	AMS5697F	Steel, Corrosion-Resistant, Wire 19Cr - 9.5Ni (SAE 30304) Solution Heat Treated - UNS S30400	2002	SAE	0
19731	AMS5705E	Steel, Corrosion and Heat Resistant, Bars and Forgings 2.5Si - 12.8Cr - 8.0Ni Annealed - UNS S63005	2002	SAE	0
19732	AMS5738D	Steel, Corrosion-Resistant, Bars and Wire 18Cr - 9Ni (SAE 30303F) Free Machining, High Yield Strength Solution Heat Treated and Cold Worked - UNS S30323	2002	SAE	0

19733	AMS5678F	Steel, Corrosion Resistant, Wire 17Cr - 7.1Ni - 1.1Al Cold Drawn, Precipitation-Hardenable - UNS S17700	2002	SAE	0
19734	AMS5687M	Nickel Alloy, Corrosion and Heat-Resistant, Wire 74Ni - 15.5Cr - 8.0Fe Annealed - UNS N06600	2002	SAE	0
19735	AMS5649G	Steel, Corrosion and Heat-Resistant, Bars, Wire, and Forgings 18Cr - 13Ni - 2.1Mo Free Machining Solution Heat Treated - UNS J92200	2002	SAE	0
19736	AMS5628F	Steel, Corrosion-Resistant, Bars, Wire, Forgings, and Tubing 16Cr - 2.5Ni (SAE 51431) - UNS S43100	2002	SAE	0
19737	AMS5642K	Steel, Corrosion and Heat-Resistant, Bars, Wire, and Forgings 18Cr - 10.5Ni - 0.60Cb Free-Machining, Solution Heat Treated - UNS S34720 Type 1; UNS S34723 Type 2	2002	SAE	0
19738	AMS5639H	Steel, Corrosion-Resistant, Bars, Wire, Forgings, Tubing, and Rings 19Cr - 10Ni Solution Heat Treated - UNS S30400	2002	SAE	0
19739	AMS5557J	Steel, Corrosion and Heat-Resistant, Seamless or Welded Hydraulic Tubing 18.5Cr - 10.5Ni - 0.40Ti (SAE 30321) Solution Heat Treated - UNS S32100	2002	SAE	0
19740	AMS5559J	Steel, Corrosion and Heat-Resistant, Welded Tubing 18Cr - 10.5Ni - 0.40Ti (SAE 30321) Thin Wall Solution Heat Treated - UNS S32100	2002	SAE	0
19741	AMS5563C	Steel, Corrosion Resistant, Seamless or Welded Tubing 19Cr - 9.5Ni (SAE 30304) Cold Drawn, Ī_ Hard Temper - UNS S30400	2002	SAE	0
19742	AMS5567E	Steel, Corrosion Resistant, Seamless or Welded Hydraulic Tubing 19Cr - 10Ni (SAE 30304) Solution Heat Treated - UNS S30400	2002	SAE	0
19743	AMS5572H	Steel, Corrosion and Heat-Resistant, Seamless Tubing 25Cr - 20Ni (SAE 30310S) Solution Heat Treated - UNS S31008	2002	SAE	0
19744	AMS5573L	Steel, Corrosion and Heat-Resistant, Seamless Tubing 17Cr - 12Ni - 2.5Mo (SAE 30316) Solution Heat Treated - UNS S31600	2002	SAE	0
19745	AMS5607E	Nickel Alloy, Corrosion and Heat-Resistant, Sheet, Strip, and Plate 73Ni - 7.0Cr - 16.5Mo Solution Heat Treated - UNS N10003	2002	SAE	0
19746	AMS5515L	Steel, Corrosion Resistant, Sheet, Strip, and Plate 18Cr - 8.5Ni (302) Solution Heat Treated, High Ductility - UNS S30200	2002	SAE	0
19747	AMS5504M	Steel, Corrosion and Heat-Resistant, Sheet, Strip, and Plate 12.5Cr (SAE 51410) Annealed - UNS S41000	2002	SAE	0
19748	AMS5500E	Steel, Corrosion-Resistant, Laminated, Sheet Surface Bonded - UNS S30200	2002	SAE	0
19749	AMS5501E	Steel, Corrosion Resistant, Sheet, Strip, and Foil 19Cr - 9.5Ni (304) Cold Rolled, 125 ksi (862 MPa) Tensile Strength - UNS S30400	2002	SAE	0
19750	AMS5537H	Cobalt Alloy, Corrosion and Heat-Resistant, Sheet, Strip, Foil, and Plate 52Co - 20Cr - 10Ni - 15W Solution Heat Treated - UNS R30605	2002	SAE	0
19751	AMS5376G	Alloy, Corrosion and Heat Resistant, Investment Castings 30Fe - 21Cr - 20Ni - 20Co - 3.0Mo - 2.5W - 1.0Cb - 0.15N As Cast - UNS R30155	2002	SAE	0
19752	AMS5331G	Steel, Sand, Castings, 0.82Cr - 1.8Ni - 0.35Mo (0.38 - 0.46C) (SAE 4340) Normalized and Tempered - UNS J24060	2002	SAE	0
19753	AMS5223F	Iron-Nickel Alloy, Strip 49Fe - 5.3Cr - 42Ni - 2.5Ti - 0.55Al Solution Heat Treated, Cold Rolled, 10% Reduction - UNS N09902	2002	SAE	0
19754	AIR4174	A Guide to Aircraft Power Train Monitoring	2002	SAE	0
19755	AMS4324	Aluminum Alloy, Extruded Rod, Bar and Profiles (7055-T74511) 8.0Zn - 2.3Cu - 2.0Mg - 0.16Zr Solution Heat Treated, Stress-Relieved, and Overaged - UNS A97055	2002	SAE	0
19756	AMS4195C	Aluminum Alloy Sheet and Plate, Alclad 4.4Cu - 1.5Mg - 0.60Mn (Alclad 2024 and 1-1/2% Alclad 2024-T861 Flat Sheet; 1-1/2% Alclad 2024-T861 Plate) Solution Heat Treated, Cold Worked, and Precipitation Heat Treated	2002	SAE	0
19757	AMS4149D	Aluminum Alloy, Die and Hand Forgings 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (7175-T74) Solution and Precipitation Heat Treated - UNS A97175	2002	SAE	0
19758	AMS4179C	Aluminum Alloy Forgings 5.6Zn - 2.5Mg - 1.6Cu - 0.23Cr (7175-T7452) Solution Heat Treated, Stress Relieved, and Precipitation Heat Treated - UNS A97175	2002	SAE	0
19759	AMS4120R	Aluminum Alloy, Rolled or Cold Finished Bars, Rods, and Wire 4.4Cu - 1.5Mg - 0.60Mn (2024) Solution Heat Treated and Naturally Aged (T4) Solution Heat Treated, Cold Worked, and Naturally Aged (T351) - UNS A92024	2002	SAE	0
19760	AIR1957	Heat Sinks for Airborne Vehicles	2002	SAE	0
19761	AIR1093A	Numeral, Letter and Symbol Dimensions for Aircraft Instrument Displays	2002	SAE	0

19762	AMS3603A	(R) Protective Film, High Performance, Polymeric Pressure Sensitive Adhesive, for Aircraft Exterior Applications	2002	SAE	0
19763	AIR1608A	Estimation of Total Error in Altimetry	2002	SAE	0
19764	AIR1673A	Aircraft Cargo Door Opening/Sill Details for Ground Support Equipment Interface	2002	SAE	0
19765	AIR1667A	(R) Rotor Blade Electrothermal Ice Protection Design Considerations	2002	SAE	0
19766	AIR1666A	(R) Performance Testing of Lubricant Filter Elements Utilized in Aircraft Power and Propulsion Lubrication Systems	2002	SAE	0
19767	AMS3263A	Sealing Compound, Polythioether, Ambient Cure or Immediate Heat Cure For Aircraft Structures, Fuel Resistant With Intermittent Use To 400 Ï°F (204 Ï°C)	2002	SAE	0
19768	USCAR-23	ROAD VEHICLES 60 V AND 600 V SINGLE CORE (ISO/METRIC) CABLES DIMENSIONS, TEST METHODS AND REQUIREMENTS	2002	SAE	0
19769	MAP1572A	Metric Stud Holes For Aerospace Electrical and Electronic Wire Terminating Devices	2002	SAE	0
19770	MA4038B	WASHER, KEY - 180Ï° LOCKING, CRES, UNS S32100, METRIC	2002	SAE	0
19771	J985	Vision Factors Considerations in Rearview Mirror Design	2002	SAE	0
19772	J946	(R) Application Guide to Radial Lip Seals	2002	SAE	0
19773	J935	High-Strength Carbon and Alloy Die Drawn Steels	2002	SAE	0
19774	J780	Engine Coolant Pump Seals, Standard; - June 1990	2002	SAE	0
19775	J733	Nomenclatureâ Rippers and Scarifiers	2002	SAE	0
19776	J749	Drawbars - Crawler Tractor	2002	SAE	0
19777	J726	Air Cleaner Test Code	2002	SAE	0
19778	J727	Nomenclature-Crawler Tractor, Standard; - January 1954	2002	SAE	0
19779	J729	Nomenclature and Specification Definitions - Dozers, Standard - September 1986	2002	SAE	0
19780	J654	(R) Static and Reciprocating Elastomeric Transmission Seals - March 1993	2002	SAE	0
19781	J667	Brake Test Code - Inertia Dynamometer	2002	SAE	0
19782	J400	Test for Chip Resistance of Surface Coatings	2002	SAE	0
19783	J435	(R) Automotive Steel Castings	2002	SAE	0
19784	J374	Vehicle Roof Strength Test Procedure (Stabilized Type)	2002	SAE	0
19785	J380	(R) Specific Gravity of Friction Material	2002	SAE	0
19786	J332	Testing Machines for Measuring the Uniformity of Passenger Car and Light Truck Tires	2002	SAE	0
19787	J35	Diesel Smoke Measurement Procedure	2002	SAE	0
19788	J314	Felts - Wool and Part Wool	2002	SAE	0
19789	AMS3117	Primer Zinc Molybdate	2002	SAE	0
19790	J2711	Recommended Practice for Measuring Fuel Economy and Emissions of Hybrid-Electric and Conventional Heavy-Duty Vehicles	2002	SAE	0
19791	J2623	Standard Rainflow File Format	2002	SAE	0
19792	J2610	Serial Data Communication Interface	2002	SAE	0
19793	J255	Diesel Engine Smoke Measurement	2002	SAE	0
19794	J2546	Model Specification Process Standard	2002	SAE	0
19795	J2540-3	National Names Phrase List	2002	SAE	0
19796	J2540	Messages for Handling Strings and Look-Up Tables in ATIS Standards	2002	SAE	0
19797	J2540-1	RDS Phrase Lists	2002	SAE	0
19798	J2576	Blade Fuses - 42 V System	2002	SAE	0
19799	J2539	Comparison of GATS Messages to SAE ATIS Standards	2002	SAE	0
19800	AMS3065H	Compound, Corrosion Preventive Thin Film, Fingerprint Removing	2002	SAE	0

19801	J2494-4	Cartridge Cavity	2002	SAE	0
19802	J2494-2	Dimensional Specifications for Non-Metallic Body Push-to-Connect Fittings Used On a Vehicular Air Brake System	2002	SAE	0
19803	J2395	ITS In-Vehicle Message Priority	2002	SAE	0
19804	J2406	Recommended Practices for CNG Powered Medium and Heavy-Duty Trucks	2002	SAE	0
19805	J2366-4	ITS Data BusThin Transport Layer	2002	SAE	0
19806	J2366-7	ITS Data BusApplication Message Layer	2002	SAE	0
19807	J2365	Calculation of the Time to Complete In-Vehicle Navigation and Route Guidance Tasks	2002	SAE	0
19808	J2224	Identification of Truck, Trailer, and Bus Wheel Seals and Associated Packaging	2002	SAE	0
19809	J2321	Ship Systems and EquipmentGeneral Specification for Filter ElementsHydraulic and Lube Oil Service	2002	SAE	0
19810	J2284-1	High Speed CAN (HSC) for Vehicle Applications at 125 Kbps	2002	SAE	0
19811	J2284-2	High Speed CAN (HSC) for Vehicle Applications at 250 Kbps	2002	SAE	0
19812	J2106	Token Slot Network for Automotive Control, Information Report	2002	SAE	0
19813	J2058	Chrysler Sensor and Control (CSC) Bus Multiplexing Network for Class A Applications, Information Report	2002	SAE	0
19814	J215	Continuous Hydrocarbon Analysis of Diesel Emissions - March 1995	2002	SAE	0
19815	J20-1	Coolant Hose	2002	SAE	0
19816	J1971	Radial Lip Seal Torque-Measurement Method and Results	2002	SAE	0
19817	J1978	OBD II Scan Tool Equivalent to ISO/DIS 15031-4:December 14, 2001	2002	SAE	0
19818	J1947	O.D. Coatings for Radial Lip-Type Shaft Seals	2002	SAE	0
19819	J1954	GUIDE TO THE APPLICATION AND USE OF PASSENGER CAR AIR-CONDITIONING COMPRESSOR FACE SEALS	2002	SAE	0
19820	J1858	Full Flow Lubricating Oil Filters Multipass Method for Evaluating Filtration Performance	2002	SAE	0
19821	J1887	Automotive Compacted Graphite Iron Castings	2002	SAE	0
19822	J1918	(R) Method for the Determination of Expansion and Water Absorption of Automotive Sealers	2002	SAE	0
19823	J1900	Seals - Bond Test Fixture and Procedure	2002	SAE	0
19824	J1901	LIP FORCE MEASUREMENT, RADIAL LIP SEALS	2002	SAE	0
19825	J1936	Chemical Methods for the Measurement of Nonregulated Diesel Emissions	2002	SAE	0
19826	J177	(R) Measurement of Carbon Dioxide, Carbon Monoxide, and Oxides of Nitrogen in Diesel Exhaust	2002	SAE	0
19827	J1783	Ship Systems and Equipment - Selection of Hydraulic Directional Control Valves	2002	SAE	0
19828	J1789	Self-Propelled Sweepers and Scrubbers Braking Performance	2002	SAE	0
19829	J1791	Self-Propelled Sweepers and Scrubbers Dual Position Driving Controls and Displays	2002	SAE	0
19830	J1792-1	Self-Propelled Sweepers - Air Flow Performance Part 1: Suction Air Volume Performance	2002	SAE	0
19831	J1792-2	Self-Propelled Sweepersâ Air Flow Performanceâ Part 2: Suction/Blower Fan Performance	2002	SAE	0
19832	AMS2762B	Carburizing Carbon and Low-Alloy Steel Parts	2002	SAE	0
19833	J159	(R) Rated Capacity System	2002	SAE	0
19834	J1506	Emission Test Driving Schedules, Information Report; - June 1991	2002	SAE	0
19835	J1664	Passenger Car and Light Truck Fuel Containment	2002	SAE	0
19836	J1666	Electric Vehicle Acceleration, Gradeability, and Deceleration Test Procedure, Recommended Practice - May 1993	2002	SAE	0
19837	J1652	Dynamometer Effectiveness Characterization Test for Passenger Car and Light Truck Caliper Disc Brake Friction Materials, Recommended Practice - April 1995	2002	SAE	0
19838	J1669	Passenger Compartment Air Filter Test Code, Recommended Practice - December 1994	2002	SAE	0
19839	J1669-2	SAE Passenger Compartment Air Filter Test Code - Test Method for Gas Removing Filters	2002	SAE	0
19840	J1452	Trailer Grade Parking Performance Test Procedure	2002	SAE	0

19841	AIR1389A	(R) Regulatory Requirements Covering the Use of Breathing Oxygen in Aircraft	2002	SAE	0
19842	J1329	Minimum Performance Criteria for Braking Systems for Specialized Rubber-Tired, Self- Propelled Underground Mining Machines	2002	SAE	0
19843	J1371	Hydraulic Excavator Swing Minimum Performance and Rating Procedure	2002	SAE	0
19844	J1290	Automotive Hydraulic Brake System - Metric Tube Connections	2002	SAE	0
19845	J1256	Fuel Economy Measurement - Road Test Procedure - Cold Start and Warm-Up Fuel Economy, Recommended Practice	2002	SAE	0
19846	J1280	Determination of Sulfur Compounds in Automotive Exhaust, Information Report	2002	SAE	0
19847	J1245	Guide to the Application and Use of Engine Coolant Pump Face Seals	2002	SAE	0
19848	J1243	(R) Diesel Emission Production Audit Test Procedure, Recommended Practice	2002	SAE	0
19849	J120	Rubber Rings for Automotive Applications	2002	SAE	0
19850	AMS2423D	(R) Plating, Nickel Hard Deposit	2002	SAE	0
19851	AS81765	Insulating Components, Molded, Electrical, Heat Shrinkable, General Specification For	2002	SAE	0
19852	AMS2420D	Plating of Aluminum for Solderability Zinc Immersion Pre-Treatment Process	2002	SAE	0
19853	AS8039A	Minimum Performance Standard General Aviation Flight Recorder	2002	SAE	0
19854	AS5391	Health and Usage Monitoring System Accelerometer Interface Specification	2002	SAE	0
19855	AS5392	Health and Usage Monitoring System, Rotational System Indexing Sensor Specification	2002	SAE	0
19856	AS5393	Health and Usage Monitoring System, Blade Tracker Interface Specification	2002	SAE	0
19857	AS5394	Health and Usage Monitoring System Advanced Multipoint Interface Specification	2002	SAE	0
19858	AMS2262G	Tolerances Nickel, Nickel Alloy, and Cobalt Alloy Sheet, Strip, and Plate	2002	SAE	0
19859	AMS2231J	Tolerances Carbon Steel Bars	2002	SAE	0
19860	AS5356A	(R) Coupling, Fuel Line, Flexible, 125 psi General Specification for	2002	SAE	0
19861	AS5902	Installation of Externally Swaged Fittings	2002	SAE	0
19862	AMS1630C	Cleaner, Carpet Shampoo Type	2002	SAE	0
19863	AS5072-1A	COUPLING ASSEMBLY, .375 DIAMETER, NON-LOCKING PROBE STYLE, MINIATURE SELF-SEALING-ALIGNING, SELF-SEALING DISCONNECT FOR ETHYLENE/GLYCOL/WATER	2002	SAE	0
19864	AS5072-2A	COUPLING ASSEMBLY, .375 DIAMETER, NON-LOCKING PROBE STYLE, MINIATURE SELF-SEALING-ALIGNING, SELF-SEALING DISCONNECT FOR POLYALPHAOLEFIN FLUID	2002	SAE	0
19865	AS5072-3A	OUPLING ASSEMBLY, .420 DIAMETER, NON-LOCKING PROBE STYLE, MINIATURE SELF-SEALING-ALIGNING, SELF-SEALING DISCONNECT FOR ETHYLENE/GLYCOL/WATER	2002	SAE	0
19866	AS5072C	Coupling Assemblies, Non-Locking Probe Style, Miniature Self-Aligning, Self-Sealing Disconnects	2002	SAE	0
19867	AMS1535C	Cleaner, Transparent Plastic	2002	SAE	0
19868	AMS1452B	Disinfectant, Aircraft, General Purpose	2002	SAE	0
19869	AS3480C	Nut, Self-Locking, Plate, One Lug, Reduced Rivet Spacing, Low Height, UNS S66286, Class: 125 ksi/800 Degrees F	2002	SAE	0
19870	AS3481E	NUT, SELF-LOCKING, PLATE, TWO LUG, FLOATING, REDUCED RIVET SPACING, LOW HEIGHT, UNS S66286, CLASS: 125 KSI/800 °F	2002	SAE	0
19871	AS3482C	NUT, SELF-LOCKING, PLATE, SIDE BY SIDE, REDUCED RIVET SPACING, LOW HEIGHT, UNS S66286, CLASS: 125 KSI/800 °F	2002	SAE	0
19872	AS393B	Airspeed Tubes Electrically Heated	2002	SAE	0
19873	AS9724B	(R) BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, CORROSION AND HEAT RESISTANT STEEL, UNS N07001, 165 KSI MIN, .2500-28 UNJF-3A	2002	SAE	0
19874	J1002	(R) Seals - Evaluation of Elastohydrodynamic	2002	SAE	0
19875	J1003	(R) DIESEL ENGINE EMISSION MEASUREMENT PROCEDURE	2002	SAE	0
19876	J1045	Instrumentation and Techniques for Vehicle Refueling Emissions Measurement, Recommended Practice	2002	SAE	0

19877	J1030	Maximum Sound Level for Passenger Cars and Light Trucks	2002	SAE	0
19878	AS9397A	(R) Bolt, Tee Head - Cadmium Plated, Steel, UNS G87400, 125 KSI MIN, Chamfered, .1900-32 UNJF-3A	2002	SAE	0
19879	AS9465A	PIN, STRAIGHT, HEADED, .311 DIAMETER, CRES, UNS S66286	2002	SAE	0
19880	AS9466A	PIN, STRAIGHT, HEADED, .373 DIAMETER, CRES, UNS S66286	2002	SAE	0
19881	AS9467A	PIN, STRAIGHT, HEADED, .436 DIAMETER, CRES, UNS S66286	2002	SAE	0
19882	AS9462A	PIN, STRAIGHT, HEADED, .124 DIAMETER, CRES, UNS S66286	2002	SAE	0
19883	AS9463A	PIN, STRAIGHT, HEADED, .186 DIAMETER, CRES, UNS S66286	2002	SAE	0
19884	AS9587A	(R) Bolt, Machine-Hexagon Head, Drilled 6 Holes, Full Shank, UNS S66286, 130 ksi Min, .4375-20 UNJF-3A	2002	SAE	0
19885	AS9588A	(R) Bolt, Machine - Hexagon Head, Drilled, 6 Holes, Full Shank, UNS S66286, 130 ksi Min, .5000-20 UNJF-3A	2002	SAE	0
19886	AS9583A	(R) Bolt, Machine - Hexagon Head, Drilled, 6 Holes, Full Shank, UNS S66286, 130 ksi Min, .1900-32 UNJF-3A	2002	SAE	0
19887	AS9584A	(R) Bolt, Machine - Hexagon Head, Drilled, 6 Holes, Full Shank, UNS S66286, 130 ksi Min, .2500-28 UNJF-3A	2002	SAE	0
19888	AS9585A	(R) BOLT, MACHINE - HEXAGON HEAD, DRILLED, 6 HOLES, FULL SHANK, UNS S66286, 130 KSI MIN, .3125-24 UNJF-3A	2002	SAE	0
19889	AS9579A	(R) BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, 130 KSI MIN, .5000-20 UNJF-3A	2002	SAE	0
19890	AS9574A	(R) BOLT, MACHINE - DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, PD SHANK, SILVER PLATED, CORROSION AND HEAT RESISTANT STEEL, UNS S66286, 130 KSI MIN, .1900-32 UNJF-3A	2002	SAE	0
19891	AS9573A	(R) Screw, Machine - Double Hexagon Extended Washer Head, Drilled, PD Shank, Silver Plated, Corrosion and Heat Resistant Steel, UNS S66286, 130 Ksi Min, .1640-36 UNJF-3A	2002	SAE	0
19892	AS9572A	(R) Screw, Machine - Double Hexagon Extended Washer Head, Drilled, PD Shank, Silver Plated, Corrosion and Heat Resistant Steel, UNS S66286, 130 KSI Min, .1380-40 UNJF-3A	2002	SAE	0
19893	AS9133	Qualification Procedure for Aerospace Standard Parts	2002	SAE	0
19894	AS85848	Sleeving, for Identification Marking, Heat Shrinkable, General Specification for	2002	SAE	0
19895	AS85848-1	SLEEVING, FOR IDENTIFICATION MARKING HEAT SHRINKABLE, POLYOLEFIN, FLEXIBLE	2002	SAE	0
19896	AS85848-2	SLEEVING, FOR IDENTIFICATION MARKING HEAT SHRINKABLE, POLYVINYLIDENE FLUORIDE, FLEXIBLE	2002	SAE	0
19897	AS85075-1	TIE DOWN ASSEMBLY, HELICOPTER BLADE CH-46 HELICOPTER	2002	SAE	0
19898	AS85075-2	TIE DOWN ASSEMBLY, HELICOPTER BLADE CH-53 HELICOPTER	2002	SAE	0
19899	AS85352	Inflator Assembly and Gage Elements, Pneumatic Pressure, Remote Control, Direct Reading	2002	SAE	0
19900	AS85376	Stand, Shipboard, Helicopter Maintenance	2002	SAE	0
19901	AS85421-1	FITTING END, STANDARD DIMENSIONS FOR DYNAMIC BEAM SEAL, MALE	2002	SAE	0
19902	AMS2451-13	Plating, Brush, Silver	2002	SAE	0
19903	AMS2451-12	Plating, Brush, Tin	2002	SAE	0
19904	AS81765-1	INSULATING COMPONENTS, MOLDED, ELECTRICAL, HEAT SHRINKABLE POLYOLEFIN, CROSSLINKED, SEMI-RIGID AND FLEXIBLE	2002	SAE	0
19905	AS81765-2	INSULATING COMPONENTS, MOLDED, ELECTRICAL, HEAT SHRINKABLE POLYCHLOROPRENE, FLEXIBLE, CROSSLINKED	2002	SAE	0
19906	AS81765-3	INSULATING COMPONENTS, MOLDED, ELECTRICAL, HEAT SHRINKABLE SILICONE RUBBER, FLEXIBLE, CROSSLINKED	2002	SAE	0
19907	AS81765-4	INSULATING COMPONENTS, MOLDED, ELECTRICAL, HEAT SHRINKABLE FLUOROELASTOMER, FLEXIBLE, CROSSLINKED	2002	SAE	0
19908	AS81765-6	INSULATING COMPONENTS, MOLDED, ELECTRICAL, HEAT SHRINKABLE FLUOROPOLYMER, SEMI-RIGID, CROSSLINKED	2002	SAE	0
19909	AS81765-7	INSULATING COMPONENTS, MOLDED, ELECTRICAL, HEAT SHRINKABLE FLUOROPOLYMER COMPOSITE, SEMI-RIGID, CROSSLINKED	2002	SAE	0

19910	J1113-23	Electromagnetic Compatibility Measurement Procedure for Vehicle Components - Immunity to Radiated Electromagnetic Fields, 10 kHz to 200 MHz, Strip Line Method, Recommended Practice	2002	SAE	0
19911	J1099	Technical Report on Low Cycle Fatigue Properties Ferrous and Non-Ferrous of Materials	2002	SAE	0
19912	J110	(R) Seals - Testing of Radial Lip	2002	SAE	0
19913	J111	Seals - Terminology of Radial Lip, Recommended Practice - June 1988	2002	SAE	0
19914	J1102M	Mechanical and Material Requirements for Metric Wheel Bolts	2001	SAE	0
19915	AMS2616E	Pressure Testing, Hydraulic 200 psi	2001	SAE	0
19916	AMS2620E	Pressure Testing, Hydraulic 1000 psi	2001	SAE	0
19917	AMS2625E	Pressure Testing, Hydraulic 2500 psi	2001	SAE	0
19918	AS871B	Manufacturing and Inspection Standards for Preformed Packings (O-Rings)	2001	SAE	0
19919	AS8804A	Deicing System, Pneumatic Boot, Aircraft, General Specification for	2001	SAE	0
19920	AS90708	Ring, Retaining, External, Interlocking	2001	SAE	0
19921	AS9450A	R) SCREW, MACHINE - STEEL, DIFFUSED NICKELCADMIUM PLATED, HEXAGON HEAD, DRILLED, UNS K14675, 195 KSI MIN, .1640-36 UNJF-3A	2001	SAE	0
19922	AS9517A	(R) SCREW, MACHINE - STEEL, CADMIUM PLATED, HEXAGON HEAD, UNS G87400, 125 KSI MIN, .1640-36 UNJF-3A	2001	SAE	0
19923	AS9516A	(R) SCREW, MACHINE - STEEL, CADMIUM PLATED, HEXAGON HEAD, UNS G87400, 125 KSI MIN, .1380-40 UNJF-3A	2001	SAE	0
19924	AS9356B	NUT, PLAIN, HEXAGON, UNS S66286	2001	SAE	0
19925	AS9362A	NUT, PLAIN, HEXAGON, CHECK - UNS S66286, 130 KSI MIN, SILVER PLATED	2001	SAE	0
19926	AS9363A	NUT, SLOTTED, HEXAGON, SHEAR - UNS S66286, 130 KSI MIN	2001	SAE	0
19927	AS9364A	NUT, SLOTTED, HEXAGON, SHEAR - SILVER PLATED, UNS S66286, 130 KSI MIN	2001	SAE	0
19928	AS9358A	NUT, PLAIN, CASTELLATED, HEXAGON - UNS S66286, 130 KSI MIN	2001	SAE	0
19929	J1037	Windshield Washer Tubing (Stabilized type)	2001	SAE	0
19930	HS-84	Manual on Shot Peening	2001	SAE	0
19931	AMS2514A	Anodic Coating on Aluminum Alloys Sulfuric Acid Process, Resin-Sealed	2001	SAE	0
19932	AS9881B	(R) NUT, PLAIN, HEXAGON, CADMIUM PLATED, UNS G87400, 125 KSI MIN	2001	SAE	0
19933	AMS2517A	Dimer, Dichloro 2,2 Para-Cyclophane	2001	SAE	0
19934	AMS2521C	Coating, Reflection-Reducing for Instrument Glasses	2001	SAE	0
19935	AS404C	Electric Tachometer: Magnetic Drag (Indicator & Generator)	2001	SAE	0
19936	AS398B	Direction Instrument, Magnetic, Non-Stabilized Type (Magnetic Compass)	2001	SAE	0
19937	AS400B	Cargo Compartment Fire Detection Instruments (Reciprocating Engine Powered Aircraft)	2001	SAE	0
19938	AIR1069A	Crew Oxygen Requirements Up to a Maximum Altitude of 45,000 Ft	2001	SAE	0
19939	AMS1475C	Deodorant, Aircraft Toilet Formaldehyde Base	2001	SAE	0
19940	AS408C	Pressure Instruments - Fuel, Oil and Hydraulic (Reciprocating Engine Powered Aircraft)	2001	SAE	0
19941	AS439A	Stall Warning Instrument (Turbine Powered Subsonic Aircraft)	2001	SAE	0
19942	AS4393B	Nut, Self-Locking, UNS S66286, 1200 Degrees F, 160 000 psi, UNJ Thread	2001	SAE	0
19943	AS4581	Hose Assembly, PTFE, Para-Aramid Reinforced, Standard Duty, 4000 PSI, 275 Degree F, Titanium Fittings, Flareless, Straight to 45 Degree	2001	SAE	0
19944	AS4582	Hose Assembly, PTFE, Para-Aramid Reinforced, Standard Duty, 4000 PSI, 275 Degree F, Titanium Fittings, Flareless, Straight to 90 Degree	2001	SAE	0
19945	AS4583	Hose Assembly, PTFE, Para-Aramid Reinforced, Standard Duty, 4000 PSI, 275 Degree F, Titanium Fittings, Flareless, 45 Degree T0 90 Degree	2001	SAE	0

19946	AS4584	Hose Assembly, PTFE, Para-Aramid Reinforced, Standard Duty, 4000 PSI, 275 Degrees F, Titanium Fittings, Flareless, 45 Degree to 45 Degreee	2001	SAE	0
19947	AS4585	Hose Assembly, PTFE, Para-Aramid Reinforced, Standard Duty, 4000 PSI, 275 Degree F, Titanium Fittings, Flareless, 90 Degree to 90 Degreee	2001	SAE	0
19948	AS4586	HOSE ASSEMBLY, PTFE, PARA-ARAMID REINFORCED, STANDARD DUTY, 4000 PSI, 275 â_°F, TITANIUM FITTINGS, BEAM SEAL, STRAIGHT TO STRAIGHT	2001	SAE	0
19949	AS4587	HOSE ASSEMBLY, PTFE, PARA-ARAMID REINFORCED, STANDARD DUTY, 4000 PSI, 275 â_°F, TITANIUM FITTINGS, BEAM SEAL, STRAIGHT TO 45â_°	2001	SAE	0
19950	AS4588	HOSE ASSEMBLY, PTFE, PARA-ARAMID REINFORCED, STANDARD DUTY, 4000 PSI, 275 â_°F, TITANIUM FITTINGS, BEAM SEAL, STRAIGHT TO 90â_°	2001	SAE	0
19951	AS4589	HOSE ASSEMBLY, PTFE, PARA-ARAMID REINFORCED, STANDARD DUTY, 4000 PSI, 275 ï°F, TITANIUM FITTINGS, BEAM SEAL, 45ï° TO 45ï°	2001	SAE	0
19952	AS4590	HOSE ASSEMBLY, PTFE, PARA-ARAMID REINFORCED, STANDARD DUTY, 4000 PSI, 275 â_°F, TITANIUM FITTINGS, BEAM SEAL, 45â_° TO 90â_°	2001	SAE	0
19953	AS4571B	(R) HOSE ASSEMBLY, PTFE, PARA-ARAMID REINFORCED, STANDARD DUTY, 3000 PSI, 275 â_°F, TITANIUM FITTINGS, FLARELESS, 45â_° TO 90â_°	2001	SAE	0
19954	AS4572B	(R) HOSE ASSEMBLY, PTFE, PARA-ARAMID REINFORCED, STANDARD DUTY, 3000 PSI, 275 â_°F, TITANIUM FITTINGS, FLARELESS, 45â_° TO 45â_°	2001	SAE	0
19955	AS4573B	(R) HOSE ASSEMBLY, PTFE, PARA-ARAMID REINFORCED, STANDARD DUTY, 3000 PSI, 275 â_°F, TITANIUM FITTINGS, FLARELESS, 90â_° TO 90â_°	2001	SAE	0
19956	AS4574A	(R) HOSE ASSEMBLY, PTFE, PARA-ARAMID REINFORCED, STANDARD DUTY, 3000 PSI, 275 â_°F, TITANIUM FITTINGS, BEAM SEAL, STRAIGHT TO STRAIGHT	2001	SAE	0
19957	AS4575A	(R) HOSE ASSEMBLY, PTFE, PARA-ARAMID REINFORCED, STANDARD DUTY, 3000 PSI, 275 â_°F, TITANIUM FITTINGS, BEAM SEAL, STRAIGHT TO 45â_°	2001	SAE	0
19958	AS4576A	(R) HOSE ASSEMBLY, PTFE, PARA-ARAMID REINFORCED, STANDARD DUTY, 3000 PSI, 275 â_°F, TITANIUM FITTINGS, BEAM SEAL, STRAIGHT TO 90â_°	2001	SAE	0
19959	AS4577A	(R) HOSE ASSEMBLY, PTFE, PARA-ARAMID REINFORCED, STANDARD DUTY, 3000 PSI, 275 â_°F, TITANIUM FITTINGS, BEAM SEAL, 45â_° TO 45â_°	2001	SAE	0
19960	AS4578A	(R) HOSE ASSEMBLY, PTFE, PARA-ARAMID REINFORCED, STANDARD DUTY, 3000 PSI, 275 â_°F, TITANIUM FITTINGS, BEAM SEAL, 45â_° TO 90â_°	2001	SAE	0
19961	AS4579A	(R) Hose Assembly, PTFE, Para-Aramid Reinforced, Standard Duty, 3000 psi,275 Degrees F, Titanium Fittings, Beam Seal, 90 Degrees to 90 Degrees	2001	SAE	0
19962	AS4580	Hose Assembly, PTFE, Para-Aramid Reinforced, Standard Duty, 4000 PSI, 275 Degree F, Titanium Fittings, Flareless, Straight to Straight	2001	SAE	0
19963	AS4591	Hose Assembly, PTFE, Para-Aramid Reinforced, Standard Duty, 4000 PSI, 275 Degree F, Titanium Fittings, Beam Seal, 90 Degree 90 Degree	2001	SAE	0
19964	AS4568B	(R) HOSE ASSEMBLY, PTFE, PARA-ARAMID REINFORCED, STANDARD DUTY, 3000 PSI, 275 â_°F, TITANIUM FITTINGS, FLARELESS, STRAIGHT TO STRAIGHT	2001	SAE	0
19965	AS4569C	(R) HOSE ASSEMBLY, PTFE, PARA-ARAMID REINFORCED, STANDARD DUTY, 3000 PSI, 275 â_°F, TITANIUM FITTINGS, FLARELESS, STRAIGHT TO 45â_°	2001	SAE	0
19966	AS4570B	(R) HOSE ASSEMBLY, PTFE, PARA-ARAMID REINFORCED, STANDARD DUTY, 3000 PSI, 275 â_°F, TITANIUM FITTINGS, FLARELESS, STRAIGHT TO 90â_°	2001	SAE	0
19967	AMS1536B	Cleaner for Aircraft Components Cold Tank Type, Solvent-Base	2001	SAE	0
19968	AMS1537B	Cleaner, Alkaline Hot-Tank Type	2001	SAE	0
19969	AS4799A	(R) Hose Assembly, Lined Silicone, 125 psi, Fixed Cavity Coupling, Potable Water, Straight Female to Straight Female	2001	SAE	0
19970	AMS1546B	Compound, Carbon Removing, Orthodichiorobenzene for Engine Parts	2001	SAE	0
19971	AS50861-2	Wire, Electrical, Polyvinyl Chloride Insulated, PVC-Glass-Nylon, Tin-Coated Copper Conductor, 600-Volt, 105?C	2001	SAE	0

19972	AS50861-3	Wire, Electrical, Polyvinyl Chloride Insulated, PVC-Glass-PVC-Nylon, Tin-Coated Copper Conductor, 600-Volt, 105?C FSC 6145	2001	SAE	0
19973	AS50861-4	Wire, Electrical, Polyvinyl Chloride Insulated, Nylon Jacket, Tin-Coated Copper Conductor, 3000-Volt, 105?C	2001	SAE	0
19974	AS50861-5	Wire, Electrical, Polyvinyl Chloride Insulated, Polyvinylidene Fluoride Jacket, Tin-Coated Copper Conductor, 600-Volt, 110?C FSC 6145	2001	SAE	0
19975	AS50861-6	Wire, Electrical, Polyvinyl Chloride Insulated, Polyvinylidene Fluoride Jacket, Silver-Coated Copper Alloy Conductor, 600-Volt, 110?C	2001	SAE	0
19976	AMS1650C	Polish, Aircraft Metal	2001	SAE	0
19977	AS5134A	Aviation Distress Signal	2001	SAE	0
19978	AS6054	Drum, Metal - Shipping and Storage	2001	SAE	0
19979	AS6055	Drum, Metal Reusable, Shipping and Storage (Cap. from 88 to 510 Cubic Inches)	2001	SAE	0
19980	AMS2369B	Quality Assurance Sampling Carbon and Low-Alloy Steel Castings	2001	SAE	0
19981	AMS1800B	Foam, Fire Extinguishing Liquid Protein and Fluoroprotein	2001	SAE	0
19982	AS5389	Pallet Lift Truck and Container Fork Pocket Interface	2001	SAE	0
19983	AS5498	Minimum Operational Performance Specification for Inflight Icing Detection Systems	2001	SAE	0
19984	AS5505	Requirements for Accreditation of Testing Laboratories for Organic Coatings	2001	SAE	0
19985	AS793A	Total Temperature Measuring Instruments (Turbine Powered Subsonic Aircraft)	2001	SAE	0
19986	AS81714-30	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, MODULES, ELECTRONIC, FEEDBACK TYPE, SIZES 20-3, 20-4, 20-5 VERTICAL MOUNTING WITH INTEGRAL BRACKET, BLOCK MOUNTING, SERIES I	2001	SAE	0
19987	AS81714-31	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, MODULES, FEEDBACK TYPE, SIZES 20-6, 20-7, 20-8 HORIZONTAL MOUNTING WITH INTEGRAL BRACKET, SERIES I	2001	SAE	0
19988	AS81714-25	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, MODULES, ELECTRONIC, FEEDBACK TYPE, SIZE 20-1, SERIES I	2001	SAE	0
19989	AS81714-26	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, MODULES, ELECTRONIC, FEEDBACK TYPE, SIZE 20-2, SERIES I	2001	SAE	0
19990	AS81714-27	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, GROUNDING MODULES, STUD TYPE MOUNTING, SERIES I	2001	SAE	0
19991	AS81714-28	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, GROUNDING MODULES, INTEGRAL BRACKET MOUNTING, SERIES I	2001	SAE	0
19992	AS81714-29	TERMINAL JUNCTION SYSTEM, BRACKET, BLOCK MOUNTING, SERIES I	2001	SAE	0
19993	AS81714-17	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, BUSSING MODULES, FEEDBACK TYPE, SIZE 22D, SERIES I	2001	SAE	0
19994	AS81714-24	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, ELECTRONIC, IN-LINE JUNCTIONS, DOUBLE, INTEGRAL DIODE(S), SERIES I	2001	SAE	0
19995	AS81714-20	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, MODULES, ELECTRONIC, FEEDBACK TYPE, SIZE 12, SERIES I	2001	SAE	0
19996	AS81714-21	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, ELECTRONIC, IN-LINE JUNCTIONS, INTEGRAL DIODE, SERIES I	2001	SAE	0
19997	AS81714-22	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, ELECTRONIC, IN-LINE JUNCTION, INTEGRAL RESISTOR, SERIES I	2001	SAE	0
19998	AS81714-18	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, MODULES, ELECTRONIC, FEEDBACK TYPE, SIZE 20, SERIES I	2001	SAE	0
19999	AS81714-19	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, MODULES, ELECTRONIC, FEEDBACK TYPE, SIZE 16, SERIES I	2001	SAE	0
20000	AS7115	National Aerospace and Defense Contractors Accreditation Program Requirements for Elastomer Seals	2001	SAE	0

20001	AS7413	Coupling Assemblies, Quick Disconnect, Automatic Shutoff	2001	SAE	0
20002	AS7325B	Gasket, Metal O-Ring Corrosion and Heat Resistant Steel Procurement Specification For	2001	SAE	0
20003	AMS2409G	Plating, Immersion Tin For Aluminum Alloys	2001	SAE	0
20004	AS7251B	Nuts, Self-Locking, Steel, Corrosion and Heat Resistant High Strength, All Metal 1200 Degrees F Use, UNJ Thread Form	2001	SAE	0
20005	AS7253B	Nuts, Self-Locking, Nickel Alloy, UNS N07001 Classification: 180 ksi/1400 Degrees F Procurement Specification	2001	SAE	0
20006	AS686B	Piloted Ring Seal Tube Swivel Connection Assembly	2001	SAE	0
20007	AS629C	HOSE ASSEMBLY, 3000 psi, PTFE, FLARED, STRAIGHT TO 90Ï°, HEAVYWEIGHT	2001	SAE	0
20008	AS628C	HOSE ASSEMBLY, 3000 psi, PTFE, FLARED, STRAIGHT TO 45Ï°, HEAVYWEIGHT	2001	SAE	0
20009	AS627C	HOSE ASSEMBLY, 3000 psi, PTFE, FLARED, STRAIGHT TO STRAIGHT, HEAVYWEIGHT	2001	SAE	0
20010	AS630C	HOSE ASSEMBLY, 3000 psi, PTFE, FLARED, 45Ï° TO 45Ï°, HEAVYWEIGHT	2001	SAE	0
20011	AS631C	HOSE ASSEMBLY, 3000 psi, PTFE, FLARED, 45Ï° TO 90Ï°, HEAVYWEIGHT	2001	SAE	0
20012	AS632C	HOSE ASSEMBLY, 3000 psi, PTFE, FLARED, 90Ï° TO 90Ï°, HEAVYWEIGHT	2001	SAE	0
20013	AS626C	HOSE ASSEMBLY, 3000 psi, PTFE, FLARELESS, 90Ï° TO 90Ï°, HEAVYWEIGHT	2001	SAE	0
20014	AS625C	HOSE ASSEMBLY, 3000 psi, PTFE, FLARELESS, 45Ï° TO 90Ï°, HEAVYWEIGHT	2001	SAE	0
20015	AS622C	HOSE ASSEMBLY, 3000 psi, PTFE, FLARELESS, STRAIGHT TO 45Ï°, HEAVYWEIGHT	2001	SAE	0
20016	AS623C	HOSE ASSEMBLY, 3000 psi, PTFE, FLARELESS, STRAIGHT TO 90Ï°, HEAVYWEIGHT	2001	SAE	0
20017	AS624C	HOSE ASSEMBLY, 3000 psi, PTFE, FLARELESS, 45Ï° TO 45Ï°, HEAVYWEIGHT	2001	SAE	0
20018	J1237	Metric Thread Rolling Screws	2001	SAE	0
20019	J1266	Axle Efficiency Test Procedure	2001	SAE	0
20020	J1392	(R) Steel, High Strength, Hot Rolled Sheet and Strip, Cold Rolled Sheet, and Coated Sheet	2001	SAE	0
20021	J1416	Generator Terminal Labeling	2001	SAE	0
20022	J1699-1	SAE J1850 Verification Test Procedures	2001	SAE	0
20023	J1608	Manual Transmission Shift Patterns	2001	SAE	0
20024	J1615	Thread Sealants	2001	SAE	0
20025	AMS2680C	Electron-Beam Welding For Fatigue Critical Applications	2001	SAE	0
20026	AMS2690C	Parallel Gap Welding Microelectronic Interconnections to Thin Film Substrates	2001	SAE	0
20027	J1561	(R) Laboratory Speed Test Procedure for Passenger Car Tires	2001	SAE	0
20028	J1760	Data Security Services	2001	SAE	0
20029	J1731	Pilot Bearings for Truck and Bus Applications	2001	SAE	0
20030	J1927	Cumulative Damage Analysis for Hydraulic Hose Assemblies (Stabilized Type)	2001	SAE	0
20031	J1850	(R) Class B Data Communications Network Interface	2001	SAE	0
20032	J1855	Deployment of Electrically Activated Automotive Air Bags for Automobile Reclamation	2001	SAE	0
20033	J1832	Low Pressure Gasoline Fuel Injector	2001	SAE	0
20034	AMS2804C	Identification Castings	2001	SAE	0
20035	AMS2808D	Identification Forgings	2001	SAE	0
20036	J20-2	Coolant Hoseâ Normal Service Type Convoluted, Wire Support Hose	2001	SAE	0
20037	AMS2815X	Identification Welding Wire Line Code System	2001	SAE	0
20038	J2057-2	Class A Multiplexing Actuators	2001	SAE	0
20039	J2069	Recovery Attachment Points for Passenger Cars, Vans, and Light Trucks	2001	SAE	0
20040	J211-2	(R) Instrumentation for Impact Test-Part 2: Photographic Instrumentation	2001	SAE	0
20041	J2094	(R) Vehicle and Control Modifications for Drivers with Physical Disabilities Terminology	2001	SAE	0

20042	J2366-1	ITS Data Bus - IDB-C Physical Layer	2001	SAE	0
20043	J2366-1L	ITS Data Bus - Low Impedance Stereo Audio (LISA)	2001	SAE	0
20044	J2366-2	Link Layer	2001	SAE	0
20045	AMS3054B	Oil, Lubricating, Low Temperature For -55 Degrees C (-67 Degrees F) Service	2001	SAE	0
20046	AMS3056B	Lubricant, Instrument Bearing, Petroleum Base Viscosity 35	2001	SAE	0
20047	J24714	Fluid Systems - Connector Tubes - General Specification and Part Standard	2001	SAE	0
20048	AMS3066C	Compound, Corrosion-Inhibiting Water-Displacing, Soft Film, Aerosol Canned	2001	SAE	0
20049	J2590	PMODE for In-Vehicle Networks	2001	SAE	0
20050	J2548	Test Method to Obtain Lug-Up Torque Data for Heavy-Duty Truck and Bus Engines	2001	SAE	0
20051	J2545	Test Procedures for Non-SAE Hydraulic Hoses	2001	SAE	0
20052	J2561	Bluetooth Wireless Protocol for Automotive Applications	2001	SAE	0
20053	J2605	Non-Contact Hose Measurement Study 1 (Stabilized Type)	2001	SAE	0
20054	J393	(R) Nomenclature - Wheels, Hubs, and Rims for Commercial Vehicles	2001	SAE	0
20055	AMS3160H	Solvent, Petroleum	2001	SAE	0
20056	J624	Tapped and Flanged Exhaust Connections for Small Engines	2001	SAE	0
20057	AMS3180F	Toluene, Industrial Grade	2001	SAE	0
20058	AMS3168	Aqueous Cleaners for Cleaning Prior to Application of Sealing Compounds	2001	SAE	0
20059	AMS3161B	Oil, Odorless Heavy Solvent	2001	SAE	0
20060	AMS3165E	Solvent, Petroleum Aromatic	2001	SAE	0
20061	MA1520A	Areas for Calculating Stress or Load Values for Metric MJ Externally Threaded Fasteners	2001	SAE	0
20062	MA1696A	Screw Threads, Metric Buttress - MJB Profile	2001	SAE	0
20063	AMS3217-6A	Test Slabs, Phosphonitrilic Fluoroelastomer (FZ) 65 - 75	2001	SAE	0
20064	AMS3224	Nitrile-Butadiene Rubber Fuel, Fire, and Ozone Resistant 65 - 75	2001	SAE	0
20065	MAP1753A	Hole Sizes, Recommended for Metric Fasteners on Propulsion Equipment	2001	SAE	0
20066	MAM2615B	Pressure Testing, Hydraulic Pressure as Specified, Metric	2001	SAE	0
20067	MAM2616C	Pressure Testing, Hydraulic 1380 kPa	2001	SAE	0
20068	AMS3316	Silicone Rubber, Fiberglass Fabric Reinforced	2001	SAE	0
20069	AIR1551A	Torque Tightening Metric Screw Threaded Fasteners	2001	SAE	0
20070	AMS3711E	Core, Honeycomb Fibrous, Aramid Base, Phenolic Coated	2001	SAE	0
20071	AMS3712C	Core, Honeycomb, Glass/Polyimide	2001	SAE	0
20072	AMS3420F	Dehydrating Agent Silica Gel	2001	SAE	0
20073	AIR1754A	Washer, Thermal Compensating, Metric Series	2001	SAE	0
20074	AIR1904B	Tire Spray Suppression - Airplane Design and Consideration for	2001	SAE	0
20075	AIR1899A	Aerospace Military Aircraft Hydraulic System Characteristics	2001	SAE	0
20076	AMS4102G	Aluminum Alloy Bars, Rods, and Wire, Rolled or Cold-Finished 99.0Al (1100-F) as Fabricated - UNS A91100	2001	SAE	0
20077	AMS4259A	Aluminum Alloy, Sheet 2.4Li - 1.3Cu - 0.95Mg - 0.10Zr (8090-T6) Solution and Precipitation Heat Treated (Unrecrystallized)	2001	SAE	0
20078	AMS4288	Aluminum Alloy Castings 7.0Si - 0.58Mg - 0.15Ti (E357.0-T6) Solution and Precipitation Heat Treated	2001	SAE	0
20079	AMS4289	Aluminum Alloy Castings 7.0Si - 0.55Mg - 0.12Ti (F357.0-T6) Solution and Precipitation Heat Treated	2001	SAE	0
20080	AMS4266A	Aluminum Alloy, Sheet 6.5Fe - 1.3Si - 0.60V (8022-H112) Powder Metallurgy Product, Strain Hardened - UNS 98022	2001	SAE	0
20081	AMS4335	Forgings, Aluminum Alloys 2xxx and 7xxx, Heat-Treated, Finished-Part Properties: Short-Transverse Tensile Properties and Fracture Toughness	2001	SAE	0

20082	AMS4632E	Aluminum Bronze Bars and Rods 90Cu - 8.5Al Hard	2001	SAE	0
20083	AMS4625G	Phosphor Bronze Bars, Rods, and Tubing 95Cu - 5Sn Hard Temper - UNS C51000	2001	SAE	0
20084	AMS4510G	Phosphor Bronze, Sheet, Strip, and Plate 94.5Cu - 4.0Sn - 0.19P Spring Temper (H08) - UNS C51000	2001	SAE	0
20085	AMS4507H	Copper Alloy (Brass), Sheet, Strip, and Plate 70Cu - 30Zn Half Hard (H02) - UNS C26000	2001	SAE	0
20086	AMS5221E	Iron-Nickel Alloy Strip 49Fe - 5.3Cr - 42Ni - 2.5Ti - 0.55Al Solution Heat Treated - UNS N09902	2001	SAE	0
20087	AMS5310G	Iron Castings, Pearlitic Malleable - UNS F23330	2001	SAE	0
20088	AMS5329F	Steel Castings, Sand 0.80Cr - 1.8Ni - 0.35Mo (0.28 - 0.36C) (SAE 4330 Modified) Annealed	2001	SAE	0
20089	AMS5335F	Steel Castings, Sand 0.65Cr - 0.75Ni - 0.20Mo (0.25 - 0.33C) (SAE 8630 Modified) Normalized and Tempered	2001	SAE	0
20090	AMS5069F	Steel Bars, Forgings, and Tubing 0.15 - 0.20C (SAE 1018) - UNS G10180	2001	SAE	0
20091	AMS5080J	Steel, Bars, Forgings, and Tubing 0.31 - 0.38C (SAE 1035) - UNS G10350	2001	SAE	0
20092	AMS5075F	Steel Tubing, Seamless 0.22 - 0.28C (SAE 1025) Cold Drawn and Stress Relieved - UNS G10250	2001	SAE	0
20093	AMS5050K	Steel Tubing, Seamless 0.15 Carbon, Maximum Annealed - UNS G10100	2001	SAE	0
20094	AMS5070H	Steel, Bars and Forgings 0.18 - 0.23C (SAE 1022) - UNS G10220	2001	SAE	0
20095	AMS4846B	Tin Bronze Castings, Sand and Centrifugal 86.5Cu-11.2Sn-2.0Zn As Cast	2001	SAE	0
20096	AMS4862F	Manganese Bronze, Sand and Centrifugal Castings 63Cu - 24Zn - 6.2Al - 3.8Mn - 3.0Fe High Strength, As Cast - UNS C86300	2001	SAE	0
20097	AMS5384E	Alloy Castings, Investment, Corrosion and Heat Resistant 53Ni - 18Cr - 18Co - 4.0Mo - 2.9Ti - 2.9Al - 0.006B Vacuum-Melted, Vacuum-Cast, Solution and Precipitation Heat Treated - UNS N07500	2001	SAE	0
20098	AMS5505E	Steel, Corrosion and Heat Resistant, Sheet, Strip, and Plate 12Cr (SAE 51410 Modified) Ferrite Controlled, Annealed - UNS S41000	2001	SAE	0
20099	AMS5506F	Steel, Corrosion and Heat Resistant, Sheet, Strip, and Plate 13Cr (0.30 - 0.40C) (SAE 51420) Annealed - UNS S42000	2001	SAE	0
20100	AMS5508F	Steel, Corrosion and Heat Resistant, Sheet, Strip, and Plate 13Cr - 2.0Ni - 3.0W Annealed - UNS S41800	2001	SAE	0
20101	AIR4548A	Real-Time Modeling Methods for Gas Turbine Engine Performance	2001	SAE	0
20102	AMS5593F	Nickel Alloy, Corrosion and Heat Resistant, Sheet, Strip, and Plate 45.5Ni - 25.5Cr - 3.2Co - 3.2Mo - 3.2W - 18.5Fe Solution Heat Treated - UNS N06333	2001	SAE	0
20103	AMS5577H	Steel, Corrosion and Heat Resistant, Welded Tubing 25Cr - 20Ni (SAE 30310) Solution Heat Treated - UNS S31008	2001	SAE	0
20104	AMS5623C	Steel Bars and Forgings, High Expansion 9.5No - 5.5Mn (0.55 - 0.65C) Annealed - UNS K91456	2001	SAE	0
20105	AMS5613R	Steel, Corrosion and Heat Resistant, Bars, Wire, Forgings, Tubing, and Rings 12.5Cr (SAE 51410) Annealed - UNS S41000	2001	SAE	0
20106	AMS5614E	Steel, Corrosion and Heat Resistant, Bars, Wire, and Forgings 12Cr - 0.50Mo Annealed - UNS S41025	2001	SAE	0
20107	AMS5603E	Steel Sheet and Strip, Corrosion and Moderate Heat Resistant 15Cr - 8.4Ni - 2.2Mo - 1.1Al Vacuum Induction Melted, Solution Heat Treated	2001	SAE	0
20108	AMS5655E	Steel, Corrosion and Heat Resistant, Bars, Wire, and Forgings 12.5Cr - 0.75Ni - 1.0Mo - 1.0W - 0.24V (0.20-0.25C) Hardened and Tempered - UNS S42200	2001	SAE	0
20109	AMS5664E	Nickel Alloy, Corrosion and Heat Resistant, Bars, Forgings, and Rings 52.5Ni - 19Cr - 3.0Mo - 5.1Cb - 0.90Ti - 0.50A1 - 18Fe Consumable Electrode or Vacuum Induction Melted 1950 Degrees F (1066 Degrees C) Solution Heat Treated, Precipitation Hardenable -	2001	SAE	0
20110	AMS5690L	Steel, Corrosion and Heat Resistant, Wire 17Cr - 12Ni - 2.5Mo (SAE 30316) Solution Heat Treated - UNS S31600	2001	SAE	0
20111	AMS5689F	Steel, Corrosion and Heat Resistant, Wire 18Cr - 10.5Ni - 0.40Ti (SAE 30321) Solution Heat Treated - UNS S32100	2001	SAE	0
20112	AMS5693C	Steel, Corrosion Resistant, Wire 18Cr - 9.0Ni Cryogenically Produced, High Tensile Strength	2001	SAE	0
20113	AMS5679G	Nickel Alloy, Corrosion and Heat Resistant, Welding Wire 73Ni - 15.5Cr - 2.2Cb - 8.0Fe - UNS N06062	2001	SAE	0
20114	AMS5686G	Steel, Corrosion Resistant, Rivet Wire, 18Cr - 11.5Ni (SAE 30305) Solution Heat Treated - UNS S30500	2001	SAE	0
20115	AMS5674E	Steel, Corrosion and Heat Resistant, Wire 18Cr - 11.5Ni - 0.70Cb (SAE 30347) Solution Heat Treated - UNS S34700	2001	SAE	0

20116	AMS5672C	Steel Wire, Corrosion Resistant 11.8Cr - 8.5Ni - 0.30(Cb + Ta) - 1.1Ti - 2.0Cu Precipitation Hardenable, Spring Temper - UNS45500	2001	SAE	0
20117	AMS5777E	Steel, Corrosion Resistant, Covered Welding Electrodes 12.5Cr - UNS W41010	2001	SAE	0
20118	AMS5781D	Steel Welding Electrodes, Covered, Corrosion and Moderate Heat Resistant 15.5Cr - 4.SNi - 2.9Mo - 0.10N - UNS W35510	2001	SAE	0
20119	AMS5783F	Steel, Corrosion and Heat Resistant Welding Electrodes, Covered 19.5cr - 8.8Ni - 0.50Mo - 1.5W - 1.0Cb - UNS W34910	2001	SAE	0
20120	AMS5806C	Alloy Welding Wire, Corrosion and Heat Resistant, Low Expansion 42Fe - 38Ni - 15Co - 3.0 (Cb + Ta - 1.4Ti) - 0.92Al Vacuum Melted	2001	SAE	0
20121	AMS5819A	Cobalt Alloy, Corrosion and Heat Resistant, Hardfacing Rod and Wire 62Co - 27Cr - 2.9Ni - 5.5Mo - UNS R30021	2001	SAE	0
20122	AMS5823E	Steel, Corrosion and Heat Resistant, Welding Wire 11.8Cr - 2.8Ni - 1.6Co - 1.8Mo - 0.32V - UNS S41780	2001	SAE	0
20123	AMS5828G	Nickel Alloy, Corrosion and Heat Resistant, Welding Wire 57Ni - 19.5Cr - 13.5Co - 4.2Mo - 3.1Ti - 1.4Al - 0.006B Vacuum Induction Melted, Solution Heat Treated - UNS N07001	2001	SAE	0
20124	AMS5835C	Nickel Alloy, Corrosion and Heat-Resistant, Welding Wire 72Ni - 3.2Mn - 20Cr - 2.5Cb - 0.48Ti Vacuum Induction Melted, Environment Controlled Packaging - UNS N06082	2001	SAE	0
20125	AMS5859D	Steel, Corrosion Resistant, Sheet, Strip, and Plate 15Cr - 6.5Ni - 0.75Mo - 0.30Cb - 1.5Cu Consumable Electrode Melted, Solution Heat Treated Precipitation Hardenable - UNS S45000	2001	SAE	0
20126	AMS5851D	Nickel Alloy, Corrosion and Heat Resistant, Powder 55Ni - 15Cr - 17Co - 5.OMo - 3.5Ti - 4.OAI - 0.025B As Fabricated - UNS N13017	2001	SAE	0
20127	AMS5852D	Nickel Alloy, Corrosion and Heat Resistant, Billets and Preforms 55Ni - 15Cr - 17Co - 5.0Mo - 3.5Ti - 4.0Al - 0.025B Power Metallurgy Product, Hot Isostatically Pressed - UNS N13017	2001	SAE	0
20128	AMS6342J	Steel Bars, Forgings, and Tubing 0.80Cr - 1.0Ni - 0.25Mo (0.38 - 0.43C) (SAE 9840) - G98400	2001	SAE	0
20129	AMS6365J	Steel Tubing, Seamless 0.95Cr - 0.20Mo (0.33 - 0.38C) (SAE 4135) Normalized or Stress Relieved - UNS G41350	2001	SAE	0
20130	AMS6426E	Steel Bars, Forgings, and Tubing 0.75Si - 1.0Cr - 0.58Mo (0.80 - 0.90C) Consumable Electrode Vacuum Melted - UNS K18597	2001	SAE	0
20131	AMS6406D	Steel Sheet, Strip, and Plate 1.6Si - 2.1Cr - 0.58Mo - 0.05V (0.41 - 0.46C) Annealed	2001	SAE	0
20132	AMS6379B	Steel Bars 0.95Cr - 0.20Mo - 0.05Te (0.40 - 0.53C) (SAE 4140 Modified) Die Drawn and Tempered, 165,000 psi (1138 MPa) Yield Strength	2001	SAE	0
20133	AMS6378F	Steel Bars 1.0Cr - 0.20Mo - 0.45Se (0.39 - 0.48C) (4142H Modified) Die-Drawn, 130 ksi (896 MPa) Yield Strength Free Machining - UNS K11542	2001	SAE	0
20134	AMS6266H	Steel Bars, Forgings, and Tubing 0.50Cr - 1.82Ni - 0.25Mo - 0.003B - 0.06V (0.08 - 0.13C) (43BV12)	2001	SAE	0
20135	AMS5914A	Nickel Alloy, Corrosion and Heat Resistant, Sheet, Strip, and Foil 52.5Ni - 19Cr - 3.0Mo - 5.0Cb - 0.90Ti - 0.50Al - 18Fe Consumable Electrode or Vacuum Induction Melted Precision Cold Rolled, Solution Heat Treated - UNS N07719	2001	SAE	0
20136	AMS5898A	Steel, Corrosion Resistant, Bars, Wire, and Forgings 15.2Cr - 1.0Mo - 0.40N - (0.28 - 0.34C) Consumable Electrode Melted Under Pressure	2001	SAE	0
20137	AMS7261-1F	Rings, Sealing, Phosphonitrilic (FZ) Fluoroelastomer High-Temperature-Fluid Resistant 65 - 75	2001	SAE	0
20138	AMS7261-2F	Rings, Sealing, Phosphonitrilic (FZ) Fluoroelastomer High-Temperature-Fluid Resistant 75-85	2001	SAE	0
20139	AMS7265C	Rings, Sealing, Ethylene Propylene (EPM) Rubber Phosphate Ester Hydraulic Fluid Resistant 75 - 85	2001	SAE	0
20140	AMS7261-3E	Rings, Sealing, Phosphonitrilic (FZ) Fluoroelastomer High-Temperature-Fluid Resistant 85 - 95	2001	SAE	0
20141	AMS7261D	Rings, Sealing, Phosphonitrilic (FZ) Fluoroelastomer High- Temperature-Fluid Resistant	2001	SAE	0
20142	AMS7262C	Rings, Sealing, Ethylene Propylene (EPM) Rubber Phosphate Ester Hydraulic Fluid Resistant 58 - 95	2001	SAE	0
20143	AIR5273	Actuation System Failure Detection Methods	2001	SAE	0
20144	AMS7304E	Springs, Steel 0.85 - 1.05C Hardened and Tempered After Forming - UNS G10950	2001	SAE	0
20145	AMS7445D	Balls, Steel, Corrosion-Resistant 17Cr Annealed - UNS S44002, S44003, S44004	2001	SAE	0
20146	AMS7238B	Alloy PM Shapes, Corrosion, Wear, and Heat Resistant 66Co - 30Cr - 8.25W (1.10 - 1.90C)	2001	SAE	0
20147	AMS7239B	Alloy PM Shapes, Corrosion, Wear, and Heat Resistant 60Co - 29Cr - 4.5W (0.90 - 1.40C)	2001	SAE	0

20148	AMS6436C	Steel Sheet, Strip, and Plate, Low-Alloy, Heat Resistant 0.65Si - 1.25Cr - 0.50Mo - 0.85V (0.25 - 0.30C) Annealed - UNS K22770	2001	SAE	0
20149	AMS6457C	Steel, Welding Wire 0.95Cr - 0.20Mo (0.28 - 0.33C) Vacuum Melted, Environment Controlled Packaging SAE 4130 - UNS K13147	2001	SAE	0
20150	AMS6458H	Steel, Welding Wire 0.65Si - 1.25Cr - 0.50Mo - 0.30V (0.28 - 0.33C) Vacuum Melted, Environment Controlled Packaging - UNS K23015	2001	SAE	0
20151	AMS6520D	Steel, Maraging, Sheet, Strip, and Plate 18Ni - 7.8Co - 4.9Mo - 0.40Ti - 0.10Al Consumable Electrode Melted, Solution Heat Treated - UNS K92890	2001	SAE	0
20152	AMS6546F	Steel, Sheet, Strip, and Plate 0.48Cr - 8.0Ni - 4.0Co - 0.48Mo - 0.09V (0.24 - 0.30C) Consumable Electrode Melted, Annealed (UNS K91122)	2001	SAE	0
20153	AMS6550J	Steel Tubing, Welded 0.50Cr - 0.55Ni - 0.20Mo (0.28 - 0.33C) (SAE 8630) - UNS G86300	2001	SAE	0
20154	AMS-C-83231A	Coatings, Polyurethane, Rain Erosion Resistant for Exterior Aircraft and Missile Plastic Parts	2001	SAE	0
20155	AMS-C-83445A	Coating System, Polyurethane, Nonyellowing, White, Rain Erosion Resistant, Thermally Reflective	2001	SAE	0
20156	AMS-P-29609	Polyimide Retainer Material, Porous Non-Metallic	2001	SAE	0
20157	AIR5396	Characterization of Aircraft Icing Conditions	2001	SAE	0
20158	AIR5388	Unique Wheel and Brake Designs	2001	SAE	0
20159	AIR5426	Fitting and Fitting Assembly Selection, Installation, Inspection and Maintenance of	2001	SAE	0
20160	AMS7717D	Nickel-Iron Alloy, Magnetic, Sheet and Strip 50Ni - 50Fe Annealed, Forming Grade - UNS K95000	2001	SAE	0
20161	AMS7724C	Alloy Sheet and Strip, Sintered Wire Mesh, Corrosion and Heat Resistant 30Fe - 1.5Mn - 21Cr - 20Ni - 20Co - 3.0Mo - 2.5W - 1.0(Cb +Ta) - 0.15N Porous - UNS R30100	2001	SAE	0
20162	AMS7719D	Nickel-Iron Alloy, Magnetic, Sheet and Strip 50Ni - 50Fe Stamping Quality, Half-Hard Temper - UNS K95000	2001	SAE	0
20163	AMS7312G	Piston Rings, Centrifugally-Cast Iron	2001	SAE	0
20164	AMS7464C	Bolts and Screws, Steel, Low-Alloy Heat-Resistant 220,000 psi (1517 MPa) Tensile Strength Hardened and Tempered, Roll Threaded	2001	SAE	0
20165	AMS-R-6130A	Rubber, Cellular, Chemically Blown	2001	SAE	0
20166	AMS-R-81903	Remover, Acid Activated, For Amine-Cured Epoxy Coating Systems	2001	SAE	0
20167	AMS-R-83485-1	RUBBER, FLUOROCARBON ELASTOMER, IMPROVED PERFORMANCE AT LOW TEMPERATURES, O-RINGS, SIZES AND TOLERANCES	2001	SAE	0
20168	ARP1107B	Tail Bumpers for Piloted Aircraft	2001	SAE	0
20169	ARP1201C	Tolerances, Hexagon Bar, Machined Flat and Forged Wrenching Flat Sizes for Fluid Fittings	2001	SAE	0
20170	ARP1231A	Gland Design, Elastomeric O-Ring Seals, General Considerations	2001	SAE	0
20171	ARP1232B	Gland Design, Elastomeric O-Ring Seals, Static Radial	2001	SAE	0
20172	ARP1233A	Gland Design, Elastomeric O-Ring Seals, Dynamic Radial, 1500 psi Max	2001	SAE	0
20173	ARP1234B	Gland Design, Elastomeric O-Ring Seals, Static Axial, Without Back-Up Rings	2001	SAE	0
20174	ARP147E	(R) Environmental Control Systems Terminology	2001	SAE	0
20175	ARP1341B	Determining Decarburization and Carburization in Finished Parts of Carbon and Low-Alloy Steels	2001	SAE	0
20176	ARP1360A	Detection of Chloride and Bromide Contamination of Electronic Equipment	2001	SAE	0
20177	ARP2654	Ultrasonic Thickness Testing	2001	SAE	0
20178	ARP419A	Automatic Pilot Installations	2001	SAE	0
20179	ARP4256A	Design Objectives for Liquid Crystal Displays for Part 25 (Transport) Aircraft	2001	SAE	0
20180	ARP427A	Pressure Ratio Instruments	2001	SAE	0
20181	ARP4285	Aerospace - Evaluation of Particulate Contamination in Hydraulic Fluid - Membrane Procedure	2001	SAE	0

20182	ARP426A	Compass System Installations	2001	SAE	0
20183	ARP433A	Liquid Oxygen Quantity Instruments	2001	SAE	0
20184	ARP416A	Directional Indicating System (Turbine Powered Subsonic Aircraft)	2001	SAE	0
20185	ARP4102-9A	Flight Management System (FMS)	2001	SAE	0
20186	ARP1515A	Threaded Fastener Protrusion Through Self-Locking Nuts	2001	SAE	0
20187	ARP1619A	Replacement and Modified Brakes and Wheels	2001	SAE	0
20188	ARP1821A	Aircraft Ground Flotation Analysis Methods	2001	SAE	0
20189	ARP1925B	Automated Brush Deburring	2001	SAE	0
20190	ARP1902A	Bolt, Tee Head, Interface Surface, Dimensions for	2001	SAE	0
20191	ARP1833A	Sealing Techniques for Missile Applications	2001	SAE	0
20192	ARP246C	Orientation of Engine Axis, Coordinate and Numbering Systems for Aircraft Gas Turbine Engines	2001	SAE	0
20193	AIR1174B	Index of Starting System Specifications and Standards	2001	SAE	0
20194	ARP510A	Moment Weight of Turbine and Compressor Rotor Blades	2001	SAE	0
20195	ARP493A	Knobs, Control Aircraft, Recommended Design	2001	SAE	0
20196	ARP4784A	Definitions and Limits, Metal Material Defects and Surface and Edge Features, Fluid Couplings, Fittings and Hose Ends	2001	SAE	0
20197	ARP5430	Human Interface Criteria for Vertical Situation Awareness Displays	2001	SAE	0
20198	ARP5429	Landing Gear Fatigue Tests with Equivalent Damage Spectra	2001	SAE	0
20199	ARP5366	Autopilot, Flight Director, and Autothrust Systems	2001	SAE	0
20200	ARP5288	Transport Category Airplane Head Up Display (HUD) Systems	2001	SAE	0
20201	ARP5497	Modification or Replacement of Components on Dynamically Certified Seat Systems	2001	SAE	0
20202	ARP5580	Recommended Failure Modes and Effects Analysis (FMEA) Practices for Non-Automobile Applications	2001	SAE	0
20203	ARP5824	Recommended Solid Film Lubricants for Fluid System Components	2001	SAE	0
20204	ARP573D	Silver, Copper and Nickel Alloy Brazed Joints for Aerospace Propulsion Systems	2001	SAE	0
20205	ARP674C	Groove Design, Metal O-Ring Gasket	2001	SAE	0
20206	ARP843A	Chip Detector, Electrical Connection, Remote Indicating	2001	SAE	0
20207	ARP868C	Method-Pressure Drop Tests for Fuel System Components	2001	SAE	0
20208	ARP794A	Airstream Deviation Instrument (ADI)	2001	SAE	0
20209	ARP901A	Bubble-Point Test Method	2001	SAE	0
20210	ARP906B	Glossary, Aircraft Engine Starting and Auxiliary Power Systems	2001	SAE	0
20211	AS1227C	Hose Assembly, Convoluted Polytetrafluoroethylene, Metallic Reinforced, Low Pressure, Up to 400 ĵ°F, Aircraft	2001	SAE	0
20212	AS13572	Springs, Helical, Compression and Extension	2001	SAE	0
20213	AS13591A	Cleaning Methods and Procedures for Breathing Oxygen Equipment	2001	SAE	0
20214	AIR809A	Metal Dimensional Change with Temperature	2001	SAE	0
20215	AS21923A	Adapter, Flareless Tube, Bulkhead and Universal to Flared Tube	2001	SAE	0
20216	AIR825-1	NULL	2001	SAE	0
20217	AS177B	Operating Instructions for Aircraft Engines (Preparation of)	2001	SAE	0
20218	AS176C	Limits, Table of Limits and Lubrication Charts	2001	SAE	0
20219	AS18607A	Thermal Anti-Icing Equipment, Wing and Empennage	2001	SAE	0
20220	AS1709A	Coupling Assembly, Hydraulic Self Sealing, Quick Disconnect	2001	SAE	0
20221	AS27683	Drums, Metal - Shipping and Storage 16 to 80 Gallons	2001	SAE	0
20222	AS27684	Drums, Metal - Shipping and Storage 3 to 12 Gallons	2001	SAE	0

20223	AS22759-15	WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, FEP-PVF 2, LIGHT WEIGHT, SILVER-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600-VOLT	2001	SAE	0
20224	AS22759-17	WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED ETFE, MEDIUM WEIGHT, SILVER-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600-VOLT, 150?C	2001	SAE	0
20225	AS22759-16	WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED ETFE, MEDIUM WEIGHT, TIN-COATED COPPER CONDUCTOR, 600-VOLT, 150?C	2001	SAE	0
20226	AS22759-18	WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED ETFE, LIGHT WEIGHT, TIN-COATED COPPER CONDUCTOR, 600-VOLT, 150?C	2001	SAE	0
20227	AS22759-19	WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED ETFE, LIGHT WEIGHT, SILVER-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600-VOLT, 150?C	2001	SAE	0
20228	AS22759-20	WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, SILVER-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 1000-VOLT	2001	SAE	0
20229	AS22759-22	WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, SILVER-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600-VOLT	2001	SAE	0
20230	AS22759-21	WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, NICKEL-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 1000-VOLT	2001	SAE	0
20231	AS22759-30	WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, POLYIMIDE COATED, SILVER-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600-VOLT	2001	SAE	0
20232	AS22759-31	WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, POLYIMIDE COATED, NICKEL-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600-VOLT	2001	SAE	0
20233	AS22759-29	NULL	2001	SAE	0
20234	AS22759-28	WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, POLYIMIDE COATED, SILVER-COATED COPPER CONDUCTOR, 600-VOLT	2001	SAE	0
20235	AS22759-23	WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, NICKEL-COATED HIGH STRENGTH COPPER ALLOY CONDUCTOR, 600-VOLT	2001	SAE	0
20236	AS264E	Instrument and Cockpit Lighting for Commercial Transport Aircraft	2001	SAE	0
20237	AS24335	FLANGE, BULKHEAD MOUNTING, HYDRAULIC SELF-SEALING COUPLING	2001	SAE	0
20238	AS24347	Drums, Metal, Reusable Shipping and Storage	2001	SAE	0
20239	AIR847A	Oxygen Equipment for Commercial Transport Aircraft Which Fly Above 45,000 Ft	2000	SAE	0
20240	AS245B	Water Solution Type Hand Fire Extinguisher	2000	SAE	0
20241	AS22759-3	WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, TFE-GLASS-TFE, MEDIUM WEIGHT, NICKEL-COATED COPPER CONDUCTOR, 600-VOLT	2000	SAE	0
20242	AS22759-32	NULL	2000	SAE	0
20243	AS22759-33	WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, LIGHTWEIGHT, SILVER-COATED, HIGH-STRENGTH COPPER ALLOY, 200?C, 600 VOLT	2000	SAE	0
20244	AS22759-2	WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, PTFE AND PTFE-COATED GLASS, NICKEL-COATED COPPER CONDUCTOR, 600-VOLT	2000	SAE	0
20245	AS22759-5	WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, ABRASION RESISTANT EXTRUDED PTFE, SILVER-COATED COPPER CONDUCTOR, 600 VOLT	2000	SAE	0
20246	AS22759-46	WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, LIGHTWEIGHT, NICKEL-COATED HIGH-STRENGTH COPPER ALLOY, 200?C, 600 VOLT	2000	SAE	0
20247	AS22759-45	WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, LIGHTWEIGHT, NICKEL-COATED COPPER, 200?C, 600 VOLT	2000	SAE	0
20248	AS22759-44	WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, LIGHTWEIGHT, SILVER-COATED COPPER, 200?C, 600 VOLT	2000	SAE	0
20249	AS22759-34	WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, NORMAL WEIGHT, TIN-COATED COPPER, 150?C, 600 VOLT	2000	SAE	0

20250	AS22759-35	WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, NORMAL WEIGHT, SILVER-COATED, HIGH-STRENGTH COPPER ALLOY, 200?C, 600 VOLT	2000	SAE	0
20251	AS22759-4	WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, TFE-GLASS-FEP, MEDIUM WEIGHT, SILVER-COATED COPPER CONDUCTOR, 600-VOLT	2000	SAE	0
20252	AS22759-41	WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, NORMAL WEIGHT, NICKEL-COATED COPPER, 200?C, 600 VOLT	2000	SAE	0
20253	AS22759-42	WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, NORMAL WEIGHT, NICKEL-COATED HIGH-STRENGTH COPPER ALLOY, 200?C, 600 VOLT	2000	SAE	0
20254	AS22759-43	WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, CROSSLINKED MODIFIED ETFE, NORMAL WEIGHT, SILVER-COATED COPPER, 200?C, 600 VOLT	2000	SAE	0
20255	AS22759-7	WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, ABRASION RESISTANT EXTRUDED PTFE, MEDIUM WEIGHT, SILVER-COATED CONDUCTOR, 600 VOLT	2000	SAE	0
20256	AS22759-8	WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, ABRASION RESISTANT EXTRUDED PTFE, MEDIUM WEIGHT, NICKEL-COATED COPPER CONDUCTOR, 600 VOLT	2000	SAE	0
20257	AS22759-14	WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, FEP-PVF2, LIGHT WEIGHT, TIN-COATED COPPER CONDUCTOR, 600-VOLT	2000	SAE	0
20258	AS22759-12	WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, NICKEL-COATED COPPER CONDUCTOR, 600 VOLT	2000	SAE	0
20259	AS22759-13	WIRE, ELECTRIC, FLUOROPOLYMER-INSULATED, FEP-PVF2, MEDIUM WEIGHT, TIN-COATED COPPER CONDUCTOR, 600-VOLT	2000	SAE	0
20260	AS22759-11	WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, SILVER-COATED COPPER CONDUCTOR, 600 VOLT	2000	SAE	0
20261	AS22759-1	WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, PTFE AND PTFE-COATED GLASS, SILVER-COATED COPPER CONDUCTOR, 600-VOLT	2000	SAE	0
20262	AS22759-10	WIRE, ELECTRICAL, FLUOROPOLYMER-INSULATED, EXTRUDED TFE, NICKEL-COATED COPPER CONDUCTOR, 1000 VOLT	2000	SAE	0
20263	AS3071B	Acceptance Criteria - Magnetic Particle, Fluorescent Penetrant, and Contrast Dye Penetrant Inspection	2000	SAE	0
20264	AS172271 THRU AS172320	WASHER, KEY - SINGLE, AMS 6350 (ASG)	2000	SAE	0
20265	AS172201 THRU AS172235	WASHER, KEY - SINGLE, BEARING RETAINING, AMS 8350 (ASG)	2000	SAE	0
20266	AS17320	Mounting Devices for Aircraft Electric Equipment, Quick Attach-Detach, Circular, 5-, 8-, and 10-Inch	2000	SAE	0
20267	AS14241	CLAMP, LOOP TYPE, CUSHIONED SUPPORT, METRIC	2000	SAE	0
20268	AS14272	CLAMP, LOOP, CUSHIONED, ELONGATED, METRIC	2000	SAE	0
20269	AS14489	CLAMP, LOOP, METAL, PLAIN, SUPPORT, AIRCRAFT, METRIC	2000	SAE	0
20270	AS14298	CLAMP ASSEMBLY, CUSHIONED, METRIC	2000	SAE	0
20271	AS14169	CIRCULAR SPLINE AND ADAPTER DETAILS ENGINE DRIVEN ACCESSORIES	2000	SAE	0
20272	AS14184	Nonmetallic Shaft-Coupling Details, Engine Driven Accessories	2000	SAE	0
20273	AS1553A	Performance Standard for Tube Support Loop-Cushioned Clamp	2000	SAE	0
20274	AS21919	CLAMP, LOOP TYPE, CUSHIONED SUPPORT	2000	SAE	0
20275	AS122900 THRU AS122939	CLAMP - LOOP TYPE SUPPORT (HEAT RESISTANT) .204 HOLE	2000	SAE	0
20276	ARP998B	Crew Restraint System	2000	SAE	0
20277	ARP917B	Stowage of Flight Crews Survival, Emergency and Miscellaneous Equipment	2000	SAE	0

20278	ARP682C	Safety Lap Belts (for Civil Transport Aircraft)	2000	SAE	0
20279	ARP575B	Filter Patch Testing Procedures for Aerospace Hydraulic Pumps and Motors	2000	SAE	0
20280	ARP5453	Training Pilots Prior Simultaneous Instrument Landing System (ILS) Precision Runway Monitor (PRM) Approaches to Closely-Spaced Parallel Runways	2000	SAE	0
20281	ARP4715	Induction Hardening of Steel Components	2000	SAE	0
20282	ARP4946	Aerospace - Valves, Check, Hydraulic, Aircraft and Missile	2000	SAE	0
20283	ARP5144	Heat Application for Thermosetting Resin Curing	2000	SAE	0
20284	ARP5088A	Test Method for the Determination of Total Acidity in Polyol Ester and Diester Gas Turbine Lubricants by Automatic Potentiometric Titration	2000	SAE	0
20285	ARP1932A	Anodize Treatment of Titanium and Titanium Alloys pH 12.4 Maximum	2000	SAE	0
20286	ARP4102-12A	Airborne Landing Guidance System for Transport Aircraft	2000	SAE	0
20287	ARP4102-15A	Electronic Data Management System (EDMS)	2000	SAE	0
20288	ARP1398A	Testing of Oxygen Equipment	2000	SAE	0
20289	ARP1317A	Electron Beam Welding	2000	SAE	0
20290	ARP1321A	Flexure Testing of Bent Hydraulic Tubing	2000	SAE	0
20291	ARP1192C	Procedure for Calibration and Verification of a Liquidborne Particle Counter: An Absolute Standard	2000	SAE	0
20292	AMS-R-83248-1	Rubber, Fluorocarbon Elastomer, High Temperature, Fluid and Compression Set Resistant (O-Rings, Class 1, 75 Hardness)	2000	SAE	0
20293	AMS-R-83248-2	Rubber, Fluorocarbon Elastomer, High Temperature, Fluid and Compression Set Resistant (O-Rings, Class 1, 75 Hardness)	2000	SAE	0
20294	AMS-S-18732B	Steel Bars, Wire, Forging Stock, Forgings, Tubing (431), Special Quality	2000	SAE	0
20295	AMS-S-851B	Steel Grit, Shot, and Cut Wire Shot; and iron Grit and Shot-Blast Cleaning and Peening	2000	SAE	0
20296	AIR5301	Installed Outdoor Engine Testing	2000	SAE	0
20297	AMS7711D	Steel Sheet and Strip, Flat-Rolled, Electrical, Non-Oriented 2.65 (Si + Al) Type 47S188 or Type 64S213, Semi-Processed	2000	SAE	0
20298	AMS7712D	Steel Sheet and Strip, Flat-Rolled, Electrical, Non-Oriented 3.0 (Si + Al) Type 47S178 or Type 64S194, Semi-Processed	2000	SAE	0
20299	AMS7716E	Steel Sheet and Strip, Flat-Rolled, Electrical, Grain-Oriented 3.15Si Type 27G053, Type 30G058, or Type 35G066, Fully-Processed	2000	SAE	0
20300	AIR5354	History of the SAE A-10 Aircraft Oxygen Equipment Committee	2000	SAE	0
20301	AIR5428	Utility System Characterization, an Overview	2000	SAE	0
20302	AMS-P-46112	Plastic Sheet and Strip, Polyimide	2000	SAE	0
20303	AMS-P-46144	Plastic Sheet, Polycardonate	2000	SAE	0
20304	AMS-HH-G-101	Gasket, Metallic-Encased	2000	SAE	0
20305	AMS-I-10	Insulation Compound, Electrical, Ceramic, Class L	2000	SAE	0
20306	AMS-I-23053-2	INSULATION SLEEVING, ELECTRICAL, HEAT SHRINKABLE, POLYVINYL CHLORIDE, FLEXIBLE, CROSSLINKED AND NON-CROSSLINKED	2000	SAE	0
20307	AMS-I-23053-3	NULL	2000	SAE	0
20308	AMS-H-6088C	Heat Treatment of Aluminum Alloys	2000	SAE	0
20309	AMS5900B	Steel Bars, Forgings, and Tubing, Corrosion Resistant 14Cr - 2.1Mo - 0.30Cb - 1.0V (1.05 - 1.15C) Premium Aircraft Quality for Bearing Applications, Double Vacuum Melted - UNS S42800	2000	SAE	0
20310	AMS6275G	Steel Bars, Forgings, and Tubing 0.40Cr - 0.45Ni - 0.12Mo - 0.002B (0.15 - 0.20C) (SAE 94B17) - UNS G94171	2000	SAE	0
20311	AMS6386C	Steel Sheet and Plate Low Alloy, Heat Treated 90,000 psi (621 MPa) and 100,000 psi (690 MPa) Yield Strength	2000	SAE	0
20312	AMS6418H	Steel Bars, Forgings, Tubing, and Rings 1.3Mn - 1.5Si - 0.30Cr - 1.8Ni - 0.40Mo (0.23 - 0.28C) - UNS K32550	2000	SAE	0
20313	AMS5827G	Steel, Corrosion Resistant, Covered Welding Electrodes 16.4Cr - 4.8Ni - 0.22Cb - 3.6Cu - UNS W37410	2000	SAE	0

20314	AMS5683F	Alloy Welding Wire, Corrosion and Heat Resistant 75Ni - 15.5Cr - 8.0Fe	2000	SAE	0
20315	AMS5695G	Steel, Corrosion and Heat Resistant, Covered Welding Electrodes 25Cr - 20Ni (SAE 30310) - UNS W31010	2000	SAE	0
20316	AMS5619A	Steel Bars and Forgings, Corrosion Resistant 14Cr - 4.0Mo (1.00 - 1.10C)	2000	SAE	0
20317	AMS5624E	Steel Bars, High Expansion 4.5Mn - 4.0Cr - 12.5Ni (0.50 - 0.60C) Cold Finished - UNS K91505	2000	SAE	0
20318	AMS5625D	Steel Bars, High Expansion 9.5Ni - 5.5Mn (0.55 - 0.65C) Cold Finished - UNS K91456	2000	SAE	0
20319	AMS5564C	Steel, Corrosion Resistant, Tubing 19CR - 10Ni (SAE 30304) High-Pressure Hydraulic, Welded Plus Ultrasonically Tested or Seamless Cold Drawn, One Eighth - Hard Temper - UNS S30400	2000	SAE	0
20320	AMS5584A	Steel, Corrosion and Heat Resistant, Seamless and Welded Hydraulic Tubing 17Cr - 12Ni - 1.5Mo - 0.03C max Cold Drawn, 1/8 Hard Temper - UNS S31603	2000	SAE	0
20321	AMS5514G	Steel, Corrosion Resistant, Sheet, Strip, and Plate 18Cr - 11.5Ni (SAE 30305) Solution Heat Treated - UNS S30500	2000	SAE	0
20322	AMS5517L	Steel, Corrosion Resistant, Sheet and Strip 18Cr - 8Ni (SAE 30301) Cold Rolled, 125 ksi (862 MPa) Tensile Strength - UNS S30100	2000	SAE	0
20323	AMS4787F	Gold-Nickel Alloy, Brazing Filler Metal, High Temperature 82Au - 18Ni 1740 Degree F (949 Degree C) Solidus-Liquidus Temperature	2000	SAE	0
20324	AMS4508H	Copper-Zinc Alloy, Laminated Sheet 70Cu - 30Zn Surface Bonded - UNS C26000	2000	SAE	0
20325	AIR4160A	Alternatives to Cadmium Plating	2000	SAE	0
20326	AMS4265A	Aluminum Alloy, Particulate Reinforced Extrusions 6092/SiC/25p - T6P Solution Heat Treated, Quenched, and Precipitation Heat Treated	2000	SAE	0
20327	AIR1047D	A Guide for the Selection of Quick-Disconnect Couplings for Aerospace Fluid Systems	2000	SAE	0
20328	AMS3902E	Cloth, Organic Fiver (Para-Aramid), High Modulus For Structural Composites	2000	SAE	0
20329	AIR2000E	Aerospace Fluid System Standards, Metric, National and International	2000	SAE	0
20330	AMS3352B	Silicone Rubber, Fiberglass Fabric Reinforced	2000	SAE	0
20331	MAM2410A	Plating, Silver Nickel Strike, High Bake	2000	SAE	0
20332	AMS3237F	Butyl (IIR) Rubber Phosphate Ester Resistant 35 - 45	2000	SAE	0
20333	MA14241	CLAMP, LOOP TYPE, CUSHIONED SUPPORT, METRIC	2000	SAE	0
20334	MA14242	CLAMP, LOOP, CUSHIONED, CENTER MOUNTING, METRIC	2000	SAE	0
20335	MA14272	CLAMP, LOOP, CUSHIONED, ELONGATED, METRIC	2000	SAE	0
20336	MA14489	CLAMP, LOOP, METAL, PLAIN, SUPPORT, AIRCRAFT, METRIC	2000	SAE	0
20337	J966	(R) Test Procedure for Measuring Passenger Car Tire Revolutions per Mile	2000	SAE	0
20338	AIR1471A	(R) Torque Tightening Threaded Fasteners	2000	SAE	0
20339	AMS3146	Coating, Interior Aircraft Cabin Low Heat and Smoke Release	2000	SAE	0
20340	J431	(R) Automotive Gray Iron Castings	2000	SAE	0
20341	J311	Fluid for Passenger Car Type Automatic Transmissions	2000	SAE	0
20342	AMS3075F	Compound, Corrosion-Preventive Hard Film, Hot Application	2000	SAE	0
20343	J2555	Vehicle Idle Gear Rattle Evaluation Procedure	2000	SAE	0
20344	J2544	Plug-In Relay Test Methods	2000	SAE	0
20345	AMS3076C	Compound, Corrosion- Preventive Hard Film, Cold Application	2000	SAE	0
20346	J2494	Push-to-Connect Tube Fittings for use in the Piping of Vehicular Air Brake	2000	SAE	0
20347	J2441	Shot Peening	2000	SAE	0
20348	J2442	(R) Harmonized Provisions for Installation of Exterior Lamps and Retro-Reflecting Devices on Road Vehicles Except Motorcycles	2000	SAE	0
20349	J2411	Single Wire CAN Network for Vehicle Applications	2000	SAE	0

20350	J2396	Definitions and Experimental Measures Related to the Specification of Driver Visual Behavior using Video Based Techniques	2000	SAE	0
20351	J2369	Standards for ATIS Message Sets Delivered Over Reduced Bandwidth Media	2000	SAE	0
20352	J2373	Stakeholder¡ s Workshop Information Report	2000	SAE	0
20353	J2382	Video Based Light Measurement Techniques (Stabilized Type)	2000	SAE	0
20354	J2292	Combination Pelvic/Upper Torso (Type 2) Operator Restraint Systems for Off-Road Work Machines	2000	SAE	0
20355	J2321-1	Disposable Hydraulic Filter Element - 115 L/min Flow, 1.0 MPa Collapse Pressure, Filtration Ratio = 75 at 6 and 10 ¿ m	2000	SAE	0
20356	J2321-2	Disposable Hydraulic Filter Element - 190 L/min Flow, 21 MPa Collapse Pressure, Filtration Ratio = 75 at 7 ¿ m	2000	SAE	0
20357	J2321-3	Disposable Hydraulic Filter Elements - 21 MPa Collapse Pressure, Filtration Ratio = 75 at 10 ¿ m, 75 to 175 L/Min	2000	SAE	0
20358	J2306	Automobile and Light Truck Engine Coolant Concentrate Propylene Glycol Type, Recommended Practice	2000	SAE	0
20359	J2056-1	Class C Application Requirement Considerations	2000	SAE	0
20360	J2179	A Test for Evaluating the Rearward Amplification of Multi-Articulated Vehicles	2000	SAE	0
20361	J2028	Front-Wheel-Drive Constant Velocity Joint Boot Seals	2000	SAE	0
20362	J2032	(R) Ignition Cable Assemblies	2000	SAE	0
20363	J2022	Classification, Nomenclature, and Specification Definitions for Horizontal Earthboring Machines	2000	SAE	0
20364	J1759	SAE Hose Measurement Study (Stabilized Type)	2000	SAE	0
20365	J1784- HIR 4544	Specifications and Standards for Marine Hydraulic Systems and Components	2000	SAE	0
20366	J1782	Ship Systems and Equipment - Hydraulic Systems - Noise Control	2000	SAE	0
20367	AMS2681B	Welding, Electron-Beam	2000	SAE	0
20368	J1489	(R) Heavy Truck and Bus Retarder Downhill Performance Mapping Procedure	2000	SAE	0
20369	J1681	(R) Gasoline, Alcohol, and Diesel Fuel Surrogates for Material Testing	2000	SAE	0
20370	J1343	(R) Information Relating to Duty Cycles and Average Power Requirements of Truck and Bus Engine Accessories	2000	SAE	0
20371	J1249	Former SAE Standard and Former SAE Ex-Steels	2000	SAE	0
20372	AS62A	Carburetor Flange, Aircraft 2 Bolt - Single Barrel - No. 3 and 4	2000	SAE	0
20373	AIR1335A	Ramp De-Icing	2000	SAE	0
20374	AS81714-14	TERMINAL JUNCTION SYSTEM, RACK ASSEMBLY, TRACK, FEEDTHRU TYPE, LIGHT WEIGHT, SERIES I	2000	SAE	0
20375	AS81714-15	TERMINAL JUNCTION SYSTEM, GROUNDED STUD, SERIES I	2000	SAE	0
20376	AS81587	Timer Assembly Rain Repellent	2000	SAE	0
20377	AS81714-10	TERMINAL JUNCTION SYSTEM, RACK ASSEMBLY, TRACK, FEEDTHRU TYPE, SERIES I	2000	SAE	0
20378	AS7468B	Bolts, Cobalt-Chromium-Nickel Alloy UNS R30035, Tensile Strength 260 ksi, Procurement Specification	2000	SAE	0
20379	AS5447	Acceptance Criteria for Nuts - Magnetic Particle, Fluorescent Penetrant, and Visible Penetrant Examination	2000	SAE	0
20380	AS5377	Nut, Self-Locking, 0.7500 thru 1.5000 Thread Sizes, UNS S66286, 160,000 psi, 800 ¡°F, UNJ Thread - Procurement Specification	2000	SAE	0
20381	AS5181	Fitting, Elbow, 90 Degrees, Bulkhead, Flared to Hose	2000	SAE	0
20382	AS5185	FITTING, ELBOW, 90¡°, PIPE TO HOSE	2000	SAE	0
20383	AS5186	FITTING, ELBOW, 45¡°, PIPE TO HOSE	2000	SAE	0
20384	AS5187	FITTING, ELBOW, 45 , BULKHEAD, HOSE	2000	SAE	0
20385	AS5191	FITTING, ELBOW, 45 , INTERNAL STRAIGHT THREAD PORT	2000	SAE	0
20386	AS5200	PORT OR FITTING END, INTERNAL TAPER PIPE THREAD, DESIGN STANDARD	2000	SAE	0
20387	AS5201	FITTING END, EXTERNAL TAPER PIPE THREAD, DESIGN STANDARD.	2000	SAE	0
20388	AS5276-1	Performance Standard for Child Restraint Systems in Transport Category Airplanes	2000	SAE	0

20389	AS5163	Fitting, Connector, Multiple Fluid Pressure Line, 75 Degree	2000	SAE	0
20390	AS4973A	(R) Ring, Weld	2000	SAE	0
20391	AS4707A	Test Methods Evaluation of Nonflammable, Chlorotrifluoroethylene Base Hydraulic Fluid	2000	SAE	0
20392	AS4149A	Clamp, Loop-Cushioned, Integral Lock	2000	SAE	0
20393	AS39029-102	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, COAXIAL, SIZE 12 (FOR MIL-C-38999 SERIES I, II, III AND IV CONNECTORS)	2000	SAE	0
20394	AS39029-103	CONTACTS, ELECTRICAL CONNECTOR, SOCKET, CRIMP REMOVABLE, COAXIAL, SIZE 12 (FOR MIL-C-38999 SERIES I, III, AND IV CONNECTORS)	2000	SAE	0
20395	AS39029-104	CONTACTS, ELECTRICAL CONNECTOR, CONCENTRIC TWINAX, PIN, SHIELDED, SIZE 8 (FOR MIL-C-28840)	2000	SAE	0
20396	AS40401	Solenoid, Electrical, General Specification For	2000	SAE	0
20397	AS39029-97A	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, COAXIAL, SIZE 1 (FOR DOD-C-83527 CONNECTORS)	2000	SAE	0
20398	AS39029-99	CONTACTS, ELECTRICAL CONNECTOR, PIN, CRIMP REMOVABLE, COAXIAL, SIZE 5 (FOR DOD-C-83527 CONNECTORS)	2000	SAE	0
20399	AS33566	FITTINGS, INSTALLATION OF FLARELESS TUBE, STRAIGHT-THREADED CONNECTORS	2000	SAE	0
20400	AS9760	Bolt, Machine - Double Hexagon Extended Washer Head, Drilled, PD Shank, Titanium AMS 4967, .250-28 UNJF-3A	2000	SAE	0
20401	AS9759	Bolt, Machine - Double Hexagon Extended Washer Head Drilled, PD Shank, Titanium AMS 4967, .190-32 UNJF-3A	2000	SAE	0
20402	AS9751	Bolt, Machine - Double Hexagon Extended Washer Head, PD Shank, Titanium AMS 4967, .250-28 UNJF-3A	2000	SAE	0
20403	AS9631	SCREW, MACHINE - HEXAGON HEAD, PD SHANK, TITANIUM AMS 4967, .138-40 UNJF-3A	2000	SAE	0
20404	HS-796	Manual on Design and Manufacture of Torsion Bar Springs and Stabilizer - Fifth Edition	2000	SAE	0
20405	AS9918	Bolt, Machine - Double Hexagon Extended Washer Head, PD Shank, Steel AMS 6322, Cadmium Plated, .4375-20 UNJF-3A	2000	SAE	0
20406	J1081	Potential Standard Steels, Information Report - December 1988	2000	SAE	0
20407	AIR1375C	Minimum Safety Requirements for Special Purpose Airline Ground Support Equipment	2000	SAE	0
20408	AMS2487A	(R) Anodic Treatment of Titanium and Titanium Alloys Solution pH 12.4 Maximum	2000	SAE	0
20409	AMS2488D	(R) Anodic Treatment - Titanium and Titanium Alloys Solution pH 13 or Higher	2000	SAE	0
20410	AMS2484B	Blackening Solution for Steel Touch-Up Method	2000	SAE	0
20411	AS90328	CABLE ASSEMBLY EXTERNAL ELECTRIC POWER, AIRCRAFT 115/200 VOLT, 400 HERTZ	2000	SAE	0
20412	AS8581	Engine; Rocket, Solid Propellant 5 Second Duration, 4500 Pounds Thrust	2000	SAE	0
20413	AIR1362B	Aerospace Hydraulic Fluids Physical Properties	2000	SAE	0
20414	AS85075	Tie down Assembly, Helicopter Blade, General Specification for	2000	SAE	0
20415	AMS2441A	Selective (Brush) Nickel Plating Low-Stressed, Low Hardness Deposit	2000	SAE	0
20416	AMS2439A	Selective (Brush) Nickel Plating Low-Stressed, Hard Deposit	2000	SAE	0
20417	AMS2444A	(R) Coating, Titanium Nitride Physical Vapor Deposition	2000	SAE	0
20418	J1144	Towed Vehicle Drivetrain Test Procedure Passenger Cars, Vans, and Light-Duty Trucks	2000	SAE	0
20419	J1138	(R) Design Criteriaâ__Driver Hand Controls Location for Passenger Cars, Multipurpose Passenger Vehicles, and Trucks (10 000 GVW and Under)	1999	SAE	0
20420	AS8660	Silicone Compound NATO Code Number S-736	1999	SAE	0
20421	AS8662	Knife, Hunting, Sheathed, Survival, Pilot_s	1999	SAE	0
20422	AS9000A	Aerospace Basic Quality System Standard	1999	SAE	0
20423	AS8991	Gasket, Fuselage Light - Cover Screw	1999	SAE	0
20424	AMS2468G	Hard Anodic Coating Treatment of Aluminum Alloys	1999	SAE	0
20425	AS9158	BOLT-MACHINE, STEEL, 12 POINT HEAD, .250-28, BLACK OXIDE	1999	SAE	0

20426	AS9468	PIN, STRAIGHT, HEADED, .497 DIAMETER, AMS5735	1999	SAE	0
20427	AS9486	PIN, STRAIGHT, HEADLESS AMS5132, LOCK	1999	SAE	0
20428	AS9460	RIVET, SOLID 100Ï° FLUSH HEAD, AMS7235	1999	SAE	0
20429	AS9589	Bolt, Machine - Hexagon Head, Drilled, 6 Holes, Full Shank, .5625-18 UNJF-3A	1999	SAE	0
20430	AS9403	RIVET, SOLID UNIVERSAL HEAD, AMS5737	1999	SAE	0
20431	AS9385	PACKING, PREFORMED, AMS7267, O-RING	1999	SAE	0
20432	AS9386	PACKING, PREFORMED, AMS 7267, O-RING	1999	SAE	0
20433	AS9231A	Bracket, Angle, 90 Degree .190 X .375 Bolt (Stabilized Type)	1999	SAE	0
20434	AS9228A	Bracket, Angle, 90 Degree .190 Bolt (Stabilized Type)	1999	SAE	0
20435	J1085	Testing Dynamic Properties of Elastomeric Isolators	1999	SAE	0
20436	J1058	Sheet Steel Thickness and Profile, Recommended Practice	1999	SAE	0
20437	AS9958	Bolt, Machine, Hexagon Head, Drilled, 6 Hole, PD Shank, Steel AMS 6322, Cadmium Plated, .250-28 UNJF-3A	1999	SAE	0
20438	HS-2200	Piston Ring Standards Manual	1999	SAE	0
20439	AS9761	Bolt, Machine - Double Hexagon Extended Washer Head, Drilled, PD Shank, Titanium AMS 4967, .3125-24 UNJF-3A	1999	SAE	0
20440	AS9770	Packing, Preformed - AMS 3650, O Ring	1999	SAE	0
20441	AS9785	Bolt, Machine - Hexagon Head, Full Shank, AMS 5643, .3125-24 UNJF-3A	1999	SAE	0
20442	AS9784	Bolt, Machine - Hexagon Head, Full Shank, AMS 5643, .250-28 UNJF-3A	1999	SAE	0
20443	AS9788	Bolt, Machine - Hexagon Head, Full Shank, AMS 5643, .500-20 UNJF-3A	1999	SAE	0
20444	AS9786	Bolt, Machine - Hexagon Head, Full Shank, AMS 5643, .375-24 UNJF-3A	1999	SAE	0
20445	AS9790	Bolt, Machine - Hexagon Head, Full Shank, AMS 5643, .625-18 UNJF-3A	1999	SAE	0
20446	AS9894	Bolt, Machine-Double Hexagon Extended Washer Head, Drilled, AMS 5616, .190-32 UNJF-3A	1999	SAE	0
20447	AS9880	WASHER, CUP, LOCK CRES AMS5510	1999	SAE	0
20448	AS9841	KEY, WOODRUFF CHAMFERED CRES AMS5640	1999	SAE	0
20449	AS9783	Bolt, Machine - Hexagon Head, Full Shank, AMS 5643, .190-32 UNJF-3A	1999	SAE	0
20450	AS3268A	SLEEVE HALF REINFORCING, TUBE	1999	SAE	0
20451	AS3269A	SLEEVE HALF REINFORCING, TUBE, SHOULDER	1999	SAE	0
20452	AS3528	BOLT, SHEAR - DOUBLE HEX HEAD, UNS S66286 - 160 KSI	1999	SAE	0
20453	AS3529	BOLT, SHEAR - DOUBLE HEX HEAD, DRILLED SHANK UNS S66286 - 160 KSI	1999	SAE	0
20454	AS3530	BOLT, MACHINE - DOUBLE HEX EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, UNS S66286 - 160 ksi	1999	SAE	0
20455	AS3531	BOLT, MACHINE - DOUBLE HEX EXTENDED WASHER HEAD, CLOSE TOLERANCE SHANK, DRILLED HEAD, UNS S66286 - 160 ksi	1999	SAE	0
20456	AS3532	BOLT, SHEAR - DOUBLE HEX HEAD, DRILLED SHANK UNS N07718 - 185 ksi	1999	SAE	0
20457	AS38386-3	PACKING, PREFORMED, AIR DUCT HOSE, GROUND COOLING	1999	SAE	0
20458	AS38386-4	CATCH ASSEMBLY, AIR DUCT HOSE, GROUND COOLING	1999	SAE	0
20459	AS38386	Duct Assembly, Ground, Conditioned Air, Insulated, Flexible	1999	SAE	0
20460	AS38390	Hose Assembly, Polytetrafluoroethylene, Metallic Reinforced, 4000 psi, 160 Ï°F, Covered Pneumatic	1999	SAE	0
20461	AS38404	Couplings, Hose, Reattachable Screw-On	1999	SAE	0
20462	AS3572	INSERT, SCREW THREAD, NON-LOCKING, LOCKED IN, KEY LOCKED, HEAVY-DUTY, SELF-BROACHING KEYS, UNS S66286	1999	SAE	0
20463	AS3543	STUD, LOCKED IN, KEY LOCKED, UNS S66286, 140 ksi/1200 Ï°F, LIGHTWEIGHT, SELF-BROACHING KEYS	1999	SAE	0
20464	AS3544	STUD, LOCKED IN, KEY LOCKED, UNS S66286, 140 ksi/1200 Ï°F, HEAVY-DUTY, SELF-BROACHING KEYS	1999	SAE	0

20465	AS3545	INSERT, SCREW THREAD, SELF-LOCKING, LOCKED IN, KEY LOCKED, HEAVY-DUTY, SELF-BROACHING KEYS, UNS S66286	1999	SAE	0
20466	AS4697B	FITTING END, INTEGRAL CENTERED WELD LIP, DESIGN STANDARD	1999	SAE	0
20467	AS4736A	FEMALE FERRULE, THREADLESS - FLEXIBLE, FIXED CAVITY, SELF-BONDING, BUTT WELDED	1999	SAE	0
20468	AS4735A	(R) Female Ferrule, Threadless - Flexible, Fixed Cavity, Self-Bonding, Swaged	1999	SAE	0
20469	AS47641	Validation Methods for MIL-STD-1760B Aircraft Station Interfaces	1999	SAE	0
20470	AS4976	Insert, Screw Thread, Non-Locking, UNS S66286, Locked In, Key Locked Procurement Specification For	1999	SAE	0
20471	AS4970	Human Factor Considerations for Outdoor Laser Operations in the Navigable Airspace	1999	SAE	0
20472	AS4891	Stud, Locked In, Key Locked, UNS S66286, Classification: 140 ksi Procurement Specification For	1999	SAE	0
20473	AS49011	Rod End - Threaded, Aircraft	1999	SAE	0
20474	AS5363	Electromechanical Power Controller/Relay, General Specification For	1999	SAE	0
20475	AS53731	Fuse Holder, Block Type, Aircraft	1999	SAE	0
20476	AS5203	TUBE END, DOUBLE FLARE, DESIGN STANDARD	1999	SAE	0
20477	AS5439	Adapter Reducer, Beam Seal - Port Connection, Ring Locked Design, Installation and Removal of	1999	SAE	0
20478	AS56761	Splicing; Cable Terminal, Process for, Aircraft	1999	SAE	0
20479	AS6011	Cylinders, Carbon Dioxide Filled, Technical	1999	SAE	0
20480	AS5944	Slings, Aircraft, General Specification for	1999	SAE	0
20481	AS7997	Motors, Aircraft Hydraulic, Constant Displacement General Specification for	1999	SAE	0
20482	AS8007	Minimum Safe Performance over Speed Warning Instruments	1999	SAE	0
20483	AS8025A	Passenger Oxygen Mask	1999	SAE	0
20484	AS8031A	Personal Protective Devices for Toxic and Irritating Atmospheres Air Transport Flight Deck (Sedentary) Crewmembers	1999	SAE	0
20485	AS8091	Adapter, Aircraft, Jacking Point, Design and Installation of	1999	SAE	0
20486	AS8055	Minimum Performance Standard for Airborne Head Up Display (HUD)	1999	SAE	0
20487	AS6399	Hose, Rubber, Wire-Wound, Synthetic, Ice Eliminating System	1999	SAE	0
20488	AS6439	Hose, Rubber, Aircraft Paint Finish Remover	1999	SAE	0
20489	AS6882	Water Repellent, Window and Windshield, Glass and Plastic	1999	SAE	0
20490	AS6302	Transmitter, Pressure, Fuel, 0-600 psi	1999	SAE	0
20491	J1241	(R) Fuel and Lubricant Tanks for Motorcycles	1999	SAE	0
20492	AMS2635D	Radiographic Inspection	1999	SAE	0
20493	AMS2646D	Contrast Dye Penetrant Inspection	1999	SAE	0
20494	J139	Ignition System Nomenclature and Terminology	1999	SAE	0
20495	J1701	Torque-Tension Tightening for Inch Series Fasteners	1999	SAE	0
20496	AIR1390A	Convenient Location of Oxygen Masks for Both the Crew and Passengers of Aircraft	1999	SAE	0
20497	J1806	(R) Clutch Dimensions for Truck and Bus Applications	1999	SAE	0
20498	J1773	SAE Electric Vehicle Inductively Coupled Charging (Stabilized Type)	1999	SAE	0
20499	J1746	ISP-Vehicle Location Referencing Standard	1999	SAE	0
20500	J1741	Discriminating Back-Up Alarm System Standard	1999	SAE	0
20501	J1835	Fastener Hardware for Wheels for Demountable Rims	1999	SAE	0
20502	AIR1397A	Clamp Material, Injection Molded	1999	SAE	0
20503	J2201	Universal Interface for OBD II Scan, Recommended Practice	1999	SAE	0
20504	J231	MINIMUM PERFORMANCE CRITERIA FOR FALLING OBJECT PROTECTIVE STRUCTURE (FOPS)	1999	SAE	0
20505	J2311	(R) Automatic Transmission Hydraulic Pump Test Procedure	1999	SAE	0

20506	J2313	On-Board Land Vehicle Mayday Reporting Interface	1999	SAE	0
20507	J2284	High-Speed CAN (HSC) for Vehicle Applications at 500 KBPS	1999	SAE	0
20508	J2235	Paint and Trim Code Location	1999	SAE	0
20509	J2249	Wheelchair Tiedown and Occupant Restraint Systems for Use in Motor Vehicles	1999	SAE	0
20510	J2353	Data Dictionary for Advanced Traveler Information Systems (ATIS)	1999	SAE	0
20511	J2374	Location Referencing Message Specification referencing Meassage Specification	1999	SAE	0
20512	J2372	Field Test Analysis Information Report	1999	SAE	0
20513	J2340	Categorization and Properties of Dent Resistant, High Strength, and Ultra High Strength Automotive Sheet Steel	1999	SAE	0
20514	J2342	Numbering Systems for End Mills	1999	SAE	0
20515	J2452	Stepwise Coastdown Methodology for Measuring Tire Rolling Resistance	1999	SAE	0
20516	J2469	Clutch Application Powertrain Startability Rating Requirements for Truck and Bus Applicatons	1999	SAE	0
20517	J2492	Considerations for Suspension Modification	1999	SAE	0
20518	J2486	Tension Indicating Washer Tightening Method for Fasteners	1999	SAE	0
20519	J2512	Towing Equipment Ratings and Practices	1999	SAE	0
20520	J2515	High Temperature Materials for Exhaust Manifolds	1999	SAE	0
20521	AIR1467B	Gas Energy Limited Starting Systems	1999	SAE	0
20522	J4000	Identification and Measurement of Best Practice in Implementation of Lean Operation	1999	SAE	0
20523	J4001	Implementation of Lean Operation User Manual	1999	SAE	0
20524	J390	(R) Dual Dimensioning Engineering Drawings	1999	SAE	0
20525	J513	Refrigeration Tube Fittings - General Specifications	1999	SAE	0
20526	J56	(R) Road Vehicles - Alternators with Regulators - Test Methods and General Requirements	1999	SAE	0
20527	AMS3185A	Hydraulic Fluid, Nonflammable Chlorotrifluoroethylene (CTFE) Base	1999	SAE	0
20528	J75	Motor Vehicle Brake Fluid Container Compatibility	1999	SAE	0
20529	J967	Calibration Fluid for Diesel Injection Equipment	1999	SAE	0
20530	J942	(R) Passenger Car Windshield Washer Systems	1999	SAE	0
20531	J903	(R) Passenger Car Windshield Wiper Systems	1999	SAE	0
20532	JA1000-1	Reliability Program Standard Implementation Guide	1999	SAE	0
20533	AIR1509	EMC Antennas and Antenna Factors: How to Use Them	1999	SAE	0
20534	TSB 003	Rules for SAE Use of SI (Metric) Units	1999	SAE	0
20535	USCAR-13	STANDARD FOR IN-TANK ELECTRIC FUEL PUMPS	1999	SAE	0
20536	AMS3382C	Tetrafluoroethylene/Propylene Rubber (FEPM) Hydraulic Fluid and Synthetic Oil Resistant 70 to 80 and 85 to 95	1999	SAE	0
20537	USCAR-6	STANDARD FOR D.C. BRUSH MOTOR - HVAC BLOWERS	1999	SAE	0
20538	AMS4007D	Aluminum Alloy Foil 4.4Cu - 1.5Mg - 0.6Mn (2024-0)	1999	SAE	0
20539	AMS3904-10A	(R) Roving, Organic Fiber (Para-Aramid) Intermediate Modulus 15,000 Denier (16,700 Dtex), 7.0% Finish	1999	SAE	0
20540	AMS3904-11A	(R) Roving, Organic Fiber (Para-Aramid) Intermediate Modulus 15,000 Denier (16,700 Dtex), 0.9% Finish	1999	SAE	0
20541	AMS3904-12A	(R) Roving, Organic Fiber (Para-Aramid) Intermediate Modulus 4500 Denier (5000 Dtex), 0.9% Finish	1999	SAE	0
20542	AMS3904-1B	(R) Yarn, Organic Fiber (Para-Aramid) Intermediate Modulus 200 Denier (220 Dtex), 1.0% Finish	1999	SAE	0
20543	AMS3904-2B	(R) Yarn, Organic Fiber (Para-Aramid) Intermediate Modulus 400 Denier (440 Dtex), 1.0% Finish	1999	SAE	0
20544	AMS3904-3B	(R) Yarn, Organic Fiber (Para-Aramid) Intermediate Modulus 1000 Denier (1110 Dtex), 1.0% Finish	1999	SAE	0
20545	AMS3904-4B	Yam, Organic Fiber (Para-Aramid) Intermediate Modulus 1000 Denier, 1.5% Finish For Weaving	1999	SAE	0
20546	AMS3904-5B	(R) Yarn, Organic Fiber (Para-Aramid) Intermediate Modulus 1500 Denier (1670 Dtex), 0.9% Finish	1999	SAE	0

20547	AMS3904-6A	(R) Yarn, Organic Fiber (Para-Aramid) Intermediate Modulus 1500 Denier (1670 Dtex), 7.0% Finish	1999	SAE	0
20548	AMS3904-7A	(R) Yarn, Organic Fiber (Para-Aramid) Intermediate Modulus 1500 Denier (1670 Dtex), Zero Finish	1999	SAE	0
20549	AMS3904-8A	Yarn, Organic Fiber (Para-Aramid) Intermediate Modulus 1500 Denier, 1.0% Finish For Weaving	1999	SAE	0
20550	AMS3904-9A	(R) Yarn, Organic Fiber (Para-Aramid) Intermediate Modulus 3000 Denier (3300 Dtex), 0.9% Finish	1999	SAE	0
20551	AMS3904B	(R) Organic Fiber (Para-Aramid), Yarn and Roving Intermediate Modulus for Cables, Cordage, and Woven Goods	1999	SAE	0
20552	AMS3807B	Tape, Aluminum Foil, Sound and Vibration Damping Pressure Sensitive Adhesive	1999	SAE	0
20553	AIR1087B	Aircraft Accessory Drag Torque During Engine Starts	1999	SAE	0
20554	AIR1639A	Safety Criteria for Pneumatic Starting Sytems	1999	SAE	0
20555	AMS4765E	Silver Alloy, Brazing Filler Metal 56Ag - 42Cu - 2.0Ni 1420 to 1640 Degrees F (771 to 893 Degrees C) Solidus-Liquidus Range - UNS P07560	1999	SAE	0
20556	AMS4766G	Silver Alloy, Brazing Filler Metal 85Ag - 15Mn 1760 to 1780 Degrees F (960 to 971 Degrees C) Solidus-Liquidus Range - UNS P07850	1999	SAE	0
20557	AMS4767F	Silver Alloy, Brazing Filler Metal 92.5Ag - 7.2Cu - 0.22Li 1435 to 1635 Degrees F (779 to 891 Degrees C) Solidus-Liquidus Range - UNS P07925	1999	SAE	0
20558	AMS4763A	Silver Alloy, Brazing Filler Metal 56Ag - 22Cu - 17Zn - 5.0Sn 1145 to 1205 Degrees F (618 to 652 Degrees C) Solidus-Liquidus Range - UNS P07563	1999	SAE	0
20559	AMS4761A	Silver Alloy, Brazing Filler Metal 38Ag - 32Cu - 28Zn - 2.0Sn 1200 to 1330 Degrees F (649 to 721 Degrees C) Solidus-Liquidus Range - UNS P07380	1999	SAE	0
20560	AMS4770K	Silver Alloy Brazing Filler Metal 50Ag - 18Cd - 16.5Zn - 15.5Cu 1160 to 1175 Degrees F (627 to 635 Degrees C) Solidus-Liquidus Range - UNS P07500	1999	SAE	0
20561	AMS4769F	Silver Alloy, Brazing Filler Metal 45Ag - 24Cd - 16Zn - 15Cu 1125 to 1145 Degrees F (607 to 618 Degrees C) Solidus-Liquidus Range - UNS P07450	1999	SAE	0
20562	AMS4768H	Silver Alloy, Brazing Filler Metal 35Ag - 26Cu - 21Zn - 18Cd 1125 to 1295 Degrees F (607 to 702 Degrees C) Solidus-Liquidus Range - UNS P07350	1999	SAE	0
20563	AMS4762A	Silver Alloy, Brazing Filler Metal 40Ag - 30Cu - 30Zn 1245 to 1340 Degree F (674 to 727 Degree C) Solidus-Liquidus Range - UNS P07402	1999	SAE	0
20564	AMS4440E	Magnesium Alloy Castings, Sand 3.5Ce - 0.70Zr (EK41A-T5) Precipitation Heat Treated - UNS M12410	1999	SAE	0
20565	AMS4772J	Silver Alloy, Brazing Filler Metal 54Ag - 40Cu - 5.0Zn - 1.0Ni 1325 to 1575 Degree F (718 to 857 Degrees C) Solidus-Liquidus Range - UNS P07540	1999	SAE	0
20566	AMS4771H	Silver Alloy, Brazing Filler Metal 50Ag - 16Cd - 15.5Zn - 15.5Cu - 3.0Ni 1170 to 1270 Degree F (632 to 688 Degree C) Solidus-Liquidus Range - UNS P07501	1999	SAE	0
20567	AMS4773F	Silver Alloy, Brazing Filler Metal 60Ag - 30Cu - 10Sn 1115 to 1325 Degree F (602 to 718 Degrees C) Solidus-Liquidus Range - UNS P07600	1999	SAE	0
20568	AMS4774F	Silver Alloy Brazing Filler Metal 63Ag - 28.5Cu - 6.0Sn - 2.5Ni 1275 to 1475 Degrees F (691 to 802 Degrees C) Solidus-Liquidus Range - UNS P07630	1999	SAE	0
20569	AMS5031F	Welding Electrodes, Covered, Steel 0.07 - 0.15C - UNS W06013	1999	SAE	0
20570	AMS5115H	Wire, Carbon Steel 0.60 - 0.75C Hardened and Tempered	1999	SAE	0
20571	AIR4391A	Industrial and Marine Gas Turbine Engine Starting Systems	1999	SAE	0
20572	AIR1160C	Aircraft Engine and Accessory Drives and Flange Standards	1999	SAE	0
20573	AMS5609D	Steel, Corrosion and Heat Resistant, Bars, Wire, Forgings, Tubing, and Rings 12Cr - 0.12Cb (SAE 51410 Modified) Ferrite Controlled, Annealed - UNS S41040	1999	SAE	0
20574	AMS5691G	Steel Welding Electrodes, Covered, Corrosion and Heat Resistant 18.5Cr - 12.5Ni - 2.5Mo - UNS W31610	1999	SAE	0
20575	AMS5677D	Alloy, Corrosion and Heat Resistant, Covered Welding Electrodes 75Ni - 19.5Cr - 1.6(Cb + Ta) - UNS N06003	1999	SAE	0
20576	AIR4844B	Composites and Metal Bonding Glossary	1999	SAE	0
20577	AMS5785F	Steel, Welding Electrode, Covered, Corrosion and Heat Resistant 28.5Cr - 9.5Ni - UNS S64299; W31310	1999	SAE	0

20578	AMS5795F	Iron Alloy, Corrosion and Heat Resistant, Covered, Welding Electrodes 31Fe - 21Cr - 20Ni - 20Co - 3.0Mo - 2.5W - 1.0 (Cb + Ta) - UNS W73155	1999	SAE	0
20579	AMS5753C	Alloy Bars and Forgings, Corrosion and Heat Resistant 54Ni - 17.5Cr - 16.5Co - 4.0Mo - 2.9Ti - 2.9Al - 0.006B Vacuum Melted, Solution Heat Treated	1999	SAE	0
20580	AMS6390D	Steel Tubing, Mechanical 0.95Cr - 0.20Mo (0.38 - 0.43C) (SAE 4140) - UNS G41400	1999	SAE	0
20581	AIR4982	Aerospace Fly-By-Light Actuation Systems	1999	SAE	0
20582	AMS5933	Steel, Corrosion Resistant Bars and Forgings 12.5Cr - 1.0Ni - 15.5Co - 2.0Mo Vacuum Induction Plus Vacuum Consumable Electrode Remelted	1999	SAE	0
20583	AIR5024	Landing Gear Switch Selection Criteria	1999	SAE	0
20584	AIR5279	Composite and Bonded Structure Inspector: Training Document	1999	SAE	0
20585	AIR5278	Composite and Bonded Structure Engineers: Training Document	1999	SAE	0
20586	AMS-G-25871	Glass, Laminated, Aircraft Glazing	1999	SAE	0
20587	AMS-G-25667	Glass, Monolithic, Aircraft Glazing	1999	SAE	0
20588	AIR5378	Aircraft Tube Bending Methods, Techniques and Tooling	1999	SAE	0
20589	AMS-DTL-23053	Insulation Sleeving, Electrical, Heat Shrinkable, General Specification for	1999	SAE	0
20590	AMS-F-24610	Fixant, Hold Down	1999	SAE	0
20591	AMS-I-538	Insulation, Electrical, Pasted-Mica	1999	SAE	0
20592	AIR5387	Airport Electrical Power System Harmonics	1999	SAE	0
20593	AMS-C-8837	Coating, Cadmium (Vacuum Deposited)	1999	SAE	0
20594	AMS-C-9084	Cloth, Glass, Finished, For Resin Laminates	1999	SAE	0
20595	AMS-C-7438	Core Material, Aluminum, for Sandwich Construction	1999	SAE	0
20596	AMS-DTL-22499-1A	SHIM STOCK, LAMINATED, ALUMINUM ALLOY	1999	SAE	0
20597	AMS-DTL-22499-2A	SHIM STOCK, LAMINATED, BRASS	1999	SAE	0
20598	AMS-P-21922	Plastic Rods and Tubes, Polyethylene	1999	SAE	0
20599	AMS-P-22968	Paper, Recording, Heat Sensitive	1999	SAE	0
20600	AMS-A-25463	Adhesive, Film Form Metallic Structural Sandwich Construction	1999	SAE	0
20601	AIR5320	Summary of Icing Simulation Test Facilities	1999	SAE	0
20602	AMS-STD-401	Sandwich Constructions and Core Materials; General Test Methods	1999	SAE	0
20603	AMS-T-22085	Tapes, Pressure-Sensitive, Adhesive, Preservation and Sealing	1999	SAE	0
20604	AMS-R-81835	Remover, Organic Coating, Hot Tank Type	1999	SAE	0
20605	AMS-R-83412-1	Rubber, Ethylene-Propylene, Hydrazine Resistant, O-Rings Sizes and Tolerances FSC 5330	1999	SAE	0
20606	ARP1150A	Safety Considerations - Flight Deck Seats for Transport Aircraft	1999	SAE	0
20607	ARD50083	Human Factors Issues Associated with Cockpit Display of Traffic Information (CDTI)	1999	SAE	0
20608	ARP1061A	Altitude Alerting Devices and Systems	1999	SAE	0
20609	ARP1400B	(R) Recommended Practices for Lubricating Oil Filters, General Aviation Reciprocating Engine (Piston Type) Aircraft	1999	SAE	0
20610	ARP1482B	Recommendations for Fuel and Oil System Schematics	1999	SAE	0
20611	ARP4296A	(R) Drawing Interpretation and Standard Machining Practices, Couplings, Fittings and Hose Ends, Fluid Systems	1999	SAE	0
20612	ARP217D	Testing of Airplane Installed Environmental Control Systems (ECS)	1999	SAE	0
20613	ARP1797A	Aircraft and Aircraft Engine Fuel Pump Low Lubricity Fluid Endurance Test	1999	SAE	0

20614	AIR560C	Missile Hydraulic Pumps	1999	SAE	0
20615	ARP5119	Location of and Display Symbology Requirements for Head-Down Electronic Flight Displays for Steep IMC Approaches	1999	SAE	0
20616	ARP4785A	Leakage, Requirements and Test Methods, for Fuel Couplings, Pneumatic Couplings, Hydraulic Fittings, Quick Disconnects, and Hose Assemblies	1999	SAE	0
20617	ARP5400	Identifiication and Implementation of Global Standardization Opportunities in the Commercial Jet Transport Industry	1999	SAE	0
20618	ARP5290	Laser Beam Divergence Measurements Techniques Comparison	1999	SAE	0
20619	ARP5287	Optical Measurement Procedures for Airborne Head Up Display (HUD)	1999	SAE	0
20620	ARP5365	Human Interface Criteria for Cockpit Display of Traffic Information	1999	SAE	0
20621	ARP5323	Balancing Machines - Description and Evaluation Vertical, Single-Plane, Hard-Bearing Type for Gas Turbine Rotors	1999	SAE	0
20622	ARP6002	Marking; Standard Hose, Aircraft	1999	SAE	0
20623	ARP600B	(R) Torque Determination, Method of, For Tube or Hose End Fitting Connections, Flared, Flareless, or Miscellaneous Screw Thread Style	1999	SAE	0
20624	ARP750C	Passenger Seat Design, Commercial Transport Aircraft	1999	SAE	0
20625	ARP958D	Electromagnetic Interference Measurement Antennas; Standard Calibration Method	1999	SAE	0
20626	ARP949B	Turbine Engine Starting System Design Requirements	1999	SAE	0
20627	AS10081	Terminal Shank-Swaging, Dimensions for	1999	SAE	0
20628	AS1015A	Fitting End Attachable, Female Flareless Machined Nipple, Flexible Metal Hose - Straight, 45 Degree Elbow and 90 Degree Elbow Styles	1999	SAE	0
20629	AS1011A	Fitting End Attachable, Male for 37 Degree Flared Tube Connection, Flexible Metal Hose-Straight, 45 Degree Elbow and 90 Degree Elbow Styles	1999	SAE	0
20630	AIR1191A	Performance of Low Pressure Ratio Ejectors for Engine Nacelle Cooling	1999	SAE	0
20631	AS124951 THRU AS125100	RIVET - 100Ï° COUNTERSUNK HEAD, CORROSION RESISTANT STEEL	1999	SAE	0
20632	AS125401 THRU AS125550	RIVET - UNIVERSAL HEAD, CORROSION RESISTANT STEEL	1999	SAE	0
20633	AS13471	Navigation, Display Multicolor Microchart/Map Transparencies	1999	SAE	0
20634	AS21935	FITTING END, BOLT CLUSTER FITTING, DOUBLE PORT, THROUGH, FLARELESS	1999	SAE	0
20635	AS21949	BOLT-CLUSTER FITTING SINGLE PORT-FLARE	1999	SAE	0
20636	AS19692A	Pumps, Hydraulic, Variable Flow, General Specification for	1999	SAE	0
20637	AS2001A	Aerospace Fluid Systems and Components Pressure and Temperature Classifications	1999	SAE	0
20638	AS15532	Data Word and Message Formats	1999	SAE	0
20639	AS14274	PIN, QUICK RELEASE, POSITIVE LOCKING, "L" HANDLE, SINGLE ACTION, DETENT WRENCH/SAFETY PIN (SLOTTED)	1999	SAE	0
20640	AS14244	CLAMP, LOOP TYPE, BONDING METRIC	1999	SAE	0
20641	AS18013	Indicator, Humidity, Plug, Color Change	1999	SAE	0
20642	AS18121	FERRULES, OUTER, INSULATED, SHIELD TERMINATING,TYPE II TWO-PIECE, CLASS I, FOR SHIELDED CABLE	1999	SAE	0
20643	AS1652A	COUPLING ASSEMBLY, THREADLESS - FLEXIBLE, FIXED CAVITY, SELF-BONDING	1999	SAE	0
20644	AS1651A	ASSEMBLED COUPLING, THREADLESS - FLEXIBLE, FIXED CAVITY, SELF-BONDING, ENVELOPE DIMENSIONS	1999	SAE	0
20645	AS29523	Hook, Filler Cap Chain	1999	SAE	0
20646	AS3143A	STUD, STEPPED - 2.5 DIA ENGAGEMENT, PD SHANK, AMS 5731 .500-20 UNJF-3A X .4375-20 UNJF-3A - Reaffirmed Noncurrent July 2004	1999	SAE	0

20647	AS3142A	STUD, STEPPED - 2.5 DIA ENGAGEMENT, PD SHANK, AMS 5731 .4375-20 UNJF-3A X .375-24 UNJF-3A - Reaffirmed Noncurrent July 2004	1999	SAE	0
20648	AS3141A	STUD, STEPPED - 2.5 DIA ENGAGEMENT, PD SHANK, AMS 5731 .375-24 UNJF-3A X .3125-24 UNJF-3A - Reaffirmed Noncurrent July 2004	1999	SAE	0
20649	AS3140A	STUD, STEPPED - 2.5 DIA ENGAGEMENT, PD SHANK, AMS 5731 .3125-24 UNJF-3A X .250-28 UNJF-3A - Reaffirmed Noncurrent July 2004	1999	SAE	0
20650	AS3139A	STUD, STEPPED - 2.5 DIA ENGAGEMENT, PD SHANK, AMS 5731 .250-28 UNJF-3A X .190-32 UNJF-3A - Reaffirmed Noncurrent July 2004	1999	SAE	0
20651	AS24652	ELBOW, TUBE - 90ï°, BULKHEAD, FLARED TUBE, UNIVERSAL TO FLARELESS TUBE	1999	SAE	0
20652	AS24651	ELBOW, TUBE - 90ï°, BULKHEAD, FLARELESS TUBE UNIVERSAL TO FLARED TUBE	1999	SAE	0
20653	AS24654	ELBOW, TUBE - 45ï°, BULKHEAD, FLARELESS TUBE UNIVERSAL TO FLARED TUBE	1999	SAE	0
20654	AS25019	Cable Assembly, External Electric Power, Aircraft, 28 Volt DC, Jet Starting	1999	SAE	0
20655	AS25109	Engines, Aircraft, Reciprocating, General Specification For	1999	SAE	0
20656	AS24001	Fuse Holder, Block-Type, 1-, 2-, and 3-Pole, 35- to 60-Ampere, Aircraft	1999	SAE	0
20657	AS24405	ADAPTER, FLARELESS TUBE TO FLARED TUBE PRECISION TYPE	1999	SAE	0
20658	AIR853A	Disconnect Systems, Accessory Drive Shaft	1999	SAE	0
20659	AS24461B	Bearing, Roller, Needle, Single Row, Heavy Duty, Type I, Antifriction, Inch	1999	SAE	0
20660	AS24000	Fuse Holder, Block-Type, 1-, 2-, and 3-Pole, 1- to 30-Ampere, Aircraft	1999	SAE	0
20661	AS22805	Spray Kit, Self Pressurized	1999	SAE	0
20662	AS23190-1	STRAPS, CLAMPS, AND MOUNTING HARDWARE, PLASTIC FOR CABLE HARNESS TYING AND SUPPORT CLAMP, LOOP, NYLON, ADJUSTABLE, WIRE SUPPORT, TYPE III, CLASS 1	1999	SAE	0
20663	AS23190-2	STRAPS, CLAMPS, PLASTIC AND METAL, AND MOUNTING HARDWARE, PLASTIC FOR CABLE HARNESS TYING AND SUPPORT CLAMP, LOOP, METAL, CUSHIONED, ADJUSTABLE, WIRE SUPPORT, TYPE V, CLASS 1	1998	SAE	0
20664	AS23003	GAGES - INSPECTION FOR MS23002 CRIMPING DIES (FOR USE WITH MS25036 INSULATED TERMINALS)	1998	SAE	0
20665	AS25226	Link, Terminal, Connecting	1998	SAE	0
20666	AS31371A	CONNECTOR, PLUG, ELECTRIC, SOLDER TYPE, PUSH-PULL COUPLING SERIES 1 (CLASS E, P AND J)	1998	SAE	0
20667	AS3072B	(R) GASKET - 37 degrees FLARED TUBE FITTING, COPPER, AMS 4500	1998	SAE	0
20668	AS29600-1	CONNECTOR, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, SEALING PLUG, SIZE 8, (SERIES A)	1998	SAE	0
20669	AS29600-23	CONNECTORS, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, CONTACTS, SOCKET, CRIMP REMOVABLE, (FOR MIL-C-29600 SERIES B)	1998	SAE	0
20670	AS29600-2	CONNECTOR, ELECTRICAL, CIRCULAR, MINIATURE, COMPOSITE, HIGH DENSITY, QUICK COUPLING, ENVIRONMENT RESISTANT, REMOVABLE CRIMP CONTACTS, BACKSHELL, SHIELD TERMINATING, (SERIES A AND B)	1998	SAE	0
20671	AS3073C	GASKET - 37 degrees FLARED TUBE FITTING, COPPER, AMS 4500	1998	SAE	0
20672	AIR951A	Spark Energy Measurement, Alternative Methods	1998	SAE	0
20673	AS26860	Indicator, Humidity, Plug, Color Change	1998	SAE	0
20674	AS27166	Valve, Pressure Equalizing, Gaseous Products	1998	SAE	0
20675	AS18012	Markings for Aircrew Station Displays Design and Configuration of	1998	SAE	0
20676	AS18802	Fuel and Oil Lines, Aircraft, Installation of	1998	SAE	0
20677	AS150301 THRU AS150400	Pin-Lock, Brass	1998	SAE	0
20678	AS1506C	HOSE, AIR DUCT, SEMIFLEXIBLE, SLEEVE SECTION, UNREINFORCED, SELF EXTINGUISHING	1998	SAE	0

20679	AS1933A	Age Controls for Hose Containing Age-Sensitive Elastomeric Material	1998	SAE	0
20680	AS123020 THRU AS123119	Gasket - Aluminum - Non Asbestos, Annular	1998	SAE	0
20681	AS1197A	Continuous Flow Oxygen Regulator	1998	SAE	0
20682	AS1145B	Aircraft Brake Temperature Monitor Systems (BTMS)	1998	SAE	0
20683	AS10380	Coupling Installations, Standard Conduit, Electrical	1998	SAE	0
20684	AS10051	Hubs, Conduit Connection, Standard Dimensions	1998	SAE	0
20685	ARP890A	Spark Plug Rating Calibration	1998	SAE	0
20686	ARP4919	Fluid Connections, Fittings, Hex Width	1998	SAE	0
20687	ARP1702A	Defining and Measuring Factors Affecting Helicopter Turbine Engine Power Available	1998	SAE	0
20688	ARP1817A	Battery Industrial, Lead-Acid Type, for Use in Electric Powered Ground Support Equipment	1998	SAE	0
20689	ARP4102-8A	Flight Deck Head-Up Displays	1998	SAE	0
20690	ARP4162A	Balancing Machine Proving Rotors	1998	SAE	0
20691	ARP292C	Environmental Control Systems for Helicopters	1998	SAE	0
20692	ARP1480A	Ground Electrical Power Unit Brushless, Synchronous, Electric Motor-Driven 400 Hertz, 3-Phase Output	1998	SAE	0
20693	ARP1481A	Corrosion Control and Electrical Conductivity in Enclosure Design	1998	SAE	0
20694	ARP1199B	(R) Selection, Application, and Inspection of Electric Overcurrent Protective Devices	1998	SAE	0
20695	ARD50048	Human Modeling System User Requirements Survey	1998	SAE	0
20696	ARD50079	Human Factors Issues in Free Flight	1998	SAE	0
20697	AMS-R-83485	Rubber, Fluorocarbon Elastomer, Improved Performance at Low Temperatures	1998	SAE	0
20698	AMS-R-5001	Rubber Cellular Sheet, Molded and Hand-Built Shapes; Latex Foam	1998	SAE	0
20699	AMS-R-25988	Rubber, Fluorosilicone Elastomer, Oil-and-Fuel-Resistant, Sheets, Strips, Molded Parts, and Extruded Shapes	1998	SAE	0
20700	AIR5444	Investigation of Whisker Formation on Tin Plated Conductors	1998	SAE	0
20701	AMS-QQ-A-250-4A	Aluminum Alloy 2024, Plate and Sheet A92024	1998	SAE	0
20702	AMS-QQ-A-225-6A	Aluminum Alloy, 2024, Bar, Rod, and Wire; Rolled, Drawn, or Cold Finished A92024	1998	SAE	0
20703	AMS-T-23397	Tapes, Pressure Sensitive Adhesive, for Masking During Paint Stripping Operations	1998	SAE	0
20704	AMS-T-6841	Tape and Sheet, Adhesive, Rubber and Cork Composition	1998	SAE	0
20705	AMS-T-21595	Tapes, Pressure-Sensitive Adhesive, Masking, Non-Staining - for Aircraft Painting Applications	1998	SAE	0
20706	AIR5315	Overview and Rationale for GOA Framework Standard	1998	SAE	0
20707	AMS-A-81596	Aluminum Foil for Sandwich Construction	1998	SAE	0
20708	AMS-C-19853	Carbon Removing Compound (for Use in Agitated Tank)	1998	SAE	0
20709	AMS-M-3171	Magnesium Alloy, Processes for Pretreatment and Prevention of Corrosion on	1998	SAE	0
20710	AMS-P-83310	Plastic Sheet, Polycarbonate, Transparent	1998	SAE	0
20711	AMS-P-83461	Packing, Preformed, Petroleum Hydralic Fluid Resistant, Improved Performance at 275 Degrees F (135 Degrees C)	1998	SAE	0
20712	AMS-C-8073	Core Material, Plastic Honeycomb, Laminated Glass Fabric Base for Aircraft Structural and Electronic Applications	1998	SAE	0
20713	AMS-C-81562	Coatings, Cadmium, Tin-Cadmium and Zinc (Mechanically Deposited)	1998	SAE	0
20714	AMS-C-81769	Chemical Milling of Metals, Specification for	1998	SAE	0
20715	AMS-C-81986	Core Material, Plastic Honeycomb, Nylon Paper Base; for Aircraft Structural Applications	1998	SAE	0
20716	AMS7292A	Labels, Aluminum Foil Etched, Anodized, and Dyed	1998	SAE	0

20717	AIR5295A	Design Considerations for Enclosed Turboprop Engine Test Cells	1998	SAE	0
20718	AIR5086	Perceptions and Limitations Inhibiting the Application of Probabilistic Methods	1998	SAE	0
20719	AMS5856B	Alloy Billets and Preforms, Corrosion and Heat Resistant 59.5Ni - 12Cr - 10Co - 3.0Mo - 6.0W - 3.0Ti - 1.5Ta - 4.5Al - 0.015B - 0.10Zr (0.30 - 0.35C), Powder-Metallurgy Product - UNS N07012	1998	SAE	0
20720	AIR4738A	Hardness Testing of Elastomeric O-Rings	1998	SAE	0
20721	AIR4364A	(R) Utilization of Battery-Powered Ground Support Equipment	1998	SAE	0
20722	AMS5330D	Steel Castings, Investment 0.80Cr - 1.8Ni - 0.35Mo (0.38 - 0.46C) (SAE 4340 Modified) Annealed - UNS J24060	1998	SAE	0
20723	AMS5328D	Steel Castings, Investment 0.80Cr - 1.8Ni - 0.35Mo (0.28 - 0.36C) (SAE 4330 Modified) Annealed - UNS J23260	1998	SAE	0
20724	AIR4281	Oil Systems for Helicopter Powerplants	1998	SAE	0
20725	AMS4995B	Billets and Preforms 5Al - 2Sn - 2Zr - 4Cr - 4Mo - 0.100 Premium Quality, Powder-Metallurgy Product	1998	SAE	0
20726	AIR1147A	Electromagnetic Interference on Aircraft from Jet Engine Charging	1998	SAE	0
20727	AMS4389G	Magnesium Alloy, Extrusions 3.0Th - 1.5Mn (HM31A-T5) Precipitation Heat Treated - UNS M13312	1998	SAE	0
20728	AMS4352H	(R) Magnesium Alloy, Extrusions 5.5Zn - 0.45Zr (ZK60A - T5) Precipitation Heat Treated - UNS M16600	1998	SAE	0
20729	AMS4350M	(R) Magnesium Alloy, Extrusions 6.5A1 - 0.95Zn (AZ61A-F) As Extruded - UNS M11610	1998	SAE	0
20730	AMS4755B	Solder, Lead-Silver 94Pb - 5.5Ag	1998	SAE	0
20731	AMS4756A	Solder 97.5Pb - 1.5Ag - 1Sn	1998	SAE	0
20732	AIR4170A	Reticulated Polyurethane Foam Explosion Suppression Material for Fuel Systems and Dry Bays	1998	SAE	0
20733	AIR1662A	Minimization of Electrostatic Hazards in Aircraft Fuel Systems	1998	SAE	0
20734	AMS3716C	Core, Honeycomb, Glass/Phenolic Bias Weave Fiber Construction	1998	SAE	0
20735	AMS3718B	Webbing, Woven Nylon For Decelerators	1998	SAE	0
20736	AIR1700A	Upper Frequency Measurement Boundary for Evaluation of Shielding Effectiveness in Cylindrical Systems	1998	SAE	0
20737	AMS3834A	Cloth, Type "E" Glass, "B" Stage Polyester-Resin-Impregnated 7781 Style Fabric, Flame Resistant, Improved Strength	1998	SAE	0
20738	AMS3901C	Organic Fiber (Para-Aramid), Yarn and Roving, High Modulus	1998	SAE	0
20739	AIR1898A	Maintenance of Batteries and Battery Charging and Servicing Facilities	1998	SAE	0
20740	USCAR-7	DEEMBRITTLEMENT VERIFICATION TEST - Revision 1	1998	SAE	0
20741	USCAR-9	CLASSIFICATION SYSTEM FOR AUTOMOTIVE TOOLING, MACHINERY AND EQUIPMENT LOW VOC WATERBORNE PAINT SYSTEMS	1998	SAE	0
20742	AMS3306B	Rubber, Silicone 1200 psi (8.27 MPa), High Modulus 55 - 65	1998	SAE	0
20743	AMS3410J	(R) Flux, Silver Brazing	1998	SAE	0
20744	AMS3411D	(R) Flux, Silver Brazing High Temperature	1998	SAE	0
20745	TSB 004	Technical Committee Guidelines - Superseded by the current version of the Technical Standards Board (TSB) Governance Policy	1998	SAE	0
20746	MAP4919	Fluid Connections, Fittings, Hex Width, Metric	1998	SAE	0
20747	MA614A	(R) Hose Assembly, Polytetrafluoroethylene (PTFE), Metallic Reinforced, 28,000 kPa, 204 Degrees C, Hydraulic, Metric	1998	SAE	0
20748	MA620	Hose Assemblies, Convoluted Polytetrafluoroethylene Metallic Reinforced, High Temperature, Medium Pressure, Aircraft Metric	1998	SAE	0
20749	MA620 SUP 1	Hose Assemblies, Convoluted Polytetrafluoroethylene Metallic Reinforced, High Temperature, Medium Pressure, Aircraft, Metric (Supplement 1)	1998	SAE	0
20750	JA1000	Reliability Program Standard	1998	SAE	0
20751	MA1339	Hose Assembly, Polytetrafluoroethylene, Metallic Reinforced, 21,000 kPa, 204 Degrees C, Lightweight, Hydraulic and Pneumatic, Metric	1998	SAE	0
20752	J986	Sound Level for Passenger Cars and Light Trucks	1998	SAE	0
20753	J983	Crane and Cable Excavator Basic Operating Control Arrangements	1998	SAE	0

20754	AMS3217-1B	Test Slabs, Acrylonitrile Butadiene (NBR-H) Medium-High Acrylonitrile, 65 - 75	1998	SAE	0
20755	MA1637	HOSE ASSEMBLY, CONVOLUTED, POLYTETRAFLUOROETHYLENE, METALLIC REINFORCED CONDUCTIVE, FLARELESS, 45¡° TO 90¡°	1998	SAE	0
20756	MA1638	HOSE ASSEMBLY, CONVOLUTED, POLYTETRAFLUOROETHYLENE, METALLIC REINFORCED CONDUCTIVE, FLARELESS, 90¡° TO 90¡°	1998	SAE	0
20757	AMS3217-3B	Test Slabs, Chloroprene (CR) 65 - 75	1998	SAE	0
20758	MA1518B	Bolts, Screws and Nuts - External Wrenching, Metric Threads - Design Parameters for	1998	SAE	0
20759	MA1633	HOSE ASSEMBLY, CONVOLUTED, POLYTETRAFLUOROETHYLENE, METALLIC REINFORCED CONDUCTIVE, FLARELESS, STRAIGHT TO STRAIGHT	1998	SAE	0
20760	MA1634	HOSE ASSEMBLY, CONVOLUTED, POLYTETRAFLUOROETHYLENE, METALLIC REINFORCED CONDUCTIVE, FLARELESS, STRAIGHT TO 45¡°	1998	SAE	0
20761	MA1635	HOSE ASSEMBLY, CONVOLUTED, POLYTETRAFLUOROETHYLENE, METALLIC REINFORCED CONDUCTIVE, FLARELESS, STRAIGHT TO 90¡°	1998	SAE	0
20762	MA1636	HOSE ASSEMBLY, CONVOLUTED, POLYTETRAFLUOROETHYLENE, METALLIC REINFORCED CONDUCTIVE, FLARELESS, 45¡° TO 45¡°	1998	SAE	0
20763	J831	Electrical Definitions	1998	SAE	0
20764	J839	Passenger Car Side Door Latch Systems	1998	SAE	0
20765	J934	Vehicle Passenger Door Hinge Systems - Reissued	1998	SAE	0
20766	J911	(R) Surface Roughness and Peak Count Measurement of Cold-Rolled Steel Sheet	1998	SAE	0
20767	J78	Steel Self-Drilling Tapping Screws	1998	SAE	0
20768	J405	(R) Chemical Compositions of SAE Wrought Stainless Steels	1998	SAE	0
20769	AIR1425A	Methods of Achieving Electromagnetic Compatibility of Gas Turbine Engine Accessories, for Self-Propelled Vehicles	1998	SAE	0
20770	AMS3078B	COMPOUND, CORROSION - PREVENTIVE Soft Film, Cold Application	1998	SAE	0
20771	J264	Vision Glossary	1998	SAE	0
20772	J2455	Drivetrain Systems Vibration Analysis Data Requirements (Stabilized Type)	1998	SAE	0
20773	J2456	Mercury Switch Removal Process	1998	SAE	0
20774	J2440	Domestic Performance Torque Converter Manufacturing	1998	SAE	0
20775	J2438	Low-Temperature Cranking Load Requirements of an Engine - Air Starter Method	1998	SAE	0
20776	J2426	(R) Occupant Restraint System Evaluation - Lateral Rollover System-Level Heavy Trucks	1998	SAE	0
20777	J2436	Accessory Drive Tensioner Test Standards (Mechanical Rotary Type)	1998	SAE	0
20778	J2437	Air Starter Motor Test Procedures	1998	SAE	0
20779	J2417	Lift Capacity Calculation Method Knuckle-Boom Log Loaders and Certain Forestry Equipment	1998	SAE	0
20780	J2418	Occupant Restraint Dynamic System Evaluation - Frontal Impact Heavy Trucks	1998	SAE	0
20781	J2419	Occupant Restraint System EvaluationFrontal Impact System-Level Heavy Trucks	1998	SAE	0
20782	J2352	Mayday Industry Survey Information Report	1998	SAE	0
20783	J2270	(R) Ship Systems and Equipment - Threaded Fasteners - Inspection, Test, and Installation Guidance	1998	SAE	0
20784	J2221	(R) Standardized Symbols for Electrical Circuit Diagrams	1998	SAE	0
20785	J2276	Numbering System for Multiple Diameter Cutting Tools	1998	SAE	0
20786	J2315	Wheel Nut Seat Strength	1998	SAE	0
20787	J2333	Ship Systems and Equipment - Hydraulic Systems - Filter Selection Parameters	1998	SAE	0
20788	J2316	Wheel Nut Seat System Test Procedures and Performance Requirements for Passenger Cars and Light Trucks	1998	SAE	0
20789	J2124	Numbering System for Single Diameter and Taper Reamers	1998	SAE	0
20790	J2122	Numbering System for Single Diameter Drills	1998	SAE	0

20791	J2123	Numbering System for Taps	1998	SAE	0
20792	AMS2811A	Identification Aluminum and Magnesium Alloy Wrought Products	1998	SAE	0
20793	J1987	Force and Movement Test Method	1998	SAE	0
20794	J1892	Recommended Practice for Bar-coded Vehicle Emission Configuration Label	1998	SAE	0
20795	J184	Qualifying A Sound Data Acquisition System (Stabilized Type)	1998	SAE	0
20796	J1938	(R) Product Development Process and Checklist for Vehicle Electronic Systems	1998	SAE	0
20797	J1778	Ship Systems and Equipment - Recommended Practice for Hydraulic Fluid Selection	1998	SAE	0
20798	AIR1394A	Cabling Guidelines for Electromagnetic Compatibility	1998	SAE	0
20799	J1790	Self-Propelled Sweepers and Scrubbers Steering Requirements Single-Circuit Hydraulic Servo-Assisted Systems	1998	SAE	0
20800	J1699-2	OBD-II Related SAE Specification Verification Test Procedures	1998	SAE	0
20801	AIR1392A	Oxygen System Maintenance Guide	1998	SAE	0
20802	J1470	(R) Measurement of Noise Emitted by Accelerating Highway Vehicles	1998	SAE	0
20803	J157	(R) Oil-Tempered Chromium - Silicon Alloy Steel Wire and Springs, Recommended Practice	1998	SAE	0
20804	AMS2689A	Fusion Welding Titanium and Titanium Alloys	1998	SAE	0
20805	AMS2662	Brazing, Gold-Nickel Alloy Filler Metal	1998	SAE	0
20806	AMS2373B	Quality Assurance Sampling of Bolts and Screws	1998	SAE	0
20807	AS6136	Conduit, Electrical, Flexible, Shielded, Aluminum Alloy for Aircraft Installations	1998	SAE	0
20808	AMS2376D	Qualification, Approval, and Control of Premium-Quality Forgings Alloy Steels and Heat-Treatable Corrosion and Heat Resistant Steels and Alloys	1998	SAE	0
20809	AS7222A	Aluminum Rivets, UNS A92117 2.5Cu - 0.3Mg (2117-T4) Procurement Specification	1998	SAE	0
20810	AS7351	Clamp, Loop Type Bonding	1998	SAE	0
20811	AS7974-1	CONNECTOR, PLUG, AIRCRAFT EXTERNAL POWER	1998	SAE	0
20812	AS7974-2	CABLE ASSEMBLY, EXTERNAL POWER, AIRCRAFT 115/200 VOLT, 400 HERTZ POWER DISTRIBUTION FLIGHT LINE (FOR A/E 24A-166A)	1998	SAE	0
20813	AS7768	Light, Desk, Aircraft	1998	SAE	0
20814	AS7768-1	LIGHT, DESK, AIRCRAFT	1998	SAE	0
20815	AS81714-11	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, WIRE IN-LINE JUNCTIONS, SERIES I	1998	SAE	0
20816	AS81714-2	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, BUSSING MODULES, FEEDBACK TYPE, SIZE 20 SERIES I	1998	SAE	0
20817	AS81714-3	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, BUSSING MODULES, FEEDBACK TYPE, SIZE 16, SERIES I	1998	SAE	0
20818	AS81714-4	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, BUSSING MODULES, FEEDBACK TYPE, SIZE 12, SERIES I	1998	SAE	0
20819	AS81714-5	TERMINAL JUNCTION SYSTEM, RACK ASSEMBLY, TRACK FEEDBACK TYPE, SERIES I	1998	SAE	0
20820	AS81714-6	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, BUSSING MODULES, FEEDTHRU TYPE, SIZE 22, SERIES I	1998	SAE	0
20821	AS81714-8	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, BUSSING MODULES, FEEDTHRU TYPE, SIZE 16, SERIES I	1998	SAE	0
20822	AS81714-9	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, BUSSING MODULES, FEEDTHRU TYPE, SIZE 12, SERIES I	1998	SAE	0
20823	AS81714-7	TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, BUSSING MODULES, FEEDTHRU TYPE, SIZE 20 SERIES I	1998	SAE	0
20824	AMS2252D	(R) Tolerances Low-Alloy Steel Sheet, Strip, and Plate	1998	SAE	0

20825	AS5189	FITTING, ADAPTER, HOSE	1998	SAE	0
20826	AS5183	FITTING, ADAPTER, HOSE TO STRAIGHT PIPE	1998	SAE	0
20827	AS5184	FITTING, ADAPTER, FLARED TO HOSE	1998	SAE	0
20828	AS5180	FITTING, ADAPTER, BULKHEAD, FLARED TO HOSE	1998	SAE	0
20829	AS5371	Reference Standards Notched Shims for Magnetic Particle Inspection	1998	SAE	0
20830	AS5355-3	COUPLINGS, CLAMP, GROOVED, V-BAND, 1.75 TO 14.25 FLANGE OD (-65 TO 1200 ?F)	1998	SAE	0
20831	AS5355-2	COUPLINGS, CLAMP, GROOVED, V-BAND, 1.75 TO 6.25 FLANGE OD (-65 TO 250 ?F)	1998	SAE	0
20832	AS5282	Tool Steel Ring for Magnetic Particle Inspection	1998	SAE	0
20833	AS5355-1	COUPLINGS, CLAMP, GROOVED, V-BAND, 1.75 TO 14.25 FLANGE OD (-65 TO 800 ?F)	1998	SAE	0
20834	AS50861-7	Wire, Electrical, Polyvinyl Chloride Insulated, Nylon Jacket, Tin-Coated Copper Conductor, Medium Weight, 600-Volt, 105?C FSC 6145	1998	SAE	0
20835	AS50861-1	Wire, Electrical, Polyvinyl Chloride Insulated, Nylon Jacket, Tin-Coated Copper Conductor, 600-Volt, 105?C FSC 6145	1998	SAE	0
20836	AS5148	Assembly, Installation and Torque for Flareless and Straight Thread Fluid Fittings and Tube Assemblies.	1998	SAE	0
20837	AS4201A	PORT RING LOCKED FLUID CONNECTION TYPE, 8000 PSI DESIGN STANDARD	1998	SAE	0
20838	AMS1451B	Disinfectant, Aircraft for Use in Cargo Compartments	1998	SAE	0
20839	AS4202A	Adapter - Port Connection, Ring Locked Design, Installation and Removal of 8000 psi Systems	1998	SAE	0
20840	AS4111	Validation Test Plan for the Digital Time Division Command/Response Multiplex Data Bus Remote Terminals	1998	SAE	0
20841	AMS1388A	Remover, Temporary Coating Alkaline Type, Water Base	1998	SAE	0
20842	AS35051	COVER FOR USE WITH MS90362 EXTERNAL POWER RECEPTACLE	1998	SAE	0
20843	AS3293A	GASKET - 37 DEGREES FLARED TUBE FITTING, COPPER, AMS 4500	1998	SAE	0
20844	AS33559	Adapter, Aircraft, Jacking Point, Design and Installation of	1998	SAE	0
20845	AS9816	Bolt, Machine - Hexagon Head, Drilled, 1 Hole, PD Shank, AMS 5643, .190-32 UNJF-3A	1998	SAE	0
20846	AS9808	BOLT, MACHINE-HEXAGON HEAD, PD SHANK, AMS 5643, .375-24 UNJF-3A	1998	SAE	0
20847	AS9805	BOLT, MACHINE-HEXAGON HEAD, PD SHANK, AMS 5643, .190-32 UNJF-3A	1998	SAE	0
20848	AS9806	Bolt, Machine - Hexagon Head, PD Shank, AMS 5643, .250-28 UNJF-3A	1998	SAE	0
20849	AS9821	Bolt, Machine - Hexagon Head, Drilled, 1 Hole, PD Shank, AMS 5643, .500-20 UNJF-3A	1998	SAE	0
20850	AS9796	Bolt, Machine - Hexagon Head, Drilled, 1 Hole, Full Shank, AMS 5643, .3125-24 UNJF-3A	1998	SAE	0
20851	AS9771	PACKING, PREFORMED AMS3650, SEAL	1998	SAE	0
20852	AS9772	PACKING, PREFORMED AMS3617, â Oâ RING	1998	SAE	0
20853	AS9966	PACKING, PREFORMED AMS7273, SEAL	1998	SAE	0
20854	AS9967	PACKING, PREFORMED - AMS3668, â Oâ RING	1998	SAE	0
20855	AS9955	PACKING, PREFORMED - AMS3668, â Oâ RING	1998	SAE	0
20856	J1028	Mobile Crane Working Area Definitions	1998	SAE	0
20857	AS9321	Washer, Flat - AMS 5510	1998	SAE	0
20858	AS930E	FITTING END, STRAIGHT THREAD, PORT CONNECTION, DESIGN STANDARD	1998	SAE	0
20859	AS9389	PIN, STRAIGHT, HEADLESS AMS5735, LOCK	1998	SAE	0
20860	AS9379	PLUG, EXPANSION AMS5510	1998	SAE	0
20861	AS9380	PLUG, EXPANSION AMS4003	1998	SAE	0
20862	AS9392	CUSHION, LOOP CLAMP MULTIPLE, 3-TUBE, AMS3303	1998	SAE	0
20863	AS9393	CUSHION, LOOP CLAMP MULTIPLE, 2-TUBE, AMS3303	1998	SAE	0
20864	AS9394	STRAP, RETAINING-MULTIPLE TUBE, DETACHABLE CUSHION, AMS5510	1998	SAE	0
20865	AS9391	CLAMP, LOOP - MULTIPLE TUBE, DETACHABLE CUSHION, AMS5510	1998	SAE	0

20866	AS9395	BACKPLATE, RETAINING STRAP AMS5510	1998	SAE	0
20867	AS9353	CLAMP, LOOP - ALUMINUM, .204 HOLE	1998	SAE	0
20868	AS9354	CLAMP, LOOP - ALUMINUM, .265 HOLE	1998	SAE	0
20869	AS9549	WASHER, FLAT AMS5510	1998	SAE	0
20870	AS9105	Pin, Straight, Headless, AMS5688, Lock	1998	SAE	0
20871	AS8775	Hydraulic System Components, Aircraft and Missiles, General Specification For	1998	SAE	0
20872	AS8796	Hose, Air Duct, Flexible, Aircraft	1998	SAE	0
20873	AS85720-1	FITTINGS, TUBE, FLUID SYSTEMS, SEPARABLE, HIGH PRESSURE, DYNAMIC BEAM SEAL, DESIGN STANDARD FOR MALE END	1998	SAE	0
20874	AS83519-2	SHIELD TERMINATION, SOLDER STYLE, INSULATED, HEATSHRINKABLE, ENVIRONMENT RESISTANT WITH PRE INSTALLED LEADS FOR CABLES HAVING TIN OR SILVER PLATED SHIELDS (CLASS I)	1998	SAE	0
20875	AS83519-1	SHIELD TERMINATION, SOLDER STYLE, INSULATED, HEATSHRINKABLE, ENVIRONMENT RESISTANT FOR CABLES HAVING TIN OR SILVER PLATED SHIELDS (CLASS I)	1998	SAE	0
20876	AS827	Aircraft Anti-Collision Lights	1998	SAE	0
20877	AS81824-1A	(R) SPLICE, IN-LINE, ELECTRIC, CRIMP, SN/CU, ENVIRONMENTAL, HEAT-SHRINKABLE SLEEVE (150 ?C), 1 X 1 SEALANT OPENING	1998	SAE	0
20878	AS81824-3	SPLICE, COAXIAL CABLE, ELECTRIC, PERMANENT, CRIMP STYLE COPPER, INSULATED, ENVIRONMENT RESISTANT, CLASS 1	1998	SAE	0
20879	J1131	Performance Requirements for SAE J844 Nonmetallic Tubing and Fitting Assemblies Used in Automotive Air Brake Systems	1998	SAE	0
20880	J1183	Recommended Guidelines for Fatigue Testing of Elastomeric Materials and Components	1998	SAE	0
20881	J1101	Test Procedure for Parking Stability of Motorcycles	1997	SAE	0
20882	AS870D	(R) Wrenching Configuration, Bi-Hexagonal (12 Point) Drive, Design Standard for	1997	SAE	0
20883	AS8712	Valve; Air Relief, Low Pressure	1997	SAE	0
20884	HS-795	Manual on Design and Application of Helical and Spiral Springs - 1997 Edition	1997	SAE	0
20885	AS33583	TUBING END DOUBLE FLARE, STANDARD DIMENSIONS FOR	1997	SAE	0
20886	AS33611	Tube Bend Radii	1997	SAE	0
20887	AS33731	STRIP, MOUNTING, NUT INSULATING, FOR MS27212 TERMINAL BOARD	1997	SAE	0
20888	AS415	Altimeter, Pressure, Compensated (Turbine Powered Subsonic Aircraft)	1997	SAE	0
20889	AS4214A	(R) FITTING, CAP ASSEMBLY, BEAM SEAL, HYDRAULIC	1997	SAE	0
20890	AS4215	FITTING, ADAPTER, BEAM SEAL, EXTERNAL THREAD EXTERNAL SWAGE TUBE END, HYDRAULIC, 3000 PSI	1997	SAE	0
20891	AS4209B	FITTING END, ASSEMBLY, INTERNAL THREAD, RETAINED NUT, BEAM SEAL, DESIGN STANDARD	1997	SAE	0
20892	AS4217	FITTING, ADAPTER, BEAM SEAL, BULKHEAD, EXTERNAL SWAGE TUBE END, HYDRAULIC, 3000 PSI	1997	SAE	0
20893	AS4218	FITTING, ELBOW, 45â_°, BEAM SEAL, EXTERNAL THREAD, EXTERNAL SWAGE TUBE END, HYDRAULIC, 3000 PSI	1997	SAE	0
20894	AS4219	FITTING, ELBOW, 45â_°, BEAM SEAL, BULKHEAD, EXTERNAL SWAGE TUBE END, HYDRAULIC, 3000 PSI	1997	SAE	0
20895	AS4225	FITTING, ELBOW, 90â_°, BEAM SEAL, EXTERNAL THREAD, EXTERNAL SWAGE TUBE END, HYDRAULIC, 3000 PSI	1997	SAE	0
20896	AS4226	FITTING, ELBOW, 90â_°, BEAM SEAL, BULKHEAD, EXTERNAL SWAGE TUBE END, HYDRAULIC, 3000 PSI	1997	SAE	0
20897	AS4234	Fitting, Adapter, Beam Seal, Swivel Nut, External Swage Tube End, Hydraulic, 3000 psi	1997	SAE	0
20898	AS4467	Standardization, Hydraulic Tube Walls	1997	SAE	0
20899	AS4444-2	Fitting, 24? Cone Flareless to 37? Flared, Fluid Connection	1997	SAE	0
20900	AS5171	WASHER, FLAT, FITTING, FLARED AND FLARELESS	1997	SAE	0

20901	AS5135	Desiccant Port and Desiccant Holder	1997	SAE	0
20902	AS5133	Nut, Floating, Attached Retention Element (A.R.E.) - Hole Dimensions and Installation Requirements	1997	SAE	0
20903	AS5131	Tube End - Beaded, Design Standard	1997	SAE	0
20904	AS5132	FITTING END - HOSE CONNECTION, DESIGN STANDARD	1997	SAE	0
20905	AS5009	FITTING, ELBOW, 90â °, EXTERNAL SWAGE, HYDRAULIC	1997	SAE	0
20906	AS5010	Fitting, Tee, External Swage, Hydraulic	1997	SAE	0
20907	AS5011	Fitting, Cross, External Swage, Hydraulic	1997	SAE	0
20908	AS5012	FITTING, SLEEVE, STRAIGHT, FLARED, EXTERNAL SWAGE, HYDRAULIC	1997	SAE	0
20909	AS5013	FITTING, ADAPTER, STRAIGHT FLARELESS, EXTERNAL SWAGE, HYDRAULIC	1997	SAE	0
20910	AS5014	Fitting, Sleeve, Straight, Flareless, External Swage, Hydraulic	1997	SAE	0
20911	AS5017	Air Filling Valves	1997	SAE	0
20912	AS4875-3	Fittings, Straight Thread Port or Flanged to 24? Cone Flareless, Fluid Connection	1997	SAE	0
20913	AS4959	Bolts and Screws, Steel, UNS S66286 Tensile Strength 140 ksi 1650 Ï°F Solution Heat Treatment Aged Before Fillet and Thread Rolling Procurement Specification	1997	SAE	0
20914	AS5372	Fuse, Current Limiter Type, Aircraft	1997	SAE	0
20915	AS5266	FITTING, ADAPTER, STRAIGHT, FLARED, EXTERNAL SWAGE, HYDRAULIC	1997	SAE	0
20916	AS5267	FITTING, ADAPTER, STRAIGHT, FLARELESS, EXTERNAL SWAGE, HYDRAULIC	1997	SAE	0
20917	AS5255	Exfoliation Testing of Aluminum	1997	SAE	0
20918	AIR1326A	Aircraft Fuel System Vapor-Liquid Ratio Parameter	1997	SAE	0
20919	AS5778	Covers, Aircraft Components, General Requirements for	1997	SAE	0
20920	AS756B	(R) FITTING END ASSEMBLY, UNIVERSAL, DESIGN STANDARD	1997	SAE	0
20921	AS7478B	Bolts and Screws, Steel, UNS S66286 Classification: 130 ksi/1200 Degrees F; 1800 Degrees F Solution Heat Treated, Aged After Roll Threaded Procurement Specification for	1997	SAE	0
20922	AS8010C	Aviatorâ s Breathing Oxygen Purity Standard	1997	SAE	0
20923	AS8090	Mobility, Towed Aerospace Ground Equipment, General Requirements For	1997	SAE	0
20924	AS7112-4	NATIONAL AEROSPACE AND DEFENSE CONTRACTORS ACCREDITATION PROGRAM REQUIREMENTS FOR HOSE/TUBE ASSEMBLY	1997	SAE	0
20925	AS7113	National Aerospace and Defense Contractors Accreditation Program Requirements for Fastener Manufacturing	1997	SAE	0
20926	AS7112	National Aerospace aand Defense Contractors Accreeditation Program; Requirements for Fluid System Components	1997	SAE	0
20927	AS7112-1	NATIONAL AEROSPACE AND DEFENSE CONTRACTORS ACCREDITATION PROGRAM HOSE MANUFACTURING REQUIREMENTS	1997	SAE	0
20928	AS7112-2	NATIONALAEROSPACE AND DEFENSE CONTRACTORS ACCREDITATION PROGRAM REQUIREMENTS FOR FITTINGSAND OTHER MACHINED COMPONENTS	1997	SAE	0
20929	J1344	Marking of Plastic Parts	1997	SAE	0
20930	J1375	Starter Motor Application Considerations	1997	SAE	0
20931	J1376	Fuel Economy Measurement Test (Engineering Type) for Trucks and Buses, Recommended Practice	1997	SAE	0
20932	J1246	Measuring the Radius of Curvature of Convex Mirrors	1997	SAE	0
20933	J1204	Wheels - Recreational and Utility Trailer Test Procedure	1997	SAE	0
20934	J1205	Performance Requirements for Snap-In Tubeless Tire Valves	1997	SAE	0
20935	J1206	(R) Methods for Testing Snap-In Tubeless Tire Valves	1997	SAE	0
20936	J1213-1	(R) Glossary of Vehicle Networks for Multiplexing and Data Communications	1997	SAE	0
20937	J131	Motorcycle Turn Signal Lamps	1997	SAE	0
20938	J1696	Standard Fuel Filter Test Fluid	1997	SAE	0

20939	J1619	Single Tooth Gear Bending Fatigue Test	1997	SAE	0
20940	J1797	Recommended Practice for Packaging of Electric Vehicle Battery Modules	1997	SAE	0
20941	J1798	Recommended Practice for Performance Rating of Electric Vehicle Battery Modules	1997	SAE	0
20942	J182	Motor Vehicle Fiducial Marks and Three-dimensional Reference System	1997	SAE	0
20943	J1903	(R) Automotive Adaptive Driver Controls, Manual	1997	SAE	0
20944	J1977	Braking Performance - Rubber-Tired, Self-Propelled Cranes	1997	SAE	0
20945	J1975	Case Hardenability of Carburized Steels	1997	SAE	0
20946	J2057-1	Class A Application/Definition	1997	SAE	0
20947	J2329	Categorization and Properties of Low-Carbon Automotive Sheet Steels	1997	SAE	0
20948	J2319	Low-Speed Impact Bumper System Test Procedure for Passenger Vehicles	1997	SAE	0
20949	J2288	Life Cycle Testing of Electric Vehicle Battery Modules	1997	SAE	0
20950	AMS3020A	(R) Oil, Reference, for â Lâ Stock Rubber Testing	1997	SAE	0
20951	J2355	ITS Data Bus Architecture Reference Model Information Report	1997	SAE	0
20952	J2375	Selection of Adhesives for the Attachment of Exterior Aftermarket Accessories	1997	SAE	0
20953	J2371	Clamping Force Test Procedure	1997	SAE	0
20954	J2379	Performance Engine Building Recommended Practices	1997	SAE	0
20955	J2407	Clutch Installation and Release Linkage Requirements for Truck and Bus Application	1997	SAE	0
20956	J2408	Clutch Requirements for High-Torque Truck and Bus Engines	1997	SAE	0
20957	J2405	Low-Permeation Fuel Fill and Vent Tube	1997	SAE	0
20958	J2431	Effects of Front-Mounted Accessories on Air Bag Sensors and Crashworthiness	1997	SAE	0
20959	J411	Carbon and Alloy Steels	1997	SAE	0
20960	J512	Automotive Tube Fittings	1997	SAE	0
20961	J751	(R) Off-Road Tire and Rim Classification - Construction Machines	1997	SAE	0
20962	J671	Vibration Damping Materials and Underbody Coatings (Stabilized Type)	1997	SAE	0
20963	J599	(R) Lighting Inspection Code	1997	SAE	0
20964	MA2033B	(R) FITTING, TEE, FLARELESS, BULKHEAD ON RUN, BOSS ON SIDE, METRIC	1997	SAE	0
20965	MA2034B	(R) FITTING, TEE, THIN WALL, BULKHEAD ON SIDE, FLARELESS, METRIC	1997	SAE	0
20966	MA2012B	(R) PORT, INTERNAL, STRAIGHT THREAD, FITTING CONNECTION, DESIGN STANDARD, METRIC	1997	SAE	0
20967	MA2026B	(R) FITTING, ELBOW, 90ï , THIN WALL, FLARELESS, METRIC	1997	SAE	0
20968	MA2027B	(R) FITTING, TEE, THIN WALL, FLARELESS, METRIC	1997	SAE	0
20969	MA2028B	(R) FITTING, CROSS, THIN WALL, FLARELESS, METRIC	1997	SAE	0
20970	MA2029B	(R) FITTING, ELBOW, 45ï°, THIN WALL, BULKHEAD, FLARELESS, METRIC	1997	SAE	0
20971	MA2030B	(R) FITTING, ELBOW, 90ï°, THIN WALL, BULKHEAD, FLARELESS, METRIC	1997	SAE	0
20972	MA2031B	(R) FITTING, TEE, THIN WALL, BULKHEAD ON RUN, FLARELESS, METRIC	1997	SAE	0
20973	MA2032B	(R) FITTING, TEE, BULKHEAD AND BOSS ON RUN, FLARELESS, METRIC	1997	SAE	0
20974	MA2042A	(R) FITTING, ADAPTER, PORT CONNECTION TO FLARELESS, METRIC	1997	SAE	0
20975	MA2047C	NUT, RETAINED, FLARELESS, METRIC	1997	SAE	0
20976	MA2070A	(R) FITTING, TEE, INTEGRAL WELD RING, 21,000 KPA, METRIC	1997	SAE	0
20977	MA2071A	(R) FITTING, CROSS, INTEGRAL WELD RING, 21,000 KPA, METRIC	1997	SAE	0
20978	MA2069A	(R) FITTING, ELBOW, 90â °, INTEGRAL WELD RING, 21,000 KPA, METRIC	1997	SAE	0
20979	MA2061B	(R) FITTING END, WELDED, INTEGRAL OFFSET WELD, LIP, DESIGN STANDARD, METRIC	1997	SAE	0

20980	MA2062A	(R) RING, WELD, 21,000 KPA, CRES, METRIC	1997	SAE	0
20981	MA2063A	(R) TUBE END, WELD, DESIGN STANDARD, METRIC	1997	SAE	0
20982	MA2064A	(R) FITTING, SLEEVE, FLARELESS ACORN TO INTEGRAL WELD RING, 21,000 KPA, METRIC	1997	SAE	0
20983	MA2065B	(R) FITTING, ADAPTER, EXTERNAL THREAD FLARELESS TO INTEGRAL WELD RING, 21,000 KPA, METRIC	1997	SAE	0
20984	MA2066A	(R) FITTING, REDUCER, INTEGRAL WELD RING, 21,000 KPA, METRIC	1997	SAE	0
20985	AMS3344B	Silicone Rubber 1800 psi 45-55	1997	SAE	0
20986	AIR1558A	Interface Protective Devices - Ground Equipment to Aircraft	1997	SAE	0
20987	AMS3310	Rubber, Silicone - Flame Retardant, Low Smoke Density, High Strength 65 - 75 Durometer Color White	1997	SAE	0
20988	Z26.1	Safety Glazing Materials for Glazing Motor Vehicles and Motor Vehicle Equipment Operating on Land Highways - Safety Standard	1997	SAE	0
20989	USCAR-5	AVOIDANCE OF HYDROGEN EMBRITTLEMENT OF STEEL - Revision 4; Revised 2008-06	1997	SAE	0
20990	USCAR-4	STANDARD FOR CIGAR LIGHTERS & POWER OUTLETS	1997	SAE	0
20991	MA2118B	(R) Nut, Bulkhead, Fitting, Metric	1997	SAE	0
20992	MA2307A	FITTING END, INTEGRAL CENTERED WELD LIP, DESIGN STANDARD, METRIC	1997	SAE	0
20993	MA3378C	Bolts and Screws, UNS N07001 Tensile Strength 1210 MPa, Thread and Fillet Radius Rolled Before Aging, Procurement Specification, Metric	1997	SAE	0
20994	MA3376B	Bolts & Screws, UNS G87400 Tensile Strength 860 MPa & 1000 MPa Procurement Specification, Metric	1997	SAE	0
20995	AIR1900A	(R) Guide to Temperature Monitoring in Aircraft Gas Turbine Engines	1997	SAE	0
20996	AIR1936A	Study of Wrenching Engagement on AS870C Double Hexagon (12 Point) Fasteners	1997	SAE	0
20997	AIR1963A	Cockpit Information Required for Helicopter Turbine Engine Operation and Maintenance	1997	SAE	0
20998	AIR1850A	Twin Engine Helicopter Power Requirements	1997	SAE	0
20999	AIR1811A	Liquid Cooling Systems	1997	SAE	0
21000	AIR1812A	Environmental Control Systems Life Cycle Cost	1997	SAE	0
21001	AIR1800A	Aircraft Tail Bumpers	1997	SAE	0
21002	AIR1660B	Fuel Level Control Valves/Systems	1997	SAE	0
21003	AIR1600A	Animal Environment in Cargo Compartments	1997	SAE	0
21004	AIR4083A	Helicopter Power Assurance	1997	SAE	0
21005	AIR4359	Effects of Hanging Loads (e.g., GOH) on ULD Performance	1997	SAE	0
21006	AMS5340D	(R) Steel, Corrosion Resistant, Investment Castings 14Cr - 4.25Ni - 2.25Mo - 0.25Cb - 3.25Cu Homogenization and Solution Heat Treated - UNS J92240	1997	SAE	0
21007	AMS5626E	STEEL, TOOL, HIGH SPEED, BARS AND FORGINGS	1997	SAE	0
21008	AIR5080	Integration of Probabilistic Methods into the Design Process	1997	SAE	0
21009	AMS-QQ-A-225-4	Aluminum Alloy, 2014, Bar, Rod, Wire and Special Shapes, Rolled, Drawn, or Cold Finished A92014	1997	SAE	0
21010	AMS-QQ-A-225-5	Aluminum Alloy, 2017, Bar, Rod, and Wire Rolled, Drawn, or Cold Finished A92017	1997	SAE	0
21011	AMS-QQ-A-225-9	Aluminum Alloy 7075, Bar, Rod, Wire, and Special Shapes; Rolled, Drawn, or Cold Finished A97075	1997	SAE	0
21012	AMS-QQ-A-200-3	Aluminum Alloy 2024, Bar, Rod, Shapes, Tube, and Wire, Extruded A92024	1997	SAE	0
21013	AMS-QQ-A-200-8	Aluminum Alloy 6061, Bar, Rod, Shapes, Tube, and Wire, Extruded A96061	1997	SAE	0
21014	AMS-QQ-A-200-11	Aluminum Alloy 7075, Bar, Rod, Shapes, Tube, and Wire, Extruded A97075	1997	SAE	0

21015	AMS-A-8576	Adhesive, Acrylic Base, for Acrylic Plastic	1997	SAE	0
21016	AMS-QQ-A-250-30A	Aluminum Alloy 2219, Plate and Sheet A92219	1997	SAE	0
21017	ARP1109B	Dynamic Testing Systems for Oxygen Breathing Equipment	1997	SAE	0
21018	ARP1331B	THE CHEMICAL MILLING PROCESS	1997	SAE	0
21019	ARP1217A	Instrumentation Requirements for Turboshaft Engine Performance Measurements	1997	SAE	0
21020	AIR1169B	Bibliography of References Pertaining to The Effects of Oxygen on Ignition and Combustion of Materials	1997	SAE	0
21021	ARP4155A	Human Interface Design Methodology for Integrated Display Symbology	1997	SAE	0
21022	ARP4266	Hole Contour, Fluid Passage, Tube Fitting	1997	SAE	0
21023	ARP1658B	Hose Assemblies, Installed, Visual Inspection Guide For	1997	SAE	0
21024	ARP1665A	Definition of Pressure Surge Test and Measurement Methods for Receiver Aircraft	1997	SAE	0
21025	ARP1507A	Helicopter Engine/Airframe Interface Document and Checklist	1997	SAE	0
21026	ARP1834A	Fault/Failure Analysis for Digital Systems and Equipment - Use ARP 4761 for Aircraft Safety Assessment	1997	SAE	0
21027	ARP1892B	Electrical Connectors for Use in Battery Powered Ground Support Equipment	1997	SAE	0
21028	ARP4916	MASKING AND CLEANING OF EPOXY AND POLYESTER MATRIX THERMOSETTING COMPOSITE MATERIALS	1997	SAE	0
21029	ARP4898	Stands, Shipping and Storage, Aircraft Engines, Reusable	1997	SAE	0
21030	ARP4732	Cover Shipping Flexible (Nonreuseable)	1997	SAE	0
21031	ARP5256	MIXING RESINS, ADHESIVES AND POTTING COMPOUNDS	1997	SAE	0
21032	ARP926B	Fault/Failure Analysis Procedure	1997	SAE	0
21033	ARP726A	Universal Leak Detector	1997	SAE	0
21034	ARP700B	High Strength Elevated Temperature Bolting Practice	1997	SAE	0
21035	ARP704A	Helicopter Engine-Rotor System Compatibility	1997	SAE	0
21036	ARP680C	Universal Turnover Build-Up Stand Series for Propulsion Units and/or Components	1997	SAE	0
21037	ARP699E	High Temperature Pneumatic Duct Systems for Aircraft	1997	SAE	0
21038	ARP986C	Guide for Qualification Testing of Aircraft Air Valves	1997	SAE	0
21039	AS1072E	Sleeve, Hose Assembly, Fire Protection	1997	SAE	0
21040	AS1055D	Fire Testing of Flexible Hose, Tube Assemblies, Coils, Fittings, and Similar System Components	1997	SAE	0
21041	AS12	Magnetos, Aircraft, Mountings for	1997	SAE	0
21042	AS1225A	Oxygen System Fill/Check Valve	1997	SAE	0
21043	AS1241C	(R) Fire Resistant Phosphate Ester Hydraulic Fluid for Aircraft	1997	SAE	0
21044	AS1349A	Insert, Screw Thread, Helical Coil, Locking (Low Friction Systems), Performance Standard for	1997	SAE	0
21045	AS1895C	(R) Coupling Assembly, V-Retainer, High Pressure High Temperature, Pneumatic Tube	1997	SAE	0
21046	AS1960-1A	COUPLING, SHEET METAL, 40? V-BAND, STANDARD LATCH	1997	SAE	0
21047	AIR806B	Air Conditioning of Aircraft Cargo	1997	SAE	0
21048	AS1577B	TUBE END, WELD DESIGN STANDARD	1997	SAE	0
21049	AS1831A	Electrical Power, 270 V DC, Aircraft, Characteristics and Utilization of	1997	SAE	0
21050	AS18259	Installation of Window Anti-Icing, De-Greasing, and Washing Systems (General Specification for)	1997	SAE	0
21051	AS3067B	NUT, SELF-LOCKING, DOUBLE HEXAGON, REDUCED ENVELOPE, AS7251	1997	SAE	0
21052	AIR984C	Air Bleed Objective for Helicopter Turbine Engines	1997	SAE	0
21053	AS25481	Cable Assemblies, Electric Power, for Portable Ground Support Test Equipment	1997	SAE	0
21054	AIR857A	Speed Variation of D-C Motors	1996	SAE	0

21055	AIR975A	Maintenance of Pitot- Static Systems of Transport Aircraft	1996	SAE	0
21056	AS3063B	Bolts, Screws, and Studs, Geometric Control Requirements	1996	SAE	0
21057	AS269H	Identification of Material for AN, MS, and AS Engine and Propeller Standard Utility Parts and Also for Company Parts	1996	SAE	0
21058	AS1895-10C	FLANGE, MALE, BUTT WELD, TYPE I STANDARD PROFILE	1996	SAE	0
21059	AS1895-11C	FLANGE, FEMALE, BUTT WELD, TYPE I STANDARD PROFILE	1996	SAE	0
21060	AS1895-21A	INSTALLATION, JOINT, V-RETAINER COUPLING ASSEMBLY	1996	SAE	0
21061	AS1895-23	HIGH CONFORMANCE SEAL, TYPE I & II STANDARD AND LOW PROFILE	1996	SAE	0
21062	AS1895-2C	FLANGE, MALE, SEAM WELD TYPE I STANDARD PROFILE	1996	SAE	0
21063	AS1895-3C	FLANGE, FEMALE, SEAM WELD TYPE I STANDARD PROFILE	1996	SAE	0
21064	AS1895-16A	FLANGE, MALE, INTEGRAL, WELD RING, TYPE II LOW PROFILE	1996	SAE	0
21065	AS1895-17A	FLANGE, FEMALE, INTEGRAL, WELD RING, TYPE II LOW PROFILE	1996	SAE	0
21066	AS1895-18A	FLANGE, MALE, INTEGRAL, WELD RING, TYPE I STANDARD PROFILE	1996	SAE	0
21067	AS1895-19A	FLANGE, FEMALE, INTEGRAL, WELD RING, TYPE I STANDARD PROFILE	1996	SAE	0
21068	AS1895-1D	COUPLING, V-RETAINER, SINGLE LATCH, TYPE I STANDARD PROFILE	1996	SAE	0
21069	AS1578A	BELLMOUTH TUBE END, WELDING	1996	SAE	0
21070	AS1579D	FITTING END, INTEGRAL WELD, LIP, DESIGN STANDARD	1996	SAE	0
21071	AS1560A	Modules and Basic Racks of Metric Spur and Helical Gears	1996	SAE	0
21072	AS20C	Definitions, Aircraft Reciprocating Engine Performance	1996	SAE	0
21073	AS1895-5C	COUPLING, V-RETAINER, SINGLE LATCH, TYPE II LOW PROFILE	1996	SAE	0
21074	AS1895-6C	FLANGE, FEMALE, SEAM WELD, TYPE II LOW PROFILE	1996	SAE	0
21075	AS1895-7C	SEAL, TYPE I & II STANDARD AND LOW PROFILE	1996	SAE	0
21076	AS1895-8C	FLANGE, MALE, BUTT WELD TYPE II LOW PROFILE	1996	SAE	0
21077	AS1895-9C	FLANGE, FEMALE, BUTT WELD TYPE II LOW PROFILE	1996	SAE	0
21078	AS1941A	FITTING END, STRAIGHT THREAD, HIGH PRESSURE, BOSS CONNECTION, DESIGN STANDARD	1996	SAE	0
21079	AS1B	Altitude Graphs Aircraft Reciprocating Engine Performance	1996	SAE	0
21080	AS1303A	Portable Chemical Oxygen	1996	SAE	0
21081	AS1304A	Continuous Flow Chemical Oxygen Generators	1996	SAE	0
21082	AS1310B	Faster Torque for Threaded Applications, Definitions Of	1996	SAE	0
21083	AS1224B	Continuous Flow Aviation Oxygen Masks (for Non-Transport Category Aircraft)	1996	SAE	0
21084	AS1162	Attitude Instruments, Pitch and Roll Part I Minimum Performance Standard for Equipment	1996	SAE	0
21085	ARP953B	Stress Dome in Fasteners	1996	SAE	0
21086	ARP991B	Position and Anticollision Lights - Turbine Powered Fixed-Wing Aircraft	1996	SAE	0
21087	ARP920A	Design and Installation of Pitot-Static Systems for Transport Aircraft	1996	SAE	0
21088	ARP921A	Flight Test Procedures for Static Pressure Systems Installed in Subsonic Transport Aircraft	1996	SAE	0
21089	ARP780B	Environmental Systems Schematic Symbols	1996	SAE	0
21090	ARP785A	(R) Aerospace - Procedure for the Determination of Particulate Contamination in Hydraulic Fluids by the Control Filter Gravimetric Procedure	1996	SAE	0
21091	ARP465B	Flange - Thermocouple	1996	SAE	0
21092	ARP485A	Temperature Measuring Devices Nomenclature	1996	SAE	0
21093	ARP4791A	HUMAN ENGINEERING RECOMMENDATIONS FOR DATA LINK SYSTEMS	1996	SAE	0
21094	ARP4761	Guidelines and Methods for Conducting the Safety Assessment Process on Civil Airborne Systems and Equipment	1996	SAE	0
21095	ARP4900	Liquid Rocket Engine Reliability Certification	1996	SAE	0

21096	ARP4977	DRYING OF THERMOSETTING COMPOSITE MATERIALS	1996	SAE	0
21097	ARP5089	COMPOSITE REPAIR NDT/NDI HANDBOOK	1996	SAE	0
21098	ARP5102	Fluid Fittings - Jump Size Limitations	1996	SAE	0
21099	ARP1987-4	Titles, SAE Subcommittee G-3A Aerospace Coupling Documents, Selection of	1996	SAE	0
21100	ARP1987-3	Titles, SAE Subcommittee G-3E Aerospace Tubing Installation Documents, Selection Of	1996	SAE	0
21101	ARP260D	Control Lever Connections (60° V Serrations)	1996	SAE	0
21102	ARP1953A	ACCEPTANCE TEST PROCEDURES AND STANDARDS TO INSURE CLEAN FUEL SYSTEM COMPONENTS	1996	SAE	0
21103	ARP1532A	Aircraft Oxygen System Lines, Fabrication, Test and Installation	1996	SAE	0
21104	ARP1621B	ULD for Aircraft Transportation of Horses	1996	SAE	0
21105	ARP169A	Numbering of Aircraft Engine Cylinders	1996	SAE	0
21106	ARP4259A	Metabolic Simulator Testing Systems for Aviation Breathing Equipment	1996	SAE	0
21107	ARP4150	PROCEDURE FOR INSPECTION OF INSERVICE AIRBORNE ACCUMULATORS FOR CORROSION AND DAMAGE	1996	SAE	0
21108	ARP2B	Horsepower Correction Formulae	1996	SAE	0
21109	ARD9000	AEROSPACE BASIC QUALITY SYSTEM STANDARD	1996	SAE	0
21110	ANSI B92.1	Involute Splines and Inspection - BEST COPY AVAILABLE	1996	SAE	0
21111	AIR5006-2	Solid Rocket Booster Reliability Guidebook - Volume II Probabilistic Design and Analysis Methods for Solid Rocket Boosters	1996	SAE	0
21112	AIR5022	Reliability and Safety Process Integration	1996	SAE	0
21113	AMS7440D	Balls, Steel, Low-Chromium, High Carbon Hardened and Tempered	1996	SAE	0
21114	AMS7281D	Gaskets, Type XX Engine Accessory Drive Brass Screen Reinforced)	1996	SAE	0
21115	AMS7282D	Gaskets, Type XX Engine Accessory Drive Corrosion Resistant Steel Screen Reinforced	1996	SAE	0
21116	AIR5145	Directory of Databases Part I - Whole Body Anthropometry Surveys	1996	SAE	0
21117	AMS7223A	RIVETS, ALUMINUM ALLOY 4.5Cu - 1.5Mg - 0.6Mn (2024 - T4)	1996	SAE	0
21118	AIR4911	Requirements Document for Sensor/Video Interconnect Subsystems with Rationale	1996	SAE	0
21119	AIR4923	Bolts and Screws, Aerospace Engine - Materials, Procurement Specifications and Properties	1996	SAE	0
21120	AIR4922	Primary Flight Control Hydraulic Actuation System Interface Definition	1996	SAE	0
21121	AIR4905	Wheel Chocks	1996	SAE	0
21122	AIR4886	Statement on Requirements for Real-Time Communication Protocols (RTCP)	1996	SAE	0
21123	AMS6331A	Steel, Welding Wire 0.50Cr - 0.55Ni - 0.20Mo - (0.33 - 0.38C) (SAE 8735) Vacuum Melted, Environment Controlled Packaging - UNS G87350; Reaffirmed Noncurrent July 2001	1996	SAE	0
21124	AIR46B	The Preparation and Use of Chromel-Alumel Thermocouples for Aircraft Gas Turbine Engines	1996	SAE	0
21125	AIR4730	GSE Training Videos	1996	SAE	0
21126	AMS5799D	Nickel Alloy, Corrosion and Heat Resistant, Covered Welding Electrodes 48Ni - 22Cr - 1.5Co - 9.0Mo - 0.60W-18.5 Fe - UNS W86002	1996	SAE	0
21127	AMS4386B	MAGNESIUM ALLOY SHEET AND PLATE 14Li - 1.25AI (LA 141 A-T7)	1996	SAE	0
21128	AMS4360E	Magnesium Alloy Forgings 8.5Al - 0.50Zn (AZ80A- T5)	1996	SAE	0
21129	AMS4397A	Magnesium Wire, Welding 14Li - 1.25Al (LA 141A)	1996	SAE	0
21130	AIR4092A	Investigation of PTFE "Melt" Phenomenon for High Pressure Hoses	1996	SAE	0
21131	AMS4665B	Silicon Bronze Tubing, Seamless 96Cu - 3.2Si Annealed	1996	SAE	0
21132	AIR4151	Introduction to Starting Systems	1996	SAE	0
21133	AMS3579D	Plastic Tubing, Electrical Insulation Non-Crosslinked Polyvinyl Chloride, Flexible, Heat Shrinkable 1.6 to 1 Shrink Ratio	1996	SAE	0

21134	AMS3584D	Plastic Tubing, Electrical Insulation Polytetrafluoroethylene, Heat Shrinkable Overexpanded	1996	SAE	0
21135	AMS3610D	Barrier Material, Water Vapor Resistant, Flexible, Transparent	1996	SAE	0
21136	AMS3618A	Resin, Polyimide, Thermosetting High Heat (290 ĵ°C (554 ĵ°F) Resistant)	1996	SAE	0
21137	AMS3616C	RESIN, POLYIMIDE, LAMINATING AND MOLDING High Temperature Resistant, 370 ĵ°C (700 ĵ°F) Unfilled, Addition Polymer	1996	SAE	0
21138	AMS3629B	Polyvinyl Chloride Tubing, Extruded, High Temperature Electrical Insulation	1996	SAE	0
21139	AMS3630F	PLASTIC EXTRUSIONS, FLEXIBLE Polyvinyl Chloride	1996	SAE	0
21140	AMS3622D	Plastic Moldings and Extrusions, Cellulose Acetate General Purpose	1996	SAE	0
21141	AMS3640F	Plastic Moldings Melamine-Formaldehyde, Mineral Filled	1996	SAE	0
21142	AIR1664A	Aircraft Flexible Tanks General Design and Installation Recommendations	1996	SAE	0
21143	AMS3671C	Plastic Molding Compound, Novolac Epoxy Resin, Short Glass Fiber Reinforced, Structural	1996	SAE	0
21144	AIR1698A	Hose Assembly Identification Practices	1996	SAE	0
21145	AMS3713D	Core, Flexible Honeycomb, Polyamide Paper Base, Phenolic Coated	1996	SAE	0
21146	AMS3735C	POTTING COMPOUND, EPOXY, FILLED 10-15 CTE, 225 HDT	1996	SAE	0
21147	AMS3736B	POTTING COMPOUND, EPOXY, FILLED 25-30CTE, 175HDT Room Temperature Cure	1996	SAE	0
21148	AMS3737B	POTTING COMPOUND, EPOXY, UNFILLED 35-40CTE, 160HDT Room Temperature Cure	1996	SAE	0
21149	AMS3674D	Plastic Moldings, Electrical Insulation Cross-Linked Polyolefin, Pigmented, Flexible, Heat Shrinkable	1996	SAE	0
21150	AMS3685B	Adhesive, Synthetic Rubber Buna N Type	1996	SAE	0
21151	AMS3793-5B	Tape and Webbing, Textile, Para-Aramid Intermediate Modulus 1-1/8 Inches (28 mm), 0.23 to 2.00 Ounces per Yard (7.1 to 62.0 g/m)	1996	SAE	0
21152	AIR1752A	Aircraft Nosewheel Steering/Centering Systems	1996	SAE	0
21153	AMS3734B	POTTING COMPOUND, EPOXY, UNFILLED General Purpose Room Temperature Cure	1996	SAE	0
21154	AMS3814-17A	CORD, CORELESS, PARA-ARAMID Intermediate Modulus 10 000 lb (44 480 N), 22 ft per lb (15 m/kg)	1996	SAE	0
21155	AMS3814-1A	CORD, CORELESS, PARA-ARAMID Intermediate Modulus 35 Ib (155 N), 13 500 ft per Ib (9070 m/kg)	1996	SAE	0
21156	AMS3814-6A	CORD, CORELESS, PARA-ARAMID intermediate Modulus 2000 Ib (8895 N), 135 ft per Ib (90 m/kg)	1996	SAE	0
21157	AMS3814-9A	CORD, CORELESS, PARA-ARAMID Intermediate Modulus 750 Ib (3335 N), 425 ft per Ib (285 m/kg)	1996	SAE	0
21158	AMS4057E	ALUMINUM ALLOY, SHEET 4.4Mg - 0.70Mn - 0.15Cr (5083-H323) - UNS A95083	1996	SAE	0
21159	AMS4058E	Aluminum Alloy Sheet 4.4Mg - 0.70Mn - 0.15Cr (5083-H343) - UNS A95083	1996	SAE	0
21160	AMS4059F	Aluminum Alloy Sheet and Plate 4.4Mg - 0.70Mn - 0.15Cr (5083-H321) - UNS A95083	1996	SAE	0
21161	AIR26A	Number 70-90, 70L-90, 80-100, and 80L-100 Propeller Shaft Ends Dual Rotation (Propeller Supplied Bearing)	1996	SAE	0
21162	AMS4022F	Aluminum Alloy Sheet and Plate, Alclad 1.0Mg - 0.60Si - 0.28Cu - 0.20Cr (Alclad 6061; -T4 Sheet, -T451 Plate)	1996	SAE	0
21163	AMS3911C	Fabrication of Sandwich Panels for Light Weight Portable Shelters	1996	SAE	0
21164	AMS3920A	Acceptance Criteria Adhesive-Bonded Metal-Faced Sandwich Structures	1996	SAE	0
21165	AIR1934A	Use of Structural Carbon Heat Sink Brakes on Aircraft	1996	SAE	0
21166	AIR18A	Propeller Shaft Ends - Dual Rotation (Engine Supplied Bearing)	1996	SAE	0
21167	AMS3890A	Graphite Yarn, Non-Structural 5 Ply Yarn, 720 Filaments	1996	SAE	0
21168	AMS4301C	Boron-Aluminum Composite Sheet 50 v/o 5.6B, 2024-0, for Diffusion Bonding	1996	SAE	0
21169	AMS4233C	Aluminum Alloy, Welding Wire 4.5Cu - 0.70Ag - 0.30Mn - 0.25Mg - 0.25Ti (201) - UNS A02010	1996	SAE	0
21170	AMS4228B	Aluminum Alloy Castings, High Strength 4.5Cu - 0.70Ag - 0.30Mn - 0.25Mg - 0.25Ti (201.0-T6) Solution and Precipitation Heat Treated	1996	SAE	0
21171	AMS4112D	Aluminum Alloy Bars, Rods, and Wire 4.4Cu - 11.5Mg - 0.6Mn (2024-T6) Rolled, Drawn, or Cold Finished - UNS A92024	1996	SAE	0

21172	AIR34A	PENALTIES IN PERFORMANCE OF THREE-PHASE, FOUR-WIRE, 400-CYCLE MOTORS CAUSED BY THE OPENING OF ONE PHASE	1996	SAE	0
21173	AMS4145F	Aluminum Alloy Forgings 12.2Si - 1.1Mg - 0.9Cu - 0.9Ni (32S-T6)	1996	SAE	0
21174	AMS4171C	Aluminum Alloy Extrusions 4.3Zn - 3.3Mg - 0.60Cu - 0.20Mn - 0.18Cr (7079 -T6)	1996	SAE	0
21175	MA3574	RIVET-SOLID, UNIVERSAL HEAD, AS7232 CORROSION AND HEAT RESISTANT NICKEL ALLOY, METRIC	1996	SAE	0
21176	MA5066	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PARA ARAMID REINFORCED, 21,000 KPA, 135 ï°C, BEAM SEAL, STRAIGHT TO STRAIGHT, METRIC	1996	SAE	0
21177	MA5067	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PARA ARAMID REINFORCED, 21,000 kPa, 135 ï°C, BEAM SEAL, STRAIGHT TO 45ï°, METRIC	1996	SAE	0
21178	MA5068	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PARA ARAMID REINFORCED, 21,000 kPa, 135 ï°C, BEAM SEAL, STRAIGHT TO 90ï°, METRIC	1996	SAE	0
21179	MA5069	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PARA ARAMID REINFORCED, 21,000 kPa, 135 ï°C, BEAM SEAL, 45ï° TO 45ï°, METRIC	1996	SAE	0
21180	MA5070	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PARA ARAMID REINFORCED, 21,000 kPa, 135 ï°C, BEAM SEAL, 45ï° TO 90ï°, METRIC	1996	SAE	0
21181	MA5071	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PARA ARAMID REINFORCED, 21,000 kPa, 135 ï°C, BEAM SEAL, 90ï° TO 90ï°, METRIC	1996	SAE	0
21182	MA5073	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PARA ARAMID REINFORCED, 34,500 kPa, 135 ï°C, BEAM SEAL, STRAIGHT TO STRAIGHT, METRIC	1996	SAE	0
21183	MA5074	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PARA ARAMID REINFORCED, 34,500 kPa, 135 ï°C, BEAM SEAL, STRAIGHT TO 45ï°, METRIC	1996	SAE	0
21184	MA5075	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PARA ARAMID REINFORCED, 34,500 kPa, 135 ï°C, BEAM SEAL, STRAIGHT TO 90ï°, METRIC	1996	SAE	0
21185	MA5076	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PARA ARAMID REINFORCED, 34,500 KPA, 135 ï°C, BEAM SEAL, 45ï° TO 45ï°, METRIC	1996	SAE	0
21186	MA4095	Hose Assembly, Polytetrafluoroethylene, Para-Aramid Reinforced 135 Degrees C, 34,500 kPa, Hydraulic and Pneumatic	1996	SAE	0
21187	MA2284	Fitting, Tee, Beam Seal, Metric	1996	SAE	0
21188	MA2289	Fitting, Elbow, 45 Degree, Beam Seal, Metric	1996	SAE	0
21189	MA2292	Fitting, Elbow, 45 Degree, Bulkhead Beam Seal, Metric	1996	SAE	0
21190	MA2294	FITTING, ELBOW, 90ï°, BEAM SEAL, METRIC	1996	SAE	0
21191	MA2298	Fitting, Elbow, 90 Degree, Bulkhead Beam Seal, Metric	1996	SAE	0
21192	MA2300	FITTING, ADAPTER, EXTERNAL THREAD BEAM SEAL TO INTEGRAL WELD RING, METRIC	1996	SAE	0
21193	MA2301	Fitting, Adapter, Slip on Nut Beam Seal to Weld, Metric	1996	SAE	0
21194	MA2303	FITTING, UNION, BEAM SEAL, METRIC	1996	SAE	0
21195	MA2304	FITTING, UNION, REDUCER, BEAM SEAL, METRIC	1996	SAE	0
21196	MA2305	Fitting, Union, Bulkhead, Beam Seal, Metric	1996	SAE	0
21197	MA2306	FITTING, ADAPTER, BULKHEAD, EXTERNAL THREAD BEAM SEAL TO INTEGRAL WELD RING, METRIC	1996	SAE	0
21198	MA3265	WASHER FLAT LOAD SPREADING METRIC, AMS 5525	1996	SAE	0
21199	MA2117B	WIRE, RETAINER, SWIVEL, METRIC	1996	SAE	0
21200	MA2176A	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PTFE CRES REINFORCED, 232 â_°C, 10,500 KPA, BEAM SEAL, STRAIGHT TO STRAIGHT, METRIC	1996	SAE	0
21201	MA2177A	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PTFE CRES REINFORCED, 232 â_°C, 10,500 KPA, BEAM SEAL, STRAIGHT TO 45â °, METRIC	1996	SAE	0
21202	AMS3228H	ACRYLONITRILE BUTADIENE (NBR) RUBBER HOT OIL AND COOLANT RESISTANT, LOW SWELL 65 - 75	1996	SAE	0
21203	AMS3367B	SILICONE RUBBER COMPOUND Room Temperature Vulcanizing, 1,200,000 Centipoise Viscosity Durometer 55 - 70	1996	SAE	0

21204	AMS3369A	Silicone Resin, Elastomeric, Opaque Elevated Temperature Cure	1996	SAE	0
21205	AMS3365D	Silicone Rubber Compound Room Temperature Vulcanizing, 35,000 Centipoise Viscosity Durometer 40 - 55	1996	SAE	0
21206	MAM2202C	Tolerances, Metric Aluminum Alloy and Magnesium Alloy Sheet and Plate	1996	SAE	0
21207	MA7211A	Pins, Cotter, Steel, Corrosion and Heat Resistant UNS S32100, Metric Procurement Specification For	1996	SAE	0
21208	MA5077	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PARA ARAMID REINFORCED, 34,500 KPA, 135 ï°C, BEAM SEAL, 45ï° TO 90ï°, METRIC	1996	SAE	0
21209	MA5078	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PARA ARAMID REINFORCED, 34,500 KPA, 135 ï°C, BEAM SEAL, 90ï° TO 90ï°, METRIC	1996	SAE	0
21210	MA4510	Fittings, Weld, Fluid Connection, 35,000 kPa, Metric	1996	SAE	0
21211	MA4510-1	Fittings, Weld to 24? Cone Flareless, Fluid Connection, Metric	1996	SAE	0
21212	AIR1537A	Report on Aircraft Engine Containment	1996	SAE	0
21213	MAM2204C	Tolerances, Metric Aluminum Alloy Standard Structural Shapes	1996	SAE	0
21214	MAM2205A	Tolerances, Metric Aluminum Alloy and Magnesium Alloy Extrusions	1996	SAE	0
21215	USCAR-1	SALT SPRAY TESTING AND EVALUATION OF FASTENER FINISHES - Revision 2; Revised 2005-03	1996	SAE	0
21216	MA2040B	NUT, FLARELESS, METRIC	1996	SAE	0
21217	MA2014A	FITTING END, ACORN FLARELESS DESIGN STANDARD, METRIC	1996	SAE	0
21218	MA2023A	(R) ALTERNATE DIMENSIONS, CENTER BODY SECTION, SHAPE FLUID FITTING, DESIGN STANDARD, METRIC	1996	SAE	0
21219	MA1567B	Insert, Screw Thread, Helical Coil Metric Series, Standard Assembly Dimensions For	1996	SAE	0
21220	MA1421	Aerospace Selected Diameter-Pitch Combinations of Metric 60ï° Screw Threads for Shaft or Bearing Retaining Screw Threads	1996	SAE	0
21221	MA1759A	Center Hole, Metric	1996	SAE	0
21222	MA1508	Undercuts for Straight Screw Threads - Metric	1996	SAE	0
21223	AMS3210G	Chloroprene (CR) Rubber Electrical Resistant 65 - 75	1996	SAE	0
21224	J892	Push-On Spring Nuts Inch Series - General Specifications	1996	SAE	0
21225	J892M	Push-On Spring Nuts Metric Series - General Specifications	1996	SAE	0
21226	J544	(R) Electric Starting Motor Test Procedure	1996	SAE	0
21227	J810	(R) Classification of Common Surface Imperfections in Sheet Steel, Information Report	1996	SAE	0
21228	J827	High-Carbon Cast-Steel Shot	1996	SAE	0
21229	J450	Use of Terms Yield Strength and Yield Point	1996	SAE	0
21230	J2271M	Ship Systems and Equipment - Part Standard for Studs - Continuous and Double End (Metric) (Stabilized Type)	1996	SAE	0
21231	J2255	Antilock Brake Systems Energy Consumption Test Procedure for Air-Braked-Equipped Truck Tractors, Buses, Trailers, and Dollies, Recommended Practice	1996	SAE	0
21232	AMS3015A	NITROGEN, LIQUID, PROPELLANT GRADE	1996	SAE	0
21233	J2280	Ship Systems and Equipment - Fasteners - Selection and Identification Requirements, Standard	1996	SAE	0
21234	J2317	Tamper Resistance for Adjustable Parameters on Diesel Fuel Injection Pumps	1996	SAE	0
21235	AMS3084B	LUBRICANT, SOLID FILM Minimal Outgassing.	1996	SAE	0
21236	AIR1418A	Flexure Fatigue Strength of Tube Fitting Joints	1996	SAE	0
21237	J266	Steady-State Directional Control Test Procedures for Passenger Cars and Light Trucks	1996	SAE	0
21238	J2186	E/E Data Link Security	1996	SAE	0
21239	J1993	High-Carbon Cast-Steel Grit	1996	SAE	0
21240	J174	Torque-Tension Test Procedure for Steel Threaded Fasteners - Inch Series	1996	SAE	0
21241	J174M	Torque-Tension Test Procedure for Steel Threaded Fasteners - Metric Series	1996	SAE	0

21242	J175	Wheels - Impact Test Procedures - Road Vehicles	1996	SAE	0
21243	J1655	Predictive and Preventive Diagnostic Maintenance of Hydraulic Systems, Information Report	1996	SAE	0
21244	J1667	Snap-Acceleration Smoke Test Procedure for Heavy-Duty Diesel Powered Vehicles, Recommended Practice	1996	SAE	0
21245	J1648	Protective Coatings for Fasteners	1996	SAE	0
21246	J1690	Flashers	1996	SAE	0
21247	J1701M	Torque-Tension Tightening for Metric Series Fasteners, Information Report	1996	SAE	0
21248	J1535	(R) Performance Test for Windshield Defrosting Systems for Off-Road, Self-Propelled Work Machines	1996	SAE	0
21249	AMS2640K	Magnetic Particle Inspection	1996	SAE	0
21250	AMS2634B	Ultrasonic Inspection Thin Wall Metal Tubing	1996	SAE	0
21251	J1347	(R) Guide to Manifold Absolute Pressure Transducer Representative Specification	1996	SAE	0
21252	AS7210A	Pins, Cotter, Steel, Corrosion Resistant UNS S30200 Procurement Specification for	1996	SAE	0
21253	AS7211A	Pins, Cotter, Steel, Corrosion and Heat Resistant UNS S32100 Procurement Specification	1996	SAE	0
21254	AS8016A	Vertical Velocity Instrument (Rate-of- Climb)	1996	SAE	0
21255	AS8013A	Minimum Performance Standard for Direction Instrument, Magnetic (Gyroscopically Stabilized)	1996	SAE	0
21256	AS8026A	Crewmember Demand Oxygen Mask For Transport Category Aircraft	1996	SAE	0
21257	AS8018A	Minimum Performance Standard for Mach Meters	1996	SAE	0
21258	AS8019A	Airspeed Instruments	1996	SAE	0
21259	AS8002A	Air Data Computer - Minimum Performance Standard	1996	SAE	0
21260	AS8005A	Minimum Performance Standard Temperature Instruments	1996	SAE	0
21261	AS7481B	Studs, Steel, UNS S66286 Aged After Roll Threaded Procurement Specification For	1996	SAE	0
21262	AS791	Remote Servoed Air Data Instruments for Subsonic Aircraft	1996	SAE	0
21263	AMS2232G	Tolerances Carbon Steel, Sheet, Strip, and Plate	1996	SAE	0
21264	AMS2202N	TOLERANCES Aluminum Alloy and Magnesium Alloy Sheet and Plate	1996	SAE	0
21265	AMS2205N	Tolerances Aluminum Alloy and Magnesium Alloy Extrusions	1996	SAE	0
21266	AS4893	Generic Open Architecture (GOA) Framework	1996	SAE	0
21267	AS4971	Fitting, Elbow, 90 Degrees, Weld Ring	1996	SAE	0
21268	AS4972	Fitting, Tee, Weld Ring	1996	SAE	0
21269	AS4804A	HOSE, AIR DUCT, FLEXIBLE, SILICONE-COATED FABRIC, EXTERNAL NYLON HELIX, LOW-NOISE	1996	SAE	0
21270	AMS1539	Cleaning Compound, Terpene Circuit Board Cleaner	1996	SAE	0
21271	AS4458B	FITTING END, FLARELESS, BLUNT NOSE, DESIGN STANDARD	1996	SAE	0
21272	AS4444-1	Sleeve, Bite Type, 24? Cone Flareless Fitting	1996	SAE	0
21273	AS443A	COMPASS, MAGNETIC, NON-STABILIZED TYPE (FOR TURBINE-POWERED, SUBSONIC AIRCRAFT)	1996	SAE	0
21274	AS4444	Fittings, 24°̄ Cone Flareless, Fluid Connection, 5000 psi	1996	SAE	0
21275	AS4510	Fittings, Weld, Fluid Connection, 5000 psi	1996	SAE	0
21276	AS4510-1	Fittings, Weld to 24? Cone Flareless, Fluid Connection	1996	SAE	0
21277	AS4510-2	Fittings, Weld To Beam Seal, Fluid Connection	1996	SAE	0
21278	AS437A	Maximum-Allowable- Airspeed Instruments (Turbine Powered Subsonic Aircraft)	1996	SAE	0
21279	AS4401	Separable Fittings, Permanent Fittings, Tubing, Fluid Systems 8000 psi Qualification Test Standard For	1996	SAE	0
21280	AS440A	Automatic Pilots (Turbine Powered Subsonic Aircraft)	1996	SAE	0
21281	AS4352A	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 400 °̄F, 3000 psi, HEAVYWEIGHT, BEAM SEAL, STRAIGHT TO STRAIGHT	1996	SAE	0

21282	AS4353A	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 400 Î°F, 3000 psi, HEAVYWEIGHT, BEAM SEAL, STRAIGHT TO 45Î°	1996	SAE	0
21283	AS4354A	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 400 Î°F, 3000 psi, HEAVYWEIGHT, BEAM SEAL, STRAIGHT TO 90Î°	1996	SAE	0
21284	AS4355A	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 400 Î°F, 3000 psi, HEAVYWEIGHT, BEAM SEAL, 45Î° TO 45Î°	1996	SAE	0
21285	AS4356A	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 400 Î°F, 3000 psi, HEAVYWEIGHT, BEAM SEAL, 45Î° TO 90Î°	1996	SAE	0
21286	AS4357A	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 400 Î°F, 3000 psi, HEAVYWEIGHT, BEAM SEAL, 90Î° TO 90Î°	1996	SAE	0
21287	AMS1476B	Deodorant, Aircraft Toilet	1996	SAE	0
21288	AS432B	TACHOMETER INSTRUMENTS (Indicator and Generator)	1996	SAE	0
21289	AS431B	TRUE MASS FUEL FLOW INSTRUMENTS	1996	SAE	0
21290	AS4212A	FITTING, UNION, REDUCER, BEAM SEAL	1996	SAE	0
21291	AS4213A	FITTING, PLUG, BEAM SEAL, HYDRAULIC	1996	SAE	0
21292	AS4207A	FITTING END, EXTERNAL THREAD, BEAM SEAL, DESIGN STANDARD	1996	SAE	0
21293	AS4208A	FITTING END, BULKHEAD, EXTERNAL THREAD BEAM SEAL, DESIGN STANDARD	1996	SAE	0
21294	AS4299A	Rings, Retaining - Spiral Wound, Uniform Section Corrosion and Heat Resistant, UNS S66286	1996	SAE	0
21295	AS430	Powerplant Fire Detection Instruments - Thermal and Flame Contact Types (Turbine) - Reaffirmed Noncurrent July 2001	1996	SAE	0
21296	AS429	Rate of Climb (Vertical Speed) Indicator, Pressure Actuated (Turbine Powered Subsonic Aircraft)	1996	SAE	0
21297	AS428	Exhaust Gas Temperature Instruments	1996	SAE	0
21298	AS4229	Fitting, Adapter, Bulkhead, External Thread, Beam Seal to Integral Weld Ring	1996	SAE	0
21299	AS414B	TEMPERATURE INSTRUMENTS (TURBINE POWERED SUBSONIC AIRCRAFT)	1996	SAE	0
21300	AS417A	Air Data Computers, MPS	1996	SAE	0
21301	AMS1371	Compound, Rust Remover, Solid/Powder Aircraft and Aerospace Components, Immersion Tank Method	1996	SAE	0
21302	AS3472A	RING, RETAINING - INTERNAL, SPIRAL WOUND HEAVY AND MEDIUM DUTY, UNS S66286	1996	SAE	0
21303	AS3231A	RIVET - TUBULAR, UNIVERSAL, AS7232	1996	SAE	0
21304	AS3228A	RIVET TUBULAR, COUNTERSUNK, AS7228	1996	SAE	0
21305	AS3229A	RIVET - TUBULAR, UNIVERSAL, AS7228	1996	SAE	0
21306	AS3230A	RIVET - TUBULAR, COUNTERSUNK, AS7232	1996	SAE	0
21307	AIR1273A	Identification and Coding of Fluid and Electrical Piping System Functions	1996	SAE	0
21308	AS390	Pitot or Pitot-Static Pressure Tubes, Electrically Heated (Turbine Powered Sub-Sonic Aircraft)	1996	SAE	0
21309	AS3568	SCREW, DRIVE, ROUND HEAD, TYPE U AMS5504 (UNS S41000)	1996	SAE	0
21310	AS3574A	BOLT, SHEAR - DOUBLE HEX HEAD, UNS N07718 - 185 ksi	1996	SAE	0
21311	AS3578	PACKING, PREFORMED O-RING SEAL AMS7271	1996	SAE	0
21312	AS3580	BOLT, MACHINE - DOUBLE HEX HEAD, PD SHANK, UNS N07718 - 185 KSI	1996	SAE	0
21313	AS3581	PACKING, PREFORMED O-RING SEAL AMS7259	1996	SAE	0
21314	AS3582	PACKING, PREFORMED O-RING SEAL AMS3304	1996	SAE	0
21315	HS-1417	SAE Fluid Sealing Handbook Radial Lip Seals	1996	SAE	0
21316	J1034	(R) AUTOMOTIVE AND LIGHT TRUCK ENGINE COOLANT CONCENTRATE ETHYLENE GLYCOL TYPE	1996	SAE	0
21317	J1053	Steel Stamped Nuts of One Pitch Thread Design - Inch Series	1996	SAE	0
21318	J1053M	Steel Stamped Nuts of One Pitch Thread Design - Metric Series	1996	SAE	0
21319	AMS2510E	Engine Gray Finishing Low Baking	1996	SAE	0

21320	AS932B	FITTING, ADAPTER, REDUCER/EXPANDER, FLARELESS TO BOSS	1996	SAE	0
21321	AS942A	Pressure Altimeter System Minimum Safe Performance Standard	1996	SAE	0
21322	AS931B	FITTING, ADAPTER, UNION, FLARELESS TO BOSS	1996	SAE	0
21323	AS916B	Oxygen Flow Indicators	1996	SAE	0
21324	AS855	Minimum Performance Standard for Automatic Pressure Altitude Digitizer Equipment	1996	SAE	0
21325	AS82B	Screw Thread Form, American National, Modified (National Round - NR)	1996	SAE	0
21326	AIR1075A	Barometry for Altimeter Calibration	1996	SAE	0
21327	AMS2443A	EPOXY PRIMER PLATING ELECTRODEPOSITION	1995	SAE	0
21328	AMS2467	Hard Anodic Coating of Magnesium Alloys Alkaline Type, High Voltage	1995	SAE	0
21329	AIR1364A	Age Control of Age Sensitive Elastomeric Materials	1995	SAE	0
21330	AS95	FITTING ASSEMBLY, CROSS, REDUCER AND NONREDUCER, INTERNAL FLARE ON ONE END, TO FLARED TUBE	1995	SAE	0
21331	HS-215	SAE Motor Vehicle Safety and Environmental Terminology	1995	SAE	0
21332	J1102	Mechanical and Material Requirements for Wheel Bolts	1995	SAE	0
21333	AS3577	PIN, SPRING - TUBULAR, COILED, STANDARD DUTY, UNS N07718	1995	SAE	0
21334	AS3570	PACKING, PREFORMED O-RING SEAL AMS7274	1995	SAE	0
21335	AS3569	PACKING, PREFORMED O-RING SEAL AMS7270	1995	SAE	0
21336	AS3565	Washer, Flat, Countersunk UNS S66286	1995	SAE	0
21337	AS3550	ASSEMBLY NUT, PLATE, REMOVABLE SELF-LOCKING NUT	1995	SAE	0
21338	AS3547	Assembly Nut and Clip, Removable Self-Locking Nut, UNS S66286 - UNS S66286; FSC 5310	1995	SAE	0
21339	AS3549	Sleeve, Removable Self-Locking Nut, UNS S30403 - UNS S30403; FSC 5310	1995	SAE	0
21340	AS3548	Basket, Removable Self-Locking Nut, UNS S66286 - UNS S66286; FSC 5310	1995	SAE	0
21341	AS4060	Tube Fitting Swaged Joint, Roller Expander Manual Process, Requirements for	1995	SAE	0
21342	AS4157A	Coupling Assemblies, Hydraulic, Self-Sealing, Quick Disconnect 5000 and 8000 Pounds Per Square Inch, Gage	1995	SAE	0
21343	AS4098A	Hose Assembly, Polytetrafluoroethylene, Heavy Duty, Metallic Reinforced, 400 Ï°F, 5000 psi Hydraulic and Pneumatic	1995	SAE	0
21344	AMS1432A	FLUID, DEICING/ANTI-ICING, RUNWAYS AND TAXIWAYS Potassium Acetate Base	1995	SAE	0
21345	AMS1453	Disinfectant Cleaner for Aircraft Interior General Purpose Liquid	1995	SAE	0
21346	AS4270	Validation Methods for MIL-STD-1760 Mission Stores	1995	SAE	0
21347	AS4216	FITTING, BEAM SEAL, MALE BULKHEAD TUBE END, INTERNAL SWAGE, 4000 PSI, HYDRAULIC	1995	SAE	0
21348	AMS1525D	CLEANER FOR AIRCRAFT EXTERIOR METALLIC SURFACES WIPE SOLVENT, COLD OPERATIONS	1995	SAE	0
21349	AS4492	Survivor Locator Lights	1995	SAE	0
21350	AS4793	Fitting, Beam Seal, Male Tube End, Internal Swage, 4000 psi, Hydraulic	1995	SAE	0
21351	AS4825	Gasket, Fitting End, 24 Degree Cone	1995	SAE	0
21352	AMS1550B	Cleaner, Water Base, Aircraft interior Hard Surface Materials	1995	SAE	0
21353	AS4764	Validation Methods for MIL-STD-1760 Aircraft Station Interfaces	1995	SAE	0
21354	AS4726	Nuts, Self-Locking, UNS S66286 Classification: 220 ksi/850 Degrees F Procurement Specification	1995	SAE	0
21355	AS4983	Spring Pins, Tubular, Coiled Corrosion Resistant Nickel Base Alloy Procurement Specification For	1995	SAE	0
21356	AS4875-1	NULL	1995	SAE	0
21357	AS4875-2	Fittings, Flanged to Beaded, Fluid Connection	1995	SAE	0
21358	AS4863	Plug, Pipe, External Thread	1995	SAE	0
21359	AS4875	Fittings, Straight Threaded Boss or Flanged, Fluid Connection	1995	SAE	0
21360	AS4842	Fittings and Bosses, Pipe Threaded, Fluid Connection	1995	SAE	0

21361	AS4843	Fittings, Beaded, Fluid Connection	1995	SAE	0
21362	AS4843-2	Fittings, Beaded to Pipe Threaded, Fluid Connection	1995	SAE	0
21363	AS4843-1	Fittings, Beaded to 37? Flared, Fluid Connection	1995	SAE	0
21364	AS4833	Aircraft New Tire Standard - Bias and Radial	1995	SAE	0
21365	AS4842-1	NULL	1995	SAE	0
21366	AS4842-2	Fittings, Flareless to Pipe Threaded, Fluid Connection	1995	SAE	0
21367	AS5018	Washer, Flat, Beam Seal Fitting	1995	SAE	0
21368	AS5019	NUT, BULKHEAD, BEAM SEAL FITTING	1995	SAE	0
21369	AMS1775B	Fabric, Nylon Upholstery Fire Retardant	1995	SAE	0
21370	AMS2268B	Chemical Check Analysis Limits Cast Nickel and Nickel Alloys	1995	SAE	0
21371	AS8027	Crew Member Oxygen Regulators, Demand	1995	SAE	0
21372	AS7106-1	NATIONAL AEROSPACE AND DEFENSE CONTRACTORS ACCREDITATION PROGRAM REQUIREMENTS FOR THE CONTROL OF DELIVERABLE PRODUCTION SOFTWARE	1995	SAE	0
21373	AS7106-2A	NATIONAL AEROSPACE AND DEFENSE CONTRACTORS ACCREDITATION PROGRAM REQUIREMENTS FOR CORRECTIVE ACTION AND DISPOSITION SYSTEM FOR NONCONFORMING MATERIAL	1995	SAE	0
21374	AS7106-3	NATIONAL AEROSPACE AND DEFENSE CONTRACTORS ACCREDITATION PROGRAM QUALITY ASSURANCE PROGRAM REQUIREMENTS - PROCUREMENT	1995	SAE	0
21375	AS7106-5	NATIONAL AEROSPACE AND DEFENSE CONTRACTORS ACCREDITATION PROGRAM SELF-RELEASE AGREEMENTS - REQUIREMENTS	1995	SAE	0
21376	J1338	Open Field Whole-Vehicle Radiated Susceptibility 10 kHz-18 GHz, Electric Field	1995	SAE	0
21377	AMS2645K	Fluorescent Penetrant Inspection	1995	SAE	0
21378	AMS2664F	BRAZING, SILVER For Use Up to 800 DEGREES F (427 DEGREES C)	1995	SAE	0
21379	AMS2632A	Inspection, Ultrasonic, of Thin Materials 0.50 Inch (12.7 mm) and Under in Cross-Sectional Thickness	1995	SAE	0
21380	J1254	Component Nomenclature - Feller Buncher (Stabilized Type)	1995	SAE	0
21381	J1536	Two-Stroke-Cycle Engine Oil Fluidity/Miscibility Classification	1995	SAE	0
21382	J1553	(R) Cross Peel Test for Automotive-Type Adhesives for Fiber- Reinforced Plastic (FRP) Bonding, Recommended Practice	1995	SAE	0
21383	J1604	(R) Rubber Boots for Drum-Type Hydraulic Brake Wheel Cylinders Standard	1995	SAE	0
21384	J1454	Dynamic Durability Testing of Seat Cushions for Off-Road Work Machines	1995	SAE	0
21385	J1524	(R) Method of Viscosity Test for Automotive Type Adhesives, Sealers, and Deadeners, Recommended Practice	1995	SAE	0
21386	J1507	Anechoic Test Facility Radiated Susceptibility 20MHz to 18GHz Electromagnetic Field	1995	SAE	0
21387	J1510	Lubricants for Two-Stroke-Cycle Gasoline Engines	1995	SAE	0
21388	J1712	Reporting on Emission Testing for In-Use Light -Duty Trucks and Passenger Vehicles, Recommended Practice	1995	SAE	0
21389	J1639	(R) Classification System for Automotive Polyamide (PA) Plastics, Recommended Practice	1995	SAE	0
21390	J1663	Truth-in-Labeling Standard for Navigation Map Databases, Standard	1995	SAE	0
21391	J1633	Laboratory Speed Test Procedure for Light Truck Tires	1995	SAE	0
21392	J1723	Supercharger Testing Standard, Standard	1995	SAE	0
21393	J1725	Structural Modification for Personally Licensed Vehicles to Meet the Transportation Needs of Persons with Disabilities	1995	SAE	0
21394	J1767	Instrumental Color Difference Measurements for Colorfastness of Automotive Interior Trim Materials, Recommended Practice	1995	SAE	0
21395	J1755	Guidelines for Usage of Stainless Steel and Bimetal for Exterior Automotive Bright Trim, Recommended Practice	1995	SAE	0
21396	J1751	Lubrication Components and Systems Used on Machine Tools and Equipment for the Automotive Industry, Recommended Practice	1995	SAE	0
21397	J1984	Diesel Fuel Injector Assembly Type 28 (9.5 mm)	1995	SAE	0

21398	J2092	Testing of Wheelchair Lifts for Entry to or Exit from a Personally Licensed Vehicle	1995	SAE	0
21399	J2093	Design Considerations for Wheelchair Lifts for Entry to or Exit from a Personally Licensed Vehicle	1995	SAE	0
21400	AMS3087H	COMPOUND, INSULATING AND SEALING SILICONE	1995	SAE	0
21401	J2205	Expanded Diagnostic Protocol for OBD II Scan	1995	SAE	0
21402	J2265	Diesel Engines - Diesel Fuel - Performance Requirement and Test Method for Assessing Fuel Lubricity, Standard;	1995	SAE	0
21403	J2253	Test Procedures for Automotive Structural Composite Materials, Standard	1995	SAE	0
21404	J2254	Fluid Power Piping Cleaning Process, Information Report	1995	SAE	0
21405	J485	Holes in Bolt and Screw Shanks and Slots in Nuts for Cotter Pins	1995	SAE	0
21406	J447	Prevention of Corrosion of Motor Vehicle Body and Chassis Components	1995	SAE	0
21407	J412	General Characteristics and Heat Treatments of Steels	1995	SAE	0
21408	J415	(R) Definition of Heat Treating Terms	1995	SAE	0
21409	J397	Deflection Limiting Volume - Protective Structures Laboratory Evaluation (Stabilized Type)	1995	SAE	0
21410	AMS3136E	Coating Material, Phenolic Resin, PTFE Filled Pigmented, 150 Ï°C (302 Ï°F) Cure	1995	SAE	0
21411	AMS3137D	RESIN, CONFORMAL COATING, URETHANE ELASTOMER	1995	SAE	0
21412	J347	Diesel Fuel Injector Assembly Type 7 (9.5 mm)	1995	SAE	0
21413	AMS3139A	ADHESIVE, URETHANE TWO-PART	1995	SAE	0
21414	AMS3099B	CURING AGING, SOLID AROMATIC AMINE, 4,4 - DIAMONODIPHENYL SULFONE	1995	SAE	0
21415	AIR1490B	Environmental Degradation of Textiles	1995	SAE	0
21416	J543	(R) Starting Motor Pinions and Ring Gears	1995	SAE	0
21417	J530	Automotive Pipe Fittings	1995	SAE	0
21418	J531	Automotive Pipe, Filler, and Drain Plugs	1995	SAE	0
21419	J551	(R) PERFORMANCE LEVELS AND METHODS OF MEASUREMENT OF ELECTROMAGNETIC RADIATION FROM VEHICLES AND DEVICES (30 - 1000 MHZ)	1995	SAE	0
21420	J930	Storage Batteries for Off-Road Self-Propelled Work Machines, Standard	1995	SAE	0
21421	J997	Spark Arrester Test Carbon	1995	SAE	0
21422	MA2005B	Tube Fittings, Aerospace Fluid Systems, Separable, For 24Ï° Cone, General Specification, Metric	1995	SAE	0
21423	MA2024	FLANGE PROFILES, V-COUPLING, DESIGN STANDARD, METRIC	1995	SAE	0
21424	AMS3217-7	TEST SLABS, HIGH STRENGTH, FLUOROSILICONE (FVMQ) 55 - 65	1995	SAE	0
21425	MA2094	Test Methods for Tube-Fitting Assemblies, Metric	1995	SAE	0
21426	MA4037A	WASHER, KEY - 90Ï° LOCKING, CRES, UNS S32100, METRIC	1995	SAE	0
21427	AMS3359B	Silicone Potting Compound, Elastomeric Two-Part, General Purpose 200 to 400 Poises (20 to 40 Pa-s) Viscosity	1995	SAE	0
21428	AMS3296B	DIGLYCIDYL ESTER RESIN	1995	SAE	0
21429	AMS3326D	Fluorosilicone Rubber Fuel and Oil Resistant 50 - 65	1995	SAE	0
21430	MA3279B	Insert, Screw Thread, Helical Coil, Metric Series, Free Running, CRES, Uncoated	1995	SAE	0
21431	MA3280B	INSERT, SCREW THREAD, HELICAL COIL, METRIC SERIES, FREE RUNNING, CRES, DRY FILM LUBRICATED	1995	SAE	0
21432	MA3281B	INSERT, SCREW THREAD, HELICAL COIL, METRIC SERIES, FREE RUNNING, CRES, CADMIUM PLATED	1995	SAE	0
21433	MA2271	FITTING END, BEAM SEAL, SLIP-ON NUT, DESIGN STANDARD, METRIC	1995	SAE	0
21434	MA2273	FITTING END, BEAM SEAL, EXTERNAL THREAD, DESIGN STANDARD, METRIC	1995	SAE	0
21435	MA2274	FITTING END, BEAM SEAL, BULKHEAD, EXTERNAL THREAD, DESIGN STANDARD, METRIC	1995	SAE	0
21436	MA2276	Nut, Beam Seal, Slip-On Metric	1995	SAE	0
21437	MA3329C	INSERT, SCREW THREAD, HELICAL COIL, METRIC SERIES, SCREW LOCKING, CRES, UNCOATED	1995	SAE	0

21438	MA3330C	INSERT, SCREW THREAD, HELICAL COIL, METRIC SERIES, SCREW LOCKING, CRES, DRY FILM LUBRICATED	1995	SAE	0
21439	MA3331C	INSERT, SCREW THREAD, HELICAL COIL, METRIC SERIES, SCREW LOCKING, CRES, CADMIUM PLATED	1995	SAE	0
21440	MA4098	Hose Assembly, Polytetrafluoroethylene, Heavy Duty, Metallic Reinforced, 204 ¡°C, 35 000 kPa Hydraulic and Pneumatic, Metric	1995	SAE	0
21441	MA4039A	Washer, Key - 270 Degree Locking, Cres, UNS S32100, Metric	1995	SAE	0
21442	MA4040A	WASHER, KEY - DUAL LOCKING POSITIONS, CRES, UNS S32100, METRIC	1995	SAE	0
21443	AMS4230D	ALUMINUM ALLOY CASTINGS, SAND 4.5CU(195-T4) SOLUTION TREATED - UNS A02950	1995	SAE	0
21444	AMS4220E	ALUMINUM ALLOY CASTINGS, SAND 4Cu - 2Ni - 1.5Mg - 0.2Cr (A142-T75) Solution Treated and Overaged	1995	SAE	0
21445	AMS4264A	BRONZE, ALUMINUM SILICON RODS, BARS, AND FORGINGS 90CU - 7.0A1 - 1.8SI DRAWN AND STRESS RELIEVED (HR50) - UNS C64200	1995	SAE	0
21446	AMS3871C	GLAZED CERAMIC SHEET 95% ALUMINA	1995	SAE	0
21447	AMS3858E	Asbestos Felting, B Stage Phenolic Resin Impregnated Low Pressure Molding	1995	SAE	0
21448	AIR1855A	Actuation System Data Summary for Missiles and Launch Vehicles	1995	SAE	0
21449	AMS3853-1B	CORD, AROMATIC POLYAMIDE, NONMELTING 100 Pounds (445 N), 780 Foot/Pounds (525 m/kg)	1995	SAE	0
21450	AMS3853-2B	CORD, AROMATIC POLYAMIDE, NONMELTING 375 Pounds (1670 N), 230 Foot/Pounds (155 m/kg)	1995	SAE	0
21451	AMS3853-3B	CORD, AROMATIC POLYAMIDE, NONMELTING 550 Pounds (2445 N), 165 Foot/Pounds (110 m/kg)	1995	SAE	0
21452	AMS3853B	CORD, AROMATIC POLYAMIDE, NONMELTING	1995	SAE	0
21453	AMS3909-1A	Cloth, Aramid 3.0 Ounces per Square yard (102 g/m2), 350 Pounds Force per Inch (61,294 N/m)	1995	SAE	0
21454	AMS3909-2A	(R) Cloth, Aramid 2.25 Ounces per Square yard (76.3 g/m2), 250 Pounds Force per Inch (43,782 N/m)	1995	SAE	0
21455	AMS3909-3A	Cloth, Aramid 2.0 Ounces per Square Yard (68 g/m2), 230 Pounds Force per Inch (40,279 N/m) (Warp) and 220 Pounds Force per Inch (38,528 N/m) (Filling)	1995	SAE	0
21456	AMS4053B	ALUMINUM ALLOY PLATE 1.0MG-0.60SI-0.28CU-0.25CR (6061-T651)	1995	SAE	0
21457	AMS3820A	Tape, Nylon Cloth for Ring-Slot Parachutes	1995	SAE	0
21458	AMS3848-1B	CLOTH, NYLON, METALLIZED Untreated	1995	SAE	0
21459	AMS3848-2B	CLOTH, NYLON, METALLIZED Water Repellent Treate	1995	SAE	0
21460	AMS3848B	CLOTH, NYLON, METALLIZED	1995	SAE	0
21461	AMS3850B	CLOTH, CHLOROPHRENE (CR) COATED NYLON	1995	SAE	0
21462	AMS3824C	Cloth, Glass Finished for Resin Laminates	1995	SAE	0
21463	AMS3826B	(R) Cloth, Type E Glass B Stage Polyester Resin Impregnated 1581 and 7781 Type Fabric	1995	SAE	0
21464	AMS3777-1B	TAPE, NYLON, NONMELTING, REINFORCING 3/4 (19) Wide, 400 (1780 N) Breaking Strength	1995	SAE	0
21465	AMS3777-2B	TAPE, NYLON, NONMELTING, REINFORCING 9/16 (14) Wide, 500 (2225 N) Breaking Strength	1995	SAE	0
21466	AMS3777-3B	TAPE, NYLON, NONMELTING, REINFORCING 1 (25) Wide, 1000 (4450) N) Breaking Strength	1995	SAE	0
21467	AMS3777-4B	TAPE, NYLON, NONMELTING, REINFORCING 1-1/2 (38) Wide, 1500 (6670 N) Breaking Strength	1995	SAE	0
21468	AMS3777-5B	TAPE, NYLON, NONMELTING, REINFORCING 1 (25) Wide, 525 (2335 N) Breaking Strength	1995	SAE	0
21469	AMS3777-6B	TAPE, NYLON, NONMELTING, REINFORCING 5/16 (8) Wide, 350 (1555 N) Breaking Strength	1995	SAE	0
21470	AMS3777-7B	TAPE, NYLON, NONMELTING, REINFORCING 2 (50) Wide, 1500 (6670 N) Breaking Strength	1995	SAE	0
21471	AMS3777-8B	TAPE, NYLON, NONMELTING, REINFORCING 2 (50) Wide, 2000 (8895 N) Breaking Strength	1995	SAE	0
21472	AMS3777-9B	TAPE, NYLON, NONMELTING, REINFORCING 2 (50) Wide, 3000 (13,345 N) Breaking Strength	1995	SAE	0
21473	AMS3777B	TAPE, NYLON, NONMELTING, REINFORCING	1995	SAE	0
21474	AMS3783B	GLASS CLOTH, CHLOROPRENE (CR) COATED	1995	SAE	0
21475	AMS3784B	TAPE, NYLON, LOOP	1995	SAE	0

21476	AMS3785A	CLOTH, META-ARAMID WARP META-ARAMID/PARA-ARAMID OR META-ARAMID/NOVOLOID FILLING Napped	1995	SAE	0
21477	AMS3789B	CLOTH, TWILL NYLON WARP, RAYON FILLING	1995	SAE	0
21478	AMS3790-1B	CLOTH, MONOFILAMENT, NETTING 12x12 Mesh, 13 ounces/square yard (441 g/m2)	1995	SAE	0
21479	AMS3790-2B	CLOTH, MONOFILAMENT, NETTING 20 x 20 Mesh, 7 ounces/square yard (237 g/m2)	1995	SAE	0
21480	AMS3790B	CLOTH, MONOFILAMENT, NETTING	1995	SAE	0
21481	AMS3788-1B	CLOTH, NYLON TWILL 3.3 Ounces per Square Yard (112 g/m2), Smooth Finish	1995	SAE	0
21482	AMS3788-2B	CLOTH, NYLON TWILL 3.3 Ounces per Square Yard (112 g/m2) Smooth Finish, Water Repellent Treated	1995	SAE	0
21483	AMS3788-3B	CLOTH, NYLON TWILL 5.4 Ounces per Square Yard (183 g/m2), Smooth Finish	1995	SAE	0
21484	AMS3788-4B	CLOTH, NYLON TWILL 5.5 Ounces per Square Yard (186 g/m2) Smooth Finish, Water Repellent Treated	1995	SAE	0
21485	AMS3788-5B	CLOTH, NYLON TWILL 5.4 Ounces per Square Yard (183 g/m2) Smooth Finish, Heavily Calendered	1995	SAE	0
21486	AMS3788-6B	CLOTH, NYLON TWILL 5.4 Ounces per Square Yard (183 g/m2) Smooth Finish, Heavily Calendered, Water Repellent Treated	1995	SAE	0
21487	AMS3788B	CLOTH, NYLON TWILL	1995	SAE	0
21488	AMS3691C	ADHESIVE COMPOUND, EPOXY MEDIUM TEMPERATURE APPLICATION	1995	SAE	0
21489	AMS3682E	COATING MATERIAL, ELECTRICALLY CONDUCTIVE SILVER - ORGANIC RESIN	1995	SAE	0
21490	AMS3681C	Adhesive, Electrically Conductive Silver-Filled Epoxy Resin	1995	SAE	0
21491	AMS3727B	RESIN, EPOXY, MATRIX, THERMOSETTING MODERATE TEMPERATURE RESISTANT, UNFILLED	1995	SAE	0
21492	AMS3714D	Core, Overexpanded Honeycomb, Polyamide Paper Base, Phenolic Coated	1995	SAE	0
21493	AMS3692C	Adhesive Compound, Epoxy Resing High Temperature Application	1995	SAE	0
21494	AMS3706B	EPOXY RESIN, POLYFUNCTIONAL SOLID	1995	SAE	0
21495	AMS3708B	ADHESIVE, EPOXY PASTE, FOR STRUCTURAL WELDBOND FOR 80 DEGREES C (180 DEGREES F) SERVICE	1995	SAE	0
21496	AMS3701C	EPOXY RESIN, TETRAGLYCIDYL METHYLENEDIANILINE (TGMDA) 10,000 TO 14,000 CENTIPOISE VISCOSITY	1995	SAE	0
21497	AMS3702B	EPOXY RESIN, TETRAGLYCIDYL METHYLENEDIANILINE 14, 000 TO 18,000 CENTIPOISE VISCOSITY	1995	SAE	0
21498	AMS3703B	ADHESIVE, ELECTRICALLY NON-CONDUCTIVE MODERATELY RAPID CURE	1995	SAE	0
21499	AMS3672C	PLASTIC MOLDING COMPOUND, EPI-BIS EPOXY Glass Fiber Reinforced, Structural	1995	SAE	0
21500	AMS3670-5C	Polyamide-Imide Bar, Rod, and Shapes 30% Carbon Fiber	1995	SAE	0
21501	AMS3670B	Polyamide-Imide Bar, Rod, and Shapes Molded or Extruded	1995	SAE	0
21502	AMS3670-1B	UNFILLED POLYAMIDE-IMIDE BAR, ROD, AND SHAPES	1995	SAE	0
21503	AMS3670-3B	Polyamide-Imide Bar, Rod, and Shapes 12% Graphite - 3% Polytetrafluoroethylene Filled	1995	SAE	0
21504	AMS3670-4C	Polyamide-Imide Bar, Rod, and Shapes 30% Glass Fiber	1995	SAE	0
21505	AMS3641E	PLASTIC MOLDINGS, THERMOSETTING PHENOL/FORMALDEHYDE, MACERATED-FABRIC-FILLED	1995	SAE	0
21506	AMS3624D	PLASTIC MOLDINGS AND EXTRUSIONS, CELLULOSE ACETATE BUTYRATE	1995	SAE	0
21507	AMS3627D	PLASTIC MOLDINGS AND EXTRUSIONS, METHYL METHACRYLATE HEAT - RESISTANT	1995	SAE	0
21508	AMS3598E	Plastic Sheet, Copper Faced, GTN Glass Fabric Reinforced Polytetrafluoroethylene	1995	SAE	0
21509	AMS3583D	PLASTIC TUBING, ELECTRICAL INSULATION CROSSLINDED POLYVINYL CHLORIDE, SEMI-RIGID HEAT SHRINKABLE 2 TO 1 SHRINK RATIO	1995	SAE	0
21510	AMS3590E	PLASTIC SHEET, COPPER FACED PAPER REINFORCED PHENOLIC RESIN	1995	SAE	0
21511	AMS3591C	POLYETHYLENE TEREPHTHALATE PLASTIC TUBING, ELECTRICAL INSULATION - THERMALLY WELDED, HEAT SHRINKABLE 1.6 TO 1 SHRINK RATIO	1995	SAE	0
21512	AMS3574A	POLYURETHANE, FOAM-IN-PLACE, RIGID CLOSED CELL, FOR HELMET LINERS	1995	SAE	0
21513	AMS3580D	CAST RODS, TUBES, AND SHAPES METHYL METHACRYLATE PLASTIC	1995	SAE	0

21514	AMS3581C	CAST RODS, TUBES, AND SHAPES, METHYL METHACRYLATE PLASTIC HEAT RESISTANT	1995	SAE	0
21515	AMS3510B	COATING, ABRASION RESISTANT FOR POLYCARBONATE PARTS	1995	SAE	0
21516	AMS3532C	ETHYLENE TETRAFLUOROETHYLENE (ETFE) MOLDED SHEET Stress Relieved	1995	SAE	0
21517	AMS3533C	ETHYLENE TETRAFLUOROETHYLENE (ETFE) EXTRUSIONS	1995	SAE	0
21518	AMS3534C	ETHYLENE TETRAFLUOROETHYLENE (ETFE) MOLDINGS STRESS-RELIEVED	1995	SAE	0
21519	AMS3569C	FOAM, FLEXIBLE POLYURETHANE (PUR) OPEN PORE, POLYVINYLCHLORIDE (PVC) COATED	1995	SAE	0
21520	AMS4615F	SILICON BRONZE RODS AND BARS, 95.5Cu-3.2Si, HARD TEMPER - UNS C65500	1995	SAE	0
21521	AIR4176	Cost Versus Benefits of Engine Monitoring Systems	1995	SAE	0
21522	AMS5809A	ALLOY WELDING WIRE, CORROSION AND HEAT RESISTANT 52Co-20Cr-20Ni-7.5Ta Vacuum Melted	1995	SAE	0
21523	AIR4653	Flight Management Systems Review	1995	SAE	0
21524	AMS5341C	Steel Castings, Investment, Corrosion Resistant 19.5Cr - 10.5Ni - 0.25S (Type 303) Solution Heat Treated - UNS J92711	1995	SAE	0
21525	AMS5348B	Steel Castings, Tubular, Centrifugal, Corrosion Resistant 15Cr - 4.6Ni - 0.22 (Cb+Ta) - 2.8Cu Solution Heat Treated	1995	SAE	0
21526	AMS5351F	Steel Castings, Sand, Corrosion and Moderate Heat Resistant 13Cr Normalized and Tempered - UNS J91150	1995	SAE	0
21527	AMS5363E	Steel Castings, Sand and Centrifugal, Corrosion and Heat Resistant 18.5Cr - 10.5Ni - 0.90 (Cb+Ta) Solution Heat Treated - UNS J92641	1995	SAE	0
21528	AMS5395C	Alloy Iron Castings, Ductile, Sand, Corrosion Resistant 22Ni (2.5 - 3.0C) As Cast - UNS F43030	1995	SAE	0
21529	AIR4416	Helicopter Turbine Engine Wash	1995	SAE	0
21530	AMS5546D	Steel Sheet and Strip, Corrosion and Moderate Heat Resistant 16.5Cr - 4.5Ni - 2.9Mo - 0.10N Cold Rolled, Tempered - UNS S35000	1995	SAE	0
21531	AIR4894	Landing Gear Stability	1995	SAE	0
21532	AIR4896	Recommended RMS Terms and Parameters	1995	SAE	0
21533	AIR4906	Droplet Sizing Instrumentation Used in Icing Facilities	1995	SAE	0
21534	AMS6441H	Steel Tubing, Mechanical 1.45Cr (0.98 - 1.10C) (SAE 50100) For Bearing Applications	1995	SAE	0
21535	AMS6530J	STEEL TUBING, SEAMLESS, 0.50NI - 0.55CR - 0.20MO (0.28 - 0.33C)	1995	SAE	0
21536	AMS7706B	IRON BAR, SHEET, STRIP, AND PLATE, COMMERCIALLY PURE - HOT ROLLED, ANNEALED	1995	SAE	0
21537	ARP4033	Pilot-System Integration	1995	SAE	0
21538	ARP1643B	FABRICATION OF GRAPHITE FIBER/POLYSULFONE RESIN COMPOSITE STRUCTURES	1995	SAE	0
21539	ARP1611A	Quality Inspection Procedure, Composites Tracer Fluoroscopy and Radiography	1995	SAE	0
21540	ARP1962A	Training and Approval of Heat-Treating Personnel	1995	SAE	0
21541	ARP1987-2	Titles, Hose and Hose Assembly, SAE G-3D Subcommittee, Selection of	1995	SAE	0
21542	ARP4961	Weights, Tube Fitting, Estimating, Weighing and Maintaining, Procedure for	1995	SAE	0
21543	ARP4968	Installation Standard for Couplings	1995	SAE	0
21544	ARP4943	Ground Support Equipment Hydraulic Systems, Design and Installation, Recommended Practices For	1995	SAE	0
21545	ARP4927	Integration Procedures for the Introduction of New Systems to the Cockpit	1995	SAE	0
21546	ARP4848	Flaring (Swaging) and Removal of Shank Nuts	1995	SAE	0
21547	ARP4874A	Electronic Propulsion Control/Aircraft Interface Control Documents	1995	SAE	0
21548	ARP4698	Guide for Choosing a Minimum Wall Thickness of Tubing for Use With Weld Fittings Coded for a Range of Wall Sizes	1995	SAE	0
21549	ARP89D	Aircraft Compartment Automatic Temperature Control Systems	1995	SAE	0
21550	ARP670B	Terminals, Aircraft Ignition	1995	SAE	0
21551	AS100007C	GASKET TYPE XIX ENGINE ACCESSORY DRIVE	1995	SAE	0
21552	AS1098B	FITTING END, FLARED TUBE, FOR SEAL RING, STANDARD DIMENSIONS FOR, DESIGN STANDARD	1995	SAE	0

21553	AS1099C	FITTING END, BULKHEAD FLARED TUBE, FOR SEAL RING, STANDARD DIMENSIONS FOR, DESIGN STANDARD	1995	SAE	0
21554	AIR784C	Interrelation of Engine Design and Burner Configuration with Selection and Performance of Electrical Ignition Systems for Gas Turbine Engines	1995	SAE	0
21555	AS15531	Digital Time Division Command/Response Multiplex Data Bus	1995	SAE	0
21556	AS1773	Fiber Optics Mechanization of a Digital Time Division Command/Response Multiplex Data Bus	1995	SAE	0
21557	AIR844B	Sensitization and Corrosion in Stainless Steel Filters (Stabilized Type)	1995	SAE	0
21558	AIR974B	Long-Term Storage of Missile Hydraulic Systems (Stabilized Type)	1994	SAE	0
21559	AS1501C	Hose, Air Duct, Flexible, Nonmetallic, Aircraft	1994	SAE	0
21560	AS1477B	Hose Assembly, Flexible, Low Pressure, Flareless, Potable Water, 45Ï° TO 90Ï°	1994	SAE	0
21561	AS1473B	HOSE ASSEMBLY, FLEXIBLE, LOW PRESSURE, FLARELESS, POTABLE WATER, STRAIGHT TO STRAIGHT	1994	SAE	0
21562	AS1474B	HOSE ASSEMBLY, FLEXIBLE, LOW PRESSURE, FLARELESS, POTABLE WATER, STRAIGHT TO 45Ï°	1994	SAE	0
21563	AS1475B	HOSE ASSEMBLY, FLEXIBLE, LOW PRESSURE, FLARELESS, POTABLE WATER, STRAIGHT TO 90Ï°	1994	SAE	0
21564	AS1097B	SEAL RING, 37Ï° FLARED TUBE FITTING END	1994	SAE	0
21565	AS1249A	ELBOW, 45Ï°, FLARED TUBE BULKHEAD UNIVERSAL, FOR SEAL RING	1994	SAE	0
21566	AS1250A	ELBOW, 90Ï°, FLARED TUBE FOR SEAL RING	1994	SAE	0
21567	AS1252A	TEE, FLARED TUBE FOR SEAL RING	1994	SAE	0
21568	AS1253B	TEE, FLARED TUBE, BULKHEAD UNIVERSAL ON SIDE, FOR SEAL RING	1994	SAE	0
21569	AS1365A	Tee, Flared Tube, Bulkhead Universal on Run, for Seal Ring	1994	SAE	0
21570	AS1366A	ELBOW, 90Ï°, FLARED TUBE BULKHEAD UNIVERSAL, FOR SEAL RING	1994	SAE	0
21571	AS1367A	Cross, Flared Tube for Seal Ring	1994	SAE	0
21572	AS1376D	ALTERNATE DIMENSIONS, CENTER BODY SECTION, SHAPE FLUID FITTING, DESIGN STANDARD	1994	SAE	0
21573	ARP578	DETAIL REQUIREMENTS FOR 4000 AND 5000 PSI AIRCRAFT HYDRAULIC SYSTEMS	1994	SAE	0
21574	ARP4806	Aerospace - Deicing/Anti-Icing Self-Propelled Vehicle Functional Requirements	1994	SAE	0
21575	ARP4776	Pallet/Container Loader Auto-Levelling Systems	1994	SAE	0
21576	ARP492C	Aircraft Engine Fuel Pump Cavitation Endurance Test	1994	SAE	0
21577	ARP1987-1	Titles, SAE G-3B Subcommittee Documents, Selection Of	1994	SAE	0
21578	ARP1987A	Titles, SAE G-3 Committee Document, Selection of	1994	SAE	0
21579	ARP1926	Cure Monitor, Electrical Methods	1994	SAE	0
21580	ARP4050	BALANCING MACHINES - DESCRIPTION AND EVALUATION VERTICAL, TWO-PLANE, HARD-BEARING TYPE FOR GAS TURBINE ROTORS	1994	SAE	0
21581	ARP4024	Aircraft/Engine Fuel Pump Net Positive Suction Pressure Performance Test and Evaluation	1994	SAE	0
21582	ARP4028	Aircraft/Engine Fuel Pump Two Phase (Slugging Flow) Inlet Performance Test and Evaluation	1994	SAE	0
21583	ARP4118	Isolation and Corrosion Protection of Dissimilar Materials	1994	SAE	0
21584	ARP4249	Bearing Corrosion Test Method	1994	SAE	0
21585	ARP4268A	Aerospace Hydraulic System Fluid Contamination - Location of Sampling Points	1994	SAE	0
21586	AMS7267G	Rings, Sealing, Silicone (VSI) Rubber Heat-Resistant, Low Compression Set 70 - 80	1994	SAE	0
21587	AMS7268C	Rings, Sealing, Silicone Rubber Low Compression Set, Non-Oil Resistant 65 - 75	1994	SAE	0
21588	AMS7260E	Rings, Butadiene-Acrylonitrile (NBR) Rubber, Molded Fuel and Low Temperature Resistant 70 - 80	1994	SAE	0
21589	AMS7284A	Rings, Sealing, Phosphonitrilic Fluoroelastomer (FZ) Aviation Fuel-Resistant	1994	SAE	0
21590	AIR4918	Industry Practices and Guidelines for the Selection of Coiled Tubes, Flexible Hoses, Swivels, and Extension Fittings for Aircraft Fluid Systems	1994	SAE	0

21591	AMS6321E	STEEL BARS, FORGINGS, AND TUBING, 0.42CR - 0.30NI - 0.12MO - 0.003B (0.38 - 0.43C) (81B40) - UNS K03810	1994	SAE	0
21592	AMS5530G	Alloy Sheet, Strip, and Plate, Corrosion and Heat Resistant 58Ni - 15.5Cr - 16Mo - 3.8W - 5.5Fe Solution Heat Treated	1994	SAE	0
21593	AMS5389C	Alloy Castings, Sand, Corrosion and Heat Resistant 55Ni - 16.5Cr - 17Mo - 4.5W - 5.8Fe - 0.40V Solution Heat Treated - UNS N10002	1994	SAE	0
21594	AMS5373D	Alloy Castings, Sand, Corrosion and Heat Resistant 16Co - 29Cr - 4.5W As Cast - UNS R30006	1994	SAE	0
21595	AMS5358C	Steel Castings, Investment, Corrosion Resistant 18Cr - 9Ni Solution Heat Treated - UNS J92602	1994	SAE	0
21596	AIR4783	Glossary of Terms - Aircraft Ground Refueling	1994	SAE	0
21597	AIR4762	Compilation of Freezing Brake Experience and Suggested Designs and Operating Procedures Required to Prevent Its Occurrence	1994	SAE	0
21598	AMS4906A	TITANIUM ALLOY SHEET AND STRIP 6A1 - 4V, Continuously Rolled, Annealed - UNS R56400	1994	SAE	0
21599	AMS4619E	MANGANESE BRONZE FORGINGS 58Cu - 39.8Zn - 1.05Fe - 0.95A1 - 0.23Mn - UNS 37700	1994	SAE	0
21600	AIR4152	Reciprocating Engine Pneumatic Starters	1994	SAE	0
21601	AMS3644-1C	PLASTIC ROD AND BAR, P0LYIMIDE Unfilled, Molded	1994	SAE	0
21602	AMS3644-2C	PLASTIC ROD AND BAR, P0LYIMIDE Unfilled, Molded	1994	SAE	0
21603	AMS3720B	Paper Honeycomb 60 lb (25 kg) Paper	1994	SAE	0
21604	AMS3728A	Epoxy Cresol Novolac Resin Low Molecular Weight	1994	SAE	0
21605	AMS3729A	Epoxy Resin Matrix, Thermosetting Moderate Temperature Resistant, Unfilled	1994	SAE	0
21606	AIR1780A	Aircraft Flotation Analysis	1994	SAE	0
21607	AMS3792B	(R) Tape, Low Modulus Aramid 300 (1334), 1000 (4448) and 8000 (13,345) Breaking Strength	1994	SAE	0
21608	AMS3797-2B	WEBBING, NYLON, INTEGRAL LOCKING SLOTS 5/8 (15.9) Wide, 2000 (8896) Breaking Strength	1994	SAE	0
21609	AMS3797-1B	WEBBING, NYLON, INTEGRAL LOCKING SLOTS 5/8 (15.9) Wide, 1000 (4448) Breaking Strength	1994	SAE	0
21610	AMS3797-12B	WEBBING, NYLON, INTEGRAL LOCKING SLOTS 1-1/8 (29) Wide, 12,000 (53,379) Breaking Strength	1994	SAE	0
21611	AMS3797-11B	WEBBING, NYLON, INTEGRAL LOCKING SLOTS 1-1/8 (29) Wide, 11,000 (48,930) Breaking Strength	1994	SAE	0
21612	AMS3797-10B	WEBBING, NYLON, INTEGRAL LOCKING SLOTS 1-1/8 (29) Wide, 10,000 (44,482) Breaking Strength	1994	SAE	0
21613	AMS3797B	Webbing, Nylon, Integral Locking Slots	1994	SAE	0
21614	AMS3797-9B	WEBBING, NYLON, INTEGRAL LOCKING SLOTS l-1/8 (29) Wide, 9000 (40,034) Breaking Strength	1994	SAE	0
21615	AMS3797-8B	WEBBING, NYLON, INTEGRAL LOCKING SLOTS 1-1/16 (27) Wide, 8000 (35,586) Breaking Strength	1994	SAE	0
21616	AMS3797-7B	WEBBING, NYLON, INTEGRAL LOCKING SLOTS l-1/16 (27) Wide, 7000 (31,138) Breaking Strength	1994	SAE	0
21617	AMS3797-6B	WEBBING, NYLON, INTEGRAL LOCKING SLOTS 1-1/16 (27) Wide, 6000 (26,689) Breaking Strength	1994	SAE	0
21618	AMS3797-5B	WEBBING, NYLON, INTEGRAL LOCKING SLOTS 1 (25) Wide, 5000 (22,241) Breaking Strength	1994	SAE	0
21619	AMS3797-4B	WEBBING, NYLON, INTEGRAL LOCKING SLOTS 1 (25) Wide, 3000 (13,345) Breaking Strength	1994	SAE	0
21620	AMS3797-3B	WEBBING, NYLON, INTEGRAL LOCKING SLOTS 1 (25) Wide, 3000 (13,345) Breaking Strength	1994	SAE	0
21621	AMS3832C	Roving, Type "S-2" Glass Epoxy Resin Impregnated	1994	SAE	0
21622	AMS3849B	Cloth, Quartz, Style 581 Fabric Hot-Melt, Addition-Type, Polyimide Resin Impregnated	1994	SAE	0
21623	AMS3847C	Cloth, Quartz, "B" Stage Polyimide Resin Impregnated Style 581 Fabric, 315 Degrees C (599 Degrees F)	1994	SAE	0
21624	AMS3837D	Cloth, Type "S" Glass 181 Style Fabric, Finish No. HTS-904	1994	SAE	0
21625	AMS3844B	Cloth, Type "E" Glass, Style 7781 Fabric Hot- Melt, Addition-Type, Polyimide Resin Impregnated	1994	SAE	0
21626	AMS3823D	Cloth, Glass Style 7781, Chrome-Silane Finish	1994	SAE	0
21627	AMS3808A	Tape, Adhesive, Pressure- Sensitive Masking	1994	SAE	0
21628	AMS3907A	(R) Cloth, Aramid Basket and Plain Weave	1994	SAE	0
21629	AMS3913B	Radome, Foam Sandwich Hot-Melt, Addition-Type Polyimide	1994	SAE	0
21630	AMS3898-7A	Interleaf Carrier Material, Composite Tape Differentially Coated Paper, Unperforated 0.0042 inch (0.107 mm)	1994	SAE	0

21631	AMS3898-8A	Interleaf Carrier Material, Composite Tape/Broadgoods Kraft, Differentially Coated Paper, Unperforated 0.0038 inch ? 0.0004 (0.097 mm ? 0.010)	1994	SAE	0
21632	AMS3898-9A	Interleaf Carrier Material, Composite Tape/Broadgoods Kraft, Differentially Coated Paper, Unperforated 0.0050 inch ? 0.0005 (0.127 mm ? 0.013)	1994	SAE	0
21633	AMS3898B	Interleaf Carrier Material, Composite Tape or Broadgoods Paper, 0.004 inch (0.10 mm), Perforated	1994	SAE	0
21634	AMS3894-17A	Carbon Fiber Tape and Sheet Epoxy Resin Impregnated G 200 (1379) Tensile, 18.0 (124) Modulus, 120 (248)	1994	SAE	0
21635	AMS3895B	Broadgoods and Tape, Carbon Fiber-Epoxy Resin Impregnated Multi-Ply, Uniform Fiber	1994	SAE	0
21636	AMS3898-1B	Interleaf Carrier Material, Composite Tape Parchment, 0.004 inch (0.10 mm), Unperforated	1994	SAE	0
21637	AMS3898-2B	Interleaf Carrier Material, Composite Tape Polyethylene Film, 0.0018 inch (0.046 mm), Unperforated	1994	SAE	0
21638	AMS3898-3B	Interleaf Carrier Material, Composite Tape Polyethylene Coated Paper, Unperforated 0.0035 inch (0.089 mm)	1994	SAE	0
21639	AMS3898-4B	Interleaf Carrier Material, Composite Tape Paper, 0.04 inch (0.10 mm), Perforated	1994	SAE	0
21640	AMS3898-5B	Interleaf Carrier Material, Composite Tape Polyethylene Coated Paper, Perforated 0.0035 inch (0.089 mm)	1994	SAE	0
21641	AMS3898-6A	Interleaf Carrier Material, Composite Tape Differentially Coated Paper, Unperforated 0.0035 inch (0.081 mm)	1994	SAE	0
21642	MA3521	Insert - Thin Wall, Long Self-Locking, 550 Degrees C, Silver Plated UNS N07718, MJ Thread, Metric - UNS N07718	1994	SAE	0
21643	MA3520	Insert - Thin Wall, Short Self-Locking, 550 Degrees C, Silver Plated UNS N07718, MJ Thread, Metric - UNS N07718	1994	SAE	0
21644	MA3446A	BOLT, MACHINE - TEE HEAD, CHAMFERED CLASSIFICATION: 1210 MPA/730 Ï°C CLOSE TOL SHANK, UNS N07001, METRIC	1994	SAE	0
21645	MA4568	HOSE ASSEMBLY, PTFE, ARAMID REINFORCED STANDARD DUTY, 21 000/28 000 kPa, 135 DEGREES C, TITANIUM FITTINGS, FLARELESS, INCLUDING JUMP SIZES, STRAIGHT TO STRAIGHT, METRIC	1994	SAE	0
21646	MA4569	Hose Assembly, PTFE, Aramid Reinforced, Standard Duty, 21 000/28 000 kPa, 135 Degrees C, Titanium Fittings, Flareless, Including Jump Sizes, Straight to 45 Degrees, Metric	1994	SAE	0
21647	MA4570	HOSE ASSEMBLY, PTFE, ARAMID REINFORCED, STANDARD DUTY, 21 000/28 000 kPa, 135 Ï°C, TITANIUM FITTINGS, FLARELESS, INCLUDING JUMP SIZES, STRAIGHT TO 90Ï°, METRIC	1994	SAE	0
21648	MA4571	Hose Assembly, PTFE, Aramid Reinforced, Standard Duty, 21 000/28 000 kPa, 135 Degrees C, Titanium Fittings, Flareless, 45 Degrees to 90 Degrees, Metric	1994	SAE	0
21649	MA4572	Hose Assembly, PTFE, Aramid Reinforced, Standard Duty, 21 000/28 000 kPa, 135 Degrees C, Titanium Fittings, Flareless, 45 Degrees to 45 Degrees, Metric	1994	SAE	0
21650	MA4573	Hose Assembly, PTFE, Aramid Reinforced, Standard Duty, 21 000/28 000 kPa, 135 Degrees C, Titanium Fittings, Flareless, 90 Degrees to 90 Degrees, Metric	1994	SAE	0
21651	MA4623	Hose Assembly, Polytetrafluoroethylene, Para Aramid Reinforced Heavy-Duty, 21 000 kPa, 135 Degrees C, Aircraft Hydraulic Systems, Metric	1994	SAE	0
21652	MA4624	HOSE ASSEMBLY, PTFE, PARA ARAMID REINFORCED, HEAVY-DUTY, 21 000 KPA, 135 â_°C, FLARELESS, TITANIUM FITTINGS, JUMP SIZES, STRAIGHT TO STRAIGHT, METRIC	1994	SAE	0
21653	MA4625	HOSE ASSEMBLY, PTFE, PARA ARAMID REINFORCED, HEAVY-DUTY, 21 000 KPA, 135 â_°C, FLARELESS, TITANIUM FITTINGS, JUMP SIZES, STRAIGHT TO 45â °, METRIC	1994	SAE	0
21654	MA4626	HOSE ASSEMBLY, PTFE, PARA ARAMID REINFORCED, HEAVY-DUTY, 21 000 KPA, 135 â_°C, FLARELESS, TITANIUM FITTINGS, JUMP SIZES, STRAIGHT TO 90â °, METRIC	1994	SAE	0
21655	MA4627	HOSE ASSEMBLY, PTFE, PARA ARAMID REINFORCED, HEAVY-DUTY, 21 000 KPA, 135 â_°C, FLARELESS, TITANIUM FITTINGS, JUMP SIZES, 45â ° TO 45â °, METRIC	1994	SAE	0
21656	MA4628	Hose Assembly, PTFE, Para Aramid Reinforced, Heavy-Duty, 21 000 kPa, 135 Degrees C, Flareless, Titanium Fittings, Jump Sizes, 45 Degrees to 90 Degrees, Metric	1994	SAE	0
21657	MA4629	Hose Assembly, PTFE, Para Aramid Reinforced, Heavy-Duty, 21 000 kPa, 135 Degrees C, Flareless, Titanium Fittings, Jump Sizes, 90 Degrees to 90 Degres, Metric	1994	SAE	0
21658	MA4811	Insert - Thin Wall, Self-Locking, Metric Short and Long Length Installation and Removal Of	1994	SAE	0
21659	MA4812	INSERT - THIN WALL, METRIC SHORT AND LONG HOLE PREPARATION FOR	1994	SAE	0
21660	MA2251A	Coupling, Flexible, Variable Cavity, Threaded Ferrule Type Tube Ends, Envelope Dimensions, Design Standard, Metric	1994	SAE	0

21661	MA2256A	Ferrule, Coupling, Flexible, Variable Cavity, Threaded, Ferrule Tube End, Metric	1994	SAE	0
21662	MA2151	Clamp Assemblies, Saddle or Omega Style, Two Point Mount, Multiple Shapes, Metric	1994	SAE	0
21663	MA2112B	ADAPTER, ASSEMBLY PORT CONNECTION RING LOCKED TO 24â ° FLARELESS TUBE END, METRIC	1994	SAE	0
21664	MA2113B	Adapter, Assembly - Port Connection Ring Locked to 60 Degrees Flareless Tube End, Metric	1994	SAE	0
21665	AMS3348C	Silicone (VMQ) Rubber 1150 psi (7.93 MPa) Tensile Strength, High Resiliency 25 - 35	1994	SAE	0
21666	MAM2203B	TOLERANCES, METRIC Aluminum Alloy Drawn Tubing	1994	SAE	0
21667	MAP1201	Tolerances, Hexagon Bar, Machined Flat and Forged Wrenching Flat Sizes for Fluid Fittings, Metric	1994	SAE	0
21668	MA1975	Hose Assemblies, Polytetrafluoroethylene, Aramid Reinforced, 135 Ï°C, Standard Duty, 28 000/21 000 kPa, Hydraulic, Aircraft Systems	1994	SAE	0
21669	J940	Glossary of Carbon Steel Sheet and Strip Terms, Information Report	1994	SAE	0
21670	J823	Flasher Test, Standard	1994	SAE	0
21671	J351	(R) Oil-Tempered Carbon-Steel Valve Spring Quality Wire and Springs, Recommended Practice	1994	SAE	0
21672	J382	(R) Windshield Defrosting Systems Performance Requirements - Trucks, Buses, and Multipurpose Vehicles	1994	SAE	0
21673	J316	(R) Oil-Tempered Carbon- Steel Spring Wire and Springs, Recommended Practice	1994	SAE	0
21674	J230	Stainless Steel, SAE 30302, Spring Wire and Springs	1994	SAE	0
21675	J271	(R) Special Quality High- Tensile, Hard-Drawn Mechanical Spring Wire and Springs	1994	SAE	0
21676	J2071	Aerodynamic Testing of Road Vehicles - Open Throat Wind Tunnel Adjustment, Information Report	1994	SAE	0
21677	J2066	Filter and Filter Element for Hydraulic System(s) Used on Manufacturing and Assembly Equipment, Standard	1994	SAE	0
21678	J2068	COMBINATION TURN SIGNAL HAZARD WARNING SIGNAL FLASHERS	1994	SAE	0
21679	J2204	Tire Size Differential - Articulated Wheel Loader, Standard	1994	SAE	0
21680	J217	Stainless Steel 17-7 PH Spring Wire and Springs	1994	SAE	0
21681	J1988	Residual Aligning Moment Test, Recommended Practice	1994	SAE	0
21682	J2043	Nonmetallic Fuel System Tubing, Standard	1994	SAE	0
21683	J1981	Road Hazard Impact Test for Wheel and Tire Assemblies (Passenger Car, Light Truck, and Multipurpose Vehicles)	1994	SAE	0
21684	J1744	280 Relay Footprint, Standard	1994	SAE	0
21685	J1819	Securing Child Restraint Systems in Motor Vehicles	1994	SAE	0
21686	J178	(R) Music Steel Spring Wire and Springs	1994	SAE	0
21687	J1616	Recommended Practice for Compressed Natural Gas Vehicle Fuel, Recommended Practice	1994	SAE	0
21688	J1700	Softening Point of Interior Trim Adhesives, Recommended Practice	1994	SAE	0
21689	J1689	HYDRAULIC POWER UNITS USED ON MACHINE TOOLS AND EQUIPMENT FOR THE AUTOMOTIVE INDUSTRY	1994	SAE	0
21690	J1679	Peel Strength of Soft Trim Adhesives, Recommended Practice	1994	SAE	0
21691	J1301	Truck Deformation Classification	1994	SAE	0
21692	J132	(R) Oil-Tempered Chromium-Vanadium Valve Spring Quality Wire and Springs	1994	SAE	0
21693	J1366	Rating Lift Cranes Operating on Platforms in the Ocean Environment	1994	SAE	0
21694	AS7106	National Aerospace and Defense Contractors Accreditation Program Quality Program Requirements	1994	SAE	0
21695	AS7107	National Aerospace and Defense Contractors Accreditation Program Inspection System Requirements	1994	SAE	0
21696	AS7200-1A	NATIONAL AEROSPACE AND DEFENSE CONTRACTORS ACCREDITATION PROGRAM (NADCAP) AUDIT AND INSPECTION PROCEDURES AND CHECKLISTS FOR THE SEALANT MANUFACTURERS ACCREDITATION PROGRAM	1994	SAE	0
21697	AMS2399A	Electroless Nickel-Boron Plating	1994	SAE	0
21698	AS639	HOSE, POLYTETRAFLUOROETHYLENE, METAL BRAID, MEDIUM PRESSURE, HYDRAULIC, 450 F	1994	SAE	0

21699	AS567J	Safety Cable, Safety Wire, Key Washers, and Cotter Pins for Propulsion Systems, General Practices for Use of	1994	SAE	0
21700	AS4897	Hose Assembly, Polytetrafluoroethylene (PTFE), Low Pressure, 450 Degrees F and Fireproof, Procurement Specification for	1994	SAE	0
21701	AS4702A	Nut, Retained, Short Flareless	1994	SAE	0
21702	AS4774A	HOSE, AIR DUCT, FLEXIBLE, SILICONE-COATED FABRIC, 1 PSI, EXTERNAL NYLON HELIX, SELF-EXTINGUISHING	1994	SAE	0
21703	AS4832	Gland Design: Nominal 3/8 in Cross Section for Custom Compression Type Seals	1994	SAE	0
21704	AMS1548A	Cleaner, Turbine Engine Gas Path Solvent Emulsion Type	1994	SAE	0
21705	AMS1500C	SOAP, LIQUID HAND Coconut-Oil Base	1994	SAE	0
21706	AS4200A	Fitting Assembly, Adapter Ring Locked Port Connection to Beam Seal 8000 psi	1994	SAE	0
21707	AMS1448A	Sand, Airport Snow and Ice Control	1994	SAE	0
21708	AS4203A	Fitting, Beam Seal, Female Tube End, Internal Swage, 4000 psi, Hydraulic	1994	SAE	0
21709	AS3542	COVER - TYPE XVI, XVII-C, D, E, AND F ENGINE ACCESSORY DRIVE	1994	SAE	0
21710	AS3551	PACKING, PREFORMED O-RING SEAL AMS7272	1994	SAE	0
21711	AMS1383A	Oxide Conditioner, Alkaline Permanganate Aircraft Turbine Engine Components	1994	SAE	0
21712	AS3224B	COVER - ENGINE ACCESSORY DRIVE, ROUND, 8.000 BOLT CIRCLE, AMS4490 (UNS M11910) - UNS M11910	1994	SAE	0
21713	AS3225B	Cover - Engine Accessory Drive, Round, 10.000 Bolt Circle, AMS 4490	1994	SAE	0
21714	AS3483A	(R) Nut, Self Locking, Hexagon, Regular Height, UNS S66286, Class: 125 ksi/800 Degrees F - UNS S66286	1994	SAE	0
21715	AMS1375B	Remover, Paint Epoxy and Polyurethane Paint Systems	1994	SAE	0
21716	J1111	Component Nomenclature - Skidder-Grapple	1994	SAE	0
21717	J113	(R) Hard-Drawn Mechanical Spring Wire and Springs	1994	SAE	0
21718	J1142	(R) Towability Design Criteria and Equipment Use - Passenger Cars, Vans, and Light-Duty Trucks, Recommended Practice	1994	SAE	0
21719	J1143	(R) Towed Vehicle/Tow Equipment Attachment Test Procedure - Passenger Cars, Vans, and Light Duty Trucks, Recommended Practice	1994	SAE	0
21720	HS-1576	SAE Manual for Incorporating Pnuematic Springs in Vehicle Suspension Designs - 1994 Edition	1994	SAE	0
21721	AMS2550E	Treatment of Sheet Metal Parts Corrosion-Resistant Steel	1994	SAE	0
21722	J1054	Warning Lamp Alternating Flashers	1994	SAE	0
21723	J1093	(R) Latticed Crane Boom Systems - Analytical Procedure, Information Report	1994	SAE	0
21724	AMS2604F	Pressure Testing, Gaseous Media 40 psi	1994	SAE	0
21725	J1051	Force-Deflection Measurements of Cushioned Components of Seats for Off-Road Work Machines	1993	SAE	0
21726	J1012	(R) Operator Enclosure Pressurization System Test Procedure, Recommended Practice	1993	SAE	0
21727	AS963B	Drive-Studded, Accessory, (127) 5.000 BC Round, Design Standard for	1993	SAE	0
21728	AS965B	Drive-Studded, Accessory, (203.2) 8.000 BC Round, Design Standard For	1993	SAE	0
21729	AS967B	Drive-Studded, Accessory, (254) 10.000 BC Round, Design Standard For	1993	SAE	0
21730	AS970B	Drive-Accessory, (203.2) 8.000 BC Round, QAD, Design Standard for - Best Copy Available	1993	SAE	0
21731	AS971B	Drive-Accessory, (254) 10.000 BC Round, QAD, Design Standard for	1993	SAE	0
21732	AS969B	Drive-Accessory, (127) 5.000 BC Round, QAD, Design Standard For	1993	SAE	0
21733	J1170	(R) Front and Rear Power Take-Off for Agricultural Tractors	1993	SAE	0
21734	AS3485	Nut, Self-Locking, 12 Point, Reduced Height, Silver Plate, UNS S66286	1993	SAE	0
21735	AIR1266A	Fault Isolation in Environmental Control Systems of Commercial Transports	1993	SAE	0
21736	AMS1385A	Compound, Hot Carbon and Paint Remover Aircraft Turbine Engine Components	1993	SAE	0

21737	AS4010	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PTFE, METAL BRAID, MEDIUM PRESSURE, BEAM SEAL, 45â ° TO 90â °	1993	SAE	0
21738	AS4011	HOSE ASSEMBLY, POLYETRAFLUOROETHYLENE, PTFE, METAL BRAID, MEDIUM PRESSURE, BEAM SEAL, 90â ° TO 90â °	1993	SAE	0
21739	AS4009	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PTFE, METAL BRAID, MEDIUM PRESSURE, BEAM SEAL, 45â ° TO 45â °	1993	SAE	0
21740	AS4008	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PTFE, METAL BRAID, MEDIUM PRESSURE, BEAM SEAL, STRAIGHT TO 90°	1993	SAE	0
21741	AS4006	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PTFE, METAL BRAID, MEDIUM PRESSURE, BEAM SEAL, STRAIGHT TO STRAIGHT	1993	SAE	0
21742	AS4007	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PTFE, METAL BRAID, MEDIUM PRESSURE, BEAM SEAL, STRAIGHT TO 45°	1993	SAE	0
21743	AS391C	Airspeed Indicator (Pitot Static) (Reciprocating Engine Powered Aircraft)	1993	SAE	0
21744	AS392C	Altimeter, Pressure Actuated Sensitive Type - Use SAE AS 8009	1993	SAE	0
21745	AMS1426C	Fluid, Deicing/Anti-Icing, Runways and Taxiways Glycol Base	1993	SAE	0
21746	AS411B	Manifold Pressure Indicating Instruments	1993	SAE	0
21747	AS4305	TEE ASSEMBLY, FLARED TUBE, ADJUSTABLE END ON RUN, FOR SEAL RING	1993	SAE	0
21748	AS4306	Tee Assembly, Flared Tube, Adjustable End on Side, for Seal Ring	1993	SAE	0
21749	AS4302	Tee Assembly, Flared Tube, Retained Nut on Run, for Seal Ring	1993	SAE	0
21750	AS4303	Elbow Assembly 90 Degree, Flared Tube to Adjustable End, for Seal Ring	1993	SAE	0
21751	AS4304	TEE ASSEMBLY, FLARED TUBE, RETAINED NUT ON SIDE, FOR SEAL RING	1993	SAE	0
21752	AS4347	UNION ASSEMBLY, DOUBLE RETAINED NUT	1993	SAE	0
21753	AS4348	ADAPTER ASSEMBLY, RETAINED NUT TO BOSS	1993	SAE	0
21754	AS4349	COUPLING, TUBE	1993	SAE	0
21755	AS4350	PLUG, HEX HEAD	1993	SAE	0
21756	AS4346	UNION ASSEMBLY, ADJUSTABLE END	1993	SAE	0
21757	AS4341	Wire, Retaining for Retained Nut	1993	SAE	0
21758	AS4320	FITTING END, STRAIGHT THREAD, STANDARD DIMENSIONS FOR, DESIGN STANDARD	1993	SAE	0
21759	AS4321	FITTING END, INTERNAL FLARE, SINGLE ANGLE, STANDARD DIMENSIONS FOR, DESIGN STANDARD	1993	SAE	0
21760	AS4322	Fitting End, Adjustable, Standard Dimensions for, Design Standard	1993	SAE	0
21761	AS4323	Nut, Retained, for Flared Tube Fittings	1993	SAE	0
21762	AS4324	Washer, Flared Tube Fitting Adjutable End, Design Standard	1993	SAE	0
21763	AS4326	NUT, COUPLING	1993	SAE	0
21764	AS4327	Sleeve, Flared Tube Fitting	1993	SAE	0
21765	AS4329	Cap Assembly, Pressure Seal Flared Tube Fitting	1993	SAE	0
21766	AS4311	Tee, Flared Tube, Internal Thread on Side, for Seal Ring	1993	SAE	0
21767	AS4310	Tee, Flared Tube, Internal Thread on Run, for Seal Ring	1993	SAE	0
21768	AS4312	Tee, Flared Tube with Pipe Thread on Run, for Seal Ring	1993	SAE	0
21769	AS4313	Tee, Flared Tube with Pipe Thread on Side, for Seal Ring	1993	SAE	0
21770	AS4314	Elbow Assembly 45 Degree, Flared Tube to Adjustable End, for Seal Ring	1993	SAE	0
21771	AS4315	Elbow Assembly 90 Degree, Flared Tube to Retained Nut, for Seal Ring	1993	SAE	0
21772	AS4316	Elbow Assembly 45 Degree, Flared Tube to Retained Nut, for Seal Ring	1993	SAE	0
21773	AS4703A	Fitting End, Acorn, Short Flareless, Design Standard	1993	SAE	0

21774	AS4659A	FITTING END, EXTERNAL THREAD, SHORT FLARELESS, DESIGN STANDARD	1993	SAE	0
21775	AS4679B	WASHER, FLAT, SHORT FLARELESS	1993	SAE	0
21776	AS7246	Inserts, Screw Threads, Helical Coil 72Ni-15.5Cr-0.95(Cb+Ta)-2.5Ti-0.70Al-7.0Fe Corrosion and Heat Resistant Alloy Procurement Specification For	1993	SAE	0
21777	AS7234	Rivets, Blind, Corrosion Resistant Alloy 67Ni - 31Cu Procurement Specification For	1993	SAE	0
21778	AS7235	Rivets, UNS S66286, Steel, Corrosion and Heat Resistant, 80 ksi Shear Strength, Procurement Specification for	1993	SAE	0
21779	J1419	Tapers for Shaft Ends and Hubs for Fuel Injection Pumps	1993	SAE	0
21780	J1430	(R) Retardation Capability of Off- Highway Dumpers and Scrapers, Standard	1993	SAE	0
21781	J1440	(R) Off-Road Tire and Rim Classification- Forestry Machines, Recommended Practice	1993	SAE	0
21782	J1223	Marine Carburetors and Fuel Injection Throttle Bodies	1993	SAE	0
21783	J1253	Low-Temperature Cranking Load Requirements of an Engine, Recommended Practice	1993	SAE	0
21784	J1682	Valve Guide Information Report, Information Report	1993	SAE	0
21785	J1692	Valve Seat Insert Information Report, Information Report	1993	SAE	0
21786	J1635	SAE Cold Start and Driveability Procedure	1993	SAE	0
21787	J1636	Recommended Guidelines for Load/Deformation Testing of Elastomeric Components, Recommended Practice	1993	SAE	0
21788	J1629	Cautionary Statements for Handling HFC-134A During Mobile Air Conditioning Service, Information Report	1993	SAE	0
21789	J1617	Body Corrosion - A Comprehensive Introduction, Information Report	1993	SAE	0
21790	J1668	Diesel Engines - Fuel Injection Pump Testing	1993	SAE	0
21791	J1658	Alternate Refrigerant Consistency Criteria for Use in Mobile Air-Conditioning Systems	1993	SAE	0
21792	J1642 DRAFT	MEDIUM- AND HEAVY-DUTY TRUCK CONVERTER/MUFFLER CONFIGURATION	1993	SAE	0
21793	J1643 DRAFT	DIESEL CATALYTIC CONVERTER NOMENCLATURE AND TERMINOLOGY	1993	SAE	0
21794	J1563	Guidelines for Laboratory Cyclic Corrosion Test Procedures for Painted Automotive Parts, Information Report	1993	SAE	0
21795	J1533	Operator Enclosure Air Filter Element Test Procedure, Recommended Practice	1993	SAE	0
21796	J1548	(R) Draebars-Agricultural Wheel Tractors	1993	SAE	0
21797	J1801	Brake Effectiveness Marking for Brake Blocks-Truck and Bus	1993	SAE	0
21798	J1875	Materials for Plastic Check Valves for Vacuum Booster Systems	1993	SAE	0
21799	J2057-3	Class A Multiplexing Sensors	1993	SAE	0
21800	J2057-4	Class A Multiplexing Architecture Strategies	1993	SAE	0
21801	J2056-2	NULL	1993	SAE	0
21802	J2084	Aerodynamic Testing of Road Vehicles-Testing Methods and Procedures, Information Report	1993	SAE	0
21803	J2119	Manual Controls for Mature Drivers	1993	SAE	0
21804	J2708	AGRICULTURAL TRACTOR TEST CODE (OECD) EQUIVALENT TO ORGANISATION FOR ECONOMIC CO-OPERATION AND DEVELOPMENT C(87)53	1993	SAE	0
21805	AMS3091C	Mold Release Agent	1993	SAE	0
21806	J2230	Accelerated Exposure of Automotive Interior Trim Materials Using Outdoor Under-Glass Controlled Sun-Tracking Temperature and Humidity Apparatus, Standard;	1993	SAE	0
21807	J296	(R) Excavator, Mini-Excavator, and Backhoe Hoe Bucket Volumetric Rating	1993	SAE	0
21808	J721	(R) Operating Requirements for Tractors and Power Take-Off Driven Implements	1993	SAE	0
21809	J715	Three-Point Free-Link Hitch Attachment of Implements to Agricultural Wheeled Tractors, Standard	1993	SAE	0
21810	J561	Electrical Terminalsâ Eyelet and Spade Type	1993	SAE	0
21811	J539	Voltages for Diesel Electrical Systems	1993	SAE	0
21812	J590	Turn Signal Flashers	1993	SAE	0

21813	J58	(R) Flanged 12-Point Screws	1993	SAE	0
21814	J945	(R) Vehicular Hazard Warning Flashers	1993	SAE	0
21815	J909	THREE-POINT HITCH, IMPLEMENT QUICK-ATTACHING COUPLER, AGRICULTURAL TRACTORS	1993	SAE	0
21816	MA2001B	Aerospace Fluid Systems and Components - Pressure and Temperature Classifications	1993	SAE	0
21817	AMS3217A	Standard Elastomer Stocks Test Slabs	1993	SAE	0
21818	MA2060A	Fittings, Welded, Hydraulic, Titanium and Corrosion Resistant Steel, 21 000 kPa, Metric	1993	SAE	0
21819	MA2046A	ADAPTER FLARELESS METRIC TO INCH	1993	SAE	0
21820	MA2052	ADAPTER, FLARELESS, METRIC TO INCH	1993	SAE	0
21821	MAP2261	Fluid Couplings for Spacecraft Servicing, Preparation of Specification for, Metric	1993	SAE	0
21822	MAP4296	Drawing Interpretations, Standard Machining Practice, Tube Fittings and Connectors, Fluid Systems, Metric	1993	SAE	0
21823	TSB 001	NULL	1993	SAE	0
21824	MAM7211C	COTTER PINS, METRIC, CORROSION AND HEAT RESISTANT STEEL 18Cr - 10.5Ni - 0.40Ti - UNS S32100	1993	SAE	0
21825	AMS3349C	Silicone (VMQ) Rubber 1100 psi (7.58 MPa) Tensile Strength, High Resiliency 65 - 75	1993	SAE	0
21826	AIR1569A	Handling and Installation Practice for Aerospace Hose Assemblies	1993	SAE	0
21827	AMS3386D	Hose, Aircraft Fueling, Acrylonitrile Butadiene (NBR) Rubber, Textile Reinforced, Chloroprene Covered, Collapsing	1993	SAE	0
21828	AMS3387E	Hose, Aircraft Fueling, Acrylonitrile Butadiene (NBR) Rubber Textile Reinforced, Chloroprene Covered Noncollapsing	1993	SAE	0
21829	AMS3388D	Hose, Aircraft Fueling, Acrylonitrile Butadiene (NBR) Rubber Single Wire Braid Reinforced, Chloroprene Covered, Noncollapsing	1993	SAE	0
21830	AMS3389D	Hose, Aircraft Fueling, Acrylonitrile Butadiene (NBR) Rubber Double Wire Braid Reinforced, Chloroprene Covered, Noncollapsing	1993	SAE	0
21831	AMS3377	Sealing Compound, Electrically Conductive Corrosion Inhibiting	1993	SAE	0
21832	MA2150	Clamps, Loop or P Style, Single Point Mount, Multiple Shapes, Metric	1993	SAE	0
21833	MA2262	Ferrule, Sleeve, Butt Weld, Threadless Coupling, Flexible, Fixed Cavity, Self- Bolding, Metric	1993	SAE	0
21834	MA2263	Ferrule, Sleeve, Swaged, Threadless Coupling, Flexible, Fixed Cavity, Self-Bonding, Metric	1993	SAE	0
21835	MA2241	Coupling Assembly, Threadless, Flexible, Fixed Cavity, Self-Bonding, Metric	1993	SAE	0
21836	MA2242	Assembled Coupling, Threadless - Flexible, Fixed Cavity, Self-Bonding, Envelope Dimensions, Metric	1993	SAE	0
21837	MA2243	Ferrule, Swaged, Threadless Coupling, Flexible, Fixed Cavity, Self-Bonding, Metric	1993	SAE	0
21838	MA2244	Ferrule End, Threadless Coupling, Flexible, Fixed Cavity, Self-Bonding, Design Standard, Metric	1993	SAE	0
21839	MA2245	Ferrule, Butt Weld, Threadless Coupling, Flexible, Fixed Cavity, Self-Bonding, Metric	1993	SAE	0
21840	MA2246	Sleeve End, Threadless Coupling, Flexible, Fixed Cavity, Self-Bonding, Design Standard, Metric	1993	SAE	0
21841	MA4284	Areas for Calculating Stress or Load Values for Metric MJ Internally Threaded Fasteners	1993	SAE	0
21842	MA3512	BOLT, MACHINE - SPLINE DRIVE HD, CLOSE TOL FULL SHANK, UNS N07001, METRIC	1993	SAE	0
21843	MA3513	BOLT, MACHINE - SPLINE DRIVE EXTENDED, WASHER HEAD, PD SHANK, LONG THREAD, UNS N07001, METRIC	1993	SAE	0
21844	AMS3899-1B	CARBON FIBER TAPE AND SHEET Polysulfone Resin Impregnated C PS 172 (1170) Tensile, 16 (110) Modulus, 120 (248)	1993	SAE	0
21845	AMS3899-2B	CARBON FIBER TAPE AND SHEET Polysulfone Resin Impregnated C PS 140 (965) Tensile, 27 (186) Modulus, 120 (248)	1993	SAE	0
21846	AMS3899B	Carbon Fiber Tape and Sheet Polysulfone Resin Impregnated	1993	SAE	0
21847	AMS3856-1A	CLOTH, UPHOLSTERY, FLAME RESISTANT Aramid, Plain Weave	1993	SAE	0
21848	AMS3856-2A	CLOTH, UPHOLSTERY, FLAME RESISTANT Aramid, Plain Weave	1993	SAE	0
21849	AMS3856-3A	CLOTH, UPHOLSTERY, FLAME RESISTANT Nylon, Jacquard Weave	1993	SAE	0
21850	AMS3856A	Cloth, Upholstery, Flame Resistant	1993	SAE	0

21851	AMS3841A	Cloth, Cotton Twill Fire Retardant Treated	1993	SAE	0
21852	AMS3880C	Crystallized Glass Ceramic	1993	SAE	0
21853	AMS3940H	Fiberboard, Hard-Pressed, Structural	1993	SAE	0
21854	AMS3870D	Ceramic Moldings and Extrusions Dense, Ultra-High Alumina (99% A1203)	1993	SAE	0
21855	AIR1973A	Trademarks, Hydraulic System Component Manufacturers, Index of	1993	SAE	0
21856	AMS4263A	ALUMINUM SILICON BRONZE BARS, RODS, AND FORGINGS 90CU - 7.0A1 - 1.9SI DRAWN AND STRESS RELIEVED (HR50) - UNS C64200	1993	SAE	0
21857	AMS3806F	Cloth, Airplane, Mercerized Cotton 80 Pounds Force (356 N) Breaking Strength	1993	SAE	0
21858	AMS3804D	Cloth, Airplane, Cotton, Mercerized 65 Pounds (290 N) Breaking Strength	1993	SAE	0
21859	AMS3799B	Webbing, Tubular, Low-Modulus Aramid-54	1993	SAE	0
21860	AMS3800A	Cloth, Knitted, Polyamide, High Temperature Resistant Reverse Jersey	1993	SAE	0
21861	AMS3802E	Cloth, Airplane, Cotton, Mercerized 50 Pounds (220 N) Breaking Strength	1993	SAE	0
21862	AMS3799-1B	Webbing, Tubular, Low Modulus Aramid 9/16 (14) Wide, 1400 (6228) Breaking Strength	1993	SAE	0
21863	AMS3798B	Webbing, Low Modulus Aramid	1993	SAE	0
21864	AMS3798-9B	Webbing, Low Modulus Aramid 1-23/32 (44) Wide, 6500 (28,913) Breaking Strength Herringbone Twill Resin Treated	1993	SAE	0
21865	AMS3798-12B	WEBBING, LOW MODULUS ARAMID 1 (25) Wide, 9000 (40,034) Breaking Strength Special Weave	1993	SAE	0
21866	AMS3798-11B	Webbing, Low Modulus Aramid 1-3/4 (44) Wide, 10,000 (44,482) Breaking Strength Herringbone Twill	1993	SAE	0
21867	AMS3798-10B	Webbing, Low Modulus Aramid 1 (25) Wide, 6000 (26,689) Breaking Strength Herringbone Twill	1993	SAE	0
21868	AMS3798-15B	Webbing, Low Modulus Aramid 1 (25) Wide, 2500 (11,121) Breaking Strength Herringbone Twil	1993	SAE	0
21869	AMS3798-14B	Webbing, Low Modulus Aramid 1-1/4 (32) Wide, 800 (3,559) Breaking Strength Herringbone Twill	1993	SAE	0
21870	AMS3798-13B	Webbing, Low Modulus Aramid 1-23/32 (44) Wide, 7300 (32,472) Breaking Strength Twill, Resin Treated	1993	SAE	0
21871	AMS3798-8B	Webbing, Low Modulus Aramid 1-23/32 (44) Wide, 1200 (5338) Breaking Strength Herringbone Twill	1993	SAE	0
21872	AMS3798-7B	Webbing, Low Modulus Aramid 1-23/32 (44) Wide, 8700 (38,700) Breaking Strength Double Plain Weave with Binder	1993	SAE	0
21873	AMS3798-6B	Webbing, Low Modulus Aramid 3-1/32 (77) Wide, 9000 (40,034) Breaking Strength Double Plain Weave with Binder	1993	SAE	0
21874	AMS3798-5B	Webbing, Low Modulus Aramid 1-23/32 (44) Wide, 3600 (16,014) Breaking Strength Herringbone Twill, Resin Treated	1993	SAE	0
21875	AMS3798-4B	Webbing, Low Modulus Aramid 1-23/32 (44) Wide, 5500 (24,465) Breaking Strength Double Plain Weave with Binder	1993	SAE	0
21876	AMS3798-3B	Webbing, Low Modulus Aramid 3/4 (19) Wide, 600 (2669) Breaking Strength Herringbone Twill	1993	SAE	0
21877	AMS3798-2B	Webbing, Low Modulus Aramid 1 (25) Wide, 600 (2669) Breaking Strength Herringbone Twill	1993	SAE	0
21878	AMS3798-1B	Webbing, Low Modulus Aramid 9/16 (14) Wide, 500 (2224) Breaking Strength Herringbone Twill, Resin Treated	1993	SAE	0
21879	AMS3818A	Braid, Flat, Polyester, Lacing and Tying Synthetic Rubber Coated, Low Outgassing	1993	SAE	0
21880	AMS3815D	Braid, Flat, Nylon, Electrical Tying Synthetic Rubber Coated	1993	SAE	0
21881	AMS3817D	Nylon Braid, Flat Electrical Tying Resin Coated	1993	SAE	0
21882	AMS3816C	Braid, Flat, Nylon, Electrical Tying Wax Coated	1993	SAE	0
21883	AMS3812B	Rods, Glass Fiber, Polyester Resin, Coated Pultrusion	1993	SAE	0
21884	AMS3811B	Rods, Aramid Fiber, Polyester Resin Coated Pultrusion	1993	SAE	0
21885	AMS3833A	Cloth, Broadcloth, Polyester/Cotton Polyester Filament, End to End, (Durable Press)	1993	SAE	0
21886	AMS3828C	Glass Roving, Epoxy Resin Preimpregnated Type E Glass	1993	SAE	0
21887	AMS3829B	Cloth, Type "E"-Glass, Style 7781 Fabric Solution-Addition-Type PMR-15 Polyimide Resin Impregnated	1993	SAE	0
21888	AMS3795-3A	WEBBING, WOVEN NYLON FABRIC 12,000 Pounds (53,400 N), 3.3 Ounces/Yards (102.5 g/m)	1993	SAE	0
21889	AMS3795A	Webbing, Woven Nylon Fabric	1993	SAE	0
21890	AMS3794A	Thread, Aramid, Spun Staple	1993	SAE	0
21891	AMS3795-1A	WEBBING, WOVEN NYLON FABRIC 6000 Pounds (26,700 N), 1.8 Ounces/Yards (56 g/m)	1993	SAE	0

21892	AMS3795-2A	WEBBING, WOVEN NYLON FABRIC 9000 Pounds (40,050 N), 2.5 Ounces/Yards (77.5 g/m)	1993	SAE	0
21893	AMS3796-1A	WEBBING, NYLON, AIRCRAFT ARRESTING 105,000 Pounds (467 kN)	1993	SAE	0
21894	AMS3796-2A	WEBBING, NYLON, AIRCRAFT ARRESTING 130,000 Pounds (578 kN)	1993	SAE	0
21895	AMS3796-3A	WEBBING, NYLON/POLYESTER, AIRCRAFT ARRESTING Center Pick 130,000 Pounds (578 kN)	1993	SAE	0
21896	AMS3796A	Webbing, Nylon, Aircraft Arresting	1993	SAE	0
21897	AMS3726-1B	SHIMS, FILLED RESIN COMPOUND Liquid	1993	SAE	0
21898	AMS3725-1A	CORE, POLYURETHANE FOAM (POLYETHER) 2.0 Pounds Per Cubic Foot (32 kg/m3) Density	1993	SAE	0
21899	AMS3725-2A	CORE, POLYURETHANE FOAM (POLYETHER) 4.0 Pounds Per Cubic Foot (64 kg/m3) Density	1993	SAE	0
21900	AMS3731-10B	POTTING COMPOUND, EPOXY Bisphenol A-Type Unfilled, Room Temperature Cure, Semiflexible	1993	SAE	0
21901	AMS3731-1B	POTTING COMPOUND, EPOXY Bisphenol A-Type Unfilled, Room Temperature Cure	1993	SAE	0
21902	AMS3731-2C	POTTING COMPOUND, EPOXY Bisphenol A-Type Filled, Heat Cure, Low CTE Thermal Shock Resistant	1993	SAE	0
21903	AMS3731-3B	POTTING COMPOUND, EPOXY Bisphenol A-Type Filled, Heat Cure, Machinable	1993	SAE	0
21904	AMS3731-4B	POTTING COMPOUND, EPOXY Bisphenol A-Type Impregnating Resin, Heat Cure, Single Component	1993	SAE	0
21905	AMS3731-5B	POTTING COMPOUND, EPOXY Bisphenol A-Type Filled, Room Temperature Cure, Low Exotherm	1993	SAE	0
21906	AMS3731-6B	POTTING COMPOUND, EPOXY Bisphenol A-Type Syntactic Foam, Heat Cure	1993	SAE	0
21907	AMS3733B	Potting Compound, Epoxy Two Part, Highly Filled, Heat Cure, High Compressive Strength	1993	SAE	0
21908	AMS3732A	Potting Compound, Epoxy One Part, Filled, Heat Cure, Low CTE	1993	SAE	0
21909	AMS3731-7B	POTTING COMPOUND, EPOXY Bisphenol A-Type Filled, Room Temperature Cure, Low Shrinkage	1993	SAE	0
21910	AMS3731-8B	POTTING COMPOUND, EPOXY Bisphenol A-Type Filled, Heat Cure, High HDT	1993	SAE	0
21911	AMS3731-9B	POTTING COMPOUND, EPOXY Flexible, Thermal Shock Resistant, Heat Cure	1993	SAE	0
21912	AMS3731B	Potting Compound, Epoxy Bisphenol A-Type	1993	SAE	0
21913	AMS3718-1A	WEBBING, WOVEN NYLON For Decelerators 3/4 (19) Wide, 3000 (13,350) Breaking Strength	1993	SAE	0
21914	AMS3718-2A	WEBBING, WOVEN NYLON For Decelerators 1 (25) Wide, 4000 (17,800) Breaking Strength	1993	SAE	0
21915	AMS3718-3A	WEBBING, WOVEN NYLON For Decelerators 1 (25) Wide, 6000 (26,700) Breaking Strength	1993	SAE	0
21916	AMS3718-4A	WEBBING, WOVEN NYLON For Decelerators 1 (25) Wide, 6000 (26,700) Breaking Strength	1993	SAE	0
21917	AMS3718-5A	WEBBING, WOVEN NYLON For Decelerators 1 (25) Wide, 9000 (40,000) Breaking Strength	1993	SAE	0
21918	AMS3704A	Adhesive, Contact Polychloroprene (CR) Rubber, Resin Modified	1993	SAE	0
21919	AMS3705A	Epoxy Resin, Cycloaliphatic Liquid	1993	SAE	0
21920	AMS3709C	Syntactic Foam Tiles	1993	SAE	0
21921	AMS3693C	Adhesive, Modified Epoxy Moderate Heat Resistant, 120 Degrees C (250 Degrees F) Curing, Film Type	1993	SAE	0
21922	AMS3710C	Sandwich Structures, Glass Fabric-Resing Low Pressure Molded, Heat Resistant	1993	SAE	0
21923	AMS3680C	Insulation, Thermal Silica Fiber	1993	SAE	0
21924	AMS3683A	Tubing, Irradiated Modified Fluoropolymer Plastic, Electrical Insulation Flame Resistant, Flexible, Heat-Shrinkable, 2 to 1 Shrink Ratio	1993	SAE	0
21925	AMS3679B	Insulation, Thermal Ceramic Fiber	1993	SAE	0
21926	AMS3687B	Adhesive Film, Humidity-Resistant, Epoxy for Sandwich Panels, -55 to +95 Degrees C (65 to +200 Degrees F)	1993	SAE	0
21927	AMS3684B	Resin, Polyimide, Sealing High-Temperature Resistant, 315 Degrees C (600 Degrees F) Unfilled	1993	SAE	0
21928	AMS3698B	Adhesive Film, Hot-Melt, Addition-Type Polyimide for Foam Sandwich Structure, -55 to +230 Degrees C (-65 to +450 Degrees F)	1993	SAE	0
21929	AMS3676C	Insulation, Sound and Thermal Resin-Bonded Glass Fiber, Medium Filament	1993	SAE	0
21930	AMS3647C	Polyfluoroethylene Propylene Film and Sheet	1993	SAE	0
21931	AMS3652C	Polytetrafluoroethylene (PTFE) Film Non-Critical Grade	1993	SAE	0

21932	AMS3653E	Tubing, Electrical Insulation Standard Wall, Extruded Polytetrafluoroethylene (PTFE)	1993	SAE	0
21933	AMS3655B	Tubing, Electrical Insulation Thin Wall, Extruded Polytetrafluoroethylene (PTFE)	1993	SAE	0
21934	AMS3654C	Tubing, Electrical Insulation Light Wall, Extruded Polytetrafluoroethylene (PTFE)	1993	SAE	0
21935	AMS3661C	Polytetrafluoroethylene (PTFE) Film Premium Grade	1993	SAE	0
21936	AIR1603	Auxiliary Power System Considerations for Advanced Military Aircraft	1993	SAE	0
21937	AMS3529A	Plastic Sheet and Film, Vinyl Copolymers Unplasticized	1993	SAE	0
21938	AMS4321A	Aluminum Alloy Forgings 7.7Zn - 2.5Mg - 1.5Cu - 0.16Cr (7049-01) High Temperature Annealed - UNS A97049	1993	SAE	0
21939	AMS4789A	SILVER ALLOY BRAZING FILLER METAL 56AG - 22CU - 17ZN - 5.0SN 1152 TO 1205 DEGREES F (618 TO 652 DEGREES C) SOLIDUS-LIQUIDUS RANGE	1993	SAE	0
21940	AMS4980C	TITANIUM ALLOY BARS 11.5MO - 6.0ZR - 4.5SN 1375 DEGREES F (745 DEGREES C) SOLUTION HEAT TREATED	1993	SAE	0
21941	AMS4977C	TITANIUM ALLOY BARS 11.5Mo - 6.0Zr - 4.5Sn 1275 - 1350 Ï°F (690 - 730 Ï°C) Solution Heat Treated - UNS R58030	1993	SAE	0
21942	AIR4728	References, Spacecraft and Spacecraft Servicing, Fluid System Components (Abbreviations, Acronyms, Definitions, Applicable Documents and Environmental Conditions)	1993	SAE	0
21943	AMS5855B	ALLOY POWDER, CORROSION AND HEAT RESISTANT 59.5Ni - 12Cr - 10Co - 3.0Mo - 6.0W - 3.0Ti - 1.5Ta - 4.5Al - 0.015B - 0.10Zr (0.30 - 0.35C), as Fabricated - UNS N07012	1993	SAE	0
21944	AIR4845	FMECA Process in the Concurrent Engineering (CE) Environment	1993	SAE	0
21945	AIR4495	Helicopter Powerplant Corrosion Protection	1993	SAE	0
21946	AMS5549G	Steel, Corrosion and Heat Resistant, Plate 15.5Cr - 4.5Ni - 2.9Mo - 0.10N Solution Heat Treated - UNS S35500	1993	SAE	0
21947	AMS5550E	Alloy Sheet, Strip, and Plate, Corrosion and Heat Resistant 80Ni - 15.5Cr - 0.62Ti - 3.25Al Annealed	1993	SAE	0
21948	AMS5633D	ALLOY BARS AND FORGINGS, CORROSION AND HEAT RESISTANT 38Fe - 13.2Cr - 38Ni - 5.5 Mo - 0.85Cb - 2.5Ti - 1.6Al - 0.009B Consumable Electrode Melted, Solution Heat Treated, Precipitation Hardenable - UNS N09027	1993	SAE	0
21949	AMS5634C	Alloy Bars and Forgings, Corrosion and Heat Resistant 38Fe - 13.2Cr - 38Ni - 5.5Mo - 0.85Cb - 2.5Ti - 1.6Al - 0.009B Consumable Electrode Melted, Solution and Precipitation Heat Treated - UNS N09027	1993	SAE	0
21950	AIR4498A	Aus-Bay Quenching of 300M Steel (Stabilized Type)	1993	SAE	0
21951	AMS5881B	ALLOY FORGINGS, CORROSION AND HEAT RESISTANT 59.5NI - 12CR - 10CO - 3.0MO - 6.0W - 3.0TI - 1.5TA - 4.5A1 - 0.15B - 0.10ZR (0.30 - 0.35C), SOLUTION, STABILIZED, AND PRECIPITATION HEAT TREATED	1993	SAE	0
21952	AMS7283C	GASKETS, TYPE XX ENGINE ACCESSORY DRIVE CORROSION RESISTANT STEEL SCREEN REINFORCED CONTROLLED PERFORMANCE	1993	SAE	0
21953	AMS7325F	RINGS, SEALING, TUBULAR METAL, CORROSION AND HEAT RESISTANT STEEL	1993	SAE	0
21954	AMS7330B	RETAINING RINGS, STEEL, CORROSION RESISTANT SPIRAL WOUND	1993	SAE	0
21955	AMS7452M	BOLTS AND SCREWS, LOW-ALLOY STEEL HEAT TREATED, ROLL THREADED - UNS G87400	1993	SAE	0
21956	AMS7225G	RIVETS, CARBON STEEL - UNS G10100	1993	SAE	0
21957	AMS7228J	RIVETS, CORROSION RESISTANT STEEL 18Cr - 9Ni SOLUTION HEAT TREATED	1993	SAE	0
21958	AMS7229H	RIVETS, CORROSION AND HEAT RESISTANT STEEL 18Cr - 10.5Ni - 0.70 (Cb+Ta) SOLUTION HEAT TREATED - UNS S34700	1993	SAE	0
21959	AMS7207H	SPRING PINS, TUBULAR CORROSION AND MODERATE HEAT RESISTANT STEEL - UNS 542000	1993	SAE	0
21960	AMS7210H	COTTER PINS, STEEL, CORROSION-RESISTANT 18Cr-9.5Ni	1993	SAE	0
21961	AMS7211G	COTTER PINS, STEEL, CORROSION AND HEAT RESISTANT 18Cr - 10.5Ni - 0.40Ti - UNS S32100	1993	SAE	0
21962	AMS7220E	ALUMINUM RIVETS 99Al (1100-H14)	1993	SAE	0
21963	AMS7250F	NUTS, SELF-LOCKING, STEEL, CORROSION AND HEAT RESISTANT HIGH STRENGTH, ALL METAL 1200 DEGREES F (650 DEGREES C) USE, UNIFIED (MIL-S-7742) THREAD FORM	1993	SAE	0
21964	AMS7251E	NUTS, SELF-LOCKING, CORROSION AND HEAT RESISTANT STEEL HIGH STRENGTH, ALL METAL 1200 DEGREES F (650 DEGREES C) USE, UNIFIED J (MIL-S-8879) THREAD FORM	1993	SAE	0

21965	AMS7245F	INSERTS, THREAD FORM, CORROSION RESISTANT STEEL 18.5Cr - 9.2Ni - UNS S30400	1993	SAE	0
21966	AMS7246B	INSERTS, THREAD FORM, CORROSION AND HEAT RESISTANT ALLOY 72Ni - 15.5Cr - 0.95(Cb+Ta) - 2.5Ti - 0.70Al - 7.0Fe - UNS N07750	1993	SAE	0
21967	AMS7477D	BOLTS AND SCREWS, CORROSION AND HEAT RESISTANT STEEL UPSET HEADED, HEAT TREATED, ROLL THREADED 1800 DEGREES F(982 DEGREES C) SOLUTION AND PRECIPITATION HEAT TREATED - UNS S66286	1993	SAE	0
21968	AMS7468B	BOLTS AND SCREWS, CORROSION-RESISTANT WORK-STRENGTHENED ALLOY FORGED HEAD, ROLL THREADED AFTER AGING - UNS R30035	1993	SAE	0
21969	AMS7466B	BOLTS AND SCREWS, CORROSION AND HEAT RESISTANT NICKEL ALLOY UPSET HEADED, ROLL THREADED, FATIGUE RESISTANT - UNS N07718	1993	SAE	0
21970	AMS7467C	BOLTS AND SCREWS, CORROSION AND HEAT RESISTANT NICKEL ALLOY UPSET HEADED, ROLL THREADED, STRESS-RUPTURE RESISTANT	1993	SAE	0
21971	AMS7455G	BOLTS AND SCREWS, LOW-ALLOY STEEL, HEAT-RESISTANT HARDENED AND TEMPERED, ROLL THREADED	1993	SAE	0
21972	AMS7456K	STUDS, LOW-ALLOY STEEL HEAT TREATED, ROLLED THREADED - UNS G87400	1993	SAE	0
21973	AMS7458G	STUDS, LOW-ALLOY HEAT-RESISTANT STEEL NORMALIZED AND TEMPERED, ROLL THREADED 135,000 psi (931 MPa) TENSILE STRENGTH - UNS K14675	1993	SAE	0
21974	AMS7459E	Bolts and Screws, Low-Alloy, Heat Resistant Steel Hardened and Tempered, Roll Threaded 195,000 psi (1344 MPa) Tensile Strength - UNS K14675	1993	SAE	0
21975	AMS7478J	BOLTS AND SCREWS, CORROSION AND HEAT RESISTANT STEEL HEAT TREATED, ROLL THREADED 1800 DEGREES F (982 DEGREES C) SOLUTION AND PRECIPITATION HEAT TREATED	1993	SAE	0
21976	AMS7479E	BOLTS AND SCREWS, CORROSION AND HEAT RESISTANT STEEL HEAT TREATED, ROLL THREADED 1650 DEGREES F (899 DEGREES C) SOLUTION AND PRECIPITATION HEAT TREATED - UNS S66286	1993	SAE	0
21977	AMS7481C	STUDS, CORROSION AND HEAT RESISTANT STEEL HEAT TREATED, ROLL THREADED - UNS S66286	1993	SAE	0
21978	AMS7470H	BOLTS AND SCREWS, CORROSION AND HEAT RESISTANT STEEL HEAT TREATED, ROLL THREADED - UNS S41800	1993	SAE	0
21979	AMS7471G	BOLTS AND SCREWS, CORROSION AND HEAT RESISTANT NICKEL ALLOY UPSET HEADED, HEAT TREATED, ROLL THREADED 1950 DEGREES F (1066 DEGREES C) SOLUTION HEAT TREATED - UNS N07001	1993	SAE	0
21980	AMS7472K	BOLTS AND SCREWS, CORROSION RESISTANT STEEL ROLL THREADED - UNS S30200	1993	SAE	0
21981	AMS7473F	Bolts and Screws, Carbon Steels, Alloy Steels or Corrosion and heat Resistant Steels or Alloys Roll threaded	1993	SAE	0
21982	AMS7474C	BOLTS AND SCREWS, CORROSION RESISTANT STEEL UPSET HEADED, HEAT TREATED, ROLL THREADED - UNS S17400	1993	SAE	0
21983	AMS7475B	BOLTS AND SCREWS, WORK-STRENGTHENED CORROSION AND HEAT RESISTANT ALLOY FORGED HEAD, ROLL THREADED AFTER AGING - UNS R30159	1993	SAE	0
21984	ARD50046	RMS Information Sourcebook	1993	SAE	0
21985	ARP1195	TURBINE NOZZLE AREA MEASUREMENT BY AIRFLOW METHOD	1993	SAE	0
21986	ARP1185B	Flexure Testing of Hydraulic Tubing Joints and Fittings	1993	SAE	0
21987	ARP1258B	Qualification of Hydraulic Tube Joints to Specified Flexure Fatigue Requirements	1993	SAE	0
21988	ARP4392	Lighting, Aircraft Exterior, Night Vision Imaging System (NVIS) Compatible	1993	SAE	0
21989	ARP4102-10A	NULL	1993	SAE	0
21990	ARP4102-7 APPENDIX B	Appendix B Electronic Display Symbology for EHSI/ND	1993	SAE	0
21991	ARP4102-7 APPENDIX C	Appendix C Electronic Display Symbology for Engine Displays	1993	SAE	0
21992	ARP4104-1	Flight Envelope Awareness/Protection	1993	SAE	0

21993	ARP4048	BALANCING MACHINES - DESCRIPTION AND EVALUATION HORIZONTAL, TWO-PLANE, HARD-BEARING TYPE FOR GAS TURBINE ROTORS	1993	SAE	0
21994	ARP4102-13A	Data Link	1993	SAE	0
21995	ARP1704A	SHORT-BAR FRACTURE TOUGHNESS OF METALLIC MATERIALS, DETERMINATION OF	1993	SAE	0
21996	ARP1755B	Effect of Cleaning Agents on Aircraft Engine Materials Stock Loss Test Method	1993	SAE	0
21997	AS1371	Nuts, Self-Locking, Corrosion Resistant Steel High Strength, Prevailing Torque, All Metal 800 Degrees F (427 Degrees C) Use, UNJ Thread Form	1993	SAE	0
21998	AS1177A	Nondestructive Inspection Standards for Bolts and Screws	1993	SAE	0
21999	AS1043F	SAFETY WIRE HOLES, HEX, FITTING, LOCATION OF, DESIGN STANDARD.	1992	SAE	0
22000	AS101	CROSS ASSEMBLY, RETAINED NUT, SHORT FLARELESS	1992	SAE	0
22001	AS1248A	Minimum Standard for Gaseous Oxygen Pressure Reducers	1992	SAE	0
22002	ARP1802A	Selection and Application of Polytetrafluoroethylene (PTFE or TFE) Backup Rings for Hydraulic and Pneumatic Fluid Power Applications	1992	SAE	0
22003	ARP1527B	Color Coding - Elastomers for Tube Clamp Cushions	1992	SAE	0
22004	ARP4101-3	Crew Rest Facilities	1992	SAE	0
22005	ARP4402	Eddy Current Inspection of Open Fastener Holes in Aluminum Aircraft Structure	1992	SAE	0
22006	ARP4293	Life Cycle Cost - Techniques and Applications	1992	SAE	0
22007	ARP4294	Data Formats and Practices for Life Cycle Cost Information	1992	SAE	0
22008	ARP4712	Hand-Held Cabin Fire Extinguishers Transport Aircraft	1992	SAE	0
22009	ARP4729	DOCUMENT FOR 270 VOLTAGE DIRECT CURRENT (270 V DC) SYSTEM	1992	SAE	0
22010	ARP4457	Torsion Strength Testing of Hydraulic Tube Joints	1992	SAE	0
22011	AS1492B	Interline Air Cargo Pallet Nets	1992	SAE	0
22012	AIR64B	Electrical and Electronic Equipment Cooling in Commercial Transports	1992	SAE	0
22013	AS1591	HOSE, AIR DUCT, FLEXIBLE, POLYURETHANE-COATED FABRIC, 1 psi, EXTERNAL NYLON HELIX, SELF-EXTINGUISHING	1992	SAE	0
22014	AS1606	Gas Turbine Starter (Jet Fuel Starter) Specification	1992	SAE	0
22015	AS1719B	FITTING END, HALF-COUPLING, FLEXIBLE VARIABLE CAVITY THREADED, FERRULE TYPE DESIGN STANDARD	1992	SAE	0
22016	AS1720B	FITTING END, COUPLING, FLEXIBLE VARIABLE CAVITY THREADED, FERRULE TYPE DESIGN STANDARD	1992	SAE	0
22017	AS1711B	COUPLING, FLEXIBLE, VARIABLE CAVITY, THREADED FERRULE TYPE TUBE ENDS, ENVELOPE DIMENSIONS DESIGN STANDARD	1992	SAE	0
22018	AS1960-5	INSTALLATION, JOINT, 40? V-BAND COUPLING AND NARROW SHEET METAL FLANGES	1992	SAE	0
22019	ARP1287A	SAE Standards for Use in the Design of Aerospace Vehicular Ground Equipment	1992	SAE	0
22020	AMS7801B	MOLYBDENUM SHEET, STRIP AND PLATE ARC CAST, STRESS RELIEVED - UNS R03605	1992	SAE	0
22021	AMS7805B	MOLYBDENUM BARS ARC CAST, STRESS RELIEVED - UNS R03606	1992	SAE	0
22022	AMS7900A	VIRGIN BERYLLIUM BARS, RODS, AND SHAPES - UNS R19920	1992	SAE	0
22023	AMS7901A	BERYLLIUM BARS, RODS, AND SHAPES - UNS R19800	1992	SAE	0
22024	AMS7280F	RINGS, SEALING, FLUOROCARBON RUBBER HIGH TEMPERATURE FLUID RESISTANT, LOW COMPRESSION SET FKM TYPE 70 - 80	1992	SAE	0
22025	AIR4508	MIL-STD-1773 USERS HANDBOOK	1992	SAE	0
22026	AIR4651	Effects of No-Break Power Transfer on 400 Hz Auxiliary-Power Units and Ground-Power Units	1992	SAE	0
22027	AIR4465	Design and Handling Guide Radio Frequency Absorptive Type Wire and Cables (Filter Line, MIL-C-85485)	1992	SAE	0
22028	AMS5509A	ALLOY SHEET AND STRIP, CORROSION AND HEAT RESISTANT 15 Cr - 45Ni - 4W - 4Mo - 3Ti - 1Al CONSUMABLE ELECTRODE VACUUM MELTED - UNS N09979	1992	SAE	0

22029	AMS5861A	STEEL SHEET, STRIP, AND PLATE, CORROSION RESISTANT 22CR - 13NI - 5.0MN - 2.25MO - UNS S20910	1992	SAE	0
22030	AIR1168-10	NULL	1992	SAE	0
22031	AMS5748A	STEEL BARS, FORGINGS, AND RINGS, CORROSION RESISTANT 14Cr - 13.5Co - 5.0Mo - 0.5Ni - 0.20V Premium Quality, Consumable Electrode Melted - UNS S65770	1992	SAE	0
22032	AIR4298	Impulse Test Machine, Sine Wave, Equipment and Operation of	1992	SAE	0
22033	AIR4295	Handbook for the Digital Time Division Command/Response Multiplex Data Bus Test Plans	1992	SAE	0
22034	AIR1155	AIRBORNE MONITORING OF COMMERCIAL TRANSPORT AIRCRAFT FLUID SYSTEM AND EQUIPMENT PERFORMANCE	1992	SAE	0
22035	AMS5315D	Ductile (Nodular) Iron Castings, Sand 60,000 psi (415 MPa) Tensile Strength Ferritize Annealed - UNS F33101	1992	SAE	0
22036	AMS5316D	Ductile (Nodular) Iron Castings, Sand 80,000 psi (550 MPa) Tensile Strength As Cast - UNS F34100	1992	SAE	0
22037	AMS4788A	Silver Alloy Brazing Filler Metal 50Ag - 28Zn - 20Cu - 2.0Ni 1220 to 1305 Degree F (660 to 707 Degree C) Solidus-Liquidus Range - UNS P07505	1992	SAE	0
22038	AMS4912B	TITANIUM ALLOY SHEET AND STRIP 4A1 - 3Mo - 1V Solution Heat Treated - UNS R56430	1992	SAE	0
22039	AMS4913B	TITANIUM ALLOY SHEET AND STRIP 4Al - 3Mo - 1V Solution and Precipitation Treated - UNS R56430	1992	SAE	0
22040	AMS4346A	ALUMINUM ALLOY PLATE 2.7CU - 2.2LI - 0.12ZR - SOLUTION HEAT TREATED, COLD WORKED, AND PRECIPITATION HEAT TREATED - UNS A92090	1992	SAE	0
22041	AMS3572B	Resin Polyurethane, Foam- in-Place, Rigid	1992	SAE	0
22042	AMS3670-2B	Polyamide-Imide Bar, Rod, and Shapes 20 Graphite - 3 Polytetrafluorethylene (PTFE) Filled	1992	SAE	0
22043	AMS3699A	Resin System, Epoxy, Carbon Microballoon Filled 135 Degrees C (275 Degrees F) Cure	1992	SAE	0
22044	AMS3755-1A	Powder, Fumed Silicon Dioxide Thickening Efficiency 120	1992	SAE	0
22045	AMS3755-2A	Powder, Fumed Silicon Dioxide Thickening Efficiency 95	1992	SAE	0
22046	AMS3831A	Cloth, Type "E" Glass, "B" Stage Epoxy-Resin-Impregnated, 7781 Style Fabric, Flame Resistant, Improved Strength	1992	SAE	0
22047	AMS3845-1B	CLOTH, TYPE E GLASS, B STAGE POLYIMIDE-RESIN-IMPREGNATED 181 Style Fabric, Low-Flow Addition-Cure Resin For Press Cure at 40 - 100 psi (275 - 690 kPa) or Vacuum/Autoclave Processing	1992	SAE	0
22048	AMS3845-2B	CLOTH, TYPE E GLASS, B STAGE POLYIMIDE-RESIN-IMPREGNATED 181 Style Fabric, High-Flow Addition-Cure Resin For Press Cure at 40 - 100 psi (275 - 690 kPa) or Vacuum/Autoclave Processing	1992	SAE	0
22049	AMS3839E	Fabric, Wire - Reinforcement Asbestos Polytetrafluoroethylene Impregnated, Sintered	1992	SAE	0
22050	AMS3840E	Fabric, Asbestos Polytetrfluoroethylene Impregnated, Sintered	1992	SAE	0
22051	AMS3842D	P0LYTETRAFLU0R0ETHYLENE SHEET Asbestos Fiber Reinforced	1992	SAE	0
22052	AMS3798-16B	Webbing, Low Modulus Aramid 1-1/2 (38) Wide, 1700 (7562) Breaking Strength Special Weave	1992	SAE	0
22053	AMS3803A	Wipes, Cotton, Loosely Woven	1992	SAE	0
22054	AMS3805A	Cloth, Duck, Aramid (META), Non-Melting	1992	SAE	0
22055	AMS4198A	ALUMINUM ALLOY SHEET PLATE ALCLAD 4.3Zn - 3Mg - 0.6Cu - 0.20Mn - 0.17Cr (7011 ALCLAD 7079-0)	1992	SAE	0
22056	AMS4196A	ALUMINUM ALLOY SHEET AND PLATE, ALCLAD 5.6Zn - 2.5Mg - 1.6Cu - 0.26Cr (7011 ALCLAD 7075-0)	1992	SAE	0
22057	AMS4054C	ALUMINUM ALLOY SHEET, CLAD ONE SIDE 0.6MG - 0.28CU (NO. 21-0 BRAZING SHEET) ANNEALED	1992	SAE	0
22058	AMS4055D	ALUMINUM ALLOY SHEET, CLAD TWO SIDES 0.6MG - 0.28CU (NO. 22-0 BRAZING SHEET) ANNEALED - UNS A86951	1992	SAE	0
22059	AMS3908A	Cloth, Aramid, (Para) Plain Weave, Thermally Stable	1992	SAE	0
22060	AMS3906-2B	Glass Non-Woven Fiber Tape and Flat Sheet Epoxy Resin Impregnated, For Hand and Machine Layup GL-III-36 - 120 (248)	1992	SAE	0
22061	AMS3906-3B	Glass Non-Woven Fiber Tape and Flat Sheet Epoxy Resin Impregnated, For Hand and Machine Layup GL-I-26 - 150 (302)	1992	SAE	0
22062	AMS3906-4B	Glass Non-Woven Fiber Tape and Flat Sheet Epoxy Resin Impregnated, For Hand and Machine Layup GL-III-26 - 150 (302)	1992	SAE	0

22063	AMS3906-5B	Glass Non-Woven Fiber Tape and Flat Sheet Epoxy Resin Impregnated, For Hand and Machine Layup GL-I-36 - 150 (302)	1992	SAE	0
22064	AMS3906-6B	Glass Non-Woven Fiber Tape and Flat Sheet Epoxy Resin Impregnated, For Hand and Machine Layup GL-I-36 - 95 (203)	1992	SAE	0
22065	AMS3906-7B	Glass Non-Woven Fiber Tape and Flat Sheet Epoxy Resin Impregnated, For Hand and Machine Layup GL-III-33 - 95 (203)	1992	SAE	0
22066	AMS3906B	Glass Tape and Flat Sheet, Non-Woven Cloth Epoxy Resin Impregnated, for Hand and Machine Layup	1992	SAE	0
22067	AMS4012F	Aluminum Sheet, Laminated Edge Bonded	1992	SAE	0
22068	AMS3892-10A	Tow, Carbon Fiber For Structural Composites 550 (3792) Tensile Strength, 38 (262) Tensile Modulus	1992	SAE	0
22069	AMS3892-11A	Tow, Carbon Fiber For Structural Composites 450 (3103) Tensile Strength, 32 (221) Tensile Modulus	1992	SAE	0
22070	AMS3892-12	Tow, Carbon Fiber For Structural Composites 730 (5033) Tensile Strength, 41 (283) Tensile Modulus	1992	SAE	0
22071	AMS3892-1B	Tow or Yarn, Carbon Fibers For Structural Composites GF 400 (2758) Tensile Strength, 33 (228) Tensile Modulus	1992	SAE	0
22072	AMS3892-2B	Tow or Yarn, Carbon Fibers For Structural Composites GF 300 (2068) Tensile Strength, 50 (345) Tensile Modulus	1992	SAE	0
22073	AMS3892-3B	Tow or Yarn, Carbon Fibers For Structural Composites GF 400 (2758) Tensile Strength, 40 (276) Tensile Modulus	1992	SAE	0
22074	AMS3892-4B	Tow or Yarn, Carbon Fibers For Structural Composites GF 300 (2068) Tensile Strength, 75 (517) Tensile Modulus	1992	SAE	0
22075	AMS3892-5B	Tow or Yarn, Carbon Fibers For Structural Composites GF 220 (1517) Tensile Strength, 75 (517) Tensile Modulus	1992	SAE	0
22076	AMS3892-6A	Tow or Yarn, Carbon Fibers For Structural Composites GF 325 (2241) Tensile Strength, 57 (393) Tensile Modulus	1992	SAE	0
22077	AMS3892-7A	Tow or Yarn, Carbon Fibers For Structural Composites GF (0X) 400 (2758) Tensile Strength, 33 (228) Tensile Modulus	1992	SAE	0
22078	AMS3892-8A	Tow or Yarn, Carbon Fibers For Structural Composites GF (0X) 400 (2758) Tensile Strength, 40 (276) Tensile Modulus	1992	SAE	0
22079	AMS3892-9B	Tow, Carbon Fiber For Structural Composites 500 (3447) Tensile Strength, 32 (221) Tensile Modulus	1992	SAE	0
22080	AMS3892B	Fibers, Carbon, Tow and Yarn for Structural Composites	1992	SAE	0
22081	AMS3906-1B	GLASS NON-WOVEN FIBER TAPE AND FLAT SHEET Epoxy Resin Impregnated, For Hand and Machine Layup GL-I-36 - 120 (248)	1992	SAE	0
22082	MA4187	BOLT, MACHINE, SPLINE DRIVE, SPECIAL EXTENDED WASHER, REDUCED HEAD, PD SHANK, AMS 5662, METRIC	1992	SAE	0
22083	MA4189	SCREW, MACHINE, 100Ï° CSK, FLAT HEAD, OFFSET CRUCIFORM RECESS, FULL SHANK, UNS S66286, MJ THREAD, METRIC	1992	SAE	0
22084	MA4147	BOLT, SPLINE DRIVE, EXTENDED WASHER, REDUCED SHANK, AMS 5662, METRIC	1992	SAE	0
22085	MA2250	Coupling Fuel, Flexible Variable Cavity, Threaded Type with Ferrules, Metric	1992	SAE	0
22086	MA3274	NUT SELF-LOCKING, CLINCH, SERRATED SHANK, 400 Ï°C, DRY FILM COATED, UNS S66286, MJ THREAD, METRIC	1992	SAE	0
22087	MA3275	NUT SELF-LOCKING, CLINCH, SERRATED SHANK, 650 Ï°C, SILVER PLATED, UNS S66286, MJ THREAD, METRIC	1992	SAE	0
22088	MA2538	Gasket, Metal C-Ring Seal Nickel Alloy, Corrosion and Heat Resistant, Metric Procurement Specification For	1992	SAE	0
22089	AMS3345E	Silicone Rubber 1000 psi (6.90 MPa) Tensile Strength 45 - 55	1992	SAE	0
22090	AMS3267-2A	SEALING COMPOUND, LOW ADHESION, CORROSION INHIBITING 9,000 to 14,000 Poises (900 to 1400 Pas 1/2 Hour Application Time (B-1/2)	1992	SAE	0
22091	AMS3267-1A	SEALING COMPOUND, LOW ADHESION, CORROSION INHIBITING 200 to 600 Poises (20 to 60 Pa?s), 1/2 Hour Application Time (A-1/2)	1992	SAE	0
22092	TSB 002	(R) PREPARATION OF SAE TECHNICAL REPORTS	1992	SAE	0
22093	MAP749B	AIRCRAFT TURBINE ENGINE FUEL SYSTEM COMPONENT ENDURANCE TEST PROCEDURE (ROOM TEMPERATURE CONTAMINATED FUEL)	1992	SAE	0
22094	AMS3267-4A	SEALING COMPOUND, LOW ADHESION, CORROSION INHIBITING 9,000 to 14,000 Poises (900 to 1400 Pa.s), 2 Hour Application Time (B-2)	1992	SAE	0
22095	MA2036A	CAP ASSEMBLY, PRESSURE SEAL, FLARELESS TUBE, METRIC	1992	SAE	0

22096	MA2037A	BUSHING, SCREW THREAD EXPANDER, FLARELESS TUBE, METRIC	1992	SAE	0
22097	MA1566A	Gaging Practice and Gage Requirements for MJ Metric Screw Threads	1992	SAE	0
22098	J98	Personnel Protection for General Purpose Industrial Machines	1992	SAE	0
22099	J704	Openings for Six- and Eight-Bolt Truck Transmission Mounted Power Take-Offs - Best Copy Available	1992	SAE	0
22100	AMS3196F	Sponge, Silicone Rubber Closed Cell, Firm	1992	SAE	0
22101	AMS3107-3A	Primer, Adhesive, Corrosion-Inhibiting High Durability Epoxy, -55 to +175 ?C (-67 to +347 ?F)	1992	SAE	0
22102	AMS3107-4A	Primer, Adhesive, Corrosion-Inhibiting High Durability Epoxy, -55 to +215 ?C (-67 to +419 ?F)	1992	SAE	0
22103	J2232	Vehicle System Voltage - Initial Recommendations	1992	SAE	0
22104	AMS3034B	AVIATION FUEL GRADE 108/135	1992	SAE	0
22105	AMS3036D	AVIATION FUEL GRADE 115/145	1992	SAE	0
22106	J2100	Accelerated Environmental Testing for Bonded Automotive Assemblies, Recommended Practice	1992	SAE	0
22107	J2096	Categorization of Low Carbon Automotive Sheet Steel, Recommended Practice	1992	SAE	0
22108	J2082	Cooling Flow Measurement Techniques, Information Report	1992	SAE	0
22109	J2059	All-Wheel-Drive Drivetrain Schematic Symbol Standards	1992	SAE	0
22110	J2177	Chassis Dynamometer Test Procedure - Heavy-Duty Road Vehicles	1992	SAE	0
22111	J2131	Front-Mounted Linkage for Agricultural Wheeled Tractors	1992	SAE	0
22112	J2038	(R) Engine Weight, Dimensions, Center of Gravity, and Moment of Inertia	1992	SAE	0
22113	J1829	(R) Stoichiometric Air-Fuel Ratios of Automotive Fuels	1992	SAE	0
22114	J1605	Brake Master Cylinder Reservoir Diaphragm Gasket	1992	SAE	0
22115	J1590	Internal Combustion Engines-Piston Rings-Material Specifications	1992	SAE	0
22116	AMS2671F	COPPER BRAZING CORROSION AND HEAT RESISTANT STEELS AND ALLOYS	1992	SAE	0
22117	J167	Overhead Protection for Agricultural Tractors - Test Procedures and Performance Requirements	1992	SAE	0
22118	J1214	Tire to Body Clearance Check for Recreational Vehicles	1992	SAE	0
22119	AIR1388B	Service Damage Limits for Aircraft Hydraulic Tubing	1992	SAE	0
22120	J1397	Estimated Mechanical Properties and Machinability of Steel Bars, Information Report	1992	SAE	0
22121	AS7236	Rivets, Alloy, Corrosion and Heat Resistant 52Co-20Cr-10Ni-15W Solution Heat Treated Procurement Specification For	1992	SAE	0
22122	AS7237	Rivets, Nickel Alloy, Corrosion and Heat Resistant 47.5Ni-22Cr-1.5Co-9.0Mo-0.60W-18.5Fe Solution Heat Treated Procurement Specification For	1992	SAE	0
22123	AS7207	Spring Pins, Tubular, Slotted Corrosion and Moderate Heat Resistant Steel Procurement Specification for	1992	SAE	0
22124	AS7228	Rivets, Steel, Corrosion Resistant 18Cr-9Ni Solution Heat Treated Procurement Specification for	1992	SAE	0
22125	AS7229	Rivets, Steel, Corrosion and Heat Resistant 18Cr - 10.5Ni - 0.70(Cb+Ta) Solution Heat Treated Procurement Specification For	1992	SAE	0
22126	AS7232	Rivets, Solid and Tubular, Nickel Alloy Corrosion and Heat Resistant 74Ni - 15.5Cr - 8.0Fe Procurement Specification For	1992	SAE	0
22127	AS7233	Rivets, Solid, UNS N04400, Corrosion Resistant 67Ni - 31Cu Procurement Specification for	1992	SAE	0
22128	AS7330	Rings, Retaining - Spiral Wound, Uniform Section Corrosion Resistant Steel Procurement Specification For	1992	SAE	0
22129	AS8015B	Minimum Performance Standards for Parachute Assemblies and Components, Personnel	1992	SAE	0
22130	AS8046	Minimum Performance Standard Angle of Attack Equipment	1992	SAE	0
22131	AS4647	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 400 ĭ°F, 4000 psi, FLARED, 90ĭ° TO 90ĭ°, CRES FITTINGS	1992	SAE	0
22132	AS4658	FITTING END, EXTERNAL THREAD, SHORT FLARELESS, DESIGN STANDARD	1992	SAE	0
22133	AS4642	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 400 ĭ°F, 4000 psi, FLARED, STRAIGHT TO STRAIGHT, CRES FITTINGS	1992	SAE	0

22134	AS4643	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 400 ï°F, 4000 psi, FLARED, STRAIGHT TO 45ï°, CRES FITTINGS	1992	SAE	0
22135	AS4644	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 400 ï°F, 4000 psi, FLARED, STRAIGHT TO 90ï°, CRES FITTINGS	1992	SAE	0
22136	AS4645	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 400 ï°F, 4000 psi, FLARED, 45ï° TO 45ï°, CRES FITTINGS	1992	SAE	0
22137	AS4646	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 400 ï°F, 4000 psi, FLARED, 45ï° TO 90ï°, CRES FITTINGS	1992	SAE	0
22138	AS4541	ELBOW, 45ï°, BEAM SEAL, MALE 4000 PSI, HYDRAULIC	1992	SAE	0
22139	AS4542	ELBOW, 90ï°, BEAM SEAL, MALE 4000 psi, HYDRAULIC	1992	SAE	0
22140	AS4546	HOSE, AIR DUCT, FLEXIBLE, SILICONE-COATED FABRIC, 1 TO -.5 psi, EXTERNAL NYLON HELIX, SELF-EXTINGUISHING	1992	SAE	0
22141	AS4700	Short Flareless Fittings, Installation Procedures and Torque For	1992	SAE	0
22142	AS4701	Wire, Retainer, Tube Coupling Nut, Short Flareless	1992	SAE	0
22143	AS4787	Eddy Current Inspection of Circular Holes in Nonferrous Metallic Aircraft Engine Hardware	1992	SAE	0
22144	AS4389	Nut - Self-Locking Clinch, Serrated Shank, Hole Preparation, Installation and Removal Procedures	1992	SAE	0
22145	AIR1289A	Evaluation of Helicopter Turbine Engine Linear Vibration Environment	1992	SAE	0
22146	AS4265	Impulse Testing of Hydraulic Tubing and Fittings, S-N Curve	1992	SAE	0
22147	AMS1386A	Compound, Silicone Rubber Remover Aircraft Turbine Engine Components Room Temperature Application	1992	SAE	0
22148	AMS1387A	Remover, Anti-Galling Compound Aircraft Turbine Engine Components Room Temperature Application	1992	SAE	0
22149	AMS1377	Remover, Paint Epoxy and Polyurethane Paint System Non-Chlorinated Solvent	1992	SAE	0
22150	AMS1376B	Remover, Epoxy Paint Acid-Type, Thickened	1992	SAE	0
22151	AMS1379A	Compound, Alkaline Rust Remover Aircraft Turbine Engine Components	1992	SAE	0
22152	AMS1380A	Scale Conditioner, Alkaline Aircraft Turbine Engine Components	1992	SAE	0
22153	AMS1374A	Remover, Polyurethane/Epoxy Paint Alkaline, Hot-Tank Type	1992	SAE	0
22154	AS3490	STUD-STEPPED, 1.5 DIA ENGAGEMENT, .375-16 UNJC-3A MOD X .3125-24 UNJF-3A (UNS S66286)	1992	SAE	0
22155	J1134	(R) SAE Nodal Mount	1992	SAE	0
22156	AMS2553A	CLEANING, PACKAGING, AND ASSEMBLY OF CRITICAL SYSTEM COMPONENTS CLEAN AREA PROCEDURE, 2500 MICRON MAX PARTICLE SIZE	1992	SAE	0
22157	HS-40	Principles of Engine Cooling Systems, Components and Maintenance - Fourth Edition	1991	SAE	0
22158	J1041	(R) BRAKING SYSTEM TEST PROCEDURES AND BRAKING PERFORMANCE CRITERIA FOR AGRICULTURAL TRACTORS	1991	SAE	0
22159	J1164	Labeling of ROPS and FOPS and OPS-SAE J1164 JAN91 SAE Standard	1991	SAE	0
22160	J1163	Determining Seat Index Point	1991	SAE	0
22161	AMS1320A	Remover, Decal Adhesive	1991	SAE	0
22162	AMS1382A	Oxide Remover Compound, Acidic Aircraft Turbine Engine Components	1991	SAE	0
22163	AMS1378A	Compound, Carbon Soil and Paint Remover Aircraft Turbine Engine Components Room Temperature Application	1991	SAE	0
22164	AMS1384A	ACID, INHIBITED PHOSPHORIC Aircraft Turbine Engine Components Room Temperature Application	1991	SAE	0
22165	AS4117	TEST PLAN FOR THE DIGITAL TIME DIVISION COMMAND/RESPONSE MULTIPLEX DATA BUS COUPLERS, TERMINATORS, AND DATA BUS CABLES	1991	SAE	0
22166	AS4108-1	T-BOLT, A-286, 1000?F	1991	SAE	0
22167	AS4108-2	T-BOLT, A-286, 1000?F BUSHING HEAD	1991	SAE	0
22168	AS4108-3	EYE BOLT, A-286, 1000 ?F	1991	SAE	0
22169	AS4108	T-bolt and Eye Bolt, A-286 CRES, 1000 ï°F Fatigue Rated	1991	SAE	0

22170	AS4488	Tubular Assemblies, Fusion Welded, Inspection Processes and Acceptance Standards For	1991	SAE	0
22171	AS4388	Hose Assembly PTFE Heavy Duty, -65 To 400 ï°F (-55 To 204 ï°C) 8000 psi (56 000 kPa) Hydraulic and Pneumatic	1991	SAE	0
22172	AS46A	Generator Mounting Pad and Drive, 4 Bolt - Reaffirmed Noncurrent October 2001	1991	SAE	0
22173	AMS1659	Coating, Soil Barrier Semi-Permanent	1991	SAE	0
22174	AS7220	Aluminum Rivets, UNS A91100, 99Al (1100-H14) - Superseding AMS 7220; UNS A91100; FSC 5320	1991	SAE	0
22175	AS7201	National Aerospace and Defense Contractors Accreditation Program (NADCAP) Requirements for Accreditation of Pass-Thru Distributors	1991	SAE	0
22176	AS7202	National Aerospace and Defense Contractors Accreditation Program (NADCAP) Requirements for Accreditation of Value Added Distributors	1991	SAE	0
22177	AS7252	Nuts, Self-Locking, Steel High Strength, All Metal 450 Degrees F Use, UNJ Thread Form	1991	SAE	0
22178	J1398	(R) Stop Lamps for Use on Motor Vehicles 2032 mm or More in Overall Width	1991	SAE	0
22179	J1395	(R) Front and Rear Turn Signal Lamps for Use on Motor Vehicles 2032 mm or More in Overall Width	1991	SAE	0
22180	AMS2650A	FLUOROSCOPIC X-RAY INSPECTION	1991	SAE	0
22181	J1315	Off-Road Tire and Rim Selection and Application, Standard	1991	SAE	0
22182	J1242	Acoustic Emission Test Methods, Information Report	1991	SAE	0
22183	J171	Measurement of Fuel Evaporative Emissions from Gasoline Powered Passenger Cars and Light Trucks Using the Enclosure Technique	1991	SAE	0
22184	J1780- HRP 4382	HYDRAULIC SYSTEM DIAGRAMS AND ASSOCIATED TABLES FOR MARINE VEHICLES	1991	SAE	0
22185	J1837	Electroplate Requirements for Decorative Chromium Deposits on Zinc Base Materials Used for Exterior Ornamentation, Standard	1991	SAE	0
22186	J2026	Recommended Practice for the Selection of Engineering Workstations, Recommended Practice	1991	SAE	0
22187	J2175	Specifications for Low Carbon Cast Steel Shot	1991	SAE	0
22188	J220	Crane Boomstop	1991	SAE	0
22189	J2056-3	Selection of Transmission Media	1991	SAE	0
22190	J2108	Door Courtesy Switch	1991	SAE	0
22191	AMS3032D	AVIATION FUEL GRADE 100/130	1991	SAE	0
22192	J2215	Surface Match Verification Method for Pressure Sensitive Adhesively Attached Components	1991	SAE	0
22193	J2217	Photometric Guidelines for Instrument Panel Displays That Accommodate Older Drivers, Information Report	1991	SAE	0
22194	J265	Diesel Fuel Injector Assembly - Types 8, 9, 10, and 11	1991	SAE	0
22195	AMS3107A	Primer, Adhesive, Corrosion-Inhibiting For High Durability Structural Adhesive Bonding	1991	SAE	0
22196	AMS3107-2A	Primer, Adhesive, Corrosion-Inhibiting High Durability Epoxy, -55? to +120?C (-67? to +248?F)	1991	SAE	0
22197	AMS3107-1A	Primer, Adhesive, Corrosion-Inhibiting High Durability Epoxy, -55? to +95?C (-67? to +203?F)	1991	SAE	0
22198	AMS3109	Primer, Adhesive, Electrodeposited -55 to +82ï°C (-67ï° to +180ï°F)	1991	SAE	0
22199	J38	(R) Lift Arm Support Devices for Loaders	1991	SAE	0
22200	J349	Detection of Surface Imperfections in Ferrous Rods, Bars, Tubes, and Wires	1991	SAE	0
22201	J358	Nondestructive Tests	1991	SAE	0
22202	J359	Infrared Testing	1991	SAE	0
22203	J350	Spark Arrester Test Procedure for Medium Size Engines	1991	SAE	0
22204	J342	Spark Arrester Test Procedure for Large Size Engines	1991	SAE	0
22205	J33	Snowmobile Definitions and Nomenclatureâ General	1991	SAE	0
22206	J420	Magnetic Particle Inspection	1991	SAE	0
22207	J428	Ultrasonic Inspection	1991	SAE	0

22208	J425	Electromagnetic Testing by Eddy Current Methods	1991	SAE	0
22209	J426	Liquid Penetrant Test Methods	1991	SAE	0
22210	J427	Penetrating Radiation Inspection	1991	SAE	0
22211	J460	Bearing Bushing Alloys Chemical Composition of SAE Bearing and Bushing Alloys	1991	SAE	0
22212	J454	(R) GENERAL DATA ON WROUGHT ALUMINUM ALLOYS	1991	SAE	0
22213	J457	Chemical Compositions, Mechanical Property Limits, and Dimensional Tolerances of SAE Wrought Aluminum Alloys	1991	SAE	0
22214	J459	Bearing and Bushing Alloys	1991	SAE	0
22215	J753	Maintenance Interval Chart	1991	SAE	0
22216	J763	Aging of Carbon Steel Sheet and Strip	1991	SAE	0
22217	J629	Diesel Fuel Injector Assembly - Flange Mounted Types 5 and 6	1991	SAE	0
22218	J542	Starting Motor Mountings	1991	SAE	0
22219	MA2044A	Elbow, Thin Wall, 90 Degree, High Profile, Bulkhead, Flareless, Metric - CANCELLED PDF IS UNAVAILABLE	1991	SAE	0
22220	MA2045A	Elbow, Thin Wall, 90 Degree Low Profile, Bulkhead, Flareless, Metric - CANCELLED PDF IS UNAVAILABLE	1991	SAE	0
22221	AMS3213L	Acrylonitrile Butadiene (NBR) Rubber Aromatic Fuel Resistant 75 - 85	1991	SAE	0
22222	J968-1	Diesel Injection Pump Testing - Part 1: Calibrating Nozzle and Holder Assemblies	1991	SAE	0
22223	J968-2	Diesel Injection Pump Testing - Part 2: Orifice Plate Flow Measurement	1991	SAE	0
22224	AMS3356E	Silicone (VMQ) Rubber Lubricating Oil and Compression Set Resistant, Electrical Grade 55 - 65	1991	SAE	0
22225	AMS3357G	Rubber, Silicone (VMQ) Lubricating Oil and Compression Set Resistant 65 - 75	1991	SAE	0
22226	AMS3380D	Hose, Polytetrafluoroethylene TFE Fluorocarbon Resin Wire Braid Reinforced	1991	SAE	0
22227	AIR1599A	Ground Equipment Rebuild Program	1991	SAE	0
22228	AMS3338F	Silicone (PVMQ) Rubber Extreme-Low-Temperature Resistant 75 - 85	1991	SAE	0
22229	MA2536	GASKET, METAL C-RING, FACE SEAL, INTERNAL PRESSURE, UNS N07750 SILVER PLATED, METRIC	1991	SAE	0
22230	MA3340B	BOLT, MACHINE-SPLINE EXTENDED WASHER, PD SHANK, LONG THREAD, AMS 5662, METRIC	1991	SAE	0
22231	MA3348	Bolt, Spline Drive Extended Washer Head, PD Shank, Long Thread, AMS 5708, Metric	1991	SAE	0
22232	MA2155-4	CLAMP, RECTANGULAR LOOP, CUSHIONED, WITH WEDGE, PHOSPHATE ESTER FLUID RESISTANT, STAINLESS STEEL, METRIC	1991	SAE	0
22233	MA2155-5	CLAMP, RECTANGULAR LOOP, CUSHIONED, WITH WEDGE, HIGH TEMPERATURE, STAINLESS STEEL, METRIC	1991	SAE	0
22234	MA2156-1	CLAMP, CENTER MOUNT, CUSHIONED, HYDROCARBON FLUID RESISTANT, METRIC	1991	SAE	0
22235	MA2156-2	CLAMP, CENTER MOUNT, CUSHIONED, PHOSPHATE ESTER FLUID RESISTANT, METRIC	1991	SAE	0
22236	MA2156-3	CLAMP, CENTER MOUNT, CUSHIONED, HIGH TEMPERATURE, METRIC	1991	SAE	0
22237	MA2152-1	CLAMP, CENTER MOUNT, BARE METAL, ALUMINUM, METRIC	1991	SAE	0
22238	MA2152-2	CLAMP, CENTER MOUNT, BARE METAL, STAINLESS STEEL, METRIC	1991	SAE	0
22239	MA2153-1	CLAMP, LOOP TYPE, BARE METAL, ALUMINUM, METRIC	1991	SAE	0
22240	MA2153-2	CLAMP, LOOP TYPE, BARE METAL, STAINLESS STEEL, METRIC	1991	SAE	0
22241	MA2154-1	CLAMP, RECTANGULAR, 2 PIECE, CUSHIONED, WITH WEDGES, HYDROCARBON FLUID RESISTANT, METRIC	1991	SAE	0
22242	MA2154-2	CLAMP, RECTANGULAR, 2 PIECE, CUSHIONED, WITH WEDGES, PHOSPHATE ESTER FLUID RESISTANT, METRIC	1991	SAE	0
22243	MA2154-3	CLAMP, RECTANGULAR, 2 PIECE, CUSHIONED, WITH WEDGES, HIGH TEMPERATURE, METRIC	1991	SAE	0
22244	MA2155-1	CLAMP, RECTANGULAR LOOP, CUSHIONED, WITH WEDGE, HYDROCARBON FLUID RESISTANT, ALUMINUM, METRIC	1991	SAE	0

22245	MA2155-2	CLAMP, RECTANGULAR LOOP, CUSHIONED, WITH WEDGE, HYDROCARBON FLUID RESISTANT, STAINLESS STEEL, METRIC	1991	SAE	0
22246	MA2155-3	CLAMP, RECTANGULAR LOOP, CUSHIONED, WITH WEDGE, PHOSPHATE ESTER FLUID RESISTANT, ALUMINUM, METRIC	1991	SAE	0
22247	MA2150-1	CLAMP, LOOP STYLE, CUSHIONED, WITH WEDGE, HYDROCARBON FLUID RESISTANT, METRIC	1991	SAE	0
22248	MA2150-2	CLAMP, LOOP STYLE, CUSHIONED, WITH WEDGE, PHOSPHATE ESTER FLUID RESISTANT, METRIC	1991	SAE	0
22249	MA2151-1	CLAMP, SADDLE TYPE, CUSHIONED, HYDROCARBON FLUID RESISTANT, METRIC	1991	SAE	0
22250	MA2151-2	CLAMP, SADDLE TYPE, CUSHIONED, PHOSPHATE ESTER FLUID RESISTANT, METRIC	1991	SAE	0
22251	MA2151-3	CLAMP, SADDLE TYPE, CUSHIONED, HIGH TEMPERATURE, METRIC	1991	SAE	0
22252	MA2151-4	CLAMP, SADDLE TYPE, CUSHIONED, PTFE, METRIC	1991	SAE	0
22253	MA2150-3	CLAMP, LOOP STYLE, CUSHIONED, WITH WEDGE, HIGH TEMPERATURE, METRIC	1991	SAE	0
22254	MA2150-4	CLAMP SUPPORT, LOOP CLAMP, METRIC	1991	SAE	0
22255	MA2150-5	CLAMP, LOOP STYLE, WITH INSERT, HYDROCARBON FLUID RESISTANT, METRIC	1991	SAE	0
22256	MA2150-6	CLAMP, LOOP STYLE, WITH INSERT, PHOSPHATE ESTER FLUID RESISTANT, METRIC	1991	SAE	0
22257	MA2150-7	CLAMP, LOOP STYLE, WITH INSERT, HIGH TEMPERATURE, METRIC	1991	SAE	0
22258	MA3471	GASKET - ENGINE ACCESSORY DRIVE SQUARE, 127.28 BC, METRIC	1991	SAE	0
22259	MA3476	BOLT, MACHINE - SPLINE EXTENDED WASHER, FULL HEAD, PD SHANK, LONG THREAD, AMS 5662 - METRIC	1991	SAE	0
22260	MA3448	Bolt, Spline Drive Special Extended Washer Head, Reduced Head, PD Shank, AMS 5708, Metric	1991	SAE	0
22261	MA3449	Bolt, Spline Drive Extended Washer Head, Reduced Head, Retainer Locked, PD Shank, AMS 5708, Metric	1991	SAE	0
22262	MA3450	RETAINER, NUT AND BOLT, CUP LOCK 5 MM AND 6 MM, AMS 5510, METRIC	1991	SAE	0
22263	MA3371	Bolt, Spline Drive Extended Washer Head, Drilled, PD Shank, Long Thread, AMS 5708, Metric	1991	SAE	0
22264	AIR1106A	Some Factors Affecting Visibility of Aircraft Navigation and Anticollision Lights	1991	SAE	0
22265	AMS3865C	Filaments, Boron Tungsten Substrate, Continuous	1991	SAE	0
22266	AMS3867-1B	Boron Filament Tape, Epoxy-Resin-Impregnated Type B4.0-E374 (Type B0.102-E191)	1991	SAE	0
22267	AMS3867-2B	Boron Filament Tape, Epoxy-Resin-Impregnated Type B5.6-E374 (Type B0.142-E190)	1991	SAE	0
22268	AMS3867-3B	Boron Filament Tape, Epoxy-Resin-Impregnated Type B8.0-E374 (Type B0.203-E190)	1991	SAE	0
22269	AMS3867-4A	Boron Filament Tape, Epoxy-Resin-Impregnated Type B4.0-E180 (Type B0.102-E82)	1991	SAE	0
22270	AMS3867-5A	Boron Filament Tape, Epoxy-Resin-Impregnated Type B5.6-E180 (Type B0.142-E82)	1991	SAE	0
22271	AMS3867-6A	Boron Filament Tape, Epoxy-Resin-Impregnated Type B8.0-E180 (Type B0.203-E82)	1991	SAE	0
22272	AMS3867B	Boron Filament Tape, Epoxy-Resin-Impregnated	1991	SAE	0
22273	AMS4024D	ALUMINUM ALLOY SHEET AND PLATE 4.3Zn - 3.3Mg - 0.60Cu - 0.20Mn - 0.17Cr (7079; -T6 SHEET, -T651 PLATE) - UNS A97079	1991	SAE	0
22274	AMS4197A	ALUMINUM ALLOY SHEET AND PLATE, ALCLAD 5.6Zn - 2.5Mg - 1.6Cu - 0.26Cr (7011 ALCLAD 7075; -T6 SHEET, -T651 PLATE	1991	SAE	0
22275	AMS4192A	ALUMINUM ALLOY SHEET AND PLATE 4.4Cu - 1.5Mg - 0.60Mn (2024 -T361) - UNS A92024	1991	SAE	0
22276	AMS4199A	ALUMINUM ALLOY SHEET AND PLATE, ALCLAD 4.3Zn - 3.3Mg - 0.6Cu - 0.20Mn - 0.17Cr (7011 ALCLAD 7079; -T6 STEEL -T561 PLATE) - UNS A87079	1991	SAE	0
22277	AMS4142C	ALUMINUM ALLOY FORGINGS 4Cu - 2Ni - 1.5Mg - 0.7Si (2218-F) As Fabricated - UNS A92218	1991	SAE	0
22278	AMS4222G	Aluminum Alloy Castings, Sand, Moderate Heat Resistance 4.0Cu - 2.0Ni - 1.5Mg - 0.12Ti (242.0P) Solution Heat Treated and Stabilized - UNS A02420	1991	SAE	0
22279	AMS3845B	Cloth, Type "E" Glass "B" Stage Addition Cure Polyimide-Resin-Impregnated	1991	SAE	0
22280	AMS3827B	Cloth, Type "E" Glass, "B" Stage Polyester- Resin-Impregnated, 7781 Style Fabric, Flame Resistant	1991	SAE	0

22281	AMS3821B	Cloth, Type E Glass, B Stage Epoxy-Resin-Impregnated, 7781 Style Fabric, Flame Resistant	1991	SAE	0
22282	AIR1749	Aircraft Engine Fuel Feed and Transfer Component Pressure Definitions	1991	SAE	0
22283	AMS3787-1A	Thread, Para-Aramid Intermediate Modulus 10,000 yards per pound (20,159 m/kg), 16 pounds force (71 N) Breaking Strength	1991	SAE	0
22284	AMS3787-2A	Thread, Para-Aramid Intermediate Modulus 6700 yards per pound (13,507 m/kg), 25 pounds force (111 N) Breaking Strength	1991	SAE	0
22285	AMS3787-3A	Thread, Para-Aramid Intermediate Modulus 5000 yards per pound (10,080 m/kg), 35 pounds force (156 N) Breaking Strength	1991	SAE	0
22286	AMS3787-4A	Thread, Para-Aramid Intermediate Modulus 3350 yards per pound (6753 m/kg), 50 pounds force (222 N) Breaking Strength	1991	SAE	0
22287	AMS3787-5A	Thread, Para-Aramid Intermediate Modulus 2000 yards per pound (4032 m/kg), 80 pounds force (356 N) Breaking Strength	1991	SAE	0
22288	AMS3787-6A	Thread, Para-Aramid Intermediate Modulus 950 yards per pound (1915 m/kg), 150 pounds force (667 N) Breaking Strength	1991	SAE	0
22289	AMS3787-7A	Thread, Para-Aramid Intermediate Modulus 850 yards per pound (1714 m/kg), 175 pounds force (778 N) Breaking Strength	1991	SAE	0
22290	AMS3787A	Thread, Para-Aramid Intermediate Modulus	1991	SAE	0
22291	AMS3686A	Adhesive, Polyimide Resin, Film and Paste High Temperature Resistant, 315 Degrees C (599 Degrees F)	1991	SAE	0
22292	AMS3726-2A	Shims, Filled Resin Compound Precatalyzed Sheet	1991	SAE	0
22293	AMS3662C	Polytetrafluoroethylene Film General Purpose Grade	1991	SAE	0
22294	AMS3593A	Tubing, Plastic, Electrical Insulation Irradiated Polyvinylidene Fluoride, Semi-Rigid, Heat-Shrinkable Marker Sleeving Grade Low Outgassing	1991	SAE	0
22295	AIR1133A	Chemical Oxygen Supplies	1991	SAE	0
22296	AIR4172	HELICOPTER ENGINE MOUNTING	1991	SAE	0
22297	AMS4824D	BEARINGS, BABBITT-COATED LEADED-BRONZE Steel Back	1991	SAE	0
22298	AIR4204	Commercial Aircraft Auxiliary Power Unit Installations	1991	SAE	0
22299	AIR4358	Steering Effect of Tilted, Free-Swiveling Nose Gears	1991	SAE	0
22300	AMS5742B	ALLOY BARS, F0RGINGS, AND RINGS, CORROSION AND HEAT RESISTANT Iron Base - 20.5Cr - 32Ni - l.ITi - UNS N08801	1991	SAE	0
22301	AMS5721C	STEEL BARS, CORROSION AND HEAT RESISTANT 20CR - 9NI - 1.4MO - 1.4W - 0.42(Cb + Ta) - 0.22Ti - UNS K63198	1991	SAE	0
22302	AMS5724A	STEEL, CORROSION AND HEAT RESISTANT 20Cr - 9Ni - 1.6Mo - 1.4W - 0.6Ti - UNS S63199	1991	SAE	0
22303	AMS5725C	BARS, CORROSION AND HEAT RESISTANT STEEL 16Cr - 25.5Ni - 6.2MO - 0.15N	1991	SAE	0
22304	AMS5757C	ALLOY BARS, FORGINGS, AND RINGS, CORROSION AND HEAT RESISTANT 54Ni - 19Cr - 10Co - 10Mo - 2.6Ti - 1.0A1 - 0.006B VACUUM MELTED, SOLUTION AND PRECIPITATION HEAT TREATED	1991	SAE	0
22305	AMS5761B	STEEL BARS, F0RGINGS, AND RINGS, CORROSION RESISTANT 15Cr - 20Co - 2.8Mo Solution Heat Treated - UNS S65150	1991	SAE	0
22306	AMS5765C	ALLOY BARS AND FORGINGS, CORROSION AND HEAT RESISTANT 43Co - 20Cr - 20Ni - 4.0Mo - 4.0W - 4.0 Cb SOLUTION AND PRECIPITATION HEAT TREATED - UNS R30816	1991	SAE	0
22307	AMS5502B	STEEL SHEET AND STRIP LOW HEAT RESISTANT 5CR - 0.5MO	1991	SAE	0
22308	AMS5522E	STEEL SHEET, STRIP, PLATE, CORROSION AND HEAT RESISTANT 25Cr - 20Ni - 2.0Si (314) Solution Heat Treated - UNS S31400	1991	SAE	0
22309	AMS5527B	STEEL SHEET, STRIP, AND PLATE, CORROSION AND HEAT RESISTANT 20CR - 9NI - 1.4MO - 1.4 (CB + TA) - 0.2TI HOT ROLLED AND STRESS RELIEVED - UNS K63198	1991	SAE	0
22310	AMS5534B	ALLOY SHEET AND STRIP, CORROSION AND HEAT RESISTANT COBALT BASE - 20CR - 20NI - 4MO - 4W - 4CB - UNS R30816	1991	SAE	0

22311	AMS5551B	ALLOY SHEET AND STRIP, CORROSION AND HEAT RESISTANT 55Ni - 19Cr - 10Co - 10Mo - 2.5Ti - 1.0Al - 0.006B Consumable Electrode or Vacuum Induction Melted Solution Heat Treated - UNS N07252	1991	SAE	0
22312	AMS5543B	STEEL SHEET, STRIP, AND PLATE, CORROSION AND HEAT RESISTANT 13.5Cr - 26Ni - 1.75Mo - 3.0Ti - 0.07B Vacuum Melted, Solution Heat Treated - UNS S66545	1991	SAE	0
22313	AIR4394	Vacuum Investment Cast PH13-8Mo Corrosion Resistant Steel	1991	SAE	0
22314	AMS5615D	STEEL BARS AND FORGINGS CORROSION AND MODERATE HEAT RESISTANT 12.5Cr - 1.9Ni (SAE 51414) ANNEALED	1991	SAE	0
22315	AMS5602B	STEEL AND FORGINGS, LOW HEAT RESISTANT 5.0CR - 0.5OMO	1991	SAE	0
22316	AMS5594A	STEEL PLATE, CORROSION AND MODERATE HEAT RESISTANT 15.5CR - 4.5NI - 2.9MO - 0.1N Equalized and Overtempered - UNS S35500	1991	SAE	0
22317	AMS7279G	RINGS, SEALING, FLUOROCARBON RUBBER HIGH-TEMPERATURE-FLUID-RESISTANT 85 - 95	1991	SAE	0
22318	AMS7277C	RINGS, SEALING, SYNTHETIC RUBBER PHOSPHATE ESTER HYDRAULIC FLUID RESISTANT, BUTYL TYPE 70 - 85	1991	SAE	0
22319	AMS7278F	RINGS, SEALING, FLUOROCARBON RUBBER HIGH - TEMPERATURE-FLUID-RESISTANT 70 - 80	1991	SAE	0
22320	AMS7269B	RINGS, SEALING, SILICONE (PVMQ) RUBBER Low Outgassing, Space and Vacuum Service 45 - 55	1991	SAE	0
22321	AMS7247D	INSERTS, THREAD FORM, PHOSPHOR BRONZE 95Cr - 4.6Sn - 0.19p	1991	SAE	0
22322	AMS7233D	Rivets, Solid, Corrosion Resistant Alloy 67Ni - 31Cu	1991	SAE	0
22323	AMS6355L	STEEL SHEET, STRIP, AND PLATE 0.50Cr-0.55Ni-0.20Mo (0.28 - 0.33C) (SAE 8630) - UNS G86300	1991	SAE	0
22324	AMS7482B	STUDS, CORROSION AND HEAT RESISTANT STEEL Roll Threaded After Heat Treatment 1800Ì°F (982Ì°C) Solution Heat Treatment - UNS S66286	1991	SAE	0
22325	AMS7469D	BOLTS AND SCREWS, CORROSION HEAT RESISTANT NICKEL ALLOY UPSET HEADED, HEAT TREATED, ROLL THREADED 2050 DEGREES F (1121 DEGREES C) SOLUTION AND 1650 DEGREES F (899 DEGREES C) PRECIPITATION HEAT TREATED	1991	SAE	0
22326	ARP1354A	Individual Inflatable Life Preservers	1991	SAE	0
22327	ARP1153A	Method for Determining Relative Specific Gravity Polytetrafluoroethylene Tubing	1991	SAE	0
22328	ARD50010	Recommended RMS Terms and Parameters	1991	SAE	0
22329	ARD50025	Type II Deicing/Anti- Icing Fluid Handling Technology	1991	SAE	0
22330	ARD50031	General Specification for 270 Vdc Relays	1991	SAE	0
22331	AS1896A	Coupling Assembly, Self-Sealing, One Side Only, Hydraulic	1991	SAE	0
22332	AS291E	Surface Texture, Roughness, Waviness and Lay - Reaffirmed Noncurrent May 2006	1991	SAE	0
22333	ARP4462	Barkhausen Noise Inspection for Detecting Grinding Burns in High Strength Steel Parts	1991	SAE	0
22334	ARP4102-7 APPENDIX A	Appendix A Electronic Display Symbology for EADI/PFD	1991	SAE	0
22335	ARP1616A	Self-Sealing Breakaway Valves for Crash-Resistant Aircraft Fuel and Oil Systems	1991	SAE	0
22336	ARP1843A	Surface Preparation for Structural Adhesive Bonding Titanium Alloy Parts	1991	SAE	0
22337	ARP1862A	CLEANING EFFICIENCY OF TURBINE ENGINE GAS PATH CLEANERS Laboratory Test Method	1991	SAE	0
22338	ARP1961	Gearbox - Airframe Mounted Accessory	1991	SAE	0
22339	ARP1897	Clamp Selection and Installation Guide	1990	SAE	0
22340	ARP1675	Structural Weldbonding of Aluminum Structures	1990	SAE	0
22341	ARP1524A	Surface Preparation and Priming of Aluminum Alloy Parts for High Durability Structural Adhesive Bonding	1990	SAE	0
22342	ARP1612A	Polyimide Printed Circuit Boards Fabrication of	1990	SAE	0
22343	ARP4166	Cover, Shipping and Storage (Flexible, Reusable, Water- Vaporproof)	1990	SAE	0
22344	ARP4101-1	Seats and Restraint Systems for the Flight Deck	1990	SAE	0
22345	ARP594D	FUEL PUMP THERMAL SAFETY DESIGN	1990	SAE	0

22346	AS1969	Coupling Assembly, Self-Sealing, Quick Disconnect Fuel and Oil System Components	1990	SAE	0
22347	AS1495A	Shaft Nut and Keywasher Installation Dimensions For	1990	SAE	0
22348	ARD4461	ASSEMBLY AND SOLDERING CRITERIA FOR HIGH QUALITY/HIGH RELIABILITY SOLDERED WIRE AND CABLE TERMINATION IN AEROSPACE VEHICLES	1990	SAE	0
22349	AIR1168-3	Aerothermodynamic Systems Engineering and Design	1990	SAE	0
22350	AMS7800B	MOLYBDENUM SHEET, STRIP, PLATE, POWDER METALLURGY, SINTERED, STRESS RELIEVED	1990	SAE	0
22351	AMS7720A	LEAD ALLOY CASTINGS, 6.5SB - 0.5SN	1990	SAE	0
22352	AMS7234E	RIVETS, BLIND, CORROSION RESISTANT ALLOY 67Ni - 31Cu - UNS N04405	1990	SAE	0
22353	AMS7235D	Rivets, Corrosion and Heat Resistant Steel 15Cr - 25.5Ni - 1.2Mo - 2.1Ti - 0.006b - 0.30V 1650 Degrees F (900 Degrees C) Solution heat Treated and Partially Precipitation Heat Treated - UNS S66286	1990	SAE	0
22354	AMS7236D	RIVETS, CORROSION AND HEAT RESISTANT ALLOY 52Co - 20Cr - 10Ni - 15W SOLUTION HEAT TREATED - UNS R30605	1990	SAE	0
22355	AMS7237B	RIVETS, CORROSION AND HEAT RESISTANT ALLOY 47.5Ni - 22Cr - 1.5Co - 9.0Mo - 060W - 18.5Fe SOLUTION HEAT TREATED - UNS N06002	1990	SAE	0
22356	AMS7232H	RIVETS, CORROSION AND HEAT RESISTANT ALLOY 74Ni - 15.5Cr - 8.0Fe - UNS N06600	1990	SAE	0
22357	AMS7253C	NUTS, SELF-LOCKING, CORROSION AND HEAT RESISTANT ALLOY HIGH STRENGTH, ALL METAL 1400 DEGREES F (760 DEGREES C) USE, UNIFIED J (MIL-S-8879) THREAD FORM	1990	SAE	0
22358	AMS7266B	Rings, Sealing, Fluorocarbon Rubber General Purpose, High Temperature, Fuel and Oil Resistant 65 - 75	1990	SAE	0
22359	AMS7258B	Rings, Sealing, Butadiene-Acrylonitrile (NBR) Rubber Fuel Resistant, Low Shrinkage 65 - 75	1990	SAE	0
22360	AMS7263D	RINGS, SEALING, BUTYL RUBBER, PHOSPHATE ESTER HYDRAUL FLUID RESISTANT 85 - 95	1990	SAE	0
22361	AMS7284-1	Rings, Sealing, Phosphonitrilic Fluoroelastomer (FZ) Aviation Fuel Resistant 65 - 75 Shore A	1990	SAE	0
22362	AMS7284-2	RINGS, SEALING, PHOSPHONITRILIC FLUOROELASTOMER (FZ) Aviation Fuel-Resistant 75 - 85 SHORE A	1990	SAE	0
22363	AMS7454H	BOLTS AND SCREWS, LOW-ALLOY STEEL, HEAT RESISTANT NORMALIZED AND TEMPERED, ROLL THREADED 135,000 psi (931 MPa) TENSILE STRENGTH - UKS K14675	1990	SAE	0
22364	AMS5601C	STEEL SHEET AND STRIP, CORROSION AND MODERATE HEAT RESISTANT 14.5CR - 8.2NI - 2.5MO - 1.1A1 SOLUTION HEAT TREATED	1990	SAE	0
22365	AMS5770D	ALLOY BARS AND F0RGINGS, CORROSION AND HEAT RESISTANT 25Fe - 20.5Cr - 20N1 - 20Co - 4.0Mo - 4.0W - 4.0(Cb + Ta) Solution and Precipitation Heat Treated - UNS R30590	1990	SAE	0
22366	AMS5756D	ALLOY BARS, FORGINGS, AND RINGS, CORROSION AND HEAT RESISTANT 54N1 - 19Cr - lOCo - lOMo - 2.6T1 - 1.0A1 - 0.006B Vacuum Melted, Solution Heat Treated - UNS N07252	1990	SAE	0
22367	AIR1168-1	Thermodynamics of Incompressible and Compressible Fluid Flow	1990	SAE	0
22368	AMS5733E	BARS AND FORGINGS 13.5CR - 26NI - 3MO - 1.8TI - UNS S66220	1990	SAE	0
22369	AIR4286	Maintenance of Ground Support Equipment	1990	SAE	0
22370	AMS4872C	ALUMINUM BRONZE CASTING, SAND 85CU - 11.2A1 - 3.6FE AS CAST	1990	SAE	0
22371	AIR4090	Igniter Ceramic ARC Resistance Tests	1990	SAE	0
22372	AIR4094	Aircraft Flight Control Systems Descriptions	1990	SAE	0
22373	AIR1794	BALL-ON-CYLINDER (BOC) AIRCRAFT TURBINE FUEL LUBRICITY TESTER	1990	SAE	0
22374	AMS3778-3A	WEBBING, WOVEN, NYLON 400 Pounds Force (1779 N)	1990	SAE	0
22375	AMS3779-1A	TAPE, ADHESIVE, PRESSURE-SENSITIVE Thermal Radiation Resistant, Aluminum Foil/Glass Cloth	1990	SAE	0
22376	AMS3779-2A	TAPE, ADHESIVE, PRESSURE-SENSITIVE Thermal Radiation Resistant, Aluminum Coated Glass Cloth	1990	SAE	0
22377	AMS3779A	Tape, Adhesive, Pressure-Sensitive Thermal Radiation Resistant	1990	SAE	0
22378	AMS3830A	SILICA CLOTH B Stage Phenolic Resin Impregnated High Pressure Molding	1990	SAE	0
22379	AIR1854A	Battery Powered Aircraft Tow Tractors - Factors for Design Consideration	1990	SAE	0

22380	AMS4119F	BARS AND RODS, ROLLED OR COLD FINISHED 4.4CU - 1.5MG - 0.60MN STRESS-RELIEF STRETCHED - UNS A92024	1990	SAE	0
22381	AIR310A	Fittings, Catalog of Flared, Flareless, Pipe Threaded, Port, Hose, and Other Type Tube Standard Connectors	1990	SAE	0
22382	AMS3894E	Carbon Fiber Tape and Sheet Epoxy Resin Impregnated	1990	SAE	0
22383	AMS3894-18	Carbon Fiber Tape and Sheet Epoxy Resin Impregnated G 355,000 (2448) Tensile, 22,000,000 (152) Modulus, 130 (266)	1990	SAE	0
22384	MA3399	Clamp - Tube Support, Spring Clips and PTFE Cushion Procurement Specification for	1990	SAE	0
22385	MA3394	Clip - Spring, Tension, Inner 6.7 mm Bolt Hole, AMS 5525, Metric	1990	SAE	0
22386	MA3393	Clip - Spring, Tension, Outer 6.7 MM Bolt Hole, AMS 5525, Metric	1990	SAE	0
22387	MA3453	WASHER, FLAT, AMS-5525, METRIC	1990	SAE	0
22388	MA3447	Bolt, Machine - Spline Drive HD, Close Tol Full Shank, AMS-5662, Metric	1990	SAE	0
22389	MA3444	Nut, Self Locking - Spline Drive, Captive Washer, UNS S66286, Silver Plate, MJ Thread, Metric	1990	SAE	0
22390	MA4044	NUT, SPANNER - END SLOTS, CUPWASHER LOCKED, UNS S66286, SILVER PLATED, MJ THREAD, METRIC	1990	SAE	0
22391	MA4177	NUT, SELF LOCKING - HEX EXTENDED WASHER UNS N07001, SILVER PLATE, MJ THD, METRIC	1990	SAE	0
22392	MA2170	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PTFE CRES REINFORCED, 204 â_°C, 21,000 KPA, LIGHTWEIGHT BEAM SEAL, STRAIGHT TO STRAIGHT, METRIC	1990	SAE	0
22393	MA2171	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PTFE CRES REINFORCED, 204 â_°C, 21,000 KPA, LIGHTWEIGHT BEAM SEAL, STRAIGHT TO 45â °, METRIC	1990	SAE	0
22394	MA2172	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, PTFE CRES REINFORCED, 204 â_°C, 21,000 KPA, LIGHTWEIGHT BEAM SEAL, STRAIGHT TO 90â °, METRIC	1990	SAE	0
22395	MA3294	CLIP - SPRING, TENSION, OUTER 5.5 MM BOLT HOLE, AMS 5525, METRIC	1990	SAE	0
22396	MA3295	CLIP - SPRING, TENSION, INNER 5.5 MM BOLT HOLE, AMS 5525, METRIC	1990	SAE	0
22397	MA3296	CUSHION - TUBE CLAMP SUPPORT, PTFE, METRIC	1990	SAE	0
22398	MA2537	Groove Design, Metal C-Ring Gasket, Face Type Internal Pressure, Metric	1990	SAE	0
22399	AMS3304G	Silicone, Rubber General Purpose 70 Durometer	1990	SAE	0
22400	AMS3305H	Silicone, Rubber General Purpose 80 Durometer	1990	SAE	0
22401	MAP3440	O-Ring Groove Design For Packing Preformed, Elastomeric O-Ring Seals, Static, Radial Squeeze, Metric	1990	SAE	0
22402	MA4368	Nut, Plain, Round - Spanner Wrenching, Shaft Mounted, UNS S66286, Procurement Specification for, Metric	1990	SAE	0
22403	J870	(R) COMPONENT NOMENCLATUREâ GRADERS	1990	SAE	0
22404	MA2039A	PLUG, PORT MJ THREAD, O-RING SEAL, AMS-5640, METRIC	1990	SAE	0
22405	MA2008	Radii-Tube Bend, Metric	1990	SAE	0
22406	MA2068A	Union, Port to Flareless, Hydraulic, 21 000 kPa, Metric - Cancelled PDF is not Available	1990	SAE	0
22407	MA1370	Screw Threads - MJ Profile, Metric	1990	SAE	0
22408	MA1943A	Nuts, Self-Locking, UNS N07001 730Ï°C, 1100 MPa, and 1210 MPa Procurement Specification For, Metric	1990	SAE	0
22409	MA1806	Spring Clips and Cushion Selection for Metal Tube Support, Metric	1990	SAE	0
22410	J564	Headlamp Beam Switching	1990	SAE	0
22411	J747	Control Valve Test Procedure, Standard	1990	SAE	0
22412	J765	Crane Load Stability Test Code	1990	SAE	0
22413	J728	(R) COMPONENT NOMENCLATUREâ SCRAPERS	1990	SAE	0
22414	J409	Product Analysis - Permissible Variations from Specified Chemical Analysis of a Heat or Cast of Steel	1990	SAE	0
22415	J348	(R) Wheel Chocks	1990	SAE	0
22416	J260	(R) Rear Underride Guard Test Procedure, Recommended Practice	1990	SAE	0
22417	AMS3071B	CONCENTRATE, CORROSION PREVENTIVE COMPOUND, AIRCRAFT ENGINE	1990	SAE	0

22418	AMS3070E	OIL, CARBURETOR FLUSHING	1990	SAE	0
22419	J228	Airflow Reference Standards	1990	SAE	0
22420	J2054	E/E Diagnostic Data Communications, Information Report	1990	SAE	0
22421	J2077	Miniature Blade Type Electrical Fuses, Standard	1990	SAE	0
22422	J2037	Off-Board Diagnostic Message Formats, Information Report	1990	SAE	0
22423	J1888	High Current Time Lag Electric Fuses, Standard	1990	SAE	0
22424	J1915	Recommended Remanufacturing Procedures for Manual Transmission Clutch Assemblies	1990	SAE	0
22425	J1777- HIR 1063B	(R) GENERAL ENVIRONMENTAL CONSIDERATIONS FOR MARINE VEHICLES	1990	SAE	0
22426	J1473	Brake Performance - Rubber-Tired Earthmoving Machines	1990	SAE	0
22427	J1528	Fatigue Testing Procedure for Suspension -Leaf Springs, Recommended Practice	1990	SAE	0
22428	J1583	CONTROLLER AREA NETWORK (CAN), AN IN-VEHICLE SERIAL COMMUNICATION PROTOCOL	1990	SAE	0
22429	J1293	Undervehicle Coupon Corrosion Tests, Recommended Practice	1990	SAE	0
22430	J1262	(R) Sound Measurement - Trenching Machines	1990	SAE	0
22431	J1312	Procedure for Mapping Engine Performance - Spark Ignition and Compression Ignition Engines, Standard;	1990	SAE	0
22432	J1335	Hydraulic Cylinder No-Load Friction Test	1990	SAE	0
22433	J1333	Hydraulic Cylinder Rod Corrosion Test	1990	SAE	0
22434	AS7002	National Aerospace and Defense Contractors Accreditation Program (NADCAP) Rules for Implementation	1990	SAE	0
22435	AS7001	National Aerospace and Defense Contractors Accreditation Program (NADCAP) Program Description	1990	SAE	0
22436	AS4116	Test Plan for the Digital Time Division Command/Response Multiplex Data Bus Bus Monitors	1990	SAE	0
22437	AS4282	Cap Assembly, Protective Closure, Beam Seal Fitting, Low Pressure	1990	SAE	0
22438	AS3298	CUSHION TUBE CLAMP SUPPORT, PTFE, INCH	1990	SAE	0
22439	J1047	Tubing - Motor Vehicle Brake System Hydraulic	1990	SAE	0
22440	J1076	Backup Lamp Switch, Standard	1990	SAE	0
22441	J1026	Brak Performance - Crawler Tractors and Crawler Loaders	1990	SAE	0
22442	AMS2535A	Coating, Vapor Deposited Poly-Monochloro-Para-Xylylene for Microcircuits	1990	SAE	0
22443	AIR1363A	Four Wheel Drive Aircraft Tow Tractors - Factors for Design Consideration	1990	SAE	0
22444	AS422A	Spark Igniter Outline Right Angle Flange Mounting	1989	SAE	0
22445	AS423A	Spark Igniter Outline Flange Mounting	1989	SAE	0
22446	AS424A	Spark Igniter Outline Threaded Mounting	1989	SAE	0
22447	AS4112	PRODUCTION TEST PLAN FOR THE DIGITAL TIME DIVISION COMMAND/RESPONSE MULTIPLEX DATA BUS REMOTE TERMINALS	1989	SAE	0
22448	AS4113	VALIDATION TEST PLAN FOR THE DIGITAL TIME DIVISION COMMAND/RESPONSE MULTIPLEX DATA BUS BUS CONTROLLERS	1989	SAE	0
22449	AS4114	PRODUCTION TEST PLAN FOR THE TIME DIVISION COMMAND/RESPONSE MULTIPLEX DATA BUS BUS CONTROLLERS	1989	SAE	0
22450	AS4115	TEST PLAN FOR THE DIGITAL TIME DIVISION COMMAND/RESPONSE MULTIPLEX DATA BUS SYSTEM	1989	SAE	0
22451	AIR1276A	Aircraft Flashtube Anticollision Lighting Systems	1989	SAE	0
22452	AS475A	Gasket-Spark Igniter	1989	SAE	0
22453	AS453A	Spark Igniter Gasket-Flange	1989	SAE	0
22454	AS678C	Gasket - 18mm Folded Steel Aircraft	1989	SAE	0
22455	AS758B	FITTINGS - INSTALLATION IN STRAIGHT THREADED BOSS	1989	SAE	0

22456	AS814A	Spark Igniter Outline .750-20 Thread Mounting	1989	SAE	0
22457	AS520A	Drive Accessory 6.500 Pilot Diameter - QAD	1989	SAE	0
22458	AMS2350BA	STANDARDS AND TEST METHODS	1989	SAE	0
22459	J1324	Acoustical and Thermal Materials Test Procedure, Recommended Practice	1989	SAE	0
22460	J1579	Motorcycle Side Stand Retraction Performance Requirements (Stabilized Type)	1989	SAE	0
22461	J1596	Automotive V-Ribbed Belt Drives and Test Methods, Recommended Practice	1989	SAE	0
22462	J1826	Turbocharger Gas Stand Test Code, Recommended Practice;	1989	SAE	0
22463	J1804	Corrosion Preventive Compound, Topside Vehicle Corrosion Protection, Standard	1989	SAE	0
22464	J1808	Vacuum Power Assist Brake Booster Test Procedure, Standard	1989	SAE	0
22465	J186	(R) Supplemental High Mounted Stop and Rear Turn Signal Lamps for Use on Vehicles Less Than 2032 mm in Overall Width	1989	SAE	0
22466	J1856	Identification of Automotive Air Bags, Recommended Practice	1989	SAE	0
22467	J1847	Abrasion Resistance Testing - Vehicle Exterior Graphics and Pin Striping, Recommended Practice	1989	SAE	0
22468	J2025	Method for Evaluating the Flow Properties of Pumpable Sealers, Recommended Practice	1989	SAE	0
22469	J2018	Assessing Technician Training	1989	SAE	0
22470	J1958	Diesel Engines - Steel Tubes for High-Pressure Fuel Injection Pipes (Tubing)	1989	SAE	0
22471	J1959	Corrosion Preventive Compound, Underbody Vehicle Corrosion Protection	1989	SAE	0
22472	J1948	Cab Sleeper Occupant Restraint System Test	1989	SAE	0
22473	J1950	Proving Ground Vehicle Corrosion Testing, Information Report	1989	SAE	0
22474	J466	Magnesium Wrought Alloys	1989	SAE	0
22475	J500	Serrated Shaft Ends	1989	SAE	0
22476	MA2004A	Thermal Shock Testing of Fluid System Piping and Fittings	1989	SAE	0
22477	MA1547A	Wrenches, Twelve Spline, Metric	1989	SAE	0
22478	MA2080	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 204 â_°C, 21,000 KPA, 60-DEG CONE, STRAIGHT TO STRAIGHT, LIGHTWEIGHT, METRIC	1989	SAE	0
22479	MA2081	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 204 â_°C, 21,000 KPA, 60-DEG CONE, STRAIGHT TO 45-DEG, LIGHTWEIGHT, METRIC	1989	SAE	0
22480	MA2082	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 204 â_°C, 21,000 KPA, 60-DEG CONE, STRAIGHT TO 90-DEG, LIGHTWEIGHT, METRIC	1989	SAE	0
22481	MA2083	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 204 â_°C, 21,000 KPA, 60-DEG CONE, 45-DEG TO 45-DEG, LIGHTWEIGHT, METRIC	1989	SAE	0
22482	MA2084	HOSE ASSEMBLY, POLYTETRAFLUOROETHYLENE, CRES REINFORCED, 204 â_°C, 21,000 KPA, 60-DEG CONE, 45-DEG TO 90-DEG, LIGHTWEIGHT, METRIC	1989	SAE	0
22483	AMS3266	Sealing Compound, Polythioether Elastomeric Two Part Electrically Conductive	1989	SAE	0
22484	MAP4053	UNIFORM MEASUREMENT UNITS FOR LEAKAGE RATES	1989	SAE	0
22485	MAP3439	O-Ring Groove Design for Packing Preformed, Elastomeric O-Ring Seals, Static, Axial Compression, Metric	1989	SAE	0
22486	AIR1529A	Flexure Testing of Hydraulic Tubing Joints and Fittings by Planar Resonant Vibration (Free-Free Beam)	1989	SAE	0
22487	MA2100	Hose Assemblies, Metal Medium Pressure, High Temperature, Metric	1989	SAE	0
22488	MA4045	WASHER, CUP, LOCK - SPANNER NUT AMS 5646, METRIC	1989	SAE	0
22489	MA3441	WASHER-KEY, CUP LOCK, AMS5510, METRIC	1989	SAE	0
22490	MA3433	Nut, Self Locking - Shank UNS N07001, Silver Plate, MJ Thread, Metric - UNS N07001	1989	SAE	0
22491	AMS3894-1B	Carbon Fiber Tape and Sheet Epoxy Resin Impregnated G 110,000 (758) Tensile, 27,000,000 (186) Modulus, 175 (347)	1989	SAE	0
22492	AMS3894-2B	Carbon Fiber Tape and Sheet Epoxy Resin Impregnated G 150,000 (1034) Tensile, 20,000,000 (138) Modulus, 175 (347)	1989	SAE	0

22493	AMS3894-3B	Carbon Fiber Tape and Sheet Epoxy Resin Impregnated G 150,000 (1034) Tensile, 19,000,000 (131) Modulus, 80 (176)	1989	SAE	0
22494	AMS3894-4B	CARBON (GRAPHITE> FIBER TAPE AND SHEET Epoxy Resin Impregnated G 150,000 (1034) Tensile, 15,000,000 (103> Modulus, 80 (176)	1989	SAE	0
22495	AMS3894-5B	Carbon Fiber Tape and Sheet Epoxy Resin Impregnated G 110,000 (758) Tensile, 27,000,000 (186) Modulus, 80 (176)	1989	SAE	0
22496	AMS3894-6B	CARBON (GRAPHITE> FIBER TAPE AND SHEET Epoxy Resin Impregnated G 150,000 (1034> Tensile, 15,000,000 (103> Modulus, 175 (347>	1989	SAE	0
22497	AMS3894-7B	Carbon Fiber Tape and Sheet Epoxy Resin Impregnated G 90,000 (621) Tensile, 40,000,000 (276) Modulus, 80 (176)	1989	SAE	0
22498	AMS3894-8B	Carbon Fiber Tape and Sheet Epoxy Resin Impregnated G 70,000 (483) Tensile, 36,000,000 (248) Modulus, 80 (176)	1989	SAE	0
22499	AMS3894-9B	Carbon Fiber Tape and Sheet Epoxy Resin Impregnated G 70,000 (483) Tensile, 36,000,000 (248) Modulus, 175 (347)	1989	SAE	0
22500	AMS3894-10A	Carbon Fiber Tape and Sheet Epoxy Resin Impregnated G 210,000 (1448) Tensile, 20,000,000 (138) Modulus, 175 (347)	1989	SAE	0
22501	AMS3894-11A	Carbon Fiber Tape and Sheet Epoxy Resin Impregnated G 200,000 (1379) Tensile, 18,000,000 (124) Modulus, 80 (176)	1989	SAE	0
22502	AMS3894-12A	Carbon Fiber Tape and Sheet Epoxy Resin Impregnated G 200,000 (1379) Tensile, 18,000,000 (124) Modulus, 120 (248)	1989	SAE	0
22503	AMS3894-13A	Carbon Fiber Tape and Sheet Epoxy Resin Impregnated G 131,000 (903) Tensile, 25,000,000 (172) Modulus, 175 (347)	1989	SAE	0
22504	AMS3894-14A	Carbon Fiber Tape and Sheet Epoxy Resin Impregnated G 90,000 (621) Tensile, 40,000,000 (276) Modulus, 175 (347)	1989	SAE	0
22505	AMS3894-15A	Carbon Fiber Tape and Sheet Epoxy Resin Impregnated G 200,000 (1379) Tensile, 21,000,000 (145) Modulus, 175 (347)	1989	SAE	0
22506	AMS3894-16A	Carbon Fiber Tape and Sheet Epoxy Resin Impregnated G 200,000 (1379) Tensile, 21,000,000 (145) Modulus, 175 (347)	1989	SAE	0
22507	AMS4020B	ALUMINUM ALLOY PLATE, ALCLAD 1.0MG - 0.60SI - 0.28CU - 0.25CR (ALCLAD 6061-T651)	1989	SAE	0
22508	AMS4018C	Aluminum Alloy Sheet and Plate 3.5Mg - 0.25Cr (5154-0)	1989	SAE	0
22509	AMS4043B	ALUMINUM ALLOY PLATE 1.0MG - 0.60SI - 0.28CU - 0.25CR (6061-T451)	1989	SAE	0
22510	AIR4004	Guide for Installation of Electrical Wire and Cable on Aircraft Landing Gear	1989	SAE	0
22511	AMS4275D	CASTINGS, PERMANENT MOLD 6.2Sn - 1Cu - 1Ni Stress Relieved	1989	SAE	0
22512	AIR1826	Acoustical Considerations for Aircraft Environmental Control System Design	1989	SAE	0
22513	AIR4096	Helicopter Engine Foreign Object Damage	1989	SAE	0
22514	AIR4077	Mechanical Switch Usage for Landing Gear Applications	1989	SAE	0
22515	AMS4630G	ALUMINUM BRONZE BARS, RODS, TUBING, AND FORGINGS 90CU - 8.5A1 SOFT	1989	SAE	0
22516	AIR4271	Handbook of System Data Communications	1989	SAE	0
22517	AS1355A	ULTRASONIC TRANSDUCERS, IMMERSION AND CONTACT PERFORMANCE PARAMETERS	1989	SAE	0
22518	AS1073A	SLEEVE HOSE ASSEMBLY, HEAT SHRINKABLE	1989	SAE	0
22519	ARP4101-2	Pilot Visibility From The Flight Deck	1989	SAE	0
22520	ARP4067	DESIGN OBJECTIVES FOR CRT DISPLAYS FOR PART 23 AIRCRAFT	1989	SAE	0
22521	ARP4056	Engine Exhaust System Design Considerations for Rotorcraft	1989	SAE	0
22522	ARP4102-5 SECTION III	NULL	1989	SAE	0
22523	ARP4103	Flight Deck Lighting for Commercial Transport Aircraft	1989	SAE	0
22524	ARP1927	Application of Direct Pressure to Resin in Curing of Epoxy and Addition Type Polyimides	1989	SAE	0
22525	AIR1184A	Capacitive Fuel Gauging System Accuracies	1989	SAE	0
22526	ARP1874	Design Objectives for CRT Displays for Part 25 (Transport) Aircraft	1988	SAE	0
22527	ARP1674A	Automated Manufacture of Continuous Multi-Ply Carbon Fiber/Epoxy Resin Impregnated Broadgoods	1988	SAE	0
22528	ARP4104	Design Objectives for Handling Qualities of Transport Aircraft	1988	SAE	0
22529	ARP4107	Aerospace Glossary for Human Factors Engineers	1988	SAE	0
22530	ARP4102-6	NULL	1988	SAE	0
22531	ARP4102-7	Electronic Displays	1988	SAE	0

22532	ARP4153	Human Interface Criteria for Collision Avoidance Systems in Transport Aircraft	1988	SAE	0
22533	ARP4055	Ground-Plane Microphone Configuration for Propeller-Driven Light- Aircraft Noise Measurement	1988	SAE	0
22534	ARP4101	Flight Deck Layout and Facilities	1988	SAE	0
22535	ARP4102-3	Flight Deck Tire Pressure Monitoring System (TPMS)	1988	SAE	0
22536	ARP4102-4	Flight Deck Alerting System (FAS)	1988	SAE	0
22537	ARP4102-5	NULL	1988	SAE	0
22538	ARP4102	Flight Deck Panels, Controls, and Displays	1988	SAE	0
22539	ARP4102-1	On Board Weight and Balance System	1988	SAE	0
22540	ARP4101-8	Flight Deck Interior Doors for Transport Aircraft	1988	SAE	0
22541	ARP4014	AIRCRAFT TURBINE ENGINE PNEUMATIC COMPONENT CONTAMINATED AIR ENDURANCE TEST	1988	SAE	0
22542	ARP618A	Boss Fittings, Metal Seal, Fluid Systems: General Requirements For	1988	SAE	0
22543	ARP716C	Gap Settings for Aircraft Piston Engine Spark Plugs	1988	SAE	0
22544	ARP908C	Torque Requirements, Installation and Qualification Test, Hose and Tube Fitting.	1988	SAE	0
22545	ARP841A	Leads, Flexible, Shielded, High Energy Ignition	1988	SAE	0
22546	AS1958	PORT-FLUID CONNECTION, RING LOCKED INSERT, STANDARD DIMENSIONS FOR	1988	SAE	0
22547	AS1959	Insert - Ring Locked, Fluid Connection Port Design, Installation and Removal of	1988	SAE	0
22548	AIR1244A	Selecting Slipper Seals for Hydraulic-Pneumatic Fluid Power Applications	1988	SAE	0
22549	AIR4243	Landing Area/Landing Gear Compatibility - A Brief History of SAE/Corps of Engineers Cooperation	1988	SAE	0
22550	AMS4631E	Aluminum Bronze Rods, Bars, and Forgings 90.5Cu - 7.5Al - 1.95: Stress Relieved	1988	SAE	0
22551	AMS7264A	RINGS, SEALING, SILICONE RUBBER High Temperature Resistant, Low Compression Set 65 - 75	1988	SAE	0
22552	AMS3813A	Rope, Aramid Fiber, Jacketed for Antenna- Support Systems	1988	SAE	0
22553	AMS3730	POTTING COMPOUNO, FOAMED EPDXY TYPE Amine Hardened	1988	SAE	0
22554	AMS3739A	POTTING COMPOUND, EPOXY FILLED 9-1 CTE, 250 HDT	1988	SAE	0
22555	AMS3688B	Adhesive, Foaming, Honeycomb Core Splice, Structural -55 ï°C to +82 ï°C (-65 ï°F to +180 ï°F)	1988	SAE	0
22556	AMS3689B	Adhesive, Foaming, Honeycomb, Core Splice, Structural -54 to +177 ï°C (-65 to +350 ï°F)	1988	SAE	0
22557	AMS4227B	ALUMINUM ALLOY CASTINGS, SAND 8.0Cu - 6.0Mg - 0.50Mn - 0.50Ni (A240.0-F) - UNS A12400	1988	SAE	0
22558	AIR1873	Guide to Limited Engine Monitoring Systems for Aircraft Gas Turbine Engines	1988	SAE	0
22559	AMS3897	Cloth, Carbon Fiber, Resin Impregnated	1988	SAE	0
22560	AMS3897-1	Carbon Fiber Cloth 8HS Style Fabric Epoxy Resin Impregnated	1988	SAE	0
22561	AMS3903-1A	Cloth, Organic Fiber, High Modulus Epoxy Resin Impregnated OC Style 120, 175 (350)	1988	SAE	0
22562	AMS3903-2A	Cloth, Organic Fiber, High Modulus Epoxy Resin Impregnated OC Style 181, 175 (350)	1988	SAE	0
22563	AMS3903-3A	Cloth, Organic Fiber, High Modulus Epoxy Resin Impregnated OC Style 281, 175 (350)	1988	SAE	0
22564	AMS3903-4A	Cloth, Organic Fiber, High Modulus Epoxy Resin Impregnated OC Style 328, 175 (350)	1988	SAE	0
22565	AMS3903-5A	Cloth, Organic Fiber, High Modulus Epoxy Resin Impregnated OC Style 120, 80 (180)	1988	SAE	0
22566	AMS3903-6A	Cloth, Organic Fiber, High Modulus Epoxy Resin Impregnated OC Style 181, 80 (180)	1988	SAE	0
22567	AMS3903-7A	Cloth, Organic Fiber, High Modulus Epoxy Resin Impregnated OC Style 281, 80 (180)	1988	SAE	0
22568	AMS3903-8A	Cloth, Organic Fiber, High Modulus Epoxy Resin Impregnated OC Style 328, 80 (180)	1988	SAE	0
22569	MA3445	PACKING, PREFORMED O-RING SEAL, FLUOROCARBON (MIL-R-83485, TYPE I), METRIC	1988	SAE	0
22570	MA3392	STUD, STEPPED - 2.0 DIA ENGAGEMENT, A286, MJ METRIC 12 X 1.25 - 10 X 1.25	1988	SAE	0
22571	MA3391	STUD, STEPPED - 2.0 DIA ENGAGEMENT, A286, MJ METRIC 10 X 1.25 - 8 X 1	1988	SAE	0
22572	MA3390	STUD, STEPPED - 2.0 DIA ENGAGEMENT, A286, MJ METRIC 8 X 1 - 7 X 1	1988	SAE	0

22573	MA3386	STUD, STEPPED - 1.5 DIA ENGAGEMENT, A286, MJ METRIC 10 X 1.25 - 8 X 1	1988	SAE	0
22574	MA3387	STUD, STEPPED - 1.5 DIA ENGAGEMENT, A286, MJ METRIC 12 X 1.25 - 10 X 1.25	1988	SAE	0
22575	MA3388	STUD, STEPPED - 2.0 DIA ENGAGEMENT, A286, MJ METRIC 6 X 1 - 5 X 0.8	1988	SAE	0
22576	MA3389	STUD, STEPPED - 2.0 DIA ENGAGEMENT, A286, MJ METRIC 7 X 1 - 6 X 1	1988	SAE	0
22577	MA3379	STUD, STRAIGHT - 2.5 DIA ENGAGEMENT, A286, MJ METRIC 6 X 1 - 6 X 1	1988	SAE	0
22578	MA3380	STUD, STRAIGHT - 2.5 DIA ENGAGEMENT, A286, MJ METRIC 7 X 1 - 7 X 1	1988	SAE	0
22579	MA3381	STUD, STRAIGHT - 2.5 DIA ENGAGEMENT, A286, MJ METRIC 8 X 1 - 8 X 1	1988	SAE	0
22580	MA3382	STUD, STRAIGHT - 2.5 DIA ENGAGEMENT, A286, MJ METRIC 10 X 1.25 - 10 X 1.25	1988	SAE	0
22581	MA3383	STUD, STEPPED - 1.5 DIA ENGAGEMENT, A286, MJ METRIC 6 X 1 - 5 X 0.8	1988	SAE	0
22582	MA3385	STUD, STEPPED - 1.5 DIA ENGAGEMENT, A286, MJ METRIC 8 X 1 - 7 X 1	1988	SAE	0
22583	MA3384	STUD, STEPPED - 1.5 DIA ENGAGEMENT, A286, MJ METRIC 7 X 1 - 6 X 1	1988	SAE	0
22584	MA4070	Pins, Procurement Specification For, Metric	1988	SAE	0
22585	MA4035	Rings, Retaining - Spiral Wound, Uniform Section Corrosion Resistant, Procurement Specification For, Metric	1988	SAE	0
22586	MA4036	Rings, Retaining - Tapered Width, Uniform Thickness Corrosion Resistant, Procurement Specification For, Metric	1988	SAE	0
22587	MA2114A	Adapter - Port Connection, Ring Locked Installation and Removal of	1988	SAE	0
22588	MA2115	UNION, FLARELESS TUBE OR BOSS	1988	SAE	0
22589	MA2116	UNION, REDUCER, FLARELESS TUBE OR BOSS	1988	SAE	0
22590	MA2157	CROSS, BULKHEAD, FLARELESS TUBE	1988	SAE	0
22591	MA2158	Cross, Swivel, Flareless Tube	1988	SAE	0
22592	AMS3360	SILICONE POTTING COMPOUND, ELASTOMERIC TWO-PART, GENERAL PURPOSE 200 - 600 POISE VISCOSITY	1988	SAE	0
22593	MA2093	Fitting End, Dimensions, Fluid Systems Port Connection, Metric	1988	SAE	0
22594	MA2110A	PORT, RING LOCKED DESIGN STANDARD DIMENSIONS FOR	1988	SAE	0
22595	MA2006	Hydraulic Tubing - Qualification Test Requirements	1988	SAE	0
22596	J899	Operator¡ s Seat Dimensions for Off-Road Self-Propelled Work Machines, Standard	1988	SAE	0
22597	J910	Hazard Warning Signal Switch, Standard	1988	SAE	0
22598	J680	(R) Location and Operation of Air Brake Controls in Motor Truck Cabs	1988	SAE	0
22599	J656	Automotive Brake Definitions and Nomenclature	1988	SAE	0
22600	J626	Diesel Fuel Injection - End-Mounting Flanges for Fuel Injection Pumps	1988	SAE	0
22601	J468	Zinc Alloy Ingot and Die Casting Compositions	1988	SAE	0
22602	J39	T-Hook Slots for Securement in Shipment of Agricultural Equipment	1988	SAE	0
22603	J249	Mechanical Stop Lamp Switch	1988	SAE	0
22604	AMS3077	Compound, Corrosion Preventive Soft Film, Thixotropic, Cold Application	1988	SAE	0
22605	J1949	Road Vehicles - High Pressure Fuel Injection Pipe End-Connections with 60 Degree Female Cone, Standard;	1988	SAE	0
22606	J1969	Electrocoat Compatibilities of Automotive Sealers, Recommended Practice	1988	SAE	0
22607	J185	Access Systems for Off-Road Machines	1988	SAE	0
22608	J1836	Overlap Shear Test for Sealant Adhesive Bonding of Automotive Glass Encapsulating Material to Body Opening, Recommended Practice	1988	SAE	0
22609	J1877	Recommended Practice for Bar-Coded Vehicle Identification Number Label	1988	SAE	0
22610	J1881	Initial Graphics Exchange Specification, Recommended Practice	1988	SAE	0
22611	J1883	Elastomeric Bushing "TRAC" Application Code, Recommended Practice	1988	SAE	0
22612	J1907	Peel Adhesion Test for Glass to Elastomeric Material for Automotive Glass Encapsulation, Recommended Practice	1988	SAE	0

22613	J1926	Specification for Straight Thread O-Ring Boss Port	1988	SAE	0
22614	J172	HARD DRAWN CARBON STEEL VALVE SPRING QUALITY WIRE AND SPRINGS	1988	SAE	0
22615	J1549	Diesel Fuel Injection Pump - Validation of Calibrating Nozzle Holder Assemblies	1988	SAE	0
22616	J1356	Minimum Performance Criteria for Falling Object Guards for Excavators	1988	SAE	0
22617	J1420	Supportive Information Report for the Fuel Economy Measurement Test (Engineering Type) for Trucks and Buses	1988	SAE	0
22618	J1284	Blade Type Electric Fuses, Standard	1988	SAE	0
22619	J1213-2	Glossary of Reliability Terminology Associated with Automotive Electronics, Information Report	1988	SAE	0
22620	AS8006	Minimum Performance Standard for Pitot and Pitot-Static Tubes	1988	SAE	0
22621	AS4159	Specification for an Automated Interchange of Standards Data	1988	SAE	0
22622	AS4074.1	LINEAR TOKEN PASSING MULTIPLEX DATA BUS	1988	SAE	0
22623	AS4074.2	HIGH SPEED RING BUS (HSRB) STANDARD	1988	SAE	0
22624	AS4251	Coupling Assemblies, Non-Locking Probe Style, Self-Aligning, Self-Sealing Disconnects	1988	SAE	0
22625	HS 1582	Manual on Design and Manufacture of Coned Disk Springs (Belleville Springs) and Spring Washers - First Edition	1988	SAE	0
22626	J1057	Identification Terminology of Earthmoving Machines	1988	SAE	0
22627	J1173	Size Classification and Characteristics of Glass Beads for Peening, Recommended Practice	1988	SAE	0
22628	J1141	Air Cleaner Elements	1987	SAE	0
22629	J1124	Glossary of Terms Related to Fluid Filters and Filter Testing	1987	SAE	0
22630	J1113	Electromagnetic Susceptibility Measurement Procedures for Vehicle Components (Except Aircraft)	1987	SAE	0
22631	J1043	Performance Criteria for Falling Object Protective Structure (FOPS) for Industrial Machines	1987	SAE	0
22632	J1001	Industrial Flail Mowers and Power Rakes	1987	SAE	0
22633	AS4076	Contractile Strain Ratio Testing of Titanium Hydraulic Tubing	1987	SAE	0
22634	AS3435	SPACER, SLEEVE - FOR .190 INCH BOLT, AMS4901 OR AMS4921	1987	SAE	0
22635	AS3436	SPACER, SLEEVE - FOR .250 INCH BOLT, AMS4901 OR AMS4921	1987	SAE	0
22636	AS8044	Takeoff Performance Monitor (TOPM) System, Airplane, Minimum Performance Standard for	1987	SAE	0
22637	AS8047	Performance Standard for Cabin Crew Portable Protective Breathing Equipment for Use During Aircraft Emergencies	1987	SAE	0
22638	J1250	In-Service Brake Performance Test Procedure - Vehicles over 4500 kg (10 000 lb), Recommended Practice	1987	SAE	0
22639	J1286	Thrust Test Device	1987	SAE	0
22640	J1305	Two-Block Warning and Limit Systems in Lifting Crane Service	1987	SAE	0
22641	J1418	Fuel Injection Pumps - High Pressure Pipes (Tubing) for Testing	1987	SAE	0
22642	J1336	Hydraulic Cylinder Leakage Test	1987	SAE	0
22643	J1600	Method for Evaluating the Adhesion Characteristics of Automotive Sealers, Recommended Practice	1987	SAE	0
22644	J1526	(R) SAE Fuel Consumption Test Procedure (Engineering Method)	1987	SAE	0
22645	J153	Operator Precautions	1987	SAE	0
22646	J1521	Truck Driver Shin-Knee Position for Clutch and Accelerator	1987	SAE	0
22647	J1500	UNIVERSAL SYMBOLS FOR OPEATOR CONTROLS	1987	SAE	0
22648	J1816	Performance Levels and Methods of Measurement of Electromagnetic Radiation from Vehicles and Devices Narrowband, 10 kHz to 1000 MHz	1987	SAE	0
22649	J1863	Coach Joint Fracture Test, Recommended Practice	1987	SAE	0
22650	J1864	Method for Evaluating Material Separation in Automotive Sealers under Pressure in Static Conditions, Recommended Practice	1987	SAE	0
22651	J1830	Size Classification and Characteristics of Ceramic Shot for Peening	1987	SAE	0
22652	J1851	Induction Cure Test for Metal Bonding Adhesives, Recommended Practice	1987	SAE	0

22653	J1852	Properties of Galvanized Low Carbon Sheet Steels and Their Relation to Formability	1987	SAE	0
22654	J2194	Roll-Over Protective Structures (ROPS) for Wheeled Agricultural Tractors	1987	SAE	0
22655	J598	Sealed Lighting Units for Construction, Industrial, and Forest Machinery	1987	SAE	0
22656	J554	Electric Fuses (Cartridge Type)	1987	SAE	0
22657	J548	Spark Plugs	1987	SAE	0
22658	J717	Agricultural Tractor Auxiliary Power Take-Off Drives	1987	SAE	0
22659	J688	Truck Ability Prediction Procedure	1987	SAE	0
22660	MA1784	Spacers and Washers, Procurement Specification For, Metric	1987	SAE	0
22661	MA1586A	Wrench Configuration, 12 Spline Drive, Metric	1987	SAE	0
22662	MA1568	Nut, Self Locking - UNS S66286, 425Ï°C & 650Ï°C, 1100 MPa, MJ Thread, Procurement Specification For, Metric	1987	SAE	0
22663	J990	Nomenclatureâ Industrial and Agricultural Mowers	1987	SAE	0
22664	MA2079	Hose Assembly, Convoluted Polytetrafluoroethylene, High Temperature, Medium Pressure, Aircraft, Metric	1987	SAE	0
22665	MA2010	Packing, Preformed - O-Ring Seal Standard Sizes & Size Codes, Metric	1987	SAE	0
22666	MA2120	HOSE ASSEMBLY, CONVOLUTED, NONMETALLIC, TFE, FLARELESS, STRAIGHT TO STRAIGHT	1987	SAE	0
22667	MA2121	Hose Assembly, Convoluted, Nonmetallic, TFE, Flareless, Straight to 45 Degrees	1987	SAE	0
22668	MA2122	Hose Assembly, Convoluted, Nonmetallic, TFE, Flareless, Straight to 90 Degrees	1987	SAE	0
22669	MA2123	HOSE ASSEMBLY, CONVOLUTED, NONMETALLIC, TFE, FLARELESS, 45Ï° TO 45Ï°	1987	SAE	0
22670	MA2124	HOSE ASSEMBLY, CONVOLUTED, NONMETALLIC, TFE, FLARELESS, 45Ï° TO 90Ï°	1987	SAE	0
22671	MA2125	HOSE ASSEMBLY, CONVOLUTED, NONMETALLIC, TFE, FLARELESS, 90Ï° TO 90Ï°	1987	SAE	0
22672	MA3338	BOLT, MACHINE-HEX HEAD, PD SHANK, LONG THREAD, AMS 5662, METRIC	1987	SAE	0
22673	MA3351	NUT, SPLINE DRIVE - EXTENDED WASHER, CUPWASHER LOCK, UNS S66286, SILVER PLATE, MJ THREAD, METRIC	1987	SAE	0
22674	MA3352	PACKING, PREFORMED - O-RING SEAL, AMS 7276, METRIC	1987	SAE	0
22675	MA3365	Bolt, Machine - Hex Head, Drilled, Full Shank, Long Thread, AMS 5731, Metric	1987	SAE	0
22676	MA3366	Bolt, Machine-Spline Drive, Extended Washer Drilled Head, Full Shank, Long Thread, AMS 5662, Metric	1987	SAE	0
22677	MA3347	Bolt, Machine-Hex Head-Full Shank, Long Thread, AMS 5731 Metric	1987	SAE	0
22678	MA3349	NUT, SELF LOCKING - REDUCED HEX DRIVE, UNS S66286, SILVER PLATE, MJ THREAD, METRIC	1987	SAE	0
22679	MA3341	BOLT, MACHINE-SPLINE EXTENDED WASHER, FULL SHANK, LONG THREAD, AMS5731, METRIC	1987	SAE	0
22680	MA3342	Bolt, Machine-Spline Extended Washer, Full Shank, Drilled, Long Thread, AMS5731, Metric	1987	SAE	0
22681	MA3343	Bolt, Machine - Spline Drive Extended Washer, Full Shank, Long Thread, AMS 5662, Metric	1987	SAE	0
22682	MA2532	ADAPTER PORT TO TUBE, 60 DEG CONE COUPLING, AMS 5639, MJ THREAD, METRIC	1987	SAE	0
22683	MA3266	NUT, SELF-LOCKING SPLINE DRIVE, EXTENDED WASHER UNS S66286, SILVER PLATE, MJ THREAD, METRIC	1987	SAE	0
22684	MA3287	BOLT, MACHINE-SPLINE EXTENDED WASHER, PD SHANK LONG THREAD, AMS5731, METRIC	1987	SAE	0
22685	MA4030	RING, RETAINING - EXTERNAL, REINFORCED E-RING, TYPE I CLASS 3 AMS 5520, METRIC	1987	SAE	0
22686	MA4016	RING, RETAINING - EXTERNAL, SPIRAL WOUND, HEAVY & MEDIUM DUTY CRES, METRIC	1987	SAE	0
22687	MA4017	RING, RETAINING - INTERNAL, SPIRAL WOUND, HEAVY & MEDIUM DUTY CRES, METRIC	1987	SAE	0
22688	MA4018	PIN, STRAIGHT, HEADLESS AMS 5688, METRIC	1987	SAE	0
22689	MA4019	PIN, STRAIGHT, HEADLESS AMS 5732, METRIC	1987	SAE	0
22690	MA4020	RING, RETAINING - EXTERNAL, TAPERED, TYPE I, CLASS 2 AMS 5520, METRIC	1987	SAE	0
22691	MA4021	RING, RETAINING - INTERNAL, TAPERED, TYPE I, CLASS 1 AMS 5520, METRIC	1987	SAE	0
22692	MA4029	RING, RETAINING - INTERNAL, BEVELED, TAPERED, TYPE II, CLASS 1 AMS 5520, METRIC	1987	SAE	0

22693	MA3368	Bolt, Machine-Spline Extended Washer, PD Shank, Long Thread, Drilled, AMS5662 Metric	1987	SAE	0
22694	MA3369	Bolt, Machine-Hex Head, Drilled, PD Shank, Long Thread, AMS 5662, Metric	1987	SAE	0
22695	MA3442	PACKING, PREFORMED - O-RING SEAL, AMS 7267, METRIC	1987	SAE	0
22696	MA3437	SPACER, SLEEVE - FOR 5MM BOLT, AMS4901 OR AMS4921, METRIC	1987	SAE	0
22697	MA3438	SPACER, SLEEVE - FOR 6MM BOLT, AMS4901 OR AMS4921, METRIC	1987	SAE	0
22698	MA3434	PACKING, PREFORMED - O-RING SEAL, AMS 7273, METRIC	1987	SAE	0
22699	MA3429	Nut, Self Locking, Spline Drive, Extended Washer, UNS N07001, Silver Plate, MJ Thread, Metric - UNS N07001	1987	SAE	0
22700	MA3398	Bolt, Machine-Hex Head-Drilled, PD Shank, Long Thread, AMS 5731, Metric	1987	SAE	0
22701	AMS3855A	FLAME RESISTANCE TREATMENT OF INTERIOR FABRICS	1987	SAE	0
22702	AMS4000E	ALUMINUM SHEET AND PLATE (1060-0) - UNS A91060	1987	SAE	0
22703	AIR4003	Report on Aircraft Engine Containment	1987	SAE	0
22704	AIR1602	Starter System Optimization Start Analysis, Turbine Engine - Electric, Battery Power	1987	SAE	0
22705	AMS3651D	POLYTETRAFLUOROETHYLENE	1987	SAE	0
22706	AMS3813-1A	Rope, Aramid Fiber, Jacketed Cabled Strand, Extruded Jacket 1. SCOPE: 1.1 Form: This specification covers cabled-strand ropes formed from impregnated aramid fibers. 1.2 Application: Primarily for nonconductive tension elements in antenna-supports.	1987	SAE	0
22707	AMS3813-2A	Rope, Aramid Fiber, Jacketed Parallel Strand, Extruded Jacket	1987	SAE	0
22708	AMS3813-3A	Rope, Aramid Fiber, Jacketed Parallel Strand, Braided Jacket	1987	SAE	0
22709	AMS3851A	FIRE RESISTANT PROPERTIES FOR AIRCRAFT MATERIALS	1987	SAE	0
22710	AMS3852A	FLAME RESISTANT PROPERTIES FOR AIRCRAFT MATERIALS	1987	SAE	0
22711	ARP1202A	Balancing Machines, Dynamic, Ball Type Slave Bearings for Rotor Support	1987	SAE	0
22712	AMS5751E	Alloy Bars, Forgings, and Rings, Corrosion and Heat Resistant 54Ni - 17.5Cr - 16.5Co - 4.0Mo - 2.9Ti - 2.9Al - 0.006B Solution, Stabilization, and Precipitation Heat Treated Consumable Electrode or Vacuum Induction Melted - UNS N07500	1987	SAE	0
22713	AS28B	Spark Plugs, Aircraft Engine	1987	SAE	0
22714	AS1863	HOSE ASSEMBLY, RUBBER, FLARELESS, FIELD ATTACHABLE FITTING, STRAIGHT TO STRAIGHT	1987	SAE	0
22715	AS1864	HOSE ASSEMBLY, RUBBER, FLARELESS, FIELD ATTACHABLE FITTING, STRAIGHT TO 45ï°	1987	SAE	0
22716	AS1865	HOSE ASSEMBLY, RUBBER, FLARELESS, FIELD ATTACHABLE FITTING, STRAIGHT TO 90ï°	1987	SAE	0
22717	AS1866	HOSE ASSEMBLY, RUBBER, FLARELESS, FIELD ATTACHABLE FITTING, 45ï° TO 45ï°	1987	SAE	0
22718	AS1867	HOSE ASSEMBLY, RUBBER, FLARELESS, FIELD ATTACHABLE FITTING, 45ï° TO 90ï°	1987	SAE	0
22719	AS1868	HOSE ASSEMBLY, RUBBER, FLARELESS, FIELD ATTACHABLE FITTING, 90ï° TO 90ï°	1987	SAE	0
22720	AS1502A	HOSE, AIR DUCT, FLEXIBLE, HELICAL, METALLIC WIRE, SUPPORTED (EXPOSED), SELF EXTINGUISHING	1986	SAE	0
22721	AS1503A	HOSE, AIR DUCT, FLEXIBLE, HELICAL, METALLIC WIRE, SUPPORTED (COVERED), SELF EXTINGUISHING	1986	SAE	0
22722	AS1504A	HOSE, AIR DUCT, FLEXIBLE, HELICAL, NONMETALLIC WIRE, SUPPORTED (EXPOSED), SELF EXTINGUISHING	1986	SAE	0
22723	AS1505A	HOSE, AIR DUCT, FLEXIBLE, ANNULAR CONVOLUTED, SELF EXTINGUISHING	1986	SAE	0
22724	AS1541A	HOSE, AIR DUCT, FLEXIBLE, HELICAL CONVOLUTED, METALLIC WIRE SUPPORTED (COVERED), SELF EXTINGUISHING	1986	SAE	0
22725	AS1542A	HOSE, AIR DUCT, FLEXIBLE, HELICAL CONVOLUTED, SELF EXTINGUISHING	1986	SAE	0
22726	AS1543A	HOSE, AIR DUCT, SEMIFLEXIBLE, SLEEVE SECTION UNREINFORCED, SELF EXTINGUISHING, NOMEX	1986	SAE	0
22727	AS1544A	HOSE, AIR DUCT, FLEXIBLE, HELICAL, NONMETELLIC WIRE SUPPORTED (COVERED), SILICONE RUBBER, SELF EXTINGUISHING	1986	SAE	0
22728	AS1960	Coupling Assembly, V-Band, Sheet Metal Flange, Pneumatic Tube	1986	SAE	0
22729	AS1960-2	COUPLING, SHEET METAL, 40? V-BAND, QUICK RELEASE (OPTIONAL SAFETY) LATCH	1986	SAE	0

22730	AS1960-3	FLANGE, SHEET METAL	1986	SAE	0
22731	AS1960-4	FLANGE END, DESIGN STANDARD	1986	SAE	0
22732	ARP996A	Cooling Data for Turbine Engines in Helicopters	1986	SAE	0
22733	AS1291A	SLEEVE, HOSE ASSEMBLY, CHAFE GUARD, TFE OR FEP	1986	SAE	0
22734	ARP268G	LOCATON AND ACTUATION OF FLIGHT DECK CONTROLS FOR TRANSPORT AIRCRAFT	1986	SAE	0
22735	ARP1623A	Guide for Preparing an ECS Computer Program Users Manual	1986	SAE	0
22736	AMS4135M	ALUMINUM ALLOY FORGINGS 4.5CU - 0.85SI - 0.80MN - 0.50MG Solution and Precipitation Heat Treated - UNS A92014	1986	SAE	0
22737	AMS4188A	Aluminum Alloy Welding Wire	1986	SAE	0
22738	AIR1939	Aircraft Engine Life Cycle Cost Guide	1986	SAE	0
22739	MA2515	RING BACK-UP, PORT CONNECTION, AMS 3660, METRIC	1986	SAE	0
22740	MA2520	NUT - HEX, BACK-UP RING, PORT FITTING CONNECTOR, AMS 5639, MJ THREAD, METRIC	1986	SAE	0
22741	MA2086	HOSE ASSEMBLY, TETRAFLUOROETHYLENE, 21000 KPA, FLARELESS, STRAIGHT TO STRAIGHT, METRIC	1986	SAE	0
22742	MA2087	HOSE ASSEMBLY, TETRAFLUOROETHYLENE, 21,000 KPA, FLARELESS, STRAIGHT TO 45Ï°, METRIC	1986	SAE	0
22743	MA2088	HOSE ASSEMBLY, TETRAFLUOROETHYLENE, 21,000 KPA, FLARELESS, STRAIGHT TO 90â °, METRIC	1986	SAE	0
22744	MA2089	HOSE ASSEMBLY, TETRAFLUOROETHYLENE, 21,000 KPA, FLARELESS, 45Ï° TO 45Ï°, METRIC	1986	SAE	0
22745	MA2090	HOSE ASSEMBLY, TETRAFLUOROETHYLENE, 21,000 KPA, FLARELESS, 45â ° TO 90â °, METRIC	1986	SAE	0
22746	MA2091	HOSE ASSEMBLY, TETRAFLUOROETHYLENE, 21,000 KPA, FLARELESS, 90Ï° TO 90Ï°, METRIC	1986	SAE	0
22747	J962	Formed Tube Ends for Hose Connections	1986	SAE	0
22748	J895	Five Conductor Electrical Connectors for Automotive Type Trailers	1986	SAE	0
22749	J868	Large Size Radiator Filler Caps and Necks	1986	SAE	0
22750	J714	Wheel Mounting Elements for Industrial and Agricultural Disc Wheels, Recommended Practice	1986	SAE	0
22751	J63	Hole Placement on Dozer End Bits	1986	SAE	0
22752	J580	Sealed Beam Headlamp Assemble	1986	SAE	0
22753	J208	SAFETY FOR AGRICULTURAL TRACTORS	1986	SAE	0
22754	J1529	Overlap Shear Test for Automotive Type Sealant for Stationary Glass Bonding, Recommended Practice	1986	SAE	0
22755	J1477	Measurement of Interior Sound Levels of Light Vehicles	1986	SAE	0
22756	J162	Flywheels for Single Bearing Engine Mounted Power Generators	1986	SAE	0
22757	J1447	Fire-Resistant Fluid Usage in Hydraulic Systems of Off-Road Work Machines	1986	SAE	0
22758	J1307	Excavator and Backhoe Hand Signals	1986	SAE	0
22759	AIR1408A	Aerospace Fuel System Specifications and Standards	1986	SAE	0
22760	AMS3150C	FLUID, HYDRAULIC FIRE RESISTANT	1986	SAE	0
22761	AS8014	Minimum Performance Standard Stall Warning Equipment	1986	SAE	0
22762	AMS1450A	Disinfectant (Insecticide), Aircraft	1986	SAE	0
22763	HIR1622A	Noise Control in Fluid Power Systems of Marine Vehicles	1986	SAE	0
22764	J1078	A Recommended Method of Analytically Determining the Competence of Hydraulic Telescopic Cantilevered Crane Booms	1986	SAE	0
22765	AS968C	Flange - Accessory, 10.000 BC Round, Design Standard for	1986	SAE	0
22766	AS964C	Flange - Accessory, 5.000 BC Round, Design Standard for	1986	SAE	0
22767	AS943A	Starter, Pneumatic, Aircraft Engine, General Specification for	1986	SAE	0
22768	J1146	THE AUTOMATIC LUBRICANT PERFORMANCE AND SERVICE CLASSIFICATION MAINTENANCE PROCEDURE	1986	SAE	0
22769	J1123	Leaf Springs for Motor Vehicle Suspension - Made to Metric Units, Standard;	1985	SAE	0

22770	AIR1378B	Standard Words for Test Paragraphs for Tube Fittings and Tube Assemblies	1985	SAE	0
22771	J1036	Dimensional Standard for Cylindrical Hydraulic Couplers for Agricultural Tractors, Standard;	1985	SAE	0
22772	AIR1379A	Prestressing (Autofrettaging) of Hydraulic Tubing Lines	1985	SAE	0
22773	AS425C	Nomenclature and Abbreviations for Use on the Flight Deck	1985	SAE	0
22774	AS3406	Bolt, Machine - Hexagon Head, Drilled 6 Holes, PD Shank, AMS 5708, .3125-24 UNJF-3A	1985	SAE	0
22775	AS3407	Bolt, Machine - Hexagon Head, Drilled 6 Holes, PD Shank, AMS 5708, .375-24 UNJF-3A	1985	SAE	0
22776	AS3400	Bolt, Machine - Hexagon Head, Drilled 1 Hole, PD Shank, AMS 5708, .190-32 UNJF-3A	1985	SAE	0
22777	AS3401	Bolt, Machine - Hexagon Head, Drilled 1 Hole, PD Shank, AMS 5708, .250-28 UNJF-3A	1985	SAE	0
22778	AS3402	Bolt, Machine - Hexagon Head, Drilled 1 Hole, PD Shank, AMS 5708, .3125-24 UNJF-3A	1985	SAE	0
22779	AS3405	Bolt, Machine - Hexagon Head, Drilled 6 Holes, PD Shank, AMS 5708, .250-28 UNJF-3A	1985	SAE	0
22780	AS3404	Bolt, Machine - Hexagon Head, Drilled 6 Holes, PD Shank, AMS 5708, .190-32 UNJF-3A	1985	SAE	0
22781	AS3403	Bolt, Machine - Hexagon Head, Drilled 1 Hole, PD Shank, AMS 5708, .375-24 UNJF-3A	1985	SAE	0
22782	AS3303	Bolt, Machine - Hexagon Head, PD Shank, AMS 5708, .190-32 UNJF-3A	1985	SAE	0
22783	AS3309	Bolt, Machine - Hexagon Head, PD Shank, AMS 5708, .375-24 UNJF-3A	1985	SAE	0
22784	AS3307	Bolt, Machine - Hexagon Head, PD Shank, AMS 5708, .250-28 UNJF-3A	1985	SAE	0
22785	AS3308	Bolt, Machine - Hexagon Head, PD Shank, AMS 5708, .3125-24 UNJF-3A	1985	SAE	0
22786	AS8042	MANIFOLD PRESSURE INSTRUMENTS	1985	SAE	0
22787	J510	Leaf Springs for Motor Vehicle Suspension - Made to Customary U.S. Units	1985	SAE	0
22788	J375	Radius-Of-Load or Boom Angle Indicating Systems	1985	SAE	0
22789	J376	Load Indicating Devices in Lifting Crane Service	1985	SAE	0
22790	AMS3079B	Compound, Corrosion-Preventive Soft Film, Hot Application	1985	SAE	0
22791	J1285	Powershift Transmission Fluid Classification	1985	SAE	0
22792	J1451	A Dictionary of Terms for the Dynamics and Handling of Single Track Vehicles (Motorcycles, Mopeds, and Bicycles)	1985	SAE	0
22793	J1441	Subjective Rating Scale for Vehicle Handling	1985	SAE	0
22794	J1374	Hydraulic Cylinder Rod Seal Endurance Test Procedure	1985	SAE	0
22795	J169	Design Guidelines for Air Conditioning Systems for Off-Road Operator Enclosures	1985	SAE	0
22796	J1466	Passenger Car and Light Truck Tire Dynamic Driving Traction in Snow, Recommended Practice	1985	SAE	0
22797	J1522	Truck Driver Stomach Position	1985	SAE	0
22798	J1525	(R) Lap Shear Test for Automotive-Type Adhesives for Fiber Reinforced Plastic (FRP) Bonding	1985	SAE	0
22799	J950	Gradeability Test Code	1985	SAE	0
22800	MA1937	Nut, Hex, Free Running, Procurement Specification For, Metric	1985	SAE	0
22801	MA3288	NUT, PLAIN HEX UNS S66286, MJ THREAD, METRIC	1985	SAE	0
22802	MA3344	NUT, PLAIN HEX - THIN, UNS S66286 MJ THREAD, METRIC	1985	SAE	0
22803	MA3350	NUT, CASTELLATED, HEX - UNS S66286, MJ THREAD, METRIC	1985	SAE	0
22804	MA3422	Nut, Plain Hex - UNS S66286, Silver Plate, MJ Thread, Metric - UNS S66286	1985	SAE	0
22805	MA3428	Nut, Castellated, Hex - Thin, UNS S66286, Silver Plate, MJ Thread, Metric - UNS S66286	1985	SAE	0
22806	MA3424	Nut, Plain Hex - Thin, UNS S66286, Silver Plate, MJ Thread, Metric - UNS S66286	1985	SAE	0
22807	MA3423	Nut, Plain Hex - Drld, UNS S66286, Silver Plate, MJ Thread, Metric - UNS S66286	1985	SAE	0
22808	MA3426	Nut, Castellated, Hex - UNS S66286, Silver Plate, MJ Thread, Metric - UNS S66286	1985	SAE	0
22809	AMS4023E	Aluminum Alloy Sheet and Plate, Alclad 1.0Mg - 0.60Si - 0.28Cu - 0.20Cr (Alclad 6061; -T6 Sheet, -T651 Plate)	1985	SAE	0
22810	AIR1935	Methods of Controlling Distortion of Inlet Airflow During Static Acoustical Tests of Turbofan Engines and Fan Rigs	1985	SAE	0

22811	AMS3907-1	CLOTH, ARAMID 5 oz per sq yd (170 g/m2) Basket Weave	1985	SAE	0
22812	AMS3907-2	CLOTH, ARAMID 4.3 oz per sq yd (145 g/m2) Plain Weave	1985	SAE	0
22813	AMS3912A	Radomes, Foam Sandwich Polyimide/Quartz Cloth Construction	1985	SAE	0
22814	AMS3903A	Cloth, Organic Fiber (Para-Aramid), High Modulus Epoxy Resin Impregnated	1985	SAE	0
22815	AIR1921	Spark Igniter Semiconductor Resistance Measurement Using Controlled Energy Levels	1985	SAE	0
22816	ARP1610A	Physical-Chemical Characterization Techniques, Epoxy Adhesive and Prepreg Resin Systems	1985	SAE	0
22817	AS1920	PLUG-PROTECTIVE DUST AND FLUID SEAL, FLARELESS FITTING	1985	SAE	0
22818	AS1491A	Interline Air Cargo Pallets	1985	SAE	0
22819	ARP1181A	Terminology for Flight Control Systems	1985	SAE	0
22820	AMS5723A	STEEL BARS, FORGINGS, AND RINGS, CORROSION AND HEAT RESISTANT 20Cr - 9Ni - 1.6MO - 1.4W - 0.6Ti - UNS S63199	1984	SAE	0
22821	AMS5729	STEEL BARS, CORROSION AND HEAT RESISTANT 20Cr - 9Ni - 1.6Mo - 1.4W - 0.6Ti - UNS S63199	1984	SAE	0
22822	AMS5538B	STEEL SHEET, STRIP, AND PLATE, CORROSION AND HEAT RESISTANT 19.5Cr - 9.5Ni - 1.6Mo - 1.4W - 0.58Ti - UNS S63199	1984	SAE	0
22823	AMS5041A	STEEL SHEET AND STRIP 0.08 max Carbon Extra Deep Drawing Grade, Special Killed	1984	SAE	0
22824	ARP1795A	STRESS-CORROSION/TITANIUM ALLOYS EFFECT CLEANING AGENTS ON AIRCRAFT ENGINE MATERIALS	1984	SAE	0
22825	ARP1842	Surface Preparation for Structural Adhesive Bonding Aluminum Alloy and Low Alloy Steel Parts	1984	SAE	0
22826	AS1284A	STANDARD TEST PROCEDURE AND LIMIT VALUE FOR SHUTOFF SURGE PRESSURE OF PRESSURE FUEL DISPENSING SYSTEMS	1984	SAE	0
22827	ARP899B	Tube Fittings, Fluid Systems, Permanent Type, General Requirements for	1984	SAE	0
22828	AMS3781	COPPER WIRE, MAGNET Single Film Insulated, High Temperature	1984	SAE	0
22829	AMS3633	PLASTIC TUBING, ELECTRICAL INSULATION Irradiated Polyolefin, Heat Shrinkable	1984	SAE	0
22830	AMS3663	FABRIC, GLASS, VINYL COATED POROUS	1984	SAE	0
22831	AMS3560A	FIBREBOARD, SOLID	1984	SAE	0
22832	AMS3585	PLASTIC TUBING, ELECTRICAL INSULATION Polytetrafluoroethylene, Heat Shrinkable Thin Wall	1984	SAE	0
22833	AMS3620B	PLASTIC MOLDINGS & EXTRUSIONS POLYSTYRENE	1984	SAE	0
22834	MA2007A	Hose Assembly, Tetrafluoroethylene, Lightweight, 204 Degrees C, 21 000 kPa Hydraulic, Metric	1984	SAE	0
22835	J869	Component Nomenclature - Construction Two-and Four-Wheel Tractors	1984	SAE	0
22836	J864	Surface Hardness Testing with Files, Recommended Practice	1984	SAE	0
22837	J877	Properties of Low Carbon Sheet Steel and Their Relationship to Formability	1984	SAE	0
22838	J841	Operator Controls for Agricultural Wheeled Tractors	1984	SAE	0
22839	J579	Sealed Beam Headlamp Units for Motor Vehicles	1984	SAE	0
22840	J607	Small Spark Ignition Engine Test Code	1984	SAE	0
22841	J53	Minimum Performance Criteria for Emergency Steering of Wheeled Earthmoving Construction Machines	1984	SAE	0
22842	J1475	Hydraulic Hose Fitting for Marine Applications (Stabilized Type)	1984	SAE	0
22843	J1437	Lead-Free Replacement Paints	1984	SAE	0
22844	J1448	Electromagnetic Susceptibility Measurements of Vehicle Components Using TEM Cells (14 kHz-200 MHz)	1984	SAE	0
22845	AMS2666D	SILVER BRAZING HIGH TEMPERATURE	1984	SAE	0
22846	J1267	Leakage Testing, Information Report;	1984	SAE	0
22847	J1221	HEADLAMP-TURN SIGNAL SPACING	1984	SAE	0
22848	J1775-HIR 1559A	Bleed-Air Pneumatic Systems for Gas Turbine Equipped Marine and Amphibious Craft	1984	SAE	0

22849	J253	Headlamp Switch	1984	SAE	0
22850	J410	High Strength, Low Alloy Steel	1984	SAE	0
22851	AS8008	Flight Director Equipment	1984	SAE	0
22852	AS3305	INSERT, HELICAL COIL - SCREW LOCKING - AMS 7246	1984	SAE	0
22853	AS3397	Nut, Self-Locking, Double Hexagon, Reduced Envelope, AMS 7251	1984	SAE	0
22854	J1016	Component Nomenclature - Dumpers	1984	SAE	0
22855	J1055	SERVICE PERFORMANCE REQUIREMENTS FOR SIGNAL FLASHER	1983	SAE	0
22856	J1056	SERVICE PERFORMANCE REQUIREMENTS FOR VEHICULAR HAZARD WARNING FLASHERS	1983	SAE	0
22857	J1104	SERVICE PERFORMANCE REQUIREMENTS FOR WARNING LAMP ALTERNATING FLASHERS	1983	SAE	0
22858	J1147	Welding, Brazing, and Soldering - Materials and Practices, Information Report	1983	SAE	0
22859	AS8029	Minimum Performance Standard for Fuel and Oil Quantity Indicating System Components	1983	SAE	0
22860	AMS2253E	Tolerances Carbon and Alloy Steel Tubing	1983	SAE	0
22861	J408	Methods of Sampling Steel for Chemical Analysis	1983	SAE	0
22862	J416	Tensile Test Specimens	1983	SAE	0
22863	J417	Hardness Tests and Hardness Number Conversions	1983	SAE	0
22864	J418	Grain Size Determination of Steels	1983	SAE	0
22865	J419	Methods of Measuring Decarburization	1983	SAE	0
22866	J422	Microscopic Determination of Inclusions in Steels	1983	SAE	0
22867	J423	Methods of Measuring Case Depth	1983	SAE	0
22868	J465	Magnesium Casting Alloys	1983	SAE	0
22869	J469	Zinc Die Casting Alloys	1983	SAE	0
22870	J48	Guidelines for Liquid Level Indicators	1983	SAE	0
22871	AMS3106A	Primer, Adhesive, Corrosion-Inhibiting -55 to +95 Degrees C (-67 Degrees to +200 Degrees F)	1983	SAE	0
22872	J1248	Performance Requirements for Parking Stability of Motorcycles	1983	SAE	0
22873	J1434	Wrought Aluminum Applications Guidelines, Information Report;	1983	SAE	0
22874	J170	Measurement of Fuel Evaporative Emissions from Gasoline Powered Passenger Cars and Light Trucks by the Trap Method	1983	SAE	0
22875	J538	Grounding of Storage Batteries	1983	SAE	0
22876	J943	SLOW-MOVING VEHICLE IDENTIFICATION EMBLEM	1983	SAE	0
22877	AMS3695	Adhesive Film, Epoxy-Base For High Durability Structural Adhesive Bonding	1983	SAE	0
22878	AMS3695-1	Adhesive Film, Epoxy-Base, High Durability For 95?C (200?F) Service	1983	SAE	0
22879	AMS3695-2	Adhesive Film, Epoxy-Base, High Durability For 120?C (250?F) Service	1983	SAE	0
22880	AMS3695-3	Adhesive Film, Epoxy-Base, High Durability For 215?C (420?F) Service	1983	SAE	0
22881	AMS3695-4	Adhesive Film, Epoxy-Base, High Durability For 215?C (420?F) Service	1983	SAE	0
22882	AIR1672B	Practical Methods to Obtain Free-Field Sound Pressure Levels from Acoustical Measurements Over Ground Surfaces	1983	SAE	0
22883	AMS3718-6A	WEBBING, WOVEN NYLON For Decelerators 1 3/4 (44) Wide, 10,000 (44,500) Breaking Strength	1983	SAE	0
22884	AMS4129B	ALUMINUM ALLOY BARS , ROLLED OR COLD FINISHED 1.0MG - 0.60Si - 0.28Cu - 0.20Cr (6061-T651) STRESS-RELIEF STRETCHED	1983	SAE	0
22885	AIR3260	Identification of Standard Utility Parts - Bolts and Nuts	1983	SAE	0
22886	AMS4226A	Aluminum Alloy Castings, High Strength 5.0Cu - 0.35Mn - 0.18Zr - 0.10V (224.0) Solution and Precipitation Heat Treated (Overaged) - UNS A02240	1983	SAE	0
22887	ARP1835	Preparation for Delivery, General Requirements for Hose Assemblies	1983	SAE	0
22888	ARP1709	Coupling Assembly, Hydraulic Self Sealing, Quick Disconnect	1983	SAE	0

22889	ARP457A	Ferrule- High Altitude Spark Plug Leads	1983	SAE	0
22890	AS1478B	HOSE ASSEMBLY, FLEXIBLE, LOW PRESSURE, FLARELESS, POTABLE WATER, 90ï° TO 90ï°	1983	SAE	0
22891	AS1472A	Hose Assembly, Low Pressure, Potable Water	1983	SAE	0
22892	AS1476B	HOSE ASSEMBLY, FLEXIBLE, LOW PRESSURE, FLARELESS, POTABLE WATER, 45ï° TO 45ï°	1983	SAE	0
22893	AS1723	HOSE, POLYTETRAFLUOROETHYLENE (TFE), HIGH TEMPERATURE AND MEDIUM PRESSURE (1500 PSIG) WITH INTEGRAL SILICONE COMPOSITE FIRE PROTECTION	1982	SAE	0
22894	ARP1676	Recommended Formulae for Determining Drop Dimensions for Simple-Bend Tube Fittings with Flared and Flareless End Connections Used in Aerospace Applications	1982	SAE	0
22895	ARP715A	Performance Acceptance Testing of Air Turbine Starters	1982	SAE	0
22896	AMS4925B	TITANIUM ALLOY BARS AND FORGINGS 4A1 - 4Mn Annealed, 130,000 psi Yield - UNS R56440	1982	SAE	0
22897	AMS5533A	ALLOY SHEET & STRIP, CORROS & HEAT RESIS, IRON BASE	1982	SAE	0
22898	AMS5644D	Steel Bars and Forgings, Corrosion Heat Resistant 17Cr - 7Ni - 1Al - UNS S17700	1982	SAE	0
22899	AMS5728B	STEEL FORCINGS, CORROSION AND HEAT RESISTANT 16Cr - 25Ni - 6Mo Hopkins Electric Ingot Process	1982	SAE	0
22900	AMS5727B	STEEL FORCINGS, CORROSION AND HEAT RESISTANT 16Cr - 25Ni - 6Mo	1982	SAE	0
22901	AMS5722C	STEEL BARS, FORCINGS, AND RINGS, CORROSION AND HEAT RESISTANT 19.5Cr - 9.5Ni - 1.4Mo - 1.4W - 0.42(Cb + Ta) - 0.22Ti - UNS K63198	1982	SAE	0
22902	AMS5720A	STEEL BARS, CORROSION AND HEAT RESISTANT 20Cr - 9Ni - 1.4Mo - 1.4W - -0.42(Cb + Ta) - 0.22Ti - UNS K63198	1982	SAE	0
22903	AMS5741D	STEEL BARS AND FORCINGS, CORROSION AND HEAT RESISTANT 13.5Cr - 26Ni - I.8M0 - 3.0Ti - 0.02B Consumable Electrode Vacuum Melted Solution, Stabilization, and Precipitation Heat Treated - UNS K66545	1982	SAE	0
22904	AMS5673D	Steel Wire, Corrosion Resistant 17Cr - 7.1Ni - 1.1Al Precipitation Hardenable, Spring Temper - UNS S17700	1982	SAE	0
22905	ARP1352	Helicopter Mission Definition	1982	SAE	0
22906	AMS7714	STEEL SHEET AND STRIP, FLAT-ROLLED ELECTRICAL 3Si AISI Type M-19, Semiprocessed	1982	SAE	0
22907	AMS7715	STEEL SHEET AND STRIP, FLAT-ROLLED ELECTRICAL 4.25SI, AISI TYPE M-15, SEMIPROCESSED	1982	SAE	0
22908	AMS7806A	MOLYBDENUM FORGINGS POWDER METALLURGY, SINTERED, STRESS RELIEVED	1982	SAE	0
22909	AMS7807A	MOLYBDENUM FORGINGS, ARC CAST, STRESS RELIEVED	1982	SAE	0
22910	AMS7811A	MOLYBDENUM ALLOY SHEET, STRIP, PLATE, 0.5TI, ARC CAST, STRESS RELIEVED	1982	SAE	0
22911	AMS7813	MOLYBDENUM ALLOY BARS, 0.5TI, ARC CAST, STRESS RELIEVED	1982	SAE	0
22912	AMS7476C	BOLTS AND SCREWS, STEEL, CORROSION AND HEAT RESISTANT Roll Threaded - UNS K63198	1982	SAE	0
22913	AMS7899	TUNGSTEN SHEET & STRIP	1982	SAE	0
22914	AMS7821	MOLYBDENUM ALLOY FORGINGS, 0.5TI-0.08ZR, ARC CAST, STRESS RELIEVED	1982	SAE	0
22915	AMS6541A	STEEL BARS, FORGINGS, TUBING, AND RINGS 0.48Cr - 8.0Ni - 4.0Co - 0.48Mo - 0.9V (0.24 - 0.30C) Premium Quality, Consumable Electrode Melted, Annealed	1982	SAE	0
22916	AMS6542A	STEEL BARS, FORGINGS, AND TUBING 0.27Cr - 7.75Ni - 4.0Co - 0.27Mo - 0.09V (0.42 - 0.48C) Premium Quality, Consumable Electrode Melted, Annealed	1982	SAE	0
22917	AMS6242C	STEEL BARS AND FORGINGS, CARBURIZING 5.0Ni (0.15 - 0.20C)	1982	SAE	0
22918	AMS3921A	PLYWOOD, MEDIUM DENSITY	1982	SAE	0
22919	AMS3922A	PLYWOOD, HIGH DENSITY	1982	SAE	0
22920	AMS3750A	POTTING COMPOUND, EPOXY, FLEXIBLE DUROMETER 75-85	1982	SAE	0
22921	AMS3540A	PAPER, GREASEPROOF Acid Free - Noncorrosive - Light Duty	1982	SAE	0
22922	AMS3554A	FIBREBOARD, CORRUGATED DOUBLE WALL	1982	SAE	0
22923	AIR1758	Limits and Fits - International Metric Tolerance System	1982	SAE	0
22924	AMS3825	FABRIC, GLASS (181) (CHROME TREATED)	1982	SAE	0

22925	AMS3835	FABRIC, GLASS(181) (DECORATIVE GRADE)	1982	SAE	0
22926	AMS3810A	TAPE, ADHESIVE, CLOTH BACK	1982	SAE	0
22927	AIR1533	Procedure for the Calculation of Basic Emission Parameters for Aircraft Turbine Engines	1982	SAE	0
22928	AMS3287	FELT (BACK CHECK), GRAY (95% WOOL)	1982	SAE	0
22929	MAP1670	Studs, Installation Practice for Interference Fit - Metric	1982	SAE	0
22930	J362	VEHICLE HOOD LATCH SYSTEMS	1982	SAE	0
22931	AS782	CLAMP, HALF TUBE SUPPORT	1982	SAE	0
22932	HS J788	Manual on Design and Application of Leaf Springs - Information Report; Fourth Edition	1982	SAE	0
22933	AS8033	Nickel Cadmium Vented Rechargeable Aircraft Batteries (Non-Sealed, Maintainable Type)	1981	SAE	0
22934	J461	Wrought and Cast Copper Alloys	1981	SAE	0
22935	J463	Wrought Copper and Copper Alloys	1981	SAE	0
22936	J1346	Guide to Manifold Absolute Pressure Transducer Representative Test Method, Information Report	1981	SAE	0
22937	J1332	Rope Drum Rotation Indicating Device	1981	SAE	0
22938	J1340	Test Method for Measuring Power Consumption of Air Conditioning and Brake Compressors for Trucks and Buses	1981	SAE	0
22939	J1193	Nomenclature and Dimensions for Hydraulic Excavators	1981	SAE	0
22940	J126	Selecting and Specifying Hot and Cold Rolled Steel Sheet and Strip	1981	SAE	0
22941	MA2003	Rotary Flexure Testing of Hydraulic Tubing Joints and Fittings	1981	SAE	0
22942	J811	Surface Rolling and Other Methods for Mechanical Prestressing of Metals, Information Report;	1981	SAE	0
22943	AMS3809	Tape, Adhesive, Pressure- Sensitive Double-Faced, Carpet Tie Down	1981	SAE	0
22944	AMS3780	COPPER WIRE POLYTETRAFLUORORETHYLENE Covered, Miniature	1981	SAE	0
22945	AMS4019	ALUMINUM ALLOY SHEET AND PLATE 3.5Mg - 0.25Cr (5154-H32)	1981	SAE	0
22946	AMS4047B	ALUMINUM ALLOY SHEET AND PLATE, ALUMINUM ALLOY CLAD, ROLL TAPERED 5.6Zn - 2.5Mg - 1.6Cu - 0.25Cr (Alc 7075-T6)	1981	SAE	0
22947	AMS4052A	ALUMINUM ALLOY SHEET & PLATE, ALUMINUM ALLOY CLAD	1981	SAE	0
22948	AMS4042F	ALUMINUM ALLOY SHEET & PLATE,ALCLAD 4.5CU-1.5MG	1981	SAE	0
22949	AMS4072	ALUMINUM ALLOY SHEET AND PLATE, ALCLAD 4.5Cu - 1.5Mg - 0.60Mn (Alclad 2024-T86) Width 30 In. and Under	1981	SAE	0
22950	AMS4073	ALUMINUM ALLOY SHEET AND PLATS, ALCLAD 4.5Cu - 1.5Mg - 0.60Mn (Alclad 2024-T86) Width Over 30 to 48 I n . , Incl	1981	SAE	0
22951	AMS4074	ALUMINUM ALLOY SHEET AND PLATE, ALCLAD 4.5Cu - 1.5Mg - 0.60Mn (iilclad 2024-T86) Width Over 43 to 60 In., Incl	1981	SAE	0
22952	AMS4075	ALUMINUM ALLOY SHEET AIMD PLATE, ALCLAD 4.5Cu - 1.5Mg - 0.60Mn (Alclad 2024-T86) Width Over 60 Inches	1981	SAE	0
22953	AMS4060	ALUMINUM ALLOY SHEET & PLATE, ALCLAD 4.5CU-1.5MG	1981	SAE	0
22954	AMS4061	ALUMINUM ALLOY SHEET AND PLATE, ALCLAD 4.5CU - 1.5Mg - 0.60Mn (Alclad 2024-T36) Width Over 60 Inches	1981	SAE	0
22955	AMS4282E	ALUMINUM ALLOY CITINGS, PERMANENT MOLD 4.5Cu - 2.5Si (B195-T6) Solution and Precipitation Treated	1981	SAE	0
22956	AMS4283D	ALUMINUM ALLOY CASTINGS, PERMANENT MOLD 4.5Cu - 2.5S1 (B195-T4) Solution Treated	1981	SAE	0
22957	AMS4099	ALUMINUM ALLOY SHEET AND PLATE 4.5CU - 1.5Mg - 0.60Mn (2024-T36) Width Over 60 Inches	1981	SAE	0
22958	AMS4097	ALUMINUM ALLOY SHEET & PLATE 4.5CU-1.5MG-0.60MN (2024-T36) WIDTH 48 IN. AND UNDER	1981	SAE	0
22959	AMS4098	ALUMINUM ALLOY SHEET AND PLATE 4.5Cu - 1.5Mg - 0.60Mn (2024-T36) Width Over 48 to 60 In., Incl	1981	SAE	0
22960	AIR3276	Boss - Plug/Pin, Expansion Type Hole Preparation	1981	SAE	0
22961	AMS4103	ALUMINUM ALLOY SHEET AND PLATE 4-5Cu - 1.5Mg - 0.60Mn (2024-T36) Width 30 In. and Under	1981	SAE	0

22962	AMS4104	ALUMINUM ALLOY SHEET AND PLATE 4.5Cu - 1.5Mg - 0.60Mn (2024-T86) Width Over 30 to 43 I n . , Incl	1981	SAE	0
22963	AMS4105	ALUMINUM ALLOY SHFLT AND PLATE 4.5Cu - 1.5Mg - 0.60Mn (2024-T86) Width Over 48 to 60 In., Incl	1981	SAE	0
22964	AMS4106	ALUMINUM ALLOY SHEET AND PLATE 4.5Cu - 1.5Mg - 0.60Mn (2024-T86) Width Over 60 Inches	1981	SAE	0
22965	AMS4109A	Aluminum Alloy Hand Forgings 5.6Zn - 2.5Mg - 1.6Cu - 0.24Cr (7175- T736) - UNS A97175	1981	SAE	0
22966	AIR3277	Installation Procedures - Pin/Plug Expansion Type	1981	SAE	0
22967	AMS4137A	ALUMINUM ALLOY FORGINGS 7.5ZN-1.6MG-0.7CU-0.55MN (76S-T6)	1981	SAE	0
22968	AMS4170	ALUMINUM ALLOY IMPACT EXTRUSIONS 5.6Zn - 2.5Mg - 1.6Cu - 0.?5Cr (75S-T6)	1981	SAE	0
22969	AMS4158A	ALUMINUM ALLOY EXTRUSIONS 6.8ZN-2.75MG-2.0CU	1981	SAE	0
22970	AMS6416B	Steel Bars, Forgings, and Tubing 1.6Si - 0.82Cr - (0.41 - 0.46C)	1981	SAE	0
22971	AMS4840A	LEADED BRONZE CASTINGS 70Cu-24.5Pb-5.5Sn	1981	SAE	0
22972	AMS4358A	MAGNESIUM ALLOY FORGINGS AZ61X	1981	SAE	0
22973	ARP1536A	Abrasion Test Procedure for Chafe Guard	1981	SAE	0
22974	AS1607A	Valve, Starter Control, Pneumatic, Aircraft Engine General Specification for	1981	SAE	0
22975	AS1620	STUD, LOCKED IN - RING, STRAIGHT, HOLE PREPARATION FOR	1981	SAE	0
22976	AS1561	Stud, Locked in - Ring, Straight, Installation and Removal of	1981	SAE	0
22977	ARP450D	FLIGHT DECK VISUAL, AUDIBLE, & TACTILE SIGNALS	1980	SAE	0
22978	ARP504C	Ignition System Testing - Metering and Power Supplies	1980	SAE	0
22979	AMS5750C	Alloy Bars, Forgings, and Rings, Corrosion and Heat Resistant Nickel Base - 15.5Cr - 16Mo - 3.8W - 5.5Fe Solution Heat Treated	1980	SAE	0
22980	J782B	(R) MOTOR VEHICLE SEATING MANUAL	1980	SAE	0
22981	J820	Crane Hoist Line Speed and Power Test Code	1980	SAE	0
22982	MA1549	Wrenching Configuration, 12 Spline, For Metric Threaded Fasteners	1980	SAE	0
22983	AIR1593	Clamp Loads and Bending Stresses in Aircraft Tubing Installations	1980	SAE	0
22984	J1257	Rating Chart for Cantilevered Boom Cranes	1980	SAE	0
22985	J1274	PERFORMANCE REQUIREMENTS FOR THE AUTOMOTIVE AUDIO CASSETTE	1980	SAE	0
22986	J224	Collision Deformation Classification	1980	SAE	0
22987	AS8028	Powerplant Fire Detection Instruments Thermal & Flame Contact Types (Reciprocating and Turbine Engine Powered Aircraft)	1980	SAE	0
22988	AS8020	MINIMUM PERFORMANCE STANDARDS FOR ENGINE DRIVEN D.C. GENERATORS/STARTER-GENERATORS AND ASSOCIATED VOLTAGE REGULATORS	1980	SAE	0
22989	AS714A	Aircraft Hydraulic Start Motor	1980	SAE	0
22990	B92.2M	Standard ANSI B92.2M-1980 (R1989) (Includes B92.2Ma-1984) Approved by American National Standards Institute Metric Module Involute Splines	1980	SAE	0
22991	J1006	Performance Test for Air Conditioned Agricultural Equipment	1980	SAE	0
22992	HS-788	SAE Manual on Design and Application of Leaf Springs	1980	SAE	0
22993	J1048	Symbols for Motor Vehicle Controls, Indicators and Tell-Tales	1980	SAE	0
22994	J107	Operator Controls and Displays on Motorcycles	1980	SAE	0
22995	AIR1377A	Fire Test Equipment for Flexible Hose and Tube Assemblies	1980	SAE	0
22996	J1152	Braking Performance - Rubber-Tired Construction Machines	1980	SAE	0
22997	J1014	Classification and Nomenclature Towing Winch for Skidders and Crawler Tractors	1979	SAE	0
22998	AS3265	WASHER FLAT LOAD SPREADING, METRIC, AMS5525	1979	SAE	0
22999	AS3215A	RING, RETAINING-SPIRAL, INTERNAL, HEAVY DUTY, CRES	1979	SAE	0

23000	AS3216A	RING, RETAINING-SPIRAL, EXTERNAL, HEAVY DUTY, CRES	1979	SAE	0
23001	AS3217A	RING, RETAINING-SPIRAL, INTERNAL, LIGHT DUTY, CRES	1979	SAE	0
23002	AS3219A	Ring, Retaining, Spiral, Minimum Distortion, Dimensional and Acceptance Standard For	1979	SAE	0
23003	J1215	PERFORMANCE PREDICTION OF ROLL-OVER PROTECTIVE STRUCTURES (ROPS) DTHROUGH ANALYTICAL METHODS	1979	SAE	0
23004	J1230	Minimum Requirements for Wheel-Slip Brake-Control System Malfunction Signals	1979	SAE	0
23005	J742	(R) CAPACITY RATINGâ LOADER BUCKET	1979	SAE	0
23006	AMS4188-5	ALUMINUM ALLOY WELDING WIRE 7. OSi - 0. 52Mg (357.0)	1979	SAE	0
23007	AMS3582A	Plastic Tubing, Electrical Insulation Crosslinked Polyvinyl Chloride, Flexible Heat Shrinkable 2 to 1 Shrink Ratio	1979	SAE	0
23008	AMS5531A	STEEL SHEET, STRIP, AND PLATE, CORROSION AND HEAT RESISTANT 30Fe - 21Cr - 20Ni - 20Co - 3. OMo - 2.5W - 1.0(Cb+Ta) - 0.15N	1979	SAE	0
23009	AMS6540C	STEEL BARS, FORGINGS, TUBING,AND RINGS 0.48CR - 8.0Ni - 4.0Co - 0.48Mo - 0.09V (0.24 - 0.30C) Annealed	1979	SAE	0
23010	AMS6545B	STEEL SHEET STRIP, AND PLATE 0.48Cr - 8.0Ni - 4.0Co - 0.48Mo - 0.9V (0.24 - 0.30C) Annealed	1979	SAE	0
23011	AS1370A	NULL	1979	SAE	0
23012	AS1159B	Wrenching Configuration, 12 Lobed, For Threaded Fasteners	1979	SAE	0
23013	AS1508	Undercuts for Straight Screw Threads - Metric	1979	SAE	0
23014	AS1486	HOSE ASSEMBLY, SEMI-RIGID, LOW PRESSURE, FLARELESS, POTABLE WATER, 45ĩ° TO 45ĩ°	1979	SAE	0
23015	AS1487	HOSE ASSEMBLY, SEMI-RIGID, LOW PRESSURE, FLARELESS, POTABLE WATER, 45ĩ° TO 90ĩ°	1979	SAE	0
23016	AS1483	HOSE ASSEMBLY, SEMI-RIGID, LOW PRESSURE, FLARELESS, POTABLE WATER, STRAIGHT TO STRAIGHT	1979	SAE	0
23017	AS1484	HOSE ASSEMBLY, SEMI-RIGID, LOW PRESSURE, FLARELESS, POTABLE WATER, STRAIGHT TO 45ĩ°	1979	SAE	0
23018	AS1485	Hose Assembly, Semi- Rigid, Low Pressure, Flareless, Potable Water, Straight to 90 Degree	1979	SAE	0
23019	AS3069	NUT, SELF-LOCKING, DOUBLE HEXAGON, REDUCED ENVELOPE, AMS7251	1979	SAE	0
23020	AS3062C	Bolts, Screws and Studs, Screw Thread Requirements	1979	SAE	0
23021	AS3098	SCREW, MACHINE - HEXAGON HEAD, PD SHANK, CRES AMS5731, .164-36 UNJF-3A	1979	SAE	0
23022	AS3099	BOLT, MACHINE - HEXAGON HEAD, PD SHANK, CRES AMS5731, .190-32 UNJF-3A	1979	SAE	0
23023	AS3100	BOLT, MACHINE - HEXAGON HEAD, PD SHANK, CRES AMS5731, .250-28 UNJF-3A	1979	SAE	0
23024	AS3101	BOLT, MACHINE - HEXAGON HEAD, PD SHANK, CRES AMS5731, .3125-24 UNJF-3A	1979	SAE	0
23025	AS3109	BOLT, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, PD SHANK, CRES AMS5731, .3125-24 UNJF-3A	1979	SAE	0
23026	AS3111	BOLT, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, PD SHANK, CRES AMS5731, .4375-20 UNJF-3A	1979	SAE	0
23027	AS3110	BOLT, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, PD SHANK, CRES AMS5731, .375-24 UNJF-3A	1979	SAE	0
23028	AS3113	BOLT, MACHINE - HEXAGON HEAD, DRILLED 1 HOLE, PD SHANK, CRES AMS5731, .5625-18 UNJF-3A	1979	SAE	0
23029	AS3114	BOLT, MACHINE - HEXAGON HEAD, DRILLED 6 HOLES, PD SHANK, CRES AMS5731, .190-32 UNJF-3A	1979	SAE	0
23030	AS3116A	Bolt, Machine - Hexagon Head, Drilled 6 Holes, PD Shank, CRES AMS 5731, .3125-24 UNJF-3A	1979	SAE	0
23031	AS3115	BOLT, MACHINE - HEXAGON HEAD, DRILLED 6 HOLES, PD SHANK, CRES AMS5731, .250-28 UNJF-3A	1979	SAE	0
23032	AS3108	Bolt, Machine-Hexagon Head, Drilled 1 Hole, PD Shank, CRES AMS 5731, .250-28 UNJF-3A	1979	SAE	0
23033	AS3102	BOLT, MACHINE - HEXAGON HEAD, PD SHANK, CRES AMS5731, .375-24 UNJF-3A	1979	SAE	0
23034	AS3105	BOLT, MACHINE - HEXAGON HEAD, PD SHANK, CRES AMS5731, .5625-18 UNJF-3A	1979	SAE	0
23035	AS3103	BOLT, MACHINE - HEXAGON HEAD, PD SHANK, CRES AMS5731, .4375-20 UNJF-3A	1979	SAE	0
23036	AS3120	Bolt, Machine-Hexagon Head, Drilled 6 Holes, PD Shank, CRES AMS 5731, .5625-18 UNJF-3A	1979	SAE	0
23037	AS3068A	NUT, SELF-LOCKING, DOUBLE HEXAGON, REDUCED ENVELOPE, AMS7251	1978	SAE	0
23038	AS1516	Helicopter FUEL Economy Evaluation	1978	SAE	0
23039	ARP766A	Restraint Device for Small Children	1978	SAE	0

23040	ARP1469	Restraint Device for Infants	1978	SAE	0
23041	ARP1278	Oscilloscopic Method of Measuring Spark Energy	1978	SAE	0
23042	J786A	Brake System Road Test Code - Truck, Bus, and Combination of Vehicles	1978	SAE	0
23043	J992	Brake System Performance Requirements - Truck, Bus, and Combination of Vehicles	1978	SAE	0
23044	J1225	Development of a Frequency Weighted Portable Ride Meter	1978	SAE	0
23045	J1235	Measuring and Reporting the Internal Leakage of a Hydraulic Fluid Power Valve	1978	SAE	0
23046	J1232	Passenger and Light Truck Tire Traction Device Profile Determination and Classification	1978	SAE	0
23047	J1238	Rating Lift Cranes on Fixed Platforms Operating in the Ocean Environment	1978	SAE	0
23048	J1216	Test Methods for Metric Threaded Fasteners	1978	SAE	0
23049	J1184	Definitions of Acoustical Terms	1978	SAE	0
23050	J256B	SERVICE PERFORMANCE REQUIREMENTS FOR MOTOR VEHICLE LIGHTING DEVICES AND COMPONENTS	1978	SAE	0
23051	AIR1466	Hydraulic Energy Limited Engine Starting Systems	1978	SAE	0
23052	AS3226	Tube, Tee, Boss - AMS 5646	1978	SAE	0
23053	AS3259	PIN - COTTER, CRES AMS 7211, METRIC SERIES	1978	SAE	0
23054	AS966B	Flange - Accessory, 8.000 BC Round, Design Standard for	1978	SAE	0
23055	AS972B	Spline Details, Accessory Drives and Flanges	1977	SAE	0
23056	J1072	Sintered Tool Materials, Recommended Practice	1977	SAE	0
23057	J1171	External Ignition Protection of Marine Electrical Devices	1977	SAE	0
23058	J1167	(R) Motorcycle Stop Lamp Switch	1977	SAE	0
23059	J1168	Motorcycle Bank Angle Measurement Procedure	1977	SAE	0
23060	J1174	Operator Ear Sound Level Measurement Procedure for Small Engine Powered Equipment	1977	SAE	0
23061	J1180	Telescopic Boom Length Indicating System	1977	SAE	0
23062	AS701C	Boss Design for Spark Igniters	1977	SAE	0
23063	J439A	Sintered Carbide Tools	1977	SAE	0
23064	AIR1423	Electromagnetic Compatibility on Gas Turbine Engines for Aircraft Propulsion	1977	SAE	0
23065	J234	Electric Windshield Washer Switch	1977	SAE	0
23066	J1194	Rollover Protective Structures (ROPS) for Wheeled Agricultural Tractors	1977	SAE	0
23067	J1195	CYLINDER ROD WIPER SEAL INGRESSION TEST	1977	SAE	0
23068	J1200	Blind Rivets - Break Mandrel Type	1977	SAE	0
23069	J1203	Light Transmittance of Automotive Windshields Safety Glazing Materials	1977	SAE	0
23070	AIR1500	Bibliography-Lossy Filters	1977	SAE	0
23071	J929A	PISTON RINGS AND PISTONS	1977	SAE	0
23072	J734	COMPONENT NOMENCLATURE - DUMPER TRAILER	1977	SAE	0
23073	J589B	Turn Signal Switch	1977	SAE	0
23074	AS1414	PROPELLER SHAFT END - FLANGED 5.125(130.175) BOLT CIRCLE	1977	SAE	0
23075	AS3070	NUT, SELF-LOCKING, DOUBLE HEXAGON, REDUCED ENVELOPE, AMS7251	1976	SAE	0
23076	AS3144	STUD, STEPPED - 2.5 DIA ENGAGEMENT, PD SHANK, AMS 5731 .5625-18 UNJF-3A X .500-20 UNJF-3A	1976	SAE	0
23077	AS3156	BOLT, MACHINE- DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, CLOSE TOLERANCE SHANK, AMS 4967, .190-32, UNJF-3A	1976	SAE	0
23078	AS3160	BOLT, MACHINE- DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, CLOSE TOLERANCE SHANK, AMS 4967, .4375-20, UNJF-3A	1976	SAE	0
23079	AS3161	Bolt, Machine-Double Hexagon Extended Washer Head, Drilled, Close Tolerance Shank, AMS 4967, .500-20 UNJF-3A	1976	SAE	0

23080	AS3162	Bolt, Machine-Double Hexagon Extended Washer Head, Drilled, Close Tolerance Shank, AMS 4967, .5625-18 UNJF-3A	1976	SAE	0
23081	AS3157	BOLT, MACHINE- DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, CLOSE TOLERANCE SHANK, AMS 4967, .250-28, UNJF-3A	1976	SAE	0
23082	AS3158	BOLT, MACHINE- DOUBLE HEXAGON EXTENDED WASHER HEAD, DRILLED, CLOSE TOLERANCE SHANK, AMS 4967, .3125-24, UNJF-3A	1976	SAE	0
23083	AS1171A	BOSS-FLUID CONNECTION, INTERNAL STRAIGHT THREAD, SHALLOW TAP	1976	SAE	0
23084	AS1338	Aerospace Metric 60 Degree Screw Thread Profile and Tolerance Classes	1976	SAE	0
23085	ARP476A	Shock and Vibration Evaluation of Packaging	1976	SAE	0
23086	ARP159A	Dielectric Testing of Spark Plugs	1976	SAE	0
23087	AMS5658C	STEEL BARS, FORGINGS, AND RINGS, CORROSION RESISTANT 15cr - 4.5Ni -0.30 (Cb + Ta) - 3.5Cu. - UNS S15500	1976	SAE	0
23088	J773	Conical Spring Washers	1976	SAE	0
23089	AIR1404	DC Resistivity vs RF Impedance of EMI Gaskets	1976	SAE	0
23090	J399	Anodized Aluminum Automotive Parts	1976	SAE	0
23091	J462	Cast Copper Alloys	1976	SAE	0
23092	J451	Aluminum Alloys - Fundamentals	1976	SAE	0
23093	J470C	Wrought Nickel and Nickel-Related Alloys	1976	SAE	0
23094	AS3208	Packing, Preformed - AMS 7276 - Seal	1976	SAE	0
23095	AS3209	PACKING, PREFORMED - AMS 7276, O RING	1976	SAE	0
23096	AS3214	Wire, Safety-Steel, Corrosion and Heat Resistant, AMS 5689	1976	SAE	0
23097	AS3167	Bolt, Machine - Double Hex Extended Washer Head, Close Tolerance Shank, AMS 5643, .190-32 UNJF-3A	1976	SAE	0
23098	AS3169	Bolt, Machine - Double Hex Extended Washer Head, Close Tolerance Shank, AMS 5643, .3125-24 UNJF-3A	1976	SAE	0
23099	AS3168	Bolt, Machine - Double Hex Extended Washer Head, Close Tolerance Shank, AMS 5643, .250-28 UNJF-3Am	1976	SAE	0
23100	AS3172A	Bolt, Machine - Double Hex Extended Washer Head, Close Tolerance Shank, AMS 5643, .500-20 UNJF-3A	1976	SAE	0
23101	J1136	Braking Performance - Roller/Compactors	1976	SAE	0
23102	J1115	Guidelines for Developing and Revising SAE Nomenclature and Definitions, Information Report	1976	SAE	0
23103	J1096	Measurement of Exterior Sound Levels for Heavy Trucks Under Stationary Conditions	1976	SAE	0
23104	J1117	Method of Measuring and Reporting the Pressure Differential-Flow Characteristics of a Hydraulic Fluid Power Valve, Recommended Practice	1975	SAE	0
23105	J1109	Component Nomenclature - Articulated Log Skidder, Rubber-Tired	1975	SAE	0
23106	AS3166	UNION, TUBE - CRES AMS 5646, CONICAL END, CONNECTOR	1975	SAE	0
23107	AIR1296	Concurrent Design of Engines and Specifications of Starting System for Helicopters	1975	SAE	0
23108	AS8004	Minimum Performance Standard for Turn and Slip Instrument	1975	SAE	0
23109	AS8001	Minimum Performance Standard for Bank & Pitch Instruments	1975	SAE	0
23110	AIR1312	EXHAUST EMISSION LIMITS FOR DIESEL ENGINES USED IN AIRCRAFT GROUND SUPPORT EQUIPMENT AT AIRPORT ENVIRONMENTS	1975	SAE	0
23111	J499A	Parallel Side Splines for Soft Broached Holes in Fittings	1975	SAE	0
23112	J284	Safety Alert Symbol for Agricultural, Construction and Industrial Equipment	1975	SAE	0
23113	J122	Surface Discontinuities on Nuts	1975	SAE	0
23114	AS3163	Nut, Plain - O.D. Slots, Key Washer Locked, AMS 6322, MIL-S-8879	1975	SAE	0
23115	AS3090	STUD - STRAIGHT, KEY LOCKED, CRES AMS5731 .190-32 UNJF X .190-32 UNJF	1975	SAE	0
23116	AS3091	STUD - STRAIGHT, KEY LOCKED, CRES AMS5731 .250-28 UNJF X .250-28 UNJF	1975	SAE	0
23117	AS3092	STUD - STRAIGHT, KEY LOCKED, CRES AMS5731 .3125-24 UNJF X .3125-24 UNJF	1975	SAE	0

23118	AS3093	STUD - STRAIGHT, KEY LOCKED, CRES AMS5731 .375-24 UNJF X .375-24 UNJF	1975	SAE	0
23119	AS3095	INSERT - CRES HELICAL COIL FINE THREAD, LOCKING (LOW FRICTION SYSTEMS) 2 DIA NOM LENGTH	1974	SAE	0
23120	AS3096	INSERT - CRES HELICAL COIL FINE THREAD, LOCKING (LOW FRICTION SYSTEMS) 2.5 DIA NOM LENGTH	1974	SAE	0
23121	AS3097	INSERT - CRES HELICAL COIL FINE THREAD, LOCKING (LOW FRICTION SYSTEMS) 3 DIA NOM LENGTH	1974	SAE	0
23122	AS3094	INSERT - CRES HELICAL COIL FINE THREAD, LOCKING (LOW FRICTION SYSTEMS) 1.5 DIA NOM LENGTH	1974	SAE	0
23123	AIR1262	Aircraft Fire Protection for Helicopter Gas Turbine Powerplant and Related Systems Installations	1974	SAE	0
23124	AIR1209	Construction and Calibration of Parallel Plate Transmission Line for Electromagnetic Interference Susceptibility Testing	1974	SAE	0
23125	AS1297A	Reducers, Pneumatic Pressure, Missile	1974	SAE	0
23126	AS1337A	Selected Aerospace Diameter Pitch Combinations of Metric 60ï° Screw Threads for Nuts and Bolts	1974	SAE	0
23127	AMS5735J	STEEL BARS, FORGINGS, TUBING, AND RINGS, CORROSION AND HEAT RESISTANT 15Cr - 26Ni - 1.3Mo - 2.1Ti - 0.30V 1800 Degrees F (982.2 Degrees C) Solution and Precipitation Heat Treated - UND K66286	1974	SAE	0
23128	AMS5736G	STEEL BARS, FORGINGS, TUBING, AND RINGS, CORROSION AND HEAT RESISTANT 15Cr - 26Ni - 1.3Mo - 2.1Ti - 0.30V 1800 Degrees F (982.2 Degrees C) Solution Heat Treatec - UNS K66286	1974	SAE	0
23129	J489B	LOCK WASHERS	1974	SAE	0
23130	AS8003	Minimum Performance Standard for Automatic Pressure Altitude Reporting Code Generating Equipment	1974	SAE	0
23131	J1074	Engine Sound Level Measurement Procedure (Stabilized Type)	1974	SAE	0
23132	AS961B	Drive - Studded, Accessory, 5.000 B.C. Square, Design Standard for	1974	SAE	0
23133	AS959B	Drive - Studded, Accessory, 2.653 B.C. Square, Design Standard for	1974	SAE	0
23134	AS880	PROPELLER SHAFT END - FLANGED 4.250(107.95) BOLT CIRCLE	1974	SAE	0
23135	J1060	Subjective Rating Scale for Evaluation of Noise and Ride Comfort Characteristics Related to Motor Vehicle Tires (Stabilized Type)	1973	SAE	0
23136	AIR1309	AIRCRAFT ENVIRONMENTAL FACTORS FOR DESIGN CONSIDERATION	1973	SAE	0
23137	J471D	Sintered Powder Metal Parts: Ferrous	1973	SAE	0
23138	J46	Wheel-Slip Brake-Control System Road Test Code	1973	SAE	0
23139	J521B	FUEL INJECTION TUBING CONNECTIONS	1973	SAE	0
23140	J974	Flashing Warning Lamp for Agricultural Equipment	1973	SAE	0
23141	J993	Alloy and Temper Designation Systems for Aluminum, Standard;	1973	SAE	0
23142	ARP1267	Electromagnetic Interference Measurement Impulse Generators; Standard Calibration Requirements and Techniques	1973	SAE	0
23143	ARP1134	Adapter Interface- Turbine Engine Blade Moment Weighing Scale	1973	SAE	0
23144	AS1293	SLEEVE, HOSE ASSEMBLY, CHAFE GUARD, TEE COIL	1973	SAE	0
23145	AS1294	SLEEVE, HOSE ASSEMBLY, CHAFE GUARD, NYLON COIL	1973	SAE	0
23146	AS1295	SLEEVE, HOSE ASSEMBLY, CHAFE GUARD, NEOPRENE RUBBER	1973	SAE	0
23147	AS1298	SLEEVE, HEAVY WALL, HOSE ASSEMBLY, CHAFE GUARD, TFE	1973	SAE	0
23148	AS1325	Wrench Configuration, 12 Lobed Drive	1973	SAE	0
23149	AS1292	SLEEVE, HOSE ASSEMBLY, CHAFE GUARD, BUTYRATE COIL	1973	SAE	0
23150	AS100026 THRU AS100035A	Safety Wire - CRES AMS5685	1973	SAE	0
23151	AS194A	Nomenclature - Engine Cooling Fan	1973	SAE	0
23152	AS3080	INSERT - CRES HELICAL COIL FINE THREAD, STRAIGHT STUD LOCKING, 1.5 DIA NOM LENGTH	1973	SAE	0
23153	AS3081	INSERT - CRES HELICAL COIL FINE THREAD, STRAIGHT STUD LOCKING, 2 DIA NOM LENGTH	1973	SAE	0
23154	AS3082	INSERT - CRES HELICAL COIL FINE THREAD, STRAIGHT STUD LOCKING, 2.5 DIA NOM LENGTH	1973	SAE	0
23155	AS3083	Insert - CRES Helical Coil Fine Thread, Straight Stud Locking, 3 Dia Nom Length	1973	SAE	0

23156	AIR786A	Elastomer Compatibility Considerations Relative to O-Ring and Sealant Selection	1972	SAE	0
23157	AIR1207	A Primer of Aircraft Multiplexing	1972	SAE	0
23158	AS1259	Drive Pad Breech QAD Assembly	1972	SAE	0
23159	AS1260	Equivalent Sections of Certain Shapes to Round Bars	1972	SAE	0
23160	AS1188	Aircraft Tire Inflation-Deflation Equipment	1972	SAE	0
23161	ARP368C	Spark Plug Thread Form Data (60 Degrees Thread Angle)	1972	SAE	0
23162	ARP1172	Filters, Conventional, Electromagnetic Interference Reduction General Specification for	1972	SAE	0
23163	ARP1279	Standard Indoor Method of Collection and Presentation of the Bare Turboshaft Engine Noise Data for Use in Helicopter Installations	1972	SAE	0
23164	AIR1054A	THE MEASUREMENT OF TRAINEE PERFORMANCE IN SIMULATORS AND PART-TASK TRAINERS	1972	SAE	0
23165	J67	Shovel Dipper, Clam Bucket, and Dragline Bucket Rating (Stabilized Type)	1972	SAE	0
23166	J687	Nomenclature - Truck, Bus, Trailer	1972	SAE	0
23167	J474	Electroplating and Related Finishes	1972	SAE	0
23168	J487A	COTTER PINS	1972	SAE	0
23169	J502	Woodruff Keys	1972	SAE	0
23170	J283	Test Procedure for Measuring Hydraulic Lift Capacity on Agricultural Tractors Equipped with Three-point Hitch	1972	SAE	0
23171	AIR1263	TIN PLATED SOLDERLESS TERMINAL LUGS AND SPLICES ON NICKEL COATED HIGH TEMPERATURE WIRE	1972	SAE	0
23172	AS692A	Igniter, Spark, Aeronautical Engine (High Tension)	1972	SAE	0
23173	AS470C	Drive-Accessory, 10 Bolt Circle - Reaf. Noncur. January 2001	1971	SAE	0
23174	AS471C	Flange-Accessory, 5 Bolt Circle - Reaffirmed Noncurrent January 2001	1971	SAE	0
23175	AS472C	FLANGE-ACCESSORY, 8â BOLT CIRCLE	1971	SAE	0
23176	AS463	OXYGEN REGULATORS FOR COMMERCIAL TRANSPORT AIRCRAFT	1971	SAE	0
23177	AS468C	Drive-Accessory, 5 Bolt Circle - Reaffirmed Noncurrent January 2001	1971	SAE	0
23178	AS977	Coupling - Clamp, Groove V-Band, Forged 6.400, 9.400, 11.400 Flange OD	1971	SAE	0
23179	J112A	Electric Windshield Wiper Switch	1971	SAE	0
23180	AIR1081	House Noise-Reduction Measurements for Use in Studies of Aircraft Flyover Noise	1971	SAE	0
23181	J235	Electric Blower Motor Switch	1971	SAE	0
23182	J243	Methods of Tests for Automotive-Type Sealers, Adhesives, and Deadeners	1971	SAE	0
23183	J258	Circuit Breaker - Internal Mounted - Automatic Reset	1971	SAE	0
23184	J259	Ignition Switch	1971	SAE	0
23185	J784A	Residual Stress Measurement by X-Ray Diffraction	1971	SAE	0
23186	J536B	Hose Clamps	1971	SAE	0
23187	J980A	Bumper Evaluation Test Procedure-Passenger Cars	1971	SAE	0
23188	J921B	MOTOR VEHICLE INSTRUMENT PANEL LABORATORY IMPACT TEST PROCEDURES - HEAD AREA	1971	SAE	0
23189	AIR1092	High Tension Exciter Output Voltage Measurement Using Cathode-Ray Oscilloscope	1971	SAE	0
23190	ARP484A	Spark Igniter Gap Types	1971	SAE	0
23191	ARP590B	Spark Plug, Aircraft Reciprocating Engine	1971	SAE	0
23192	AIR1213	Radioisotope Power Systems	1971	SAE	0
23193	AIR1221	Electromagnetic Compatibility (EMC) System Design Checklist	1971	SAE	0
23194	AIR1255	Spectrum Analyzers for Electromagnetic Interference Measurements	1971	SAE	0
23195	AIR947	Engine Erosion Protection	1971	SAE	0

23196	AS3076	RING - BACK-UP, BOSS CONNECTION POLYTETRAFLUORETHYLENE	1970	SAE	0
23197	ARP568B	UNIFORM DASH NUMBERING SYSTEM FOR O-RINGS	1970	SAE	0
23198	ARP721	Turbine Drive Shaft Connection	1970	SAE	0
23199	ARP667	Precision Motor Tachometer Generator	1970	SAE	0
23200	ARP676	LEVER ENDS (INVOLUTE SERRATIONS)	1970	SAE	0
23201	ARP826	Electrical Computing Resolvers	1970	SAE	0
23202	AS1194	Regulator Oxygen, Diluter Demand, Automatic Pressure Breathing	1970	SAE	0
23203	AIR1167	Environmental Criteria and Tests for Aerospace Ground Equipment in Support of Space Systems	1970	SAE	0
23204	J937B	Service Brake System Performance Requirements - Passenger Car	1970	SAE	0
23205	J918C	Passenger Car Tire Performance Requirements and Test Procedures, Standard	1970	SAE	0
23206	J836	Automotive Metallurgical Joining, Information Report	1970	SAE	0
23207	J437A	Selection and Heat Treatment of Tool and Die Steels	1970	SAE	0
23208	J438B	(R) Tool and Die Steels	1970	SAE	0
23209	J511	Pneumatic Spring Terminology	1970	SAE	0
23210	AIR1076	Aircraft Fire Protection for Reciprocating and Gas Turbine Engine Installations	1970	SAE	0
23211	AS976	Coupling - Clamp, Groove V-Band, 6.400, 9.400, 11.400 Flange OD	1970	SAE	0
23212	AS960A	Drive - Studded, Accessory, 2.653 B.C. Square, Design Standard for	1969	SAE	0
23213	AS962A	Flange - Accessory, 5.000 BC Square, Design Standard for	1969	SAE	0
23214	J105	HEX BOLTS	1969	SAE	0
23215	J109	Service Brake System Performance Requirements - Motorcycles and Motor-Driven Cycles (Stabilized Type)	1969	SAE	0
23216	AS413B	Temperature Instruments (Reciprocating Engine Powered Aircraft)	1969	SAE	0
23217	AS778A	Spark Plug Terminals and Sleeves - Reaffirmed Noncurrent June 1994	1969	SAE	0
23218	J125	Elevated Temperature Properties of Cast Irons	1969	SAE	0
23219	J138	Film Analysis Guides for Dynamic Studies of Test Subjects	1969	SAE	0
23220	J388	Dynamic Flex Fatigue Test for Slab Polyurethane Foam	1969	SAE	0
23221	J345A	Wet or Dry Pavement Passenger Car Tire Peak and Locked Wheel Braking Traction	1969	SAE	0
23222	J857	ROLL-OVER TESTS WITHOUT COLLISION	1969	SAE	0
23223	AIR1091	High Voltage Pulse Generator	1969	SAE	0
23224	AIR1090	Ignition Exciter Output Voltage Pulse Measurement Using a Pressurized Ball Gap	1969	SAE	0
23225	AIR1108	Groove Design - Metal Face Seal	1969	SAE	0
23226	AIR1129	Aerospace Ground Equipment Criteria for a Propellant Transfer Unit	1969	SAE	0
23227	ARP1111	Inspection of Worn Involute Splines	1969	SAE	0
23228	AS1078	Fitting End - Flared Tube Connection, Extended Thread	1969	SAE	0
23229	AS1104	Single-Degree-of-Freedom Spring-Restrained Rate Gyros	1969	SAE	0
23230	AS3040A	INSTALLATION - MULTIPLE TUBE DETACHABLE CUSHION CLAMP	1969	SAE	0
23231	ARP945	MINIMUM REQUIREMENTS FOR AIRPLANE CARGO SYSTEMS	1968	SAE	0
23232	ARP990	MINIMUM REQUIREMENTS FOR AIR CARGO PALLET NETS	1968	SAE	0
23233	ARP506A	HIGH TEMPERATURE INSULATED TERMINAL LUGS	1968	SAE	0
23234	J879B	Motor Vehicle Seating Systems, Recommended Practice	1968	SAE	0
23235	J792A	SAE Manual on Blast Cleaning, Information Report	1968	SAE	0
23236	J467B	Special Purpose Alloys ("Superalloys")	1968	SAE	0

23237	AIR1044	INTERIOR CONTOURS MAIN DECK CARGO COMPARTMENTS, JET POWERED CARGO AIRPLANES	1967	SAE	0
23238	J982	TRUCK, TRUCK-TRACTOR, AND TRAILER AIR SERVICE BRAKE SYSTEM PNEUMATIC PRESSURE AND TIME LEVELS	1967	SAE	0
23239	J999	Crane Boom Hoist Disengaging Device	1967	SAE	0
23240	ARP435	Overspeed Warning Instrument (Turbine Powered Subsonic Aircraft)	1967	SAE	0
23241	ARP830	MINIMUM REQUIREMENTS FOR AIR CARGO PALLETS	1967	SAE	0
23242	AIR978A	Diagrams and Characteristics of Typical Piston Engine Magneto Ignition Systems	1967	SAE	0
23243	AIR713A	Guideline for Determining, Presenting, and Substantiating Turbine Engine Starting and Motoring Characteristics,	1967	SAE	0
23244	AS143C	HEATERS, AIRCRAFT, INTERNAL COMBUSTION HEAT EXCHANGER TYPE	1966	SAE	0
23245	AIR938	GUIDE FOR PREPARATION OF OPERATIONS MANUALS BY AIRFRAME MANUFACTURERS	1966	SAE	0
23246	AIR941	APPLICATIONS OF PROGRAMMED INSTRUCTION IN THE AEROSPACE INDUSTRY	1966	SAE	0
23247	AIR902	Determination of Minimum Distance from Ground Observer to Aircraft for Acoustic Tests	1966	SAE	0
23248	AIR929	MILITARY AND COMMERCIAL TRAINING AND TRAINING EQUIPMENT SPECIFICATIONS AND REQUIREMENTS	1966	SAE	0
23249	AIR913	Rocket Ignition and Related Nomenclature	1966	SAE	0
23250	ARP834	MINIMUM REQUIREMENTS FOR SELF-PROPELLED PALLET-TRANSPORT AND LIFT VEHICLES	1966	SAE	0
23251	ARP907	Missile & Rocket Applications: Hose Assemblies, Flexible Metal, High Pressure And High Temperature	1966	SAE	0
23252	AMS4968A	TITANIUM ALLOY BARS AND FORGINGS 5Zr 5Al 5Sn Annealed	1966	SAE	0
23253	AMS4923A	TITANIUM ALLOY BARS AND FORGINGS 2Cr 2Fe 2Mo Annealed, 120,000 psi Yield	1966	SAE	0
23254	J977	INSTRUMENTATION FOR LABATORY IMPACT TESTS	1966	SAE	0
23255	J954	Urethane for Automotive Seating	1966	SAE	0
23256	J965	Abrasive Wear, Information Report	1966	SAE	0
23257	J787B	Motor Vehicle Seat Belt Anchorage	1966	SAE	0
23258	AS803	Igniter, Spark, Aeronautical Engine (Low Tension)	1966	SAE	0
23259	AS815	SPARK IGNITER OUTLINE/.500-20 THREADED MOUNTING	1966	SAE	0
23260	AS889	Calibration Spark Plugs	1966	SAE	0
23261	AS903	REMOTE TRIMMING ATTACHMENT FOR AIRCRAFT TURBINE ENGINE CONTROLS	1966	SAE	0
23262	AS919	SHALLOW GROOVE SHAFTS AND LOCKING DEVICES FOR BEARING RETAINING SPANNER NUTS	1966	SAE	0
23263	AS436	Mach Meters (Turbine Powered Subsonic Aircraft)	1965	SAE	0
23264	AS452A	Oxygen Mask Assembly, Demand and Pressure Breathing, Crew	1965	SAE	0
23265	AMS5669A	Alloy Bars, Corrosion and Heat Resistant Nickel Base - 15.5Cr - 0.95 (Cb + Ta) - 2.5Ti - 0.70Al - 7.0Fe Consumable Electrode or Vacuum Induction Melted	1965	SAE	0
23266	ARP835	MINIMUM REQUIREMENTS FOR PALLET DOLLY	1965	SAE	0
23267	ARP846	Low Tension Spark Igniter Sparking Voltage Test	1965	SAE	0
23268	ARP892	D-C Starter-Generator, Engine, General Specification for,	1965	SAE	0
23269	ARP886	SST GROUND HANDLING	1965	SAE	0
23270	ARP570A	Designation of Direction of Rotation of Helicopter Rotors	1965	SAE	0
23271	ARP243B	Nomenclature, Aircraft Hydraulic and Pneumatic Systems	1965	SAE	0
23272	ARP497A	Precision Control Motors - 400 Cycles	1965	SAE	0
23273	AIR885	Spark Calorimeter	1965	SAE	0
23274	AIR883	A Method of Ground Resonance Testing for Helicopters	1965	SAE	0
23275	AIR837	A GUIDE FOR TRAINING EQUIPMENT DEVELOPMENT	1964	SAE	0

23276	AIR769	GROUND FAULT PROTECTION ON 400-CYCLE GROUND POWER UNITS	1964	SAE	0
23277	AIR779	A SURVEY REPORT OF SIMULATORS USED AS TOOLS FOR RESEARCH, DESIGN AND DEVELOPMENT	1964	SAE	0
23278	ARP831	PALLET SIZES	1964	SAE	0
23279	ARP690	Standard Exposed Junction Thermocouple for Controlled Conduction Errors in Measurement of Air or Exhaust Gas Temperature	1964	SAE	0
23280	ARP691	Recommended Ice Bath for Reference Junctions	1964	SAE	0
23281	AMS7275	RINGS, SEALING, SYNTHETIC RUBBER Synthetic Lubricant Resistant (65 - 85) Fluorocarbon Type	1964	SAE	0
23282	J690	Certificates of Maximum Net Horsepower for Motor Trucks and Truck Tractors	1964	SAE	0
23283	J475A	Screw Threads	1964	SAE	0
23284	AS441	BANK AND PITCH INSTRUMENTS	1964	SAE	0
23285	AS654	Cable, Special Purpose, Electrical: Wire, Electrical (Ignition, High-Tension)	1964	SAE	0
23286	AS840	Manual for the SAE 17.6 Cubic Inch Spark Plug Rating Engine Including Maintenance and Overhaul	1964	SAE	0
23287	AS759	FITTINGS, UNIVERSAL OR INTERNALLY THREADED, FLARED AND FLARELESS	1963	SAE	0
23288	AS757	BOSS, STRAIGHT THREAD GASKET SEAL STANDARD DIMENSION FOR	1963	SAE	0
23289	AS518A	Drive Accessory 3.000 Pilot Diameter-QAD	1963	SAE	0
23290	AS522A	Flange Accessory 3.000 Pilot Diameter - QAD - Reaffirmed Noncurrent October 2001	1963	SAE	0
23291	AS519A	Drive Accessory 4.125 Pilot Diameter - QAD	1963	SAE	0
23292	AS523A	Flange Accessory 4.125 Pilot Diameter - QAD	1963	SAE	0
23293	AS524A	Flange Accessory 6.500 Pilot Diameter - QAD - Reaffirmed Noncurrent October 2001	1963	SAE	0
23294	AS529A	Adapter - 10.000 Bolt Circle to 6.500 Pilot Diameter - QAD	1963	SAE	0
23295	AS530A	Adapter - 8.000 Bolt Circle to 4.125 Pilot Diameter - QAD	1963	SAE	0
23296	AS526A	Coupling - Sheet Metal Retainer - QAD	1963	SAE	0
23297	AS527A	Coupling - Forged Retainer - QAD	1963	SAE	0
23298	AS473C	Flange-Accessory, 10 Bolt Circle - Reaf. Noncur. January 2001	1963	SAE	0
23299	J859	NUMBERING SYSTEM FOR DESIGNATING GRADES OF CAST FERROUS MATERIALS	1963	SAE	0
23300	J863	Methods of Determining Plastic Deformation in Sheet Metal Stampings	1963	SAE	0
23301	J856	Connectors and Plugs	1963	SAE	0
23302	ARP739	Gas Power Servos and Reaction Control Systems	1963	SAE	0
23303	ARP775	Test Procedure to Determine Surge Potential of Ground Pressure Fueling Systems	1963	SAE	0
23304	ARP760	400-CYCLE GROUND POWER UNIT PROVISIONS FOR AIRCRAFT ELECTRICAL SYSTEM PROTECTION	1963	SAE	0
23305	ARP761	FORMAT, TEXT AND NUMBERING SYSTEM FOR MANUALS COVERING CIVIL AIRCRAFT GROUND SUPPORT EQUIPMENT	1963	SAE	0
23306	ARP788	Procedure For The Determination Of The Silting Index Of A Fluid	1963	SAE	0
23307	ARP777	Gas Actuators (Linear and Vane Rotary Type)	1963	SAE	0
23308	ARP609	HOSE ASSEMBLIES: PNEUMATIC, AIRCRAFT AND MISSILES, HIGH TEMPERATURE, MEDIUM PRESSURE	1963	SAE	0
23309	AS127D	PROPELLER SHAFT END, FLANGED TYPE - NO. 1, 2, 3, 4, 5, & 6	1963	SAE	0
23310	ARP461B	Synchros	1963	SAE	0
23311	ARP373B	Propeller Shaft Torque Ratings	1963	SAE	0
23312	ARP367C	AIRPLANE CABIN PRESSURIZATION	1963	SAE	0
23313	AIR797E	Hose Characteristics and Selection Chart	1963	SAE	0
23314	AS3000	PLUG, MACHINE THREAD - AMS 5646, METAL GASKET, REDUCED DIAMETER THREAD	1963	SAE	0
23315	AS3001	PLUG, MACHINE THREAD - AMS 5646, METAL GASKET, SILVER PLATED, REDUCED DIAMETER THREAD	1963	SAE	0

23316	AIR781	Guide for Determining Engine Starter Drive Torque Requirements	1962	SAE	0
23317	ARP489A	Leads, Shielded, High Tension, Detachable Spark Plug	1962	SAE	0
23318	ARP762	AIR INTAKE COVERS - AIRCRAFT	1962	SAE	0
23319	ARP1042	PRECISION SLEEVE, COUPLING FLARELESS	1962	SAE	0
23320	J824	Engine Rotation and Cylinder Numbering, Standard;	1962	SAE	0
23321	J830	Fuel Injection Equipment Nomenclature	1962	SAE	0
23322	J555A	TRUCK, TRUCK-TRACTOR, TRAILER, and MOTOR COACH WIRING	1962	SAE	0
23323	J473A	Solders	1962	SAE	0
23324	AS462	SHAFTS FOR BALL BEARING RETAINING SPANNER NUTS AND KEY WASHERS	1962	SAE	0
23325	AS509A	TERMINOLOGY GUIDE FOR AIRCRAFT GAS TURBINE ENGINES	1962	SAE	0
23326	AS515A	Adapter 10 to 5 Bolt Circle - Reaf. Noncur. January 2001	1962	SAE	0
23327	AS516A	Adapter 10 to 8 Bolt Circle - Reaf. Noncur. January 2001	1962	SAE	0
23328	AS446	Cargo Compartment Fire Detection Instruments (Turbine Powered Subsonic Aircraft)	1962	SAE	0
23329	AS420B	Flight Directors (Reciprocating Engine Powered Aircraft)	1962	SAE	0
23330	AS532A	Drive - 3/4 Generator - 8 BC - Male Pilot	1962	SAE	0
23331	AS533A	Flange - 3/4 Generator 8 BC - Female Pilot	1962	SAE	0
23332	AS534A	Drive - 3/4 Generator - 10 BC - Male Pilot	1962	SAE	0
23333	AS517A	Adapter 8 to 5 Bolt Circle - Reaf. Noncur. January 2001	1962	SAE	0
23334	AS418A	Maximum Allowable Airspeed Instruments (Reciprocating Engine Powered Aircraft)	1961	SAE	0
23335	AS438	TURN AND SLIP INDICATOR (TURBINE POWERED, SUBSONIC, AIRCRAFT)	1961	SAE	0
23336	AS401B	POWERPLANT FIRE DETECTION INSTRUMENTS - THERMAL & FLAME CONTACT TYPES (RECIPROCATING ENGINE POWERED AIRCRAFT)	1961	SAE	0
23337	AIR505	Oxygen Equipment, Provisioning and Use in High Altitude (to 40,000 ft.) Commercial Transport Aircraft	1961	SAE	0
23338	ARP717	400-CYCLE GENERATOR CHARACTERISTICS FOR CIVIL AIRCRAFT GROUND SUPPORT APPLICATIONS	1961	SAE	0
23339	ARP706	SUPPORT EQUIPMENT ENGINEERING DATA SHEET	1961	SAE	0
23340	ARP709	TECHNICAL DATA REQUIREMENTS FOR SUPPORT EQUIPMENT	1961	SAE	0
23341	AS130A	TUBE BENDING RADIUS	1961	SAE	0
23342	AIR77	Spark Energy Measurements Using Oscilloscopic Methods - Inactive for New Design After May 01,1989; NonCurrent 12/1/1998	1961	SAE	0
23343	AIR801	Oscillographic Method for Measuring Spark Energy of Capacitor Discharge Ignition Systems	1961	SAE	0
23344	AIR84A	Ignition Peak Voltage Measurements	1960	SAE	0
23345	AS1000	CAP ASSEMBLY - PRESSURE SEAL, FLARELESS TUBE FITTING	1960	SAE	0
23346	AS1012	FITTING END; ATTACHABLE, SWIVEL FEMALE 37ï° MACHINED FLARE, FLEXIBLE METAL HOSE - STRAIGHT, 45ï° ELBOW AND 90ï° ELBOW STYLES	1960	SAE	0
23347	AS1013	FITTING END; ATTACHABLE, SWIVEL FEMALE 37ï° FLARED TUBE, FLEXIBLE METAL HOSE - STRAIGHT, 45ï° ELBOW AND 90ï° ELBOW STYLES	1960	SAE	0
23348	AS1014	FITTING END; ATTACHABLE, SWIVEL FLANGE, FLEXIBLE METAL HOSE - STRAIGHT, 45ï° ELBOW AND 90ï° ELBOW STYLES	1960	SAE	0
23349	AS1020	SCREW, UNION ADJUSTABLE FLARELESS	1960	SAE	0
23350	AS1028	NUT, COUPLING, FLARED TUBE, WITH LOCKWIRE HOLES	1960	SAE	0
23351	AS1041	NUT, SLEEVE COUPLING, FLARELESS TUBE, WITH LOCKWIRE HOLES	1960	SAE	0
23352	ARP610	SYNTHETIC OR NATURAL RUBBER LINED PNEUMATIC HOSE ASSEMBLIES, AIRCRAFT	1960	SAE	0
23353	J596	ELECTRIC EMERGENCY LANTERNS	1960	SAE	0

23354	AS513	STANDARD QUALIFICATION TEST SPECIFICATION FOR AIRCRAFT AIR VALVES	1960	SAE	0
23355	AS608	HIGH PRESSURE COMPRESSED GAS HOSE ASSEMBLIES FOR AIRCRAFT AND MISSILE GROUND SUPPORT EQUIPMENT	1960	SAE	0
23356	J503	Woodruff Key Slots and Keyways	1959	SAE	0
23357	ARP605	ROUTINE INSPECTION AND TEST PROCEDURES FOR AIRCRAFT REFUELING HOSES	1959	SAE	0
23358	ARP591	Conventional Representation	1959	SAE	0
23359	ARP265A	Airfoil Shapes- Dimensioning of Turbine Engine	1959	SAE	0
23360	ARP502	PROPELLER SHAFT ENDS FLANGED SMALL AIRCRAFT ENGINE	1958	SAE	0
23361	ARP553A	Accessory Envelope Type XVI for 11" Nominal Diameter Generators AC or DC Above 60 KVA (Type I & II)	1958	SAE	0
23362	ARP550A	Accessory Envelope type XII for 6 1/2" Nominal Diameter Generation	1958	SAE	0
23363	ARP551A	ACCESSORY ENVELOPE FOR 8" NOMINAL DIAMETER GENERATORS	1958	SAE	0
23364	ARP552A	Accessory Envelope Type XVI for 11" Nominal Diameter Generators AC or DC 15 to 60 KVA (Type I & II)	1958	SAE	0
23365	AIR65	Thermoelectric Circuits and the Performance of Several Aircraft Engine Thermocouples	1958	SAE	0
23366	AS403A	STALL WARNING INSTRUMENT	1958	SAE	0
23367	AS394A	Rate of Climb Indicator, Pressure Actuated (Vertical Speed Indicator)	1958	SAE	0
23368	ARP572	Elbow Assembly- Shielded Spark Plug- .750-20 Thread	1957	SAE	0
23369	ARP576	OUTLINE AND INSTRUCTIONS FOR PREPARATION OF MODEL SPECIFICATIONS FOR HYDRAULIC SYSTEM EQUIPMENT	1957	SAE	0
23370	J445	Metallic Shot and Grit Mechanical Testing	1957	SAE	0
23371	J748	(R) Hydraulic Directional Control Valves, 3000 PSI Maximum	1957	SAE	0
23372	ARP467	EQUIPMENT FRAGILITY DATA	1956	SAE	0
23373	AMS7294A	Labels, Aluminum Foil Etched and Enameled)	1956	SAE	0
23374	AIR44	Load Support Characteristics of Aircraft Greases	1955	SAE	0
23375	AIR42	Contamination Studies of Aircraft Greases	1955	SAE	0
23376	AIR43	Low Temperature Torque Test for Aircraft Greases	1955	SAE	0
23377	AIR41	Stability of Aircraft Greases	1955	SAE	0
23378	AIR40	Corrosion Preventive Characteristics of Aircraft Greases	1955	SAE	0
23379	AIR39	Water Compatibility of Aircraft Greases	1955	SAE	0
23380	ARP458	UNIVERSAL MAINTENANCE AND OVERHAUL STAND FOR TURBO-JET (10,000 LBS. THRUST CLASS) AND TURBO-PROP ENGINES	1954	SAE	0
23381	ARP294	Terminal, Lead, Low Voltage Igniter Plug - Reaffirmed Noncurrent October 1995	1954	SAE	0
23382	ARP295	Terminal Well, Low Voltage Igniter Plug	1954	SAE	0
23383	AS131A	Pads, Oil Inlet and Outlet, Types I, II & III-for Airplane Connections for Aircraft Engines	1954	SAE	0
23384	AS293	Spark Plug-Spring Contact for High Voltage	1954	SAE	0
23385	AS56C	LEVER ENDS - FUEL AND POWER CONTROL	1954	SAE	0
23386	AS273	POSITION LIGHT FLASHERS: SINGLE-CIRCUIT (Personal Aircraft Types)	1953	SAE	0
23387	AS280	WHEEL AND AXLE DIMENSIONS FOR TYPE VII TIRE-STUB (TAPERED) AXLE TYPE	1953	SAE	0
23388	AMS3565A	VULCANIZED FIBRE	1953	SAE	0
23389	AMS3535B	BARRIER MATERIAL, WATER VAPOR RESISTANT, FLEXIBLE, OPAQUE	1953	SAE	0
23390	AMS3836	FABRIC, GLASS (182) (DECORATIVE GRADE)	1953	SAE	0
23391	J488	PLAIN WASHERS	1953	SAE	0
23392	AMS4370A	MAGNESIUM ALUMINUM SHEET M1A-O Annealed	1952	SAE	0

23393	AMS6480A	STEEL, NITRIDING 0.65Ni - 1Cr - 1Mo (0.32-0.38C)	1951	SAE	0
23394	AS100016 THRU AS100025	Lockwire, Brass	1951	SAE	0
23395	J506	Sleeve Type Half Bearings - November 1978	1951	SAE	0
23396	AIR13A	Final Report on Cold Starting of Reciprocating Aircraft Engines	1951	SAE	0
23397	J712	Industrial and Agricultural Disc Wheels	1949	SAE	0
23398	ARP179A	Involute Spline Gages (30 Degree Pressure Angle)	1949	SAE	0
23399	AS360	SNAP RING - PROPELLER HUB TAPER TYPE - NUMBER O	1949	SAE	0
23400	AS359	NUT - PROPELLER HUB TAPER TYPE - NUMBER O	1949	SAE	0
23401	AS357	HUB - WOOD PROPELLER - TAPER TYPE NUMBER 0	1949	SAE	0
23402	AS92B	Cones, Front, Propeller Hub	1949	SAE	0
23403	ARP175	Temperature Measurement, Well Insert Type	1948	SAE	0
23404	AS236	ADAPTER, THERMO-SENSITIVE ELEMENT	1948	SAE	0
23405	AS234	THERMO-SENSITIVE ELEMENT (RESISTANCE BULB TYPE)	1948	SAE	0
23406	AS214	GENERATORS - 12 VOLT	1948	SAE	0
23407	AS211	FLASHER, POSITION LIGHT	1948	SAE	0
23408	AS196	Thermo-Sensitive Element (Iron - Constantan)	1948	SAE	0
23409	AS199	WHEEL AND AXLE DIMENSIONS, LOW PRESSURE - STRAIGHT AXLE TYPE	1948	SAE	0
23410	AMS5752	ALLOY, CORROSION AND HEAT RESISTANT Nickel Base 28Mo 5Fe 0.35V	1948	SAE	0
23411	J501	Shaft Ends (Stabilized Type)	1948	SAE	0
23412	AMS4380A	MAGNESIUM ALLOY SHEET (AZ51X) Annealed	1947	SAE	0
23413	ARP388	UNIVERSAL JOINTS - DESIGN CRITERIA FOR	1947	SAE	0
23414	AS307	COVER, FLIGHT - GOVERNOR MOUNTING PAD	1946	SAE	0
23415	AMS5025A	STEEL FREE CUTTING Manganese (Heat Treated)	1946	SAE	0
23416	AMS6380B	STEEL .95 Cr .2 Mo (.35 - .42 C)	1946	SAE	0
23417	AMS4032C	ALLUMINUM ALLOY SHEET AND PLATE Copper Manganese Magnesium (17S-T)	1946	SAE	0
23418	AMS4030C	ALUMINUM ALLOY SHEET AND PLATE Copper Manganese Magnesium (17SO)	1946	SAE	0
23419	AS361	WEAR GAGE	1946	SAE	0
23420	AS356	PULLER - IMPACT - UNIVERSAL	1946	SAE	0
23421	AS340	COVER SHIPPING CONTAINER INSPECTION PORT	1945	SAE	0
23422	AS338	Shipping Containers- Aircraft Engines and Components	1945	SAE	0
23423	AMS4076B	ALUMINUM ALLOY TUBING (SEAMLESS) Magnesium Silicon Chromium (53S-W)	1945	SAE	0
23424	AMS4234A	ALUMINUM ALLOY CASTINGS Sand Secondary 4 Copper Solution and Precipitation (S195-T6)	1945	SAE	0
23425	AMS6254D	STEEL - CARBURIZING 3.5 Ni 1.5 Cr (.14 - .20 C)	1945	SAE	0
23426	AMS6510A	STEEL TUBING (WELDED) .95 Cr .20 Mo (.27 - .33C)	1945	SAE	0
23427	AMS4500A	COPPER SHEET AND STRIP	1945	SAE	0
23428	AS178	Two-Speed Propeller Reduction Gear Control	1945	SAE	0
23429	AS180A	PROPELLER HUB-SINGLE ROTATION	1945	SAE	0
23430	AS167A	Chart Humidity Indicator, Color Comparison	1945	SAE	0
23431	AIR6	Oil Dilution and Cold Starting of Aircraft Engines	1945	SAE	0
23432	AMS6253D	STEEL - CARBURIZING Nickel Chromium	1944	SAE	0

23433	AMS4151A	ALUMINUM ALLOY Copper Manganese Magnesium (17S-T) Extruded	1944	SAE	0
23434	AMS3082A	COMPOUND Anti-seize (Mica Base)	1944	SAE	0
23435	AIR3	Survey of Operating Practices with Propeller Ice Elimination Equipment	1943	SAE	0
23436	AMS6410	STEEL Nickel Chromium Molybdenum	1943	SAE	0
23437	AS132	PIN - TAPER	1943	SAE	0
23438	AS29	Ignition Shielding, Aircraft	1942	SAE	0
23439	AMS6252B	STEEL - CARBURIZING Nickel Chromium - (Heavy Section)	1942	SAE	0
23440	AMS6262	STEEL 2 Ni .9 Cr .35 Mo (.08-.13 C)	1942	SAE	0
23441	AMS6240B	STEEL - CARBURIZING 5% Nickel	1942	SAE	0
23442	AMS4817	BEARINGS CAST SILVER Steel Back	1942	SAE	0
23443	AMS3211	RUBBER OR SYNTHETIC RUBBER COMPOUNDS Coolant Resistant (55-65)	1942	SAE	0
23444	AMS2560A	IMPREGNATION OF CASTINGS	1942	SAE	0
23445	AS54	TACHOMETER DRIVE TYPE I	1941	SAE	0
23446	AS21	Symbols and Sketches for Pressures and Temperatures in Induction System - Aircraft Engine	1941	SAE	0
23447	AS14	Magnetos, Aircraft, Installation of	1941	SAE	0
23448	J464	Magnesium Alloys	1940	SAE	0
23449	J566	HEADLAMP MOUNTINGS	1936	SAE	0
23450	J413	Mechanical Properties of Heat Treated Wrought Steels	1932	SAE	0

Hercules Ebooks Institute

www.herculesebooks.com info@herculesebooks.com +989141908737